

Annex A.5 Spurious Emission at Antenna Terminals

1. WCDMA_Band2

1.1 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66.48	-13	53.48	Pass	401
0.15	30	0.01	Peak	0.19	-65.51	-13	52.51	Pass	2986
30	1000	0.1	Peak	494.1	-54.64	-13	41.64	Pass	9701
1000	3000	1	Peak	1851	23.06	-13	-36.06	N/A	2001
3000	20000	1	Peak	17370	-28.82	-13	15.82	Pass	17003



1.2 WCDMA Spurious Emission at Antenna


Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.63	-13	51.63	Pass	401
0.15	30	0.01	Peak	0.15	-65.12	-13	52.12	Pass	2986
30	1000	0.1	Peak	963.076	-54	-13	41	Pass	9701
1000	3000	1	Peak	1879	23.1	-13	-36.1	N/A	2001
3000	20000	1	Peak	13607	-28.56	-13	15.56	Pass	17003



1.3 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.66	-13	54.66	Pass	401
0.15	30	0.01	Peak	0.3	-64.5	-13	51.5	Pass	2986
30	1000	0.1	Peak	852.302	-54.43	-13	41.43	Pass	9701
1000	3000	1	Peak	1906	22.45	-13	-35.45	N/A	2001
3000	20000	1	Peak	17886	-28.48	-13	15.48	Pass	17003



2. WCDMA_Band4

2.1 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.03	-13	53.03	Pass	401
0.15	30	0.01	Peak	0.6	-65.55	-13	52.55	Pass	2986
30	1000	0.1	Peak	505.2	-54.87	-13	41.87	Pass	9701
1000	3000	1	Peak	1714	22.52	-13	-35.52	N/A	2001
3000	20000	1	Peak	17633	-27.84	-13	14.84	Pass	17003



2.2 WCDMA Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Channel:1412)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.27	-13	52.27	Pass	401
0.15	30	0.01	Peak	0.15	-64.77	-13	51.77	Pass	2986
30	1000	0.1	Peak	826.5	-54.57	-13	41.57	Pass	9701
1000	3000	1	Peak	1734	23.05	-13	-36.05	N/A	2001
3000	20000	1	Peak	15274	-28.4	-13	15.4	Pass	17003



2.3 WCDMA Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.78	-13	52.78	Pass	401
0.15	30	0.01	Peak	0.22	-65.64	-13	52.64	Pass	2986
30	1000	0.1	Peak	859.707	-54.77	-13	41.77	Pass	9701
1000	3000	1	Peak	1753	23.19	-13	-36.19	N/A	2001
3000	20000	1	Peak	15006	-28.84	-13	15.84	Pass	17003



3. WCDMA_Band5


3.1 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.2	-13	54.2	Pass	401
0.15	30	0.01	Peak	0.4	-62.9	-13	49.9	Pass	2986
30	500	0.1	Peak	393.8	-55.84	-13	42.84	Pass	4701
500	1000	0.1	Peak	827	19.17	-13	-32.17	N/A	5001
1000	10000	1	Peak	9816	-34.6	-13	21.6	Pass	9002




3.2 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.49	-13	53.49	Pass	401
0.15	30	0.01	Peak	0.27	-65.23	-13	52.23	Pass	2986
30	500	0.1	Peak	475.2	-55.45	-13	42.45	Pass	4701
500	1000	0.1	Peak	837	18.87	-13	-31.87	N/A	5001
1000	10000	1	Peak	8746	-34.52	-13	21.52	Pass	9002



3.3 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.76	-13	51.76	Pass	401
0.15	30	0.01	Peak	0.24	-65.27	-13	52.27	Pass	2986
30	500	0.1	Peak	407	-55.48	-13	42.48	Pass	4701
500	1000	0.1	Peak	846.6	17.47	-13	-30.47	N/A	5001
1000	10000	1	Peak	7328	-34.53	-13	21.53	Pass	9002



4. LTE_Band2


4.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.08	-13	59.08	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-13	58.93	Pass	2986
30	1000	0.1	RMS	840.8	-65.01	-13	52.01	Pass	9701
1000	1840	1	RMS	1840	-52.75	-13	39.75	Pass	841
1840	1920	1	RMS	1850.2	22.63	60	37.37	Pass	401
1920	3000	1	RMS	2986	-51.2	-13	38.2	Pass	1081
3000	12000	1	RMS	11993	-44.09	-13	31.09	Pass	9002
12000	20000	1	RMS	13600	-39.58	-13	26.58	Pass	8001




4.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.59	-13	59.59	Pass	401
0.15	30	0.01	RMS	0.15	-72.66	-13	59.66	Pass	2986
30	1000	0.1	RMS	844.1	-65.12	-13	52.12	Pass	9701
1000	1840	1	RMS	1840	-52.87	-13	39.87	Pass	841
1840	1920	1	RMS	1850.2	21.85	60	38.15	Pass	401
1920	3000	1	RMS	2988	-51.25	-13	38.25	Pass	1081
3000	12000	1	RMS	11998	-44.07	-13	31.07	Pass	9002
12000	20000	1	RMS	13601	-39.55	-13	26.55	Pass	8001




4.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.55	-13	59.55	Pass	401
0.15	30	0.01	RMS	0.27	-72.08	-13	59.08	Pass	2986
30	1000	0.1	RMS	852.502	-64.92	-13	51.92	Pass	9701
1000	1840	1	RMS	1839	-53.5	-13	40.5	Pass	841
1840	1920	1	RMS	1879.6	22.93	60	37.07	Pass	401
1920	3000	1	RMS	2992	-51.2	-13	38.2	Pass	1081
3000	12000	1	RMS	11977	-44.08	-13	31.08	Pass	9002
12000	20000	1	RMS	13602	-39.6	-13	26.6	Pass	8001




4.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.86	-13	58.86	Pass	401
0.15	30	0.01	RMS	0.16	-72.08	-13	59.08	Pass	2986
30	1000	0.1	RMS	849.6	-65.01	-13	52.01	Pass	9701
1000	1840	1	RMS	1836	-53.58	-13	40.58	Pass	841
1840	1920	1	RMS	1879.6	22.19	60	37.81	Pass	401
1920	3000	1	RMS	3000	-51.2	-13	38.2	Pass	1081
3000	12000	1	RMS	11996	-44.07	-13	31.07	Pass	9002
12000	20000	1	RMS	13603	-39.6	-13	26.6	Pass	8001



4.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.18	-13	59.18	Pass	401
0.15	30	0.01	RMS	0.17	-71.99	-13	58.99	Pass	2986
30	1000	0.1	RMS	841	-65.01	-13	52.01	Pass	9701
1000	1840	1	RMS	1840	-53.53	-13	40.53	Pass	841
1840	1920	1	RMS	1908.8	22.84	60	37.16	Pass	401
1920	3000	1	RMS	2992	-51.18	-13	38.18	Pass	1081
3000	12000	1	RMS	11998	-43.99	-13	30.99	Pass	9002
12000	20000	1	RMS	13601	-39.57	-13	26.57	Pass	8001




4.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.21	-13	58.21	Pass	401
0.15	30	0.01	RMS	0.23	-72.09	-13	59.09	Pass	2986
30	1000	0.1	RMS	843.4	-65.02	-13	52.02	Pass	9701
1000	1840	1	RMS	1839	-53.56	-13	40.56	Pass	841
1840	1920	1	RMS	1908.8	21.65	60	38.35	Pass	401
1920	3000	1	RMS	3000	-51.19	-13	38.19	Pass	1081
3000	12000	1	RMS	11996	-44	-13	31	Pass	9002
12000	20000	1	RMS	13600	-39.6	-13	26.6	Pass	8001



4.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.78	-13	58.78	Pass	401
0.15	30	0.01	RMS	0.2	-72.53	-13	59.53	Pass	2986
30	1000	0.1	RMS	872.115	-64.99	-13	51.99	Pass	9701
1000	1840	1	RMS	1840	-52.68	-13	39.68	Pass	841
1840	1920	1	RMS	1850.2	22.6	60	37.4	Pass	401
1920	3000	1	RMS	2985	-51.17	-13	38.17	Pass	1081
3000	12000	1	RMS	11998	-44.01	-13	31.01	Pass	9002
12000	20000	1	RMS	13601	-39.59	-13	26.59	Pass	8001




4.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.72	-13	59.72	Pass	401
0.15	30	0.01	RMS	0.17	-72.15	-13	59.15	Pass	2986
30	1000	0.1	RMS	967.579	-65.12	-13	52.12	Pass	9701
1000	1840	1	RMS	1840	-52.92	-13	39.92	Pass	841
1840	1920	1	RMS	1850.2	21.8	60	38.2	Pass	401
1920	3000	1	RMS	2982	-51.19	-13	38.19	Pass	1081
3000	12000	1	RMS	11998	-44.03	-13	31.03	Pass	9002
12000	20000	1	RMS	13601	-39.61	-13	26.61	Pass	8001




4.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.88	-13	58.88	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-13	59.33	Pass	2986
30	1000	0.1	RMS	982.689	-64.94	-13	51.94	Pass	9701
1000	1840	1	RMS	1840	-53.44	-13	40.44	Pass	841
1840	1920	1	RMS	1878.6	22.91	60	37.09	Pass	401
1920	3000	1	RMS	2985	-51.12	-13	38.12	Pass	1081
3000	12000	1	RMS	12000	-44.04	-13	31.04	Pass	9002
12000	20000	1	RMS	13601	-39.58	-13	26.58	Pass	8001




4.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.04	-13	58.04	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-13	58.83	Pass	2986
30	1000	0.1	RMS	967.178	-64.98	-13	51.98	Pass	9701
1000	1840	1	RMS	1838	-53.5	-13	40.5	Pass	841
1840	1920	1	RMS	1878.8	22.17	60	37.83	Pass	401
1920	3000	1	RMS	2947	-51.17	-13	38.17	Pass	1081
3000	12000	1	RMS	12000	-43.96	-13	30.96	Pass	9002
12000	20000	1	RMS	13601	-39.54	-13	26.54	Pass	8001




4.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.63	-13	59.63	Pass	401
0.15	30	0.01	RMS	0.16	-71.56	-13	58.56	Pass	2986
30	1000	0.1	RMS	954.87	-65.02	-13	52.02	Pass	9701
1000	1840	1	RMS	1839	-53.54	-13	40.54	Pass	841
1840	1920	1	RMS	1907.2	22.21	60	37.79	Pass	401
1920	3000	1	RMS	2998	-51.17	-13	38.17	Pass	1081
3000	12000	1	RMS	11998	-43.99	-13	30.99	Pass	9002
12000	20000	1	RMS	13601	-39.59	-13	26.59	Pass	8001




4.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.15	-13	59.15	Pass	401
0.15	30	0.01	RMS	0.17	-71.8	-13	58.8	Pass	2986
30	1000	0.1	RMS	988.993	-65	-13	52	Pass	9701
1000	1840	1	RMS	1840	-53.5	-13	40.5	Pass	841
1840	1920	1	RMS	1907.2	21.44	60	38.56	Pass	401
1920	3000	1	RMS	2989	-51.12	-13	38.12	Pass	1081
3000	12000	1	RMS	11999	-44	-13	31	Pass	9002
12000	20000	1	RMS	13599	-39.56	-13	26.56	Pass	8001




4.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.29	-13	59.29	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	59	Pass	2986
30	1000	0.1	RMS	950.467	-64.98	-13	51.98	Pass	9701
1000	1840	1	RMS	1840	-52.78	-13	39.78	Pass	841
1840	1920	1	RMS	1850.2	22.28	60	37.72	Pass	401
1920	3000	1	RMS	2928	-51.18	-13	38.18	Pass	1081
3000	12000	1	RMS	11999	-44.01	-13	31.01	Pass	9002
12000	20000	1	RMS	13600	-39.48	-13	26.48	Pass	8001




4.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.36	-13	59.36	Pass	401
0.15	30	0.01	RMS	0.18	-72.01	-13	59.01	Pass	2986
30	1000	0.1	RMS	964.176	-65	-13	52	Pass	9701
1000	1840	1	RMS	1840	-52.87	-13	39.87	Pass	841
1840	1920	1	RMS	1850.2	21.58	60	38.42	Pass	401
1920	3000	1	RMS	2989	-51.15	-13	38.15	Pass	1081
3000	12000	1	RMS	11995	-44.06	-13	31.06	Pass	9002
12000	20000	1	RMS	13605	-39.55	-13	26.55	Pass	8001




4.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.82	-13	58.82	Pass	401
0.15	30	0.01	RMS	0.17	-72.18	-13	59.18	Pass	2986
30	1000	0.1	RMS	863.51	-64.96	-13	51.96	Pass	9701
1000	1840	1	RMS	1834	-53.52	-13	40.52	Pass	841
1840	1920	1	RMS	1877.8	22.93	60	37.07	Pass	401
1920	3000	1	RMS	2978	-51.16	-13	38.16	Pass	1081
3000	12000	1	RMS	11992	-44	-13	31	Pass	9002
12000	20000	1	RMS	13603	-39.56	-13	26.56	Pass	8001




4.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.01	-13	59.01	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-13	58.72	Pass	2986
30	1000	0.1	RMS	904.036	-65.04	-13	52.04	Pass	9701
1000	1840	1	RMS	1839	-53.45	-13	40.45	Pass	841
1840	1920	1	RMS	1877.8	22.21	60	37.79	Pass	401
1920	3000	1	RMS	2999	-51.12	-13	38.12	Pass	1081
3000	12000	1	RMS	11996	-43.99	-13	30.99	Pass	9002
12000	20000	1	RMS	13598	-39.62	-13	26.62	Pass	8001




4.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.36	-13	59.36	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-13	59.09	Pass	2986
30	1000	0.1	RMS	871.615	-65.03	-13	52.03	Pass	9701
1000	1840	1	RMS	1840	-53.47	-13	40.47	Pass	841
1840	1920	1	RMS	1905.4	22.13	60	37.87	Pass	401
1920	3000	1	RMS	2997	-51.12	-13	38.12	Pass	1081
3000	12000	1	RMS	11990	-44	-13	31	Pass	9002
12000	20000	1	RMS	13603	-39.57	-13	26.57	Pass	8001




4.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.57	-13	58.57	Pass	401
0.15	30	0.01	RMS	0.17	-72.1	-13	59.1	Pass	2986
30	1000	0.1	RMS	979.286	-64.87	-13	51.87	Pass	9701
1000	1840	1	RMS	1840	-53.53	-13	40.53	Pass	841
1840	1920	1	RMS	1905.4	21.46	60	38.54	Pass	401
1920	3000	1	RMS	2991	-51.15	-13	38.15	Pass	1081
3000	12000	1	RMS	11995	-44.05	-13	31.05	Pass	9002
12000	20000	1	RMS	13604	-39.54	-13	26.54	Pass	8001




4.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.79	-13	57.79	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	58.78	Pass	2986
30	1000	0.1	RMS	933.356	-64.93	-13	51.93	Pass	9701
1000	1840	1	RMS	1840	-52.91	-13	39.91	Pass	841
1840	1920	1	RMS	1850.6	22.25	60	37.75	Pass	401
1920	3000	1	RMS	2992	-51.11	-13	38.11	Pass	1081
3000	12000	1	RMS	11999	-43.98	-13	30.98	Pass	9002
12000	20000	1	RMS	13600	-39.52	-13	26.52	Pass	8001




4.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.28	-13	59.28	Pass	401
0.15	30	0.01	RMS	0.15	-71.54	-13	58.54	Pass	2986
30	1000	0.1	RMS	845.8	-65.06	-13	52.06	Pass	9701
1000	1840	1	RMS	1840	-53.07	-13	40.07	Pass	841
1840	1920	1	RMS	1850.6	21.55	60	38.45	Pass	401
1920	3000	1	RMS	2986	-51.15	-13	38.15	Pass	1081
3000	12000	1	RMS	11998	-43.98	-13	30.98	Pass	9002
12000	20000	1	RMS	13600	-39.6	-13	26.6	Pass	8001




4.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.79	-13	59.79	Pass	401
0.15	30	0.01	RMS	0.17	-71.64	-13	58.64	Pass	2986
30	1000	0.1	RMS	982.388	-64.95	-13	51.95	Pass	9701
1000	1840	1	RMS	1840	-53.47	-13	40.47	Pass	841
1840	1920	1	RMS	1875.6	22.9	60	37.1	Pass	401
1920	3000	1	RMS	2981	-51.18	-13	38.18	Pass	1081
3000	12000	1	RMS	11994	-43.99	-13	30.99	Pass	9002
12000	20000	1	RMS	13602	-39.5	-13	26.5	Pass	8001




4.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.69	-13	58.69	Pass	401
0.15	30	0.01	RMS	0.15	-71.27	-13	58.27	Pass	2986
30	1000	0.1	RMS	843	-65.03	-13	52.03	Pass	9701
1000	1840	1	RMS	1839	-53.53	-13	40.53	Pass	841
1840	1920	1	RMS	1875.6	22.21	60	37.79	Pass	401
1920	3000	1	RMS	3000	-51.12	-13	38.12	Pass	1081
3000	12000	1	RMS	11990	-43.98	-13	30.98	Pass	9002
12000	20000	1	RMS	13602	-39.54	-13	26.54	Pass	8001




4.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.74	-13	59.74	Pass	401
0.15	30	0.01	RMS	0.16	-71.19	-13	58.19	Pass	2986
30	1000	0.1	RMS	963.376	-65.01	-13	52.01	Pass	9701
1000	1840	1	RMS	1835	-53.51	-13	40.51	Pass	841
1840	1920	1	RMS	1900.6	22.52	60	37.48	Pass	401
1920	3000	1	RMS	2988	-51.15	-13	38.15	Pass	1081
3000	12000	1	RMS	11990	-44.06	-13	31.06	Pass	9002
12000	20000	1	RMS	13599	-39.48	-13	26.48	Pass	8001




4.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.81	-13	58.81	Pass	401
0.15	30	0.01	RMS	0.18	-72.7	-13	59.7	Pass	2986
30	1000	0.1	RMS	949.066	-65.06	-13	52.06	Pass	9701
1000	1840	1	RMS	1835	-53.53	-13	40.53	Pass	841
1840	1920	1	RMS	1900.6	21.79	60	38.21	Pass	401
1920	3000	1	RMS	2988	-51.13	-13	38.13	Pass	1081
3000	12000	1	RMS	11989	-43.97	-13	30.97	Pass	9002
12000	20000	1	RMS	13601	-39.49	-13	26.49	Pass	8001




4.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.55	-13	58.55	Pass	401
0.15	30	0.01	RMS	0.15	-71	-13	58	Pass	2986
30	1000	0.1	RMS	870.714	-64.93	-13	51.93	Pass	9701
1000	1840	1	RMS	1838	-50.83	-13	37.83	Pass	841
1840	1920	1	RMS	1850.8	22.38	60	37.62	Pass	401
1920	3000	1	RMS	2979	-51.18	-13	38.18	Pass	1081
3000	12000	1	RMS	11995	-44	-13	31	Pass	9002
12000	20000	1	RMS	13601	-39.54	-13	26.54	Pass	8001




4.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.64	-13	59.64	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	58.57	Pass	2986
30	1000	0.1	RMS	918.346	-64.98	-13	51.98	Pass	9701
1000	1840	1	RMS	1838	-51.33	-13	38.33	Pass	841
1840	1920	1	RMS	1850.8	21.57	60	38.43	Pass	401
1920	3000	1	RMS	2981	-51.15	-13	38.15	Pass	1081
3000	12000	1	RMS	11999	-43.98	-13	30.98	Pass	9002
12000	20000	1	RMS	13600	-39.48	-13	26.48	Pass	8001




4.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.98	-13	58.98	Pass	401
0.15	30	0.01	RMS	0.15	-71.26	-13	58.26	Pass	2986
30	1000	0.1	RMS	950.267	-65.11	-13	52.11	Pass	9701
1000	1840	1	RMS	1840	-53.47	-13	40.47	Pass	841
1840	1920	1	RMS	1873.4	22.97	60	37.03	Pass	401
1920	3000	1	RMS	2995	-51.13	-13	38.13	Pass	1081
3000	12000	1	RMS	12000	-43.98	-13	30.98	Pass	9002
12000	20000	1	RMS	13610	-39.5	-13	26.5	Pass	8001




4.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.35	-13	58.35	Pass	401
0.15	30	0.01	RMS	0.16	-71.87	-13	58.87	Pass	2986
30	1000	0.1	RMS	970.781	-65.01	-13	52.01	Pass	9701
1000	1840	1	RMS	1839	-53.52	-13	40.52	Pass	841
1840	1920	1	RMS	1873.4	22.23	60	37.77	Pass	401
1920	3000	1	RMS	2980	-51.12	-13	38.12	Pass	1081
3000	12000	1	RMS	11999	-43.97	-13	30.97	Pass	9002
12000	20000	1	RMS	13598	-39.54	-13	26.54	Pass	8001




4.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.31	-13	59.31	Pass	401
0.15	30	0.01	RMS	0.15	-71.45	-13	58.45	Pass	2986
30	1000	0.1	RMS	980.387	-64.96	-13	51.96	Pass	9701
1000	1840	1	RMS	1840	-53.51	-13	40.51	Pass	841
1840	1920	1	RMS	1895.8	22.56	60	37.44	Pass	401
1920	3000	1	RMS	2983	-51.15	-13	38.15	Pass	1081
3000	12000	1	RMS	12000	-43.94	-13	30.94	Pass	9002
12000	20000	1	RMS	13602	-39.45	-13	26.45	Pass	8001




4.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.31	-13	59.31	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	58.42	Pass	2986
30	1000	0.1	RMS	826.3	-64.86	-13	51.86	Pass	9701
1000	1840	1	RMS	1839	-53.45	-13	40.45	Pass	841
1840	1920	1	RMS	1895.8	21.78	60	38.22	Pass	401
1920	3000	1	RMS	2994	-51.14	-13	38.14	Pass	1081
3000	12000	1	RMS	11999	-43.9	-13	30.9	Pass	9002
12000	20000	1	RMS	13600	-39.5	-13	26.5	Pass	8001




4.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.99	-13	58.99	Pass	401
0.15	30	0.01	RMS	0.15	-71.35	-13	58.35	Pass	2986
30	1000	0.1	RMS	864.61	-64.99	-13	51.99	Pass	9701
1000	1840	1	RMS	1840	-52.48	-13	39.48	Pass	841
1840	1920	1	RMS	1851	22.41	60	37.59	Pass	401
1920	3000	1	RMS	2985	-51.14	-13	38.14	Pass	1081
3000	12000	1	RMS	11995	-43.93	-13	30.93	Pass	9002
12000	20000	1	RMS	13600	-39.56	-13	26.56	Pass	8001




4.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.92	-13	58.92	Pass	401
0.15	30	0.01	RMS	0.15	-71.94	-13	58.94	Pass	2986
30	1000	0.1	RMS	853.603	-65.02	-13	52.02	Pass	9701
1000	1840	1	RMS	1840	-52.69	-13	39.69	Pass	841
1840	1920	1	RMS	1851	21.63	60	38.37	Pass	401
1920	3000	1	RMS	2988	-51.13	-13	38.13	Pass	1081
3000	12000	1	RMS	11997	-43.94	-13	30.94	Pass	9002
12000	20000	1	RMS	13601	-39.53	-13	26.53	Pass	8001



4.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.88	-13	58.88	Pass	401
0.15	30	0.01	RMS	0.16	-71.89	-13	58.89	Pass	2986
30	1000	0.1	RMS	955.871	-65.1	-13	52.1	Pass	9701
1000	1840	1	RMS	1840	-53.44	-13	40.44	Pass	841
1840	1920	1	RMS	1871	23.14	60	36.86	Pass	401
1920	3000	1	RMS	2985	-51.11	-13	38.11	Pass	1081
3000	12000	1	RMS	11998	-43.93	-13	30.93	Pass	9002
12000	20000	1	RMS	13601	-39.56	-13	26.56	Pass	8001




4.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.82	-13	58.82	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	58.78	Pass	2986
30	1000	0.1	RMS	855.704	-64.75	-13	51.75	Pass	9701
1000	1840	1	RMS	1840	-53.46	-13	40.46	Pass	841
1840	1920	1	RMS	1871	22.49	60	37.51	Pass	401
1920	3000	1	RMS	2983	-51.13	-13	38.13	Pass	1081
3000	12000	1	RMS	11996	-43.99	-13	30.99	Pass	9002
12000	20000	1	RMS	13599	-39.57	-13	26.57	Pass	8001




4.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.68	-13	58.68	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-13	58.8	Pass	2986
30	1000	0.1	RMS	843	-65.03	-13	52.03	Pass	9701
1000	1840	1	RMS	1839	-53.48	-13	40.48	Pass	841
1840	1920	1	RMS	1891	22.65	60	37.35	Pass	401
1920	3000	1	RMS	2987	-51.11	-13	38.11	Pass	1081
3000	12000	1	RMS	11999	-43.88	-13	30.88	Pass	9002
12000	20000	1	RMS	13600	-39.47	-13	26.47	Pass	8001



4.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.34	-13	59.34	Pass	401
0.15	30	0.01	RMS	0.15	-71.19	-13	58.19	Pass	2986
30	1000	0.1	RMS	986.991	-64.88	-13	51.88	Pass	9701
1000	1840	1	RMS	1836	-53.55	-13	40.55	Pass	841
1840	1920	1	RMS	1891	21.99	60	38.01	Pass	401
1920	3000	1	RMS	2984	-51.14	-13	38.14	Pass	1081
3000	12000	1	RMS	11999	-43.98	-13	30.98	Pass	9002
12000	20000	1	RMS	13603	-39.49	-13	26.49	Pass	8001



5. LTE_Band4


5.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.9	-13	58.9	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-13	58.61	Pass	2986
30	1000	0.1	RMS	954.17	-64.94	-13	51.94	Pass	9701
1000	1700	1	RMS	1700	-52.71	-13	39.71	Pass	701
1700	1765	1	RMS	1710.238	23.63	60	36.37	Pass	401
1765	3000	1	RMS	2929	-51.13	-13	38.13	Pass	1236
3000	12000	1	RMS	12000	-44.05	-13	31.05	Pass	9002
12000	20000	1	RMS	13602	-39.58	-13	26.58	Pass	8001




5.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.72	-13	58.72	Pass	401
0.15	30	0.01	RMS	0.18	-72.32	-13	59.32	Pass	2986
30	1000	0.1	RMS	853.903	-65.05	-13	52.05	Pass	9701
1000	1700	1	RMS	1700	-52.9	-13	39.9	Pass	701
1700	1765	1	RMS	1710.238	22.73	60	37.27	Pass	401
1765	3000	1	RMS	2988	-51.13	-13	38.13	Pass	1236
3000	12000	1	RMS	11998	-43.86	-13	30.86	Pass	9002
12000	20000	1	RMS	13602	-39.56	-13	26.56	Pass	8001




5.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.51	-13	58.51	Pass	401
0.15	30	0.01	RMS	0.15	-71.27	-13	58.27	Pass	2986
30	1000	0.1	RMS	846.7	-64.98	-13	51.98	Pass	9701
1000	1700	1	RMS	1679	-53.64	-13	40.64	Pass	701
1700	1765	1	RMS	1732.013	23.43	60	36.57	Pass	401
1765	3000	1	RMS	2987	-51.12	-13	38.12	Pass	1236
3000	12000	1	RMS	11998	-44.02	-13	31.02	Pass	9002
12000	20000	1	RMS	13600	-39.51	-13	26.51	Pass	8001




5.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.42	-13	58.42	Pass	401
0.15	30	0.01	RMS	0.15	-72.58	-13	59.58	Pass	2986
30	1000	0.1	RMS	834.6	-64.86	-13	51.86	Pass	9701
1000	1700	1	RMS	1675	-53.66	-13	40.66	Pass	701
1700	1765	1	RMS	1732.013	22.69	60	37.31	Pass	401
1765	3000	1	RMS	2991	-51.13	-13	38.13	Pass	1236
3000	12000	1	RMS	12000	-43.99	-13	30.99	Pass	9002
12000	20000	1	RMS	13600	-39.5	-13	26.5	Pass	8001




5.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.92	-13	58.92	Pass	401
0.15	30	0.01	RMS	0.15	-71.2	-13	58.2	Pass	2986
30	1000	0.1	RMS	847.3	-64.96	-13	51.96	Pass	9701
1000	1700	1	RMS	1676	-53.66	-13	40.66	Pass	701
1700	1765	1	RMS	1753.788	23.66	60	36.34	Pass	401
1765	3000	1	RMS	2983	-51.08	-13	38.08	Pass	1236
3000	12000	1	RMS	11999	-44.03	-13	31.03	Pass	9002
12000	20000	1	RMS	13602	-39.54	-13	26.54	Pass	8001




5.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.25	-13	59.25	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-13	59.25	Pass	2986
30	1000	0.1	RMS	1000	-64.92	-13	51.92	Pass	9701
1000	1700	1	RMS	1680	-53.64	-13	40.64	Pass	701
1700	1765	1	RMS	1753.788	22.69	60	37.31	Pass	401
1765	3000	1	RMS	2988	-51.16	-13	38.16	Pass	1236
3000	12000	1	RMS	11998	-43.99	-13	30.99	Pass	9002
12000	20000	1	RMS	13599	-39.56	-13	26.56	Pass	8001




5.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.14	-13	59.14	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	58.52	Pass	2986
30	1000	0.1	RMS	839.5	-65	-13	52	Pass	9701
1000	1700	1	RMS	1700	-52.71	-13	39.71	Pass	701
1700	1765	1	RMS	1710.238	23.52	60	36.48	Pass	401
1765	3000	1	RMS	2849	-51.09	-13	38.09	Pass	1236
3000	12000	1	RMS	11990	-43.93	-13	30.93	Pass	9002
12000	20000	1	RMS	13600	-39.5	-13	26.5	Pass	8001




5.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.21	-13	59.21	Pass	401
0.15	30	0.01	RMS	0.16	-71.59	-13	58.59	Pass	2986
30	1000	0.1	RMS	904.837	-65.07	-13	52.07	Pass	9701
1000	1700	1	RMS	1700	-52.78	-13	39.78	Pass	701
1700	1765	1	RMS	1710.238	22.67	60	37.33	Pass	401
1765	3000	1	RMS	2981	-51.11	-13	38.11	Pass	1236
3000	12000	1	RMS	11997	-43.94	-13	30.94	Pass	9002
12000	20000	1	RMS	13603	-39.58	-13	26.58	Pass	8001




5.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.17	-13	59.17	Pass	401
0.15	30	0.01	RMS	0.16	-71.73	-13	58.73	Pass	2986
30	1000	0.1	RMS	848.9	-64.96	-13	51.96	Pass	9701
1000	1700	1	RMS	1678	-53.63	-13	40.63	Pass	701
1700	1765	1	RMS	1731.2	23.43	60	36.57	Pass	401
1765	3000	1	RMS	3000	-51.12	-13	38.12	Pass	1236
3000	12000	1	RMS	12000	-43.94	-13	30.94	Pass	9002
12000	20000	1	RMS	13598	-39.53	-13	26.53	Pass	8001




5.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.48	-13	59.48	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	59.05	Pass	2986
30	1000	0.1	RMS	874.817	-65.07	-13	52.07	Pass	9701
1000	1700	1	RMS	1678	-53.66	-13	40.66	Pass	701
1700	1765	1	RMS	1731.2	22.49	60	37.51	Pass	401
1765	3000	1	RMS	2980	-51.13	-13	38.13	Pass	1236
3000	12000	1	RMS	11998	-43.98	-13	30.98	Pass	9002
12000	20000	1	RMS	13605	-39.48	-13	26.48	Pass	8001




5.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.2	-13	59.2	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-13	58.89	Pass	2986
30	1000	0.1	RMS	863.309	-65.02	-13	52.02	Pass	9701
1000	1700	1	RMS	1678	-53.64	-13	40.64	Pass	701
1700	1765	1	RMS	1752.163	23.35	60	36.65	Pass	401
1765	3000	1	RMS	2996	-51.09	-13	38.09	Pass	1236
3000	12000	1	RMS	11997	-43.95	-13	30.95	Pass	9002
12000	20000	1	RMS	13601	-39.51	-13	26.51	Pass	8001




5.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.13	-13	58.13	Pass	401
0.15	30	0.01	RMS	0.17	-72.52	-13	59.52	Pass	2986
30	1000	0.1	RMS	847.4	-65.04	-13	52.04	Pass	9701
1000	1700	1	RMS	1680	-53.65	-13	40.65	Pass	701
1700	1765	1	RMS	1752.163	22.57	60	37.43	Pass	401
1765	3000	1	RMS	3000	-51.12	-13	38.12	Pass	1236
3000	12000	1	RMS	11998	-43.99	-13	30.99	Pass	9002
12000	20000	1	RMS	13600	-39.49	-13	26.49	Pass	8001




5.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.58	-13	58.58	Pass	401
0.15	30	0.01	RMS	0.16	-71.71	-13	58.71	Pass	2986
30	1000	0.1	RMS	985.39	-65.04	-13	52.04	Pass	9701
1000	1700	1	RMS	1700	-52.8	-13	39.8	Pass	701
1700	1765	1	RMS	1710.238	23.35	60	36.65	Pass	401
1765	3000	1	RMS	2936	-51.13	-13	38.13	Pass	1236
3000	12000	1	RMS	12000	-43.94	-13	30.94	Pass	9002
12000	20000	1	RMS	13602	-39.54	-13	26.54	Pass	8001




5.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.23	-13	59.23	Pass	401
0.15	30	0.01	RMS	0.19	-71.48	-13	58.48	Pass	2986
30	1000	0.1	RMS	830.7	-64.9	-13	51.9	Pass	9701
1000	1700	1	RMS	1700	-53.03	-13	40.03	Pass	701
1700	1765	1	RMS	1710.238	22.64	60	37.36	Pass	401
1765	3000	1	RMS	2997	-51.15	-13	38.15	Pass	1236
3000	12000	1	RMS	12000	-44.05	-13	31.05	Pass	9002
12000	20000	1	RMS	13602	-39.58	-13	26.58	Pass	8001




5.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.37	-13	59.37	Pass	401
0.15	30	0.01	RMS	0.16	-71.28	-13	58.28	Pass	2986
30	1000	0.1	RMS	870.614	-64.98	-13	51.98	Pass	9701
1000	1700	1	RMS	1679	-53.67	-13	40.67	Pass	701
1700	1765	1	RMS	1730.388	23.47	60	36.53	Pass	401
1765	3000	1	RMS	2996	-51.12	-13	38.12	Pass	1236
3000	12000	1	RMS	11997	-44	-13	31	Pass	9002
12000	20000	1	RMS	13599	-39.55	-13	26.55	Pass	8001




5.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.15	-13	59.15	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-13	59.25	Pass	2986
30	1000	0.1	RMS	871.415	-65.03	-13	52.03	Pass	9701
1000	1700	1	RMS	1678	-53.67	-13	40.67	Pass	701
1700	1765	1	RMS	1730.225	22.7	60	37.3	Pass	401
1765	3000	1	RMS	2959	-51.14	-13	38.14	Pass	1236
3000	12000	1	RMS	11999	-43.96	-13	30.96	Pass	9002
12000	20000	1	RMS	13600	-39.55	-13	26.55	Pass	8001




5.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.4	-13	59.4	Pass	401
0.15	30	0.01	RMS	0.15	-71.31	-13	58.31	Pass	2986
30	1000	0.1	RMS	996.598	-64.99	-13	51.99	Pass	9701
1000	1700	1	RMS	1680	-53.63	-13	40.63	Pass	701
1700	1765	1	RMS	1750.375	23.49	60	36.51	Pass	401
1765	3000	1	RMS	2993	-51.12	-13	38.12	Pass	1236
3000	12000	1	RMS	11996	-43.92	-13	30.92	Pass	9002
12000	20000	1	RMS	13605	-39.54	-13	26.54	Pass	8001




5.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.23	-13	59.23	Pass	401
0.15	30	0.01	RMS	0.25	-72.15	-13	59.15	Pass	2986
30	1000	0.1	RMS	968.379	-64.98	-13	51.98	Pass	9701
1000	1700	1	RMS	1679	-53.65	-13	40.65	Pass	701
1700	1765	1	RMS	1750.213	22.53	60	37.47	Pass	401
1765	3000	1	RMS	2942	-51.14	-13	38.14	Pass	1236
3000	12000	1	RMS	11999	-43.99	-13	30.99	Pass	9002
12000	20000	1	RMS	13595	-39.5	-13	26.5	Pass	8001




5.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.59	-13	59.59	Pass	401
0.15	30	0.01	RMS	0.16	-71.9	-13	58.9	Pass	2986
30	1000	0.1	RMS	899.633	-64.98	-13	51.98	Pass	9701
1000	1700	1	RMS	1700	-52.75	-13	39.75	Pass	701
1700	1765	1	RMS	1710.563	23.19	60	36.81	Pass	401
1765	3000	1	RMS	2980	-51.13	-13	38.13	Pass	1236
3000	12000	1	RMS	11999	-44	-13	31	Pass	9002
12000	20000	1	RMS	13601	-39.48	-13	26.48	Pass	8001




5.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.76	-13	58.76	Pass	401
0.15	30	0.01	RMS	0.16	-72.09	-13	59.09	Pass	2986
30	1000	0.1	RMS	837.2	-65.07	-13	52.07	Pass	9701
1000	1700	1	RMS	1700	-52.89	-13	39.89	Pass	701
1700	1765	1	RMS	1710.563	23.03	60	36.97	Pass	401
1765	3000	1	RMS	2992	-51.09	-13	38.09	Pass	1236
3000	12000	1	RMS	12000	-44.03	-13	31.03	Pass	9002
12000	20000	1	RMS	13604	-39.5	-13	26.5	Pass	8001




5.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.02	-13	59.02	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-13	58.61	Pass	2986
30	1000	0.1	RMS	849.1	-64.99	-13	51.99	Pass	9701
1000	1700	1	RMS	1680	-53.65	-13	40.65	Pass	701
1700	1765	1	RMS	1728.113	23.23	60	36.77	Pass	401
1765	3000	1	RMS	2991	-51.14	-13	38.14	Pass	1236
3000	12000	1	RMS	11999	-43.94	-13	30.94	Pass	9002
12000	20000	1	RMS	13600	-39.63	-13	26.63	Pass	8001




5.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	0.16	-71.76	-13	58.76	Pass	2986
30	1000	0.1	RMS	927.452	-64.94	-13	51.94	Pass	9701
1000	1700	1	RMS	1680	-53.69	-13	40.69	Pass	701
1700	1765	1	RMS	1728.113	22.29	60	37.71	Pass	401
1765	3000	1	RMS	2993	-51.03	-13	38.03	Pass	1236
3000	12000	1	RMS	11998	-43.97	-13	30.97	Pass	9002
12000	20000	1	RMS	13602	-39.56	-13	26.56	Pass	8001




5.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.85	-13	58.85	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	58.98	Pass	2986
30	1000	0.1	RMS	830.7	-65.02	-13	52.02	Pass	9701
1000	1700	1	RMS	1678	-53.7	-13	40.7	Pass	701
1700	1765	1	RMS	1745.663	23.37	60	36.63	Pass	401
1765	3000	1	RMS	2981	-51.1	-13	38.1	Pass	1236
3000	12000	1	RMS	11994	-43.98	-13	30.98	Pass	9002
12000	20000	1	RMS	13600	-39.52	-13	26.52	Pass	8001




5.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.24	-13	59.24	Pass	401
0.15	30	0.01	RMS	0.18	-72.46	-13	59.46	Pass	2986
30	1000	0.1	RMS	857.606	-65.03	-13	52.03	Pass	9701
1000	1700	1	RMS	1681	-53.69	-13	40.69	Pass	701
1700	1765	1	RMS	1745.663	22.81	60	37.19	Pass	401
1765	3000	1	RMS	2987	-51.16	-13	38.16	Pass	1236
3000	12000	1	RMS	12000	-44.03	-13	31.03	Pass	9002
12000	20000	1	RMS	13598	-39.52	-13	26.52	Pass	8001




5.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.87	-13	59.87	Pass	401
0.15	30	0.01	RMS	0.15	-71.58	-13	58.58	Pass	2986
30	1000	0.1	RMS	821.1	-65.07	-13	52.07	Pass	9701
1000	1700	1	RMS	1698	-46.28	-13	33.28	Pass	701
1700	1765	1	RMS	1710.888	23.42	60	36.58	Pass	401
1765	3000	1	RMS	2988	-51.12	-13	38.12	Pass	1236
3000	12000	1	RMS	11984	-44.03	-13	31.03	Pass	9002
12000	20000	1	RMS	13600	-39.54	-13	26.54	Pass	8001




5.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.92	-13	58.92	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	58.88	Pass	2986
30	1000	0.1	RMS	854.303	-65.07	-13	52.07	Pass	9701
1000	1700	1	RMS	1678	-53.72	-13	40.72	Pass	701
1700	1765	1	RMS	1728.925	-53.78	60	113.78	Pass	401
1765	3000	1	RMS	2996	-51.13	-13	38.13	Pass	1236
3000	12000	1	RMS	11997	-44	-13	31	Pass	9002
12000	20000	1	RMS	13601	-39.54	-13	26.54	Pass	8001




5.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.08	-13	59.08	Pass	401
0.15	30	0.01	RMS	0.18	-72.48	-13	59.48	Pass	2986
30	1000	0.1	RMS	867.612	-65.02	-13	52.02	Pass	9701
1000	1700	1	RMS	1699	-53.67	-13	40.67	Pass	701
1700	1765	1	RMS	1725.838	23.63	60	36.37	Pass	401
1765	3000	1	RMS	2988	-51.15	-13	38.15	Pass	1236
3000	12000	1	RMS	11999	-43.98	-13	30.98	Pass	9002
12000	20000	1	RMS	13603	-39.55	-13	26.55	Pass	8001




5.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.99	-13	58.99	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-13	58.85	Pass	2986
30	1000	0.1	RMS	957.772	-65.06	-13	52.06	Pass	9701
1000	1700	1	RMS	1700	-53.54	-13	40.54	Pass	701
1700	1765	1	RMS	1725.838	22.45	60	37.55	Pass	401
1765	3000	1	RMS	2975	-51.14	-13	38.14	Pass	1236
3000	12000	1	RMS	11996	-43.91	-13	30.91	Pass	9002
12000	20000	1	RMS	13600	-39.55	-13	26.55	Pass	8001




5.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.66	-13	59.66	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	58.98	Pass	2986
30	1000	0.1	RMS	977.585	-65.01	-13	52.01	Pass	9701
1000	1700	1	RMS	1680	-53.72	-13	40.72	Pass	701
1700	1765	1	RMS	1740.788	23.38	60	36.62	Pass	401
1765	3000	1	RMS	2990	-51.14	-13	38.14	Pass	1236
3000	12000	1	RMS	11999	-44	-13	31	Pass	9002
12000	20000	1	RMS	13599	-39.6	-13	26.6	Pass	8001




5.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.8	-13	59.8	Pass	401
0.15	30	0.01	RMS	0.15	-71.22	-13	58.22	Pass	2986
30	1000	0.1	RMS	927.852	-65.11	-13	52.11	Pass	9701
1000	1700	1	RMS	1677	-53.64	-13	40.64	Pass	701
1700	1765	1	RMS	1740.788	22.78	60	37.22	Pass	401
1765	3000	1	RMS	2987	-51.15	-13	38.15	Pass	1236
3000	12000	1	RMS	11996	-44.02	-13	31.02	Pass	9002
12000	20000	1	RMS	13604	-39.49	-13	26.49	Pass	8001



5.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.77	-13	59.77	Pass	401
0.15	30	0.01	RMS	0.16	-71.58	-13	58.58	Pass	2986
30	1000	0.1	RMS	842.6	-65.09	-13	52.09	Pass	9701
1000	1700	1	RMS	1693	-48.52	-13	35.52	Pass	701
1700	1765	1	RMS	1711.05	23.4	60	36.6	Pass	401
1765	3000	1	RMS	2985	-51.11	-13	38.11	Pass	1236
3000	12000	1	RMS	11999	-44.02	-13	31.02	Pass	9002
12000	20000	1	RMS	13604	-39.51	-13	26.51	Pass	8001




5.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.24	-13	59.24	Pass	401
0.15	30	0.01	RMS	0.15	-71.29	-13	58.29	Pass	2986
30	1000	0.1	RMS	851.902	-65.02	-13	52.02	Pass	9701
1000	1700	1	RMS	1693	-48.8	-13	35.8	Pass	701
1700	1765	1	RMS	1711.05	22.66	60	37.34	Pass	401
1765	3000	1	RMS	2982	-51.14	-13	38.14	Pass	1236
3000	12000	1	RMS	11998	-44.07	-13	31.07	Pass	9002
12000	20000	1	RMS	13601	-39.59	-13	26.59	Pass	8001




5.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.11	-13	59.11	Pass	401
0.15	30	0.01	RMS	0.16	-71.99	-13	58.99	Pass	2986
30	1000	0.1	RMS	867.312	-64.99	-13	51.99	Pass	9701
1000	1700	1	RMS	1700	-53.61	-13	40.61	Pass	701
1700	1765	1	RMS	1723.563	23.31	60	36.69	Pass	401
1765	3000	1	RMS	2986	-51.09	-13	38.09	Pass	1236
3000	12000	1	RMS	11998	-43.99	-13	30.99	Pass	9002
12000	20000	1	RMS	13600	-39.58	-13	26.58	Pass	8001




5.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.91	-13	58.91	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	58.91	Pass	2986
30	1000	0.1	RMS	972.182	-65.15	-13	52.15	Pass	9701
1000	1700	1	RMS	1700	-53.58	-13	40.58	Pass	701
1700	1765	1	RMS	1723.563	22.59	60	37.41	Pass	401
1765	3000	1	RMS	2983	-51.14	-13	38.14	Pass	1236
3000	12000	1	RMS	11998	-44.07	-13	31.07	Pass	9002
12000	20000	1	RMS	13602	-39.55	-13	26.55	Pass	8001




5.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.11	-13	58.11	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-13	58.8	Pass	2986
30	1000	0.1	RMS	846.4	-64.94	-13	51.94	Pass	9701
1000	1700	1	RMS	1681	-53.67	-13	40.67	Pass	701
1700	1765	1	RMS	1736.075	23.3	60	36.7	Pass	401
1765	3000	1	RMS	2988	-51.09	-13	38.09	Pass	1236
3000	12000	1	RMS	11997	-43.97	-13	30.97	Pass	9002
12000	20000	1	RMS	13603	-39.49	-13	26.49	Pass	8001



5.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.59	-13	59.59	Pass	401
0.15	30	0.01	RMS	0.15	-71.47	-13	58.47	Pass	2986
30	1000	0.1	RMS	843.1	-65.09	-13	52.09	Pass	9701
1000	1700	1	RMS	1675	-53.67	-13	40.67	Pass	701
1700	1765	1	RMS	1736.075	23.02	60	36.98	Pass	401
1765	3000	1	RMS	3000	-51.13	-13	38.13	Pass	1236
3000	12000	1	RMS	11999	-43.97	-13	30.97	Pass	9002
12000	20000	1	RMS	13603	-39.57	-13	26.57	Pass	8001



6. LTE_Band5


6.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.54	-13	59.54	Pass	401
0.15	30	0.01	RMS	0.16	-72.57	-13	59.57	Pass	2986
30	814	0.1	RMS	813.6	-64.41	-13	51.41	Pass	7841
814	860	0.1	RMS	824.3	20.8	60	39.2	Pass	461
860	1000	0.1	RMS	936	-65.59	-13	52.59	Pass	1401
1000	3000	1	RMS	1648	-46.89	-13	33.89	Pass	2001
3000	10000	1	RMS	6800	-45.96	-13	32.96	Pass	7001




6.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.16	-13	59.16	Pass	401
0.15	30	0.01	RMS	0.19	-72.73	-13	59.73	Pass	2986
30	814	0.1	RMS	813.6	-64.85	-13	51.85	Pass	7841
814	860	0.1	RMS	824.3	19.91	60	40.09	Pass	461
860	1000	0.1	RMS	965.3	-65.71	-13	52.71	Pass	1401
1000	3000	1	RMS	1648	-48.21	-13	35.21	Pass	2001
3000	10000	1	RMS	6801	-45.97	-13	32.97	Pass	7001




6.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.12	-13	60.12	Pass	401
0.15	30	0.01	RMS	0.15	-72.94	-13	59.94	Pass	2986
30	814	0.1	RMS	812.4	-65.77	-13	52.77	Pass	7841
814	860	0.1	RMS	836.1	20.67	60	39.33	Pass	461
860	1000	0.1	RMS	978.1	-65.61	-13	52.61	Pass	1401
1000	3000	1	RMS	1672	-47.31	-13	34.31	Pass	2001
3000	10000	1	RMS	6803	-45.88	-13	32.88	Pass	7001




6.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.85	-13	59.85	Pass	401
0.15	30	0.01	RMS	0.17	-72.6	-13	59.6	Pass	2986
30	814	0.1	RMS	811.5	-65.71	-13	52.71	Pass	7841
814	860	0.1	RMS	836.1	19.91	60	40.09	Pass	461
860	1000	0.1	RMS	897.8	-65.62	-13	52.62	Pass	1401
1000	3000	1	RMS	1672	-48.16	-13	35.16	Pass	2001
3000	10000	1	RMS	6803	-45.9	-13	32.9	Pass	7001




6.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.53	-13	58.53	Pass	401
0.15	30	0.01	RMS	0.16	-72.28	-13	59.28	Pass	2986
30	814	0.1	RMS	812	-65.58	-13	52.58	Pass	7841
814	860	0.1	RMS	847.9	20.55	60	39.45	Pass	461
860	1000	0.1	RMS	860.9	-65.69	-13	52.69	Pass	1401
1000	3000	1	RMS	1695	-47.43	-13	34.43	Pass	2001
3000	10000	1	RMS	6800	-45.81	-13	32.81	Pass	7001




6.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.1	-13	59.1	Pass	401
0.15	30	0.01	RMS	0.2	-73.04	-13	60.04	Pass	2986
30	814	0.1	RMS	813.8	-65.82	-13	52.82	Pass	7841
814	860	0.1	RMS	847.9	19.71	60	40.29	Pass	461
860	1000	0.1	RMS	864.9	-65.72	-13	52.72	Pass	1401
1000	3000	1	RMS	1695	-48.3	-13	35.3	Pass	2001
3000	10000	1	RMS	6800	-45.91	-13	32.91	Pass	7001




6.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.57	-13	60.57	Pass	401
0.15	30	0.01	RMS	0.16	-72.7	-13	59.7	Pass	2986
30	814	0.1	RMS	813.6	-64.59	-13	51.59	Pass	7841
814	860	0.1	RMS	824.3	20.89	60	39.11	Pass	461
860	1000	0.1	RMS	975.9	-65.46	-13	52.46	Pass	1401
1000	3000	1	RMS	1648	-46.84	-13	33.84	Pass	2001
3000	10000	1	RMS	6801	-45.89	-13	32.89	Pass	7001




6.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.74	-13	60.74	Pass	401
0.15	30	0.01	RMS	0.17	-72.24	-13	59.24	Pass	2986
30	814	0.1	RMS	813.6	-64.89	-13	51.89	Pass	7841
814	860	0.1	RMS	824.3	19.88	60	40.12	Pass	461
860	1000	0.1	RMS	984	-65.46	-13	52.46	Pass	1401
1000	3000	1	RMS	1648	-47.55	-13	34.55	Pass	2001
3000	10000	1	RMS	6800	-45.81	-13	32.81	Pass	7001




6.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.43	-13	59.43	Pass	401
0.15	30	0.01	RMS	0.15	-72.65	-13	59.65	Pass	2986
30	814	0.1	RMS	814	-65.57	-13	52.57	Pass	7841
814	860	0.1	RMS	835.3	20.62	60	39.38	Pass	461
860	1000	0.1	RMS	979.5	-65.62	-13	52.62	Pass	1401
1000	3000	1	RMS	1670	-46.68	-13	33.68	Pass	2001
3000	10000	1	RMS	6800	-45.92	-13	32.92	Pass	7001




6.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.87	-13	59.87	Pass	401
0.15	30	0.01	RMS	0.16	-72.66	-13	59.66	Pass	2986
30	814	0.1	RMS	813.6	-65.72	-13	52.72	Pass	7841
814	860	0.1	RMS	835.3	19.9	60	40.1	Pass	461
860	1000	0.1	RMS	886.3	-65.67	-13	52.67	Pass	1401
1000	3000	1	RMS	1670	-47.6	-13	34.6	Pass	2001
3000	10000	1	RMS	6800	-45.89	-13	32.89	Pass	7001




6.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.44	-13	59.44	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	59.2	Pass	2986
30	814	0.1	RMS	806.3	-65.8	-13	52.8	Pass	7841
814	860	0.1	RMS	846.3	20.38	60	39.62	Pass	461
860	1000	0.1	RMS	971.3	-65.65	-13	52.65	Pass	1401
1000	3000	1	RMS	1692	-47.29	-13	34.29	Pass	2001
3000	10000	1	RMS	6800	-45.97	-13	32.97	Pass	7001




6.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.31	-13	60.31	Pass	401
0.15	30	0.01	RMS	0.18	-72.83	-13	59.83	Pass	2986
30	814	0.1	RMS	806.4	-65.85	-13	52.85	Pass	7841
814	860	0.1	RMS	846.3	19.79	60	40.21	Pass	461
860	1000	0.1	RMS	980.1	-65.66	-13	52.66	Pass	1401
1000	3000	1	RMS	1692	-47.66	-13	34.66	Pass	2001
3000	10000	1	RMS	6800	-45.91	-13	32.91	Pass	7001




6.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.59	-13	59.59	Pass	401
0.15	30	0.01	RMS	0.15	-73	-13	60	Pass	2986
30	814	0.1	RMS	813.7	-64.5	-13	51.5	Pass	7841
814	860	0.1	RMS	824.4	20.69	60	39.31	Pass	461
860	1000	0.1	RMS	860.1	-65.55	-13	52.55	Pass	1401
1000	3000	1	RMS	1648	-47.2	-13	34.2	Pass	2001
3000	10000	1	RMS	6800	-45.85	-13	32.85	Pass	7001




6.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.58	-13	59.58	Pass	401
0.15	30	0.01	RMS	0.16	-72.3	-13	59.3	Pass	2986
30	814	0.1	RMS	813.7	-64.82	-13	51.82	Pass	7841
814	860	0.1	RMS	824.4	19.84	60	40.16	Pass	461
860	1000	0.1	RMS	934.5	-65.66	-13	52.66	Pass	1401
1000	3000	1	RMS	1648	-48.16	-13	35.16	Pass	2001
3000	10000	1	RMS	6799	-45.91	-13	32.91	Pass	7001




6.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.48	-13	59.48	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-13	58.61	Pass	2986
30	814	0.1	RMS	812.5	-65.67	-13	52.67	Pass	7841
814	860	0.1	RMS	834.4	20.82	60	39.18	Pass	461
860	1000	0.1	RMS	957.5	-65.75	-13	52.75	Pass	1401
1000	3000	1	RMS	1668	-46.89	-13	33.89	Pass	2001
3000	10000	1	RMS	6799	-45.91	-13	32.91	Pass	7001




6.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.26	-13	59.26	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-13	59.17	Pass	2986
30	814	0.1	RMS	813.6	-65.68	-13	52.68	Pass	7841
814	860	0.1	RMS	834.4	19.99	60	40.01	Pass	461
860	1000	0.1	RMS	935.3	-65.66	-13	52.66	Pass	1401
1000	3000	1	RMS	1668	-47.82	-13	34.82	Pass	2001
3000	10000	1	RMS	6800	-45.93	-13	32.93	Pass	7001




6.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.15	-13	60.15	Pass	401
0.15	30	0.01	RMS	0.15	-73.07	-13	60.07	Pass	2986
30	814	0.1	RMS	813.5	-65.8	-13	52.8	Pass	7841
814	860	0.1	RMS	844.4	20.6	60	39.4	Pass	461
860	1000	0.1	RMS	950	-65.68	-13	52.68	Pass	1401
1000	3000	1	RMS	1688	-47.19	-13	34.19	Pass	2001
3000	10000	1	RMS	6801	-45.92	-13	32.92	Pass	7001




6.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.06	-13	60.06	Pass	401
0.15	30	0.01	RMS	0.15	-72.49	-13	59.49	Pass	2986
30	814	0.1	RMS	812.2	-65.81	-13	52.81	Pass	7841
814	860	0.1	RMS	844.4	19.52	60	40.48	Pass	461
860	1000	0.1	RMS	889.9	-65.69	-13	52.69	Pass	1401
1000	3000	1	RMS	1688	-48.31	-13	35.31	Pass	2001
3000	10000	1	RMS	6801	-45.92	-13	32.92	Pass	7001




6.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.81	-13	59.81	Pass	401
0.15	30	0.01	RMS	0.15	-72.44	-13	59.44	Pass	2986
30	814	0.1	RMS	813.9	-63.23	-13	50.23	Pass	7841
814	860	0.1	RMS	824.6	20.64	60	39.36	Pass	461
860	1000	0.1	RMS	876	-65.6	-13	52.6	Pass	1401
1000	3000	1	RMS	1649	-47.63	-13	34.63	Pass	2001
3000	10000	1	RMS	6800	-45.93	-13	32.93	Pass	7001




6.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.71	-13	59.71	Pass	401
0.15	30	0.01	RMS	0.15	-72.76	-13	59.76	Pass	2986
30	814	0.1	RMS	812	-60.88	-13	47.88	Pass	7841
814	860	0.1	RMS	824.6	20.25	60	39.75	Pass	461
860	1000	0.1	RMS	877.8	-65.59	-13	52.59	Pass	1401
1000	3000	1	RMS	1649	-48.33	-13	35.33	Pass	2001
3000	10000	1	RMS	6800	-45.96	-13	32.96	Pass	7001




6.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.85	-13	59.85	Pass	401
0.15	30	0.01	RMS	0.18	-72.95	-13	59.95	Pass	2986
30	814	0.1	RMS	813.5	-65.66	-13	52.66	Pass	7841
814	860	0.1	RMS	832.1	20.62	60	39.38	Pass	461
860	1000	0.1	RMS	995.9	-65.62	-13	52.62	Pass	1401
1000	3000	1	RMS	1664	-47.54	-13	34.54	Pass	2001
3000	10000	1	RMS	6802	-45.91	-13	32.91	Pass	7001




6.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.86	-13	59.86	Pass	401
0.15	30	0.01	RMS	0.17	-73.09	-13	60.09	Pass	2986
30	814	0.1	RMS	812	-65.78	-13	52.78	Pass	7841
814	860	0.1	RMS	832.1	20.44	60	39.56	Pass	461
860	1000	0.1	RMS	884.5	-65.7	-13	52.7	Pass	1401
1000	3000	1	RMS	1664	-48.21	-13	35.21	Pass	2001
3000	10000	1	RMS	6803	-45.87	-13	32.87	Pass	7001




6.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.98	-13	59.98	Pass	401
0.15	30	0.01	RMS	0.19	-72.77	-13	59.77	Pass	2986
30	814	0.1	RMS	813.7	-65.65	-13	52.65	Pass	7841
814	860	0.1	RMS	839.6	20.75	60	39.25	Pass	461
860	1000	0.1	RMS	890.3	-65.68	-13	52.68	Pass	1401
1000	3000	1	RMS	1679	-46.79	-13	33.79	Pass	2001
3000	10000	1	RMS	6804	-45.97	-13	32.97	Pass	7001



6.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.29	-13	60.29	Pass	401
0.15	30	0.01	RMS	0.19	-72.96	-13	59.96	Pass	2986
30	814	0.1	RMS	811.5	-65.81	-13	52.81	Pass	7841
814	860	0.1	RMS	839.6	19.84	60	40.16	Pass	461
860	1000	0.1	RMS	888.7	-65.65	-13	52.65	Pass	1401
1000	3000	1	RMS	1679	-47.98	-13	34.98	Pass	2001
3000	10000	1	RMS	6801	-45.96	-13	32.96	Pass	7001



7. LTE_Band7


7.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.1	-25	47.1	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-25	47.24	Pass	2986
30	1000	0.1	RMS	539.7	-63.66	-25	38.66	Pass	9701
1000	2490	1	RMS	2486	-52.49	-25	27.49	Pass	1491
2490	2580	1	RMS	2500.35	22.47	60	37.53	Pass	401
2580	3000	1	RMS	2986	-51.42	-25	26.42	Pass	421
3000	12000	1	RMS	11979	-61.98	-25	36.98	Pass	9002
12000	26000	1	RMS	25509	-46.95	-25	21.95	Pass	14002




7.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.36	-25	46.36	Pass	401
0.15	30	0.01	RMS	0.16	-71.62	-25	46.62	Pass	2986
30	1000	0.1	RMS	539.7	-63.97	-25	38.97	Pass	9701
1000	2490	1	RMS	2484	-52.53	-25	27.53	Pass	1491
2490	2580	1	RMS	2500.35	22.01	60	37.99	Pass	401
2580	3000	1	RMS	3000	-51.43	-25	26.43	Pass	421
3000	12000	1	RMS	11980	-62.09	-25	37.09	Pass	9002
12000	26000	1	RMS	17801	-56.11	-25	31.11	Pass	14002




7.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.8	-25	47.8	Pass	401
0.15	30	0.01	RMS	0.15	-72.42	-25	47.42	Pass	2986
30	1000	0.1	RMS	572.2	-64.34	-25	39.34	Pass	9701
1000	2490	1	RMS	2490	-52.36	-25	27.36	Pass	1491
2490	2580	1	RMS	2532.75	23.21	60	36.79	Pass	401
2580	3000	1	RMS	2981	-51.37	-25	26.37	Pass	421
3000	12000	1	RMS	11977	-62.05	-25	37.05	Pass	9002
12000	26000	1	RMS	17795	-56.22	-25	31.22	Pass	14002




7.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72	-25	47	Pass	401
0.15	30	0.01	RMS	0.16	-72.86	-25	47.86	Pass	2986
30	1000	0.1	RMS	976.685	-65.28	-25	40.28	Pass	9701
1000	2490	1	RMS	2487	-52.45	-25	27.45	Pass	1491
2490	2580	1	RMS	2532.75	22.45	60	37.55	Pass	401
2580	3000	1	RMS	2998	-51.43	-25	26.43	Pass	421
3000	12000	1	RMS	11976	-62.04	-25	37.04	Pass	9002
12000	26000	1	RMS	17800	-56.19	-25	31.19	Pass	14002




7.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.04	-25	47.04	Pass	401
0.15	30	0.01	RMS	0.17	-71.96	-25	46.96	Pass	2986
30	1000	0.1	RMS	604.7	-63.86	-25	38.86	Pass	9701
1000	2490	1	RMS	2486	-52.44	-25	27.44	Pass	1491
2490	2580	1	RMS	2565.375	23.13	60	36.87	Pass	401
2580	3000	1	RMS	2981	-51.42	-25	26.42	Pass	421
3000	12000	1	RMS	11981	-62.16	-25	37.16	Pass	9002
12000	26000	1	RMS	17806	-56.18	-25	31.18	Pass	14002




7.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.71	-25	46.71	Pass	401
0.15	30	0.01	RMS	0.17	-72.8	-25	47.8	Pass	2986
30	1000	0.1	RMS	604.7	-64.56	-25	39.56	Pass	9701
1000	2490	1	RMS	2489	-52.41	-25	27.41	Pass	1491
2490	2580	1	RMS	2565.375	22.19	60	37.81	Pass	401
2580	3000	1	RMS	2983	-51.42	-25	26.42	Pass	421
3000	12000	1	RMS	11983	-62.05	-25	37.05	Pass	9002
12000	26000	1	RMS	17801	-56.22	-25	31.22	Pass	14002




7.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.79	-25	47.79	Pass	401
0.15	30	0.01	RMS	0.15	-72.62	-25	47.62	Pass	2986
30	1000	0.1	RMS	540	-64.06	-25	39.06	Pass	9701
1000	2490	1	RMS	2490	-51.08	-25	26.08	Pass	1491
2490	2580	1	RMS	2500.575	22.3	60	37.7	Pass	401
2580	3000	1	RMS	2981	-51.45	-25	26.45	Pass	421
3000	12000	1	RMS	11984	-62.16	-25	37.16	Pass	9002
12000	26000	1	RMS	17800	-56.11	-25	31.11	Pass	14002




7.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.89	-25	47.89	Pass	401
0.15	30	0.01	RMS	0.17	-71.65	-25	46.65	Pass	2986
30	1000	0.1	RMS	540	-64.13	-25	39.13	Pass	9701
1000	2490	1	RMS	2481	-52.52	-25	27.52	Pass	1491
2490	2580	1	RMS	2500.575	21.64	60	38.36	Pass	401
2580	3000	1	RMS	2991	-51.45	-25	26.45	Pass	421
3000	12000	1	RMS	11984	-62.12	-25	37.12	Pass	9002
12000	26000	1	RMS	17804	-56.32	-25	31.32	Pass	14002




7.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.64	-25	47.64	Pass	401
0.15	30	0.01	RMS	0.17	-72.71	-25	47.71	Pass	2986
30	1000	0.1	RMS	570	-64.03	-25	39.03	Pass	9701
1000	2490	1	RMS	2485	-52.53	-25	27.53	Pass	1491
2490	2580	1	RMS	2530.5	23.09	60	36.91	Pass	401
2580	3000	1	RMS	2993	-51.43	-25	26.43	Pass	421
3000	12000	1	RMS	11979	-62.11	-25	37.11	Pass	9002
12000	26000	1	RMS	17798	-56.25	-25	31.25	Pass	14002




7.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.3	-25	47.3	Pass	401
0.15	30	0.01	RMS	0.15	-72.69	-25	47.69	Pass	2986
30	1000	0.1	RMS	570	-64.4	-25	39.4	Pass	9701
1000	2490	1	RMS	2485	-52.46	-25	27.46	Pass	1491
2490	2580	1	RMS	2530.5	22.5	60	37.5	Pass	401
2580	3000	1	RMS	2994	-51.43	-25	26.43	Pass	421
3000	12000	1	RMS	11982	-62.15	-25	37.15	Pass	9002
12000	26000	1	RMS	17800	-56.29	-25	31.29	Pass	14002




7.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.39	-25	47.39	Pass	401
0.15	30	0.01	RMS	0.18	-72.19	-25	47.19	Pass	2986
30	1000	0.1	RMS	600	-64.11	-25	39.11	Pass	9701
1000	2490	1	RMS	2483	-52.52	-25	27.52	Pass	1491
2490	2580	1	RMS	2560.65	23.36	60	36.64	Pass	401
2580	3000	1	RMS	2983	-51.45	-25	26.45	Pass	421
3000	12000	1	RMS	11983	-62.14	-25	37.14	Pass	9002
12000	26000	1	RMS	17802	-56.27	-25	31.27	Pass	14002




7.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.89	-25	47.89	Pass	401
0.15	30	0.01	RMS	0.2	-72.4	-25	47.4	Pass	2986
30	1000	0.1	RMS	600	-64.85	-25	39.85	Pass	9701
1000	2490	1	RMS	2490	-52.47	-25	27.47	Pass	1491
2490	2580	1	RMS	2560.65	22.38	60	37.62	Pass	401
2580	3000	1	RMS	2982	-51.46	-25	26.46	Pass	421
3000	12000	1	RMS	11971	-62.1	-25	37.1	Pass	9002
12000	26000	1	RMS	17806	-56.25	-25	31.25	Pass	14002




7.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.2	-25	47.2	Pass	401
0.15	30	0.01	RMS	0.22	-72.43	-25	47.43	Pass	2986
30	1000	0.1	RMS	540.2	-64.11	-25	39.11	Pass	9701
1000	2490	1	RMS	2487	-52.57	-25	27.57	Pass	1491
2490	2580	1	RMS	2500.8	22.42	60	37.58	Pass	401
2580	3000	1	RMS	2990	-51.46	-25	26.46	Pass	421
3000	12000	1	RMS	11983	-62.1	-25	37.1	Pass	9002
12000	26000	1	RMS	17798	-56.24	-25	31.24	Pass	14002




7.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.17	-25	48.17	Pass	401
0.15	30	0.01	RMS	0.17	-72.2	-25	47.2	Pass	2986
30	1000	0.1	RMS	540.2	-64.22	-25	39.22	Pass	9701
1000	2490	1	RMS	2490	-51.25	-25	26.25	Pass	1491
2490	2580	1	RMS	2578.65	-52.53	60	112.53	Pass	401
2580	3000	1	RMS	3000	-51.47	-25	26.47	Pass	421
3000	12000	1	RMS	11977	-62.08	-25	37.08	Pass	9002
12000	26000	1	RMS	17799	-56.26	-25	31.26	Pass	14002




7.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.31	-25	47.31	Pass	401
0.15	30	0.01	RMS	0.2	-72.46	-25	47.46	Pass	2986
30	1000	0.1	RMS	567.7	-64.37	-25	39.37	Pass	9701
1000	2490	1	RMS	2485	-52.54	-25	27.54	Pass	1491
2490	2580	1	RMS	2528.25	23.11	60	36.89	Pass	401
2580	3000	1	RMS	2989	-51.47	-25	26.47	Pass	421
3000	12000	1	RMS	11976	-62.15	-25	37.15	Pass	9002
12000	26000	1	RMS	17806	-56.27	-25	31.27	Pass	14002




7.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.72	-25	47.72	Pass	401
0.15	30	0.01	RMS	0.17	-72.76	-25	47.76	Pass	2986
30	1000	0.1	RMS	567.7	-64.58	-25	39.58	Pass	9701
1000	2490	1	RMS	2487	-52.48	-25	27.48	Pass	1491
2490	2580	1	RMS	2528.25	22.51	60	37.49	Pass	401
2580	3000	1	RMS	2990	-51.49	-25	26.49	Pass	421
3000	12000	1	RMS	11982	-62.1	-25	37.1	Pass	9002
12000	26000	1	RMS	17800	-56.17	-25	31.17	Pass	14002




7.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.51	-25	47.51	Pass	401
0.15	30	0.01	RMS	0.17	-71.95	-25	46.95	Pass	2986
30	1000	0.1	RMS	595.2	-63.94	-25	38.94	Pass	9701
1000	2490	1	RMS	2485	-52.43	-25	27.43	Pass	1491
2490	2580	1	RMS	2555.925	23	60	37	Pass	401
2580	3000	1	RMS	2992	-51.48	-25	26.48	Pass	421
3000	12000	1	RMS	11976	-62.14	-25	37.14	Pass	9002
12000	26000	1	RMS	17799	-56.13	-25	31.13	Pass	14002




7.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.76	-25	47.76	Pass	401
0.15	30	0.01	RMS	0.2	-72.29	-25	47.29	Pass	2986
30	1000	0.1	RMS	595.2	-64.62	-25	39.62	Pass	9701
1000	2490	1	RMS	2483	-52.54	-25	27.54	Pass	1491
2490	2580	1	RMS	2555.925	22.26	60	37.74	Pass	401
2580	3000	1	RMS	3000	-51.46	-25	26.46	Pass	421
3000	12000	1	RMS	11980	-62.08	-25	37.08	Pass	9002
12000	26000	1	RMS	17798	-56.34	-25	31.34	Pass	14002




7.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.07	-25	48.07	Pass	401
0.15	30	0.01	RMS	0.15	-72.19	-25	47.19	Pass	2986
30	1000	0.1	RMS	540.5	-63.67	-25	38.67	Pass	9701
1000	2490	1	RMS	2485	-52.6	-25	27.6	Pass	1491
2490	2580	1	RMS	2501.025	22.57	60	37.43	Pass	401
2580	3000	1	RMS	2979	-51.45	-25	26.45	Pass	421
3000	12000	1	RMS	11981	-62.15	-25	37.15	Pass	9002
12000	26000	1	RMS	17812	-56.23	-25	31.23	Pass	14002




7.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.32	-25	47.32	Pass	401
0.15	30	0.01	RMS	0.15	-72.19	-25	47.19	Pass	2986
30	1000	0.1	RMS	540.5	-63.8	-25	38.8	Pass	9701
1000	2490	1	RMS	2490	-52.57	-25	27.57	Pass	1491
2490	2580	1	RMS	2501.025	22.07	60	37.93	Pass	401
2580	3000	1	RMS	2986	-51.49	-25	26.49	Pass	421
3000	12000	1	RMS	11974	-62.23	-25	37.23	Pass	9002
12000	26000	1	RMS	17801	-56.11	-25	31.11	Pass	14002




7.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.15	-25	47.15	Pass	401
0.15	30	0.01	RMS	0.19	-71.69	-25	46.69	Pass	2986
30	1000	0.1	RMS	565.5	-64.28	-25	39.28	Pass	9701
1000	2490	1	RMS	2489	-52.5	-25	27.5	Pass	1491
2490	2580	1	RMS	2526	13.1	60	46.9	Pass	401
2580	3000	1	RMS	2997	-51.46	-25	26.46	Pass	421
3000	12000	1	RMS	11985	-62.15	-25	37.15	Pass	9002
12000	26000	1	RMS	17794	-56.19	-25	31.19	Pass	14002




7.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.21	-25	47.21	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-25	47.25	Pass	2986
30	1000	0.1	RMS	565.5	-64.5	-25	39.5	Pass	9701
1000	2490	1	RMS	2490	-52.46	-25	27.46	Pass	1491
2490	2580	1	RMS	2526	13.22	60	46.78	Pass	401
2580	3000	1	RMS	2986	-51.47	-25	26.47	Pass	421
3000	12000	1	RMS	11980	-62.12	-25	37.12	Pass	9002
12000	26000	1	RMS	17796	-56.28	-25	31.28	Pass	14002




7.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.62	-25	47.62	Pass	401
0.15	30	0.01	RMS	0.2	-73	-25	48	Pass	2986
30	1000	0.1	RMS	956.071	-65.34	-25	40.34	Pass	9701
1000	2490	1	RMS	2489	-52.53	-25	27.53	Pass	1491
2490	2580	1	RMS	2551.2	22.81	60	37.19	Pass	401
2580	3000	1	RMS	2999	-51.43	-25	26.43	Pass	421
3000	12000	1	RMS	11981	-62.15	-25	37.15	Pass	9002
12000	26000	1	RMS	17812	-56.29	-25	31.29	Pass	14002



7.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.59	-25	47.59	Pass	401
0.15	30	0.01	RMS	0.15	-72.37	-25	47.37	Pass	2986
30	1000	0.1	RMS	985.691	-65.29	-25	40.29	Pass	9701
1000	2490	1	RMS	2487	-52.57	-25	27.57	Pass	1491
2490	2580	1	RMS	2550.975	13.03	60	46.97	Pass	401
2580	3000	1	RMS	2995	-51.5	-25	26.5	Pass	421
3000	12000	1	RMS	11979	-62.13	-25	37.13	Pass	9002
12000	26000	1	RMS	17800	-56.31	-25	31.31	Pass	14002



8. LTE_Band12


8.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.72	-13	58.72	Pass	401
0.15	30	0.01	RMS	0.17	-72.94	-13	59.94	Pass	2986
30	689	0.1	RMS	688.6	-65.17	-13	52.17	Pass	6591
689	726	0.1	RMS	699.268	21.37	60	38.63	Pass	401
726	1000	0.1	RMS	846.9	-65.39	-13	52.39	Pass	2741
1000	3000	1	RMS	1398	-46.97	-13	33.97	Pass	2001
3000	10000	1	RMS	6798	-45.97	-13	32.97	Pass	7001




8.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.02	-13	60.02	Pass	401
0.15	30	0.01	RMS	0.15	-72.04	-13	59.04	Pass	2986
30	689	0.1	RMS	688.6	-65.61	-13	52.61	Pass	6591
689	726	0.1	RMS	699.268	20.24	60	39.76	Pass	401
726	1000	0.1	RMS	973.6	-65.28	-13	52.28	Pass	2741
1000	3000	1	RMS	1398	-48.2	-13	35.2	Pass	2001
3000	10000	1	RMS	6800	-45.96	-13	32.96	Pass	7001




8.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.03	-13	60.03	Pass	401
0.15	30	0.01	RMS	0.15	-73.13	-13	60.13	Pass	2986
30	689	0.1	RMS	688.7	-66.4	-13	53.4	Pass	6591
689	726	0.1	RMS	707.038	20.66	60	39.34	Pass	401
726	1000	0.1	RMS	991.3	-65.36	-13	52.36	Pass	2741
1000	3000	1	RMS	1414	-47.7	-13	34.7	Pass	2001
3000	10000	1	RMS	6803	-45.97	-13	32.97	Pass	7001




8.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.86	-13	59.86	Pass	401
0.15	30	0.01	RMS	0.16	-72.31	-13	59.31	Pass	2986
30	689	0.1	RMS	501	-66.38	-13	53.38	Pass	6591
689	726	0.1	RMS	707.038	19.59	60	40.41	Pass	401
726	1000	0.1	RMS	849.3	-65.26	-13	52.26	Pass	2741
1000	3000	1	RMS	1414	-48.68	-13	35.68	Pass	2001
3000	10000	1	RMS	6799	-45.95	-13	32.95	Pass	7001




8.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.16	-13	60.16	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	59	Pass	2986
30	689	0.1	RMS	479.9	-66.38	-13	53.38	Pass	6591
689	726	0.1	RMS	714.9	20.88	60	39.12	Pass	401
726	1000	0.1	RMS	825	-65.39	-13	52.39	Pass	2741
1000	3000	1	RMS	1429	-47.46	-13	34.46	Pass	2001
3000	10000	1	RMS	6800	-45.91	-13	32.91	Pass	7001




8.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.21	-13	60.21	Pass	401
0.15	30	0.01	RMS	0.15	-73.19	-13	60.19	Pass	2986
30	689	0.1	RMS	495.6	-66.36	-13	53.36	Pass	6591
689	726	0.1	RMS	714.9	19.79	60	40.21	Pass	401
726	1000	0.1	RMS	848.3	-65.36	-13	52.36	Pass	2741
1000	3000	1	RMS	1429	-48.53	-13	35.53	Pass	2001
3000	10000	1	RMS	6801	-45.98	-13	32.98	Pass	7001




8.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.82	-13	59.82	Pass	401
0.15	30	0.01	RMS	0.15	-72.97	-13	59.97	Pass	2986
30	689	0.1	RMS	688.6	-65.21	-13	52.21	Pass	6591
689	726	0.1	RMS	699.268	21.08	60	38.92	Pass	401
726	1000	0.1	RMS	974.9	-65.51	-13	52.51	Pass	2741
1000	3000	1	RMS	1398	-47.15	-13	34.15	Pass	2001
3000	10000	1	RMS	6799	-45.87	-13	32.87	Pass	7001




8.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.75	-13	59.75	Pass	401
0.15	30	0.01	RMS	0.15	-72.62	-13	59.62	Pass	2986
30	689	0.1	RMS	688.6	-65.44	-13	52.44	Pass	6591
689	726	0.1	RMS	699.268	20.56	60	39.44	Pass	401
726	1000	0.1	RMS	967.7	-65.38	-13	52.38	Pass	2741
1000	3000	1	RMS	1398	-47.73	-13	34.73	Pass	2001
3000	10000	1	RMS	6801	-45.93	-13	32.93	Pass	7001




8.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.7	-13	59.7	Pass	401
0.15	30	0.01	RMS	0.15	-72.92	-13	59.92	Pass	2986
30	689	0.1	RMS	489	-66.38	-13	53.38	Pass	6591
689	726	0.1	RMS	706.298	20.71	60	39.29	Pass	401
726	1000	0.1	RMS	833.9	-65.45	-13	52.45	Pass	2741
1000	3000	1	RMS	1412	-46.81	-13	33.81	Pass	2001
3000	10000	1	RMS	6801	-45.92	-13	32.92	Pass	7001




8.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.82	-13	58.82	Pass	401
0.15	30	0.01	RMS	0.15	-73.2	-13	60.2	Pass	2986
30	689	0.1	RMS	496.4	-66.38	-13	53.38	Pass	6591
689	726	0.1	RMS	706.298	20.02	60	39.98	Pass	401
726	1000	0.1	RMS	978.9	-65.53	-13	52.53	Pass	2741
1000	3000	1	RMS	1412	-47.67	-13	34.67	Pass	2001
3000	10000	1	RMS	6800	-45.86	-13	32.86	Pass	7001




8.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.33	-13	60.33	Pass	401
0.15	30	0.01	RMS	0.15	-72.94	-13	59.94	Pass	2986
30	689	0.1	RMS	496.5	-66.48	-13	53.48	Pass	6591
689	726	0.1	RMS	713.235	20.86	60	39.14	Pass	401
726	1000	0.1	RMS	838.6	-65.16	-13	52.16	Pass	2741
1000	3000	1	RMS	1426	-47.11	-13	34.11	Pass	2001
3000	10000	1	RMS	6800	-45.91	-13	32.91	Pass	7001




8.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.39	-13	59.39	Pass	401
0.15	30	0.01	RMS	0.16	-72.82	-13	59.82	Pass	2986
30	689	0.1	RMS	500.8	-66.38	-13	53.38	Pass	6591
689	726	0.1	RMS	713.235	19.99	60	40.01	Pass	401
726	1000	0.1	RMS	848.8	-65.47	-13	52.47	Pass	2741
1000	3000	1	RMS	1426	-48.08	-13	35.08	Pass	2001
3000	10000	1	RMS	6801	-45.93	-13	32.93	Pass	7001




8.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.61	-13	59.61	Pass	401
0.15	30	0.01	RMS	0.2	-72.45	-13	59.45	Pass	2986
30	689	0.1	RMS	688.7	-65.23	-13	52.23	Pass	6591
689	726	0.1	RMS	699.36	20.9	60	39.1	Pass	401
726	1000	0.1	RMS	920.2	-65.52	-13	52.52	Pass	2741
1000	3000	1	RMS	1398	-47.39	-13	34.39	Pass	2001
3000	10000	1	RMS	6800	-45.91	-13	32.91	Pass	7001




8.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.3	-13	60.3	Pass	401
0.15	30	0.01	RMS	0.15	-72.92	-13	59.92	Pass	2986
30	689	0.1	RMS	688.7	-65.62	-13	52.62	Pass	6591
689	726	0.1	RMS	699.36	20.28	60	39.72	Pass	401
726	1000	0.1	RMS	848.9	-65.46	-13	52.46	Pass	2741
1000	3000	1	RMS	1398	-48.29	-13	35.29	Pass	2001
3000	10000	1	RMS	6800	-45.95	-13	32.95	Pass	7001




8.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73	-13	60	Pass	401
0.15	30	0.01	RMS	0.25	-73	-13	60	Pass	2986
30	689	0.1	RMS	688.9	-66.35	-13	53.35	Pass	6591
689	726	0.1	RMS	705.373	21.33	60	38.67	Pass	401
726	1000	0.1	RMS	842.1	-65.38	-13	52.38	Pass	2741
1000	3000	1	RMS	1410	-46.94	-13	33.94	Pass	2001
3000	10000	1	RMS	6802	-45.93	-13	32.93	Pass	7001




8.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.06	-13	60.06	Pass	401
0.15	30	0.01	RMS	0.15	-72.81	-13	59.81	Pass	2986
30	689	0.1	RMS	489.7	-66.28	-13	53.28	Pass	6591
689	726	0.1	RMS	705.373	20.39	60	39.61	Pass	401
726	1000	0.1	RMS	867.7	-65.46	-13	52.46	Pass	2741
1000	3000	1	RMS	1410	-48.18	-13	35.18	Pass	2001
3000	10000	1	RMS	6800	-45.86	-13	32.86	Pass	7001




8.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.73	-13	59.73	Pass	401
0.15	30	0.01	RMS	0.15	-73.23	-13	60.23	Pass	2986
30	689	0.1	RMS	618.8	-66.39	-13	53.39	Pass	6591
689	726	0.1	RMS	711.385	20.92	60	39.08	Pass	401
726	1000	0.1	RMS	827.3	-65.38	-13	52.38	Pass	2741
1000	3000	1	RMS	1422	-46.76	-13	33.76	Pass	2001
3000	10000	1	RMS	6800	-45.98	-13	32.98	Pass	7001




8.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.65	-13	59.65	Pass	401
0.15	30	0.01	RMS	0.23	-73.22	-13	60.22	Pass	2986
30	689	0.1	RMS	531	-66.47	-13	53.47	Pass	6591
689	726	0.1	RMS	711.385	20.2	60	39.8	Pass	401
726	1000	0.1	RMS	889.9	-65.37	-13	52.37	Pass	2741
1000	3000	1	RMS	1422	-48.02	-13	35.02	Pass	2001
3000	10000	1	RMS	6798	-45.93	-13	32.93	Pass	7001




8.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	0.16	-72.54	-13	59.54	Pass	2986
30	689	0.1	RMS	688.9	-64.95	-13	51.95	Pass	6591
689	726	0.1	RMS	699.638	20.93	60	39.07	Pass	401
726	1000	0.1	RMS	983.4	-65.31	-13	52.31	Pass	2741
1000	3000	1	RMS	1399	-47.49	-13	34.49	Pass	2001
3000	10000	1	RMS	6801	-45.96	-13	32.96	Pass	7001




8.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.84	-13	59.84	Pass	401
0.15	30	0.01	RMS	0.18	-73.13	-13	60.13	Pass	2986
30	689	0.1	RMS	689	-64.54	-13	51.54	Pass	6591
689	726	0.1	RMS	699.638	19.78	60	40.22	Pass	401
726	1000	0.1	RMS	950.8	-65.33	-13	52.33	Pass	2741
1000	3000	1	RMS	1399	-47.88	-13	34.88	Pass	2001
3000	10000	1	RMS	6800	-45.88	-13	32.88	Pass	7001




8.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.66	-13	59.66	Pass	401
0.15	30	0.01	RMS	0.17	-73.21	-13	60.21	Pass	2986
30	689	0.1	RMS	688.8	-66.33	-13	53.33	Pass	6591
689	726	0.1	RMS	703.153	20.59	60	39.41	Pass	401
726	1000	0.1	RMS	832.9	-65.44	-13	52.44	Pass	2741
1000	3000	1	RMS	1406	-47.04	-13	34.04	Pass	2001
3000	10000	1	RMS	6802	-45.9	-13	32.9	Pass	7001




8.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.82	-13	59.82	Pass	401
0.15	30	0.01	RMS	0.16	-73.12	-13	60.12	Pass	2986
30	689	0.1	RMS	490.3	-66.33	-13	53.33	Pass	6591
689	726	0.1	RMS	703.153	19.69	60	40.31	Pass	401
726	1000	0.1	RMS	862.8	-65.5	-13	52.5	Pass	2741
1000	3000	1	RMS	1406	-48.4	-13	35.4	Pass	2001
3000	10000	1	RMS	6800	-45.92	-13	32.92	Pass	7001




8.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.98	-13	58.98	Pass	401
0.15	30	0.01	RMS	0.15	-72.44	-13	59.44	Pass	2986
30	689	0.1	RMS	689	-66.41	-13	53.41	Pass	6591
689	726	0.1	RMS	706.575	20.58	60	39.42	Pass	401
726	1000	0.1	RMS	843.4	-65.21	-13	52.21	Pass	2741
1000	3000	1	RMS	1413	-46.85	-13	33.85	Pass	2001
3000	10000	1	RMS	6798	-46	-13	33	Pass	7001



8.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.6	-13	59.6	Pass	401
0.15	30	0.01	RMS	0.2	-72.82	-13	59.82	Pass	2986
30	689	0.1	RMS	593.4	-66.36	-13	53.36	Pass	6591
689	726	0.1	RMS	706.575	19.78	60	40.22	Pass	401
726	1000	0.1	RMS	969.5	-65.39	-13	52.39	Pass	2741
1000	3000	1	RMS	1413	-48.39	-13	35.39	Pass	2001
3000	10000	1	RMS	6800	-45.87	-13	32.87	Pass	7001



9. LTE_Band13


9.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.94	-13	59.94	Pass	401
0.15	30	0.01	RMS	0.24	-73.02	-13	60.02	Pass	2986
30	767	0.1	RMS	766.7	-65.28	-13	52.28	Pass	7371
767	797	0.1	RMS	777.35	21.26	60	38.74	Pass	401
797	1000	0.1	RMS	928.3	-65.49	-13	52.49	Pass	2031
1000	3000	1	RMS	1554	-47.36	-13	34.36	Pass	2001
3000	10000	1	RMS	6799	-45.94	-13	32.94	Pass	7001




9.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.13	-13	60.13	Pass	401
0.15	30	0.01	RMS	0.21	-73.32	-13	60.32	Pass	2986
30	767	0.1	RMS	766.7	-65.68	-13	52.68	Pass	7371
767	797	0.1	RMS	777.35	20.13	60	39.87	Pass	401
797	1000	0.1	RMS	833.5	-65.44	-13	52.44	Pass	2031
1000	3000	1	RMS	1554	-48.22	-13	35.22	Pass	2001
3000	10000	1	RMS	6800	-45.93	-13	32.93	Pass	7001




9.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.51	-13	59.51	Pass	401
0.15	30	0.01	RMS	0.16	-72.49	-13	59.49	Pass	2986
30	767	0.1	RMS	763.2	-66.1	-13	53.1	Pass	7371
767	797	0.1	RMS	779.825	20.78	60	39.22	Pass	401
797	1000	0.1	RMS	797.6	-65.46	-13	52.46	Pass	2031
1000	3000	1	RMS	1559	-47.04	-13	34.04	Pass	2001
3000	10000	1	RMS	6801	-46.01	-13	33.01	Pass	7001




9.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.63	-13	60.63	Pass	401
0.15	30	0.01	RMS	0.15	-72.77	-13	59.77	Pass	2986
30	767	0.1	RMS	751.2	-66.15	-13	53.15	Pass	7371
767	797	0.1	RMS	779.9	19.91	60	40.09	Pass	401
797	1000	0.1	RMS	892.5	-65.55	-13	52.55	Pass	2031
1000	3000	1	RMS	1559	-47.76	-13	34.76	Pass	2001
3000	10000	1	RMS	6800	-45.9	-13	32.9	Pass	7001




9.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.26	-13	59.26	Pass	401
0.15	30	0.01	RMS	0.15	-72.15	-13	59.15	Pass	2986
30	767	0.1	RMS	765	-66.08	-13	53.08	Pass	7371
767	797	0.1	RMS	782.375	21.12	60	38.88	Pass	401
797	1000	0.1	RMS	845.8	-65.47	-13	52.47	Pass	2031
1000	3000	1	RMS	1564	-47.16	-13	34.16	Pass	2001
3000	10000	1	RMS	6805	-45.96	-13	32.96	Pass	7001




9.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.74	-13	58.74	Pass	401
0.15	30	0.01	RMS	0.15	-73.02	-13	60.02	Pass	2986
30	767	0.1	RMS	762.6	-66.15	-13	53.15	Pass	7371
767	797	0.1	RMS	782.375	20.15	60	39.85	Pass	401
797	1000	0.1	RMS	843	-65.62	-13	52.62	Pass	2031
1000	3000	1	RMS	1564	-47.84	-13	34.84	Pass	2001
3000	10000	1	RMS	6798	-46	-13	33	Pass	7001




9.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.78	-13	59.78	Pass	401
0.15	30	0.01	RMS	0.15	-72.91	-13	59.91	Pass	2986
30	767	0.1	RMS	766.9	-65.09	-13	52.09	Pass	7371
767	797	0.1	RMS	777.65	20.39	60	39.61	Pass	401
797	1000	0.1	RMS	995.7	-65.53	-13	52.53	Pass	2031
1000	3000	1	RMS	1555	-47.77	-13	34.77	Pass	2001
3000	10000	1	RMS	6803	-45.93	-13	32.93	Pass	7001



9.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.16	-13	60.16	Pass	401
0.15	30	0.01	RMS	0.18	-71.92	-13	58.92	Pass	2986
30	767	0.1	RMS	766.9	-65.39	-13	52.39	Pass	7371
767	797	0.1	RMS	777.65	20.04	60	39.96	Pass	401
797	1000	0.1	RMS	968.2	-65.52	-13	52.52	Pass	2031
1000	3000	1	RMS	1555	-48.83	-13	35.83	Pass	2001
3000	10000	1	RMS	6799	-45.94	-13	32.94	Pass	7001



10. LTE_Band14


10.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23305, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.81	-13	59.81	Pass	401
0.15	30	0.01	RMS	0.2	-72.74	-13	59.74	Pass	2986
30	778	0.1	RMS	777.7	-64.52	-13	51.52	Pass	7481
778	808	0.1	RMS	788.35	21.28	60	38.72	Pass	401
808	1000	0.1	RMS	842.7	-65.41	-13	52.41	Pass	1921
1000	3000	1	RMS	1576	-46.71	-13	33.71	Pass	2001
3000	10000	1	RMS	6800	-46	-13	33	Pass	7001




10.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23305, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.43	-13	59.43	Pass	401
0.15	30	0.01	RMS	0.16	-72.99	-13	59.99	Pass	2986
30	778	0.1	RMS	777.7	-65.08	-13	52.08	Pass	7481
778	808	0.1	RMS	788.35	20.1	60	39.9	Pass	401
808	1000	0.1	RMS	838.1	-65.51	-13	52.51	Pass	1921
1000	3000	1	RMS	1576	-47.72	-13	34.72	Pass	2001
3000	10000	1	RMS	6800	-45.92	-13	32.92	Pass	7001




10.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23330, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.39	-13	60.39	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-13	59.35	Pass	2986
30	778	0.1	RMS	777.5	-65.85	-13	52.85	Pass	7481
778	808	0.1	RMS	790.9	20.92	60	39.08	Pass	401
808	1000	0.1	RMS	851.8	-65.68	-13	52.68	Pass	1921
1000	3000	1	RMS	1581	-46.36	-13	33.36	Pass	2001
3000	10000	1	RMS	6798	-45.98	-13	32.98	Pass	7001




10.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23330, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.62	-13	59.62	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-13	59.03	Pass	2986
30	778	0.1	RMS	777.9	-66.03	-13	53.03	Pass	7481
778	808	0.1	RMS	790.9	19.9	60	40.1	Pass	401
808	1000	0.1	RMS	866.9	-65.5	-13	52.5	Pass	1921
1000	3000	1	RMS	1581	-47.9	-13	34.9	Pass	2001
3000	10000	1	RMS	6801	-45.88	-13	32.88	Pass	7001




10.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23355, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.9	-13	59.9	Pass	401
0.15	30	0.01	RMS	0.22	-73.04	-13	60.04	Pass	2986
30	778	0.1	RMS	777.5	-66.02	-13	53.02	Pass	7481
778	808	0.1	RMS	793.375	21.26	60	38.74	Pass	401
808	1000	0.1	RMS	930.2	-65.46	-13	52.46	Pass	1921
1000	3000	1	RMS	1586	-46.61	-13	33.61	Pass	2001
3000	10000	1	RMS	6803	-45.95	-13	32.95	Pass	7001




10.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23355, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.37	-13	59.37	Pass	401
0.15	30	0.01	RMS	0.15	-72.98	-13	59.98	Pass	2986
30	778	0.1	RMS	778	-65.9	-13	52.9	Pass	7481
778	808	0.1	RMS	793.375	20.48	60	39.52	Pass	401
808	1000	0.1	RMS	838.1	-65.54	-13	52.54	Pass	1921
1000	3000	1	RMS	1586	-47.89	-13	34.89	Pass	2001
3000	10000	1	RMS	6803	-45.95	-13	32.95	Pass	7001




10.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.84	-13	59.84	Pass	401
0.15	30	0.01	RMS	0.16	-72.71	-13	59.71	Pass	2986
30	778	0.1	RMS	777.9	-64.2	-13	51.2	Pass	7481
778	808	0.1	RMS	788.65	20.85	60	39.15	Pass	401
808	1000	0.1	RMS	966.4	-65.51	-13	52.51	Pass	1921
1000	3000	1	RMS	1577	-46.62	-13	33.62	Pass	2001
3000	10000	1	RMS	6801	-46	-13	33	Pass	7001



10.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23330, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.34	-13	60.34	Pass	401
0.15	30	0.01	RMS	0.15	-72.56	-13	59.56	Pass	2986
30	778	0.1	RMS	777.8	-64.15	-13	51.15	Pass	7481
778	808	0.1	RMS	788.65	20.05	60	39.95	Pass	401
808	1000	0.1	RMS	810.6	-65.61	-13	52.61	Pass	1921
1000	3000	1	RMS	1577	-47.61	-13	34.61	Pass	2001
3000	10000	1	RMS	6802	-45.9	-13	32.9	Pass	7001



11. LTE_Band25

11.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.8	-13	58.8	Pass	401
0.15	30	0.01	RMS	0.15	-71.94	-13	58.94	Pass	2986
30	1000	0.1	RMS	962.275	-65.21	-13	52.21	Pass	9701
1000	1840	1	RMS	1840	-52.58	-13	39.58	Pass	841
1840	1925	1	RMS	1850.2	23.56	60	36.44	Pass	401
1925	3000	1	RMS	2990	-51.26	-13	38.26	Pass	1076
3000	12000	1	RMS	11998	-44.13	-13	31.13	Pass	9002
12000	20000	1	RMS	13601	-39.63	-13	26.63	Pass	8001




11.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.44	-13	59.44	Pass	401
0.15	30	0.01	RMS	0.16	-72.05	-13	59.05	Pass	2986
30	1000	0.1	RMS	927.552	-65.15	-13	52.15	Pass	9701
1000	1840	1	RMS	1840	-52.79	-13	39.79	Pass	841
1840	1925	1	RMS	1850.2	22.67	60	37.33	Pass	401
1925	3000	1	RMS	3000	-51.26	-13	38.26	Pass	1076
3000	12000	1	RMS	12000	-44.05	-13	31.05	Pass	9002
12000	20000	1	RMS	13600	-39.65	-13	26.65	Pass	8001




11.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.21	-13	60.21	Pass	401
0.15	30	0.01	RMS	0.15	-71.45	-13	58.45	Pass	2986
30	1000	0.1	RMS	889.227	-65.18	-13	52.18	Pass	9701
1000	1840	1	RMS	1840	-53.65	-13	40.65	Pass	841
1840	1925	1	RMS	1882.075	23.27	60	36.73	Pass	401
1925	3000	1	RMS	2952	-51.26	-13	38.26	Pass	1076
3000	12000	1	RMS	11999	-44.13	-13	31.13	Pass	9002
12000	20000	1	RMS	13600	-39.64	-13	26.64	Pass	8001



11.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.9	-13	59.9	Pass	401
0.15	30	0.01	RMS	0.17	-72.63	-13	59.63	Pass	2986
30	1000	0.1	RMS	980.987	-65.05	-13	52.05	Pass	9701
1000	1840	1	RMS	1838	-53.62	-13	40.62	Pass	841
1840	1925	1	RMS	1882.075	22.36	60	37.64	Pass	401
1925	3000	1	RMS	2990	-51.26	-13	38.26	Pass	1076
3000	12000	1	RMS	12000	-44.12	-13	31.12	Pass	9002
12000	20000	1	RMS	13601	-39.59	-13	26.59	Pass	8001



11.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.61	-13	59.61	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-13	58.66	Pass	2986
30	1000	0.1	RMS	847.9	-65.09	-13	52.09	Pass	9701
1000	1840	1	RMS	1840	-53.61	-13	40.61	Pass	841
1840	1925	1	RMS	1913.738	23.66	60	36.34	Pass	401
1925	3000	1	RMS	2983	-51.25	-13	38.25	Pass	1076
3000	12000	1	RMS	11998	-44.06	-13	31.06	Pass	9002
12000	20000	1	RMS	13601	-39.66	-13	26.66	Pass	8001

