



**34.16 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:635000, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.1	-13	57.1	Pass	401
0.15	30	0.01	RMS	0.2	-69.02	-13	56.02	Pass	2986
30	1000	0.1	RMS	925.951	-62.67	-13	49.67	Pass	9701
1000	3000	1	RMS	2975	-49.9	-13	34.9	Pass	2001
3000	3440	1	RMS	3440	-45.51	-13	32.51	Pass	441
3440	3560	1	RMS	3507.5	5.63	60	54.37	Pass	401
3560	7000	1	RMS	3561	-28.4	-13	15.4	Pass	3441
7000	26500	1	RMS	25484	-49.99	-13	34.99	Pass	19503




**34.17 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:635000, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.79	-13	57.79	Pass	401
0.15	30	0.01	RMS	0.15	-70.16	-13	57.16	Pass	2986
30	1000	0.1	RMS	830.2	-62.26	-13	49.26	Pass	9701
1000	3000	1	RMS	2981	-49.69	-13	34.69	Pass	2001
3000	3440	1	RMS	3009	-46.67	-13	33.67	Pass	441
3440	3560	1	RMS	3501.2	21.5	60	38.5	Pass	401
3560	7000	1	RMS	4116	-56.24	-13	43.24	Pass	3441
7000	26500	1	RMS	25505	-49.98	-13	34.98	Pass	19503




**34.18 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:635000, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.74	-13	58.74	Pass	401
0.15	30	0.01	RMS	0.2	-70.5	-13	57.5	Pass	2986
30	1000	0.1	RMS	972.482	-62.53	-13	49.53	Pass	9701
1000	3000	1	RMS	2938	-49.98	-13	34.98	Pass	2001
3000	3440	1	RMS	3007	-46.64	-13	33.64	Pass	441
3440	3560	1	RMS	3548.9	21.88	60	38.12	Pass	401
3560	7000	1	RMS	3573	-48.27	-13	35.27	Pass	3441
7000	26500	1	RMS	25471	-49.92	-13	34.92	Pass	19503




**34.19 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.15	-13	57.15	Pass	401
0.15	30	0.01	RMS	0.17	-70.15	-13	57.15	Pass	2986
30	1000	0.1	RMS	952.469	-62.7	-13	49.7	Pass	9701
1000	3000	1	RMS	2984	-49.88	-13	34.88	Pass	2001
3000	3440	1	RMS	3438	-33.53	-13	20.53	Pass	441
3440	3560	1	RMS	3545	2.31	60	57.69	Pass	401
3560	7000	1	RMS	3564	-31.19	-13	18.19	Pass	3441
7000	26500	1	RMS	25488	-49.76	-13	34.76	Pass	19503




**34.20 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.13	-13	58.13	Pass	401
0.15	30	0.01	RMS	0.82	-69.92	-13	56.92	Pass	2986
30	1000	0.1	RMS	902.235	-62.7	-13	49.7	Pass	9701
1000	3000	1	RMS	2966	-49.99	-13	36.99	Pass	2001
3000	3440	1	RMS	3427	-45.87	-13	32.87	Pass	441
3440	3560	1	RMS	3451.1	21.66	60	38.34	Pass	401
3560	7000	1	RMS	3647	-53.7	-13	40.7	Pass	3441
7000	26500	1	RMS	25486	-50.02	-13	37.02	Pass	19503



**34.21 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.21	-13	57.21	Pass	401
0.15	30	0.01	RMS	0.24	-70.84	-13	57.84	Pass	2986
30	1000	0.1	RMS	775.3	-62.83	-13	49.83	Pass	9701
1000	3000	1	RMS	2965	-50.01	-13	37.01	Pass	2001
3000	3440	1	RMS	3353	-42.65	-13	29.65	Pass	441
3440	3560	1	RMS	3549.2	21.66	60	38.34	Pass	401
3560	7000	1	RMS	3573	-48.71	-13	35.71	Pass	3441
7000	26500	1	RMS	25519	-49.96	-13	36.96	Pass	19503



35. n78 30kHz(3700-3800)


**35.1 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:647000, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.76	-13	57.76	Pass	401
0.15	30	0.01	RMS	0.27	-70.94	-13	57.94	Pass	2986
30	1000	0.1	RMS	928.252	-62.31	-13	49.31	Pass	9701
1000	3000	1	RMS	2980	-49.86	-13	36.86	Pass	2001
3000	3690	1	RMS	3690	-40.66	-13	27.66	Pass	691
3690	3810	1	RMS	3705.3	13.04	60	46.96	Pass	401
3810	7000	1	RMS	6980	-63.23	-13	50.23	Pass	3191
7000	26500	1	RMS	25483	-49.74	-13	36.74	Pass	19503




35.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.84	-13	56.84	Pass	401
0.15	30	0.01	RMS	0.15	-71.32	-13	58.32	Pass	2986
30	1000	0.1	RMS	947.065	-62.53	-13	49.53	Pass	9701
1000	3000	1	RMS	2939	-49.86	-13	36.86	Pass	2001
3000	3690	1	RMS	3673	-46.18	-13	33.18	Pass	691
3690	3810	1	RMS	3701.1	21.61	60	38.39	Pass	401
3810	7000	1	RMS	4008	-58.34	-13	45.34	Pass	3191
7000	26500	1	RMS	25500	-49.55	-13	36.55	Pass	19503




35.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.86	-13	56.86	Pass	401
0.15	30	0.01	RMS	0.24	-69.64	-13	56.64	Pass	2986
30	1000	0.1	RMS	904.737	-62.28	-13	49.28	Pass	9701
1000	3000	1	RMS	2971	-49.63	-13	36.63	Pass	2001
3000	3690	1	RMS	3682	-46.24	-13	33.24	Pass	691
3690	3810	1	RMS	3709.2	21.76	60	38.24	Pass	401
3810	7000	1	RMS	4016	-58.42	-13	45.42	Pass	3191
7000	26500	1	RMS	25824	-49.63	-13	36.63	Pass	19503




35.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.97	-13	55.97	Pass	401
0.15	30	0.01	RMS	0.18	-70.26	-13	57.26	Pass	2986
30	1000	0.1	RMS	984.99	-62.56	-13	49.56	Pass	9701
1000	3000	1	RMS	2998	-49.77	-13	36.77	Pass	2001
3000	3690	1	RMS	3010	-46.38	-13	33.38	Pass	691
3690	3810	1	RMS	3750	12.81	60	47.19	Pass	401
3810	7000	1	RMS	4055	-62.84	-13	49.84	Pass	3191
7000	26500	1	RMS	25575	-49.83	-13	36.83	Pass	19503




**35.5 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.73	-13	55.73	Pass	401
0.15	30	0.01	RMS	0.31	-70.28	-13	57.28	Pass	2986
30	1000	0.1	RMS	762.5	-62.35	-13	49.35	Pass	9701
1000	3000	1	RMS	2872	-49.88	-13	36.88	Pass	2001
3000	3690	1	RMS	3005	-46.48	-13	33.48	Pass	691
3690	3810	1	RMS	3746.1	21.29	60	38.71	Pass	401
3810	7000	1	RMS	4053	-56.99	-13	43.99	Pass	3191
7000	26500	1	RMS	25510	-49.36	-13	36.36	Pass	19503




35.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.37	-13	58.37	Pass	401
0.15	30	0.01	RMS	0.16	-71.06	-13	58.06	Pass	2986
30	1000	0.1	RMS	829.7	-62.15	-13	49.15	Pass	9701
1000	3000	1	RMS	2954	-49.82	-13	36.82	Pass	2001
3000	3690	1	RMS	3009	-46.55	-13	33.55	Pass	691
3690	3810	1	RMS	3754.2	21.55	60	38.45	Pass	401
3810	7000	1	RMS	4061	-60.58	-13	47.58	Pass	3191
7000	26500	1	RMS	25463	-49.9	-13	36.9	Pass	19503




35.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72	-13	59	Pass	401
0.15	30	0.01	RMS	0.39	-70.89	-13	57.89	Pass	2986
30	1000	0.1	RMS	819.1	-62.22	-13	49.22	Pass	9701
1000	3000	1	RMS	2999	-49.76	-13	36.76	Pass	2001
3000	3690	1	RMS	3005	-46.42	-13	33.42	Pass	691
3690	3810	1	RMS	3794.4	12.88	60	47.12	Pass	401
3810	7000	1	RMS	3810	-43.23	-13	30.23	Pass	3191
7000	26500	1	RMS	25487	-49.72	-13	36.72	Pass	19503




35.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.3	-13	58.3	Pass	401
0.15	30	0.01	RMS	0.48	-70.35	-13	57.35	Pass	2986
30	1000	0.1	RMS	838.2	-62.09	-13	49.09	Pass	9701
1000	3000	1	RMS	2997	-49.86	-13	36.86	Pass	2001
3000	3690	1	RMS	3009	-46.45	-13	33.45	Pass	691
3690	3810	1	RMS	3791.1	21.18	60	38.82	Pass	401
3810	7000	1	RMS	3819	-47.45	-13	34.45	Pass	3191
7000	26500	1	RMS	25466	-49.79	-13	36.79	Pass	19503




35.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.21	-13	59.21	Pass	401
0.15	30	0.01	RMS	0.31	-69.78	-13	56.78	Pass	2986
30	1000	0.1	RMS	964.276	-62.23	-13	49.23	Pass	9701
1000	3000	1	RMS	2998	-49.68	-13	36.68	Pass	2001
3000	3690	1	RMS	3008	-46.45	-13	33.45	Pass	691
3690	3810	1	RMS	3799.2	21.74	60	38.26	Pass	401
3810	7000	1	RMS	3826	-46.66	-13	33.66	Pass	3191
7000	26500	1	RMS	25487	-49.48	-13	36.48	Pass	19503




**35.10 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.13	-13	58.13	Pass	401
0.15	30	0.01	RMS	0.17	-71.7	-13	58.7	Pass	2986
30	1000	0.1	RMS	935.859	-61.89	-13	48.89	Pass	9701
1000	3000	1	RMS	2973	-49.83	-13	36.83	Pass	2001
3000	3690	1	RMS	3690	-30.74	-13	17.74	Pass	691
3690	3810	1	RMS	3702.9	6.19	60	53.81	Pass	401
3810	7000	1	RMS	3810	-49.38	-13	36.38	Pass	3191
7000	26500	1	RMS	25486	-49.4	-13	36.4	Pass	19503




**35.11 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.44	-13	57.44	Pass	401
0.15	30	0.01	RMS	0.24	-70.8	-13	57.8	Pass	2986
30	1000	0.1	RMS	790.8	-62.45	-13	49.45	Pass	9701
1000	3000	1	RMS	2979	-49.89	-13	36.89	Pass	2001
3000	3690	1	RMS	3674	-45.1	-13	32.1	Pass	691
3690	3810	1	RMS	3701.4	21.97	60	38.03	Pass	401
3810	7000	1	RMS	4316	-57.47	-13	44.47	Pass	3191
7000	26500	1	RMS	25879	-49.79	-13	36.79	Pass	19503




**35.12 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:648334, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.22	-13	58.22	Pass	401
0.15	30	0.01	RMS	0.26	-70.88	-13	57.88	Pass	2986
30	1000	0.1	RMS	999.8	-62.34	-13	49.34	Pass	9701
1000	3000	1	RMS	2974	-49.71	-13	36.71	Pass	2001
3000	3690	1	RMS	3006	-46.43	-13	33.43	Pass	691
3690	3810	1	RMS	3748.8	21.8	60	38.2	Pass	401
3810	7000	1	RMS	4056	-58.41	-13	45.41	Pass	3191
7000	26500	1	RMS	25532	-49.6	-13	36.6	Pass	19503




**35.13 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.48	-13	59.48	Pass	401
0.15	30	0.01	RMS	0.17	-70.65	-13	57.65	Pass	2986
30	1000	0.1	RMS	953.869	-62.23	-13	49.23	Pass	9701
1000	3000	1	RMS	2989	-49.89	-13	36.89	Pass	2001
3000	3690	1	RMS	3690	-38.12	-13	25.12	Pass	691
3690	3810	1	RMS	3727.8	5.68	60	54.32	Pass	401
3810	7000	1	RMS	3810	-39.46	-13	26.46	Pass	3191
7000	26500	1	RMS	25492	-49.55	-13	36.55	Pass	19503




**35.14 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.87	-13	57.87	Pass	401
0.15	30	0.01	RMS	0.16	-70.04	-13	57.04	Pass	2986
30	1000	0.1	RMS	888.326	-62.46	-13	49.46	Pass	9701
1000	3000	1	RMS	2992	-49.81	-13	36.81	Pass	2001
3000	3690	1	RMS	3009	-46.39	-13	33.39	Pass	691
3690	3810	1	RMS	3726.3	21.56	60	38.44	Pass	401
3810	7000	1	RMS	3821	-58.36	-13	45.36	Pass	3191
7000	26500	1	RMS	25522	-49.72	-13	36.72	Pass	19503




**35.15 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.68	-13	58.68	Pass	401
0.15	30	0.01	RMS	0.36	-70.03	-13	57.03	Pass	2986
30	1000	0.1	RMS	908.539	-62.49	-13	49.49	Pass	9701
1000	3000	1	RMS	2966	-49.95	-13	36.95	Pass	2001
3000	3690	1	RMS	3007	-46.46	-13	33.46	Pass	691
3690	3810	1	RMS	3774	21.52	60	38.48	Pass	401
3810	7000	1	RMS	3812	-56.16	-13	43.16	Pass	3191
7000	26500	1	RMS	26493	-49.59	-13	36.59	Pass	19503




**35.16 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:651666, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.27	-13	59.27	Pass	401
0.15	30	0.01	RMS	0.8	-71.22	-13	58.22	Pass	2986
30	1000	0.1	RMS	981.188	-62.47	-13	49.47	Pass	9701
1000	3000	1	RMS	2995	-49.79	-13	36.79	Pass	2001
3000	3690	1	RMS	3690	-45.96	-13	32.96	Pass	691
3690	3810	1	RMS	3752.7	5.76	60	54.24	Pass	401
3810	7000	1	RMS	3810	-34.11	-13	21.11	Pass	3191
7000	26500	1	RMS	25545	-49.91	-13	36.91	Pass	19503




**35.17 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:651666, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.36	-13	57.36	Pass	401
0.15	30	0.01	RMS	0.17	-69.38	-13	56.38	Pass	2986
30	1000	0.1	RMS	853.303	-62.63	-13	49.63	Pass	9701
1000	3000	1	RMS	2963	-49.87	-13	36.87	Pass	2001
3000	3690	1	RMS	3001	-46.48	-13	33.48	Pass	691
3690	3810	1	RMS	3751.2	21.43	60	38.57	Pass	401
3810	7000	1	RMS	4366	-59.11	-13	46.11	Pass	3191
7000	26500	1	RMS	25484	-49.57	-13	36.57	Pass	19503




**35.18 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:651666, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.74	-13	58.74	Pass	401
0.15	30	0.01	RMS	0.32	-69.02	-13	56.02	Pass	2986
30	1000	0.1	RMS	882.822	-62.45	-13	49.45	Pass	9701
1000	3000	1	RMS	2991	-49.93	-13	36.93	Pass	2001
3000	3690	1	RMS	3018	-46.46	-13	33.46	Pass	691
3690	3810	1	RMS	3798.9	21.66	60	38.34	Pass	401
3810	7000	1	RMS	3826	-45.71	-13	32.71	Pass	3191
7000	26500	1	RMS	25505	-49.77	-13	36.77	Pass	19503




**35.19 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.02	-13	59.02	Pass	401
0.15	30	0.01	RMS	0.21	-71.15	-13	58.15	Pass	2986
30	1000	0.1	RMS	804.5	-62.55	-13	49.55	Pass	9701
1000	3000	1	RMS	2998	-49.89	-13	36.89	Pass	2001
3000	3690	1	RMS	3689	-32.43	-13	19.43	Pass	691
3690	3810	1	RMS	3704.1	3.27	60	56.73	Pass	401
3810	7000	1	RMS	3811	-34.34	-13	21.34	Pass	3191
7000	26500	1	RMS	25484	-49.91	-13	36.91	Pass	19503




**35.20 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.47	-13	58.47	Pass	401
0.15	30	0.01	RMS	0.17	-69.59	-13	56.59	Pass	2986
30	1000	0.1	RMS	894.73	-62.68	-13	49.68	Pass	9701
1000	3000	1	RMS	2840	-49.68	-13	36.68	Pass	2001
3000	3690	1	RMS	3674	-45.06	-13	32.06	Pass	691
3690	3810	1	RMS	3701.1	21.9	60	38.1	Pass	401
3810	7000	1	RMS	3897	-46.96	-13	33.96	Pass	3191
7000	26500	1	RMS	25503	-49.74	-13	36.74	Pass	19503



**37.21 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.46	-13	58.46	Pass	401
0.15	30	0.01	RMS	1.1	-69.87	-13	56.87	Pass	2986
30	1000	0.1	RMS	867.512	-62.35	-13	49.35	Pass	9701
1000	3000	1	RMS	2979	-49.77	-13	36.77	Pass	2001
3000	3690	1	RMS	3603	-40.39	-13	27.39	Pass	691
3690	3810	1	RMS	3799.2	21.62	60	38.38	Pass	401
3810	7000	1	RMS	3827	-46.65	-13	33.65	Pass	3191
7000	26500	1	RMS	25506	-49.58	-13	36.58	Pass	19503



--BLANK BELOW--