



**20.18 LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:133197,
Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.384	-28.01	-13	15.01	Pass	401
662.9	663	0.03	RMS	662.977	-32.72	-13	19.72	Pass	401
663	678	0.1	RMS	671.213	3.07	30	26.93	Pass	401




20.19 LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:133197, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-33.77	-13	20.77	Pass	401
662.9	663	0.03	RMS	662.99	-33.3	-13	20.3	Pass	401
663	678	0.1	RMS	663.863	20.8	30	9.2	Pass	401




20.20 LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:133197, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.836	-32.33	-13	19.33	Pass	401
662.9	663	0.03	RMS	662.977	-36.6	-13	23.6	Pass	401
663	678	0.1	RMS	670.763	2	30	28	Pass	401




20.21 LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
683	698	0.1	RMS	697.175	21.83	30	8.17	Pass	401
698	698.1	0.03	RMS	698	-31.74	-13	18.74	Pass	401
698.1	710	0.1	RMS	698.1	-32.11	-13	19.11	Pass	401




20.22 LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
683	698	0.1	RMS	689.788	2.78	30	27.22	Pass	401
698	698.1	0.03	RMS	698.01	-31.9	-13	18.9	Pass	401
698.1	710	0.1	RMS	698.427	-27.98	-13	14.98	Pass	401




20.23 LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:133397, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
683	698	0.1	RMS	697.175	21.18	30	8.82	Pass	401
698	698.1	0.03	RMS	698.001	-32.41	-13	19.41	Pass	401
698.1	710	0.1	RMS	698.1	-32.2	-13	19.2	Pass	401




20.24 LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:133397, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
683	698	0.1	RMS	689.863	1.6	30	28.4	Pass	401
698	698.1	0.03	RMS	698.011	-35.6	-13	22.6	Pass	401
698.1	710	0.1	RMS	698.16	-31.46	-13	18.46	Pass	401




20.25 LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-34.58	-13	21.58	Pass	401
662.9	663	0.03	RMS	662.993	-35.29	-13	22.29	Pass	401
663	683	0.1	RMS	664.1	21.68	30	8.32	Pass	401




20.26 LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-31.75	-13	18.75	Pass	401
662.9	663	0.03	RMS	662.982	-36.04	-13	23.04	Pass	401
663	683	0.1	RMS	671.55	1.97	30	28.03	Pass	401




20.27 LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:133222, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-33.64	-13	20.64	Pass	401
662.9	663	0.03	RMS	662.995	-34.68	-13	21.68	Pass	401
663	683	0.1	RMS	664.1	20.86	30	9.14	Pass	401




20.28 LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:133222, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.868	-34.22	-13	21.22	Pass	401
662.9	663	0.03	RMS	662.972	-38.36	-13	25.36	Pass	401
663	683	0.1	RMS	672.5	0.99	30	29.01	Pass	401




20.29 LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
678	698	0.1	RMS	696.95	21.52	30	8.48	Pass	401
698	698.1	0.03	RMS	698.002	-33.68	-13	20.68	Pass	401
698.1	710	0.1	RMS	698.1	-32.08	-13	19.08	Pass	401




20.30 LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
678	698	0.1	RMS	688.55	1.56	30	28.44	Pass	401
698	698.1	0.03	RMS	698.017	-34.87	-13	21.87	Pass	401
698.1	710	0.1	RMS	698.1	-30.41	-13	17.41	Pass	401




20.31 LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
678	698	0.1	RMS	696.95	20.68	30	9.32	Pass	401
698	698.1	0.03	RMS	698.005	-34.3	-13	21.3	Pass	401
698.1	710	0.1	RMS	698.1	-33.54	-13	20.54	Pass	401



20.32 LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
678	698	0.1	RMS	689.2	0.56	30	29.44	Pass	401
698	698.1	0.03	RMS	698.089	-37.18	-13	24.18	Pass	401
698.1	710	0.1	RMS	698.249	-32.86	-13	19.86	Pass	401



21. CA_5B


21.1 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:20450|20522, Bandwidth:10|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	815.14	-38.03	-13	25.03	Pass	401
823	824	0.1	RMS	824	-42.55	-13	29.55	Pass	401
824	839	0.1	RMS	834.05	9.37	30	20.63	Pass	401




21.2 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:20450|20522, Bandwidth:10|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	810.82	-42.36	-13	29.36	Pass	401
823	824	0.1	RMS	824	-43.03	-13	30.03	Pass	401
824	839	0.1	RMS	824.6	9.37	30	20.63	Pass	401




21.3 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:20450|20522, Bandwidth:10|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	822.82	-24.67	-13	11.67	Pass	401
823	824	0.1	RMS	823.983	-23.36	-13	10.36	Pass	401
824	839	0.1	RMS	835.438	3.84	30	26.16	Pass	401




21.4 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:20450|20522, Bandwidth:10|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	815.14	-38.89	-13	25.89	Pass	401
823	824	0.1	RMS	823.998	-42.35	-13	29.35	Pass	401
824	839	0.1	RMS	834.05	9.33	30	20.67	Pass	401




21.5 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:20450|20522, Bandwidth:10|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	810.82	-42.81	-13	29.81	Pass	401
823	824	0.1	RMS	823.998	-42.37	-13	29.37	Pass	401
824	839	0.1	RMS	824.6	9.42	30	20.58	Pass	401




21.6 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:20450|20522, Bandwidth:10|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	823	-27.8	-13	14.8	Pass	401
823	824	0.1	RMS	823.97	-26.46	-13	13.46	Pass	401
824	839	0.1	RMS	834.613	2.89	30	27.11	Pass	401




21.7 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:20550|20622, Bandwidth:10|5, Modulation:QPSK, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.363	9.31	30	20.69	Pass	401
849	850	0.1	RMS	849	-52.99	-13	39.99	Pass	11
850	874	0.1	RMS	853.3	-41.06	-13	28.06	Pass	401




21.8 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:20550|20622, Bandwidth:10|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	834.6	9.41	30	20.59	Pass	401
849	850	0.1	RMS	849	-52.46	-13	39.46	Pass	11
850	874	0.1	RMS	855.22	-59.97	-13	46.97	Pass	401




21.9 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:20550|20622, Bandwidth:10|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	844.238	3.98	30	26.02	Pass	401
849	850	0.1	RMS	849.1	-23.89	-13	10.89	Pass	11
850	874	0.1	RMS	850	-24.2	-13	11.2	Pass	401




21.10 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:20550|20622, Bandwidth:10|5, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	843.413	9.24	30	20.76	Pass	401
849	850	0.1	RMS	849	-53.04	-13	40.04	Pass	11
850	874	0.1	RMS	853.3	-41.81	-13	28.81	Pass	401




21.11 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:20550|20622, Bandwidth:10|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	834.6	9.43	30	20.57	Pass	401
849	850	0.1	RMS	849	-52.71	-13	39.71	Pass	11
850	874	0.1	RMS	855.22	-59.65	-13	46.65	Pass	401




21.12 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:20550|20622, Bandwidth:10|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	844.463	2.99	30	27.01	Pass	401
849	850	0.1	RMS	849	-27.23	-13	14.23	Pass	11
850	874	0.1	RMS	850	-27.55	-13	14.55	Pass	401




21.13 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:20450|20549, Bandwidth:10|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	814.66	-38.29	-13	25.29	Pass	401
823	824	0.1	RMS	824	-43.19	-13	30.19	Pass	401
824	844	0.1	RMS	834.5	8.83	30	21.17	Pass	401




21.14 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:20450|20549, Bandwidth:10|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	815.26	-57.94	-13	44.94	Pass	401
823	824	0.1	RMS	824	-43.05	-13	30.05	Pass	401
824	844	0.1	RMS	824.6	8.75	30	21.25	Pass	401




21.15 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:20450|20549, Bandwidth:10|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	822.94	-25.03	-13	12.03	Pass	401
823	824	0.1	RMS	823.998	-24.12	-13	11.12	Pass	401
824	844	0.1	RMS	826.7	1.11	30	28.89	Pass	401




21.16 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:20450|20549, Bandwidth:10|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	814.66	-38.97	-13	25.97	Pass	401
823	824	0.1	RMS	824	-42.94	-13	29.94	Pass	401
824	844	0.1	RMS	834.5	8.87	30	21.13	Pass	401




21.17 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:20450|20549, Bandwidth:10|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	815.26	-57.59	-13	44.59	Pass	401
823	824	0.1	RMS	823.995	-43.19	-13	30.19	Pass	401
824	844	0.1	RMS	824.6	8.86	30	21.14	Pass	401




21.18 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:20450|20549, Bandwidth:10|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	822.58	-28.15	-13	15.15	Pass	401
823	824	0.1	RMS	823.995	-27.12	-13	14.12	Pass	401
824	844	0.1	RMS	824.9	0.13	30	29.87	Pass	401




21.19 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:20501|20600, Bandwidth:10|10, Modulation:QPSK, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	838.5	8.83	30	21.17	Pass	401
849	850	0.1	RMS	849	-44.72	-13	31.72	Pass	11
850	874	0.1	RMS	850.06	-63.86	-13	50.86	Pass	401




21.20 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:20501|20600, Bandwidth:10|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	829.7	8.88	30	21.12	Pass	401
849	850	0.1	RMS	849	-44.9	-13	31.9	Pass	11
850	874	0.1	RMS	850.06	-63.79	-13	50.79	Pass	401




21.21 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:20501|20600, Bandwidth:10|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	830.15	1.13	30	28.87	Pass	401
849	850	0.1	RMS	849	-25.43	-13	12.43	Pass	11
850	874	0.1	RMS	850.12	-25.57	-13	12.57	Pass	401




21.22 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:20501|20600, Bandwidth:10|10, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	838.5	8.81	30	21.19	Pass	401
849	850	0.1	RMS	849	-45.11	-13	32.11	Pass	11
850	874	0.1	RMS	850.06	-63.77	-13	50.77	Pass	401




21.23 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:20501|20600, Bandwidth:10|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	829.7	8.72	30	21.28	Pass	401
849	850	0.1	RMS	849	-44.65	-13	31.65	Pass	11
850	874	0.1	RMS	850	-63.82	-13	50.82	Pass	401



21.24 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:20501|20600, Bandwidth:10|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	829.85	0.24	30	29.76	Pass	401
849	850	0.1	RMS	849	-28.36	-13	15.36	Pass	11
850	874	0.1	RMS	850.18	-28.8	-13	15.8	Pass	401



22. CA_41C_full


22.1 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2466	2490.5	1	RMS	2478.556	-32.78	-25	7.78	Pass	401
2490.5	2496	1	RMS	2496	-31.63	-13	18.63	Pass	7
2491	2495	1	RMS	2495	-46.55	-10	36.55	Pass	5
2495	2496	0.01	RMS	2495.995	-56.83	-10	46.83	Pass	401
2496	2521	0.1	RMS	2515.5	4.02	30	25.98	Pass	401




22.2 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2466	2490.5	1	RMS	2474.33	-35.13	-25	10.13	Pass	401
2490.5	2496	1	RMS	2496	-31.74	-13	18.74	Pass	7
2491	2495	1	RMS	2495	-46.46	-10	36.46	Pass	5
2495	2496	0.01	RMS	2495.998	-57.17	-10	47.17	Pass	401
2496	2521	0.1	RMS	2519.875	3.93	30	26.07	Pass	401




22.3 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2466	2490.5	1	RMS	2490.316	-34.21	-25	9.21	Pass	401
2490.5	2496	1	RMS	2496	-21.36	-13	8.36	Pass	401
2491	2495	1	RMS	2495	-31.65	-10	21.65	Pass	5
2495	2496	0.51	RMS	2495.925	-32.53	-10	22.53	Pass	401
2496	2521	0.1	RMS	2517.063	-2.51	30	32.51	Pass	401




22.4 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2466	2490.5	1	RMS	2478.495	-34.82	-25	9.82	Pass	401
2490.5	2496	1	RMS	2496	-31.48	-13	18.48	Pass	7
2491	2495	1	RMS	2495	-46.31	-10	36.31	Pass	5
2495	2496	0.01	RMS	2495.993	-57.07	-10	47.07	Pass	401
2496	2521	0.1	RMS	2515.563	4.04	30	25.96	Pass	401




22.5 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2466	2490.5	1	RMS	2474.208	-36.33	-25	11.33	Pass	401
2490.5	2496	1	RMS	2496	-31.47	-13	18.47	Pass	7
2491	2495	1	RMS	2495	-46.53	-10	36.53	Pass	5
2495	2496	0.01	RMS	2495.993	-57.03	-10	47.03	Pass	401
2496	2521	0.1	RMS	2519.875	4.52	30	25.48	Pass	401




22.6 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2466	2490.5	1	RMS	2490.316	-37.22	-25	12.22	Pass	401
2490.5	2496	1	RMS	2496	-22.74	-13	9.74	Pass	401
2491	2495	1	RMS	2495	-35.15	-10	25.15	Pass	5
2495	2496	0.51	RMS	2495.97	-35.77	-10	25.77	Pass	401
2496	2521	0.1	RMS	2516.875	-3.45	30	33.45	Pass	401




22.7 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2665	2690	0.1	RMS	2688.875	7.92	30	22.08	Pass	401
2690	2691	0.01	RMS	2690.01	-58.98	-10	48.98	Pass	401
2691	2695	1	RMS	2694	-26.31	-10	16.31	Pass	5
2695	2715	1	RMS	2698.7	-39.85	-13	26.85	Pass	401
2715	2720	1	RMS	2718.825	-56.3	-25	31.3	Pass	401




22.8 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2665	2690	0.1	RMS	2688.875	4.33	30	25.67	Pass	401
2690	2691	0.01	RMS	2690.01	-63.11	-10	53.11	Pass	401
2691	2695	1	RMS	2691	-47.22	-10	37.22	Pass	5
2695	2715	1	RMS	2711.55	-35.39	-13	22.39	Pass	401
2715	2720	1	RMS	2718.163	-56.36	-25	31.36	Pass	401




22.9 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2665	2690	0.1	RMS	2687.438	-2.72	30	32.72	Pass	401
2690	2691	0.5	RMS	2691	-29.51	-10	19.51	Pass	3
2691	2695	1	RMS	2691	-26.54	-10	16.54	Pass	5
2695	2715	1	RMS	2695.1	-27.21	-13	14.21	Pass	401
2715	2720	1	RMS	2715.113	-45.26	-25	20.26	Pass	401




22.10 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2665	2690	0.1	RMS	2688.875	8.06	30	21.94	Pass	401
2690	2691	0.01	RMS	2690.115	-58.33	-10	48.33	Pass	401
2691	2695	1	RMS	2694	-25.83	-10	15.83	Pass	5
2695	2715	1	RMS	2698.75	-40.97	-13	27.97	Pass	401
2715	2720	1	RMS	2718.238	-56.25	-25	31.25	Pass	401




22.11 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2665	2690	0.1	RMS	2666.063	3.83	30	26.17	Pass	401
2690	2691	0.01	RMS	2690.013	-62.55	-10	52.55	Pass	401
2691	2695	1	RMS	2691	-47.08	-10	37.08	Pass	5
2695	2715	1	RMS	2711.6	-35.18	-13	22.18	Pass	401
2715	2720	1	RMS	2719.813	-56.37	-25	31.37	Pass	401




22.12 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2665	2690	0.1	RMS	2685.188	-3.96	30	33.96	Pass	401
2690	2691	0.5	RMS	2690	-31.39	-10	21.39	Pass	3
2691	2695	1	RMS	2691	-28.61	-10	18.61	Pass	5
2695	2715	1	RMS	2695.1	-29.27	-13	16.27	Pass	401
2715	2720	1	RMS	2715.038	-46.61	-25	21.61	Pass	401




22.13 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2451	2490.5	1	RMS	2477.169	-33.71	-25	8.71	Pass	401
2490.5	2496	1	RMS	2496	-28.25	-13	15.25	Pass	7
2491	2495	1	RMS	2495	-43.23	-10	33.23	Pass	5
2495	2496	0.01	RMS	2495.998	-53.63	-10	43.63	Pass	401
2496	2536	0.1	RMS	2516.9	6.9	30	23.1	Pass	401




22.14 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2451	2490.5	1	RMS	2487.933	-54.59	-25	29.59	Pass	401
2490.5	2496	1	RMS	2496	-31.98	-13	18.98	Pass	7
2491	2495	1	RMS	2495	-46.52	-10	36.52	Pass	5
2495	2496	0.01	RMS	2495.993	-57.51	-10	47.51	Pass	401
2496	2536	0.1	RMS	2534.7	3.78	30	26.22	Pass	401




22.15 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2451	2490.5	1	RMS	2490.401	-33.16	-25	8.16	Pass	401
2490.5	2496	1	RMS	2496	-31.27	-13	18.27	Pass	7
2491	2495	1	RMS	2495	-32.3	-10	22.3	Pass	5
2495	2496	0.82	RMS	2495.998	-27.9	-10	17.9	Pass	401
2496	2536	0.1	RMS	2514.7	-8.33	30	38.33	Pass	401




22.16 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2451	2490.5	1	RMS	2477.07	-32.19	-25	7.19	Pass	401
2490.5	2496	1	RMS	2496	-27.85	-13	14.85	Pass	7
2491	2495	1	RMS	2495	-43.02	-10	33.02	Pass	5
2495	2496	0.01	RMS	2495.988	-53.03	-10	43.03	Pass	401
2496	2536	0.1	RMS	2516.9	6.88	30	23.12	Pass	401




22.17 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2451	2490.5	1	RMS	2490.204	-54.16	-25	29.16	Pass	401
2490.5	2496	1	RMS	2496	-31.43	-13	18.43	Pass	7
2491	2495	1	RMS	2495	-46.38	-10	36.38	Pass	5
2495	2496	0.01	RMS	2495.98	-56.81	-10	46.81	Pass	401
2496	2536	0.1	RMS	2534.7	3.51	30	26.49	Pass	401




22.18 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2451	2490.5	1	RMS	2490.5	-36.14	-25	11.14	Pass	401
2490.5	2496	1	RMS	2496	-22.43	-13	9.43	Pass	401
2491	2495	1	RMS	2495	-35.32	-10	25.32	Pass	5
2495	2496	0.82	RMS	2496	-29.3	-10	19.3	Pass	401
2496	2536	0.1	RMS	2514.8	-9.28	30	39.28	Pass	401




22.19 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2650	2690	0.1	RMS	2669.1	6.56	30	23.44	Pass	401
2690	2691	0.01	RMS	2690	-51.88	-10	41.88	Pass	401
2691	2695	1	RMS	2691	-42.36	-10	32.36	Pass	5
2695	2730	1	RMS	2708.65	-27.99	-13	14.99	Pass	401
2730	2735	1	RMS	2730	-56.21	-25	31.21	Pass	401




22.20 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2650	2690	0.1	RMS	2651.3	3.61	30	26.39	Pass	401
2690	2691	0.01	RMS	2690.01	-55.85	-10	45.85	Pass	401
2691	2695	1	RMS	2691	-45.59	-10	35.59	Pass	5
2695	2730	1	RMS	2726.5	-38.67	-13	25.67	Pass	401
2730	2735	1	RMS	2731.513	-56.36	-25	31.36	Pass	401




22.21 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2650	2690	0.1	RMS	2656	-8.85	30	38.85	Pass	401
2690	2691	0.82	RMS	2690.003	-26.01	-10	16.01	Pass	401
2691	2695	1	RMS	2691	-29.82	-10	19.82	Pass	5
2695	2730	1	RMS	2695.175	-29.97	-13	16.97	Pass	401
2730	2735	1	RMS	2730	-52.34	-25	27.34	Pass	401




22.22 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2650	2690	0.1	RMS	2669.1	6.66	30	23.34	Pass	401
2690	2691	0.01	RMS	2690.005	-52.55	-10	42.55	Pass	401
2691	2695	1	RMS	2691	-42.32	-10	32.32	Pass	5
2695	2730	1	RMS	2708.563	-27.99	-13	14.99	Pass	401
2730	2735	1	RMS	2730	-56.24	-25	31.24	Pass	401




22.23 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2690	2691	0.01	RMS	2690	-56.08	-10	46.08	Pass	401
2691	2695	1	RMS	2691	-45.57	-10	35.57	Pass	5
2695	2730	1	RMS	2726.5	-39.3	-13	26.3	Pass	401
2730	2735	1	RMS	2730.238	-56.35	-25	31.35	Pass	401



22.24 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2650	2690	0.1	RMS	2682.6	-9.16	30	39.16	Pass	401
2690	2691	0.82	RMS	2690.003	-27.65	-10	17.65	Pass	401
2691	2695	1	RMS	2691	-31.43	-10	21.43	Pass	5
2695	2730	1	RMS	2695	-32.15	-13	19.15	Pass	401
2730	2735	1	RMS	2730.013	-53.54	-25	28.54	Pass	401



23. CA_66C


23.1 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:132072|132189, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1709	1	RMS	1692.61	-40.46	-13	27.46	Pass	401
1709	1710	0.3	RMS	1709.995	-35.78	-13	22.78	Pass	401
1710	1735	0.1	RMS	1729.563	9.57	30	20.43	Pass	401




23.2 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:132072|132189, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1709	1	RMS	1709	-43.1	-13	30.1	Pass	401
1709	1710	0.3	RMS	1709.998	-35.76	-13	22.76	Pass	401
1710	1735	0.1	RMS	1733.875	9.55	30	20.45	Pass	401




23.3 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:132072|132189, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1709	1	RMS	1709	-25.61	-13	12.61	Pass	401
1709	1710	0.3	RMS	1709.963	-29.36	-13	16.36	Pass	401
1710	1735	0.1	RMS	1733.438	2.64	30	27.36	Pass	401




23.4 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:132072|132189, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1709	1	RMS	1692.61	-41.44	-13	28.44	Pass	401
1709	1710	0.3	RMS	1709.998	-35.59	-13	22.59	Pass	401
1710	1735	0.1	RMS	1729.563	9.51	30	20.49	Pass	401




23.5 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:132072|132189, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1709	1	RMS	1709	-43.15	-13	30.15	Pass	401
1709	1710	0.3	RMS	1710	-35.64	-13	22.64	Pass	401
1710	1735	0.1	RMS	1733.875	9.69	30	20.31	Pass	401




23.6 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:132072|132189, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1709	1	RMS	1709	-29.83	-13	16.83	Pass	401
1709	1710	0.3	RMS	1709.623	-33.03	-13	20.03	Pass	401
1710	1735	0.1	RMS	1733.625	1.76	30	28.24	Pass	401




23.7 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:132522|132639, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1755	1780	0.1	RMS	1778.875	14.02	30	15.98	Pass	401
1780	1781	0.3	RMS	1780	-46.35	-13	33.35	Pass	5
1781	1825	1	RMS	1783.75	-28.56	-13	15.56	Pass	401




23.8 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:132522|132639, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1755	1780	0.1	RMS	1778.875	9.95	30	20.05	Pass	401
1780	1781	0.3	RMS	1780	-49.92	-13	36.92	Pass	5
1781	1825	1	RMS	1781	-49.31	-13	36.31	Pass	401




23.9 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:132522|132639, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1755	1780	0.1	RMS	1776	2.96	30	27.04	Pass	401
1780	1781	0.3	RMS	1780	-27.56	-13	14.56	Pass	5
1781	1825	1	RMS	1781	-22.65	-13	9.65	Pass	401




23.10 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:132522|132639, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1755	1780	0.1	RMS	1778.875	13.96	30	16.04	Pass	401
1780	1781	0.3	RMS	1780	-46.39	-13	33.39	Pass	5
1781	1825	1	RMS	1783.75	-26.05	-13	13.05	Pass	401




23.11 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:132522|132639, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1755	1780	0.1	RMS	1778.875	9.91	30	20.09	Pass	401
1780	1781	0.3	RMS	1780	-49.99	-13	36.99	Pass	5
1781	1825	1	RMS	1781	-49.41	-13	36.41	Pass	401




23.12 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:132522|132639, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1755	1780	0.1	RMS	1775.5	1.97	30	28.03	Pass	401
1780	1781	0.3	RMS	1780.25	-31.23	-13	18.23	Pass	5
1781	1825	1	RMS	1781	-26.06	-13	13.06	Pass	401




23.13 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:132072|132270, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1709	1	RMS	1691.29	-34.14	-13	21.14	Pass	401
1709	1710	0.51	RMS	1710	-26.41	-13	13.41	Pass	401
1710	1750	0.1	RMS	1730.9	13.6	30	16.4	Pass	401




23.14 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:132072|132270, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1709	1	RMS	1709	-43.38	-13	30.38	Pass	401
1709	1710	0.51	RMS	1709.998	-30.44	-13	17.44	Pass	401
1710	1750	0.1	RMS	1711.1	9.52	30	20.48	Pass	401




23.15 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:132072|132270, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1709	1	RMS	1708.12	-25.65	-13	12.65	Pass	401
1709	1710	0.51	RMS	1709.99	-27.63	-13	14.63	Pass	401
1710	1750	0.1	RMS	1742.8	-3.16	30	33.16	Pass	401




23.16 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:132072|132270, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1709	1	RMS	1691.18	-32.03	-13	19.03	Pass	401
1709	1710	0.51	RMS	1709.995	-26.11	-13	13.11	Pass	401
1710	1750	0.1	RMS	1711.1	13.7	30	16.3	Pass	401




23.17 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:132072|132270, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1709	1	RMS	1709	-42.98	-13	29.98	Pass	401
1709	1710	0.51	RMS	1709.99	-30.26	-13	17.26	Pass	401
1710	1750	0.1	RMS	1711.1	9.63	30	20.37	Pass	401




23.18 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:132072|132270, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1709	1	RMS	1709	-29.13	-13	16.13	Pass	401
1709	1710	0.51	RMS	1709.998	-30.61	-13	17.61	Pass	401
1710	1750	0.1	RMS	1744.7	-4.06	30	34.06	Pass	401




23.19 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:132374|132572, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1780	0.1	RMS	1778.9	13.86	30	16.14	Pass	401
1780	1781	0.5	RMS	1780	-29.07	-13	16.07	Pass	3
1781	1825	1	RMS	1781	-41.51	-13	28.51	Pass	401




23.20 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:132374|132572, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1780	0.1	RMS	1778.9	9.83	30	20.17	Pass	401
1780	1781	0.5	RMS	1780	-33.09	-13	20.09	Pass	3
1781	1825	1	RMS	1781	-45.3	-13	32.3	Pass	401




23.21 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:132374|132572, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1780	0.1	RMS	1774.2	-2.94	30	32.94	Pass	401
1780	1781	0.5	RMS	1780	-27.76	-13	14.76	Pass	3
1781	1825	1	RMS	1781	-25.44	-13	12.44	Pass	401




23.22 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:132374|132572, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1780	0.1	RMS	1778.9	13.82	30	16.18	Pass	401
1780	1781	0.5	RMS	1780	-28.95	-13	15.95	Pass	3
1781	1825	1	RMS	1781	-41.28	-13	28.28	Pass	401




23.23 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:132374|132572, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1780	0.1	RMS	1778.9	9.8	30	20.2	Pass	401
1780	1781	0.5	RMS	1780	-32.95	-13	19.95	Pass	3
1781	1825	1	RMS	1781	-45.24	-13	32.24	Pass	401



23.24 LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:132374|132572, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1780	0.1	RMS	1773.3	-3.79	30	33.79	Pass	401
1780	1781	0.5	RMS	1780	-31.04	-13	18.04	Pass	3
1781	1825	1	RMS	1781.22	-28.99	-13	15.99	Pass	401



24. n2 15kHz


24.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.5	-32.28	-13	19.28	Pass	401
1849	1850	0.051	RMS	1850	-21.9	-13	8.9	Pass	401
1850	1855	1	RMS	1850.388	21.4	30	8.6	Pass	401




24.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.479	-16.6	-13	3.6	Pass*	401
1849	1850	0.051	RMS	1849.978	-23.63	-13	10.63	Pass	401
1850	1855	1	RMS	1851.475	15.7	30	14.3	Pass	401




24.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	1	RMS	1909.713	21.72	30	8.28	Pass	401
1910	1911	0.02	RMS	1910	-18.36	-13	5.36	Pass*	401
1911.5	1920	1	RMS	1911.5	-25.89	-13	12.89	Pass	401




24.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	1	RMS	1906.375	15.93	30	14.07	Pass	401
1910	1911	0.051	RMS	1910.02	-20.22	-13	7.22	Pass	401
1911.5	1920	1	RMS	1911.521	-13.95	-13	0.95	Pass*	401




24.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1825	1848.5	1	RMS	1848.383	-33.86	-13	20.86	Pass	401
1849	1850	0.2	RMS	1850	-22.17	-13	9.17	Pass	401
1850	1870	1	RMS	1850.6	21.52	30	8.48	Pass	401




24.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1825	1849	1	RMS	1849	-20.12	-13	7.12	Pass	401
1849	1850	0.2	RMS	1849.993	-25.94	-13	12.94	Pass	401
1850	1870	1	RMS	1867.6	9.95	30	20.05	Pass	401




24.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	1	RMS	1909.45	21.65	30	8.35	Pass	401
1910	1911	0.2	RMS	1910	-15.52	-13	2.52	Pass*	401
1911.5	1935	1	RMS	1911.5	-35.23	-13	22.23	Pass	401




24.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	1	RMS	1892	9.75	30	20.25	Pass	401
1910	1911	0.2	RMS	1910	-23.38	-13	10.38	Pass	401
1911	1935	1	RMS	1911	-18.15	-13	5.15	Pass*	401




24.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1805	1849	1	RMS	1849	-16.84	-13	3.84	Pass*	401
1849	1850	0.39	RMS	1850	-15.46	-13	2.46	Pass*	401
1850	1890	1	RMS	1850.7	21.49	30	8.51	Pass	401




24.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1805	1849	1	RMS	1849	-21.32	-13	8.32	Pass	401
1849	1850	0.39	RMS	1849.993	-24.52	-13	11.52	Pass	401
1850	1890	1	RMS	1875	6.79	30	23.21	Pass	401




24.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:378000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1870	1910	1	RMS	1909.3	21.16	30	8.84	Pass	401
1910	1911	0.4	RMS	1910	-18.13	-13	5.13	Pass*	4
1911	1955	1	RMS	1911	-17.21	-13	4.21	Pass*	401



24.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:378000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1870	1910	1	RMS	1871.6	6.99	30	23.01	Pass	401
1910	1911	0.39	RMS	1910	-22.38	-13	9.38	Pass	401
1911	1955	1	RMS	1911.11	-19.72	-13	6.72	Pass	401



25. n5


25.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	822.19	-44.1	-13	31.1	Pass	401
823	824	0.02	RMS	824	-24.18	-13	11.18	Pass	401
824	829	0.1	RMS	824.375	17.76	30	12.24	Pass	401




25.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	822.955	-30.82	-13	17.82	Pass	401
823	824	0.051	RMS	824	-26.53	-13	13.53	Pass	401
824	829	0.1	RMS	825.138	4.28	30	25.72	Pass	401



25.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.675	17.53	30	12.47	Pass	401
849	850	0.02	RMS	849	-23.04	-13	10.04	Pass	401
850	859	0.1	RMS	850.833	-44.8	-13	31.8	Pass	401




25.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	845.088	4.33	30	25.67	Pass	401
849	850	0.051	RMS	849	-26.72	-13	13.72	Pass	401
850	859	0.1	RMS	850.068	-34.09	-13	21.09	Pass	401




25.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:165800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	823	0.1	RMS	822.65	-44.89	-13	31.89	Pass	401
823	824	0.02	RMS	824	-26.08	-13	13.08	Pass	401
824	834	0.1	RMS	824.425	17.78	30	12.22	Pass	401




25.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:165800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	823	0.1	RMS	822.965	-32.98	-13	19.98	Pass	401
823	824	0.1	RMS	823.998	-27.45	-13	14.45	Pass	401
824	834	0.1	RMS	825.375	1.3	30	28.7	Pass	401




25.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:168800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.6	17.57	30	12.43	Pass	401
849	850	0.02	RMS	849	-25.46	-13	12.46	Pass	401
850	864	0.1	RMS	850	-48.72	-13	35.72	Pass	401




25.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:168800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	842.7	1.11	30	28.89	Pass	401
849	850	0.1	RMS	849	-27.77	-13	14.77	Pass	401
850	864	0.1	RMS	850.07	-37.27	-13	24.27	Pass	401




25.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	822.763	-45.84	-13	32.84	Pass	401
823	824	0.02	RMS	824	-29.57	-13	16.57	Pass	401
824	839	0.1	RMS	824.488	17.69	30	12.31	Pass	401




25.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	822.525	-34.92	-13	21.92	Pass	401
823	824	0.15	RMS	824	-29.21	-13	16.21	Pass	401
824	839	0.1	RMS	825.5	-0.34	30	30.34	Pass	401




25.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.55	17.54	30	12.46	Pass	401
849	850	0.02	RMS	849.005	-28.27	-13	15.27	Pass	401
850	869	0.1	RMS	850.095	-50.99	-13	37.99	Pass	401




25.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	835.388	-0.62	30	30.62	Pass	401
849	850	0.15	RMS	849	-31	-13	18	Pass	401
850	869	0.1	RMS	850.095	-37.44	-13	24.44	Pass	401




25.13 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	822.82	-46.07	-13	33.07	Pass	401
823	824	0.02	RMS	824	-33.65	-13	20.65	Pass	401
824	844	0.1	RMS	824.55	17.65	30	12.35	Pass	401




25.14 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	822.4	-35.97	-13	22.97	Pass	401
823	824	0.2	RMS	823.995	-29.16	-13	16.16	Pass	401
824	844	0.1	RMS	824.95	-1.51	30	31.51	Pass	401




25.15 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	17.48	30	12.52	Pass	401
849	850	0.02	RMS	849	-31.65	-13	18.65	Pass	401
850	874	0.1	RMS	850.06	-50.37	-13	37.37	Pass	401



25.16 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	829.6	-1.57	30	31.57	Pass	401
849	850	0.2	RMS	849.003	-30.42	-13	17.42	Pass	401
850	874	0.1	RMS	850	-37.7	-13	24.7	Pass	401



26. n14 15kHz


26.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
778	787.9	0.1	RMS	787.9	-22.68	-13	9.68	Pass	401
787.9	788	0.051	RMS	788	-19.42	-13	6.42	Pass	401
788	793	0.1	RMS	788.35	17.72	30	12.28	Pass	401




26.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
778	787.9	0.1	RMS	787.9	-28.02	-13	15.02	Pass	401
787.9	788	0.051	RMS	787.999	-28.77	-13	15.77	Pass	401
788	793	0.1	RMS	792.025	4.52	30	25.48	Pass	401



26.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
793	798	0.1	RMS	797.675	17.72	30	12.28	Pass	401
798	798.1	0.051	RMS	798	-18.23	-13	5.23	Pass*	401
798.1	808	0.1	RMS	798.1	-20.91	-13	7.91	Pass	401




26.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
793	798	0.1	RMS	794.113	4.24	30	25.76	Pass	401
798	798.1	0.051	RMS	798	-26.84	-13	13.84	Pass	401
798.1	808	0.1	RMS	798.1	-26.41	-13	13.41	Pass	401




26.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
773	787.9	0.1	RMS	787.9	-23.45	-13	10.45	Pass	401
787.9	788	0.1	RMS	787.994	-18.71	-13	5.71	Pass*	401
788	798	0.1	RMS	788.425	17.62	30	12.38	Pass	401




26.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
773	787.9	0.1	RMS	787.9	-32.89	-13	19.89	Pass	401
787.9	788	0.1	RMS	788	-30.56	-13	17.56	Pass	401
788	798	0.1	RMS	795.3	1.39	30	28.61	Pass	401



26.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	797.6	17.68	30	12.32	Pass	401
798	798.1	0.1	RMS	798	-17.47	-13	4.47	Pass*	401
798.1	813	0.1	RMS	798.1	-22.75	-13	9.75	Pass	401



26.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
798	798.1	0.1	RMS	798.001	-28.03	-13	15.03	Pass	401
798.1	813	0.1	RMS	798.1	-30.36	-13	17.36	Pass	401



27. n25 15kHz


27.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.5	-39.34	-13	26.34	Pass	401
1849	1850	0.051	RMS	1849.998	-28.74	-13	15.74	Pass	401
1850	1855	1	RMS	1850.35	14.26	30	15.74	Pass	401




27.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.5	-41.29	-13	28.29	Pass	401
1849	1850	0.051	RMS	1849.995	-36	-13	23	Pass	401
1850	1855	1	RMS	1851.75	8.24	30	21.76	Pass	401




27.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	1	RMS	1914.725	14.68	30	15.32	Pass	401
1915	1916	0.051	RMS	1915	-22.4	-13	9.4	Pass	401
1916.5	1925	1	RMS	1916.5	-32.28	-13	19.28	Pass	401




27.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	1	RMS	1911.275	8.67	30	21.33	Pass	401
1915	1916	0.051	RMS	1915.003	-32.83	-13	19.83	Pass	401
1916.5	1925	1	RMS	1916.5	-39.1	-13	26.1	Pass	401




27.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:372500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1820	1848.5	1	RMS	1848.286	-39.85	-13	26.85	Pass	401
1849	1850	0.24	RMS	1850	-31.62	-13	18.62	Pass	401
1850	1875	1	RMS	1850.625	14.59	30	15.41	Pass	401




27.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:372500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1820	1849	1	RMS	1849	-39.33	-13	26.33	Pass	401
1849	1850	0.24	RMS	1849.998	-42.57	-13	29.57	Pass	401
1850	1875	1	RMS	1872.438	1.5	30	28.5	Pass	401




27.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:380500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1915	1	RMS	1914.438	14.76	30	15.24	Pass	401
1915	1916	0.24	RMS	1915.003	-26.46	-13	13.46	Pass	401
1916.5	1945	1	RMS	1916.571	-40.01	-13	27.01	Pass	401




27.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:380500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1915	1	RMS	1892.75	1.33	30	28.67	Pass	401
1915	1916	0.24	RMS	1915	-40.68	-13	27.68	Pass	401
1916	1945	1	RMS	1916	-38	-13	25	Pass	401




27.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1805	1849	1	RMS	1849	-23.85	-13	10.85	Pass	401
1849	1849.8	0.39	RMS	1849.8	-35.34	-13	22.34	Pass	401
1850	1890	1	RMS	1850.7	14.41	30	15.59	Pass	401




27.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1805	1849	1	RMS	1849	-40.68	-13	27.68	Pass	401
1849	1850	0.39	RMS	1849.998	-40.11	-13	27.11	Pass	401
1850	1890	1	RMS	1874.8	-0.66	30	30.66	Pass	401




27.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:379000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1875	1915	1	RMS	1914.4	14.73	30	15.27	Pass	401
1915.2	1916	0.39	RMS	1915.2	-29.37	-13	16.37	Pass	401
1916	1960	1	RMS	1916	-23.45	-13	10.45	Pass	401



27.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:379000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1875	1915	1	RMS	1876.8	-0.47	30	30.47	Pass	401
1915	1916	0.39	RMS	1915	-34.68	-13	21.68	Pass	401
1916	1960	1	RMS	1916	-40.04	-13	27.04	Pass	401



28. n30 15kHz


28.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:461500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2201.98	-53.88	-40	13.88	Pass	401
2288	2292	1	RMS	2290.6	-53.72	-37	16.72	Pass	401
2292	2296	1	RMS	2294.68	-53.57	-31	22.57	Pass	401
2296	2300	1	RMS	2299.99	-53.13	-25	28.13	Pass	401
2300	2304	1	RMS	2304	-13.15	-13	0.15	Pass*	401
2304	2305	0.01	RMS	2304.993	-37.97	-13	24.97	Pass	401
2305	2315	0.1	RMS	2305.4	11.19	60	48.81	Pass	401
2315	2316	0.01	RMS	2315.17	-72.08	-13	59.08	Pass	401
2316	2320	1	RMS	2316.57	-53.35	-13	40.35	Pass	401
2320	2324	1	RMS	2320.65	-53.47	-25	28.47	Pass	401
2324	2328	1	RMS	2324.06	-53.55	-31	22.55	Pass	401
2328	2337	1	RMS	2328.203	-53.86	-37	16.86	Pass	401
2337	2341	1	RMS	2339.69	-53.66	-31	22.66	Pass	401
2341	2345	1	RMS	2343.78	-53.65	-25	28.65	Pass	401
2345	2360	1	RMS	2352.05	-53.71	-13	40.71	Pass	401
2360	2365	1	RMS	2361.4	-53.89	-13	40.89	Pass	401
2365	2395	1	RMS	2390.65	-53.78	-40	13.78	Pass	401




28.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:461500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2200.44	-53.88	-40	13.88	Pass	401
2288	2292	1	RMS	2289.04	-53.72	-37	16.72	Pass	401
2292	2296	1	RMS	2295.99	-53.13	-31	22.13	Pass	401
2296	2300	1	RMS	2300	-46.86	-25	21.86	Pass	401
2300	2304	1	RMS	2304	-26.07	-13	13.07	Pass	401
2304	2305	0.1	RMS	2304.993	-34.04	-13	21.04	Pass	401
2305	2315	0.1	RMS	2309	-1.75	60	61.75	Pass	401
2315	2316	0.1	RMS	2315.085	-53.59	-13	40.59	Pass	401
2316	2320	1	RMS	2316.07	-46.61	-13	33.61	Pass	401
2320	2324	1	RMS	2320.02	-53.09	-25	28.09	Pass	401
2324	2328	1	RMS	2324.56	-53.53	-31	22.53	Pass	401
2328	2337	1	RMS	2328.72	-53.85	-37	16.85	Pass	401
2337	2341	1	RMS	2340.77	-53.67	-31	22.67	Pass	401
2341	2345	1	RMS	2343.26	-53.63	-25	28.63	Pass	401
2345	2360	1	RMS	2353.4	-53.73	-13	40.73	Pass	401
2360	2365	1	RMS	2363.725	-53.9	-13	40.9	Pass	401
2365	2395	1	RMS	2391.775	-53.78	-40	13.78	Pass	401




28.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:462000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2200.66	-53.88	-40	13.88	Pass	401
2288	2292	1	RMS	2291.48	-53.72	-37	16.72	Pass	401
2292	2296	1	RMS	2295.65	-53.23	-31	22.23	Pass	401
2296	2300	1	RMS	2299.87	-50.24	-25	25.24	Pass	401
2300	2304	1	RMS	2304	-16.32	-13	3.32	Pass*	401
2304	2305	0.01	RMS	2305	-39.22	-13	26.22	Pass	401
2305	2315	0.1	RMS	2305.475	11.21	60	48.79	Pass	401
2315	2316	0.01	RMS	2315.585	-71.07	-13	58.07	Pass	401
2316	2320	1	RMS	2316.41	-52.99	-13	39.99	Pass	401
2320	2324	1	RMS	2320.75	-53.44	-25	28.44	Pass	401
2324	2328	1	RMS	2324.93	-53.49	-31	22.49	Pass	401
2328	2337	1	RMS	2328.608	-53.78	-37	16.78	Pass	401
2337	2341	1	RMS	2337.27	-53.69	-31	22.69	Pass	401
2341	2345	1	RMS	2343.02	-53.61	-25	28.61	Pass	401
2345	2360	1	RMS	2353.063	-53.67	-13	40.67	Pass	401
2360	2365	1	RMS	2363.238	-53.84	-13	40.84	Pass	401
2365	2395	1	RMS	2393.875	-53.76	-40	13.76	Pass	401




28.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:462000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2202.64	-53.86	-40	13.86	Pass	401
2288	2292	1	RMS	2291.88	-53.49	-37	16.49	Pass	401
2292	2296	1	RMS	2295.98	-49.84	-31	18.84	Pass	401
2296	2300	1	RMS	2299.99	-42.13	-25	17.13	Pass	401
2300	2304	1	RMS	2304	-31.34	-13	18.34	Pass	401
2304	2305	0.1	RMS	2305	-38.03	-13	25.03	Pass	401
2305	2315	0.1	RMS	2312.4	-5.05	60	65.05	Pass	401
2315	2316	0.1	RMS	2315.005	-34.59	-13	21.59	Pass	401
2316	2320	1	RMS	2316	-25.81	-13	12.81	Pass	401
2320	2324	1	RMS	2320	-40.42	-25	15.42	Pass	401
2324	2328	1	RMS	2324.01	-47.94	-31	16.94	Pass	401
2328	2337	1	RMS	2328	-52.05	-37	15.05	Pass	401
2337	2341	1	RMS	2339.65	-53.64	-31	22.64	Pass	401
2341	2345	1	RMS	2344.01	-53.67	-25	28.67	Pass	401
2345	2360	1	RMS	2350.963	-53.68	-13	40.68	Pass	401
2360	2365	1	RMS	2361.8	-53.84	-13	40.84	Pass	401
2365	2395	1	RMS	2393.725	-53.79	-40	13.79	Pass	401



28.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:462000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2201.1	-53.91	-40	13.91	Pass	401
2288	2292	1	RMS	2291.34	-53.68	-37	16.68	Pass	401
2292	2296	1	RMS	2295.77	-53.66	-31	22.66	Pass	401
2296	2300	1	RMS	2299.03	-53.46	-25	28.46	Pass	401
2300	2304	1	RMS	2303.45	-52.97	-13	39.97	Pass	401
2304	2305	0.01	RMS	2304.973	-70.63	-13	57.63	Pass	401
2305	2315	0.1	RMS	2314.65	11.2	60	48.8	Pass	401
2315	2316	0.01	RMS	2315	-30.63	-13	17.63	Pass	401
2316.5	2320	1	RMS	2316.509	-32.15	-13	19.15	Pass	401
2320	2324	1	RMS	2320	-47.7	-25	22.7	Pass	401
2324	2328	1	RMS	2324.36	-52.89	-31	21.89	Pass	401
2328	2337	1	RMS	2329.058	-53.66	-37	16.66	Pass	401
2337	2341	1	RMS	2337.1	-53.67	-31	22.67	Pass	401
2341	2345	1	RMS	2343.72	-53.69	-25	28.69	Pass	401
2345	2360	1	RMS	2352.125	-53.67	-13	40.67	Pass	401
2360	2365	1	RMS	2364.175	-53.9	-13	40.9	Pass	401
2365	2395	1	RMS	2391.625	-53.77	-40	13.77	Pass	401



29. n41


29.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2481	2490.5	1	RMS	2490.476	-49.01	-25	24.01	Pass	401
2490.5	2495	1	RMS	2495	-27.76	-13	14.76	Pass	401
2495	2496	0.051	RMS	2495.995	-28.38	-13	15.38	Pass	401
2496	2506	1	RMS	2496.925	21.16	40	18.84	Pass	401




29.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2481	2490	1	RMS	2490	-26.09	-25	1.09	Pass*	10
2490.5	2495	1	RMS	2494.955	-16.76	-13	3.76	Pass*	401
2495	2496	0.2	RMS	2496	-21.74	-13	8.74	Pass	401
2496	2506	1	RMS	2503.55	12.91	40	27.09	Pass	401




29.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	1	RMS	2689.2	21.45	40	18.55	Pass	401
2690	2691	0.051	RMS	2690.003	-21.61	-10	11.61	Pass	401
2691	2695	1	RMS	2691	-19.9	-10	9.9	Pass	401
2695	2700	1	RMS	2695.188	-48.21	-13	35.21	Pass	401
2700	2705	1	RMS	2700.013	-50.06	-25	25.06	Pass	401




29.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	1	RMS	2682.725	13.27	40	26.73	Pass	401
2690	2691	0.2	RMS	2690	-22.69	-10	12.69	Pass	401
2691	2695	1	RMS	2691	-22.98	-10	12.98	Pass	401
2695	2700	1	RMS	2695	-29.42	-13	16.42	Pass	401
2700	2705	1	RMS	2700	-37.31	-25	12.31	Pass	401




29.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2441	2490.5	1	RMS	2490.376	-49.25	-25	24.25	Pass	401
2490.5	2495	1	RMS	2495	-33.94	-13	20.94	Pass	401
2495	2496	0.051	RMS	2495.985	-35.73	-13	22.73	Pass	401
2496	2546	1	RMS	2497.375	21.22	40	18.78	Pass	401




29.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2441	2490.5	1	RMS	2490.5	-26.34	-25	1.34	Pass*	401
2490.5	2495	1	RMS	2494.933	-24.23	-13	11.23	Pass	401
2495	2496	1	RMS	2496	-19.48	-13	6.48	Pass	401
2496	2546	1	RMS	2509.25	5.84	40	34.16	Pass	401



29.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2640	2690	1	RMS	2688.875	21.56	40	18.44	Pass	401
2690	2691	0.051	RMS	2690	-30.6	-10	20.6	Pass	401
2691	2695	1	RMS	2691	-30.68	-10	20.68	Pass	401
2695	2740	1	RMS	2695	-48.32	-13	35.32	Pass	401
2740	2745	1	RMS	2740.813	-50.02	-25	25.02	Pass	401




29.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2640	2690	1	RMS	2642.625	7.06	40	32.94	Pass	401
2690	2691	1	RMS	2690	-16.09	-10	6.09	Pass	401
2691	2695	1	RMS	2691.01	-29.71	-10	19.71	Pass	401
2695	2740	1	RMS	2695	-31.74	-13	18.74	Pass	401
2740	2745	1	RMS	2740.038	-44.13	-25	19.13	Pass	401




29.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2391	2490.5	1	RMS	2490.5	-49.13	-25	24.13	Pass	401
2490.5	2495	1	RMS	2495	-30.4	-13	17.4	Pass	401
2495	2496	0.051	RMS	2495.998	-30.13	-13	17.13	Pass	401
2496	2596	1	RMS	2497	21.07	40	18.93	Pass	401




29.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2391	2490.5	1	RMS	2490.5	-29.94	-25	4.94	Pass*	401
2490.5	2495	1	RMS	2495	-28.85	-13	15.85	Pass	401
2495	2495.5	1	RMS	2495.489	-27.51	-13	14.51	Pass	401
2496	2596	1	RMS	2507.25	3.31	40	36.69	Pass	401




29.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.64	40	18.36	Pass	401
2690	2691	0.051	RMS	2690.003	-24.96	-10	14.96	Pass	401
2691	2695	1	RMS	2691	-25.69	-10	15.69	Pass	401
2695	2790	1	RMS	2695.238	-48.03	-13	35.03	Pass	401
2790	2795	1	RMS	2790.45	-50.37	-25	25.37	Pass	401



29.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2690	1	RMS	2617.25	3.42	40	36.58	Pass	401
2690	2691	1	RMS	2690	-13.74	-10	3.74	Pass*	401
2691	2695	1	RMS	2691	-29.87	-10	19.87	Pass	401
2695	2790	1	RMS	2697.138	-31.34	-13	18.34	Pass	401
2790	2795	1	RMS	2790.713	-50.34	-25	25.34	Pass	401



30. n66 15kHz


30.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708.5	1	RMS	1708.5	-38.53	-13	25.53	Pass	401
1709	1710	0.051	RMS	1710	-25.54	-13	12.54	Pass	401
1710	1715	1	RMS	1710.4	14.8	30	15.2	Pass	401




30.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708.5	1	RMS	1708.5	-39.56	-13	26.56	Pass	401
1709	1710	0.051	RMS	1709.993	-35.42	-13	22.42	Pass	401
1710	1715	1	RMS	1713.675	8.57	30	21.43	Pass	401




30.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	1	RMS	1779.688	14.86	30	15.14	Pass	401
1780	1781	0.051	RMS	1780	-21.66	-13	8.66	Pass	401
1781.5	1790	1	RMS	1781.5	-33.15	-13	20.15	Pass	401




30.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	1	RMS	1776.163	8.73	30	21.27	Pass	401
1780	1781	0.051	RMS	1780	-32.01	-13	19.01	Pass	401
1781.5	1790	1	RMS	1781.5	-40.88	-13	27.88	Pass	401




30.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1685	1708.5	1	RMS	1708.5	-46.74	-13	33.74	Pass	401
1709	1710	0.2	RMS	1709.998	-28.78	-13	15.78	Pass	401
1710	1730	1	RMS	1710.6	14.65	30	15.35	Pass	401




30.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1685	1708.5	1	RMS	1708.5	-40.8	-13	27.8	Pass	401
1709	1710	0.2	RMS	1710	-39.07	-13	26.07	Pass	401
1710	1730	1	RMS	1728.4	2.56	30	27.44	Pass	401




30.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	1	RMS	1779.5	14.79	30	15.21	Pass	401
1780	1781	0.2	RMS	1780	-23.29	-13	10.29	Pass	401
1781.5	1805	1	RMS	1781.5	-45.57	-13	32.57	Pass	401




30.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	1	RMS	1764.05	2.4	30	27.6	Pass	401
1780	1781	0.2	RMS	1780.003	-37.91	-13	24.91	Pass	401
1781.5	1805	1	RMS	1781.5	-41.91	-13	28.91	Pass	401




30.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1708.5	1	RMS	1708.5	-38.6	-13	25.6	Pass	401
1709	1709.8	0.39	RMS	1709.8	-35.93	-13	22.93	Pass	401
1710	1750	1	RMS	1710.7	14.75	30	15.25	Pass	401




30.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1709	1	RMS	1709	-39.5	-13	26.5	Pass	401
1709	1710	0.39	RMS	1710	-39.92	-13	26.92	Pass	401
1710	1750	1	RMS	1746.9	-0.35	30	30.35	Pass	401




30.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1780	1	RMS	1779.4	14.85	30	15.15	Pass	401
1780.2	1781	0.39	RMS	1780.2	-30.08	-13	17.08	Pass	401
1781	1825	1	RMS	1781	-39.94	-13	26.94	Pass	45



30.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1780	1	RMS	1741.8	-0.36	30	30.36	Pass	401
1780	1781	0.39	RMS	1780	-34.23	-13	21.23	Pass	401
1781	1825	1	RMS	1781	-38.88	-13	25.88	Pass	401



31. n71 15kHz


31.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
653	662.9	0.1	RMS	662.9	-22.46	-13	9.46	Pass	401
662.9	663	0.03	RMS	663	-22.13	-13	9.13	Pass	401
663	668	0.1	RMS	663.35	17.2	30	12.8	Pass	401




31.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
653	662.9	0.1	RMS	662.9	-27.39	-13	14.39	Pass	401
662.9	663	0.03	RMS	662.999	-30.48	-13	17.48	Pass	401
663	668	0.1	RMS	666.825	3.7	30	26.3	Pass	401




31.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
693	698	0.1	RMS	697.675	16.91	30	13.09	Pass	401
698	698.1	0.03	RMS	698	-21.93	-13	8.93	Pass	401
698.1	708	0.1	RMS	698.1	-22.62	-13	9.62	Pass	401




31.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
693	698	0.1	RMS	694.288	3.58	30	26.42	Pass	401
698	698.1	0.03	RMS	698.001	-29.58	-13	16.58	Pass	401
698.1	708	0.1	RMS	698.1	-26.77	-13	13.77	Pass	401




31.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:133600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
648	662.9	0.1	RMS	662.9	-23.62	-13	10.62	Pass	401
662.9	663	0.03	RMS	663	-24.01	-13	11.01	Pass	401
663	673	0.1	RMS	663.425	17.14	30	12.86	Pass	401




31.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:133600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
648	662.9	0.1	RMS	662.9	-32.19	-13	19.19	Pass	401
662.9	663	0.03	RMS	662.938	-35.94	-13	22.94	Pass	401
663	673	0.1	RMS	670.35	0.6	30	29.4	Pass	401




31.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:138600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
688	698	0.1	RMS	697.6	16.78	30	13.22	Pass	401
698	698.1	0.03	RMS	698.001	-24.74	-13	11.74	Pass	401
698.1	713	0.1	RMS	698.1	-23.09	-13	10.09	Pass	401




31.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:138600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
688	698	0.1	RMS	693.3	0.2	30	29.8	Pass	401
698	698.1	0.03	RMS	698.005	-35.85	-13	22.85	Pass	401
698.1	713	0.1	RMS	698.1	-32.28	-13	19.28	Pass	401




31.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
643	662.9	0.1	RMS	662.9	-26.49	-13	13.49	Pass	401
662.9	663	0.03	RMS	663	-26.58	-13	13.58	Pass	401
663	678	0.1	RMS	663.488	16.95	30	13.05	Pass	401




31.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
643	662.9	0.1	RMS	662.9	-36.36	-13	23.36	Pass	401
662.9	663	0.03	RMS	663	-40.18	-13	27.18	Pass	401
663	678	0.1	RMS	671.963	-1.3	30	31.3	Pass	401




31.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
683	698	0.1	RMS	697.55	16.88	30	13.12	Pass	401
698	698.1	0.03	RMS	698	-27.31	-13	14.31	Pass	401
698.1	718	0.1	RMS	698.1	-26.77	-13	13.77	Pass	401




31.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
683	698	0.1	RMS	694.625	-1.75	30	31.75	Pass	401
698	698.1	0.03	RMS	698.071	-38.6	-13	25.6	Pass	401
698.1	718	0.1	RMS	698.1	-34.46	-13	21.46	Pass	401




31.13 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
638	662.9	0.1	RMS	662.9	-30.57	-13	17.57	Pass	401
662.9	663	0.03	RMS	663	-30.58	-13	17.58	Pass	401
663	683	0.1	RMS	663.55	16.96	30	13.04	Pass	401




31.14 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
638	662.9	0.1	RMS	662.9	-36.98	-13	23.98	Pass	401
662.9	663	0.03	RMS	662.937	-41.16	-13	28.16	Pass	401
663	683	0.1	RMS	673.2	-2.42	30	32.42	Pass	401




31.15 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
678	698	0.1	RMS	697.45	16.73	30	13.27	Pass	401
698	698.1	0.03	RMS	698	-30.5	-13	17.5	Pass	401
698.1	723	0.1	RMS	698.1	-30.78	-13	17.78	Pass	401



31.16 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
678	698	0.1	RMS	689.15	-2.92	30	32.92	Pass	401
698	698.1	0.03	RMS	698.006	-41.01	-13	28.01	Pass	401
698.1	723	0.1	RMS	698.1	-37.03	-13	24.03	Pass	401



32. n77 30kHz(3450-3550)


32.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3435	3445	1	RMS	3445	-42.77	-13	29.77	Pass	401
3445	3449	0.62	RMS	3449	-28.65	-13	15.65	Pass	401
3449	3450	0.2	RMS	3450	-19.01	-13	6.01	Pass	401
3450	3460	1	RMS	3451	23.02	40	16.98	Pass	401



32.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3435	3445	1	RMS	3444.975	-28.66	-13	15.66	Pass	401
3445	3449	0.62	RMS	3449	-25.08	-13	12.08	Pass	401
3449	3450	0.2	RMS	3449.993	-23.97	-13	10.97	Pass	401
3450	3460	1	RMS	3455.15	14.74	40	25.26	Pass	401



32.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	1	RMS	3549.225	23.23	40	16.77	Pass	401
3550	3551	0.2	RMS	3550	-13.88	-13	0.88	Pass*	401
3551	3555	0.62	RMS	3551	-27.33	-13	14.33	Pass	401
3555	3565	1	RMS	3555.075	-43.22	-13	30.22	Pass	401

