



32.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	1	RMS	3545.4	14.99	40	25.01	Pass	401
3550	3551	0.2	RMS	3550	-19.2	-13	6.2	Pass	401
3551	3555	0.62	RMS	3551.06	-18.9	-13	5.9	Pass*	401
3555	3565	1	RMS	3555.025	-23.64	-13	10.64	Pass	401




32.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3395	3445	1	RMS	3445	-43.76	-13	30.76	Pass	401
3445	3449	0.62	RMS	3448.99	-32.15	-13	19.15	Pass	401
3449	3450	0.2	RMS	3449.998	-27.25	-13	14.25	Pass	401
3450	3500	1	RMS	3451.375	23.12	40	16.88	Pass	401




32.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3395	3445	1	RMS	3444.75	-28.53	-13	15.53	Pass	401
3445	3449	0.62	RMS	3448.98	-28.32	-13	15.32	Pass	401
3449	3450	0.2	RMS	3449.983	-31.63	-13	18.63	Pass	401
3450	3500	1	RMS	3494.5	7.5	40	32.5	Pass	401




32.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3550	1	RMS	3548.875	23.42	40	16.58	Pass	401
3550	3551	0.2	RMS	3550.003	-21.23	-13	8.23	Pass	401
3551	3555	0.62	RMS	3551	-31.66	-13	18.66	Pass	401
3555	3605	1	RMS	3555	-43.69	-13	30.69	Pass	401




32.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3550	1	RMS	3506.75	7.6	40	32.4	Pass	401
3550	3551	0.2	RMS	3550.005	-28.59	-13	15.59	Pass	401
3551	3555	0.62	RMS	3551	-24.05	-13	11.05	Pass	401
3555	3605	1	RMS	3556.25	-23.57	-13	10.57	Pass	401




32.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-43.41	-13	30.41	Pass	401
3445	3449	0.62	RMS	3449	-30.49	-13	17.49	Pass	401
3449	3450	0.051	RMS	3449.988	-27.89	-13	14.89	Pass	401
3450	3550	1	RMS	3451	22.93	40	17.07	Pass	401




32.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3444.75	-29.95	-13	16.95	Pass	401
3445	3449	0.62	RMS	3448.97	-30.98	-13	17.98	Pass	401
3449	3450	0.2	RMS	3449.995	-32.77	-13	21.77	Pass	401
3450	3550	1	RMS	3547.25	4.27	40	35.73	Pass	401



32.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3549	23.35	40	16.65	Pass	401
3550	3551	0.2	RMS	3550.005	-16.49	-13	3.49	Pass*	401
3551	3555	0.62	RMS	3551	-29.23	-13	16.23	Pass	401
3555	3655	1	RMS	3555	-43.28	-13	30.28	Pass	401



32.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3550	3551	0.2	RMS	3550.003	-30.6	-13	17.6	Pass	401
3551	3555	0.62	RMS	3551.03	-28.39	-13	15.39	Pass	401
3555	3655	1	RMS	3555	-26.98	-13	13.98	Pass	401



33. n77 30kHz(3700-3980)


33.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3695	1	RMS	3694.975	-42.79	-13	29.79	Pass	401
3695	3699	0.62	RMS	3699	-28.3	-13	15.3	Pass	401
3699	3700	0.051	RMS	3700	-26.5	-13	13.5	Pass	401
3700	3710	1	RMS	3700.975	23.34	40	16.66	Pass	401




33.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3695	1	RMS	3694.975	-25.97	-13	12.97	Pass	401
3695	3699	0.62	RMS	3698.98	-20.81	-13	7.81	Pass	401
3699	3700	0.39	RMS	3700	-18.88	-13	5.88	Pass*	401
3700	3710	1	RMS	3705.175	14.96	40	25.04	Pass	401




33.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3970	3980	1	RMS	3979.275	23.38	40	16.62	Pass	401
3980	3981	0.051	RMS	3980	-18.02	-13	5.02	Pass*	401
3981	3985	0.62	RMS	3981	-27.33	-13	14.33	Pass	401
3985	3995	1	RMS	3985.025	-41.01	-13	28.01	Pass	401




33.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3970	3980	1	RMS	3975.125	15.11	40	24.89	Pass	401
3980	3981	0.39	RMS	3980.003	-15.13	-13	2.13	Pass*	401
3981	3985	0.62	RMS	3981	-19.58	-13	6.58	Pass	401
3985	3995	1	RMS	3985.025	-23.89	-13	10.89	Pass	401




33.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3695	-43.25	-13	30.25	Pass	401
3695	3699	0.62	RMS	3699	-32.39	-13	19.39	Pass	401
3699	3700	0.39	RMS	3699.988	-22.28	-13	9.28	Pass	401
3700	3750	1	RMS	3701.375	23.56	40	16.44	Pass	401




33.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3695	-24.73	-13	11.73	Pass	401
3695	3699	0.62	RMS	3695.22	-26.42	-13	13.42	Pass	401
3699	3700	0.39	RMS	3699.94	-27.62	-13	14.62	Pass	401
3700	3750	1	RMS	3702.75	8.13	40	31.87	Pass	401



33.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3930	3980	1	RMS	3978.875	23.57	40	16.43	Pass	401
3980	3981	0.39	RMS	3980	-17.55	-13	4.55	Pass*	401
3981	3985	0.62	RMS	3981	-32.01	-13	19.01	Pass	401
3985	4035	1	RMS	3985	-42.85	-13	29.85	Pass	401




33.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3930	3980	1	RMS	3968.125	7.75	40	32.25	Pass	401
3980	3981	0.39	RMS	3980.005	-26.09	-13	13.09	Pass	401
3981	3985	0.62	RMS	3981.04	-25.74	-13	12.74	Pass	401
3985	4035	1	RMS	3985	-25.48	-13	12.48	Pass	401




33.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-42.69	-13	29.69	Pass	401
3695	3699	0.62	RMS	3699	-29.72	-13	16.72	Pass	401
3699	3700	0.051	RMS	3700	-26.62	-13	13.62	Pass	401
3700	3800	1	RMS	3701.25	23.36	40	16.64	Pass	401




33.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3694.75	-28.02	-13	15.02	Pass	401
3695	3699	0.62	RMS	3699	-29.36	-13	16.36	Pass	401
3699	3700	0.39	RMS	3699.985	-29.89	-13	16.89	Pass	401
3700	3800	1	RMS	3702.5	5.31	40	34.69	Pass	401




33.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3880	3980	1	RMS	3979	23.33	40	16.67	Pass	401
3980	3981	0.051	RMS	3980.005	-21.38	-13	8.38	Pass	401
3981	3985	0.62	RMS	3981	-26.96	-13	13.96	Pass	401
3985	4085	1	RMS	3985	-40.44	-13	27.44	Pass	401



33.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3880	3980	1	RMS	3891.25	4.69	40	35.31	Pass	401
3980	3981	0.39	RMS	3980	-28.09	-13	15.09	Pass	401
3981	3985	0.62	RMS	3981	-30.24	-13	17.24	Pass	401
3985	4085	1	RMS	3986.75	-29.08	-13	16.08	Pass	401



34. n78 30kHz(3450-3550)


34.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3435	3445	1	RMS	3444.975	-43.73	-13	30.73	Pass	401
3445	3449	0.62	RMS	3449	-31.43	-13	18.43	Pass	401
3449	3450	0.2	RMS	3449.998	-20.19	-13	7.19	Pass	401
3450	3460	1	RMS	3450.95	21.68	40	18.32	Pass	401




34.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3435	3445	1	RMS	3444.975	-33.35	-13	20.35	Pass	401
3445	3449	0.62	RMS	3449	-28.56	-13	15.56	Pass	401
3449	3450	0.2	RMS	3449.995	-26.32	-13	13.32	Pass	401
3450	3460	1	RMS	3457.025	12.86	40	27.14	Pass	401




34.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	1	RMS	3549.225	21.87	40	18.13	Pass	401
3550	3551	0.2	RMS	3550	-15.41	-13	2.41	Pass*	401
3551	3555	0.62	RMS	3551	-29.12	-13	16.12	Pass	401
3555	3565	1	RMS	3555.075	-43.52	-13	30.52	Pass	401




34.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	1	RMS	3545.75	12.99	40	27.01	Pass	401
3550	3551	0.2	RMS	3550.003	-21.51	-13	8.51	Pass	401
3551	3555	0.62	RMS	3551	-23.18	-13	10.18	Pass	401
3555	3565	1	RMS	3555	-28.34	-13	15.34	Pass	401




34.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3395	3445	1	RMS	3445	-43.91	-13	30.91	Pass	401
3445	3449	0.62	RMS	3449	-33.85	-13	20.85	Pass	401
3449	3450	0.2	RMS	3450	-28.65	-13	15.65	Pass	401
3450	3500	1	RMS	3451.375	21.73	40	18.27	Pass	401




34.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3395	3445	1	RMS	3445	-31.56	-13	18.56	Pass	401
3445	3449	0.62	RMS	3448.92	-31.55	-13	18.55	Pass	401
3449	3450	0.2	RMS	3450	-34.75	-13	21.75	Pass	401
3450	3500	1	RMS	3473.875	5.46	40	34.54	Pass	401




34.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3550	1	RMS	3548.875	22.22	40	17.78	Pass	401
3550	3551	0.2	RMS	3550	-22.7	-13	9.7	Pass	401
3551	3555	0.62	RMS	3551	-31.58	-13	18.58	Pass	401
3555	3605	1	RMS	3555	-44.78	-13	31.78	Pass	401




34.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3550	1	RMS	3505	5.66	40	34.34	Pass	401
3550	3551	0.2	RMS	3550.048	-31	-13	18	Pass	401
3551	3555	0.62	RMS	3551.1	-27.58	-13	14.58	Pass	401
3555	3605	1	RMS	3555	-27.09	-13	14.09	Pass	401



34.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-43.34	-13	30.34	Pass	401
3445	3449	0.62	RMS	3449	-31.21	-13	18.21	Pass	401
3449	3450	0.051	RMS	3450	-27.81	-13	14.81	Pass	401
3450	3550	1	RMS	3451	21.53	40	18.47	Pass	401




34.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3443	-33.18	-13	20.18	Pass	401
3445	3449	0.62	RMS	3448.97	-34.17	-13	21.17	Pass	401
3449	3450	0.2	RMS	3449.993	-37.41	-13	24.41	Pass	401
3450	3550	1	RMS	3499.75	2.35	40	37.65	Pass	401




34.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3549	22.09	40	17.91	Pass	401
3550	3551	0.2	RMS	3550	-16.24	-13	3.24	Pass*	401
3551	3555	0.62	RMS	3551.19	-31.07	-13	18.07	Pass	401
3555	3655	1	RMS	3555	-43.19	-13	30.19	Pass	401



34.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3550	3551	0.2	RMS	3550	-33.64	-13	20.64	Pass	401
3551	3555	0.62	RMS	3551	-31.95	-13	18.95	Pass	401
3555	3655	1	RMS	3555	-30.8	-13	17.8	Pass	401



35. n78 30kHz(3700-3800)


35.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3695	1	RMS	3695	-44.7	-13	31.7	Pass	401
3695	3699	0.62	RMS	3698.99	-32.12	-13	19.12	Pass	401
3699	3700	0.051	RMS	3699.993	-28.71	-13	15.71	Pass	401
3700	3710	1	RMS	3701	21.2	40	18.8	Pass	401




35.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3695	1	RMS	3695	-30.41	-13	17.41	Pass	401
3695	3699	0.62	RMS	3699	-25.11	-13	12.11	Pass	401
3699	3700	0.39	RMS	3699.995	-22.1	-13	9.1	Pass	401
3700	3710	1	RMS	3702.35	12.44	40	27.56	Pass	401




35.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3790	3800	1	RMS	3799.25	21.85	40	18.15	Pass	401
3800	3801	0.051	RMS	3800	-21.59	-13	8.59	Pass	401
3801	3805	0.62	RMS	3801	-26.12	-13	13.12	Pass	401
3805	3815	1	RMS	3805.05	-42.52	-13	29.52	Pass	401




35.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3790	3800	1	RMS	3795.55	12.83	40	27.17	Pass	401
3800	3801	0.39	RMS	3800	-18.5	-13	5.5	Pass*	401
3801	3805	0.62	RMS	3801	-25.6	-13	12.6	Pass	401
3805	3815	1	RMS	3805	-31.84	-13	18.84	Pass	401




35.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3695	-44.34	-13	31.34	Pass	401
3695	3699	0.62	RMS	3699	-35.1	-13	22.1	Pass	401
3699	3700	0.39	RMS	3700	-23.82	-13	10.82	Pass	401
3700	3750	1	RMS	3701.375	21.8	40	18.2	Pass	401




35.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3695	-28.13	-13	15.13	Pass	401
3695	3699	0.62	RMS	3696.76	-29.19	-13	16.19	Pass	401
3699	3700	0.39	RMS	3699.138	-30.23	-13	17.23	Pass	401
3700	3750	1	RMS	3702.875	6.13	40	33.87	Pass	401




35.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3750	3800	1	RMS	3798.875	21.78	40	18.22	Pass	401
3800	3801	0.39	RMS	3800	-19.1	-13	6.1	Pass	401
3801	3805	0.62	RMS	3801	-30.35	-13	17.35	Pass	401
3805	3855	1	RMS	3805	-43.16	-13	30.16	Pass	401




35.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3750	3800	1	RMS	3752.75	6.17	40	33.83	Pass	401
3800	3801	0.39	RMS	3800.008	-30.66	-13	17.66	Pass	401
3801	3805	0.62	RMS	3801.14	-31.61	-13	18.61	Pass	401
3805	3855	1	RMS	3805.875	-31.96	-13	18.96	Pass	401




35.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-43.42	-13	30.42	Pass	401
3695	3699	0.62	RMS	3699	-33.13	-13	20.13	Pass	401
3699	3700	0.051	RMS	3699.995	-29.82	-13	16.82	Pass	401
3700	3800	1	RMS	3701.25	21.82	40	18.18	Pass	401




35.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3694.75	-31.54	-13	18.54	Pass	401
3695	3699	0.62	RMS	3698.5	-31.8	-13	18.8	Pass	401
3699	3700	0.39	RMS	3700	-32.59	-13	19.59	Pass	401
3700	3800	1	RMS	3704	3.4	40	36.6	Pass	401




35.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3700	3800	1	RMS	3799	21.92	40	18.08	Pass	401
3800	3801	0.051	RMS	3800	-23.69	-13	10.69	Pass	401
3801	3805	0.62	RMS	3801.01	-27.86	-13	14.86	Pass	401
3805	3905	1	RMS	3805	-42.77	-13	29.77	Pass	401



35.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3800	3801	0.39	RMS	3800.003	-31.7	-13	18.7	Pass	401
3801	3805	0.62	RMS	3801.05	-35.29	-13	22.29	Pass	401
3805	3905	1	RMS	3807.5	-34.02	-13	21.02	Pass	401



--BLANK BELOW--