


Annex A.5 Spurious Emission at Antenna Terminals

LTE

1. LTE_Band2


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.44	-13	Pass	2986
30	1000	0.1	RMS	893.6	-62.15	-13	Pass	9701
1000	1840	1	RMS	1840	-50.21	-13	Pass	841
1840	1920	1	RMS	1850.2	22.03	60	Pass	401
1920	3000	1	RMS	2657	-46.76	-13	Pass	1081
3000	12000	1	RMS	11944	-40.38	-13	Pass	9001
12000	20000	1	RMS	19997	-27.94	-13	Pass	8001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.69	-13	Pass	2986
30	1000	0.1	RMS	935.2	-62.14	-13	Pass	9701
1000	1840	1	RMS	1840	-50.18	-13	Pass	841
1840	1920	1	RMS	1850.2	21.26	60	Pass	401
1920	3000	1	RMS	2649	-46.84	-13	Pass	1081
3000	12000	1	RMS	11841	-40.32	-13	Pass	9001
12000	20000	1	RMS	19999	-27.86	-13	Pass	8001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.27	-13	Pass	2986
30	1000	0.1	RMS	942.2	-62.2	-13	Pass	9701
1000	1840	1	RMS	1840	-50.66	-13	Pass	841
1840	1920	1	RMS	1879.6	22.13	60	Pass	401
1920	3000	1	RMS	2652	-46.8	-13	Pass	1081
3000	12000	1	RMS	11849	-40.31	-13	Pass	9001
12000	20000	1	RMS	19999	-27.95	-13	Pass	8001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.6	-13	Pass	2986
30	1000	0.1	RMS	921.2	-62.15	-13	Pass	9701
1000	1840	1	RMS	1839	-50.66	-13	Pass	841
1840	1920	1	RMS	1879.6	21.14	60	Pass	401
1920	3000	1	RMS	2643	-46.82	-13	Pass	1081
3000	12000	1	RMS	11852	-40.35	-13	Pass	9001
12000	20000	1	RMS	19999	-27.96	-13	Pass	8001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.56	-13	Pass	2986
30	1000	0.1	RMS	926.2	-62.22	-13	Pass	9701
1000	1840	1	RMS	1830	-50.72	-13	Pass	841
1840	1920	1	RMS	1908.8	22.2	60	Pass	401
1920	3000	1	RMS	2649	-46.82	-13	Pass	1081
3000	12000	1	RMS	11954	-40.39	-13	Pass	9001
12000	20000	1	RMS	20000	-27.99	-13	Pass	8001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.14	-13	Pass	401
0.15	30	0.01	RMS	0.16	-44.55	-13	Pass	2986
30	1000	0.1	RMS	890.8	-62.15	-13	Pass	9701
1000	1840	1	RMS	1837	-50.67	-13	Pass	841
1840	1920	1	RMS	1908.8	21.23	60	Pass	401
1920	3000	1	RMS	2648	-46.8	-13	Pass	1081
3000	12000	1	RMS	11855	-40.32	-13	Pass	9001
12000	20000	1	RMS	20000	-27.93	-13	Pass	8001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.74	-13	Pass	2986
30	1000	0.1	RMS	935.7	-62.19	-13	Pass	9701
1000	1840	1	RMS	1840	-49.85	-13	Pass	841
1840	1920	1	RMS	1850.2	22.08	60	Pass	401
1920	3000	1	RMS	2655	-46.78	-13	Pass	1081
3000	12000	1	RMS	11956	-40.36	-13	Pass	9001
12000	20000	1	RMS	19999	-27.84	-13	Pass	8001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.73	-13	Pass	2986
30	1000	0.1	RMS	912.1	-62.32	-13	Pass	9701
1000	1840	1	RMS	1840	-50.17	-13	Pass	841
1840	1920	1	RMS	1850.2	21.29	60	Pass	401
1920	3000	1	RMS	2647	-46.81	-13	Pass	1081
3000	12000	1	RMS	11943	-40.34	-13	Pass	9001
12000	20000	1	RMS	19997	-27.98	-13	Pass	8001




1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.26	-13	Pass	2986
30	1000	0.1	RMS	928.6	-62.22	-13	Pass	9701
1000	1840	1	RMS	1837	-50.69	-13	Pass	841
1840	1920	1	RMS	1878.8	22.13	60	Pass	401
1920	3000	1	RMS	2651	-46.82	-13	Pass	1081
3000	12000	1	RMS	11852	-40.33	-13	Pass	9001
12000	20000	1	RMS	19998	-27.91	-13	Pass	8001




1.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.89	-13	Pass	2986
30	1000	0.1	RMS	966.5	-62.16	-13	Pass	9701
1000	1840	1	RMS	1839	-50.7	-13	Pass	841
1840	1920	1	RMS	1878.8	21.29	60	Pass	401
1920	3000	1	RMS	2654	-46.82	-13	Pass	1081
3000	12000	1	RMS	11948	-40.41	-13	Pass	9001
12000	20000	1	RMS	20000	-27.96	-13	Pass	8001




1.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.35	-13	Pass	2986
30	1000	0.1	RMS	951.3	-62.27	-13	Pass	9701
1000	1840	1	RMS	1837	-50.68	-13	Pass	841
1840	1920	1	RMS	1907.2	22.13	60	Pass	401
1920	3000	1	RMS	2652	-46.76	-13	Pass	1081
3000	12000	1	RMS	11949	-40.34	-13	Pass	9001
12000	20000	1	RMS	19999	-27.95	-13	Pass	8001




1.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.08	-13	Pass	2986
30	1000	0.1	RMS	922.3	-62.13	-13	Pass	9701
1000	1840	1	RMS	1840	-50.74	-13	Pass	841
1840	1920	1	RMS	1907.2	21.24	60	Pass	401
1920	3000	1	RMS	2662	-46.79	-13	Pass	1081
3000	12000	1	RMS	11910	-40.35	-13	Pass	9001
12000	20000	1	RMS	19999	-27.99	-13	Pass	8001




1.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.27	-13	Pass	2986
30	1000	0.1	RMS	893.1	-62.12	-13	Pass	9701
1000	1840	1	RMS	1840	-50.13	-13	Pass	841
1840	1920	1	RMS	1850.4	22.06	60	Pass	401
1920	3000	1	RMS	2653	-46.77	-13	Pass	1081
3000	12000	1	RMS	11864	-40.38	-13	Pass	9001
12000	20000	1	RMS	19996	-27.96	-13	Pass	8001




1.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.95	-13	Pass	2986
30	1000	0.1	RMS	935.8	-62.22	-13	Pass	9701
1000	1840	1	RMS	1840	-50.21	-13	Pass	841
1840	1920	1	RMS	1850.4	21.24	60	Pass	401
1920	3000	1	RMS	2651	-46.76	-13	Pass	1081
3000	12000	1	RMS	11854	-40.37	-13	Pass	9001
12000	20000	1	RMS	19999	-27.97	-13	Pass	8001




1.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.85	-13	Pass	2986
30	1000	0.1	RMS	925.4	-62.08	-13	Pass	9701
1000	1840	1	RMS	1837	-50.61	-13	Pass	841
1840	1920	1	RMS	1877.8	22.16	60	Pass	401
1920	3000	1	RMS	2645	-46.83	-13	Pass	1081
3000	12000	1	RMS	11960	-40.37	-13	Pass	9001
12000	20000	1	RMS	19996	-27.92	-13	Pass	8001




1.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.58	-13	Pass	2986
30	1000	0.1	RMS	906.5	-62.16	-13	Pass	9701
1000	1840	1	RMS	1839	-50.71	-13	Pass	841
1840	1920	1	RMS	1877.8	21.25	60	Pass	401
1920	3000	1	RMS	2656	-46.77	-13	Pass	1081
3000	12000	1	RMS	11963	-40.35	-13	Pass	9001
12000	20000	1	RMS	19994	-27.92	-13	Pass	8001




1.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.97	-13	Pass	2986
30	1000	0.1	RMS	938.5	-62.13	-13	Pass	9701
1000	1840	1	RMS	1840	-50.67	-13	Pass	841
1840	1920	1	RMS	1905.4	22.16	60	Pass	401
1920	3000	1	RMS	2650	-46.79	-13	Pass	1081
3000	12000	1	RMS	11849	-40.41	-13	Pass	9001
12000	20000	1	RMS	20000	-27.9	-13	Pass	8001




1.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.4	-13	Pass	2986
30	1000	0.1	RMS	946.3	-62.27	-13	Pass	9701
1000	1840	1	RMS	1836	-50.68	-13	Pass	841
1840	1920	1	RMS	1905.4	21.26	60	Pass	401
1920	3000	1	RMS	2650	-46.8	-13	Pass	1081
3000	12000	1	RMS	11853	-40.31	-13	Pass	9001
12000	20000	1	RMS	19997	-28.01	-13	Pass	8001




1.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.25	-13	Pass	2986
30	1000	0.1	RMS	919.6	-62.21	-13	Pass	9701
1000	1840	1	RMS	1838	-50.08	-13	Pass	841
1840	1920	1	RMS	1850.6	22.15	60	Pass	401
1920	3000	1	RMS	2658	-46.78	-13	Pass	1081
3000	12000	1	RMS	11901	-40.33	-13	Pass	9001
12000	20000	1	RMS	19996	-27.96	-13	Pass	8001




1.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.48	-13	Pass	2986
30	1000	0.1	RMS	962.8	-62.18	-13	Pass	9701
1000	1840	1	RMS	1840	-50.03	-13	Pass	841
1840	1920	1	RMS	1850.6	21.37	60	Pass	401
1920	3000	1	RMS	2643	-46.81	-13	Pass	1081
3000	12000	1	RMS	11961	-40.35	-13	Pass	9001
12000	20000	1	RMS	19999	-27.92	-13	Pass	8001




1.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.93	-13	Pass	2986
30	1000	0.1	RMS	940.2	-62.16	-13	Pass	9701
1000	1840	1	RMS	1840	-50.64	-13	Pass	841
1840	1920	1	RMS	1875.6	22.11	60	Pass	401
1920	3000	1	RMS	2650	-46.79	-13	Pass	1081
3000	12000	1	RMS	11953	-40.34	-13	Pass	9001
12000	20000	1	RMS	19997	-27.85	-13	Pass	8001




1.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.32	-13	Pass	2986
30	1000	0.1	RMS	930	-62.07	-13	Pass	9701
1000	1840	1	RMS	1837	-50.7	-13	Pass	841
1840	1920	1	RMS	1875.6	21.42	60	Pass	401
1920	3000	1	RMS	2650	-46.78	-13	Pass	1081
3000	12000	1	RMS	11936	-40.33	-13	Pass	9001
12000	20000	1	RMS	19997	-27.96	-13	Pass	8001




1.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.2	-13	Pass	2986
30	1000	0.1	RMS	947.5	-62.21	-13	Pass	9701
1000	1840	1	RMS	1832	-50.65	-13	Pass	841
1840	1920	1	RMS	1900.6	22.13	60	Pass	401
1920	3000	1	RMS	2650	-46.76	-13	Pass	1081
3000	12000	1	RMS	11956	-40.36	-13	Pass	9001
12000	20000	1	RMS	20000	-27.93	-13	Pass	8001




1.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.37	-13	Pass	2986
30	1000	0.1	RMS	898.5	-62.11	-13	Pass	9701
1000	1840	1	RMS	1840	-50.69	-13	Pass	841
1840	1920	1	RMS	1900.6	21.35	60	Pass	401
1920	3000	1	RMS	2650	-46.81	-13	Pass	1081
3000	12000	1	RMS	11962	-40.37	-13	Pass	9001
12000	20000	1	RMS	19993	-27.94	-13	Pass	8001




1.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.41	-13	Pass	2986
30	1000	0.1	RMS	945.3	-62.18	-13	Pass	9701
1000	1840	1	RMS	1840	-49.61	-13	Pass	841
1840	1920	1	RMS	1850.8	22.34	60	Pass	401
1920	3000	1	RMS	2650	-46.8	-13	Pass	1081
3000	12000	1	RMS	11946	-40.33	-13	Pass	9001
12000	20000	1	RMS	20000	-27.92	-13	Pass	8001




1.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.68	-13	Pass	2986
30	1000	0.1	RMS	932.6	-62.1	-13	Pass	9701
1000	1840	1	RMS	1840	-50.17	-13	Pass	841
1840	1920	1	RMS	1850.8	21.42	60	Pass	401
1920	3000	1	RMS	2640	-46.84	-13	Pass	1081
3000	12000	1	RMS	11933	-40.36	-13	Pass	9001
12000	20000	1	RMS	20000	-28	-13	Pass	8001




1.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.25	-13	Pass	2986
30	1000	0.1	RMS	915.9	-62.16	-13	Pass	9701
1000	1840	1	RMS	1838	-50.6	-13	Pass	841
1840	1920	1	RMS	1873.4	22.23	60	Pass	401
1920	3000	1	RMS	2651	-46.78	-13	Pass	1081
3000	12000	1	RMS	11948	-40.34	-13	Pass	9001
12000	20000	1	RMS	19999	-28	-13	Pass	8001




1.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.23	-13	Pass	2986
30	1000	0.1	RMS	919.4	-62.2	-13	Pass	9701
1000	1840	1	RMS	1837	-50.64	-13	Pass	841
1840	1920	1	RMS	1873.4	21.44	60	Pass	401
1920	3000	1	RMS	2656	-46.76	-13	Pass	1081
3000	12000	1	RMS	11842	-40.37	-13	Pass	9001
12000	20000	1	RMS	20000	-27.9	-13	Pass	8001




1.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.1	-13	Pass	2986
30	1000	0.1	RMS	929.7	-62.16	-13	Pass	9701
1000	1840	1	RMS	1832	-50.68	-13	Pass	841
1840	1920	1	RMS	1895.8	22.36	60	Pass	401
1920	3000	1	RMS	2646	-46.79	-13	Pass	1081
3000	12000	1	RMS	11853	-40.37	-13	Pass	9001
12000	20000	1	RMS	19994	-27.95	-13	Pass	8001




1.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.65	-13	Pass	2986
30	1000	0.1	RMS	915.3	-62.23	-13	Pass	9701
1000	1840	1	RMS	1833	-50.71	-13	Pass	841
1840	1920	1	RMS	1895.8	21.31	60	Pass	401
1920	3000	1	RMS	2648	-46.8	-13	Pass	1081
3000	12000	1	RMS	11977	-40.39	-13	Pass	9001
12000	20000	1	RMS	19991	-27.98	-13	Pass	8001




1.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.87	-13	Pass	2986
30	1000	0.1	RMS	938.3	-62.14	-13	Pass	9701
1000	1840	1	RMS	1840	-49.94	-13	Pass	841
1840	1920	1	RMS	1851	22.2	60	Pass	401
1920	3000	1	RMS	2653	-46.82	-13	Pass	1081
3000	12000	1	RMS	11844	-40.42	-13	Pass	9001
12000	20000	1	RMS	19993	-27.93	-13	Pass	8001




1.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.55	-13	Pass	2986
30	1000	0.1	RMS	979.6	-62.18	-13	Pass	9701
1000	1840	1	RMS	1840	-49.89	-13	Pass	841
1840	1920	1	RMS	1851.2	21.2	60	Pass	401
1920	3000	1	RMS	2652	-46.77	-13	Pass	1081
3000	12000	1	RMS	11949	-40.35	-13	Pass	9001
12000	20000	1	RMS	19999	-27.97	-13	Pass	8001




1.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.1	-13	Pass	2986
30	1000	0.1	RMS	915.8	-62.2	-13	Pass	9701
1000	1840	1	RMS	1840	-50.65	-13	Pass	841
1840	1920	1	RMS	1871	22.18	60	Pass	401
1920	3000	1	RMS	2650	-46.76	-13	Pass	1081
3000	12000	1	RMS	11944	-40.32	-13	Pass	9001
12000	20000	1	RMS	19999	-27.83	-13	Pass	8001




1.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.17	-13	Pass	2986
30	1000	0.1	RMS	958.2	-61.98	-13	Pass	9701
1000	1840	1	RMS	1838	-50.46	-13	Pass	841
1840	1920	1	RMS	1871.2	21.34	60	Pass	401
1920	3000	1	RMS	2656	-46.59	-13	Pass	1081
3000	12000	1	RMS	11956	-40.24	-13	Pass	9001
12000	20000	1	RMS	19996	-27.83	-13	Pass	8001




1.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.1	-13	Pass	2986
30	1000	0.1	RMS	940.3	-62.08	-13	Pass	9701
1000	1840	1	RMS	1840	-49.54	-13	Pass	841
1840	1920	1	RMS	1891.2	22.41	60	Pass	401
1920	3000	1	RMS	2657	-46.59	-13	Pass	1081
3000	12000	1	RMS	11962	-40.29	-13	Pass	9001
12000	20000	1	RMS	19998	-27.82	-13	Pass	8001



1.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.47	-13	Pass	2986
30	1000	0.1	RMS	922.9	-62.06	-13	Pass	9701
1000	1840	1	RMS	1840	-49.81	-13	Pass	841
1840	1920	1	RMS	1891	21.5	60	Pass	401
1920	3000	1	RMS	2647	-46.64	-13	Pass	1081
3000	12000	1	RMS	11939	-40.26	-13	Pass	9001
12000	20000	1	RMS	19999	-27.8	-13	Pass	8001



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.99	-13	Pass	2986
30	1000	0.1	RMS	931.9	-61.86	-13	Pass	9701
1000	1700	1	RMS	1700	-50.68	-13	Pass	701
1700	1765	1	RMS	1710.238	22.51	60	Pass	401
1765	3000	1	RMS	2658	-46.56	-13	Pass	1236
3000	12000	1	RMS	11840	-40.28	-13	Pass	9001
12000	20000	1	RMS	19998	-27.76	-13	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-40.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.97	-13	Pass	2986
30	1000	0.1	RMS	909.8	-61.85	-13	Pass	9701
1000	1700	1	RMS	1700	-50.8	-13	Pass	701
1700	1765	1	RMS	1710.238	21.35	60	Pass	401
1765	3000	1	RMS	2659	-46.6	-13	Pass	1236
3000	12000	1	RMS	11951	-40.29	-13	Pass	9001
12000	20000	1	RMS	19994	-27.89	-13	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.91	-13	Pass	2986
30	1000	0.1	RMS	914.7	-62.09	-13	Pass	9701
1000	1700	1	RMS	1611	-51.06	-13	Pass	701
1700	1765	1	RMS	1732.013	22.38	60	Pass	401
1765	3000	1	RMS	2649	-46.63	-13	Pass	1236
3000	12000	1	RMS	11952	-40.25	-13	Pass	9001
12000	20000	1	RMS	20000	-27.81	-13	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-41.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.61	-13	Pass	2986
30	1000	0.1	RMS	887.4	-62.11	-13	Pass	9701
1000	1700	1	RMS	1624	-51.08	-13	Pass	701
1700	1765	1	RMS	1732.013	21.54	60	Pass	401
1765	3000	1	RMS	2651	-46.59	-13	Pass	1236
3000	12000	1	RMS	11943	-40.26	-13	Pass	9001
12000	20000	1	RMS	20000	-27.81	-13	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.29	-13	Pass	2986
30	1000	0.1	RMS	913.1	-62.03	-13	Pass	9701
1000	1700	1	RMS	1614	-51.01	-13	Pass	701
1700	1765	1	RMS	1753.788	22.38	60	Pass	401
1765	3000	1	RMS	2659	-46.59	-13	Pass	1236
3000	12000	1	RMS	11850	-40.25	-13	Pass	9001
12000	20000	1	RMS	20000	-27.7	-13	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.12	-13	Pass	2986
30	1000	0.1	RMS	909.5	-62.12	-13	Pass	9701
1000	1700	1	RMS	1685	-51.08	-13	Pass	701
1700	1765	1	RMS	1753.788	21.55	60	Pass	401
1765	3000	1	RMS	2651	-46.63	-13	Pass	1236
3000	12000	1	RMS	11850	-40.25	-13	Pass	9001
12000	20000	1	RMS	19997	-27.86	-13	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.54	-13	Pass	2986
30	1000	0.1	RMS	946.1	-62.08	-13	Pass	9701
1000	1700	1	RMS	1700	-50.61	-13	Pass	701
1700	1765	1	RMS	1710.238	22.34	60	Pass	401
1765	3000	1	RMS	2655	-46.64	-13	Pass	1236
3000	12000	1	RMS	11926	-40.21	-13	Pass	9001
12000	20000	1	RMS	19997	-27.75	-13	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.1	-13	Pass	2986
30	1000	0.1	RMS	914.5	-62	-13	Pass	9701
1000	1700	1	RMS	1700	-50.7	-13	Pass	701
1700	1765	1	RMS	1710.238	21.54	60	Pass	401
1765	3000	1	RMS	2655	-46.62	-13	Pass	1236
3000	12000	1	RMS	11952	-40.19	-13	Pass	9001
12000	20000	1	RMS	19998	-27.8	-13	Pass	8001




2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.03	-13	Pass	2986
30	1000	0.1	RMS	952.2	-62.15	-13	Pass	9701
1000	1700	1	RMS	1700	-51.02	-13	Pass	701
1700	1765	1	RMS	1731.2	22.32	60	Pass	401
1765	3000	1	RMS	2643	-46.62	-13	Pass	1236
3000	12000	1	RMS	11953	-40.25	-13	Pass	9001
12000	20000	1	RMS	19999	-27.79	-13	Pass	8001




2.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.17	-13	Pass	2986
30	1000	0.1	RMS	933.1	-62.05	-13	Pass	9701
1000	1700	1	RMS	1700	-51.12	-13	Pass	701
1700	1765	1	RMS	1731.2	21.51	60	Pass	401
1765	3000	1	RMS	2658	-46.6	-13	Pass	1236
3000	12000	1	RMS	11944	-40.18	-13	Pass	9001
12000	20000	1	RMS	20000	-27.8	-13	Pass	8001




2.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.27	-13	Pass	2986
30	1000	0.1	RMS	928.5	-62	-13	Pass	9701
1000	1700	1	RMS	1700	-50.95	-13	Pass	701
1700	1765	1	RMS	1752.325	22.48	60	Pass	401
1765	3000	1	RMS	2651	-46.55	-13	Pass	1236
3000	12000	1	RMS	11963	-40.29	-13	Pass	9001
12000	20000	1	RMS	19998	-27.79	-13	Pass	8001




2.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.06	-13	Pass	2986
30	1000	0.1	RMS	924	-62.03	-13	Pass	9701
1000	1700	1	RMS	1700	-51.07	-13	Pass	701
1700	1765	1	RMS	1752.163	21.39	60	Pass	401
1765	3000	1	RMS	2659	-46.63	-13	Pass	1236
3000	12000	1	RMS	11951	-40.25	-13	Pass	9001
12000	20000	1	RMS	19993	-27.81	-13	Pass	8001




2.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.41	-13	Pass	2986
30	1000	0.1	RMS	948.9	-61.96	-13	Pass	9701
1000	1700	1	RMS	1700	-50.67	-13	Pass	701
1700	1765	1	RMS	1710.4	22.4	60	Pass	401
1765	3000	1	RMS	2646	-46.63	-13	Pass	1236
3000	12000	1	RMS	11856	-40.17	-13	Pass	9001
12000	20000	1	RMS	19999	-27.78	-13	Pass	8001




2.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.45	-13	Pass	2986
30	1000	0.1	RMS	921.1	-62.13	-13	Pass	9701
1000	1700	1	RMS	1700	-50.66	-13	Pass	701
1700	1765	1	RMS	1710.4	21.56	60	Pass	401
1765	3000	1	RMS	2659	-46.62	-13	Pass	1236
3000	12000	1	RMS	11934	-40.27	-13	Pass	9001
12000	20000	1	RMS	20000	-27.73	-13	Pass	8001




2.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.26	-13	Pass	2986
30	1000	0.1	RMS	931.2	-61.94	-13	Pass	9701
1000	1700	1	RMS	1700	-51.09	-13	Pass	701
1700	1765	1	RMS	1730.388	22.42	60	Pass	401
1765	3000	1	RMS	2658	-46.6	-13	Pass	1236
3000	12000	1	RMS	11931	-40.25	-13	Pass	9001
12000	20000	1	RMS	19990	-27.88	-13	Pass	8001




2.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.31	-13	Pass	2986
30	1000	0.1	RMS	913.8	-62.05	-13	Pass	9701
1000	1700	1	RMS	1692	-51.12	-13	Pass	701
1700	1765	1	RMS	1730.388	21.52	60	Pass	401
1765	3000	1	RMS	2650	-46.59	-13	Pass	1236
3000	12000	1	RMS	11955	-40.23	-13	Pass	9001
12000	20000	1	RMS	19996	-27.75	-13	Pass	8001




2.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.92	-13	Pass	401
0.15	30	0.01	RMS	0.16	-43.78	-13	Pass	2986
30	1000	0.1	RMS	939.3	-62.06	-13	Pass	9701
1000	1700	1	RMS	1699	-50.62	-13	Pass	701
1700	1765	1	RMS	1750.375	22.48	60	Pass	401
1765	3000	1	RMS	2650	-46.61	-13	Pass	1236
3000	12000	1	RMS	11928	-40.23	-13	Pass	9001
12000	20000	1	RMS	19998	-27.76	-13	Pass	8001




2.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.97	-13	Pass	2986
30	1000	0.1	RMS	927.6	-62.12	-13	Pass	9701
1000	1700	1	RMS	1699	-50.64	-13	Pass	701
1700	1765	1	RMS	1750.375	21.61	60	Pass	401
1765	3000	1	RMS	2659	-46.63	-13	Pass	1236
3000	12000	1	RMS	11850	-40.24	-13	Pass	9001
12000	20000	1	RMS	19996	-27.83	-13	Pass	8001




2.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.06	-13	Pass	401
0.15	30	0.01	RMS	0.16	-43.3	-13	Pass	2986
30	1000	0.1	RMS	912.6	-62.1	-13	Pass	9701
1000	1700	1	RMS	1698	-50.72	-13	Pass	701
1700	1765	1	RMS	1710.563	22.48	60	Pass	401
1765	3000	1	RMS	2655	-46.63	-13	Pass	1236
3000	12000	1	RMS	11855	-40.32	-13	Pass	9001
12000	20000	1	RMS	20000	-27.84	-13	Pass	8001




2.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.19	-13	Pass	2986
30	1000	0.1	RMS	944.8	-61.95	-13	Pass	9701
1000	1700	1	RMS	1700	-50.64	-13	Pass	701
1700	1765	1	RMS	1710.563	21.35	60	Pass	401
1765	3000	1	RMS	2661	-46.65	-13	Pass	1236
3000	12000	1	RMS	11948	-40.21	-13	Pass	9001
12000	20000	1	RMS	19999	-27.84	-13	Pass	8001




2.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.36	-13	Pass	2986
30	1000	0.1	RMS	922.6	-62.1	-13	Pass	9701
1000	1700	1	RMS	1611	-51.07	-13	Pass	701
1700	1765	1	RMS	1728.113	22.37	60	Pass	401
1765	3000	1	RMS	2658	-46.68	-13	Pass	1236
3000	12000	1	RMS	11857	-40.19	-13	Pass	9001
12000	20000	1	RMS	20000	-27.76	-13	Pass	8001




2.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.14	-13	Pass	2986
30	1000	0.1	RMS	894	-62.09	-13	Pass	9701
1000	1700	1	RMS	1662	-51.09	-13	Pass	701
1700	1765	1	RMS	1728.113	21.57	60	Pass	401
1765	3000	1	RMS	2649	-46.52	-13	Pass	1236
3000	12000	1	RMS	11872	-40.25	-13	Pass	9001
12000	20000	1	RMS	19990	-27.83	-13	Pass	8001




2.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.23	-13	Pass	2986
30	1000	0.1	RMS	911.1	-61.99	-13	Pass	9701
1000	1700	1	RMS	1694	-50.91	-13	Pass	701
1700	1765	1	RMS	1745.663	22.37	60	Pass	401
1765	3000	1	RMS	2657	-46.55	-13	Pass	1236
3000	12000	1	RMS	11950	-40.27	-13	Pass	9001
12000	20000	1	RMS	20000	-27.77	-13	Pass	8001




2.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.69	-13	Pass	401
0.15	30	0.01	RMS	0.16	-43.55	-13	Pass	2986
30	1000	0.1	RMS	943.4	-61.93	-13	Pass	9701
1000	1700	1	RMS	1694	-51.04	-13	Pass	701
1700	1765	1	RMS	1745.5	21.63	60	Pass	401
1765	3000	1	RMS	2650	-46.58	-13	Pass	1236
3000	12000	1	RMS	11970	-40.26	-13	Pass	9001
12000	20000	1	RMS	19997	-27.8	-13	Pass	8001




2.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.9	-13	Pass	2986
30	1000	0.1	RMS	920.8	-61.97	-13	Pass	9701
1000	1700	1	RMS	1700	-50.36	-13	Pass	701
1700	1765	1	RMS	1710.888	22.42	60	Pass	401
1765	3000	1	RMS	2657	-46.57	-13	Pass	1236
3000	12000	1	RMS	11943	-40.18	-13	Pass	9001
12000	20000	1	RMS	19999	-27.8	-13	Pass	8001




2.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.97	-13	Pass	2986
30	1000	0.1	RMS	971.5	-61.88	-13	Pass	9701
1000	1700	1	RMS	1700	-50.74	-13	Pass	701
1700	1765	1	RMS	1710.888	21.54	60	Pass	401
1765	3000	1	RMS	2650	-46.61	-13	Pass	1236
3000	12000	1	RMS	11857	-40.25	-13	Pass	9001
12000	20000	1	RMS	19998	-27.78	-13	Pass	8001




2.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.52	-13	Pass	2986
30	1000	0.1	RMS	915.7	-62.04	-13	Pass	9701
1000	1700	1	RMS	1700	-51.05	-13	Pass	701
1700	1765	1	RMS	1725.838	22.47	60	Pass	401
1765	3000	1	RMS	2660	-46.61	-13	Pass	1236
3000	12000	1	RMS	11930	-40.21	-13	Pass	9001
12000	20000	1	RMS	20000	-27.77	-13	Pass	8001




2.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.94	-13	Pass	2986
30	1000	0.1	RMS	919	-61.99	-13	Pass	9701
1000	1700	1	RMS	1699	-50.95	-13	Pass	701
1700	1765	1	RMS	1725.838	21.7	60	Pass	401
1765	3000	1	RMS	2655	-46.61	-13	Pass	1236
3000	12000	1	RMS	11962	-40.21	-13	Pass	9001
12000	20000	1	RMS	19998	-27.83	-13	Pass	8001




2.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.57	-13	Pass	2986
30	1000	0.1	RMS	955.2	-62.03	-13	Pass	9701
1000	1700	1	RMS	1700	-51.08	-13	Pass	701
1700	1765	1	RMS	1740.788	22.47	60	Pass	401
1765	3000	1	RMS	2654	-46.61	-13	Pass	1236
3000	12000	1	RMS	11949	-40.21	-13	Pass	9001
12000	20000	1	RMS	19999	-27.81	-13	Pass	8001




2.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.78	-13	Pass	2986
30	1000	0.1	RMS	927.2	-62.09	-13	Pass	9701
1000	1700	1	RMS	1680	-51.1	-13	Pass	701
1700	1765	1	RMS	1740.788	21.67	60	Pass	401
1765	3000	1	RMS	2649	-46.6	-13	Pass	1236
3000	12000	1	RMS	11954	-40.19	-13	Pass	9001
12000	20000	1	RMS	19997	-27.87	-13	Pass	8001




2.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.8	-13	Pass	2986
30	1000	0.1	RMS	872.2	-62.01	-13	Pass	9701
1000	1700	1	RMS	1700	-50.59	-13	Pass	701
1700	1765	1	RMS	1711.05	22.44	60	Pass	401
1765	3000	1	RMS	2654	-46.6	-13	Pass	1236
3000	12000	1	RMS	11844	-40.26	-13	Pass	9001
12000	20000	1	RMS	19998	-27.79	-13	Pass	8001




2.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.06	-13	Pass	2986
30	1000	0.1	RMS	936.8	-61.9	-13	Pass	9701
1000	1700	1	RMS	1700	-50.73	-13	Pass	701
1700	1765	1	RMS	1711.05	21.64	60	Pass	401
1765	3000	1	RMS	2644	-46.62	-13	Pass	1236
3000	12000	1	RMS	11861	-40.24	-13	Pass	9001
12000	20000	1	RMS	20000	-27.76	-13	Pass	8001




2.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-41.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.01	-13	Pass	2986
30	1000	0.1	RMS	908.6	-62.03	-13	Pass	9701
1000	1700	1	RMS	1697	-51.01	-13	Pass	701
1700	1765	1	RMS	1723.563	22.57	60	Pass	401
1765	3000	1	RMS	2648	-46.62	-13	Pass	1236
3000	12000	1	RMS	11845	-40.17	-13	Pass	9001
12000	20000	1	RMS	19999	-27.79	-13	Pass	8001




2.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.56	-13	Pass	2986
30	1000	0.1	RMS	890	-62.11	-13	Pass	9701
1000	1700	1	RMS	1698	-51.07	-13	Pass	701
1700	1765	1	RMS	1723.725	21.75	60	Pass	401
1765	3000	1	RMS	2645	-46.55	-13	Pass	1236
3000	12000	1	RMS	11953	-40.26	-13	Pass	9001
12000	20000	1	RMS	19997	-27.87	-13	Pass	8001




2.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.01	-13	Pass	2986
30	1000	0.1	RMS	906.4	-61.98	-13	Pass	9701
1000	1700	1	RMS	1616	-51.1	-13	Pass	701
1700	1765	1	RMS	1736.075	22.55	60	Pass	401
1765	3000	1	RMS	2651	-46.61	-13	Pass	1236
3000	12000	1	RMS	11956	-40.17	-13	Pass	9001
12000	20000	1	RMS	19999	-27.87	-13	Pass	8001



2.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.17	-13	Pass	2986
30	1000	0.1	RMS	888.1	-62	-13	Pass	9701
1000	1700	1	RMS	1589	-51.11	-13	Pass	701
1700	1765	1	RMS	1736.075	21.82	60	Pass	401
1765	3000	1	RMS	2649	-46.61	-13	Pass	1236
3000	12000	1	RMS	11959	-40.27	-13	Pass	9001
12000	20000	1	RMS	19995	-27.83	-13	Pass	8001



3. LTE_Band5


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.39	-13	Pass	2986
30	814	0.1	RMS	811.4	-62.28	-13	Pass	7841
814	860	0.1	RMS	824.2	19.27	60	Pass	461
860	1000	0.1	RMS	928.1	-62.33	-13	Pass	1401
1000	3000	1	RMS	2659	-46.6	-13	Pass	2001
3000	10000	1	RMS	7750	-41.95	-13	Pass	7001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.47	-13	Pass	401
0.15	30	0.01	RMS	0.16	-42.9	-13	Pass	2986
30	814	0.1	RMS	796.5	-62.31	-13	Pass	7841
814	860	0.1	RMS	824.2	18.49	60	Pass	461
860	1000	0.1	RMS	973.7	-62.44	-13	Pass	1401
1000	3000	1	RMS	2652	-46.62	-13	Pass	2001
3000	10000	1	RMS	7731	-41.99	-13	Pass	7001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.13	-13	Pass	2986
30	814	0.1	RMS	802.2	-62.24	-13	Pass	7841
814	860	0.1	RMS	836	19.46	60	Pass	461
860	1000	0.1	RMS	929.4	-62.37	-13	Pass	1401
1000	3000	1	RMS	2651	-46.6	-13	Pass	2001
3000	10000	1	RMS	7743	-42.06	-13	Pass	7001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.65	-13	Pass	2986
30	814	0.1	RMS	802	-62.27	-13	Pass	7841
814	860	0.1	RMS	836.1	18.48	60	Pass	461
860	1000	0.1	RMS	924.5	-62.4	-13	Pass	1401
1000	3000	1	RMS	2651	-46.63	-13	Pass	2001
3000	10000	1	RMS	7734	-41.99	-13	Pass	7001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.64	-13	Pass	2986
30	814	0.1	RMS	805.4	-62.27	-13	Pass	7841
814	860	0.1	RMS	847.9	19.36	60	Pass	461
860	1000	0.1	RMS	916.5	-62.35	-13	Pass	1401
1000	3000	1	RMS	2649	-46.6	-13	Pass	2001
3000	10000	1	RMS	7744	-41.92	-13	Pass	7001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.03	-13	Pass	2986
30	814	0.1	RMS	802.1	-62.37	-13	Pass	7841
814	860	0.1	RMS	847.8	18.47	60	Pass	461
860	1000	0.1	RMS	916	-62.37	-13	Pass	1401
1000	3000	1	RMS	2648	-46.62	-13	Pass	2001
3000	10000	1	RMS	7737	-41.97	-13	Pass	7001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.77	-13	Pass	401
0.15	30	0.01	RMS	0.16	-43.64	-13	Pass	2986
30	814	0.1	RMS	789.5	-62.28	-13	Pass	7841
814	860	0.1	RMS	824.2	19.7	60	Pass	461
860	1000	0.1	RMS	897.3	-62.3	-13	Pass	1401
1000	3000	1	RMS	2653	-46.63	-13	Pass	2001
3000	10000	1	RMS	7731	-41.96	-13	Pass	7001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.3	-13	Pass	2986
30	814	0.1	RMS	786.5	-62.33	-13	Pass	7841
814	860	0.1	RMS	824.2	18.63	60	Pass	461
860	1000	0.1	RMS	911	-62.33	-13	Pass	1401
1000	3000	1	RMS	2655	-46.62	-13	Pass	2001
3000	10000	1	RMS	7753	-41.96	-13	Pass	7001




3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.8	-13	Pass	2986
30	814	0.1	RMS	810.3	-62.29	-13	Pass	7841
814	860	0.1	RMS	835.2	19.52	60	Pass	461
860	1000	0.1	RMS	943.7	-62.39	-13	Pass	1401
1000	3000	1	RMS	2650	-46.62	-13	Pass	2001
3000	10000	1	RMS	7739	-41.96	-13	Pass	7001




3.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.99	-13	Pass	2986
30	814	0.1	RMS	812.6	-62.22	-13	Pass	7841
814	860	0.1	RMS	835.2	18.83	60	Pass	461
860	1000	0.1	RMS	932.6	-62.37	-13	Pass	1401
1000	3000	1	RMS	2659	-46.63	-13	Pass	2001
3000	10000	1	RMS	7730	-41.99	-13	Pass	7001




3.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.44	-13	Pass	2986
30	814	0.1	RMS	780	-62.43	-13	Pass	7841
814	860	0.1	RMS	846.2	19.54	60	Pass	461
860	1000	0.1	RMS	917.9	-62.47	-13	Pass	1401
1000	3000	1	RMS	2651	-46.61	-13	Pass	2001
3000	10000	1	RMS	7726	-41.98	-13	Pass	7001




3.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.51	-13	Pass	2986
30	814	0.1	RMS	809.4	-62.39	-13	Pass	7841
814	860	0.1	RMS	846.2	18.74	60	Pass	461
860	1000	0.1	RMS	944.7	-62.38	-13	Pass	1401
1000	3000	1	RMS	2441	-46.21	-13	Pass	2001
3000	10000	1	RMS	7740	-41.99	-13	Pass	7001




3.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.44	-13	Pass	2986
30	814	0.1	RMS	794.5	-62.12	-13	Pass	7841
814	860	0.1	RMS	824.3	19.47	60	Pass	461
860	1000	0.1	RMS	912.8	-62.39	-13	Pass	1401
1000	3000	1	RMS	2653	-46.6	-13	Pass	2001
3000	10000	1	RMS	7731	-41.97	-13	Pass	7001




3.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.17	-13	Pass	2986
30	814	0.1	RMS	791.4	-62.36	-13	Pass	7841
814	860	0.1	RMS	824.3	18.61	60	Pass	461
860	1000	0.1	RMS	932.4	-62.38	-13	Pass	1401
1000	3000	1	RMS	2650	-46.59	-13	Pass	2001
3000	10000	1	RMS	7731	-41.91	-13	Pass	7001




3.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-41.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.78	-13	Pass	2986
30	814	0.1	RMS	804.7	-62.28	-13	Pass	7841
814	860	0.1	RMS	834.3	19.64	60	Pass	461
860	1000	0.1	RMS	949.8	-62.23	-13	Pass	1401
1000	3000	1	RMS	2649	-46.61	-13	Pass	2001
3000	10000	1	RMS	7738	-41.9	-13	Pass	7001




3.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.25	-13	Pass	2986
30	814	0.1	RMS	793.6	-62.26	-13	Pass	7841
814	860	0.1	RMS	834.3	18.89	60	Pass	461
860	1000	0.1	RMS	897.5	-62.25	-13	Pass	1401
1000	3000	1	RMS	2653	-46.58	-13	Pass	2001
3000	10000	1	RMS	7735	-41.98	-13	Pass	7001




3.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.21	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.38	-13	Pass	7841
814	860	0.1	RMS	844.3	19.5	60	Pass	461
860	1000	0.1	RMS	913.1	-62.28	-13	Pass	1401
1000	3000	1	RMS	2652	-46.6	-13	Pass	2001
3000	10000	1	RMS	7741	-41.99	-13	Pass	7001




3.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.77	-13	Pass	2986
30	814	0.1	RMS	786.7	-62.45	-13	Pass	7841
814	860	0.1	RMS	844.3	18.61	60	Pass	461
860	1000	0.1	RMS	931.3	-62.28	-13	Pass	1401
1000	3000	1	RMS	2650	-46.61	-13	Pass	2001
3000	10000	1	RMS	7724	-41.96	-13	Pass	7001




3.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-41.83	-13	Pass	2986
30	814	0.1	RMS	810.6	-62.34	-13	Pass	7841
814	860	0.1	RMS	824.6	19.8	60	Pass	461
860	1000	0.1	RMS	925.1	-62.36	-13	Pass	1401
1000	3000	1	RMS	2655	-46.61	-13	Pass	2001
3000	10000	1	RMS	7738	-41.99	-13	Pass	7001




3.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.09	-13	Pass	2986
30	814	0.1	RMS	811.2	-62.38	-13	Pass	7841
814	860	0.1	RMS	824.6	19.05	60	Pass	461
860	1000	0.1	RMS	908.3	-62.45	-13	Pass	1401
1000	3000	1	RMS	2653	-46.62	-13	Pass	2001
3000	10000	1	RMS	7742	-41.95	-13	Pass	7001




3.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.79	-13	Pass	2986
30	814	0.1	RMS	812.4	-62.22	-13	Pass	7841
814	860	0.1	RMS	832.1	19.96	60	Pass	461
860	1000	0.1	RMS	911.4	-62.29	-13	Pass	1401
1000	3000	1	RMS	2658	-46.62	-13	Pass	2001
3000	10000	1	RMS	7745	-42	-13	Pass	7001




3.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.96	-13	Pass	2986
30	814	0.1	RMS	765.6	-62.4	-13	Pass	7841
814	860	0.1	RMS	832.1	19.2	60	Pass	461
860	1000	0.1	RMS	941.5	-62.27	-13	Pass	1401
1000	3000	1	RMS	2652	-46.63	-13	Pass	2001
3000	10000	1	RMS	7739	-41.96	-13	Pass	7001




3.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.3	-13	Pass	2986
30	814	0.1	RMS	785	-62.41	-13	Pass	7841
814	860	0.1	RMS	839.6	19.99	60	Pass	461
860	1000	0.1	RMS	936.4	-62.37	-13	Pass	1401
1000	3000	1	RMS	2650	-46.62	-13	Pass	2001
3000	10000	1	RMS	7735	-41.95	-13	Pass	7001



3.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.12	-13	Pass	2986
30	814	0.1	RMS	803.3	-62.22	-13	Pass	7841
814	860	0.1	RMS	839.6	19.21	60	Pass	461
860	1000	0.1	RMS	937.5	-62.44	-13	Pass	1401
1000	3000	1	RMS	2651	-46.64	-13	Pass	2001
3000	10000	1	RMS	7731	-41.94	-13	Pass	7001



4. LTE_Band12


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.81	-13	Pass	2986
30	689	0.1	RMS	686.8	-63.27	-13	Pass	6591
689	726	0.1	RMS	699.268	20.1	60	Pass	401
726	1000	0.1	RMS	932.3	-62.12	-13	Pass	2741
1000	3000	1	RMS	2658	-46.61	-13	Pass	2001
3000	10000	1	RMS	7736	-41.94	-13	Pass	7001




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.93	-13	Pass	2986
30	689	0.1	RMS	685.6	-63.28	-13	Pass	6591
689	726	0.1	RMS	699.268	19.05	60	Pass	401
726	1000	0.1	RMS	938.7	-62.19	-13	Pass	2741
1000	3000	1	RMS	2651	-46.61	-13	Pass	2001
3000	10000	1	RMS	7733	-41.99	-13	Pass	7001




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.28	-13	Pass	2986
30	689	0.1	RMS	511.7	-63.31	-13	Pass	6591
689	726	0.1	RMS	707.038	20.11	60	Pass	401
726	1000	0.1	RMS	911.9	-62.11	-13	Pass	2741
1000	3000	1	RMS	2654	-46.61	-13	Pass	2001
3000	10000	1	RMS	7737	-42.01	-13	Pass	7001




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.2	-13	Pass	2986
30	689	0.1	RMS	684.8	-63.38	-13	Pass	6591
689	726	0.1	RMS	707.038	19.23	60	Pass	401
726	1000	0.1	RMS	859.8	-62.14	-13	Pass	2741
1000	3000	1	RMS	2653	-46.62	-13	Pass	2001
3000	10000	1	RMS	7728	-41.97	-13	Pass	7001




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.83	-13	Pass	2986
30	689	0.1	RMS	687.8	-63.28	-13	Pass	6591
689	726	0.1	RMS	714.808	19.52	60	Pass	401
726	1000	0.1	RMS	912.9	-62.08	-13	Pass	2741
1000	3000	1	RMS	2650	-46.59	-13	Pass	2001
3000	10000	1	RMS	7735	-41.94	-13	Pass	7001




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.56	-13	Pass	2986
30	689	0.1	RMS	688	-63.33	-13	Pass	6591
689	726	0.1	RMS	714.808	18.57	60	Pass	401
726	1000	0.1	RMS	931.5	-61.89	-13	Pass	2741
1000	3000	1	RMS	2658	-46.6	-13	Pass	2001
3000	10000	1	RMS	7730	-42.01	-13	Pass	7001




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.86	-13	Pass	2986
30	689	0.1	RMS	680.3	-63.29	-13	Pass	6591
689	726	0.1	RMS	699.268	19.87	60	Pass	401
726	1000	0.1	RMS	928.2	-61.99	-13	Pass	2741
1000	3000	1	RMS	2650	-46.59	-13	Pass	2001
3000	10000	1	RMS	7730	-42.01	-13	Pass	7001




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.01	-13	Pass	2986
30	689	0.1	RMS	689	-63.27	-13	Pass	6591
689	726	0.1	RMS	699.268	18.98	60	Pass	401
726	1000	0.1	RMS	900.2	-62.09	-13	Pass	2741
1000	3000	1	RMS	2655	-46.61	-13	Pass	2001
3000	10000	1	RMS	7747	-41.98	-13	Pass	7001




4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.36	-13	Pass	2986
30	689	0.1	RMS	680.7	-63.17	-13	Pass	6591
689	726	0.1	RMS	706.205	19.71	60	Pass	401
726	1000	0.1	RMS	913	-62.02	-13	Pass	2741
1000	3000	1	RMS	2649	-46.62	-13	Pass	2001
3000	10000	1	RMS	7739	-42.02	-13	Pass	7001




4.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.14	-13	Pass	2986
30	689	0.1	RMS	688.3	-63.36	-13	Pass	6591
689	726	0.1	RMS	706.205	18.66	60	Pass	401
726	1000	0.1	RMS	937.9	-62.1	-13	Pass	2741
1000	3000	1	RMS	2654	-46.6	-13	Pass	2001
3000	10000	1	RMS	7744	-42	-13	Pass	7001




4.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.27	-13	Pass	2986
30	689	0.1	RMS	684.2	-63.29	-13	Pass	6591
689	726	0.1	RMS	713.235	20.05	60	Pass	401
726	1000	0.1	RMS	888.3	-62.05	-13	Pass	2741
1000	3000	1	RMS	2652	-46.59	-13	Pass	2001
3000	10000	1	RMS	7737	-41.96	-13	Pass	7001




4.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.81	-13	Pass	2986
30	689	0.1	RMS	681.9	-63.43	-13	Pass	6591
689	726	0.1	RMS	713.235	19.29	60	Pass	401
726	1000	0.1	RMS	932.3	-62.12	-13	Pass	2741
1000	3000	1	RMS	2652	-46.61	-13	Pass	2001
3000	10000	1	RMS	7732	-41.98	-13	Pass	7001




4.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.19	-13	Pass	2986
30	689	0.1	RMS	687.4	-63.18	-13	Pass	6591
689	726	0.1	RMS	699.36	20.02	60	Pass	401
726	1000	0.1	RMS	918.6	-62.06	-13	Pass	2741
1000	3000	1	RMS	2650	-46.59	-13	Pass	2001
3000	10000	1	RMS	7736	-41.99	-13	Pass	7001




4.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.11	-13	Pass	2986
30	689	0.1	RMS	684	-63.28	-13	Pass	6591
689	726	0.1	RMS	699.36	19.03	60	Pass	401
726	1000	0.1	RMS	938.1	-62.08	-13	Pass	2741
1000	3000	1	RMS	2654	-46.62	-13	Pass	2001
3000	10000	1	RMS	7731	-41.94	-13	Pass	7001




4.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.42	-13	Pass	2986
30	689	0.1	RMS	512.6	-63.27	-13	Pass	6591
689	726	0.1	RMS	705.373	19.65	60	Pass	401
726	1000	0.1	RMS	874.4	-62.24	-13	Pass	2741
1000	3000	1	RMS	2648	-46.61	-13	Pass	2001
3000	10000	1	RMS	7730	-42.01	-13	Pass	7001




4.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.15	-13	Pass	2986
30	689	0.1	RMS	688	-63.25	-13	Pass	6591
689	726	0.1	RMS	705.373	18.84	60	Pass	401
726	1000	0.1	RMS	953.7	-62.17	-13	Pass	2741
1000	3000	1	RMS	2653	-46.65	-13	Pass	2001
3000	10000	1	RMS	7740	-42.01	-13	Pass	7001




4.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.21	-13	Pass	2986
30	689	0.1	RMS	527.1	-63.33	-13	Pass	6591
689	726	0.1	RMS	711.385	19.6	60	Pass	401
726	1000	0.1	RMS	925.7	-62.16	-13	Pass	2741
1000	3000	1	RMS	2653	-46.58	-13	Pass	2001
3000	10000	1	RMS	7735	-42.01	-13	Pass	7001




4.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.83	-13	Pass	2986
30	689	0.1	RMS	520.8	-63.33	-13	Pass	6591
689	726	0.1	RMS	711.385	18.71	60	Pass	401
726	1000	0.1	RMS	882.8	-61.98	-13	Pass	2741
1000	3000	1	RMS	2653	-46.59	-13	Pass	2001
3000	10000	1	RMS	7729	-41.97	-13	Pass	7001




4.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.75	-13	Pass	2986
30	689	0.1	RMS	509.2	-63.24	-13	Pass	6591
689	726	0.1	RMS	699.545	19.39	60	Pass	401
726	1000	0.1	RMS	943.2	-62.08	-13	Pass	2741
1000	3000	1	RMS	2656	-46.6	-13	Pass	2001
3000	10000	1	RMS	7726	-41.98	-13	Pass	7001




4.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.45	-13	Pass	2986
30	689	0.1	RMS	680.5	-63.27	-13	Pass	6591
689	726	0.1	RMS	699.545	18.7	60	Pass	401
726	1000	0.1	RMS	929.9	-62.23	-13	Pass	2741
1000	3000	1	RMS	2651	-46.61	-13	Pass	2001
3000	10000	1	RMS	7737	-41.96	-13	Pass	7001




4.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.32	-13	Pass	2986
30	689	0.1	RMS	684.4	-63.23	-13	Pass	6591
689	726	0.1	RMS	703.06	19.7	60	Pass	401
726	1000	0.1	RMS	909.8	-61.89	-13	Pass	2741
1000	3000	1	RMS	2650	-46.58	-13	Pass	2001
3000	10000	1	RMS	7732	-41.96	-13	Pass	7001




4.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.51	-13	Pass	401
0.15	30	0.01	RMS	0.16	-43.68	-13	Pass	2986
30	689	0.1	RMS	521.5	-63.41	-13	Pass	6591
689	726	0.1	RMS	703.06	19.05	60	Pass	401
726	1000	0.1	RMS	919	-61.96	-13	Pass	2741
1000	3000	1	RMS	2649	-46.62	-13	Pass	2001
3000	10000	1	RMS	7719	-42.02	-13	Pass	7001




4.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.64	-13	Pass	2986
30	689	0.1	RMS	686.7	-63.31	-13	Pass	6591
689	726	0.1	RMS	706.575	20.01	60	Pass	401
726	1000	0.1	RMS	934.8	-62.01	-13	Pass	2741
1000	3000	1	RMS	2646	-46.58	-13	Pass	2001
3000	10000	1	RMS	7729	-42	-13	Pass	7001



4.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.06	-13	Pass	2986
30	689	0.1	RMS	687.6	-63.3	-13	Pass	6591
689	726	0.1	RMS	706.575	19.02	60	Pass	401
726	1000	0.1	RMS	904.2	-62.06	-13	Pass	2741
1000	3000	1	RMS	2653	-46.6	-13	Pass	2001
3000	10000	1	RMS	7736	-41.97	-13	Pass	7001



5. LTE_Band14


5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23305, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.77	-13	Pass	2986
30	778	0.1	RMS	770.9	-62.45	-13	Pass	7481
778	808	0.1	RMS	788.35	20.21	60	Pass	401
808	1000	0.1	RMS	921.2	-62.23	-13	Pass	1921
1000	3000	1	RMS	2414	-41.1	-13	Pass	2001
3000	10000	1	RMS	7736	-42.06	-13	Pass	7001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23305, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.47	-13	Pass	2986
30	778	0.1	RMS	769.2	-62.43	-13	Pass	7481
778	808	0.1	RMS	788.35	19.04	60	Pass	401
808	1000	0.1	RMS	961.2	-62.28	-13	Pass	1921
1000	3000	1	RMS	2657	-46.71	-13	Pass	2001
3000	10000	1	RMS	7731	-42.08	-13	Pass	7001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23330, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.54	-13	Pass	2986
30	778	0.1	RMS	777.5	-62.41	-13	Pass	7481
778	808	0.1	RMS	790.825	19.94	60	Pass	401
808	1000	0.1	RMS	919.2	-62.23	-13	Pass	1921
1000	3000	1	RMS	2653	-46.72	-13	Pass	2001
3000	10000	1	RMS	7748	-42.09	-13	Pass	7001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23330, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.53	-13	Pass	2986
30	778	0.1	RMS	776.8	-62.33	-13	Pass	7481
778	808	0.1	RMS	790.825	19.49	60	Pass	401
808	1000	0.1	RMS	889.8	-62.27	-13	Pass	1921
1000	3000	1	RMS	2653	-46.71	-13	Pass	2001
3000	10000	1	RMS	7734	-42.06	-13	Pass	7001




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23355, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.75	-13	Pass	2986
30	778	0.1	RMS	775.5	-62.5	-13	Pass	7481
778	808	0.1	RMS	793.375	19.78	60	Pass	401
808	1000	0.1	RMS	924.9	-62.14	-13	Pass	1921
1000	3000	1	RMS	2652	-46.7	-13	Pass	2001
3000	10000	1	RMS	7758	-42.04	-13	Pass	7001




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23355, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.54	-13	Pass	2986
30	778	0.1	RMS	770.6	-62.56	-13	Pass	7481
778	808	0.1	RMS	793.375	19.09	60	Pass	401
808	1000	0.1	RMS	874.3	-62.17	-13	Pass	1921
1000	3000	1	RMS	2650	-46.73	-13	Pass	2001
3000	10000	1	RMS	7740	-42.01	-13	Pass	7001




5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-41.33	-13	Pass	2986
30	778	0.1	RMS	774.8	-62.46	-13	Pass	7481
778	808	0.1	RMS	788.575	20.06	60	Pass	401
808	1000	0.1	RMS	939.1	-62.26	-13	Pass	1921
1000	3000	1	RMS	2653	-46.68	-13	Pass	2001
3000	10000	1	RMS	7741	-41.98	-13	Pass	7001



5.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23330, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.54	-13	Pass	2986
30	778	0.1	RMS	775	-62.61	-13	Pass	7481
778	808	0.1	RMS	788.575	19.23	60	Pass	401
808	1000	0.1	RMS	892.3	-62.28	-13	Pass	1921
1000	3000	1	RMS	2650	-46.72	-13	Pass	2001
3000	10000	1	RMS	7736	-42.07	-13	Pass	7001



6. LTE_Band25


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.61	-13	Pass	2986
30	1000	0.1	RMS	918	-62.03	-13	Pass	9701
1000	1840	1	RMS	1840	-50.05	-13	Pass	841
1840	1925	1	RMS	1850.2	22.19	60	Pass	401
1925	3000	1	RMS	2653	-46.7	-13	Pass	1076
3000	12000	1	RMS	11954	-40.32	-13	Pass	9001
12000	20000	1	RMS	19998	-27.87	-13	Pass	8001




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.1	-13	Pass	2986
30	1000	0.1	RMS	956.6	-62	-13	Pass	9701
1000	1840	1	RMS	1840	-50.16	-13	Pass	841
1840	1925	1	RMS	1850.2	21.5	60	Pass	401
1925	3000	1	RMS	2653	-46.66	-13	Pass	1076
3000	12000	1	RMS	11945	-40.31	-13	Pass	9001
12000	20000	1	RMS	19997	-27.92	-13	Pass	8001




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.38	-13	Pass	2986
30	1000	0.1	RMS	926.5	-61.96	-13	Pass	9701
1000	1840	1	RMS	1831	-50.41	-13	Pass	841
1840	1925	1	RMS	1882.075	22.21	60	Pass	401
1925	3000	1	RMS	2653	-46.75	-13	Pass	1076
3000	12000	1	RMS	11857	-40.29	-13	Pass	9001
12000	20000	1	RMS	20000	-27.89	-13	Pass	8001




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.1	-13	Pass	2986
30	1000	0.1	RMS	920.4	-62.03	-13	Pass	9701
1000	1840	1	RMS	1831	-50.44	-13	Pass	841
1840	1925	1	RMS	1882.075	21.28	60	Pass	401
1925	3000	1	RMS	2660	-46.74	-13	Pass	1076
3000	12000	1	RMS	11949	-40.3	-13	Pass	9001
12000	20000	1	RMS	19988	-27.92	-13	Pass	8001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.44	-13	Pass	2986
30	1000	0.1	RMS	977.4	-62.1	-13	Pass	9701
1000	1840	1	RMS	1837	-50.6	-13	Pass	841
1840	1925	1	RMS	1913.95	22.17	60	Pass	401
1925	3000	1	RMS	2654	-46.66	-13	Pass	1076
3000	12000	1	RMS	11931	-40.25	-13	Pass	9001
12000	20000	1	RMS	20000	-27.9	-13	Pass	8001




6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-39.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.78	-13	Pass	2986
30	1000	0.1	RMS	930.4	-62.13	-13	Pass	9701
1000	1840	1	RMS	1832	-50.58	-13	Pass	841
1840	1925	1	RMS	1913.738	21.24	60	Pass	401
1925	3000	1	RMS	2656	-46.74	-13	Pass	1076
3000	12000	1	RMS	11864	-40.27	-13	Pass	9001
12000	20000	1	RMS	19999	-27.91	-13	Pass	8001




6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-40.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.46	-13	Pass	2986
30	1000	0.1	RMS	948.8	-62.04	-13	Pass	9701
1000	1840	1	RMS	1840	-49.61	-13	Pass	841
1840	1925	1	RMS	1850.2	22.24	60	Pass	401
1925	3000	1	RMS	2649	-46.67	-13	Pass	1076
3000	12000	1	RMS	11954	-40.31	-13	Pass	9001
12000	20000	1	RMS	19999	-27.87	-13	Pass	8001




6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.73	-13	Pass	2986
30	1000	0.1	RMS	910.7	-62.07	-13	Pass	9701
1000	1840	1	RMS	1840	-50.12	-13	Pass	841
1840	1925	1	RMS	1850.2	21.31	60	Pass	401
1925	3000	1	RMS	2649	-46.68	-13	Pass	1076
3000	12000	1	RMS	11948	-40.31	-13	Pass	9001
12000	20000	1	RMS	19994	-27.87	-13	Pass	8001




6.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.92	-13	Pass	2986
30	1000	0.1	RMS	968.1	-62.09	-13	Pass	9701
1000	1840	1	RMS	1830	-50.5	-13	Pass	841
1840	1925	1	RMS	1881.225	22.23	60	Pass	401
1925	3000	1	RMS	2646	-46.7	-13	Pass	1076
3000	12000	1	RMS	11959	-40.36	-13	Pass	9001
12000	20000	1	RMS	20000	-27.95	-13	Pass	8001




6.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26365, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.08	-13	Pass	2986
30	1000	0.1	RMS	900.7	-62.12	-13	Pass	9701
1000	1840	1	RMS	1836	-50.52	-13	Pass	841
1840	1925	1	RMS	1881.225	21.43	60	Pass	401
1925	3000	1	RMS	2649	-46.71	-13	Pass	1076
3000	12000	1	RMS	11975	-40.24	-13	Pass	9001
12000	20000	1	RMS	19999	-27.91	-13	Pass	8001




6.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.92	-13	Pass	2986
30	1000	0.1	RMS	905.6	-62.08	-13	Pass	9701
1000	1840	1	RMS	1840	-50.57	-13	Pass	841
1840	1925	1	RMS	1912.25	22.33	60	Pass	401
1925	3000	1	RMS	2651	-46.72	-13	Pass	1076
3000	12000	1	RMS	11845	-40.32	-13	Pass	9001
12000	20000	1	RMS	19997	-27.89	-13	Pass	8001




6.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.34	-13	Pass	2986
30	1000	0.1	RMS	930.5	-62.06	-13	Pass	9701
1000	1840	1	RMS	1838	-50.6	-13	Pass	841
1840	1925	1	RMS	1912.25	21.32	60	Pass	401
1925	3000	1	RMS	2654	-46.67	-13	Pass	1076
3000	12000	1	RMS	11925	-40.33	-13	Pass	9001
12000	20000	1	RMS	19993	-27.92	-13	Pass	8001




6.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.69	-13	Pass	2986
30	1000	0.1	RMS	947.3	-62.01	-13	Pass	9701
1000	1840	1	RMS	1840	-50.05	-13	Pass	841
1840	1925	1	RMS	1850.413	22.32	60	Pass	401
1925	3000	1	RMS	2649	-46.69	-13	Pass	1076
3000	12000	1	RMS	11920	-40.34	-13	Pass	9001
12000	20000	1	RMS	20000	-27.92	-13	Pass	8001




6.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.04	-13	Pass	2986
30	1000	0.1	RMS	935.5	-62.04	-13	Pass	9701
1000	1840	1	RMS	1840	-50.21	-13	Pass	841
1840	1925	1	RMS	1850.413	21.24	60	Pass	401
1925	3000	1	RMS	2645	-46.75	-13	Pass	1076
3000	12000	1	RMS	11842	-40.29	-13	Pass	9001
12000	20000	1	RMS	19995	-27.92	-13	Pass	8001




6.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.31	-13	Pass	2986
30	1000	0.1	RMS	931	-62.07	-13	Pass	9701
1000	1840	1	RMS	1837	-50.57	-13	Pass	841
1840	1925	1	RMS	1880.375	22.37	60	Pass	401
1925	3000	1	RMS	2656	-46.71	-13	Pass	1076
3000	12000	1	RMS	11951	-40.32	-13	Pass	9001
12000	20000	1	RMS	20000	-27.91	-13	Pass	8001




6.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26365, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.78	-13	Pass	2986
30	1000	0.1	RMS	913.8	-62.1	-13	Pass	9701
1000	1840	1	RMS	1829	-50.57	-13	Pass	841
1840	1925	1	RMS	1880.375	21.41	60	Pass	401
1925	3000	1	RMS	2650	-46.7	-13	Pass	1076
3000	12000	1	RMS	11857	-40.37	-13	Pass	9001
12000	20000	1	RMS	19999	-27.9	-13	Pass	8001




6.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.14	-13	Pass	2986
30	1000	0.1	RMS	918.2	-61.79	-13	Pass	9701
1000	1840	1	RMS	1839	-50.63	-13	Pass	841
1840	1925	1	RMS	1910.338	22.38	60	Pass	401
1925	3000	1	RMS	2650	-46.66	-13	Pass	1076
3000	12000	1	RMS	11860	-40.32	-13	Pass	9001
12000	20000	1	RMS	19999	-27.88	-13	Pass	8001




6.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.74	-13	Pass	401
0.15	30	0.01	RMS	0.16	-44.01	-13	Pass	2986
30	1000	0.1	RMS	922.6	-62.02	-13	Pass	9701
1000	1840	1	RMS	1838	-50.58	-13	Pass	841
1840	1925	1	RMS	1910.338	21.5	60	Pass	401
1925	3000	1	RMS	2649	-46.7	-13	Pass	1076
3000	12000	1	RMS	11935	-40.36	-13	Pass	9001
12000	20000	1	RMS	19998	-27.91	-13	Pass	8001




6.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.33	-13	Pass	2986
30	1000	0.1	RMS	914.5	-61.91	-13	Pass	9701
1000	1840	1	RMS	1840	-50	-13	Pass	841
1840	1925	1	RMS	1850.625	22.33	60	Pass	401
1925	3000	1	RMS	2650	-46.68	-13	Pass	1076
3000	12000	1	RMS	11930	-40.29	-13	Pass	9001
12000	20000	1	RMS	20000	-27.75	-13	Pass	8001




6.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.13	-13	Pass	2986
30	1000	0.1	RMS	921.1	-62.05	-13	Pass	9701
1000	1840	1	RMS	1840	-50.13	-13	Pass	841
1840	1925	1	RMS	1850.625	21.35	60	Pass	401
1925	3000	1	RMS	2649	-46.67	-13	Pass	1076
3000	12000	1	RMS	11852	-40.3	-13	Pass	9001
12000	20000	1	RMS	20000	-28.02	-13	Pass	8001




6.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.01	-13	Pass	2986
30	1000	0.1	RMS	912.7	-61.95	-13	Pass	9701
1000	1840	1	RMS	1837	-50.56	-13	Pass	841
1840	1925	1	RMS	1878.038	22.29	60	Pass	401
1925	3000	1	RMS	2651	-46.67	-13	Pass	1076
3000	12000	1	RMS	11952	-40.32	-13	Pass	9001
12000	20000	1	RMS	19996	-27.92	-13	Pass	8001




6.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26365, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.3	-13	Pass	401
0.15	30	0.01	RMS	0.16	-44.25	-13	Pass	2986
30	1000	0.1	RMS	910.7	-62.08	-13	Pass	9701
1000	1840	1	RMS	1838	-50.57	-13	Pass	841
1840	1925	1	RMS	1878.038	21.52	60	Pass	401
1925	3000	1	RMS	2646	-46.73	-13	Pass	1076
3000	12000	1	RMS	11864	-40.3	-13	Pass	9001
12000	20000	1	RMS	19998	-27.89	-13	Pass	8001




6.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.93	-13	Pass	2986
30	1000	0.1	RMS	944.3	-61.83	-13	Pass	9701
1000	1840	1	RMS	1838	-50.56	-13	Pass	841
1840	1925	1	RMS	1905.663	22.3	60	Pass	401
1925	3000	1	RMS	2650	-46.66	-13	Pass	1076
3000	12000	1	RMS	11836	-40.38	-13	Pass	9001
12000	20000	1	RMS	19997	-27.92	-13	Pass	8001




6.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.13	-13	Pass	2986
30	1000	0.1	RMS	912.6	-62.12	-13	Pass	9701
1000	1840	1	RMS	1836	-50.61	-13	Pass	841
1840	1925	1	RMS	1905.663	21.38	60	Pass	401
1925	3000	1	RMS	2656	-46.7	-13	Pass	1076
3000	12000	1	RMS	11943	-40.29	-13	Pass	9001
12000	20000	1	RMS	19998	-27.79	-13	Pass	8001




6.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.6	-13	Pass	2986
30	1000	0.1	RMS	936.9	-62.02	-13	Pass	9701
1000	1840	1	RMS	1840	-49.65	-13	Pass	841
1840	1925	1	RMS	1850.838	22.28	60	Pass	401
1925	3000	1	RMS	2650	-46.73	-13	Pass	1076
3000	12000	1	RMS	11939	-40.3	-13	Pass	9001
12000	20000	1	RMS	19999	-27.87	-13	Pass	8001




6.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-40.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.62	-13	Pass	2986
30	1000	0.1	RMS	937.3	-62.02	-13	Pass	9701
1000	1840	1	RMS	1840	-50.1	-13	Pass	841
1840	1925	1	RMS	1850.838	21.42	60	Pass	401
1925	3000	1	RMS	2659	-46.7	-13	Pass	1076
3000	12000	1	RMS	11959	-40.29	-13	Pass	9001
12000	20000	1	RMS	19997	-27.93	-13	Pass	8001




6.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.22	-13	Pass	2986
30	1000	0.1	RMS	908.3	-62.04	-13	Pass	9701
1000	1840	1	RMS	1837	-50.56	-13	Pass	841
1840	1925	1	RMS	1875.913	22.33	60	Pass	401
1925	3000	1	RMS	2653	-46.76	-13	Pass	1076
3000	12000	1	RMS	11937	-40.33	-13	Pass	9001
12000	20000	1	RMS	19999	-27.84	-13	Pass	8001




6.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26365, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.16	-13	Pass	2986
30	1000	0.1	RMS	930.2	-62.1	-13	Pass	9701
1000	1840	1	RMS	1833	-50.59	-13	Pass	841
1840	1925	1	RMS	1875.913	21.55	60	Pass	401
1925	3000	1	RMS	2650	-46.72	-13	Pass	1076
3000	12000	1	RMS	11866	-40.32	-13	Pass	9001
12000	20000	1	RMS	19999	-27.84	-13	Pass	8001




6.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.57	-13	Pass	2986
30	1000	0.1	RMS	916.5	-61.9	-13	Pass	9701
1000	1840	1	RMS	1839	-50.5	-13	Pass	841
1840	1925	1	RMS	1900.775	22.28	60	Pass	401
1925	3000	1	RMS	2648	-46.72	-13	Pass	1076
3000	12000	1	RMS	11967	-40.3	-13	Pass	9001
12000	20000	1	RMS	19999	-27.93	-13	Pass	8001




6.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.72	-13	Pass	2986
30	1000	0.1	RMS	903.1	-61.96	-13	Pass	9701
1000	1840	1	RMS	1838	-50.58	-13	Pass	841
1840	1925	1	RMS	1900.775	21.3	60	Pass	401
1925	3000	1	RMS	2641	-46.72	-13	Pass	1076
3000	12000	1	RMS	11956	-40.32	-13	Pass	9001
12000	20000	1	RMS	19997	-27.91	-13	Pass	8001




6.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.52	-13	Pass	2986
30	1000	0.1	RMS	960.3	-62.16	-13	Pass	9701
1000	1840	1	RMS	1835	-49.61	-13	Pass	841
1840	1925	1	RMS	1851.05	22.33	60	Pass	401
1925	3000	1	RMS	2654	-46.7	-13	Pass	1076
3000	12000	1	RMS	11926	-40.26	-13	Pass	9001
12000	20000	1	RMS	20000	-27.96	-13	Pass	8001




6.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.74	-13	Pass	2986
30	1000	0.1	RMS	914.2	-62.06	-13	Pass	9701
1000	1840	1	RMS	1840	-48.95	-13	Pass	841
1840	1925	1	RMS	1851.05	21.53	60	Pass	401
1925	3000	1	RMS	2649	-46.72	-13	Pass	1076
3000	12000	1	RMS	11848	-40.27	-13	Pass	9001
12000	20000	1	RMS	19996	-27.86	-13	Pass	8001




6.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.51	-13	Pass	2986
30	1000	0.1	RMS	926.4	-62.07	-13	Pass	9701
1000	1840	1	RMS	1840	-50.51	-13	Pass	841
1840	1925	1	RMS	1873.575	22.39	60	Pass	401
1925	3000	1	RMS	2655	-46.7	-13	Pass	1076
3000	12000	1	RMS	11849	-40.31	-13	Pass	9001
12000	20000	1	RMS	19995	-27.91	-13	Pass	8001




6.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.64	-13	Pass	2986
30	1000	0.1	RMS	943.4	-62.05	-13	Pass	9701
1000	1840	1	RMS	1838	-50.59	-13	Pass	841
1840	1925	1	RMS	1873.575	21.47	60	Pass	401
1925	3000	1	RMS	2652	-46.71	-13	Pass	1076
3000	12000	1	RMS	11974	-40.31	-13	Pass	9001
12000	20000	1	RMS	19999	-27.86	-13	Pass	8001




6.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.99	-13	Pass	2986
30	1000	0.1	RMS	910.4	-62.1	-13	Pass	9701
1000	1840	1	RMS	1831	-50.57	-13	Pass	841
1840	1925	1	RMS	1896.1	22.4	60	Pass	401
1925	3000	1	RMS	2651	-46.65	-13	Pass	1076
3000	12000	1	RMS	11930	-40.33	-13	Pass	9001
12000	20000	1	RMS	19996	-27.94	-13	Pass	8001



6.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.56	-13	Pass	2986
30	1000	0.1	RMS	900.6	-62.03	-13	Pass	9701
1000	1840	1	RMS	1835	-50.62	-13	Pass	841
1840	1925	1	RMS	1896.1	21.62	60	Pass	401
1925	3000	1	RMS	2649	-46.7	-13	Pass	1076
3000	12000	1	RMS	11861	-40.4	-13	Pass	9001
12000	20000	1	RMS	20000	-27.91	-13	Pass	8001



1. LTE_Band41 full


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.43	-25	Pass	2986
30	1000	0.1	RMS	847.6	-59.67	-25	Pass	9701
1000	2486	1	RMS	2485	-44.05	-25	Pass	1487
2486	2700	1	RMS	2496.165	22.39	60	Pass	401
2700	3000	1	RMS	2952	-44.98	-25	Pass	401
3000	12000	1	RMS	11845	-56.9	-25	Pass	9002
12000	27000	1	RMS	25999	-42.04	-25	Pass	15002




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.81	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.19	-25	Pass	2986
30	1000	0.1	RMS	854.904	-59.59	-25	Pass	9701
1000	2486	1	RMS	2485	-42.89	-25	Pass	1487
2486	2700	1	RMS	2496.165	21.44	60	Pass	401
2700	3000	1	RMS	2958	-44.98	-25	Pass	401
3000	12000	1	RMS	11842	-56.94	-25	Pass	9002
12000	27000	1	RMS	26002	-42.05	-25	Pass	15002




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.37	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.37	-25	Pass	2986
30	1000	0.1	RMS	838.7	-59.78	-25	Pass	9701
1000	2486	1	RMS	2482	-46.67	-25	Pass	1487
2486	2700	1	RMS	2590.325	21.43	60	Pass	401
2700	3000	1	RMS	2952.75	-44.99	-25	Pass	401
3000	12000	1	RMS	11846	-56.87	-25	Pass	9002
12000	27000	1	RMS	25997	-42.02	-25	Pass	15002




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.23	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.79	-25	Pass	2986
30	1000	0.1	RMS	848.4	-59.62	-25	Pass	9701
1000	2486	1	RMS	2483	-46.67	-25	Pass	1487
2486	2700	1	RMS	2590.325	21.34	60	Pass	401
2700	3000	1	RMS	2946	-44.96	-25	Pass	401
3000	12000	1	RMS	11845	-56.92	-25	Pass	9002
12000	27000	1	RMS	26004	-42.06	-25	Pass	15002




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.1	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.56	-25	Pass	2986
30	1000	0.1	RMS	724.6	-59.44	-25	Pass	9701
1000	2486	1	RMS	2483	-46.71	-25	Pass	1487
2486	2700	1	RMS	2685.02	21.93	60	Pass	401
2700	3000	1	RMS	2956.5	-45.02	-25	Pass	401
3000	12000	1	RMS	11849	-56.89	-25	Pass	9002
12000	27000	1	RMS	26003	-42.05	-25	Pass	15002




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.62	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.46	-25	Pass	2986
30	1000	0.1	RMS	837.5	-59.73	-25	Pass	9701
1000	2486	1	RMS	2435	-45.48	-25	Pass	1487
2486	2700	1	RMS	2685.02	21.89	60	Pass	401
2700	3000	1	RMS	2700	-44.7	-25	Pass	401
3000	12000	1	RMS	11843	-56.92	-25	Pass	9002
12000	27000	1	RMS	26004	-42.04	-25	Pass	15002




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.95	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.31	-25	Pass	2986
30	1000	0.1	RMS	842.2	-59.75	-25	Pass	9701
1000	2486	1	RMS	2484	-43.23	-25	Pass	1487
2486	2700	1	RMS	2496.165	21.69	60	Pass	401
2700	3000	1	RMS	2946	-44.96	-25	Pass	401
3000	12000	1	RMS	11852	-56.75	-25	Pass	9002
12000	27000	1	RMS	25994	-42.06	-25	Pass	15002




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.36	-25	Pass	2986
30	1000	0.1	RMS	847	-59.66	-25	Pass	9701
1000	2486	1	RMS	2486	-42.05	-25	Pass	1487
2486	2700	1	RMS	2496.165	21.41	60	Pass	401
2700	3000	1	RMS	2960.25	-44.98	-25	Pass	401
3000	12000	1	RMS	11851	-56.91	-25	Pass	9002
12000	27000	1	RMS	26004	-41.97	-25	Pass	15002




1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.79	-25	Pass	2986
30	1000	0.1	RMS	846.4	-59.48	-25	Pass	9701
1000	2486	1	RMS	2455	-46.54	-25	Pass	1487
2486	2700	1	RMS	2588.185	22.12	60	Pass	401
2700	3000	1	RMS	2946	-44.98	-25	Pass	401
3000	12000	1	RMS	11850	-56.9	-25	Pass	9002
12000	27000	1	RMS	26001	-42.04	-25	Pass	15002




1.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-59.37	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.18	-25	Pass	2986
30	1000	0.1	RMS	848.2	-59.77	-25	Pass	9701
1000	2486	1	RMS	2483	-46.66	-25	Pass	1487
2486	2700	1	RMS	2588.185	21.14	60	Pass	401
2700	3000	1	RMS	2962.5	-44.97	-25	Pass	401
3000	12000	1	RMS	11861	-56.94	-25	Pass	9002
12000	27000	1	RMS	26002	-42.06	-25	Pass	15002




1.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-60.21	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.02	-25	Pass	2986
30	1000	0.1	RMS	848	-59.69	-25	Pass	9701
1000	2486	1	RMS	2464	-46.6	-25	Pass	1487
2486	2700	1	RMS	2680.205	22.72	60	Pass	401
2700	3000	1	RMS	2955	-44.97	-25	Pass	401
3000	12000	1	RMS	11848	-56.92	-25	Pass	9002
12000	27000	1	RMS	26004	-42.08	-25	Pass	15002




1.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-60.57	-25	Pass	401
0.15	30	0.01	RMS	0.23	-67.61	-25	Pass	2986
30	1000	0.1	RMS	856.205	-59.78	-25	Pass	9701
1000	2486	1	RMS	2440	-45.75	-25	Pass	1487
2486	2700	1	RMS	2680.205	20.37	60	Pass	401
2700	3000	1	RMS	2956.5	-44.92	-25	Pass	401
3000	12000	1	RMS	11851	-56.86	-25	Pass	9002
12000	27000	1	RMS	26001	-42.02	-25	Pass	15002




1.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-60.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.28	-25	Pass	2986
30	1000	0.1	RMS	806	-59.67	-25	Pass	9701
1000	2486	1	RMS	2483	-43.17	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.05	60	Pass	401
2700	3000	1	RMS	2959.5	-44.95	-25	Pass	401
3000	12000	1	RMS	11851	-56.88	-25	Pass	9002
12000	27000	1	RMS	26009	-41.99	-25	Pass	15002




1.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-59.93	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.52	-25	Pass	2986
30	1000	0.1	RMS	843.1	-59.73	-25	Pass	9701
1000	2486	1	RMS	2482	-43.9	-25	Pass	1487
2486	2700	1	RMS	2496.7	20.74	60	Pass	401
2700	3000	1	RMS	2960.25	-44.94	-25	Pass	401
3000	12000	1	RMS	11851	-56.78	-25	Pass	9002
12000	27000	1	RMS	26001	-42.05	-25	Pass	15002




1.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-60.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.23	-25	Pass	2986
30	1000	0.1	RMS	828.6	-59.5	-25	Pass	9701
1000	2486	1	RMS	2477	-46.59	-25	Pass	1487
2486	2700	1	RMS	2586.045	21.4	60	Pass	401
2700	3000	1	RMS	2961.75	-44.94	-25	Pass	401
3000	12000	1	RMS	11856	-56.89	-25	Pass	9002
12000	27000	1	RMS	26007	-42.03	-25	Pass	15002




1.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-59.57	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.1	-25	Pass	2986
30	1000	0.1	RMS	851.001	-59.79	-25	Pass	9701
1000	2486	1	RMS	2477	-46.6	-25	Pass	1487
2486	2700	1	RMS	2586.045	21.15	60	Pass	401
2700	3000	1	RMS	2955	-44.9	-25	Pass	401
3000	12000	1	RMS	11852	-56.85	-25	Pass	9002
12000	27000	1	RMS	25999	-42.02	-25	Pass	15002




1.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-60.94	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.46	-25	Pass	2986
30	1000	0.1	RMS	841.8	-59.65	-25	Pass	9701
1000	2486	1	RMS	2477	-46.72	-25	Pass	1487
2486	2700	1	RMS	2675.39	22.53	60	Pass	401
2700	3000	1	RMS	2952	-44.93	-25	Pass	401
3000	12000	1	RMS	11846	-56.84	-25	Pass	9002
12000	27000	1	RMS	25996	-42.06	-25	Pass	15002




1.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-59.95	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.47	-25	Pass	2986
30	1000	0.1	RMS	849.8	-59.72	-25	Pass	9701
1000	2486	1	RMS	2464	-46.58	-25	Pass	1487
2486	2700	1	RMS	2675.925	21.02	60	Pass	401
2700	3000	1	RMS	2949.75	-44.91	-25	Pass	401
3000	12000	1	RMS	11850	-56.77	-25	Pass	9002
12000	27000	1	RMS	26007	-42.04	-25	Pass	15002




1.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-60.03	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.72	-25	Pass	2986
30	1000	0.1	RMS	841.5	-59.65	-25	Pass	9701
1000	2486	1	RMS	2483	-41.6	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.35	60	Pass	401
2700	3000	1	RMS	2958.75	-44.89	-25	Pass	401
3000	12000	1	RMS	11849	-56.87	-25	Pass	9002
12000	27000	1	RMS	26001	-41.87	-25	Pass	15002




1.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.07	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.43	-25	Pass	2986
30	1000	0.1	RMS	850.801	-59.69	-25	Pass	9701
1000	2486	1	RMS	2486	-42.47	-25	Pass	1487
2486	2700	1	RMS	2496.7	20.79	60	Pass	401
2700	3000	1	RMS	2957.25	-44.89	-25	Pass	401
3000	12000	1	RMS	11849	-56.82	-25	Pass	9002
12000	27000	1	RMS	26001	-41.92	-25	Pass	15002




1.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.63	-25	Pass	401
0.15	30	0.01	RMS	0.17	-66.92	-25	Pass	2986
30	1000	0.1	RMS	838.1	-59.69	-25	Pass	9701
1000	2486	1	RMS	2484	-46.55	-25	Pass	1487
2486	2700	1	RMS	2583.905	21.72	60	Pass	401
2700	3000	1	RMS	2943.75	-44.9	-25	Pass	401
3000	12000	1	RMS	11848	-56.86	-25	Pass	9002
12000	27000	1	RMS	26004	-41.99	-25	Pass	15002




1.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-60.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.75	-25	Pass	2986
30	1000	0.1	RMS	860.407	-59.64	-25	Pass	9701
1000	2486	1	RMS	2479	-46.54	-25	Pass	1487
2486	2700	1	RMS	2583.905	20.88	60	Pass	401
2700	3000	1	RMS	2954.25	-44.89	-25	Pass	401
3000	12000	1	RMS	11853	-56.88	-25	Pass	9002
12000	27000	1	RMS	25997	-41.97	-25	Pass	15002




1.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-60.03	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.57	-25	Pass	2986
30	1000	0.1	RMS	862.709	-59.6	-25	Pass	9701
1000	2486	1	RMS	2482	-46.56	-25	Pass	1487
2486	2700	1	RMS	2670.575	21.97	60	Pass	401
2700	3000	1	RMS	2945.25	-44.86	-25	Pass	401
3000	12000	1	RMS	11842	-56.77	-25	Pass	9002
12000	27000	1	RMS	26009	-42	-25	Pass	15002



1.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-60.71	-25	Pass	401
0.15	30	0.01	RMS	0.17	-66.81	-25	Pass	2986
30	1000	0.1	RMS	852.102	-59.62	-25	Pass	9701
1000	2486	1	RMS	2432	-46.57	-25	Pass	1487
2486	2700	1	RMS	2671.11	20.85	60	Pass	401
2700	3000	1	RMS	2956.5	-44.86	-25	Pass	401
3000	12000	1	RMS	11851	-56.74	-25	Pass	9002
12000	27000	1	RMS	26002	-41.81	-25	Pass	15002



7. LTE_Band66


7.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.32	-13	Pass	2986
30	1000	0.1	RMS	932.5	-61.79	-13	Pass	9701
1000	1700	1	RMS	1700	-50.82	-13	Pass	701
1700	1790	1	RMS	1710.35	22.22	60	Pass	401
1790	3000	1	RMS	2650	-46.66	-13	Pass	1211
3000	12000	1	RMS	11944	-40.33	-13	Pass	9001
12000	20000	1	RMS	20000	-27.94	-13	Pass	8001




7.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.58	-13	Pass	2986
30	1000	0.1	RMS	913.4	-62.12	-13	Pass	9701
1000	1700	1	RMS	1700	-50.85	-13	Pass	701
1700	1790	1	RMS	1710.125	21.14	60	Pass	401
1790	3000	1	RMS	2651	-46.74	-13	Pass	1211
3000	12000	1	RMS	11953	-40.31	-13	Pass	9001
12000	20000	1	RMS	19994	-27.88	-13	Pass	8001




7.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.82	-13	Pass	2986
30	1000	0.1	RMS	966.3	-62.06	-13	Pass	9701
1000	1700	1	RMS	1693	-51.15	-13	Pass	701
1700	1790	1	RMS	1744.55	22.28	60	Pass	401
1790	3000	1	RMS	2655	-46.69	-13	Pass	1211
3000	12000	1	RMS	11841	-40.32	-13	Pass	9001
12000	20000	1	RMS	19996	-27.93	-13	Pass	8001




7.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.4	-13	Pass	2986
30	1000	0.1	RMS	925.3	-62.19	-13	Pass	9701
1000	1700	1	RMS	1693	-51.14	-13	Pass	701
1700	1790	1	RMS	1744.55	21.29	60	Pass	401
1790	3000	1	RMS	2654	-46.71	-13	Pass	1211
3000	12000	1	RMS	11832	-40.34	-13	Pass	9001
12000	20000	1	RMS	19999	-27.92	-13	Pass	8001




7.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.66	-13	Pass	2986
30	1000	0.1	RMS	924.6	-62.02	-13	Pass	9701
1000	1700	1	RMS	1699	-51.21	-13	Pass	701
1700	1790	1	RMS	1778.75	22.21	60	Pass	401
1790	3000	1	RMS	2648	-46.67	-13	Pass	1211
3000	12000	1	RMS	11942	-40.33	-13	Pass	9001
12000	20000	1	RMS	19997	-27.89	-13	Pass	8001




**7.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6,
Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-41.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.62	-13	Pass	2986
30	1000	0.1	RMS	906.7	-62.08	-13	Pass	9701
1000	1700	1	RMS	1576	-51.19	-13	Pass	701
1700	1790	1	RMS	1778.975	21.33	60	Pass	401
1790	3000	1	RMS	2652	-46.66	-13	Pass	1211
3000	12000	1	RMS	11961	-40.36	-13	Pass	9001
12000	20000	1	RMS	20000	-27.95	-13	Pass	8001




7.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.57	-13	Pass	2986
30	1000	0.1	RMS	909.2	-62.1	-13	Pass	9701
1000	1700	1	RMS	1700	-50.58	-13	Pass	701
1700	1790	1	RMS	1710.35	22.05	60	Pass	401
1790	3000	1	RMS	2652	-46.67	-13	Pass	1211
3000	12000	1	RMS	11940	-40.35	-13	Pass	9001
12000	20000	1	RMS	19999	-27.98	-13	Pass	8001




7.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.87	-13	Pass	2986
30	1000	0.1	RMS	940.7	-62.05	-13	Pass	9701
1000	1700	1	RMS	1700	-50.94	-13	Pass	701
1700	1790	1	RMS	1710.125	21.13	60	Pass	401
1790	3000	1	RMS	2648	-46.7	-13	Pass	1211
3000	12000	1	RMS	11860	-40.28	-13	Pass	9001
12000	20000	1	RMS	19999	-27.87	-13	Pass	8001




7.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.27	-13	Pass	2986
30	1000	0.1	RMS	921.4	-62.13	-13	Pass	9701
1000	1700	1	RMS	1699	-51.12	-13	Pass	701
1700	1790	1	RMS	1743.65	22.07	60	Pass	401
1790	3000	1	RMS	2654	-46.71	-13	Pass	1211
3000	12000	1	RMS	11841	-40.3	-13	Pass	9001
12000	20000	1	RMS	20000	-27.83	-13	Pass	8001




7.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-41.97	-13	Pass	2986
30	1000	0.1	RMS	934.5	-62	-13	Pass	9701
1000	1700	1	RMS	1637	-51.21	-13	Pass	701
1700	1790	1	RMS	1743.65	21.31	60	Pass	401
1790	3000	1	RMS	2652	-46.72	-13	Pass	1211
3000	12000	1	RMS	11847	-40.3	-13	Pass	9001
12000	20000	1	RMS	19993	-27.93	-13	Pass	8001




7.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.26	-13	Pass	2986
30	1000	0.1	RMS	902.9	-62	-13	Pass	9701
1000	1700	1	RMS	1700	-51.14	-13	Pass	701
1700	1790	1	RMS	1777.175	22.25	60	Pass	401
1790	3000	1	RMS	2654	-46.66	-13	Pass	1211
3000	12000	1	RMS	11850	-40.34	-13	Pass	9001
12000	20000	1	RMS	19998	-27.98	-13	Pass	8001




7.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.73	-13	Pass	2986
30	1000	0.1	RMS	920	-62.07	-13	Pass	9701
1000	1700	1	RMS	1700	-51.13	-13	Pass	701
1700	1790	1	RMS	1777.175	21.25	60	Pass	401
1790	3000	1	RMS	2649	-46.71	-13	Pass	1211
3000	12000	1	RMS	11959	-40.3	-13	Pass	9001
12000	20000	1	RMS	20000	-27.78	-13	Pass	8001




7.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.08	-13	Pass	2986
30	1000	0.1	RMS	906.1	-62	-13	Pass	9701
1000	1700	1	RMS	1700	-50.87	-13	Pass	701
1700	1790	1	RMS	1710.35	22.3	60	Pass	401
1790	3000	1	RMS	2656	-46.69	-13	Pass	1211
3000	12000	1	RMS	11952	-40.37	-13	Pass	9001
12000	20000	1	RMS	19999	-27.8	-13	Pass	8001




7.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.66	-13	Pass	2986
30	1000	0.1	RMS	905	-62.08	-13	Pass	9701
1000	1700	1	RMS	1700	-50.96	-13	Pass	701
1700	1790	1	RMS	1710.35	21.32	60	Pass	401
1790	3000	1	RMS	2651	-46.71	-13	Pass	1211
3000	12000	1	RMS	11932	-40.35	-13	Pass	9001
12000	20000	1	RMS	19997	-27.94	-13	Pass	8001




7.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-38.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.25	-13	Pass	2986
30	1000	0.1	RMS	942.1	-61.99	-13	Pass	9701
1000	1700	1	RMS	1690	-51.17	-13	Pass	701
1700	1790	1	RMS	1742.75	22.11	60	Pass	401
1790	3000	1	RMS	2655	-46.72	-13	Pass	1211
3000	12000	1	RMS	11933	-40.35	-13	Pass	9001
12000	20000	1	RMS	19992	-27.9	-13	Pass	8001




7.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.47	-13	Pass	2986
30	1000	0.1	RMS	910	-62.01	-13	Pass	9701
1000	1700	1	RMS	1679	-51.18	-13	Pass	701
1700	1790	1	RMS	1742.75	21.18	60	Pass	401
1790	3000	1	RMS	2654	-46.7	-13	Pass	1211
3000	12000	1	RMS	11959	-40.34	-13	Pass	9001
12000	20000	1	RMS	19996	-27.89	-13	Pass	8001




7.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.25	-13	Pass	2986
30	1000	0.1	RMS	897.8	-62.13	-13	Pass	9701
1000	1700	1	RMS	1613	-51.15	-13	Pass	701
1700	1790	1	RMS	1775.375	22.31	60	Pass	401
1790	3000	1	RMS	2654	-46.69	-13	Pass	1211
3000	12000	1	RMS	11952	-40.3	-13	Pass	9001
12000	20000	1	RMS	19995	-27.98	-13	Pass	8001




7.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.26	-13	Pass	2986
30	1000	0.1	RMS	920	-62.04	-13	Pass	9701
1000	1700	1	RMS	1700	-51.18	-13	Pass	701
1700	1790	1	RMS	1775.375	21.45	60	Pass	401
1790	3000	1	RMS	2659	-46.71	-13	Pass	1211
3000	12000	1	RMS	11950	-40.31	-13	Pass	9001
12000	20000	1	RMS	20000	-27.93	-13	Pass	8001




7.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.77	-13	Pass	2986
30	1000	0.1	RMS	925.3	-62.04	-13	Pass	9701
1000	1700	1	RMS	1700	-50.81	-13	Pass	701
1700	1790	1	RMS	1710.575	22.19	60	Pass	401
1790	3000	1	RMS	2652	-46.69	-13	Pass	1211
3000	12000	1	RMS	11940	-40.31	-13	Pass	9001
12000	20000	1	RMS	19998	-27.92	-13	Pass	8001




7.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.38	-13	Pass	2986
30	1000	0.1	RMS	929.3	-61.96	-13	Pass	9701
1000	1700	1	RMS	1700	-50.89	-13	Pass	701
1700	1790	1	RMS	1710.575	21.4	60	Pass	401
1790	3000	1	RMS	2654	-46.69	-13	Pass	1211
3000	12000	1	RMS	11839	-40.32	-13	Pass	9001
12000	20000	1	RMS	19999	-27.9	-13	Pass	8001




7.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.08	-13	Pass	2986
30	1000	0.1	RMS	958.6	-62.1	-13	Pass	9701
1000	1700	1	RMS	1586	-51.18	-13	Pass	701
1700	1790	1	RMS	1740.5	22.21	60	Pass	401
1790	3000	1	RMS	2658	-46.69	-13	Pass	1211
3000	12000	1	RMS	11927	-40.26	-13	Pass	9001
12000	20000	1	RMS	20000	-27.82	-13	Pass	8001




7.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.61	-13	Pass	2986
30	1000	0.1	RMS	949	-62.05	-13	Pass	9701
1000	1700	1	RMS	1689	-51.18	-13	Pass	701
1700	1790	1	RMS	1740.5	21.37	60	Pass	401
1790	3000	1	RMS	2655	-46.75	-13	Pass	1211
3000	12000	1	RMS	11854	-40.32	-13	Pass	9001
12000	20000	1	RMS	19999	-27.86	-13	Pass	8001




7.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.22	-13	Pass	2986
30	1000	0.1	RMS	938.7	-61.95	-13	Pass	9701
1000	1700	1	RMS	1581	-51.16	-13	Pass	701
1700	1790	1	RMS	1770.65	22.2	60	Pass	401
1790	3000	1	RMS	2650	-46.63	-13	Pass	1211
3000	12000	1	RMS	11962	-40.3	-13	Pass	9001
12000	20000	1	RMS	19998	-27.77	-13	Pass	8001




7.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.51	-13	Pass	2986
30	1000	0.1	RMS	929.3	-61.94	-13	Pass	9701
1000	1700	1	RMS	1575	-51.21	-13	Pass	701
1700	1790	1	RMS	1770.65	21.44	60	Pass	401
1790	3000	1	RMS	2652	-46.64	-13	Pass	1211
3000	12000	1	RMS	11924	-40.3	-13	Pass	9001
12000	20000	1	RMS	19996	-27.83	-13	Pass	8001




7.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.55	-13	Pass	2986
30	1000	0.1	RMS	930.1	-62.01	-13	Pass	9701
1000	1700	1	RMS	1700	-50.57	-13	Pass	701
1700	1790	1	RMS	1710.8	22.21	60	Pass	401
1790	3000	1	RMS	2657	-46.7	-13	Pass	1211
3000	12000	1	RMS	11852	-40.32	-13	Pass	9001
12000	20000	1	RMS	20000	-27.9	-13	Pass	8001




7.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.99	-13	Pass	2986
30	1000	0.1	RMS	923.8	-61.99	-13	Pass	9701
1000	1700	1	RMS	1700	-50.78	-13	Pass	701
1700	1790	1	RMS	1710.8	21.24	60	Pass	401
1790	3000	1	RMS	2652	-46.61	-13	Pass	1211
3000	12000	1	RMS	11953	-40.31	-13	Pass	9001
12000	20000	1	RMS	20000	-27.96	-13	Pass	8001




7.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.28	-13	Pass	2986
30	1000	0.1	RMS	916.5	-62.11	-13	Pass	9701
1000	1700	1	RMS	1700	-51.13	-13	Pass	701
1700	1790	1	RMS	1738.25	22.36	60	Pass	401
1790	3000	1	RMS	2649	-46.66	-13	Pass	1211
3000	12000	1	RMS	11949	-40.3	-13	Pass	9001
12000	20000	1	RMS	19999	-27.85	-13	Pass	8001




7.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-38.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.1	-13	Pass	2986
30	1000	0.1	RMS	917.8	-62.03	-13	Pass	9701
1000	1700	1	RMS	1626	-51.16	-13	Pass	701
1700	1790	1	RMS	1738.25	21.29	60	Pass	401
1790	3000	1	RMS	2658	-46.72	-13	Pass	1211
3000	12000	1	RMS	11980	-40.24	-13	Pass	9001
12000	20000	1	RMS	19999	-27.97	-13	Pass	8001




7.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.6	-13	Pass	2986
30	1000	0.1	RMS	928.3	-62.1	-13	Pass	9701
1000	1700	1	RMS	1680	-51.16	-13	Pass	701
1700	1790	1	RMS	1765.925	22.29	60	Pass	401
1790	3000	1	RMS	2651	-46.66	-13	Pass	1211
3000	12000	1	RMS	11939	-40.34	-13	Pass	9001
12000	20000	1	RMS	19999	-27.83	-13	Pass	8001




7.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-41.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.54	-13	Pass	2986
30	1000	0.1	RMS	950.8	-62.07	-13	Pass	9701
1000	1700	1	RMS	1700	-51.19	-13	Pass	701
1700	1790	1	RMS	1765.925	21.4	60	Pass	401
1790	3000	1	RMS	2652	-46.7	-13	Pass	1211
3000	12000	1	RMS	11968	-40.31	-13	Pass	9001
12000	20000	1	RMS	20000	-27.88	-13	Pass	8001




7.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.75	-13	Pass	2986
30	1000	0.1	RMS	887.2	-61.95	-13	Pass	9701
1000	1700	1	RMS	1700	-50.73	-13	Pass	701
1700	1790	1	RMS	1711.025	22.26	60	Pass	401
1790	3000	1	RMS	2656	-46.65	-13	Pass	1211
3000	12000	1	RMS	11947	-40.28	-13	Pass	9001
12000	20000	1	RMS	19998	-27.9	-13	Pass	8001




7.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.08	-13	Pass	2986
30	1000	0.1	RMS	934.8	-62.05	-13	Pass	9701
1000	1700	1	RMS	1700	-50.77	-13	Pass	701
1700	1790	1	RMS	1711.025	21.18	60	Pass	401
1790	3000	1	RMS	2643	-46.68	-13	Pass	1211
3000	12000	1	RMS	11948	-40.27	-13	Pass	9001
12000	20000	1	RMS	19993	-27.89	-13	Pass	8001




7.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.53	-13	Pass	2986
30	1000	0.1	RMS	932.2	-62.09	-13	Pass	9701
1000	1700	1	RMS	1617	-51.16	-13	Pass	701
1700	1790	1	RMS	1736	22.13	60	Pass	401
1790	3000	1	RMS	2647	-46.68	-13	Pass	1211
3000	12000	1	RMS	11933	-40.36	-13	Pass	9001
12000	20000	1	RMS	19999	-27.97	-13	Pass	8001




7.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.57	-13	Pass	401
0.15	30	0.01	RMS	0.16	-43.86	-13	Pass	2986
30	1000	0.1	RMS	906.8	-62.08	-13	Pass	9701
1000	1700	1	RMS	1700	-51.18	-13	Pass	701
1700	1790	1	RMS	1736.225	21.35	60	Pass	401
1790	3000	1	RMS	2652	-46.66	-13	Pass	1211
3000	12000	1	RMS	11858	-40.27	-13	Pass	9001
12000	20000	1	RMS	19999	-27.92	-13	Pass	8001




7.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.24	-13	Pass	2986
30	1000	0.1	RMS	925.9	-61.9	-13	Pass	9701
1000	1700	1	RMS	1584	-51.14	-13	Pass	701
1700	1790	1	RMS	1760.975	22.31	60	Pass	401
1790	3000	1	RMS	2649	-46.65	-13	Pass	1211
3000	12000	1	RMS	11986	-40.31	-13	Pass	9001
12000	20000	1	RMS	19998	-27.85	-13	Pass	8001



7.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.55	-13	Pass	2986
30	1000	0.1	RMS	933.7	-61.98	-13	Pass	9701
1000	1700	1	RMS	1588	-51.19	-13	Pass	701
1700	1790	1	RMS	1761.2	21.38	60	Pass	401
1790	3000	1	RMS	2649	-46.64	-13	Pass	1211
3000	12000	1	RMS	11833	-40.37	-13	Pass	9001
12000	20000	1	RMS	19995	-27.92	-13	Pass	8001



8. LTE_Band71


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.93	-13	Pass	2986
30	653	0.1	RMS	634.6	-63.45	-13	Pass	6231
653	709	0.1	RMS	663.3	19.43	60	Pass	561
709	1000	0.1	RMS	789.5	-62.17	-13	Pass	2911
1000	3000	1	RMS	2653	-46.54	-13	Pass	2001
3000	10000	1	RMS	9545	-42.09	-13	Pass	7001




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:133147, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.1	-13	Pass	2986
30	653	0.1	RMS	510	-63.51	-13	Pass	6231
653	709	0.1	RMS	663.3	18.65	60	Pass	561
709	1000	0.1	RMS	933.8	-62.04	-13	Pass	2911
1000	3000	1	RMS	2653	-46.64	-13	Pass	2001
3000	10000	1	RMS	7745	-42	-13	Pass	7001




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:133297, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.49	-13	Pass	2986
30	653	0.1	RMS	510.8	-63.32	-13	Pass	6231
653	709	0.1	RMS	678.3	19.44	60	Pass	561
709	1000	0.1	RMS	931.6	-61.97	-13	Pass	2911
1000	3000	1	RMS	2647	-46.69	-13	Pass	2001
3000	10000	1	RMS	7727	-42.07	-13	Pass	7001




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:133297, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.73	-13	Pass	2986
30	653	0.1	RMS	515.8	-63.41	-13	Pass	6231
653	709	0.1	RMS	678.3	18.57	60	Pass	561
709	1000	0.1	RMS	937.8	-62.2	-13	Pass	2911
1000	3000	1	RMS	2651	-46.68	-13	Pass	2001
3000	10000	1	RMS	7743	-42.05	-13	Pass	7001




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:133447, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.67	-13	Pass	2986
30	653	0.1	RMS	503.9	-63.34	-13	Pass	6231
653	709	0.1	RMS	693.3	19.77	60	Pass	561
709	1000	0.1	RMS	902.6	-62.12	-13	Pass	2911
1000	3000	1	RMS	2655	-46.7	-13	Pass	2001
3000	10000	1	RMS	7731	-41.98	-13	Pass	7001




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:133447, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.52	-13	Pass	2986
30	653	0.1	RMS	506.5	-63.47	-13	Pass	6231
653	709	0.1	RMS	693.3	18.77	60	Pass	561
709	1000	0.1	RMS	914.1	-61.97	-13	Pass	2911
1000	3000	1	RMS	2648	-46.68	-13	Pass	2001
3000	10000	1	RMS	7737	-41.97	-13	Pass	7001




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:133172, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.97	-13	Pass	2986
30	653	0.1	RMS	645.2	-63.49	-13	Pass	6231
653	709	0.1	RMS	663.6	19.93	60	Pass	561
709	1000	0.1	RMS	958.7	-61.91	-13	Pass	2911
1000	3000	1	RMS	2654	-46.55	-13	Pass	2001
3000	10000	1	RMS	7734	-42.05	-13	Pass	7001




8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:133172, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.41	-13	Pass	2986
30	653	0.1	RMS	510.2	-63.53	-13	Pass	6231
653	709	0.1	RMS	663.6	19	60	Pass	561
709	1000	0.1	RMS	956.3	-62.15	-13	Pass	2911
1000	3000	1	RMS	2654	-46.65	-13	Pass	2001
3000	10000	1	RMS	7735	-42	-13	Pass	7001




8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:133297, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.59	-13	Pass	2986
30	653	0.1	RMS	489.2	-63.46	-13	Pass	6231
653	709	0.1	RMS	676.1	19.94	60	Pass	561
709	1000	0.1	RMS	931	-62.13	-13	Pass	2911
1000	3000	1	RMS	2653	-46.66	-13	Pass	2001
3000	10000	1	RMS	7732	-42.06	-13	Pass	7001




8.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:133297, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.53	-13	Pass	2986
30	653	0.1	RMS	652.2	-63.53	-13	Pass	6231
653	709	0.1	RMS	676.1	18.92	60	Pass	561
709	1000	0.1	RMS	860.4	-62.12	-13	Pass	2911
1000	3000	1	RMS	2652	-46.69	-13	Pass	2001
3000	10000	1	RMS	7728	-42.05	-13	Pass	7001




8.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:133422, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.63	-13	Pass	2986
30	653	0.1	RMS	503.4	-63.3	-13	Pass	6231
653	709	0.1	RMS	688.6	19.95	60	Pass	561
709	1000	0.1	RMS	933.9	-62.09	-13	Pass	2911
1000	3000	1	RMS	2653	-46.67	-13	Pass	2001
3000	10000	1	RMS	7736	-42.04	-13	Pass	7001




8.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:133422, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.26	-13	Pass	2986
30	653	0.1	RMS	498.1	-63.52	-13	Pass	6231
653	709	0.1	RMS	688.6	19.1	60	Pass	561
709	1000	0.1	RMS	921.4	-62	-13	Pass	2911
1000	3000	1	RMS	2648	-46.66	-13	Pass	2001
3000	10000	1	RMS	7736	-41.99	-13	Pass	7001




8.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:133197, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.08	-13	Pass	2986
30	653	0.1	RMS	650.9	-63.32	-13	Pass	6231
653	709	0.1	RMS	663.8	19.31	60	Pass	561
709	1000	0.1	RMS	915	-62.07	-13	Pass	2911
1000	3000	1	RMS	2655	-46.56	-13	Pass	2001
3000	10000	1	RMS	7735	-42.04	-13	Pass	7001




8.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:133197, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.95	-13	Pass	2986
30	653	0.1	RMS	653	-63.55	-13	Pass	6231
653	709	0.1	RMS	663.8	18.45	60	Pass	561
709	1000	0.1	RMS	951.7	-62.17	-13	Pass	2911
1000	3000	1	RMS	2655	-46.59	-13	Pass	2001
3000	10000	1	RMS	7743	-41.99	-13	Pass	7001




8.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:133297, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.78	-13	Pass	2986
30	653	0.1	RMS	520.3	-63.36	-13	Pass	6231
653	709	0.1	RMS	673.8	19.22	60	Pass	561
709	1000	0.1	RMS	921.4	-62.15	-13	Pass	2911
1000	3000	1	RMS	2652	-46.67	-13	Pass	2001
3000	10000	1	RMS	7733	-42	-13	Pass	7001




8.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:133297, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.11	-13	Pass	2986
30	653	0.1	RMS	495	-63.43	-13	Pass	6231
653	709	0.1	RMS	673.8	18.46	60	Pass	561
709	1000	0.1	RMS	906.8	-62.22	-13	Pass	2911
1000	3000	1	RMS	2651	-46.69	-13	Pass	2001
3000	10000	1	RMS	7737	-41.99	-13	Pass	7001




8.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.61	-13	Pass	2986
30	653	0.1	RMS	497.7	-63.27	-13	Pass	6231
653	709	0.1	RMS	683.8	19.55	60	Pass	561
709	1000	0.1	RMS	976.7	-61.96	-13	Pass	2911
1000	3000	1	RMS	2652	-46.63	-13	Pass	2001
3000	10000	1	RMS	7724	-42.01	-13	Pass	7001




8.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:133397, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.9	-13	Pass	2986
30	653	0.1	RMS	507.9	-63.46	-13	Pass	6231
653	709	0.1	RMS	683.8	18.45	60	Pass	561
709	1000	0.1	RMS	924.6	-62.01	-13	Pass	2911
1000	3000	1	RMS	2659	-46.7	-13	Pass	2001
3000	10000	1	RMS	7726	-42.05	-13	Pass	7001




8.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-42.95	-13	Pass	2986
30	653	0.1	RMS	502.3	-63.41	-13	Pass	6231
653	709	0.1	RMS	664.1	19.91	60	Pass	561
709	1000	0.1	RMS	926.6	-62.05	-13	Pass	2911
1000	3000	1	RMS	2656	-46.62	-13	Pass	2001
3000	10000	1	RMS	7733	-42.06	-13	Pass	7001




8.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:133222, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-41.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.36	-13	Pass	2986
30	653	0.1	RMS	479.1	-63.49	-13	Pass	6231
653	709	0.1	RMS	664.1	19.02	60	Pass	561
709	1000	0.1	RMS	910.4	-62.04	-13	Pass	2911
1000	3000	1	RMS	2656	-46.66	-13	Pass	2001
3000	10000	1	RMS	7749	-42.02	-13	Pass	7001




8.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:133322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.26	-13	Pass	2986
30	653	0.1	RMS	651.3	-63.5	-13	Pass	6231
653	709	0.1	RMS	674.1	19.85	60	Pass	561
709	1000	0.1	RMS	933.5	-61.98	-13	Pass	2911
1000	3000	1	RMS	2655	-46.66	-13	Pass	2001
3000	10000	1	RMS	7740	-42.03	-13	Pass	7001




8.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:133322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.43	-13	Pass	401
0.15	30	0.01	RMS	0.16	-43.89	-13	Pass	2986
30	653	0.1	RMS	517.1	-63.54	-13	Pass	6231
653	709	0.1	RMS	674.1	19.13	60	Pass	561
709	1000	0.1	RMS	885.9	-61.96	-13	Pass	2911
1000	3000	1	RMS	2654	-46.71	-13	Pass	2001
3000	10000	1	RMS	7742	-42.03	-13	Pass	7001



8.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.2	-13	Pass	2986
30	653	0.1	RMS	508.8	-63.4	-13	Pass	6231
653	709	0.1	RMS	679.1	19.85	60	Pass	561
709	1000	0.1	RMS	906.9	-62.15	-13	Pass	2911
1000	3000	1	RMS	2645	-46.7	-13	Pass	2001
3000	10000	1	RMS	7733	-42.06	-13	Pass	7001



8.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.66	-13	Pass	2986
30	653	0.1	RMS	506.9	-63.39	-13	Pass	6231
653	709	0.1	RMS	679.1	18.98	60	Pass	561
709	1000	0.1	RMS	936.3	-61.99	-13	Pass	2911
1000	3000	1	RMS	2654	-46.69	-13	Pass	2001
3000	10000	1	RMS	7739	-41.98	-13	Pass	7001

