




**LTE band 41 (5 MHz)**



**QPSK Low Channel - 1 RB**




**QPSK Low Channel - Full RB**




**QPSK High Channel - 1 RB**

**QPSK High Channel - Full RB**


**LTE band 41 (10 MHz)**



**QPSK Low Channel - 1 RB**




**QPSK Low Channel - Full RB**




**QPSK High Channel - 1 RB**

**QPSK High Channel - Full RB**


**LTE band 41 (15 MHz)**



**QPSK Low Channel - 1 RB**




**QPSK Low Channel - Full RB**




**QPSK High Channel - 1 RB**

**QPSK High Channel - Full RB**


**LTE band 41 (20 MHz)**



**QPSK Low Channel - 1 RB**





**QPSK Low Channel - Full RB**





**QPSK High Channel - 1 RB**

**QPSK High Channel - Full RB**



**LTE band 66/4 (1.4 MHz)**





**LTE band 4 (1.4 MHz)**





**LTE band 66 (1.4 MHz)**





**LTE band 66/4 (3 MHz)**





**LTE band 4 (3 MHz)**





**LTE band 66 (3 MHz)**





**LTE band 66/4 (5 MHz)**





**LTE band 4 (5 MHz)**





**LTE band 66 (5 MHz)**





**LTE band 66/4 (10 MHz)**



**LTE band 4 (10 MHz)**




**LTE band 66 (10 MHz)**






**LTE band 66/4 (15 MHz)**




QPSK Low Channel - 1 RB




QPSK Low Channel - Full RB

**LTE band 4 (15 MHz)**




QPSK High Channel - 1 RB




QPSK High Channel - Full RB

**LTE band 66 (15 MHz)**




QPSK High Channel - 1 RB




QPSK High Channel - Full RB

**LTE band 66/4 (20 MHz)**




QPSK Low Channel - 1 RB




QPSK Low Channel - Full RB

**LTE band 4 (20 MHz)**




QPSK High Channel - 1 RB




QPSK High Channel - Full RB

**LTE band 66 (20 MHz)**




QPSK High Channel - 1 RB




QPSK High Channel - Full RB


LTE band 71 (5 MHz)




**LTE band 71 (10 MHz)**



LTE band 71 (15 MHz)



**LTE band 71 (20 MHz)**



## 7. Frequency Stability

### 7.1. Limit

- § 2.1055 (a), § 2.1055 (d) & following:

- §22.355, the carrier frequency of each transmitter in the Public Mobile Services must be maintained within the tolerances given in Table of this section.


For Mobile devices operating in the 824 to 849 MHz band at a power level less than or equal to 3 Watts, the limit specified in Table C-1 is +/- 2.5 ppm.

- §24.235, the frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

- §27.54, the frequency stability shall be sufficient to ensure that the fundamental emissions stay within the authorized bands of operation.

### 7.2. Test Procedure

1. Frequency Stability vs. Temperature: The equipment under test was connected to an external DC power supply and the RF output was connected to a Mobile Test Unit via feed-through attenuators.
2. The EUT was placed inside the temperature chamber.
3. After the temperature stabilized for approximately 20 minutes, the frequency output was recorded from Mobile Test Unit.



### 7.3. Test Results

Ambient temperature : (23 ± 1) °C  
 Relative humidity : 47 % R.H.

#### LTE band 12 at middle channel

Operating Frequency: 707.5 MHz			
Frequency Stability versus Temperature			
Environment Temperature (°C)	Power Supplied (V)	Frequency Measure with Time Elapse	
		Frequency Error (Hz)	ppm
50	3.8	1	0.001 4
40		-5	-0.007 1
30		2	0.002 8
20 (Ref.)		-1	-
10		2	0.002 8
0		-1	-0.001 4
-10		3	0.004 2
-20		2	0.002 8
-30		-2	-0.002 8
Frequency Stability versus Power Supply			
Environment Temperature (°C)	Power Supplied (V)	Frequency Measure with Time Elapse	
		Frequency Error (Hz)	ppm
20	4.37	3	0.004 2
	3.40 (End point)	-3	-0.004 2



**LTE band 25/2 at middle channel**

Operating Frequency: 1 882.5 MHz			
Frequency Stability versus Temperature			
Environment Temperature (°C)	Power Supplied (V)	Frequency Measure with Time Elapse	
		Frequency Error (Hz)	ppm
50	3.8	4	0.002 1
40		-1	-0.000 5
30		-3	-0.001 6
20 (Ref.)		5	-
10		2	0.001 1
0		-4	-0.002 1
-10		-3	-0.001 6
-20		5	0.002 7
-30		-2	-0.001 1
Frequency Stability versus Power Supply			
Environment Temperature (°C)	Power Supplied (V)	Frequency Measure with Time Elapse	
		Frequency Error (Hz)	ppm
20	4.37	-3	-0.001 6
	3.40 (End point)	4	0.002 1

**LTE band 26/5 at middle channel**

<b>Operating Frequency: 831.5 MHz</b>			
<b>Frequency Stability versus Temperature</b>			
<b>Environment Temperature (°C)</b>	<b>Power Supplied (V)</b>	<b>Frequency Measure with Time Elapse</b>	
		<b>Frequency Error (Hz)</b>	<b>ppm</b>
50	3.8	2	0.002 4
40		-1	-0.001 2
30		-4	-0.004 8
20 (Ref.)		3	-
10		-2	-0.002 4
0		4	0.004 8
-10		5	0.006 0
-20		2	0.002 4
-30		-2	-0.002 4
<b>Frequency Stability versus Power Supply</b>			
<b>Environment Temperature (°C)</b>	<b>Power Supplied (V)</b>	<b>Frequency Measure with Time Elapse</b>	
		<b>Frequency Error (Hz)</b>	<b>ppm</b>
20	4.37	-3	-0.003 6
	3.40 (End point)	-1	-0.001 2

**LTE band 41 at middle channel**

Operating Frequency: 2 593 MHz			
Frequency Stability versus Temperature			
Environment Temperature (°C)	Power Supplied (V)	Frequency Measure with Time Elapse	
		Frequency Error (Hz)	ppm
50	3.8	2	0.000 8
40		4	0.001 5
30		-2	-0.000 8
20 (Ref.)		-2	-
10		4	0.001 5
0		3	0.001 2
-10		1	0.000 4
-20		-5	-0.001 9
-30		1	0.000 4
Frequency Stability versus Power Supply			
Environment Temperature (°C)	Power Supplied (V)	Frequency Measure with Time Elapse	
		Frequency Error (Hz)	ppm
20	4.37	2	0.000 8
	3.40 (End point)	-4	-0.001 5

**LTE band 66/4 at middle channel**

<b>Operating Frequency: 1 745 MHz</b>			
<b>Frequency Stability versus Temperature</b>			
<b>Environment Temperature (°C)</b>	<b>Power Supplied (V)</b>	<b>Frequency Measure with Time Elapse</b>	
		<b>Frequency Error (Hz)</b>	<b>ppm</b>
50	3.8	-3	-0.001 7
40		-2	-0.001 1
30		5	0.002 9
20 (Ref.)		1	-
10		-4	-0.002 3
0		2	0.001 1
-10		-2	-0.001 1
-20		4	0.002 3
-30		1	0.000 6
<b>Frequency Stability versus Power Supply</b>			
<b>Environment Temperature (°C)</b>	<b>Power Supplied (V)</b>	<b>Frequency Measure with Time Elapse</b>	
		<b>Frequency Error (Hz)</b>	<b>ppm</b>
20	4.37	4	0.002 3
	3.40 (End point)	1	0.000 6

**LTE band 71 at middle channel**

Operating Frequency: 680.5 MHz			
Frequency Stability versus Temperature			
Environment Temperature (°C)	Power Supplied (V)	Frequency Measure with Time Elapse	
		Frequency Error (Hz)	ppm
50	3.8	-3	-0.004 4
40		4	0.005 9
30		2	0.002 9
20 (Ref.)		-2	-
10		-1	-0.001 5
0		4	0.005 9
-10		2	0.002 9
-20		-3	-0.004 4
-30		3	0.004 4
Frequency Stability versus Power Supply			
Environment Temperature (°C)	Power Supplied (V)	Frequency Measure with Time Elapse	
		Frequency Error (Hz)	ppm
20	4.37	3	0.004 4
	3.40 (End point)	-2	-0.002 9

**- End of the Test Report -**