

# ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

## INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 22 SUBPART H, PART 24 SUBPART E

OF

**Product Name:** MYZONE - MOBILE 3G WIFI ROUTER

**Brand Name:** NETCOMM

**Model Name:** MYZONE

**Model Difference:** N/A

**FCC ID:** XIA-3G24WN

**Report No.:** EH/2010/70051

**Issue Date:** Oct. 20, 2010

**FCC Rule Part:** 2 , 22H, 24E

**Prepared for:** NetComm Limited

2-6 Orion Road, Lane Cove,

NSW Australia 2066

**Prepared by:** SGS Taiwan Ltd.

Electronics & Communication Laboratory

No. 134, Wu Kung Rd., Wuku Industrial

Zone, Taipei County, Taiwan.

*Note: This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This document may be altered or revised by SGS Taiwan Ltd. personnel only, and shall be noted in the revision section of the document.*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

## VERIFICATION OF COMPLIANCE

**Applicant:** NetComm Limited  
 2-6 Orion Road, Lane Cove,  
 NSW Australia 2066

**Product Name:** MYZONE - MOBILE 3G WIFI ROUTER

**FCC ID:** XIA-3G24WN

**Brand Name:** NETCOMM

**Model No.:** MYZONE

**Model Difference:** N/A

**File Number:** EH/2010/70051




**Date of test:** Jul. 26, 2010~ Oct. 17, 2010

**Date of EUT Received:** Jul. 26, 2010

**We hereby certify that:**

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory. The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in TIA/EIA-603-C-2004 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits of FCC Rule PART 22 subpart H, PART 24 subpart E.

The test results of this report relate only to the tested sample identified in this report.

|                     |   |              |               |
|---------------------|---|--------------|---------------|
| <b>Test By:</b>     |  | <b>Date:</b> | Oct. 20, 2010 |
|                     | _____<br><i>Sky Wang / Asst. Supervisor</i>   |              | _____         |
| <b>Prepared By:</b> |  | <b>Date:</b> | Oct. 20, 2010 |
|                     | _____<br><i>Mark Chung / Project Engineer</i>                                       |              | _____         |
| <b>Approved By:</b> |  | <b>Date:</b> | Oct. 20, 2010 |
|                     | _____<br><i>Arno Hsieh / Asst. Supervisor</i>                                       |              | _____         |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## Version

| Version No. | Date          | Description                  |
|-------------|---------------|------------------------------|
| 00          | Oct. 20, 2010 | Initial creation of document |
|             |               |                              |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

## Table of Contents

|          |  |           |
|----------|--|-----------|
| <b>1</b> | <b>GENERAL INFORMATION .....</b>                   | <b>6</b>  |
| 1.1      | Related Submittal(s) / Grant (s) .....             | 9         |
| 1.2      | Test Methodology .....                             | 9         |
| 1.3      | Test Facility .....                                | 9         |
| 1.4      | Special Accessories .....                          | 9         |
| 1.5      | Equipment Modifications .....                      | 9         |
| <b>2</b> | <b>SYSTEM TEST CONFIGURATION .....</b>             | <b>10</b> |
| 2.1.     | EUT Configuration .....                            | 10        |
| 2.2.     | EUT Exercise .....                                 | 10        |
| 2.3.     | Test Procedure .....                               | 10        |
| 2.4.     | Measurement Equipment Used: .....                  | 11        |
| 2.5.     | Configuration of Tested System .....               | 13        |
| <b>3</b> | <b>SUMMARY OF TEST RESULTS .....</b>               | <b>14</b> |
| <b>4</b> | <b>DESCRIPTION OF TEST MODES .....</b>             | <b>15</b> |
| <b>5</b> | <b>RF POWER OUTPUT MEASUREMENT .....</b>           | <b>16</b> |
| 5.1      | Standard Applicable .....                          | 16        |
| 5.2      | Test Set-up: .....                                 | 17        |
| 5.3      | Measurement Procedure .....                        | 17        |
| 5.4      | Measurement Equipment Used: .....                  | 17        |
| 5.5      | Measurement Result: .....                          | 18        |
| <b>6</b> | <b>ERP, EIRP MEASUREMENT .....</b>                 | <b>23</b> |
| 6.1      | Standard Applicable .....                          | 23        |
| 6.2      | Test SET-UP (Block Diagram of Configuration) ..... | 23        |
| 6.3      | Measurement Procedure .....                        | 25        |
| 6.4      | Measurement Equipment Used: .....                  | 25        |
| 6.5      | Measurement Result .....                           | 26        |
| <b>7</b> | <b>99% OCCUPIED BANDWIDTH MEASUREMENT .....</b>    | <b>30</b> |
| 7.1      | Standard Applicable .....                          | 30        |
| 7.2      | Test Set-up: .....                                 | 30        |
| 7.3      | Measurement Procedure .....                        | 30        |
| 7.4      | Measurement Equipment Used: .....                  | 30        |
| 7.5      | Measurement Result: .....                          | 31        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

|           |   |           |
|-----------|---|-----------|
| <b>8</b>  | <b>OUT OF BAND EMISSION AT ANTENNA TERMINALS .....</b>        | <b>45</b> |
| 8.1       | Standard Applicable .....                                     | 45        |
| 8.2       | Test SET-UP.....  | 45        |
| 8.3       | Measurement Procedure.....                                    | 45        |
| 8.4       | Measurement Equipment Used: .....                             | 45        |
| 8.5       | Measurement Result.....                                       | 46        |
| <b>9</b>  | <b>FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT .....</b> | <b>62</b> |
| 9.1       | Standard Applicable .....                                     | 62        |
| 9.2       | EUT Setup (Block Diagram of Configuration).....               | 62        |
| 9.3       | Measurement Procedure.....                                    | 64        |
| 9.4       | Measurement Equipment Used: .....                             | 64        |
| 9.5       | Measurement Result.....                                       | 64        |
| <b>10</b> | <b>FREQUENCY STABILITY V.S. TEMPERATURE MEASUREMENT .....</b> | <b>89</b> |
| 10.1      | Standard Applicable .....                                     | 89        |
| 10.2      | Test Set-up: .....  | 89        |
| 10.3      | Measurement Procedure.....                                    | 89        |
| 10.4      | Measurement Equipment Used: .....                             | 89        |
| 10.5      | Measurement Result.....                                       | 90        |
| <b>11</b> | <b>FREQUENCY STABILITY V.S. VOLTAGE MEASUREMENT .....</b>     | <b>92</b> |
| 11.1      | Standard Applicable .....                                     | 92        |
| 11.2      | Test Set-up: .....  | 92        |
| 11.3      | Measurement Procedure.....                                    | 92        |
| 11.4      | Measurement Equipment Used: .....                             | 92        |
| 11.5      | Measurement Result.....                                       | 93        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

# 1 GENERAL INFORMATION

## General:

|                   |  |  |  |
|-------------------|--|--|--|
| Product Name:     | MYZONE - MOBILE 3G WIFI ROUTER                               |  |  |
| FCC ID:           | XIA-3G24WN   |  |  |
| Model Name:       | MYZONE   |  |  |
| Model Difference: | N/A  |  |  |
| Power Supply:     | 3.7 Vdc re-chargeable battery or 5Vdc by AC/DC power adapter |  |  |
|                   | Battery:   | Model: US555143A9H<br>Supplier: SONY                               |  |
|                   | Adapter:   | Model: PSA105R-050Q<br>Supplier: PHIHONG                           |  |
|                   |  | Model: MII050100<br>Supplier: Tamura Power Technology Co.Ltd / TPT |  |
| Data Cable:       | Model No.: AS51-08060004<br>Supplier: Golden Bridge          |  |  |

## GSM and WCDMA:

|   | Operating Frequency   | Rated Power           |
|---|---|-----------------------|
| Cellular Phone Standards Frequency Range: | GSM / GPRS 850, Class 10  | 824.2 MHz– 848.8 MHz  |
|   | EDGE 850, Class 10  | 824.2 MHz– 848.8 MHz  |
|   | GSM / GPRS 1900, Class 10   | 1850.2MHz – 1909.8MHz |
|   | EDGE 1900, Class 10   | 1850.2MHz – 1909.8MHz |
|   | WCDMA/HSUPA/HSDPA Band II   | 1852.4MHz – 1907.6MHz |
|   | WCDMA/HSUPA/HSDPA Band V  | 826.4MHz - 846.6MHz   |
| IMEI:                                     | 358395030003752   |                       |
| Type of Emission:                         | 22H(GMSK): 824.2 - 848.8 MHz: 246KGXW<br>24E(GMSK): 1850.2 – 1909.8 MHz: 245KGXW<br>22H(8PSK): 824.2 - 848.8 MHz: 245KG7W |                       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|                                      |   |
|--------------------------------------|---|
|                                      | 24E(8PSK): 1850.2 – 1909.8 MHz: 244KG7W<br>22H(WCDMA BV): 826.4 - 846.6 MHz: 4M18F9W<br>24E(WCDMA BII): 1852.4 – 1907.5 MHz: 4M18F9W<br>22H(HSUPA BV): 826.4 - 846.6 MHz: 4M17F9W<br>24E(HSUPA BII): 1852.4 – 1907.5 MHz: 4M18F9W   |
| Transmit power<br>(Conducted Power): | 22H(GMSK): 824.2 - 848.8 MHz: 32.00dBm / 1.58W (Avg)<br>24E(GMSK): 1850.2 – 1909.8 MHz: 28.40dBm / 0.69W(Avg)<br>22H(8PSK): 824.2 - 848.8 MHz: 27.10dBm / 0.51 W(Avg)<br>24E(8PSK): 1850.2 – 1909.8 MHz: 25.30dBm / 0.34W (Avg)<br>22H(WCDMA BV): 826.4 - 846.6 MHz: 23.32dBm / 0.21W (Avg)<br>24E(WCDMA BII): 1852.4 – 1907.5 MHz: 22.55dBm / 0.18W (Avg)  |
| Radiated ERP/EIPR:                   | 22H(GMSK): 824.2 - 848.8 MHz: 32.30dBm / 1.70W<br>24E(GMSK): 1850.2 – 1909.8 MHz: 27.91dBm / 0.62W<br>22H(8PSK): 824.2 - 848.8 MHz: 30.27dBm / 1.06 W<br>24E(8PSK): 1850.2 – 1909.8 MHz: 27.05dBm / 0.51W<br>22H(WCDMA BV): 826.4 - 846.6 MHz: 25.34dBm / 0.34W<br>24E(WCDMA BII): 1852.4 – 1907.5 MHz: 26.21dBm / 0.42W<br>22H(HSUPA BV): 826.4 - 846.6 MHz: 26.19dBm / 0.42W<br>24E(HSUPA BII): 1852.4 – 1907.5 MHz: 25.10dBm / 0.32W |

**WLAN:**

| Wi-Fi                | Frequency Range (MHz) | Channels | Max Power  | Modulation Technology | Type of Emission           |
|----------------------|-----------------------|----------|--|-----------------------|----------------------------|
| 11b/g                | 2412-2462             | 11       | b : 12.35dBm<br>g : 12.93dBm                                       | DSSS, OFDM            | b : 15M7G1D<br>g : 16M6G1D |
| Antenna Designation: |                       |          | Antenna Type : PIFA<br>Antenna gain : 0.90dBi                      |                       |                            |
| Modulation type:     |                       |          | CCK, DQPSK, DBPSK for DSSS<br>64QAM, 16QAM, QPSK, BPSK for OFDM    |                       |                            |
| Transition Rate:     |                       |          | 802.11 b: 1/2/5.5/11 Mbps;<br>802.11 g: 6/9/12/18/24/36/48/54 Mbps |                       |                            |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Final Amplifier Voltage and Current Information:**

| Test Mode      | DC voltage (V) | DC current (mA) |
|----------------|----------------|-----------------|
| GPRS 850       | 3.7V           | 350             |
| GPRS 1900      | 3.7V           | 270             |
| GPRS EDGE 850  | 3.7V           | 260             |
| GPRS EDGE 1900 | 3.7V           | 240             |
| WCDMA Band 2   | 3.7V           | 690             |
| HSUPA Band 2   | 3.7V           | 520             |
| WCDMA Band 5   | 3.7V           | 750             |
| HSUPA Band 5   | 3.7V           | 540             |

This test report applies for GPRS 850/1900 MHz and WCDMA Bands II and V.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group



### 1.1 Related Submittal(s) / Grant (s)

This submittal(s) (test report) is intended for FCC ID: XIA-3G24WN filing to comply with Section Part 22 subpart H, Part 24 subpart E.

### 1.2 Test Methodology

Both conducted and radiated testing were performed according to the procedures document on TIA/EIA-603C and FCC 47 CFR 2.1046, 2.1047, 2.1049, 2.1051, 2.1053, 2.1055, 2.1057.

### 1.3 Test Facility

The measurement facilities used to collect the 3m Radiated Emission and AC power line conducted data are located on the address of SGS Taiwan Ltd. Electronics & Communication Laboratory No. 134, Wu Kung Rd., Wuku Industrial Zone, Taipei Country, Taiwan which are constructed and calibrated to meet the FCC requirements in documents ANSI C63.4: 2003. FCC Registration Number are: 990257 and 236194, Canada Registration Number: 4620A-4

The 10 m Open Area Test Sites located on the address of SGS Taiwan Ltd. Electronics & Communication Laboratory No. 29, Pau-Tou-Tsuo Valley Chia-Pau Tsuen, Linkou Hsiang, Taipei county, which is constructed and calibrated to meet the CISPR 22/EN 55022 requirements. SGS Site No. 1(3 &10 meters) and FCC Registration Number: 94644.

### 1.4 Special Accessories

Not available for this EUT intended for grant.

### 1.5 Equipment Modifications

Not available for this EUT intended for grant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

## 2 SYSTEM TEST CONFIGURATION

### 2.1. EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

### 2.2. EUT Exercise

The EUT (Transmitter) was operated in the engineering mode to fix the Tx frequency which was for the purpose of the measurements.

### 2.3. Test Procedure

#### 2.3.1 Conducted Measurement at Antenna Port:

According to measurement procured TIA/EIA 603C, the EUT is placed on a turn table which is 0.8 m above ground plane. A low loss of RF cable was used to connect the antenna port of EUT to measurement equipment.

#### 2.3.2 Radiated Emissions (ERP/EIRP):

According to measurement procured TIA/EIA 603C and TIA/EIA IS-98 for Mobile stations. The EUT is placed on a turn table which is 0.8 m above ground plane. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes according to the requirements.

A standard antenna was used to replace the EUT and connect to the SG. Adjust the SG output level to reach the max emission level which were measured above.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

**2.4. Measurement Equipment Used:**

| Conducted Emission Test Site |               |                  |               |            |            |
|------------------------------|---------------|------------------|---------------|------------|------------|
| EQUIPMENT TYPE               | MFR           | MODEL NUMBER     | SERIAL NUMBER | LAST CAL.  | CAL DUE.   |
| Spectrum Analyzer            | Agilent       | E4446A           | MY43360126    | 04/19/2010 | 04/18/2012 |
| Spectrum Analyzer            | Agilent       | E4440A           | US41160416    | 01/25/2010 | 01/24/2011 |
| Radio Communication Analyzer | R&S           | CMU200           | 111787        | 10/31/2008 | 10/30/2010 |
| Radio Communication Analyzer | Agilent       | 8960             | B44052230     | 04/29/2010 | 04/29/2012 |
| 800 – 1000MHz Filter         | Micro-Tronics | BRM13462         | 001           | 01/05/2010 | 01/04/2011 |
| 1800 – 2000MHz Filter        | Micro-Tronics | BRM13463         | 001           | 01/05/2010 | 01/04/2011 |
| Temperature Chamber          | TERCHY        | MHG-120LF        | 911009        | 04/30/2010 | 04/29/2012 |
| Temperature Chamber          | GIANT FORCE   | GTH-150-40-CP-AR | MAA0512-018   | 02/24/2010 | 02/23/2012 |
| DC Block                     | Agilent       | BLK-18           | 155452        | 07/05/2010 | 07/04/2011 |
| Attenuator                   | Mini-Circuit  | BW-S20W5         | N/A           | 07/05/2010 | 07/04/2011 |
| Attenuator                   | Mini-Circuit  | BW-S10W5         | N/A           | 07/05/2010 | 07/04/2011 |
| Attenuator                   | Mini-Circuit  | BW-S6W5          | N/A           | 07/05/2010 | 07/04/2011 |
| Splitter                     | Agilent       | 11636B           | N/A           | 07/05/2010 | 07/04/2011 |
| DC Power Supply              | Chroma        | 41901            | 777188        | 04/15/2010 | 04/14/2012 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**ERP, EIRP MEASUREMENT EQUIPMENT List 966 Chamber**

| EQUIPMENT TYPE               | MFR           | MODEL NUMBER        | SERIAL NUMBER | LAST CAL.  | CAL DUE.   |
|------------------------------|---------------|---------------------|---------------|------------|------------|
| Spectrum Analyzer            | R&S           | FSP 40              | 100034        | 02/12/2010 | 02/11/2011 |
| Bilog Antenna                | SCHWAZBECK    | VULB9160            | 3136          | 11/19/2009 | 11/18/2010 |
| Dipole Antenna               | SCHWAZBECK    | VHAP                | 908/909       | 07/17/2010 | 07/16/2012 |
| Dipole Antenna               | SCHWAZBECK    | UHAP                | 891/892       | 07/17/2010 | 07/16/2012 |
| Horn antenna                 | SCHWAZBECK    | BBHA 9120D          | 309/320       | 03/09/2009 | 03/08/2011 |
| Signal Generator             | R&S           | SMR40               | 100210        | 02/10/2010 | 02/09/2012 |
| Signal Generator             | Agilent       | E4438C              | MY45093613    | 07/08/2010 | 07/07/2011 |
| Pre-Amplifier                | Agilent       | 8447D               | 1937A02834    | 11/28/2009 | 11/27/2010 |
| Pre-Amplifier                | Agilent       | 8449B               | 3008A01973    | 01/05/2010 | 01/04/2011 |
| Attenuator                   | Mini-Circuit  | BW-S20W5            | 001           | 07/05/2010 | 07/04/2011 |
| Attenuator                   | Mini-Circuit  | BW-S10W5            | 001           | 07/05/2010 | 07/04/2011 |
| Attenuator                   | Mini-Circuit  | BW-S6W5             | 001           | 07/05/2010 | 07/04/2011 |
| Radio Communication Analyzer | R&S           | CMU200              | 111787        | 10/31/2008 | 10/30/2010 |
| Turn Table                   | HD            | DT420               | N/A           | N.C.R      | N.C.R      |
| Antenna Tower                | HD            | MA240-N             | 240/657       | N.C.R      | N.C.R      |
| Controller                   | HD            | HD100               | N/A           | N.C.R      | N.C.R      |
| Low Loss Cable               | HUBER+SUHNER  | SUCOFLEX 104PEA-10M | 10m           | 01/05/2010 | 01/04/2011 |
| Low Loss Cable               | HUBER+SUHNER  | SUCOFLEX 104PEA-3M  | 3m            | 01/05/2010 | 01/04/2011 |
| Filter 800-1000              | Micro-Tronics | BRM13462            | 1             | 01/05/2010 | 01/04/2011 |
| Filter 1800-2000             | Micro-Tronics | BRM13463            | 1             | 01/05/2010 | 01/04/2011 |
| 3m Site                      | SGS           | 966 chamber         | N/A           | 11/08/2009 | 11/09/2010 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)


Member of SGS Group

## 2.5. Configuration of Tested System

**Fig. 2-1 Configuration of Tested System (Fixed Channel)**



**Fig. 2-2 Configuration of Tested System (Remote Side)**



**Table 2-1 Equipment Used in Tested System**

| Item | Equipment                    | Mfr/Brand | Model/Type No. | FCC ID | Series No. |
|------|------------------------------|-----------|----------------|--------|------------|
| 1.   | Radio Communication Analyzer | R&S       | CMU200         | N/A    | 102189     |
|      |                              |           |                |        |            |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

### 3 SUMMARY OF TEST RESULTS

| FCC Rules                              | Description Of Test                        | Result    |
|--|--|-----------|
| §2.1046(a)<br>§22.913(a)<br>§24.232(c) | RF Conducted Power Output                  | Compliant |
| §2.1046(a)<br>§22.913(a)<br>§24.232(c) | ERP/EIRP measurement                       | Compliant |
| §2.1049(h)                             | 99% Occupied Bandwidth                     | Compliant |
| §2.1051<br>§22.917(a)<br>§24.238(a)    | Out of Band Emissions at Antenna Terminals | Compliant |
| §2.1053<br>§22.917(a)<br>§24.238(a)    | Field Strength of Spurious Radiation (TX)  | Compliant |
| §2.1055(a)(1)<br>§22.355<br>§24.235    | Frequency Stability vs. Temperature        | Compliant |
| §2.1055(d)(2)<br>§22.355<br>§24.235    | Frequency Stability vs. Voltage            | Compliant |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

#### 4 DESCRIPTION OF TEST MODES

The EUT has been tested under operating condition.

Set EUT power control “all up bits” for all test mode through base station.

Channel Low, Mid and High for each type of bands with rated data rate were chosen for full testing.

The field strength of spurious radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for GPRS850/1900 and WCDMA B2/B5. The following worst-cast test mode is reported and measured.

GPRS 850: H

GPRS 1900: E2

WCDMA BII: E1

WCDMA BV: E2

Max ERP/EIRP measurement result:

|                | dBm   |      | W     |
|----------------|-------|------|-------|
| GSM 850 Band   | 32.30 | ERP  | 1.698 |
| GSM 1900 Band  | 27.91 | EIRP | 0.618 |
| EDGE 850 Band  | 30.27 | ERP  | 1.064 |
| EDGE 1900 Band | 27.05 | EIRP | 0.507 |
| WCDMA Band II  | 25.34 | EIRP | 0.342 |
| HSUPA Band II  | 25.10 | EIRP | 0.324 |
| WCDMA Band V   | 26.21 | ERP  | 0.418 |
| HSUPA Band V   | 26.19 | ERP  | 0.416 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

## 5 RF POWER OUTPUT MEASUREMENT

### 5.1 Standard Applicable

According to FCC §2.1046.

FCC 22.913(a) Mobile station are limited to 7W.

FCC 24.232(c) Peak Power Measurement.

3GPP Power limitation for HSDPA and HSUPA

#### Maximum Output Powers for HSDPA

| Sub-test in table C.10.1.4 | Power Class 3 |           | Power Class 4 |           |
|----------------------------|---------------|-----------|---------------|-----------|
|                            | Power (dBm)   | Tol (dB)  | Power (dBm)   | Tol (dB)  |
| 1                          | +24           | +1.7/-3.7 | +21           | +2.7/-2.7 |
| 2                          | +24           | +1.7/-3.7 | +21           | +2.7/-2.7 |
| 3                          | +23.5         | +2.2/-3.7 | +20.5         | +3.2/-2.7 |
| 4                          | +23.5         | +2.2/-3.7 | +20.5         | +3.2/-2.7 |

#### Maximum Output Powers for HSUPA

| Sub-test in table C.11.1.3 | Power Class 3 |           | Power Class 4 |           |
|----------------------------|---------------|-----------|---------------|-----------|
|                            | Power (dBm)   | Tol (dB)  | Power (dBm)   | Tol (dB)  |
| 1                          | +24           | +1.7/-6.7 | +21           | +2.7/-5.7 |
| 2                          | +22           | +3.7/-5.2 | +19           | +4.7/-4.2 |
| 3                          | +23           | +2.7/-5.2 | +20           | +3.7/-4.2 |
| 4                          | +22           | +3.7/-5.2 | +19           | +4.7/-4.2 |
| 5                          | +24           | +1.7/-6.7 | +21           | +2.7/-5.7 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group



**5.2 Test Set-up:**



*Note: Measurement setup for testing on Antenna connector*

**5.3 Measurement Procedure**

The transmitter output was connected to a calibrated attenuator, the other end of which was connected to a power meter. Transmitter output was read off the power meter in dBm. The power output at the transmitter antenna port was determined by adding the value of the attenuator to the power meter reading. The Procedure of KDB941225(SAR Measurement Procedures for 3G devices, WCDMA/HSDPA) was used for EUT and Base station setting.RMC 12.2kps is used for this testing

**5.4 Measurement Equipment Used:**

Refer to section 2.4 in this report

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**5.5 Measurement Result:**

**5.5.1 RF Conducted Output Power**

**5.5.1.1.: GSM/EDGE (GMSK; 8-PSK)**

| EUT Mode | Frequency (MHz) | CH  | Avg. Power (1TS) (dBm) | Avg. Power (2TS) (dBm) |
|----------|-----------------|-----|------------------------|------------------------|
| GPRS 850 | 824.2           | 128 | 31.90                  | 28.80                  |
|          | 836.6           | 190 | 32.00                  | 28.90                  |
|          | 848.8           | 251 | 32.00                  | 28.90                  |

| EUT Mode  | Frequency (MHz) | CH  | Avg. Power (1TS) (dBm) | Avg. Power (2TS) (dBm) |
|-----------|-----------------|-----|------------------------|------------------------|
| GPRS 1900 | 1850.2          | 512 | 28.40                  | 25.10                  |
|           | 1880.0          | 661 | 28.20                  | 24.90                  |
|           | 1909.8          | 810 | 28.30                  | 25.00                  |

| EUT Mode | Frequency (MHz) | CH  | Avg. Power (1TS) (dBm) | Avg. Power (2TS) (dBm) |
|----------|-----------------|-----|------------------------|------------------------|
| EDGE 850 | 824.2           | 128 | 27.00                  | 27.00                  |
|          | 836.6           | 190 | 27.00                  | 27.10                  |
|          | 848.8           | 251 | 27.00                  | 27.10                  |

| EUT Mode  | Frequency (MHz) | CH  | Avg. Power (1TS) (dBm) | Avg. Power (2TS) (dBm) |
|-----------|-----------------|-----|------------------------|------------------------|
| EDGE 1900 | 1850.2          | 512 | 25.20                  | 25.30                  |
|           | 1880.0          | 661 | 25.00                  | 25.10                  |
|           | 1909.8          | 810 | 25.10                  | 25.00                  |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**5.5.1.2 WCDMA Mode:**

The following tests were completed according to the test requirements outlined in section 5.2 of the 3GPP TS34.121-1 V8.4.0 specification. The EUT supports power Class 3, which has a nominal maximum output power of 24 dBm (+1.7/-3.7). RMC 12.2kps is used for this testing.

| EUT Mode      | Frequency (MHz) | CH   | Avg. Power (dBm) |
|---------------|-----------------|------|------------------|
| WCDMA Band II | 1852.4          | 9262 | 22.32            |
|               | 1880.0          | 9400 | 22.55            |
|               | 1907.6          | 9538 | 21.98            |

| EUT Mode     | Frequency (MHz) | CH   | Avg. Power (dBm) |
|--------------|-----------------|------|------------------|
| WCDMA Band V | 826.4           | 4132 | 23.26            |
|              | 836.6           | 4183 | 23.14            |
|              | 846.6           | 4233 | 23.32            |

Note: The results above reflect max power with all up bits.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**5.5.1.3 HSDPA Release 6 Mode:**

The following 4 Sub-Tests were completed according to the test requirements outlined in section 5.2A of the 3GPP TS34.121-1 V8.4.0 specification. All TX power requirements for Power Class 3 were met according to table 5.2AA.5 and 5.2B.5 All UE channels and power ratio's are set according to table C10.1.4 & C11.1.3 in the 3GPP TS34.121-1 V8.4.0. RMC 12.2kps is used for this testing

**HSDPA SUB-TEST Setting**

**Table C.10.1.4:  $\beta$  values for transmitter characteristics tests with HS-DPCCH(FOR HSDPA)**

| Sub-test | $\beta_c$         | $\beta_d$         | $\beta_d$<br>(SF) | $\beta_c/\beta_d$ | $\beta_{HS}$<br>(Note 1,<br>Note 2) | CM (dB)<br>(Note 3) | MPR (dB)<br>(Note 3) | RMC<br>(Kbps) |
|----------|-------------------|-------------------|-------------------|-------------------|-------------------------------------|---------------------|----------------------|---------------|
| 1        | 2/15              | 15/15             | 64                | 2/15              | 4/15                                | 0.0                 | 0.0                  | 12.2          |
| 2        | 12/15<br>(Note 4) | 15/15<br>(Note 4) | 64                | 12/15<br>(Note 4) | 24/15                               | 1.0                 | 0.0                  | 12.2          |
| 3        | 15/15             | 8/15              | 64                | 15/8              | 30/15                               | 1.5                 | 0.5                  | 12.2          |
| 4        | 15/15             | 4/15              | 64                | 15/4              | 30/15                               | 1.5                 | 0.5                  | 12.2          |

**Note: The recommended HSDPA MPRs are implemented as per following sub-tests.**

**Results:**

| Mode      | Sub-test | Transmitter Power (dBm)<br>Channel |       |       | Power Class 3 Limita-<br>tion (dBm) | Comments |
|-----------|----------|------------------------------------|-------|-------|-------------------------------------|----------|
|           |          | 9262                               | 9400  | 95s38 |                                     |          |
| HSDPA(B2) | 1        | 22.49                              | 22.44 | 21.84 | 20.3dBm – 25.7dBm                   | Pass     |
|           | 2        | 22.20                              | 22.41 | 21.83 | 20.3dBm – 25.7dBm                   | Pass     |
|           | 3        | 22.01                              | 21.99 | 21.31 | 19.8dBm – 25.7dBm                   | Pass     |
|           | 4        | 22.08                              | 22.00 | 21.43 | 19.8dBm – 25.7dBm                   | Pass     |

**Results:**

| Mode      | Sub-test | Transmitter Power (dBm)<br>Channel |       |       | Power Class 3 Limita-<br>tion (dBm) | Comments |
|-----------|----------|------------------------------------|-------|-------|-------------------------------------|----------|
|           |          | 4132                               | 4183  | 4233  |                                     |          |
| HSDPA(B5) | 1        | 23.05                              | 23.00 | 23.44 | 20.3dBm – 25.7dBm                   | Pass     |
|           | 2        | 23.19                              | 23.03 | 23.19 | 20.3dBm – 25.7dBm                   | Pass     |
|           | 3        | 22.59                              | 22.52 | 22.95 | 19.8dBm – 25.7dBm                   | Pass     |
|           | 4        | 22.64                              | 22.56 | 23.01 | 19.8dBm – 25.7dBm                   | Pass     |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**5.5.1.3 HSPA (HSDPA & HSUPA) Release 6 mode**

The following 5 Sub-Tests were completed according to the test requirements outlined in section 5.2A of the 3GPP TS34.121-1 V8.4.0 specification. All TX power requirements for Power Class 3 were met according to table 5.2AA.5 and 5.2B.5 All UE channels and power ratio's are set according to table C11.1.3 in the 3GPP TS34.121-1 V8.4.0. RMC 12.2kps is used for this testing

**HSPA SUB-TEST Setting**

**Table C.11.1.3:  $\beta$  values for transmitter characteristics tests with HS-DPCCH and E-DCH(FOR HSUPA)**

| Sub-test | $\beta_c$      | $\beta_a$      | $\beta_a$ (SF) | $\beta_c/\beta_a$ | $\beta_{HS}$ | $\beta_{ec}$ | $\beta_{ed}$                                 | $\beta_{ed}$ (SF) | $\beta_{ed}$ (Codes) | CM (dB) | MPR (dB) | AG Index | E-TFCI | RMC (Kbps) |
|----------|----------------|----------------|----------------|-------------------|--------------|--------------|--|-------------------|----------------------|---------|----------|----------|--------|------------|
| 1        | 11/15 (Note 3) | 15/15 (Note 3) | 64             | 11/15 (Note 3)    | 22/15        | 209/225      | 1309/225                                     | 4                 | 1                    | 1.0     | 0.0      | 20       | 75     | 12.2       |
| 2        | 6/15           | 15/15          | 64             | 6/15              | 12/15        | 12/15        | 94/75  | 4                 | 1                    | 3.0     | 2.0      | 12       | 67     | 12.2       |
| 3        | 15/15          | 9/15           | 64             | 15/9              | 30/15        | 30/15        | $\beta_{ed1}: 47/15$<br>$\beta_{ed2}: 47/15$ | 4<br>4            | 2                    | 2.0     | 1.0      | 15       | 92     | 12.2       |
| 4        | 2/15           | 15/15          | 64             | 2/15              | 4/15         | 2/15         | 56/75  | 4                 | 1                    | 3.0     | 2.0      | 17       | 71     | 12.2       |
| 5        | 15/15 (Note 4) | 15/15 (Note 4) | 64             | 15/15 (Note 4)    | 30/15        | 24/15        | 134/15                                       | 4                 | 1                    | 1.0     | 0.0      | 21       | 81     | 12.2       |

**Note: The recommended HSUPA are implemented as per following sub-tests.**

**Results:**

| Mode      | Sub-test | Transmitter Power (dBm) |       |       | Power Class 3 Limitation (dBm) | Comments |
|-----------|----------|-------------------------|-------|-------|--------------------------------|----------|
|           |          | 9262                    | 9400  | 9538  |                                |          |
| HSUPA(B2) | 1        | 22.24                   | 22.53 | 21.92 | 18.8dBm – 25.7dBm              | Pass     |
|           | 2        | 20.29                   | 20.60 | 19.96 | 16.8dBm – 25.7dBm              | Pass     |
|           | 3        | 21.30                   | 21.55 | 21.00 | 17.8dBm – 25.7dBm              | Pass     |
|           | 4        | 20.42                   | 20.65 | 20.00 | 16.8dBm – 25.7dBm              | Pass     |
|           | 5        | 22.13                   | 22.39 | 21.83 | 18.8dBm – 25.7dBm              | Pass     |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| Mode      | Sub-test | Transmitter Power (dBm) |       |       | Power Class 3 Limita-<br>tion (dBm) | Comments |
|-----------|----------|-------------------------|-------|-------|-------------------------------------|----------|
|           |          | Channel                 |       |       |                                     |          |
|           |          | 9262                    | 9400  | 9538  |                                     |          |
| HSUPA(B5) | 1        | 23.22                   | 23.07 | 23.24 | 18.8dBm – 25.7dBm                   | Pass     |
|           | 2        | 21.28                   | 21.15 | 21.28 | 16.8dBm – 25.7dBm                   | Pass     |
|           | 3        | 22.26                   | 22.13 | 22.32 | 17.8dBm – 25.7dBm                   | Pass     |
|           | 4        | 21.33                   | 21.21 | 21.36 | 16.8dBm – 25.7dBm                   | Pass     |
|           | 5        | 23.08                   | 22.90 | 23.13 | 18.8dBm – 25.7dBm                   | Pass     |

**5.5.2 Maximum Power Reduction: PCS1900 band**

| PCL                | 0    | 1    | 2    | 3    | 4   | 5    | 6    | 7    | 8    |      |
|--------------------|------|------|------|------|-----|------|------|------|------|------|
| Output power (dBm) | 28.2 | 28.2 | 28.2 | 28.2 | 27  | 24.9 | 22.9 | 20.9 | 18.9 |      |
|                    |      |      |      |      |     |      |      |      |      |      |
| PCL                | 9    | 10   | 11   | 12   | 13  | 14   | 15   | 16   | 17   | 18   |
| Output power (dBm) | 17   | 14.9 | 12.8 | 10.7 | 8.6 | 6.5  | 4.4  | 2.3  | 0.2  | -1.9 |

Note: The EUT output power was controlled by simulator. Set Communication Tester CMU200 PCL as above, and get the mobile phone output power reading.

**WCDMA/HSDPA band II, V**

The EUT output power was controlled by simulator. Set Communication Tester CMU200 function key “UE Power Control” and enter max rated power 24dBm. The EUT is going to be set to max output power to 24dBm. then record the read(see page 19 for measurement data) . The min. power was measures by a function key “minimum power” then record the read. It is -52.5dBm. The power variation can be 0.1dB step by setting.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 6 ERP, EIRP MEASUREMENT

### 6.1 Standard Applicable


According to FCC §2.1046

FCC 22.913(a) Mobile station are limited to 7W ERP.

FCC 24.232(b) Mobile station are limited to 2W EIRP.

### 6.2 Test SET-UP (Block Diagram of Configuration)

(A) Radiated Emission Test Set-Up, Frequency Below 1000MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

(B) Radiated Emission Test Set-UP Frequency Over 1 GHz



(C) Substituted Method Test Set-UP



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



### 6.3 Measurement Procedure

The EUT was placed on a non-conductive turntable using a non-conductive support. The radiated emission at the fundamental frequency was measured at 3 m with a test antenna and EMI spectrum analyzer.

During the measurement, the EUT was communication with the station. The highest emission was recorded with the rotation of the turntable and the lowering of the test antenna from 4m to 1m. The reading was recorded and the field strength (E in dBuV/m) was calculated.

ERP in frequency band 824 –850 MHz were measured using a substitution method. The EUT was replaced by dipole antenna connected, the S.G. output was recorded and ERP was calculated as follows:

EIRP in frequency band 1850 –1910MHz were measured using a substitution method. The EUT was replaced by a horn antenna connected, the S.G. output was recorded and EIRP was calculated as follows:

$$\text{ERP} = \text{S.G. output (dBm)} + \text{Antenna Gain (dBd)} - \text{Cable Loss (dB)}$$

$$\text{EIRP} = \text{S.G. output (dBm)} + \text{Antenna Gain (dBi)} - \text{Cable Loss (dB)}$$

### 6.4 Measurement Equipment Used:

Refer to section 2.4 in this report

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

### 6.5 Measurement Result

| EUT Mode       | Frequency (MHz) | CH  | Antenna Pol. | SPA Reading (dBuV) | S.G. Output (dBm) | Antenna Gain (dBd) | Cable Loss (dB) | ERP (dBm) | Limit (dBm) |
|----------------|-----------------|-----|--------------|--------------------|-------------------|--------------------|-----------------|-----------|-------------|
| GPRS 850 (1TS) | 824.20          | 128 | V            | 130.19             | 43.80             | -7.87              | 3.62            | 32.30     | 38.45       |
|                |                 |     | H            | 125.40             | 39.13             | -7.87              | 3.62            | 27.63     | 38.45       |
|                | 836.60          | 190 | V            | 129.29             | 43.04             | -7.88              | 3.65            | 31.51     | 38.45       |
|                |                 |     | H            | 125.52             | 39.29             | -7.88              | 3.65            | 27.76     | 38.45       |
|                | 848.80          | 251 | V            | 128.92             | 42.80             | -7.88              | 3.68            | 31.24     | 38.45       |
|                |                 |     | H            | 128.92             | 42.73             | -7.88              | 3.68            | 31.17     | 38.45       |

**Remark :**

- (1) The RBW,VBW of SPA for frequency  
 RBW=300 KHz, VBW=1MHz,

| EUT Mode        | Frequency (MHz) | CH  | Antenna Pol. | SPA Reading (dBuV) | S.G. Output (dBm) | Antenna Gain (dBi) | Cable Loss (dB) | EIRP (dBm) | Limit (dBm) |
|-----------------|-----------------|-----|--------------|--------------------|-------------------|--------------------|-----------------|------------|-------------|
| GPRS 1900 (1TS) | 1850.20         | 512 | V            | 115.76             | 11.37             | 9.90               | 5.56            | 15.71      | 33.00       |
|                 |                 |     | H            | 127.75             | 23.57             | 9.90               | 5.84            | 27.63      | 33.00       |
|                 | 1880.00         | 661 | V            | 114.99             | 10.63             | 9.99               | 5.61            | 15.01      | 33.00       |
|                 |                 |     | H            | 127.68             | 23.54             | 9.99               | 5.61            | 27.91      | 33.00       |
|                 | 1909.80         | 810 | V            | 114.55             | 10.22             | 10.08              | 5.66            | 14.64      | 33.00       |
|                 |                 |     | H            | 127.42             | 23.31             | 10.08              | 5.66            | 27.73      | 33.00       |

**Remark :**

- (1) The RBW,VBW of SPA for frequency  
 RBW=300 KHz, VBW=1MHz,

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Measurement Result:**

| EUT Mode       | Frequency (MHz) | CH  | Antenna Pol. | SPA Reading (dBuV) | S.G. Output (dBm) | Antenna Gain (dBd) | Cable Loss (dB) | ERP (dBm) | Limit (dBm) |
|----------------|-----------------|-----|--------------|--------------------|-------------------|--------------------|-----------------|-----------|-------------|
| EDGE 850 (1TS) | 824.20          | 128 | V            | 128.16             | 41.77             | -7.87              | 3.62            | 30.27     | 38.45       |
|                |                 |     | H            | 123.28             | 37.01             | -7.87              | 3.62            | 25.51     | 38.45       |
|                | 836.60          | 190 | V            | 127.50             | 41.25             | -7.88              | 3.65            | 29.72     | 38.45       |
|                |                 |     | H            | 123.56             | 37.33             | -7.88              | 3.65            | 25.80     | 38.45       |
|                | 848.80          | 251 | V            | 127.07             | 40.95             | -7.88              | 3.68            | 29.39     | 38.45       |
|                |                 |     | H            | 124.09             | 37.90             | -7.88              | 3.68            | 26.34     | 38.45       |

**Remark :**

- (1) The RBW,VBW of SPA for frequency  
 RBW=300 KHz, VBW=1MHz,

| EUT Mode        | Frequency (MHz) | CH  | Antenna Pol. | SPA Reading (dBuV) | S.G. Output (dBm) | Antenna Gain (dBi) | Cable Loss (dB) | EIRP (dBm) | Limit (dBm) |
|-----------------|-----------------|-----|--------------|--------------------|-------------------|--------------------|-----------------|------------|-------------|
| EDGE 1900 (1TS) | 1850.20         | 512 | V            | 126.98             | 22.59             | 9.90               | 5.56            | 26.93      | 33.00       |
|                 |                 |     | H            | 126.12             | 21.94             | 9.90               | 5.56            | 26.28      | 33.00       |
|                 | 1880.00         | 661 | V            | 127.03             | 22.67             | 9.99               | 5.61            | 27.05      | 33.00       |
|                 |                 |     | H            | 125.77             | 21.63             | 9.99               | 5.61            | 26.00      | 33.00       |
|                 | 1909.80         | 810 | V            | 126.79             | 22.46             | 10.08              | 5.66            | 26.88      | 33.00       |
|                 |                 |     | H            | 124.59             | 20.48             | 10.08              | 5.66            | 24.90      | 33.00       |

**Remark :**

- (1) The RBW,VBW of SPA for frequency  
 RBW=300 KHz, VBW=1MHz,

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Measurement Result:**

| EUT Mode | Frequency (MHz) | CH   | Antenna Pol. | SPA Reading (dBuV) | S.G. Output (dBm) | Antenna Gain (dBi) | Cable Loss (dB) | EIRP (dBm) | Limit (dBm) |
|----------|-----------------|------|--------------|--------------------|-------------------|--------------------|-----------------|------------|-------------|
| WCDMA II | 1852.40         | 9262 | V            | 123.42             | 19.04             | 9.90               | 5.56            | 23.37      | 33.00       |
|          |                 |      | H            | 125.18             | 21.00             | 9.90               | 5.56            | 25.34      | 33.00       |
|          | 1880.00         | 9400 | V            | 122.70             | 18.34             | 9.99               | 5.61            | 22.72      | 33.00       |
|          |                 |      | H            | 124.92             | 20.78             | 9.99               | 5.61            | 25.15      | 33.00       |
|          | 1907.60         | 9538 | V            | 121.61             | 17.28             | 10.07              | 5.66            | 21.69      | 33.00       |
|          |                 |      | H            | 123.43             | 19.32             | 10.07              | 5.66            | 23.73      | 33.00       |

**Remark:**

- (1) The RBW,VBW of SPA for frequency  
 RBW= 5MHz , VBW= 8MHz

| EUT Mode | Frequency (MHz) | CH   | Antenna Pol. | SPA Reading (dBuV) | S.G. Output (dBm) | Antenna Gain (dBd) | Cable Loss (dB) | ERP (dBm) | Limit (dBm) |
|----------|-----------------|------|--------------|--------------------|-------------------|--------------------|-----------------|-----------|-------------|
| WCDMA V  | 826.40          | 4132 | V            | 112.57             | 26.21             | -7.88              | 3.63            | 14.70     | 38.45       |
|          |                 |      | H            | 120.58             | 34.32             | -7.88              | 3.63            | 22.82     | 38.45       |
|          | 836.60          | 4183 | V            | 112.70             | 26.45             | -7.88              | 3.65            | 14.92     | 38.45       |
|          |                 |      | H            | 123.17             | 36.94             | -7.88              | 3.65            | 25.41     | 38.45       |
|          | 846.60          | 4233 | V            | 112.40             | 26.25             | -7.88              | 3.67            | 14.70     | 38.45       |
|          |                 |      | H            | 123.96             | 37.76             | -7.88              | 3.67            | 26.21     | 38.45       |

**Remark:**

- (1) The RBW,VBW of SPA for frequency  
 RBW= 5MHz , VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Measurement Result:**

| EUT Mode | Frequency (MHz) | CH   | Antenna Pol. | SPA Reading (dBuV) | S.G. Output (dBm) | Antenna Gain (dBi) | Cable Loss (dB) | EIRP (dBm) | Limit (dBm) |
|----------|-----------------|------|--------------|--------------------|-------------------|--------------------|-----------------|------------|-------------|
| HSUPA II | 1852.40         | 9262 | V            | 108.97             | 4.59              | 9.90               | 5.56            | 8.92       | 33.00       |
|          |                 |      | H            | 124.97             | 20.79             | 9.90               | 5.84            | 24.85      | 33.00       |
|          | 1880.00         | 9400 | V            | 109.14             | 4.78              | 9.99               | 5.61            | 9.16       | 33.00       |
|          |                 |      | H            | 124.87             | 20.73             | 9.99               | 5.61            | 25.10      | 33.00       |
|          | 1907.60         | 9538 | V            | 107.26             | 2.93              | 10.07              | 5.66            | 7.34       | 33.00       |
|          |                 |      | H            | 124.20             | 20.09             | 10.07              | 5.66            | 24.50      | 33.00       |

**Remark:**

- (1) The RBW,VBW of SPA for frequency  
 RBW= 5MHz , VBW= 8MHz

| EUT Mode | Frequency (MHz) | CH   | Antenna Pol. | SPA Reading (dBuV) | S.G. Output (dBm) | Antenna Gain (dBd) | Cable Loss (dB) | ERP (dBm) | Limit (dBm) |
|----------|-----------------|------|--------------|--------------------|-------------------|--------------------|-----------------|-----------|-------------|
| HSUPA V  | 826.40          | 4132 | V            | 112.55             | 26.19             | -7.88              | 3.63            | 14.68     | 38.45       |
|          |                 |      | H            | 122.13             | 35.87             | -7.88              | 3.63            | 24.37     | 38.45       |
|          | 836.60          | 4183 | V            | 112.30             | 26.05             | -7.88              | 3.65            | 14.52     | 38.45       |
|          |                 |      | H            | 123.49             | 37.26             | -7.88              | 3.65            | 25.73     | 38.45       |
|          | 846.60          | 4233 | V            | 112.84             | 26.69             | -7.88              | 3.67            | 15.14     | 38.45       |
|          |                 |      | H            | 123.94             | 37.74             | -7.88              | 3.67            | 26.19     | 38.45       |

**Remark:**

- (1) The RBW,VBW of SPA for frequency  
 RBW= 5MHz , VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 7 99% OCCUPIED BANDWIDTH MEASUREMENT

### 7.1 Standard Applicable

According to FCC§2.1049(h).

### 7.2 Test Set-up:



*Note: Measurement setup for testing on Antenna connector*

### 7.3 Measurement Procedure

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW (10KHz) was set to about 1% of emission BW, VBW= 3 times RBW(30KHz) for GPRS, WCDMA RBW (47KHz) was set to about 1% of emission BW, VBW= 3 times RBW(150KHz), -26dBc display line was placed on the screen (or 99% bandwidth), the occupied bandwidth is the delta frequency between the two points where the display line intersects the signal trace.

### 7.4 Measurement Equipment Used:

Refer to section 2.4 in this report

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**7.5 Measurement Result:**

| EUT Mode | Frequency (MHz) | CH  | 99% Bandwidth (MHz) |
|----------|-----------------|-----|---------------------|
| GPRS 850 | 824.20          | 128 | 0.2457              |
|          | 836.60          | 190 | 0.2443              |
|          | 848.80          | 251 | 0.2439              |

| EUT Mode | Frequency (MHz) | CH  | 99% Bandwidth (MHz) |
|----------|-----------------|-----|---------------------|
| EDGE 850 | 824.20          | 128 | 0.2428              |
|          | 836.60          | 190 | 0.2453              |
|          | 848.80          | 251 | 0.2451              |

| EUT Mode | Frequency (MHz) | CH  | 99% Bandwidth (MHz) |
|----------|-----------------|-----|---------------------|
| PCS 1900 | 1850.20         | 512 | 0.2436              |
|          | 1880.00         | 661 | 0.2438              |
|          | 1909.80         | 810 | 0.2448              |

| EUT Mode  | Frequency (MHz) | CH  | 99% Bandwidth (MHz) |
|-----------|-----------------|-----|---------------------|
| EDGE 1900 | 1850.20         | 512 | 0.2442              |
|           | 1880.00         | 661 | 0.2413              |
|           | 1909.80         | 810 | 0.2443              |

| EUT Mode | Frequency (MHz) | CH   | 99% Bandwidth (MHz) |
|----------|-----------------|------|---------------------|
| WCDMA II | 1852.4          | 9262 | 4.1645              |
|          | 1880.0          | 9400 | 4.1791              |
|          | 1907.6          | 9538 | 4.1766              |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| EUT Mode | Frequency (MHz) | CH   | 99% Bandwidth (MHz) |
|----------|-----------------|------|---------------------|
| HSUPA II | 1852.4          | 9296 | 4.1848              |
|          | 1880.0          | 9400 | 4.1783              |
|          | 1907.6          | 9538 | 4.1661              |

| EUT Mode | Frequency (MHz) | CH   | 99% Bandwidth (MHz) |
|----------|-----------------|------|---------------------|
| WCDMA V  | 826.4           | 4132 | 4.1792              |
|          | 836.6           | 4183 | 4.1704              |
|          | 846.6           | 4233 | 4.1680              |

| EUT Mode | Frequency (MHz) | CH   | 99% Bandwidth (MHz) |
|----------|-----------------|------|---------------------|
| HSUPA V  | 826.40          | 4132 | 4.1745              |
|          | 836.60          | 4183 | 4.1669              |
|          | 846.60          | 4233 | 4.1572              |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group



Figure 7-1: GPRS 850 Channel Low





Figure 7-2 GPRS 850 Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Figure 7-3: GPRS 850 Channel High





Figure 7-4: PCS 1900 Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Figure 7-5 PCS 1900 Channel Mid





Figure 7-6: PCS 1900 Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Figure 7-7: EDGE 850 Channel Low





Figure 7-8 EDGE 850 Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Figure 7-9 EDGE 850 Channel High





Figure 7-10 EDGE 1900 Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Figure 7-11 EDGE 1900 Channel Mid





Figure 7-12 EDGE 1900 Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Figure 7-13 WCDMA II Channel Low





Figure 7-14 WCDMA II Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Figure 7-15 WCDMA II Channel High





Figure 7-19 WCDMA V Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group



Figure 7-20 WCDMA V Channel Mid





Figure 7-21 WCDMA V Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Figure 7-13 HSUPA II Channel Low





Figure 7-14 HSUPA II Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Figure 7-15 HSUPA II Channel High





Figure 7-19 HSUPA V Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Figure 7-20 HSUPA V Channel Mid





Figure 7-21 HSUPA V Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

## 8 OUT OF BAND EMISSION AT ANTENNA TERMINALS

### 8.1 Standard Applicable

According to FCC §2.1051.

FCC §22.917(a), §24.238(a) the magnitude of each spurious and harmonic emission that can be detected when the equipment is operated under the conditions specified in the instruction manual and/or alignment procedure, shall not be less than  $43 + 10 \log$  (mean output power in watts) dBc below the mean power output outside a license's frequency block (-13dBm)

### 8.2 Test SET-UP

Refer to section 7.2 in this report

### 8.3 Measurement Procedure

The RF output of the transceiver was connected to a spectrum analyzer through appropriate attenuation. The resolution bandwidth of the spectrum analyzer was set at 1MHz, sufficient scans were taken to show the out of band Emissions if any up to 10th harmonic.

For the out of band: Set the RBW, VBW = 1MHz, Start=30MHz, Stop= 10 th harmonic. Limit = -13dBm

Band Edge Requirements: In the 1 MHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth of at least 1 percent of the emission bandwidth of the fundamental emission of the transmitter may be employed to measure the out of band Emissions. Limit, -13dBm.

### 8.4 Measurement Equipment Used:



Refer to section 2.4 in this report

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

8.5 Measurement Result



Figure 8-1: Out of Band emission at antenna terminals– GPRS 850 Channel Lowest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Figure 8-2: Out of Band emission at antenna terminals –GPRS 850 Channel Mid





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Figure 8-3: Out of Band emission at antenna terminals–GPRS 850 Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Figure 8-4: Band edge emission at antenna terminals – GPRS 850 Channel Lowest




Figure 8-5: Band edge emission at antenna terminals – GSM 850 Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司



t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Figure 8-6: Out of Band emission at antenna terminals– PCS 1900 Channel Lowest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司



t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Figure 8-7: Out of Band emission at antenna terminals –PCS 1900 Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司



t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

**Figure 8-8: Out of Band emission at antenna terminals–PCS 1900 Channel Highest**




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Figure 8-9: Bad edge emission at antenna terminals – PCS 1900 Channel Lowest**



**Figure 8-10: Band edge emission at antenna terminals – PCS 1900 Channel Highest**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司



t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group



Figure 8-11: Out of Band emission at antenna terminals–WCDMA II Channel Lowest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Figure 8-12: Out of Band emission at antenna terminals –WCDMA II Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司



t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Figure 8-13: Out of Band emission at antenna terminals–WCDMA II Channel Highest




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



**Figure 8-14: Bad edge emission at antenna terminals –WCDMA II Channel Lowest**



**Figure 8-15: Band edge emission at antenna terminals –WCDMA II Channel Highest**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司



t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Figure 8-21: Out of Band emission at antenna terminals–WCDMA V Channel Lowest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Figure 8-22: Out of Band emission at antenna terminals –WCDMA V Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Figure 8-23: Out of Band emission at antenna terminals–WCDMA V Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Figure 8-24: Band edge emission at antenna terminals –WCDMA V Channel Lowest




Figure 8-25: Band edge emission at antenna terminals –WCDMA V Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

## 9 FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT


### 9.1 Standard Applicable

According to FCC §2.1053,

FCC §22.917(a), §24.238(a) the magnitude of each spurious and harmonic emission that can be detected when the equipment is operated under the conditions specified in the instruction manual and/or alignment procedure, shall not be less than  $43 + 10 \log$  (mean output power in watts) dBc below the mean power output outside a license's frequency block (-13dBm)

### 9.2 EUT Setup (Block Diagram of Configuration)


(A) Radiated Emission Test Set-Up, Frequency Below 1000MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

(B) Radiated Emission Test Set-UP Frequency Over 1 GHz



(C) Substituted Method Test Set-UP



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### 9.3 Measurement Procedure

The EUT was placed on a non-conductive, The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

The frequency range up to tenth harmonic was investigated for each of three fundamental frequency (low, middle and high channels). Once spurious emission were identified, the power of the emission was determined using the substitution method.

ERP in frequency band 824 –850 MHz were measured using a substitution method. The EUT was replaced by dipole antenna connected, the S.G. output was recorded and ERP was calculated as follows:

EIRP in frequency band 1850.2 –1909.8MHz were measured using a substitution method. The EUT was replaced by a horn antenna connected, the S.G. output was recorded and EIRP was calculated as follows:

The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.

$$\text{ERP} = \text{S.G. output (dBm)} + \text{Antenna Gain(dBd)} - \text{Cable Loss (dB)}$$

$$\text{EIRP} = \text{S.G. output (dBm)} + \text{Antenna Gain(dBi)} - \text{Cable Loss (dB)}$$

### 9.4 Measurement Equipment Used:

Refer to section 2.4 in this report

### 9.5 Measurement Result

Refer to attach tabular data sheets.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



**Radiated Spurious Emission Measurement Result: GPRS 850 Mode**

|                       |                  |            |               |
|-----------------------|------------------|------------|---------------|
| Operation Mode        | : TX CH Low Mode | Test Date: | Sep. 17, 2010 |
| Fundamental Frequency | : 824.20 MHz     | Test By:   | Sky           |
| Temperature           | : 25             | Pol:       | Ver           |
| Humidity              | : 65%            |            |               |

| Freq. (MHz) | SPA Reading (dBuV) | Ant.Pol. H/V | S.G Output (dBm) | Antenna Gain (dBd/dBi) | Cable Loss (dB) | ERP/EIRP (dBm) | Limit (dBm) | Safe Margin (dBm) |
|-------------|--------------------|--------------|------------------|------------------------|-----------------|----------------|-------------|-------------------|
| 37.76       | 41.25              | V            | -61.20           | -3.70                  | 0.90            | -65.80         | -13.00      | -52.80            |
| 70.74       | 43.26              | V            | -68.50           | -1.18                  | 1.16            | -70.85         | -13.00      | -57.85            |
| 93.05       | 51.72              | V            | -51.09           | -7.75                  | 1.30            | -60.14         | -13.00      | -47.14            |
| 102.75      | 46.58              | V            | -55.09           | -7.76                  | 1.37            | -64.22         | -13.00      | -51.22            |
| 154.16      | 33.90              | V            | -63.76           | -7.80                  | 1.60            | -73.17         | -13.00      | -60.17            |
| 427.70      | 32.68              | V            | -61.95           | -7.68                  | 2.59            | -72.23         | -13.00      | -59.23            |
| 824.00      | 82.69              | V            | -3.70            | -7.87                  | 3.62            | -15.20         | -13.00      | -2.20             |
| 1648.40     | 36.87              | V            | -67.71           | 9.29                   | 5.23            | -63.65         | -13.00      | -50.65            |
| 2472.60     | ---                | V            |                  | 10.08                  | 6.53            |                | -13.00      |                   |
| 3296.80     | ---                | V            |                  | 12.17                  | 7.71            |                | -13.00      |                   |
| 4121.00     | ---                | V            |                  | 12.61                  | 8.86            |                | -13.00      |                   |
| 4945.20     | ---                | V            |                  | 12.65                  | 9.74            |                | -13.00      |                   |
| 5769.40     | ---                | V            |                  | 13.55                  | 10.54           |                | -13.00      |                   |
| 6593.60     | ---                | V            |                  | 12.05                  | 11.30           |                | -13.00      |                   |
| 7417.80     | ---                | V            |                  | 11.49                  | 12.10           |                | -13.00      |                   |
| 8242.00     | ---                | V            |                  | 11.48                  | 12.71           |                | -13.00      |                   |
|             |                    |              |                  |                        |                 |                |             |                   |

|                         |                         |
|-------------------------|-------------------------|
| Measurement uncertainty | 30MHz - 80MHz: 5.04dB   |
|                         | 80MHz - 1000MHz: 3.76dB |
|                         | 1GHz - 13GHz: 4.45dB    |

**Remark:**

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dB/dBi) – Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result: GPRS 850 Mode**

|                       |                  |            |               |
|-----------------------|------------------|------------|---------------|
| Operation Mode        | : TX CH Low Mode | Test Date: | Sep. 17, 2010 |
| Fundamental Frequency | : 824.20 MHz     | Test By:   | Sky           |
| Temperature           | : 25             | Pol:       | Hor           |
| Humidity              | : 65%            |            |               |

| Freq. (MHz) | SPA Reading (dBuV) | Ant.Pol. H/V | S.G Output (dBm) | Antenna Gain (dBd/dBi) | Cable Loss (dB) | ERP/EIRP (dBm) | Limit (dBm) | Safe Margin (dBm) |
|-------------|--------------------|--------------|------------------|------------------------|-----------------|----------------|-------------|-------------------|
| 39.70       | 43.63              | H            | -59.26           | -2.79                  | 0.89            | -62.95         | -13.00      | -49.95            |
| 66.86       | 40.79              | H            | -71.16           | -0.89                  | 1.13            | -73.18         | -13.00      | -60.18            |
| 93.05       | 48.18              | H            | -55.33           | -7.75                  | 1.30            | -64.38         | -13.00      | -51.38            |
| 102.75      | 4.66               | H            | -98.05           | -7.76                  | 1.37            | -107.19        | -13.00      | -94.19            |
| 156.10      | 32.01              | H            | -66.23           | -7.80                  | 1.60            | -75.64         | -13.00      | -62.64            |
| 529.55      | 32.55              | H            | -59.88           | -7.74                  | 2.89            | -70.52         | -13.00      | -57.52            |
| 824.00      | 78.58              | H            | -7.69            | -7.87                  | 3.62            | -19.19         | -13.00      | -6.19             |
| 1648.40     | 41.58              | H            | -62.82           | 9.29                   | 5.23            | -58.76         | -13.00      | -45.76            |
| 2472.60     | 54.43              | H            | -46.48           | 10.08                  | 6.53            | -42.93         | -13.00      | -29.93            |
| 3296.80     | 38.73              | H            | -60.37           | 12.17                  | 7.71            | -55.91         | -13.00      | -42.91            |
| 4121.00     | ---                | H            |                  | 12.61                  | 8.86            |                | -13.00      |                   |
| 4945.20     | 41.31              | H            | -51.33           | 12.65                  | 9.74            | -48.41         | -13.00      | -35.41            |
| 5769.40     | 37.67              | H            | -52.64           | 13.55                  | 10.54           | -49.63         | -13.00      | -36.63            |
| 6593.60     | ---                | H            |                  | 12.05                  | 11.30           |                | -13.00      |                   |
| 7417.80     | ---                | H            |                  | 11.49                  | 12.10           |                | -13.00      |                   |
| 8242.00     | ---                | H            |                  | 11.48                  | 12.71           |                | -13.00      |                   |
|             |                    |              |                  |                        |                 |                |             |                   |

|                         |                         |
|-------------------------|-------------------------|
| Measurement uncertainty | 30MHz - 80MHz: 5.04dB   |
|                         | 80MHz - 1000MHz: 3.76dB |
|                         | 1GHz - 13GHz: 4.45dB    |

**Remark:**

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4  $ERP/EIRP (dBm) = SG \text{ Setting}(dBm) + Antenna \text{ Gain} (dB/dBi) - Cable \text{ loss} (dB)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result: GPRS 850 Mode**

|                       |                  |            |               |
|-----------------------|------------------|------------|---------------|
| Operation Mode        | : TX CH Mid Mode | Test Date: | Sep. 17, 2010 |
| Fundamental Frequency | : 836.60 MHz     | Test By:   | Sky           |
| Temperature           | : 25             | Pol:       | Ver.          |
| Humidity              | : 65%            |            |               |

| Freq. (MHz) | SPA Reading (dBuV) | Ant.Pol. H/V | S.G Out-put (dBm) | Antenna Gain (dBd/dBi) | Cable Loss (dB) | ERP/EIRP (dBm) | Limit (dBm) | Safe Margin (dBm) |
|-------------|--------------------|--------------|-------------------|------------------------|-----------------|----------------|-------------|-------------------|
| 37.76       | 41.66              | V            | -60.79            | -3.70                  | 0.90            | -65.39         | -13.00      | -52.39            |
| 93.05       | 52.58              | V            | -50.23            | -7.75                  | 1.30            | -59.28         | -13.00      | -46.28            |
| 105.66      | 46.23              | V            | -55.17            | -7.76                  | 1.39            | -64.32         | -13.00      | -51.32            |
| 154.16      | 33.75              | V            | -63.91            | -7.80                  | 1.60            | -73.32         | -13.00      | -60.32            |
| 418.00      | 32.26              | V            | -62.67            | -7.67                  | 2.56            | -72.91         | -13.00      | -59.91            |
| 616.85      | 32.18              | V            | -57.17            | -7.80                  | 3.07            | -68.04         | -13.00      | -55.04            |
| 1673.20     | 39.24              | V            | -65.32            | 9.36                   | 5.27            | -61.22         | -13.00      | -48.22            |
| 2509.80     | 38.08              | V            | -62.70            | 10.09                  | 6.58            | -59.20         | -13.00      | -46.20            |
| 3346.40     | ---                | V            |                   | 12.28                  | 7.79            |                | -13.00      |                   |
| 4183.00     | ---                | V            |                   | 12.62                  | 8.93            |                | -13.00      |                   |
| 5019.60     | ---                | V            |                   | 12.67                  | 9.81            |                | -13.00      |                   |
| 5856.20     | ---                | V            |                   | 13.68                  | 10.62           |                | -13.00      |                   |
| 6692.80     | ---                | V            |                   | 11.95                  | 11.39           |                | -13.00      |                   |
| 7529.40     | ---                | V            |                   | 11.45                  | 12.20           |                | -13.00      |                   |
| 8366.00     | ---                | V            |                   | 11.59                  | 12.81           |                | -13.00      |                   |
|             |                    |              |                   |                        |                 |                |             |                   |
|             |                    |              |                   |                        |                 |                |             |                   |

|                         |                         |
|-------------------------|-------------------------|
| Measurement uncertainty | 30MHz - 80MHz: 5.04dB   |
|                         | 80MHz - 1000MHz: 3.76dB |
|                         | 1GHz - 13GHz: 4.45dB    |

**Remark:**

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4  $ERP/EIRP (dBm) = SG \text{ Setting}(dBm) + Antenna \text{ Gain} (dB/dBi) - Cable \text{ loss} (dB)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result: GPRS 850 Mode**

|                       |                  |            |               |
|-----------------------|------------------|------------|---------------|
| Operation Mode        | : TX CH Mid Mode | Test Date: | Sep. 17, 2010 |
| Fundamental Frequency | : 836.60 MHz     | Test By:   | Sky           |
| Temperature           | : 25             | Pol:       | Hor.          |
| Humidity              | : 65%            |            |               |

| Freq. (MHz) | SPA. Reading (dBuV) | Ant.Pol. H/V | S.G Out-put (dBm) | Antenna Gain (dBd/dBi) | Cable Loss (dB) | ERP/EIRP (dBm) | Limit (dBm) | Safe Margin (dBm) |
|-------------|---------------------|--------------|-------------------|------------------------|-----------------|----------------|-------------|-------------------|
| 39.70       | 48.71               | H            | -54.18            | -2.79                  | 0.89            | -57.87         | -13.00      | -44.87            |
| 93.05       | 49.27               | H            | -54.24            | -7.75                  | 1.30            | -63.29         | -13.00      | -50.29            |
| 102.75      | 45.66               | H            | -57.05            | -7.76                  | 1.37            | -66.19         | -13.00      | -53.19            |
| 148.34      | 32.31               | H            | -65.63            | -7.80                  | 1.58            | -75.01         | -13.00      | -62.01            |
| 316.15      | 32.44               | H            | -65.07            | -7.83                  | 2.23            | -75.13         | -13.00      | -62.13            |
| 519.85      | 32.50               | H            | -60.26            | -7.74                  | 2.86            | -70.86         | -13.00      | -57.86            |
| 1673.20     | 43.65               | H            | -60.73            | 9.36                   | 5.27            | -56.63         | -13.00      | -43.63            |
| 2509.80     | 47.17               | H            | -53.53            | 10.09                  | 6.58            | -50.03         | -13.00      | -37.03            |
| 3346.40     | 37.60               | H            | -61.46            | 12.28                  | 7.79            | -56.98         | -13.00      | -43.98            |
| 4183.00     | ---                 | H            |                   | 12.62                  | 8.93            |                | -13.00      |                   |
| 5019.60     | 44.86               | H            | -47.46            | 12.67                  | 9.81            | -44.59         | -13.00      | -31.59            |
| 5856.20     | ---                 | H            |                   | 13.68                  | 10.62           |                | -13.00      |                   |
| 6692.80     | ---                 | H            |                   | 11.95                  | 11.39           |                | -13.00      |                   |
| 7529.40     | ---                 | H            |                   | 11.45                  | 12.20           |                | -13.00      |                   |
| 8366.00     | ---                 | H            |                   | 11.59                  | 12.81           |                | -13.00      |                   |
|             |                     |              |                   |                        |                 |                |             |                   |

|                         |                        |
|-------------------------|------------------------|
| Measurement uncertainty | 30MHz - 80MHz: 5.04dB  |
|                         | 80MHz -1000MHz: 3.76dB |
|                         | 1GHz - 13GHz: 4.45dB   |

**Remark:**

- 1 The emission behaviors belongs to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4  $ERP/EIRP (dBm) = SG \text{ Setting}(dBm) + Antenna \text{ Gain} (dB/dBi) - Cable \text{ loss} (dB)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result: GPRS 850 Mode**

|                       |                   |            |               |
|-----------------------|-------------------|------------|---------------|
| Operation Mode        | : TX CH High Mode | Test Date: | Sep. 17, 2010 |
| Fundamental Frequency | : 848.80 MHz      | Test By:   | Sky           |
| Temperature           | : 25              | Pol:       | Ver           |
| Humidity              | : 65%             |            |               |

| Freq. (MHz) | SPA Reading (dBuV) | Ant.Pol. H/V | S.G Output (dBm) | Antenna Gain (dBd/dBi) | Cable Loss (dB) | ERP/EIRP (dBm) | Limit (dBm) | Safe Margin (dBm) |
|-------------|--------------------|--------------|------------------|------------------------|-----------------|----------------|-------------|-------------------|
| 38.73       | 41.97              | V            | -60.20           | -3.25                  | 0.90            | -64.34         | -13.00      | -51.34            |
| 93.05       | 52.48              | V            | -50.33           | -7.75                  | 1.30            | -59.38         | -13.00      | -46.38            |
| 105.66      | 46.03              | V            | -55.37           | -7.76                  | 1.39            | -64.52         | -13.00      | -51.52            |
| 154.16      | 33.19              | V            | -64.47           | -7.80                  | 1.60            | -73.88         | -13.00      | -60.88            |
| 510.15      | 32.49              | V            | -61.32           | -7.73                  | 2.83            | -71.88         | -13.00      | -58.88            |
| 607.15      | 32.28              | V            | -57.20           | -7.79                  | 3.05            | -68.04         | -13.00      | -55.04            |
| 850.00      | 82.38              | V            | -3.73            | -7.88                  | 3.68            | -15.29         | -13.00      | -2.29             |
| 1697.60     | 40.22              | V            | -64.32           | 9.44                   | 5.31            | -60.19         | -13.00      | -47.19            |
| 2546.40     | 36.33              | V            | -64.31           | 10.20                  | 6.63            | -60.75         | -13.00      | -47.75            |
| 3395.20     | 38.77              | V            | -60.08           | 12.38                  | 7.87            | -55.57         | -13.00      | -42.57            |
| 4244.00     | ---                | V            |                  | 12.63                  | 9.00            |                | -13.00      |                   |
| 5092.80     | ---                | V            |                  | 12.74                  | 9.88            |                | -13.00      |                   |
| 5941.60     | ---                | V            |                  | 13.81                  | 10.70           |                | -13.00      |                   |
| 6790.40     | ---                | V            |                  | 11.86                  | 11.48           |                | -13.00      |                   |
| 7639.20     | ---                | V            |                  | 11.40                  | 12.27           |                | -13.00      |                   |
| 8488.00     | ---                | V            |                  | 11.70                  | 12.91           |                | -13.00      |                   |
|             |                    |              |                  |                        |                 |                |             |                   |

|                         |                        |
|-------------------------|------------------------|
| Measurement uncertainty | 30MHz - 80MHz: 5.04dB  |
|                         | 80MHz -1000MHz: 3.76dB |
|                         | 1GHz - 13GHz: 4.45dB   |

**Remark:**

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4  $ERP/EIRP (dBm) = SG \text{ Setting}(dBm) + Antenna \text{ Gain} (dB/dBi) - Cable \text{ loss} (dB)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result: GPRS 850 Mode**

|                       |                   |            |               |
|-----------------------|-------------------|------------|---------------|
| Operation Mode        | : TX CH High Mode | Test Date: | Sep. 17, 2010 |
| Fundamental Frequency | : 848.80 MHz      | Test By:   | Sky           |
| Temperature           | : 25              | Pol:       | Hor           |
| Humidity              | : 65%             |            |               |

| Freq. (MHz) | SPA Reading (dBuV) | Ant.Pol. H/V | S.G Output (dBm) | Antenna Gain (dBd/dBi) | Cable Loss (dB) | ERP/EIRP (dBm) | Limit (dBm) | Safe Margin (dBm) |
|-------------|--------------------|--------------|------------------|------------------------|-----------------|----------------|-------------|-------------------|
| 37.76       | 42.96              | H            | -60.53           | -3.70                  | 0.90            | -65.14         | -13.00      | -52.14            |
| 93.05       | 48.81              | H            | -54.70           | -7.75                  | 1.30            | -63.75         | -13.00      | -50.75            |
| 105.66      | 44.93              | H            | -57.48           | -7.76                  | 1.39            | -66.63         | -13.00      | -53.63            |
| 148.34      | 32.99              | H            | -64.95           | -7.80                  | 1.58            | -74.33         | -13.00      | -61.33            |
| 311.30      | 32.80              | H            | -64.76           | -7.86                  | 2.21            | -74.83         | -13.00      | -61.83            |
| 474.26      | 32.42              | H            | -61.26           | -7.71                  | 2.73            | -71.69         | -13.00      | -58.69            |
| 850.00      | 78.52              | H            | -7.67            | -7.88                  | 3.68            | -19.23         | -13.00      | -6.23             |
| 1697.60     | 45.02              | H            | -59.33           | 9.44                   | 5.31            | -55.20         | -13.00      | -42.20            |
| 2546.40     | 48.08              | H            | -52.52           | 10.20                  | 6.63            | -48.96         | -13.00      | -35.96            |
| 3395.20     | 41.24              | H            | -57.79           | 12.38                  | 7.87            | -53.27         | -13.00      | -40.27            |
| 4244.00     | ---                | H            |                  | 12.63                  | 9.00            |                | -13.00      |                   |
| 5092.80     | ---                | H            |                  | 12.74                  | 9.88            |                | -13.00      |                   |
| 5941.60     | ---                | H            |                  | 13.81                  | 10.70           |                | -13.00      |                   |
| 6790.40     | ---                | H            |                  | 11.86                  | 11.48           |                | -13.00      |                   |
| 7639.20     | ---                | H            |                  | 11.40                  | 12.27           |                | -13.00      |                   |
| 8488.00     | ---                | H            |                  | 11.70                  | 12.91           |                | -13.00      |                   |
|             |                    |              |                  |                        |                 |                |             |                   |

|                         |                        |
|-------------------------|------------------------|
| Measurement uncertainty | 30MHz - 80MHz: 5.04dB  |
|                         | 80MHz -1000MHz: 3.76dB |
|                         | 1GHz - 13GHz: 4.45dB   |

**Remark:**

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4  $ERP/EIRP (dBm) = SG \text{ Setting}(dBm) + Antenna \text{ Gain} (dB/dBi) - Cable \text{ loss} (dB)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result: PCS 1900 Mode**

|                       |                  |            |               |
|-----------------------|------------------|------------|---------------|
| Operation Mode        | : TX CH Low Mode | Test Date: | Sep. 17, 2010 |
| Fundamental Frequency | : 1850.20MHz     | Test By:   | Sky           |
| Temperature           | : 25             | Pol:       | Ver           |
| Humidity              | : 65%            |            |               |

| Freq. (MHz) | SPA Reading (dBuV) | Ant.Pol. H/V | S.G Output (dBm) | Antenna Gain (dBd/dBi) | Cable Loss (dB) | ERP/EIRP (dBm) | Limit (dBm) | Safe Margin (dBm) |
|-------------|--------------------|--------------|------------------|------------------------|-----------------|----------------|-------------|-------------------|
| 37.76       | 45.72              | V            | -56.73           | -3.70                  | 0.90            | -61.33         | -13.00      | -48.33            |
| 54.25       | 41.54              | V            | -67.29           | -0.54                  | 1.10            | -68.93         | -13.00      | -55.93            |
| 93.05       | 51.45              | V            | -51.36           | -7.75                  | 1.30            | -60.41         | -13.00      | -47.41            |
| 105.66      | 45.09              | V            | -56.31           | -7.76                  | 1.39            | -65.46         | -13.00      | -52.46            |
| 154.16      | 33.88              | V            | -63.78           | -7.80                  | 1.60            | -73.19         | -13.00      | -60.19            |
| 612.00      | 32.89              | V            | -56.52           | -7.79                  | 3.06            | -67.38         | -13.00      | -54.38            |
| 1850.00     | 66.54              | V            | -37.85           | 9.90                   | 5.56            | -33.51         | -13.00      | -20.51            |
| 3700.40     | 41.05              | V            | -56.88           | 12.61                  | 8.31            | -52.58         | -13.00      | -39.58            |
| 5550.60     | 33.66              | V            | -57.18           | 13.23                  | 10.33           | -54.28         | -13.00      | -41.28            |
| 7400.80     | 36.01              | V            | -45.23           | 11.50                  | 12.08           | -45.81         | -13.00      | -32.81            |
| 9251.00     | ---                | V            |                  | 11.92                  | 13.50           |                | -13.00      |                   |
| 11101.20    | ---                | V            |                  | 11.66                  | 15.11           |                | -13.00      |                   |
| 12951.40    | ---                | V            |                  | 13.63                  | 16.60           |                | -13.00      |                   |
| 14801.60    | ---                | V            |                  | 12.76                  | 17.95           |                | -13.00      |                   |
| 16651.80    | ---                | V            |                  | 15.92                  | 19.14           |                | -13.00      |                   |
| 18502.00    | ---                | V            |                  | 18.75                  | 10.40           |                | -13.00      |                   |

|                         |                         |
|-------------------------|-------------------------|
| Measurement uncertainty | 30MHz - 80MHz: 5.04dB   |
|                         | 80MHz - 1000MHz: 3.76dB |
|                         | 1GHz - 13GHz: 4.45dB    |

**Remark:**

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4  $ERP/EIRP (dBm) = SG \text{ Setting}(dBm) + Antenna \text{ Gain} (dB/dBi) - Cable \text{ loss} (dB)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result: PCS 1900 Mode**

|                       |                  |            |               |
|-----------------------|------------------|------------|---------------|
| Operation Mode        | : TX CH Low Mode | Test Date: | Sep. 17, 2010 |
| Fundamental Frequency | : 1850.20MHz     | Test By:   | Sky           |
| Temperature           | : 25             | Pol:       | Hor           |
| Humidity              | : 65%            |            |               |

| Freq. (MHz) | SPA Reading (dBuV) | Ant.Pol. H/V | S.G Output (dBm) | Antenna Gain (dBd/dBi) | Cable Loss (dB) | ERP/EIRP (dBm) | Limit (dBm) | Safe Margin (dBm) |
|-------------|--------------------|--------------|------------------|------------------------|-----------------|----------------|-------------|-------------------|
| 37.76       | 46.60              | H            | -56.89           | -3.70                  | 0.90            | -61.50         | -13.00      | -48.50            |
| 93.05       | 50.27              | H            | -53.24           | -7.75                  | 1.30            | -62.29         | -13.00      | -49.29            |
| 128.94      | 38.61              | H            | -61.36           | -7.78                  | 1.49            | -70.64         | -13.00      | -57.64            |
| 435.46      | 32.38              | H            | -62.25           | -7.69                  | 2.62            | -72.55         | -13.00      | -59.55            |
| 536.34      | 32.88              | H            | -59.31           | -7.75                  | 2.92            | -69.98         | -13.00      | -56.98            |
| 689.60      | 32.49              | H            | -55.57           | -7.85                  | 3.26            | -66.69         | -13.00      | -53.69            |
| 1850.00     | 79.85              | H            | -24.33           | 9.90                   | 5.56            | -19.99         | -13.00      | -6.99             |
| 3700.40     | 43.16              | H            | -54.88           | 12.61                  | 8.31            | -50.58         | -13.00      | -37.58            |
| 5550.60     | 38.41              | H            | -52.64           | 13.23                  | 10.33           | -49.74         | -13.00      | -36.74            |
| 7400.80     | 37.11              | H            | -44.12           | 11.50                  | 12.08           | -44.70         | -13.00      | -31.70            |
| 9251.00     | ---                | H            |                  | 11.92                  | 13.50           |                | -13.00      |                   |
| 11101.20    | ---                | H            |                  | 11.66                  | 15.11           |                | -13.00      |                   |
| 12951.40    | ---                | H            |                  | 13.63                  | 16.60           |                | -13.00      |                   |
| 14801.60    | ---                | H            |                  | 12.76                  | 17.95           |                | -13.00      |                   |
| 16651.80    | ---                | H            |                  | 15.92                  | 19.14           |                | -13.00      |                   |
| 18502.00    | ---                | H            |                  | 18.75                  | 10.40           |                | -13.00      |                   |

|                         |                        |
|-------------------------|------------------------|
| Measurement uncertainty | 30MHz - 80MHz: 5.04dB  |
|                         | 80MHz -1000MHz: 3.76dB |
|                         | 1GHz - 13GHz: 4.45dB   |

**Remark:**

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4  $ERP/EIRP (dBm) = SG \text{ Setting}(dBm) + Antenna \text{ Gain} (dB/dBi) - Cable \text{ loss} (dB)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



**Radiated Spurious Emission Measurement Result: PCS 1900 Mode**

|                       |                  |            |               |
|-----------------------|------------------|------------|---------------|
| Operation Mode        | : TX CH Mid Mode | Test Date: | Sep. 17, 2010 |
| Fundamental Frequency | : 1880MHz        | Test By:   | Sky           |
| Temperature           | : 25             | Pol:       | Ver           |
| Humidity              | : 65%            |            |               |

| Freq. (MHz) | SPA. Reading (dBuV) | Ant.Pol. H/V | S.G Out-put (dBm) | Antenna Gain (dBd/dBi) | Cable Loss (dB) | ERP/EIRP (dBm) | Limit (dBm) | Safe Margin (dBm) |
|-------------|---------------------|--------------|-------------------|------------------------|-----------------|----------------|-------------|-------------------|
| 37.76       | 45.94               | V            | -56.51            | -3.70                  | 0.90            | -61.11         | -13.00      | -48.11            |
| 93.05       | 50.09               | V            | -52.72            | -7.75                  | 1.30            | -61.77         | -13.00      | -48.77            |
| 105.66      | 44.60               | V            | -56.80            | -7.76                  | 1.39            | -65.95         | -13.00      | -52.95            |
| 154.16      | 34.00               | V            | -63.66            | -7.80                  | 1.60            | -73.07         | -13.00      | -60.07            |
| 435.46      | 32.08               | V            | -62.31            | -7.69                  | 2.62            | -72.61         | -13.00      | -59.61            |
| 607.15      | 32.15               | V            | -57.33            | -7.79                  | 3.05            | -68.17         | -13.00      | -55.17            |
| 3760.00     | 38.86               | V            | -58.80            | 12.60                  | 8.39            | -54.58         | -13.00      | -41.58            |
| 5640.00     | 33.95               | V            | -56.63            | 13.36                  | 10.41           | -53.68         | -13.00      | -40.68            |
| 7520.00     | 37.69               | V            | -42.97            | 11.45                  | 12.19           | -43.71         | -13.00      | -30.71            |
| 9400.00     | ---                 | V            |                   | 11.93                  | 13.61           |                | -13.00      |                   |
| 11280.00    | ---                 | V            |                   | 11.92                  | 15.27           |                | -13.00      |                   |
| 13160.00    | ---                 | V            |                   | 13.33                  | 16.71           |                | -13.00      |                   |
| 15040.00    | ---                 | V            |                   | 13.76                  | 18.15           |                | -13.00      |                   |
| 16920.00    | ---                 | V            |                   | 15.27                  | 19.32           |                | -13.00      |                   |
| 18800.00    | ---                 | V            |                   | 18.68                  | 16.58           |                | -13.00      |                   |

|                         |                        |
|-------------------------|------------------------|
| Measurement uncertainty | 30MHz - 80MHz: 5.04dB  |
|                         | 80MHz -1000MHz: 3.76dB |
|                         | 1GHz - 13GHz: 4.45dB   |

Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4  $ERP/EIRP (dBm) = SG \text{ Setting}(dBm) + Antenna \text{ Gain} (dB/dBi) - Cable \text{ loss} (dB)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result: PCS 1900 Mode**

|                       |                  |            |               |
|-----------------------|------------------|------------|---------------|
| Operation Mode        | : TX CH Mid Mode | Test Date: | Sep. 17, 2010 |
| Fundamental Frequency | : 1880MHz        | Test By:   | Sky           |
| Temperature           | : 25             | Pol:       | Hor           |
| Humidity              | : 65%            |            |               |

| Freq. (MHz) | SPA. Reading (dBuV) | Ant.Pol. H/V | S.G Out-put (dBm) | Antenna Gain (dBd/dBi) | Cable Loss (dB) | ERP/EIRP (dBm) | Limit (dBm) | Safe Margin (dBm) |
|-------------|---------------------|--------------|-------------------|------------------------|-----------------|----------------|-------------|-------------------|
| 37.76       | 46.60               | H            | -56.89            | -3.70                  | 0.90            | -61.50         | -13.00      | -48.50            |
| 93.05       | 50.60               | H            | -52.91            | -7.75                  | 1.30            | -61.96         | -13.00      | -48.96            |
| 105.66      | 42.77               | H            | -59.64            | -7.76                  | 1.39            | -68.79         | -13.00      | -55.79            |
| 134.76      | 36.64               | H            | -62.72            | -7.79                  | 1.52            | -72.03         | -13.00      | -59.03            |
| 449.04      | 32.39               | H            | -61.55            | -7.70                  | 2.66            | -71.91         | -13.00      | -58.91            |
| 573.20      | 32.40               | H            | -58.85            | -7.77                  | 2.99            | -69.61         | -13.00      | -56.61            |
| 3760.00     | 43.57               | H            | -54.20            | 12.60                  | 8.39            | -49.99         | -13.00      | -36.99            |
| 5640.00     | 37.49               | H            | -53.26            | 13.36                  | 10.41           | -50.31         | -13.00      | -37.31            |
| 7520.00     | 37.49               | H            | -43.15            | 11.45                  | 12.19           | -43.90         | -13.00      | -30.90            |
| 9400.00     | ---                 | H            |                   | 11.93                  | 13.61           |                | -13.00      |                   |
| 11280.00    | ---                 | H            |                   | 11.92                  | 15.27           |                | -13.00      |                   |
| 13160.00    | ---                 | H            |                   | 13.33                  | 16.71           |                | -13.00      |                   |
| 15040.00    | ---                 | H            |                   | 13.76                  | 18.15           |                | -13.00      |                   |
| 16920.00    | ---                 | H            |                   | 15.27                  | 19.32           |                | -13.00      |                   |
| 18800.00    | ---                 | H            |                   | 18.68                  | 16.58           |                | -13.00      |                   |

|                         |                        |
|-------------------------|------------------------|
| Measurement uncertainty | 30MHz - 80MHz: 5.04dB  |
|                         | 80MHz -1000MHz: 3.76dB |
|                         | 1GHz - 13GHz: 4.45dB   |

Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4  $ERP/EIRP (dBm) = SG \text{ Setting}(dBm) + Antenna \text{ Gain} (dB/dBi) - Cable \text{ loss} (dB)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result: PCS 1900 Mode**

|                       |                   |            |               |
|-----------------------|-------------------|------------|---------------|
| Operation Mode        | : TX CH High Mode | Test Date: | Sep. 17, 2010 |
| Fundamental Frequency | : 1909.8 MHz      | Test By:   | Sky           |
| Temperature           | : 25              | Pol:       | Ver           |
| Humidity              | : 65%             |            |               |

| Freq. (MHz) | SPA Reading (dBuV) | Ant.Pol. H/V | S.G Output (dBm) | Antenna Gain (dBd/dBi) | Cable Loss (dB) | ERP/EIRP (dBm) | Limit (dBm) | Safe Margin (dBm) |
|-------------|--------------------|--------------|------------------|------------------------|-----------------|----------------|-------------|-------------------|
| 32.76       | 45.23              | V            | -58.67           | -6.05                  | 0.93            | -65.65         | -13.00      | -52.65            |
| 54.25       | 41.06              | V            | -67.77           | -0.54                  | 1.10            | -69.41         | -13.00      | -56.41            |
| 93.05       | 50.08              | V            | -52.73           | -7.75                  | 1.30            | -61.78         | -13.00      | -48.78            |
| 105.66      | 44.14              | V            | -57.26           | -7.76                  | 1.39            | -66.41         | -13.00      | -53.41            |
| 439.34      | 32.35              | V            | -61.91           | -7.69                  | 2.63            | -72.23         | -13.00      | -59.23            |
| 604.24      | 32.87              | V            | -56.64           | -7.79                  | 3.04            | -67.48         | -13.00      | -54.48            |
| 1910.00     | 63.92              | V            | -40.41           | 10.08                  | 5.66            | -35.99         | -13.00      | -22.99            |
| 3819.60     | 38.48              | V            | -58.91           | 12.60                  | 8.47            | -54.78         | -13.00      | -41.78            |
| 5729.40     | 37.74              | V            | -52.58           | 13.49                  | 10.50           | -49.58         | -13.00      | -36.58            |
| 7639.20     | 37.56              | V            | -42.92           | 11.40                  | 12.27           | -43.79         | -13.00      | -30.79            |
| 9549.00     | ---                | V            |                  | 11.95                  | 13.74           |                | -13.00      |                   |
| 11458.80    | ---                | V            |                  | 12.17                  | 15.43           |                | -13.00      |                   |
| 13368.60    | ---                | V            |                  | 12.97                  | 16.82           |                | -13.00      |                   |
| 15278.40    | ---                | V            |                  | 15.00                  | 18.29           |                | -13.00      |                   |
| 17188.20    | ---                | V            |                  | 14.47                  | 19.52           |                | -13.00      |                   |
| 19098.00    | ---                | V            |                  | 18.66                  | 20.78           |                | -13.00      |                   |

|                         |                        |
|-------------------------|------------------------|
| Measurement uncertainty | 30MHz - 80MHz: 5.04dB  |
|                         | 80MHz -1000MHz: 3.76dB |
|                         | 1GHz - 13GHz: 4.45dB   |

**Remark:**

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4  $ERP/EIRP (dBm) = SG \text{ Setting}(dBm) + Antenna \text{ Gain} (dB/dBi) - Cable \text{ loss} (dB)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result: PCS 1900 Mode**

|                       |                   |            |               |
|-----------------------|-------------------|------------|---------------|
| Operation Mode        | : TX CH High Mode | Test Date: | Sep. 17, 2010 |
| Fundamental Frequency | : 1909.8 MHz      | Test By:   | Sky           |
| Temperature           | : 25              | Pol:       | Hor           |
| Humidity              | : 65%             |            |               |

| Freq. (MHz) | SPA Reading (dBuV) | Ant.Pol. H/V | S.G Output (dBm) | Antenna Gain (dBd/dBi) | Cable Loss (dB) | ERP/EIRP (dBm) | Limit (dBm) | Safe Margin (dBm) |
|-------------|--------------------|--------------|------------------|------------------------|-----------------|----------------|-------------|-------------------|
| 39.70       | 44.43              | H            | -58.46           | -2.79                  | 0.89            | -62.15         | -13.00      | -49.15            |
| 93.05       | 49.17              | H            | -54.34           | -7.75                  | 1.30            | -63.39         | -13.00      | -50.39            |
| 102.75      | 46.72              | H            | -55.99           | -7.76                  | 1.37            | -65.13         | -13.00      | -52.13            |
| 151.25      | 32.24              | H            | -65.63           | -7.80                  | 1.59            | -75.02         | -13.00      | -62.02            |
| 461.65      | 33.51              | H            | -60.28           | -7.70                  | 2.69            | -70.67         | -13.00      | -57.67            |
| 689.60      | 31.64              | H            | -56.42           | -7.85                  | 3.26            | -67.54         | -13.00      | -54.54            |
| 1910.00     | 78.80              | H            | -25.31           | 10.08                  | 5.66            | -20.89         | -13.00      | -7.89             |
| 3819.60     | 41.33              | H            | -56.18           | 12.60                  | 8.47            | -52.04         | -13.00      | -39.04            |
| 5729.40     | 35.18              | H            | -55.27           | 13.49                  | 10.50           | -52.28         | -13.00      | -39.28            |
| 7639.20     | ---                | H            |                  | 11.40                  | 12.27           |                | -13.00      |                   |
| 9549.00     | ---                | H            |                  | 11.95                  | 13.74           |                | -13.00      |                   |
| 11458.80    | ---                | H            |                  | 12.17                  | 15.43           |                | -13.00      |                   |
| 13368.60    | ---                | H            |                  | 12.97                  | 16.82           |                | -13.00      |                   |
| 15278.40    | ---                | H            |                  | 15.00                  | 18.29           |                | -13.00      |                   |
| 17188.20    | ---                | H            |                  | 14.47                  | 19.52           |                | -13.00      |                   |
| 19098.00    | ---                | H            |                  | 18.66                  | 20.78           |                | -13.00      |                   |

|                         |                        |
|-------------------------|------------------------|
| Measurement uncertainty | 30MHz - 80MHz: 5.04dB  |
|                         | 80MHz -1000MHz: 3.76dB |
|                         | 1GHz - 13GHz: 4.45dB   |

Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4  $ERP/EIRP (dBm) = SG \text{ Setting}(dBm) + Antenna \text{ Gain} (dB/dBi) - Cable \text{ loss} (dB)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result: WCDMA II Mode**

|                       |                  |            |               |
|-----------------------|------------------|------------|---------------|
| Operation Mode        | : TX CH Low Mode | Test Date: | Sep. 17, 2010 |
| Fundamental Frequency | : 1852.4MHz      | Test By:   | Sky           |
| Temperature           | : 25             | Pol:       | Ver           |
| Humidity              | : 65%            |            |               |

| Freq. (MHz) | SPA. Reading (dBuV) | Ant.Pol. H/V | S.G Out-put (dBm) | Antenna Gain (dBd/dBi) | Cable Loss (dB) | ERP/EIRP (dBm) | Limit (dBm) | Safe Margin (dBm) |
|-------------|---------------------|--------------|-------------------|------------------------|-----------------|----------------|-------------|-------------------|
| 37.76       | 43.30               | V            | -59.15            | -3.70                  | 0.90            | -63.75         | -13.00      | -50.75            |
| 93.05       | 47.86               | V            | -54.95            | -7.75                  | 1.30            | -64.00         | -13.00      | -51.00            |
| 141.55      | 41.73               | V            | -56.34            | -7.79                  | 1.55            | -65.69         | -13.00      | -52.69            |
| 190.05      | 39.82               | V            | -61.07            | -7.83                  | 1.69            | -70.58         | -13.00      | -57.58            |
| 228.85      | 38.17               | V            | -62.52            | -7.87                  | 1.87            | -72.26         | -13.00      | -59.26            |
| 519.85      | 33.99               | V            | -59.49            | -7.74                  | 2.86            | -70.09         | -13.00      | -57.09            |
| 1850.00     | 67.67               | V            | -36.72            | 9.90                   | 5.56            | -32.38         | -13.00      | -19.38            |
| 3704.80     | 41.20               | V            | -56.71            | 12.61                  | 8.31            | -52.42         | -13.00      | -39.42            |
| 5557.20     | ---                 | V            |                   | 13.24                  | 10.33           |                | -13.00      |                   |
| 7409.60     | ---                 | V            |                   | 11.49                  | 12.09           |                | -13.00      |                   |
| 9262.00     | ---                 | V            |                   | 11.92                  | 13.51           |                | -13.00      |                   |
| 11114.40    | ---                 | V            |                   | 11.68                  | 15.12           |                | -13.00      |                   |
| 12966.80    | ---                 | V            |                   | 13.62                  | 16.61           |                | -13.00      |                   |
| 14819.20    | ---                 | V            |                   | 12.83                  | 17.96           |                | -13.00      |                   |
| 16671.60    | ---                 | V            |                   | 15.87                  | 19.15           |                | -13.00      |                   |
| 18524.00    | ---                 | V            |                   | 18.74                  | 10.86           |                | -13.00      |                   |

|                         |                        |
|-------------------------|------------------------|
| Measurement uncertainty | 30MHz - 80MHz: 5.04dB  |
|                         | 80MHz -1000MHz: 3.76dB |
|                         | 1GHz - 13GHz: 4.45dB   |

**Remark:**

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4  $ERP/EIRP (dBm) = SG \text{ Setting}(dBm) + Antenna \text{ Gain} (dB/dBi) - Cable \text{ loss} (dB)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result: WCDMA II Mode**

|                       |                  |            |               |
|-----------------------|------------------|------------|---------------|
| Operation Mode        | : TX CH Low Mode | Test Date: | Sep. 17, 2010 |
| Fundamental Frequency | : 1852.4MHz      | Test By:   | Sky           |
| Temperature           | : 25             | Pol:       | Hor           |
| Humidity              | : 65%            |            |               |

| Freq. (MHz) | SPA. Reading (dBuV) | Ant.Pol. H/V | S.G Out-put (dBm) | Antenna Gain (dBd/dBi) | Cable Loss (dB) | ERP/EIRP (dBm) | Limit (dBm) | Safe Margin (dBm) |
|-------------|---------------------|--------------|-------------------|------------------------|-----------------|----------------|-------------|-------------------|
| 37.76       | 44.45               | H            | -59.04            | -3.70                  | 0.90            | -63.65         | -13.00      | -50.65            |
| 105.66      | 43.91               | H            | -58.50            | -7.76                  | 1.39            | -67.65         | -13.00      | -54.65            |
| 141.55      | 40.58               | H            | -58.07            | -7.79                  | 1.55            | -67.42         | -13.00      | -54.42            |
| 206.54      | 41.86               | H            | -59.47            | -7.85                  | 1.75            | -69.07         | -13.00      | -56.07            |
| 238.55      | 41.21               | H            | -58.57            | -7.88                  | 1.93            | -68.37         | -13.00      | -55.37            |
| 519.85      | 33.36               | H            | -59.40            | -7.74                  | 2.86            | -70.00         | -13.00      | -57.00            |
| 1850.00     | 64.31               | H            | -39.87            | 9.90                   | 5.56            | -35.53         | -13.00      | -22.53            |
| 3704.80     | 36.15               | H            | -61.87            | 12.61                  | 8.31            | -57.58         | -13.00      | -44.58            |
| 5557.20     | 36.62               | H            | -54.41            | 13.24                  | 10.33           | -51.51         | -13.00      | -38.51            |
| 7409.60     | ---                 | H            |                   | 11.49                  | 12.09           |                | -13.00      |                   |
| 9262.00     | ---                 | H            |                   | 11.92                  | 13.51           |                | -13.00      |                   |
| 11114.40    | ---                 | H            |                   | 11.68                  | 15.12           |                | -13.00      |                   |
| 12966.80    | ---                 | H            |                   | 13.62                  | 16.61           |                | -13.00      |                   |
| 14819.20    | ---                 | H            |                   | 12.83                  | 17.96           |                | -13.00      |                   |
| 16671.60    | ---                 | H            |                   | 15.87                  | 19.15           |                | -13.00      |                   |
| 18524.00    | ---                 | H            |                   | 18.74                  | 10.86           |                | -13.00      |                   |

|                         |                        |
|-------------------------|------------------------|
| Measurement uncertainty | 30MHz - 80MHz: 5.04dB  |
|                         | 80MHz -1000MHz: 3.76dB |
|                         | 1GHz - 13GHz: 4.45dB   |

**Remark:**

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4  $ERP/EIRP (dBm) = SG \text{ Setting}(dBm) + Antenna \text{ Gain} (dB/dBi) - Cable \text{ loss} (dB)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result: WCDMA II Mode**

|                       |                  |            |               |
|-----------------------|------------------|------------|---------------|
| Operation Mode        | : TX CH Mid Mode | Test Date: | Sep. 17, 2010 |
| Fundamental Frequency | : 1880MHz        | Test By:   | Sky           |
| Temperature           | : 25             | Pol:       | Ver           |
| Humidity              | : 65%            |            |               |

| Freq. (MHz) | SPA. Reading (dBuV) | Ant.Pol. H/V | S.G Out-put (dBm) | Antenna Gain (dBd/dBi) | Cable Loss (dB) | ERP/EIRP (dBm) | Limit (dBm) | Safe Margin (dBm) |
|-------------|---------------------|--------------|-------------------|------------------------|-----------------|----------------|-------------|-------------------|
| 37.76       | 43.50               | V            | -58.95            | -3.70                  | 0.90            | -63.55         | -13.00      | -50.55            |
| 95.96       | 47.36               | V            | -55.08            | -7.76                  | 1.32            | -64.16         | -13.00      | -51.16            |
| 141.55      | 36.85               | V            | -61.22            | -7.79                  | 1.55            | -70.57         | -13.00      | -57.57            |
| 192.96      | 39.81               | V            | -61.34            | -7.83                  | 1.69            | -70.87         | -13.00      | -57.87            |
| 231.76      | 38.25               | V            | -62.33            | -7.87                  | 1.89            | -72.09         | -13.00      | -59.09            |
| 519.85      | 33.69               | V            | -59.79            | -7.74                  | 2.86            | -70.39         | -13.00      | -57.39            |
| 3760.00     | 38.22               | V            | -59.44            | 12.60                  | 8.39            | -55.22         | -13.00      | -42.22            |
| 5640.00     | 35.63               | V            | -54.95            | 13.36                  | 10.41           | -52.00         | -13.00      | -39.00            |
| 7520.00     | ---                 | V            |                   | 11.45                  | 12.19           |                | -13.00      |                   |
| 9400.00     | ---                 | V            |                   | 11.93                  | 13.61           |                | -13.00      |                   |
| 11280.00    | ---                 | V            |                   | 11.92                  | 15.27           |                | -13.00      |                   |
| 13160.00    | ---                 | V            |                   | 13.33                  | 16.71           |                | -13.00      |                   |
| 15040.00    | ---                 | V            |                   | 13.76                  | 18.15           |                | -13.00      |                   |
| 16920.00    | ---                 | V            |                   | 15.27                  | 19.32           |                | -13.00      |                   |
| 18800.00    | ---                 | V            |                   | 18.68                  | 16.58           |                | -13.00      |                   |

|                         |                        |
|-------------------------|------------------------|
| Measurement uncertainty | 30MHz - 80MHz: 5.04dB  |
|                         | 80MHz -1000MHz: 3.76dB |
|                         | 1GHz - 13GHz: 4.45dB   |

Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4  $ERP/EIRP (dBm) = SG \text{ Setting}(dBm) + Antenna \text{ Gain} (dB/dBi) - Cable \text{ loss} (dB)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result: WCDMA II Mode**

|                       |                  |            |               |
|-----------------------|------------------|------------|---------------|
| Operation Mode        | : TX CH Mid Mode | Test Date: | Sep. 17, 2010 |
| Fundamental Frequency | : 1880MHz        | Test By:   | Sky           |
| Temperature           | : 25             | Pol:       | Hor           |
| Humidity              | : 65%            |            |               |

| Freq. (MHz) | SPA. Reading (dBuV) | Ant.Pol. H/V | S.G Out-put (dBm) | Antenna Gain (dBd/dBi) | Cable Loss (dB) | ERP/EIRP (dBm) | Limit (dBm) | Safe Margin (dBm) |
|-------------|---------------------|--------------|-------------------|------------------------|-----------------|----------------|-------------|-------------------|
| 38.70       | 42.65               | H            | -60.55            | -3.26                  | 0.90            | -64.71         | -13.00      | -51.71            |
| 105.66      | 43.77               | H            | -58.64            | -7.76                  | 1.39            | -67.79         | -13.00      | -54.79            |
| 141.55      | 40.47               | H            | -58.18            | -7.79                  | 1.55            | -67.53         | -13.00      | -54.53            |
| 206.54      | 40.91               | H            | -60.42            | -7.85                  | 1.75            | -70.02         | -13.00      | -57.02            |
| 238.55      | 41.06               | H            | -58.72            | -7.88                  | 1.93            | -68.52         | -13.00      | -55.52            |
| 519.85      | 34.17               | H            | -58.59            | -7.74                  | 2.86            | -69.19         | -13.00      | -56.19            |
| 3760.00     | 34.98               | H            | -62.79            | 12.60                  | 8.39            | -58.58         | -13.00      | -45.58            |
| 5640.00     | 35.46               | H            | -55.29            | 13.36                  | 10.41           | -52.34         | -13.00      | -39.34            |
| 7520.00     | ---                 | H            |                   | 11.45                  | 12.19           |                | -13.00      |                   |
| 9400.00     | ---                 | H            |                   | 11.93                  | 13.61           |                | -13.00      |                   |
| 11280.00    | ---                 | H            |                   | 11.92                  | 15.27           |                | -13.00      |                   |
| 13160.00    | ---                 | H            |                   | 13.33                  | 16.71           |                | -13.00      |                   |
| 15040.00    | ---                 | H            |                   | 13.76                  | 18.15           |                | -13.00      |                   |
| 16920.00    | ---                 | H            |                   | 15.27                  | 19.32           |                | -13.00      |                   |
| 18800.00    | ---                 | H            |                   | 18.68                  | 16.58           |                | -13.00      |                   |

|                         |                         |
|-------------------------|-------------------------|
| Measurement uncertainty | 30MHz - 80MHz: 5.04dB   |
|                         | 80MHz - 1000MHz: 3.76dB |
|                         | 1GHz - 13GHz: 4.45dB    |

Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4  $ERP/EIRP (dBm) = SG \text{ Setting}(dBm) + Antenna \text{ Gain} (dB/dBi) - Cable \text{ loss} (dB)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



**Radiated Spurious Emission Measurement Result: WCDMA II Mode**

|                       |                   |            |               |
|-----------------------|-------------------|------------|---------------|
| Operation Mode        | : TX CH High Mode | Test Date: | Sep. 17, 2010 |
| Fundamental Frequency | : 1907.6 MHz      | Test By:   | Sky           |
| Temperature           | : 25              | Pol:       | Ver           |
| Humidity              | : 65%             |            |               |

| Freq. (MHz) | SPA Reading (dBuV) | Ant.Pol. H/V | S.G Output (dBm) | Antenna Gain (dBd/dBi) | Cable Loss (dB) | ERP/EIRP (dBm) | Limit (dBm) | Safe Margin (dBm) |
|-------------|--------------------|--------------|------------------|------------------------|-----------------|----------------|-------------|-------------------|
| 37.76       | 43.48              | V            | -58.97           | -3.70                  | 0.90            | -63.57         | -13.00      | -50.57            |
| 68.80       | 45.21              | V            | -66.53           | -1.01                  | 1.15            | -68.68         | -13.00      | -55.68            |
| 93.05       | 47.90              | V            | -54.91           | -7.75                  | 1.30            | -63.96         | -13.00      | -50.96            |
| 141.55      | 41.28              | V            | -56.79           | -7.79                  | 1.55            | -66.14         | -13.00      | -53.14            |
| 196.84      | 38.81              | V            | -62.69           | -7.84                  | 1.70            | -72.23         | -13.00      | -59.23            |
| 429.64      | 32.38              | V            | -62.19           | -7.68                  | 2.60            | -72.47         | -13.00      | -59.47            |
| 1910.00     | 71.45              | V            | -32.88           | 10.08                  | 5.66            | -28.46         | -13.00      | -15.46            |
| 3815.20     | 39.65              | V            | -57.76           | 12.60                  | 8.46            | -53.62         | -13.00      | -40.62            |
| 5722.80     | 37.92              | V            | -52.41           | 13.48                  | 10.49           | -49.42         | -13.00      | -36.42            |
| 7630.40     | ---                | V            |                  | 11.41                  | 12.27           |                | -13.00      |                   |
| 9538.00     | ---                | V            |                  | 11.95                  | 13.73           |                | -13.00      |                   |
| 11445.60    | ---                | V            |                  | 12.15                  | 15.42           |                | -13.00      |                   |
| 13353.20    | ---                | V            |                  | 13.00                  | 16.81           |                | -13.00      |                   |
| 15260.80    | ---                | V            |                  | 14.91                  | 18.28           |                | -13.00      |                   |
| 17168.40    | ---                | V            |                  | 14.53                  | 19.50           |                | -13.00      |                   |
| 19076.00    | ---                | V            |                  | 18.65                  | 20.76           |                | -13.00      |                   |
|             |                    |              |                  |                        |                 |                |             |                   |

|                         |                         |
|-------------------------|-------------------------|
| Measurement uncertainty | 30MHz - 80MHz: 5.04dB   |
|                         | 80MHz - 1000MHz: 3.76dB |
|                         | 1GHz - 13GHz: 4.45dB    |

**Remark:**

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4  $ERP/EIRP (dBm) = SG \text{ Setting}(dBm) + Antenna \text{ Gain} (dB/dBi) - Cable \text{ loss} (dB)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result: WCDMA II Mode**

|                       |                   |            |               |
|-----------------------|-------------------|------------|---------------|
| Operation Mode        | : TX CH High Mode | Test Date: | Sep. 17, 2010 |
| Fundamental Frequency | : 1907.6 MHz      | Test By:   | Sky           |
| Temperature           | : 25              | Pol:       | Hor           |
| Humidity              | : 65%             |            |               |

| Freq. (MHz) | SPA Reading (dBuV) | Ant.Pol. H/V | S.G Output (dBm) | Antenna Gain (dBd/dBi) | Cable Loss (dB) | ERP/EIRP (dBm) | Limit (dBm) | Safe Margin (dBm) |
|-------------|--------------------|--------------|------------------|------------------------|-----------------|----------------|-------------|-------------------|
| 41.64       | 48.62              | H            | -54.89           | -2.31                  | 0.93            | -58.13         | -13.00      | -45.13            |
| 93.05       | 42.86              | H            | -60.65           | -7.75                  | 1.30            | -69.70         | -13.00      | -56.70            |
| 105.66      | 44.62              | H            | -57.79           | -7.76                  | 1.39            | -66.94         | -13.00      | -53.94            |
| 141.55      | 32.59              | H            | -66.06           | -7.79                  | 1.55            | -75.41         | -13.00      | -62.41            |
| 321.00      | 32.57              | H            | -64.90           | -7.80                  | 2.25            | -74.95         | -13.00      | -61.95            |
| 519.85      | 31.98              | H            | -60.78           | -7.74                  | 2.86            | -71.38         | -13.00      | -58.38            |
| 1910.00     | 72.42              | H            | -31.69           | 10.08                  | 5.66            | -27.27         | -13.00      | -14.27            |
| 3815.20     | 38.16              | H            | -59.37           | 12.60                  | 8.46            | -55.23         | -13.00      | -42.23            |
| 5722.80     | 38.63              | H            | -51.84           | 13.48                  | 10.49           | -48.85         | -13.00      | -35.85            |
| 7630.40     | ---                | H            |                  | 11.41                  | 12.27           |                | -13.00      |                   |
| 9538.00     | ---                | H            |                  | 11.95                  | 13.73           |                | -13.00      |                   |
| 11445.60    | ---                | H            |                  | 12.15                  | 15.42           |                | -13.00      |                   |
| 13353.20    | ---                | H            |                  | 13.00                  | 16.81           |                | -13.00      |                   |
| 15260.80    | ---                | H            |                  | 14.91                  | 18.28           |                | -13.00      |                   |
| 17168.40    | ---                | H            |                  | 14.53                  | 19.50           |                | -13.00      |                   |
| 19076.00    | ---                | H            |                  | 18.65                  | 20.76           |                | -13.00      |                   |

|                         |                        |
|-------------------------|------------------------|
| Measurement uncertainty | 30MHz - 80MHz: 5.04dB  |
|                         | 80MHz -1000MHz: 3.76dB |
|                         | 1GHz - 13GHz: 4.45dB   |

Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4  $ERP/EIRP (dBm) = SG \text{ Setting}(dBm) + Antenna \text{ Gain} (dB/dBi) - Cable \text{ loss} (dB)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result: WCDMA V Mode**

|                       |                  |            |               |
|-----------------------|------------------|------------|---------------|
| Operation Mode        | : TX CH Low Mode | Test Date: | Sep. 17, 2010 |
| Fundamental Frequency | : 826.4 MHz      | Test By:   | Sky           |
| Temperature           | : 25             | Pol:       | Ver           |
| Humidity              | : 65%            |            |               |

| Freq. (MHz) | SPA. Reading (dBuV) | Ant.Pol. H/V | S.G Out-put (dBm) | Antenna Gain (dBd/dBi) | Cable Loss (dB) | ERP/EIRP (dBm) | Limit (dBm) | Safe Margin (dBm) |
|-------------|---------------------|--------------|-------------------|------------------------|-----------------|----------------|-------------|-------------------|
| 37.76       | 48.53               | V            | -53.92            | -3.70                  | 0.90            | -58.52         | -13.00      | -45.52            |
| 93.05       | 48.96               | V            | -53.85            | -7.75                  | 1.30            | -62.90         | -13.00      | -49.90            |
| 105.66      | 45.03               | V            | -56.37            | -7.76                  | 1.39            | -65.52         | -13.00      | -52.52            |
| 138.64      | 42.21               | V            | -56.13            | -7.79                  | 1.54            | -65.46         | -13.00      | -52.46            |
| 251.16      | 40.48               | V            | -59.37            | -7.89                  | 1.99            | -69.26         | -13.00      | -56.26            |
| 519.85      | 35.08               | V            | -58.40            | -7.74                  | 2.86            | -69.00         | -13.00      | -56.00            |
| 824.00      | 58.83               | V            | -27.56            | -7.87                  | 3.62            | -39.06         | -13.00      | -26.06            |
| 1652.80     | 39.08               | V            | -65.50            | 9.30                   | 5.23            | -61.43         | -13.00      | -48.43            |
| 2479.20     | ---                 | V            |                   | 10.07                  | 6.54            |                | -13.00      |                   |
| 3305.60     | ---                 | V            |                   | 12.19                  | 7.73            |                | -13.00      |                   |
| 4132.00     | ---                 | V            |                   | 12.62                  | 8.87            |                | -13.00      |                   |
| 4958.40     | ---                 | V            |                   | 12.65                  | 9.75            |                | -13.00      |                   |
| 5784.80     | ---                 | V            |                   | 13.58                  | 10.55           |                | -13.00      |                   |
| 6611.20     | ---                 | V            |                   | 12.03                  | 11.31           |                | -13.00      |                   |
| 7437.60     | ---                 | V            |                   | 11.48                  | 12.12           |                | -13.00      |                   |
| 8264.00     | ---                 | V            |                   | 11.50                  | 12.73           |                | -13.00      |                   |

|                         |                        |
|-------------------------|------------------------|
| Measurement uncertainty | 30MHz - 80MHz: 5.04dB  |
|                         | 80MHz -1000MHz: 3.76dB |
|                         | 1GHz - 13GHz: 4.45dB   |

**Remark:**

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4  $ERP/EIRP (dBm) = SG \text{ Setting}(dBm) + Antenna \text{ Gain} (dB/dBi) - Cable \text{ loss} (dB)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result: WCDMA V Mode**

|                       |                  |            |               |
|-----------------------|------------------|------------|---------------|
| Operation Mode        | : TX CH Low Mode | Test Date: | Sep. 17, 2010 |
| Fundamental Frequency | : 826.4MHz       | Test By:   | Sky           |
| Temperature           | : 25             | Pol:       | Hor           |
| Humidity              | : 65%            |            |               |

| Freq. (MHz) | SPA. Reading (dBuV) | Ant.Pol. H/V | S.G Out-put (dBm) | Antenna Gain (dBd/dBi) | Cable Loss (dB) | ERP/EIRP (dBm) | Limit (dBm) | Safe Margin (dBm) |
|-------------|---------------------|--------------|-------------------|------------------------|-----------------|----------------|-------------|-------------------|
| 39.70       | 43.36               | H            | -59.53            | -2.79                  | 0.89            | -63.22         | -13.00      | -50.22            |
| 93.05       | 44.24               | H            | -59.27            | -7.75                  | 1.30            | -68.32         | -13.00      | -55.32            |
| 105.66      | 43.68               | H            | -58.73            | -7.76                  | 1.39            | -67.88         | -13.00      | -54.88            |
| 136.70      | 41.03               | H            | -58.13            | -7.79                  | 1.53            | -67.45         | -13.00      | -54.45            |
| 257.95      | 38.63               | H            | -60.34            | -7.89                  | 2.02            | -70.26         | -13.00      | -57.26            |
| 519.85      | 35.61               | H            | -57.15            | -7.74                  | 2.86            | -67.75         | -13.00      | -54.75            |
| 824.00      | 64.64               | H            | -21.63            | -7.87                  | 3.62            | -33.13         | -13.00      | -20.13            |
| 1652.80     | 38.52               | H            | -65.88            | 9.30                   | 5.23            | -61.81         | -13.00      | -48.81            |
| 2479.20     | ---                 | H            |                   | 10.07                  | 6.54            |                | -13.00      |                   |
| 3305.60     | ---                 | H            |                   | 12.19                  | 7.73            |                | -13.00      |                   |
| 4132.00     | ---                 | H            |                   | 12.62                  | 8.87            |                | -13.00      |                   |
| 4958.40     | ---                 | H            |                   | 12.65                  | 9.75            |                | -13.00      |                   |
| 5784.80     | ---                 | H            |                   | 13.58                  | 10.55           |                | -13.00      |                   |
| 6611.20     | ---                 | H            |                   | 12.03                  | 11.31           |                | -13.00      |                   |
| 7437.60     | ---                 | H            |                   | 11.48                  | 12.12           |                | -13.00      |                   |
| 8264.00     | ---                 | H            |                   | 11.50                  | 12.73           |                | -13.00      |                   |

|                         |                        |
|-------------------------|------------------------|
| Measurement uncertainty | 30MHz - 80MHz: 5.04dB  |
|                         | 80MHz -1000MHz: 3.76dB |
|                         | 1GHz - 13GHz: 4.45dB   |

**Remark:**

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4  $ERP/EIRP (dBm) = SG \text{ Setting}(dBm) + Antenna \text{ Gain} (dB/dBi) - Cable \text{ loss} (dB)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result: WCDMA V Mode**

|                       |                  |            |               |
|-----------------------|------------------|------------|---------------|
| Operation Mode        | : TX CH Mid Mode | Test Date: | Sep. 17, 2010 |
| Fundamental Frequency | : 836.6MHz       | Test By:   | Sky           |
| Temperature           | : 25             | Pol:       | Ver           |
| Humidity              | : 65%            |            |               |

| Freq. (MHz) | SPA. Reading (dBuV) | Ant.Pol. H/V | S.G Out-put (dBm) | Antenna Gain (dBd/dBi) | Cable Loss (dB) | ERP/EIRP (dBm) | Limit (dBm) | Safe Margin (dBm) |
|-------------|---------------------|--------------|-------------------|------------------------|-----------------|----------------|-------------|-------------------|
| 37.76       | 48.82               | V            | -53.63            | -3.70                  | 0.90            | -58.23         | -13.00      | -45.23            |
| 95.96       | 48.90               | V            | -53.54            | -7.76                  | 1.32            | -62.62         | -13.00      | -49.62            |
| 138.64      | 42.67               | V            | -55.67            | -7.79                  | 1.54            | -65.00         | -13.00      | -52.00            |
| 187.14      | 40.13               | V            | -60.50            | -7.83                  | 1.68            | -70.00         | -13.00      | -57.00            |
| 238.55      | 41.05               | V            | -59.27            | -7.88                  | 1.93            | -69.08         | -13.00      | -56.08            |
| 519.85      | 34.41               | V            | -59.07            | -7.74                  | 2.86            | -69.67         | -13.00      | -56.67            |
| 1673.20     | 33.30               | V            | -71.26            | 9.36                   | 5.27            | -67.16         | -13.00      | -54.16            |
| 2509.80     | ---                 | V            |                   | 10.09                  | 6.58            |                | -13.00      |                   |
| 3346.40     | ---                 | V            |                   | 12.28                  | 7.79            |                | -13.00      |                   |
| 4183.00     | ---                 | V            |                   | 12.62                  | 8.93            |                | -13.00      |                   |
| 5019.60     | ---                 | V            |                   | 12.67                  | 9.81            |                | -13.00      |                   |
| 5856.20     | ---                 | V            |                   | 13.68                  | 10.62           |                | -13.00      |                   |
| 6692.80     | ---                 | V            |                   | 11.95                  | 11.39           |                | -13.00      |                   |
| 7529.40     | ---                 | V            |                   | 11.45                  | 12.20           |                | -13.00      |                   |
| 8366.00     | ---                 | V            |                   | 11.59                  | 12.81           |                | -13.00      |                   |

|                         |                        |
|-------------------------|------------------------|
| Measurement uncertainty | 30MHz - 80MHz: 5.04dB  |
|                         | 80MHz -1000MHz: 3.76dB |
|                         | 1GHz - 13GHz: 4.45dB   |

Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4  $ERP/EIRP (dBm) = SG \text{ Setting}(dBm) + Antenna \text{ Gain} (dB/dBi) - Cable \text{ loss} (dB)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result: WCDMA V Mode**

|                       |                  |            |               |
|-----------------------|------------------|------------|---------------|
| Operation Mode        | : TX CH Mid Mode | Test Date: | Sep. 17, 2010 |
| Fundamental Frequency | : 836.6MHz       | Test By:   | Sky           |
| Temperature           | : 25             | Pol:       | Hor           |
| Humidity              | : 65%            |            |               |

| Freq. (MHz) | SPA. Reading (dBuV) | Ant.Pol. H/V | S.G Out-put (dBm) | Antenna Gain (dBd/dBi) | Cable Loss (dB) | ERP/EIRP (dBm) | Limit (dBm) | Safe Margin (dBm) |
|-------------|---------------------|--------------|-------------------|------------------------|-----------------|----------------|-------------|-------------------|
| 39.70       | 42.70               | H            | -60.19            | -2.79                  | 0.89            | -63.88         | -13.00      | -50.88            |
| 93.05       | 43.53               | H            | -59.98            | -7.75                  | 1.30            | -69.03         | -13.00      | -56.03            |
| 105.66      | 43.51               | H            | -58.90            | -7.76                  | 1.39            | -68.05         | -13.00      | -55.05            |
| 138.64      | 41.25               | H            | -57.71            | -7.79                  | 1.54            | -67.04         | -13.00      | -54.04            |
| 257.95      | 39.98               | H            | -58.99            | -7.89                  | 2.02            | -68.91         | -13.00      | -55.91            |
| 519.85      | 35.76               | H            | -57.00            | -7.74                  | 2.86            | -67.60         | -13.00      | -54.60            |
| 1673.20     | 37.62               | H            | -66.76            | 9.36                   | 5.27            | -62.66         | -13.00      | -49.66            |
| 2509.80     | ---                 | H            |                   | 10.09                  | 6.58            |                | -13.00      |                   |
| 3346.40     | ---                 | H            |                   | 12.28                  | 7.79            |                | -13.00      |                   |
| 4183.00     | ---                 | H            |                   | 12.62                  | 8.93            |                | -13.00      |                   |
| 5019.60     | ---                 | H            |                   | 12.67                  | 9.81            |                | -13.00      |                   |
| 5856.20     | ---                 | H            |                   | 13.68                  | 10.62           |                | -13.00      |                   |
| 6692.80     | ---                 | H            |                   | 11.95                  | 11.39           |                | -13.00      |                   |
| 7529.40     | ---                 | H            |                   | 11.45                  | 12.20           |                | -13.00      |                   |
| 8366.00     | ---                 | H            |                   | 11.59                  | 12.81           |                | -13.00      |                   |

|                         |                        |
|-------------------------|------------------------|
| Measurement uncertainty | 30MHz - 80MHz: 5.04dB  |
|                         | 80MHz -1000MHz: 3.76dB |
|                         | 1GHz - 13GHz: 4.45dB   |

Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4  $ERP/EIRP (dBm) = SG \text{ Setting}(dBm) + Antenna \text{ Gain} (dB/dBi) - Cable \text{ loss} (dB)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result: WCDMA V Mode**

|                       |                   |            |               |
|-----------------------|-------------------|------------|---------------|
| Operation Mode        | : TX CH High Mode | Test Date: | Sep. 17, 2010 |
| Fundamental Frequency | : 846.6MHz        | Test By:   | Sky           |
| Temperature           | : 25              | Pol:       | Ver           |
| Humidity              | : 65%             |            |               |

| Freq. (MHz) | SPA. Reading (dBuV) | Ant.Pol. H/V | S.G Out-put (dBm) | Antenna Gain (dBd/dBi) | Cable Loss (dB) | ERP/EIRP (dBm) | Limit (dBm) | Safe Margin (dBm) |
|-------------|---------------------|--------------|-------------------|------------------------|-----------------|----------------|-------------|-------------------|
| 37.76       | 48.48               | V            | -53.97            | -3.70                  | 0.90            | -58.57         | -13.00      | -45.57            |
| 68.80       | 54.88               | V            | -56.86            | -1.01                  | 1.15            | -59.01         | -13.00      | -46.01            |
| 93.05       | 49.04               | V            | -53.77            | -7.75                  | 1.30            | -62.82         | -13.00      | -49.82            |
| 138.64      | 42.68               | V            | -55.66            | -7.79                  | 1.54            | -64.99         | -13.00      | -51.99            |
| 238.55      | 41.34               | V            | -58.98            | -7.88                  | 1.93            | -68.79         | -13.00      | -55.79            |
| 519.85      | 33.80               | V            | -59.68            | -7.74                  | 2.86            | -70.28         | -13.00      | -57.28            |
| 850.00      | 60.02               | V            | -26.09            | -7.88                  | 3.68            | -37.65         | -13.00      | -24.65            |
| 1693.20     | 39.16               | V            | -65.38            | 9.42                   | 5.30            | -61.26         | -13.00      | -48.26            |
| 2539.80     | ---                 | V            |                   | 10.18                  | 6.62            |                | -13.00      |                   |
| 3386.40     | ---                 | V            |                   | 12.36                  | 7.85            |                | -13.00      |                   |
| 4233.00     | ---                 | V            |                   | 12.63                  | 8.99            |                | -13.00      |                   |
| 5079.60     | ---                 | V            |                   | 12.73                  | 9.87            |                | -13.00      |                   |
| 5926.20     | ---                 | V            |                   | 13.79                  | 10.69           |                | -13.00      |                   |
| 6772.80     | ---                 | V            |                   | 11.87                  | 11.47           |                | -13.00      |                   |
| 7619.40     | ---                 | V            |                   | 11.41                  | 12.26           |                | -13.00      |                   |
| 8466.00     | ---                 | V            |                   | 11.68                  | 12.89           |                | -13.00      |                   |

|                         |                        |
|-------------------------|------------------------|
| Measurement uncertainty | 30MHz - 80MHz: 5.04dB  |
|                         | 80MHz -1000MHz: 3.76dB |
|                         | 1GHz - 13GHz: 4.45dB   |

Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4  $ERP/EIRP (dBm) = SG \text{ Setting}(dBm) + Antenna \text{ Gain} (dB/dBi) - Cable \text{ loss} (dB)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result: WCDMA V Mode**

|                       |                   |            |               |
|-----------------------|-------------------|------------|---------------|
| Operation Mode        | : TX CH High Mode | Test Date: | Sep. 17, 2010 |
| Fundamental Frequency | : 846.6MHz        | Test By:   | Sky           |
| Temperature           | : 25              | Pol:       | Hor           |
| Humidity              | : 65%             |            |               |

| Freq. (MHz) | SPA Reading (dBuV) | Ant.Pol. H/V | S.G Out-put (dBm) | Antenna Gain (dBd/dBi) | Cable Loss (dB) | ERP/EIRP (dBm) | Limit (dBm) | Safe Margin (dBm) |
|-------------|--------------------|--------------|-------------------|------------------------|-----------------|----------------|-------------|-------------------|
| 37.76       | 46.39              | H            | -57.10            | -3.70                  | 0.90            | -61.71         | -13.00      | -48.71            |
| 93.05       | 44.25              | H            | -59.26            | -7.75                  | 1.30            | -68.31         | -13.00      | -55.31            |
| 105.66      | 44.08              | H            | -58.33            | -7.76                  | 1.39            | -67.48         | -13.00      | -54.48            |
| 138.64      | 41.69              | H            | -57.27            | -7.79                  | 1.54            | -66.60         | -13.00      | -53.60            |
| 257.95      | 39.30              | H            | -59.67            | -7.89                  | 2.02            | -69.59         | -13.00      | -56.59            |
| 519.85      | 34.46              | H            | -58.30            | -7.74                  | 2.86            | -68.90         | -13.00      | -55.90            |
| 850.00      | 69.20              | H            | -16.99            | -7.88                  | 3.68            | -28.55         | -13.00      | -15.55            |
| 1693.20     | 48.51              | H            | -55.84            | 9.42                   | 5.30            | -51.72         | -13.00      | -38.72            |
| 2539.80     | ---                | H            |                   | 10.18                  | 6.62            |                | -13.00      |                   |
| 3386.40     | ---                | H            |                   | 12.36                  | 7.85            |                | -13.00      |                   |
| 4233.00     | ---                | H            |                   | 12.63                  | 8.99            |                | -13.00      |                   |
| 5079.60     | ---                | H            |                   | 12.73                  | 9.87            |                | -13.00      |                   |
| 5926.20     | ---                | H            |                   | 13.79                  | 10.69           |                | -13.00      |                   |
| 6772.80     | ---                | H            |                   | 11.87                  | 11.47           |                | -13.00      |                   |
| 7619.40     | ---                | H            |                   | 11.41                  | 12.26           |                | -13.00      |                   |
| 8466.00     | ---                | H            |                   | 11.68                  | 12.89           |                | -13.00      |                   |

|                         |                        |
|-------------------------|------------------------|
| Measurement uncertainty | 30MHz - 80MHz: 5.04dB  |
|                         | 80MHz -1000MHz: 3.76dB |
|                         | 1GHz - 13GHz: 4.45dB   |

Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4  $ERP/EIRP (dBm) = SG \text{ Setting}(dBm) + Antenna \text{ Gain} (dB/dBi) - Cable \text{ loss} (dB)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




## 10 FREQUENCY STABILITY V.S. TEMPERATURE MEASUREMENT

### 10.1 Standard Applicable

According to FCC §2.1055(a)(1)

Frequency Tolerance: +/- 2.5 ppm

### 10.2 Test Set-up:



**Note :** Measurement setup for testing on Antenna connector

### 10.3 Measurement Procedure

The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to -30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached.

### 10.4 Measurement Equipment Used:

Refer to section 2.4 in this report

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### 10.5 Measurement Result

| Reference Frequency: GSM Mid Channel 836.6 MHz <sup>°C</sup> |                  |            |            |            |
|--|------------------|------------|------------|------------|
| Limit: +/- 2.5 ppm = 2091 Hz                                 |                  |            |            |            |
| Power Supply   | Environment      | Frequency  | Delta (Hz) | Limit (Hz) |
| Vdc  | Temperature (°C) | (MHz)      |            |            |
| 3.7  | -30              | 836.599970 | 16.00      | 2091       |
| 3.7  | -20              | 836.599982 | 4.00       | 2091       |
| 3.7  | -10              | 836.599951 | 35.00      | 2091       |
| 3.7  | 0                | 836.599991 | -5.00      | 2091       |
| 3.7  | 10               | 836.599989 | -3.00      | 2091       |
| 3.7  | 20               | 836.599986 | 0.00       | 2091       |
| 3.7  | 30               | 836.599971 | 15.00      | 2091       |
| 3.7  | 40               | 836.599978 | 8.00       | 2091       |
| 3.7  | 50               | 836.599973 | 13.00      | 2091       |

| Reference Frequency: PCS Mid Channel 1880 MHz |                  |             |            |            |
|---|------------------|-------------|------------|------------|
| Limit: +/- 2.5 ppm = 4700 Hz                  |                  |             |            |            |
| Power Supply                                  | Environment      | Frequency   | Delta (Hz) | Limit (Hz) |
| Vdc   | Temperature (°C) | (MHz)       |            |            |
| 3.7   | -30              | 1879.999943 | 51.00      | 4700       |
| 3.7   | -20              | 1879.999949 | 45.00      | 4700       |
| 3.7   | -10              | 1879.999956 | 38.00      | 4700       |
| 3.7   | 0                | 1879.999981 | 13.00      | 4700       |
| 3.7   | 10               | 1879.999993 | 1.00       | 4700       |
| 3.7   | 20               | 1879.999994 | 0.00       | 4700       |
| 3.7   | 30               | 1879.999948 | 46.00      | 4700       |
| 3.7   | 40               | 1879.999941 | 53.00      | 4700       |
| 3.7   | 50               | 1879.999946 | 48.00      | 4700       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| Reference Frequency: WCDMA II Mid Channel 1880 MHz |                  |             |            |            |
|--|------------------|-------------|------------|------------|
| Limit: +/- 2.5 ppm = 4700 Hz                       |                  |             |            |            |
| Power Supply                                       | Environment      | Frequency   | Delta (Hz) | Limit (Hz) |
| Vdc  | Temperature (°C) | (MHz)       |            |            |
| 3.7  | -30              | 1879.999991 | 7.00       | 4700       |
| 3.7  | -20              | 1879.999993 | 5.00       | 4700       |
| 3.7  | -10              | 1880.000010 | -12.00     | 4700       |
| 3.7  | 0                | 1880.000006 | -8.00      | 4700       |
| 3.7  | 10               | 1879.999993 | 5.00       | 4700       |
| 3.7  | 20               | 1879.999998 | 0.00       | 4700       |
| 3.7  | 30               | 1880.000009 | -11.00     | 4700       |
| 3.7  | 40               | 1880.000015 | -17.00     | 4700       |
| 3.7  | 50               | 1880.000013 | -15.00     | 4700       |

| Reference Frequency: WCDMA V Mid Channel 836.6 MHz |                  |            |            |            |
|--|------------------|------------|------------|------------|
| Limit: +/- 2.5 ppm = 2091 Hz                       |                  |            |            |            |
| Power Supply                                       | Environment      | Frequency  | Delta (Hz) | Limit (Hz) |
| Vdc  | Temperature (°C) | (MHz)      |            |            |
| 3.7  | -30              | 836.600001 | 4.40       | 2091       |
| 3.7  | -20              | 836.600003 | 2.00       | 2091       |
| 3.7  | -10              | 836.599992 | 13.00      | 2091       |
| 3.7  | 0                | 836.599996 | 9.00       | 2091       |
| 3.7  | 10               | 836.599998 | 7.00       | 2091       |
| 3.7  | 20               | 836.600005 | 0.00       | 2091       |
| 3.7  | 30               | 836.600008 | -3.00      | 2091       |
| 3.7  | 40               | 836.600007 | -2.00      | 2091       |
| 3.7  | 50               | 836.600017 | -12.00     | 2091       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 11 FREQUENCY STABILITY V.S. VOLTAGE MEASUREMENT

### 11.1 Standard Applicable

According to FCC §2.1055(d)(2)

Frequency Tolerance: +/- 2.5 ppm

### 11.2 Test Set-up:

Refer to section 10.2 in this report

### 11.3 Measurement Procedure

Set chamber temperature to 25°C. Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency.

Reduce the input voltage to specified extreme voltage variation (+/- 15%) and endpoint, record the maximum frequency change.

### 11.4 Measurement Equipment Used:

Refer to section 2.4 in this report

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

11.5 Measurement Result

| Reference Frequency: GSM Mid Channel 836.6 MHz |                  |            |            |            |
|--|------------------|------------|------------|------------|
| Limit: +/- 2.5 ppm = 2091 Hz                   |                  |            |            |            |
| Power Supply                                   | Environment      | Frequency  | Delta (Hz) | Limit (Hz) |
| Vdc  | Temperature (°C) | (MHz)      |            |            |
| 4.2  | 25.00            | 836.599980 | 6.00       | 2091.00    |
| 3.7  | 25.00            | 836.599986 | 0.00       | 2091.00    |
| 3.6  | 25.00            | 836.599973 | 13.00      | 2091.00    |
| 3.58<br>(End Point)                            | 25.00            | 836.599962 | 24.00      | 2091.00    |

| Reference Frequency: PCS Mid Channel 1880 MHz |                  |             |            |            |
|---|------------------|-------------|------------|------------|
| Limit: +/- 2.5 ppm = 4700 Hz                  |                  |             |            |            |
| Power Supply                                  | Environment      | Frequency   | Delta (Hz) | Limit (Hz) |
| Vdc   | Temperature (°C) | (MHz)       |            |            |
| 4.2   | 25               | 1879.999990 | 4.00       | 4700       |
| 3.7   | 25               | 1879.999994 | 0.00       | 4700       |
| 3.6   | 25               | 1879.999988 | 6.00       | 4700       |
| 3.58<br>(Endpoint)                            | 25               | 1879.999981 | 13.00      | 4700       |

| Reference Frequency: WCDMA II Mid Channel 1880 (ARFCN9400) MHz |                  |              |            |            |
|--|------------------|--------------|------------|------------|
| Limit: +/- 2.5 ppm = 4700 Hz                                   |                  |              |            |            |
| Power Supply   | Environment      | Frequency    | Delta (Hz) | Limit (Hz) |
| Vdc  | Temperature (°C) | (MHz)        |            |            |
| 4.2  | 25               | 1879.9999940 | 4.00       | 4700       |
| 3.7  | 25               | 1879.9999980 | 0.00       | 4700       |
| 3.6  | 25               | 1879.9999900 | 8.00       | 4700       |
| 3.58<br>(Endpoint)   | 25               | 1879.9999860 | 12.00      | 4700       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| Reference Frequency: WCDMA V Mid Channel 836.6 MHz |                  |             |            |            |
|--|------------------|-------------|------------|------------|
| Limit: +/- 2.5 ppm = 2091 Hz                       |                  |             |            |            |
| Power Supply                                       | Environment      | Frequency   | Delta (Hz) | Limit (Hz) |
| Vdc  | Temperature (°C) | (MHz)       |            |            |
| 4.2  | 25.00            | 836.6000100 | -5.00      | 2091.00    |
| 3.7  | 25.00            | 836.6000050 | 0.00       | 2091.00    |
| 3.6  | 25.00            | 836.6000080 | -3.00      | 2091.00    |
| 3.58<br>(Endpoint)                                 | 25.00            | 836.5999930 | 12.00      | 2091.00    |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group