

Report No.: SEWM2210000221RG09

Rev.: 01 Page: 1 of 12





TEST REPORT

Application No: SEWM2210000221RG

Applicant: NetComm Wireless Pty Ltd

Address of Applicant: Level 5, 18-20 Orion Road, Lane Cove, NSW, Australia

Manufacturer: Casa Systems, Inc.

Address of Manufacturer: 100 Old River Road Andover, MA 01810

EUT Description: 5G Wi-Fi 6 Residential Gateway

Model No.: CFW-4222

Trade Mark:

casa systems

FCC ID: XIA-CFW4222

Standards: 47 CFR Part 2.1091

FCC KDB 447498 D01 v06

Date of Receipt: 2022/11/01 Date of Issue: 2022/12/15

Test Result: PASS*

Authorized Signature:

Panta Sun Wireless Laboratory Manager



South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980

www.sgsgroup.com.cn

In the configuration tested, the EUT complied with the standards specified above.



Report No.: SEWM2210000221RG09

Rev.: 01 Page: 2 of 12

Version

Revision Record						
Version Chapter Date Modifier Remark						
01		2022/12/15		Original		

Prepared By	Nick Hu		
	(Nick Hu) / Test Engineer		
Checked By	men mei,		
	(Well Wei) / Reviewer		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Felectronic Documents at http://www.sps.com/en/Terms-and-Conditions.frems-b-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document sadvised that information contained hereon reflects the Company's findings at the time of its intermiton only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. For one of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the Attention. To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CND Doccheck@sas.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980



Report No.: SEWM2210000221RG09

Rev.: 01 3 of 12 Page:

Contents

1	Ver	sion	2
		neral Information	
		Client Information Test Facility	
		General Description of EUT	
3	RF	Exposure Evaluation	8
	3.1	RF Exposure Compliance Requirement	8
		.1 Limits	
		.2 Test Procedure	
		.3 EUT RF Exposure Evaluation	
	3.1.	.4 Exposure calculations for multiple sources	12



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Felectronic Documents at http://www.sps.com/en/Terms-and-Conditions.frems-b-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document sadvised that information contained hereon reflects the Company's findings at the time of its intermiton only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. For one of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the Attention. To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CND Doccheck@sas.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980

t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2210000221RG09

Rev.: 01 4 of 12 Page:

2 **General Information**

2.1 Client Information

Applicant: NetComm Wireless Pty Ltd	
Address of Applicant:	Level 5, 18-20 Orion Road, Lane Cove,NSW, Australia
Manufacturer:	Casa Systems, Inc.
Address of Manufacturer:	100 Old River Road Andover, MA 01810

2.2 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

FCC –Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an

accredited testing laboratory. Designation Number: CN1312.

Test Firm Registration Number: 717327





Report No.: SEWM2210000221RG09

Rev.: 01 Page: 5 of 12

2.3 General Description of EUT

EUT Description:	5G Wi-Fi 6 Residential Gateway						
Model No.:	CFW-4222						
Trade Mark:	casa systems						
Hardware Version:	V1.1						
Software Version:	CFW4222-CS.NA						
Antenna Type:	PCB Antenna						
	LTE Band 2:	3.03dBi (Ant0)	LTE Band 4:	1.65dBi (Ant0)			
	LTE Band 5:	1.46dBi (Ant0)	LTE Band 7:	1.91dBi (Ant3)			
	LTE Band 12:	0.4dBi (Ant0)	LTE Band 13:	-0.07dBi (Ant0)			
	LTE Band 14:	0.63dBi (Ant0)	LTE Band 17:	1.64dBi (Ant0)			
	LTE Band 25:	3.03dBi (Ant0)	LTE Band 26:	1.46dBi (Ant0)			
	LTE Band 30:	2.84dBi (Ant3)	LTE Band 38:	2.46dBi (Ant0)			
	LTE Band 41:	2.51dBi (Ant0)	LTE Band 48:	2.94dBi (Ant0)			
	LTE Band 66:	2.26dBi (Ant0)	LTE Band 71:	-0.63dBi (Ant0)			
	LTE CA_2C:	3.03dBi (Ant0)	LTE CA_5B:	1.46dBi (Ant0)			
	LTE CA_7C:	1.91dBi (Ant3)	LTE CA_38C:	2.46dBi (Ant0)			
	LTE CA_41C:	2.51dBi (Ant0)	LTE CA_48C:	2.94dBi (Ant0)			
	LTE CA_66B:	2.26dBi (Ant0)	LTE CA_66C:	-0.63dBi (Ant0)			
Antenna Gain:	NR Band n2:	3.03dBi (Ant0)	NR Band n5:	1.46dBi (Ant0)			
	NR Band n7:	1.91dBi (Ant0)	NR Band n12:	0.4dBi (Ant0)			
	NR Band n13:	-0.07dBi (Ant0)	NR Band n14:	0.63dBi (Ant0)			
	NR Band n25:	3.03dBi (Ant0)	NR Band n26:	1.46dBi (Ant0)			
	NR Band n30:	2.8dBi (Ant3)	NR Band n38:	2.14dBi (Ant3)			
	Turk Barra 1100.	, ,	Titt Bana nee.	2.14dBi (Ant0)			
	NR Band n41:	2.14dBi (Ant3) 2.14dBi (Ant0)	NR Band n48:	2.94dBi (Ant0)			
	NR Band n66:	2.26dBi (Ant0)	NR Band n70:	0.76dBi (Ant0)			
	NR Band n71:	-0.77dBi (Ant0)	NR Band n77:	3.33dBi (Ant0) 3.33dBi (Ant3)			
	NR Band n78:	2.94dBi (Ant0) 2.94dBi (Ant3)					
	BT/BLE:	4.08dBi (Ant1)	2.4G WIFI:	2.61dBi (Ant1)			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980

t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2210000221RG09

Rev.: 01 Page: 6 of 12

			1.57dBi (Ant2)
5150MHz to 5250MHz:	1.79dBi (Ant3) 1.63dBi (Ant4) 1.49dBi (Ant5) 1.44dBi (Ant6)	5250MHz to 5350MHz:	0.82dBi (Ant3) 1.25dBi (Ant4) 1.63dBi (Ant5) 1.04dBi (Ant6)
5470MHz to 5725MHz:	2.05dBi (Ant3) 1.89dBi (Ant4) 1.64dBi (Ant5) 2.12dBi (Ant6)	5725MHz to 5850MHz:	2.14dBi (Ant3) 2.3dBi (Ant4) 2.33dBi (Ant5) 2.49dBi (Ant6)

LTE UL CA 2C; LTE UL CA 5B; LTE UL CA 7C; LTE UL CA 38C; LTE UL CA 41C; LTE UL CA 48C; LTE UL CA 66B; LTE UL CA 66C;

ENDC:

DC_5A_n2A; DC_14A_n2A; DC_30A_n2A; DC_12A_n2A; DC_66A_n2A;

DC_4A_n2A; DC 71A n2A; DC 13A n2A; DC 7A n2A;

DC_13A_n5A; DC_2A_n5A; DC 12A n5A; DC 30A n5A; DC 66A n5A

DC 7A n5A; DC 48A n5A;

DC_5A_n7A; DC_12A_n7A; DC_66A_n7A; DC_71A_n7A; DC_13A_n7A; DC_2A_n7A; DC_4A_n7A;

DC_2A_n12A; DC_30A_n12A; DC_66A_n12A; DC_7A_n12A; DC_5A_n12A;

DC 48A n12A;

DC_2A_n14A; DC_30A_n14A; DC_66A_n14A;

 $\label{eq:decomposition} DC_66A_n25A; \ DC_12A_n25A; \ DC_48A_n25A; \ DC_7A_n25A; \ DC_71A_n25A;$

DC_5A_n25A; DC_26A_n25A; DC_13A_n25A;

DC_2A_n30A; DC_5A_n30A; DC_12A_n30A; DC_14A_n30A; DC_66A_n30A

DC_66A_n38A; DC_2A_n38A; DC_12A_n38A; DC_4A_n38A; DC_5A_n38A;

DC_71A_n38A;

DC_2A_n41A; DC_66A_n41A; DC_25A_n41A; DC_26A_n41A; DC_5A_n41A;

DC_4A_n41A DC_12A_n41A; DC_71A_n41A;

DC_2A_n48A; DC_5A_n48A; DC_13A_n48A; DC_66A_n48A;

DC_13A_n66A; DC_2A_n66A; DC_5A_n66A; DC_12A_n66A; DC_14A_n66A;

DC 30A n66A; DC 71A n66A; DC 48A n66A; DC 7A n66A;

DC 2A n71A; DC 66A n71A; DC 5A n71A; DC 7A n71A; DC 48A n71A; DC_41A_n77A; DC_7A_n77A; DC_2A_n77A; DC_5A_n77A; DC_13A_n77A;

DC_66A_n77A; DC_12A_n77A; DC_14A_n77A; DC_30A_n77A; DC_25A_n77A;

DC 71A_n77A;

DC_7A_n78A; DC_38A_n78A; DC_5A_n78A; DC_66A_n78A; DC_2A_n78A;

DC 12A n78A; DC 13A n78A; DC 41A n78A; DC 4A n78A; DC 71A n78A;

DC_26A_n78A; DC_25A_n78A

NR UL CA:

n2-n48; n2-n77; n2-n78; n2-n41; n5-n77; n5-n78; n7-n77; n7-n78; n12-n41; n12-n48; n12-n77; n12-n78; n14-n77; n25-n38; n25-n41; n25-n77; n25-n78; n30-n77; n38-n66; n41-n66; n41-n71; n48-n66; n48-n71; n66-n77; n66-n78; n71-n77; n71-n78;

The antenna gain are derived from the gain information report provided by the manufacturer.

Remark:

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy,



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Telectronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Decument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company's Any unautiforized alteration, forgery or liabilification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. appearance of this dociment is unlawful and offenders may be prosecuted to the fullest extent of the law. Unlessess results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephor

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980



Report No.: SEWM2210000221RG09

Rev.: 01 7 of 12 Page:

suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Felectronic Documents at http://www.sps.com/en/Terms-and-Conditions.frems-b-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document sadvised that information contained hereon reflects the Company's findings at the time of its intermiton only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. For one of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the Attention. To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CND Doccheck@sas.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980

www.sgsgroup.com.cn



Report No.: SEWM2210000221RG09

Rev.: 01 Page: 8 of 12

3 RF Exposure Evaluation

3.1 RF Exposure Compliance Requirement

3.1.1 Limits

Frequency range (MHz)					Power density (mW/cm2)	Averaging time (minutes)				
	(A) Limits for Occupational/Controlled Exposures									
0.3-3.0	614	1.63	*(100)	6						
3.0-30	1842/f	4.89/f	*(900/f2)	6						
30-300	61.4	0.163	1.0	6						
300-1500	1	1	f/300	6						
1500-100,000	1	1	5	6						
(B) Limits for General P	opulation/Uncontrolled	Exposure							
0.3-1.34	614	1.63	*(100)	30						
1.34-30	824/f	2.19/f	*(180/f2)	30						
30-300	27.5	0.073	0.2	30						
300-1500	1	1	f/1500	30						
1500-100,000	1	1	1.0	30						

F=frequency in MHz

RF exposure compliance will need to be determined with respect to 1.1307(c) and (d) of the FCC rules. The emissions should be within the limits at 300kHz in Table 1 of 1.1310(use the 300kHz limits for 150kHz:614V/m,1.63A/m).

Friis Formula

Friis transmission formula: Pd = (Pout*G)/(4* Pi * R²)

Where

Pd = power density in mW/cm2

Pout = output power to antenna in mW

G = gain of antenna in linear scale

Pi = 3.1416

R = distance between observation point and center of the radiator in cm

Pd id the limit of MPE, 1 mW/cm2. If we know the maximum gain of the antenna and the total power input to the antenna, through the calculation, we will know the distance r where the MPE limit is reached.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Decument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgor falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained of 3 days only.

South of No. 6 Pfart, No. 1, Runsteing Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com

^{*=}Plane-wave equivalent power density



Report No.: SEWM2210000221RG09

Rev.: 01 9 of 12 Page:

3.1.2 Test Procedure

Software provided by client enabled the EUT to transmit data at lowest, middle and highest channel individually

3.1.3 EUT RF Exposure Evaluation

Antenna Gain: The maximum Gain measured in fully anechoic chamber is 2.0 / 2.0 in linear scale. Output Power Into Antenna & RF Exposure Evaluation Distance:

This confirmed that the device comply with MPE limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery of faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of resting /inspection report & certificate, please contact us at telephone; (86-755) \$3071443.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980



Report No.: SEWM2210000221RG09

Rev.: 01 Page: 10 of 12

			Mov						
Operating Band	Frequency (MHz)	Antenna Gain (dBi)	Max Conducted Average Output Pow er (dBm)	Output Pow er to Antenna (dBm)	EIRP(ERP) Limit (dBm)	Output Pow er to Antenna (mw)	Pow er Density at R = 20 cm (mW/cm2)	Limit (mW/cm2)	conclusion
LTE B2/LTE CA_2C/NR n2	1850.7	3.03	25.00	28.03	33.00	316.2278	0.1264	1.0000	Pass
LTE B4	1710.7	1.65	25.00	26.65	30.00	316.2278	0.0920	1.0000	Pass
LTE B5/LTE CA_5B/NR n5	824.7	1.46	25.00	26.46	38.45	316.2278	0.0881	0.5498	Pass
LTE B7/LTE CA_7C/NR n7	2502.5	1.91	25.00	26.91	33.00	316.2278	0.0977	1.0000	Pass
LTE B12/NR n12	699.7	0.40	25.00	25.40	34.77	316.2278	0.0690	0.4665	Pass
LTE B13/NR n13	779.5	-0.07	25.00	24.93	34.77	316.2278	0.0619	0.5197	Pass
LTE B14/NR n14	790.5	0.63	25.00	25.63	34.77	316.2278	0.0727	0.5270	Pass
LTE B17	706.5	1.64	25.00	26.64	34.77	316.2278	0.0918	0.4710	Pass
LTE B25/NR n25	1850.7	3.03	25.00	28.03	33.00	316.2278	0.1264	1.0000	Pass
LTE B26/NR n26(814-824)	814.7	1.46	25.00	26.46	NA	316.2278	0.0881	0.5431	Pass
LTE B26/NR n26(824-849)	824.7	1.46	25.00	26.46	38.45	316.2278	0.0881	0.5498	Pass
LTE B30	2307.5	2.84	21.00	23.84	23.98	125.8925	0.0482	1.0000	Pass
NR n30	2352.5	2.80	21.00	23.80	23.98	125.8925	0.0477	1.0000	Pass
LTE B38/LTE CA_38C	2572.5	2.46	25.00	27.46	33.00	316.2278	0.1108	1.0000	Pass
LTE B38(PC2)	2572.5	2.46	28.00	30.46	33.00	630.9573	0.2212	1.0000	Pass
NR n38	2575.0	2.14	25.00	27.14	33.00	316.2278	0.1030	1.0000	Pass
NR n38(PC2/MIMO)	2575.0	2.14	28.00	30.14	33.00	630.9573	0.2055	1.0000	Pass
LTE B41/LTE CA_41C	2498.5	2.51	25.00	27.51	33.00	316.2278	0.1121	1.0000	Pass
LTE B41(PC2)	2498.5	2.51	28.00	30.51	33.00	630.9573	0.2237	1.0000	Pass
NR n41	2506.0	2.14	25.00	27.14	33.00	316.2278	0.1030	1.0000	Pass
NR n41(PC2/MIMO)	2506.0	2.14	28.00	30.14	33.00	630.9573	0.2055	1.0000	Pass
LTE B48/LTE CA_48C/NR n48	3552.5	2.94	20.00	22.94	23.00	100.0000	0.0391	1.0000	Pass
LTE B66/LTE CA_66B/LTE CA_66C/NR n66	1710.7	2.26	25.00	27.26	30.00	316.2278	0.1059	1.0000	Pass
NR n70	1997.5	0.76	25.00	25.76	30.00	316.2278	0.0749	1.0000	Pass
LTE B71	665.5	-0.63	25.00	24.37	34.77	316.2278	0.0544	0.4437	Pass
NR n71	619.5	-0.77	25.00	24.23	34.77	316.2278	0.0527	0.4130	Pass
NR Band n77 (3450-3550)	3455.0	3.33	25.00	28.33	30.00	316.2278	0.1354	1.0000	Pass
NR Band n77(3450- 3550)(PC2/MIMO)	3455.0	3.33	26.50	29.83	30.00	446.6836	0.1913	1.0000	Pass
NR Band n78 (3450-3550)	3455.0	2.94	25.00	27.94	30.00	316.2278	0.1238	1.0000	Pass
NR Band n78(3450- 3550)(PC2/MIMO)	3455.0	2.94	26.50	29.44	30.00	446.6836	0.1749	1.0000	Pass
NR Band n77 (3700-3980)	3705.0	3.33	25.00	28.33	30.00	316.2278	0.1354	1.0000	Pass
NR Band n77 (3700-3980)(PC2/MIMO)	3705.0	3.33	26.50	29.83	30.00	446.6836	0.1913	1.0000	Pass
NR Band n78 (3700-3800)	3705.0	2.94	25.00	27.94	30.00	316.2278	0.1238	1.0000	Pass
NR Band n78 (3700-3800)(PC2/MIMO)	3705.0	2.94	26.50	29.44	30.00	446.6836	0.1749	1.0000	Pass
BT	2402.0	4.08	14.00	18.08	30.00	25.1189	0.0128	1.0000	Pass
2.4GWIFI	2412.0	2.61	20.00	22.61	30.00	100.0000	0.0363	1.0000	Pass
5GWIFI	5745.0	2.49	23.00	25.49	30.00	199.5262	0.0704	1.0000	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Fleetornic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. Government of the company, any unauthorized alteration, forgery or fatsification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CMD.Doccheck@sas.com

South of No. Florit, No. 1, Runsherg Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Pikol Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

ne 215000 t (86-512) 62992 fi: 215000 t (86-512) 62992

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2210000221RG09

Rev.: 11 of 12 Page:

Due to the EUT support NR ENDC and CA

Both LTE and NR/LTE band can transmit simultaneously, the formula of the calculated the MPE is:

$$\sum_{i=1}^{n} \frac{S_{E_{i}}(dutyfactor)}{MPE_{E_{i}}} < 1$$

NOTE The corresponding MEs must be expressed in terms of power density in the above summation Therefore, the worst-case(DC_5A_n12A) situation is 0.1602+0.1479=0.3081, which is less than "1", this confirmed that the device comply with MPE limit.



South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980



Report No.: SEWM2210000221RG09

Rev.: Page: 12 of 12

3.1.4 Exposure calculations for multiple sources

When a number of sources at different frequencies, and/or broadband sources, contribute to the total exposure, it becomes necessary to weigh each contribution relative to the MPE in accordance with the provisions of Table(A) and Table(B). To comply with the MPE, the fraction of the MPE in terms of E2, H2 (or power density) incurred within each frequency interval should be determined and the sum of all such fractions should not exceed unity.

In order to ensure compliance with the MPE for a controlled environment, the sum of the ratios of the power density to the corresponding MPE should not exceed unity. That is

$$\sum_{i=1}^{n} \frac{S_i}{MPE_i} \leq 1$$

The product also has multiple transmitters The Simultaneous Transmission Possibilities are as below:

Simultaneous Tx Combination	Configuration	
1	WWAN + Bluetooth+ WiFi 2.4G+ WiFi 5G	

No.	Mode	Power Density (mW/cm²)	MPE Limit (mW/cm²)	Result Ratio	Total Ratio	Limit	Result
	NR Band n71	0.0527	0.4130	0.1276			_
1	Bluetooth	0.0128	1.0000	0.0128	0.0474		
	WiFi 2.4G	0.0363	1.0000	0.0363	0.2471 1.00	Pass	
	WiFi 5G	0.0704	1.0000	0.0704			

---End of Report---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condi