

Report No.: SEWM2306000190RG01

Rev.: 01 Page: 1 of 8

Appendix B.12

LTE Band 30



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://mww.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://mww.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forey or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2306000190RG01

Rev.: 01 Page: 2 of 8

Effective (Isotropic) Radiated Power Output Data

Test Result

| Band | Bandwidth | Modulation | Channel | RB Configuration | Result(dBm) | EIRP (dBm) | Limit (dBm) | Verdict |
|--------|-----------|------------|---------|---------------------|-------------|---------------|----------------|---------|
| Band30 | 5MHz | QPSK | 27685 | 1RB#0 | 20.53 | 23.37 | 23.98 | PASS |
| Band30 | 5MHz | QPSK | 27685 | 1RB#12 | 20.45 | 23.29 | 23.98 | PASS |
| Band30 | 5MHz | QPSK | 27685 | 1RB#24 | 20.3 | 23.14 | 23.98 | PASS |
| Band30 | 5MHz | QPSK | 27685 | 25RB#0 | 19.35 | 22.19 | 23.98 | PASS |
| Band30 | 5MHz | QPSK | 27710 | 1RB#0 | 20.4 | 23.24 | 23.98 | PASS |
| Band30 | 5MHz | QPSK | 27710 | 1RB#12 | 20.38 | 23.22 | 23.98 | PASS |
| Band30 | 5MHz | QPSK | 27710 | 1RB#24 | 20.45 | 23.29 | 23.98 | PASS |
| Band30 | 5MHz | QPSK | 27710 | 25RB#0 | 19.36 | 22.2 | 23.98 | PASS |
| Band30 | 5MHz | QPSK | 27735 | 1RB#0 | 20.36 | 23.2 | 23.98 | PASS |
| Band30 | 5MHz | QPSK | 27735 | 1RB#12 | 20.42 | 23.26 | 23.98 | PASS |
| Band30 | 5MHz | QPSK | 27735 | 1RB#24 | 20.29 | 23.13 | 23.98 | PASS |
| Band30 | 5MHz | QPSK | 27735 | 25RB#0 | 19.37 | 22.21 | 23.98 | PASS |
| Band30 | 5MHz | 16QAM | 27685 | 1RB#0 | 20.12 | 22.96 | 23.98 | PASS |
| Band30 | 5MHz | 16QAM | 27685 | 1RB#12 | 19.5 | 22.34 | 23.98 | PASS |
| Band30 | 5MHz | 16QAM | 27685 | 1RB#24 | 19.39 | 22.23 | 23.98 | PASS |
| Band30 | 5MHz | 16QAM | 27685 | 25RB#0 | 18.34 | 21.18 | 23.98 | PASS |
| Band30 | 5MHz | 16QAM | 27710 | 1RB#0 | 19.7 | 22.54 | 23.98 | PASS |
| Band30 | 5MHz | 16QAM | 27710 | 1RB#12 | 19.57 | 22.41 | 23.98 | PASS |
| Band30 | 5MHz | 16QAM | 27710 | 1RB#24 | 19.5 | 22.34 | 23.98 | PASS |
| Band30 | 5MHz | 16QAM | 27710 | 25RB#0 | 18.33 | 21.17 | 23.98 | PASS |
| Band30 | 5MHz | 16QAM | 27735 | 1RB#0 | 19.64 | 22.48 | 23.98 | PASS |
| Band30 | 5MHz | 16QAM | 27735 | 1RB#12 | 19.65 | 22.49 | 23.98 | PASS |
| Band30 | 5MHz | 16QAM | 27735 | 1RB#24 | 19.51 | 22.35 | 23.98 | PASS |
| Band30 | 5MHz | 16QAM | 27735 | 25RB#0 | 18.32 | 21.16 | 23.98 | PASS |
| Band30 | 5MHz | 64QAM | 27685 | 1RB#0 | 18.61 | 21.45 | 23.98 | PASS |
| Band30 | 5MHz | 64QAM | 27685 | 1RB#12 | 18.66 | 21.5 | 23.98 | PASS |
| Band30 | 5MHz | 64QAM | 27685 | 1RB#24 | 18.48 | 21.32 | 23.98 | PASS |
| Band30 | 5MHz | 64QAM | 27685 | 25RB#0 | 17.39 | 20.23 | 23.98 | PASS |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Felse-Pocument as http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Decument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its interviton only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or results shown in this test report refer only to the sample (s) tested and such sample (s) are retained find 30 systems therewise stated the results shown in this test report refer only to the sample (s) tested and such sample (s) are retained find 30 systems therefore the authenticity of testing /inspection report & certificate, please contact us at telephone: (88-755) 8307 1443, or email: CMD-Moscheck@ses.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWM2306000190RG01

Rev.: 01 Page: 3 of 8

| | | | | | raye. | 3 01 0 | | |
|--------|-------|--------|-------|--------|-------|--------|-------|------|
| Band30 | 5MHz | 64QAM | 27710 | 1RB#0 | 18.62 | 21.46 | 23.98 | PASS |
| Band30 | 5MHz | 64QAM | 27710 | 1RB#12 | 18.6 | 21.44 | 23.98 | PASS |
| Band30 | 5MHz | 64QAM | 27710 | 1RB#24 | 18.67 | 21.51 | 23.98 | PASS |
| Band30 | 5MHz | 64QAM | 27710 | 25RB#0 | 17.35 | 20.19 | 23.98 | PASS |
| Band30 | 5MHz | 64QAM | 27735 | 1RB#0 | 18.6 | 21.44 | 23.98 | PASS |
| Band30 | 5MHz | 64QAM | 27735 | 1RB#12 | 18.52 | 21.36 | 23.98 | PASS |
| Band30 | 5MHz | 64QAM | 27735 | 1RB#24 | 18.53 | 21.37 | 23.98 | PASS |
| Band30 | 5MHz | 64QAM | 27735 | 25RB#0 | 17.34 | 20.18 | 23.98 | PASS |
| Band30 | 5MHz | 256QAM | 27685 | 1RB#0 | 15.35 | 18.19 | 23.98 | PASS |
| Band30 | 5MHz | 256QAM | 27685 | 1RB#12 | 15.46 | 18.3 | 23.98 | PASS |
| Band30 | 5MHz | 256QAM | 27685 | 1RB#24 | 15.36 | 18.2 | 23.98 | PASS |
| Band30 | 5MHz | 256QAM | 27685 | 25RB#0 | 15.4 | 18.24 | 23.98 | PASS |
| Band30 | 5MHz | 256QAM | 27710 | 1RB#0 | 15.48 | 18.32 | 23.98 | PASS |
| Band30 | 5MHz | 256QAM | 27710 | 1RB#12 | 15.53 | 18.37 | 23.98 | PASS |
| Band30 | 5MHz | 256QAM | 27710 | 1RB#24 | 15.19 | 18.03 | 23.98 | PASS |
| Band30 | 5MHz | 256QAM | 27710 | 25RB#0 | 15.34 | 18.18 | 23.98 | PASS |
| Band30 | 5MHz | 256QAM | 27735 | 1RB#0 | 15.55 | 18.39 | 23.98 | PASS |
| Band30 | 5MHz | 256QAM | 27735 | 1RB#12 | 15.43 | 18.27 | 23.98 | PASS |
| Band30 | 5MHz | 256QAM | 27735 | 1RB#24 | 15.18 | 18.02 | 23.98 | PASS |
| Band30 | 5MHz | 256QAM | 27735 | 25RB#0 | 15.37 | 18.21 | 23.98 | PASS |
| Band30 | 10MHz | QPSK | 27710 | 1RB#0 | 20.29 | 23.13 | 23.98 | PASS |
| Band30 | 10MHz | QPSK | 27710 | 1RB#24 | 20.5 | 23.34 | 23.98 | PASS |
| Band30 | 10MHz | QPSK | 27710 | 1RB#49 | 20.4 | 23.24 | 23.98 | PASS |
| Band30 | 10MHz | QPSK | 27710 | 50RB#0 | 19.31 | 22.15 | 23.98 | PASS |
| Band30 | 10MHz | 16QAM | 27710 | 1RB#0 | 19.49 | 22.33 | 23.98 | PASS |
| Band30 | 10MHz | 16QAM | 27710 | 1RB#24 | 19.56 | 22.4 | 23.98 | PASS |
| Band30 | 10MHz | 16QAM | 27710 | 1RB#49 | 19.25 | 22.09 | 23.98 | PASS |
| Band30 | 10MHz | 16QAM | 27710 | 50RB#0 | 18.31 | 21.15 | 23.98 | PASS |
| Band30 | 10MHz | 64QAM | 27710 | 1RB#0 | 18.68 | 21.52 | 23.98 | PASS |
| Band30 | 10MHz | 64QAM | 27710 | 1RB#24 | 18.6 | 21.44 | 23.98 | PASS |
| Band30 | 10MHz | 64QAM | 27710 | 1RB#49 | 18.41 | 21.25 | 23.98 | PASS |
| D 100 | | | | | | | | |
| Band30 | 10MHz | 64QAM | 27710 | 50RB#0 | 17.35 | 20.19 | 23.98 | PASS |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 sgs.china@sgs.com

t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2306000190RG01

Rev.: 01 Page: 4 of 8

| Band30 | 10MHz | 256QAM | 27710 | 1RB#24 | 15.51 | 18.35 | 23.98 | PASS |
|--------|-------|--------|-------|--------|-------|-------|-------|------|
| Band30 | 10MHz | 256QAM | 27710 | 1RB#49 | 15.25 | 18.09 | 23.98 | PASS |
| Band30 | 10MHz | 256QAM | 27710 | 50RB#0 | 15.33 | 18.17 | 23.98 | PASS |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-



Report No.: SEWM2306000190RG01

Rev.: 01 Page: 5 of 8

Field Strength of Spurious Radiation

Test Band = LTE Band30_10M_ TM1 Test Channel = Mid

| Final | Final Data List | | | | | | | | | | | |
|-------|-----------------|---------|--------|-------------|--------|--------|--------|--------|-------|------------|--|--|
| NO | Frequency | Reading | Factor | AF[dB/m] | Level | Limit | Margin | Height | Angle | Dolority | | |
| NO. | [MHz] | [dBµV] | [dB] | Ai [dD/iii] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | | |
| 1 | 4611.1800 | 42.66 | -45.66 | 31.75 | -66.52 | -40.00 | 26.52 | 111 | 135 | Horizontal | | |
| 2 | 6916.7700 | 41.75 | -44.01 | 35.98 | -61.53 | -40.00 | 21.53 | 125 | 344 | Horizontal | | |
| 3 | 9222.3600 | 40.42 | -40.24 | 38.36 | -56.73 | -40.00 | 16.73 | 145 | 178 | Horizontal | | |
| 4 | 11527.9500 | 35.20 | -37.19 | 38.97 | -58.29 | -40.00 | 18.29 | 130 | 360 | Horizontal | | |
| 5 | 13833.5400 | 35.01 | -36.08 | 39.99 | -56.34 | -40.00 | 16.34 | 265 | 118 | Horizontal | | |
| 6 | 16139.1300 | 36.80 | -34.58 | 37.69 | -55.35 | -40.00 | 15.35 | 188 | 225 | Horizontal | | |

| Final Data List | | | | | | | | | | | | |
|-----------------|------------|---------|--------|----------|--------|--------|--------|--------|-------|----------|--|--|
| NO. | Frequency | Reading | Factor | ΛΕ[dD/m] | Level | Limit | Margin | Height | Angle | Dolority | | |
| NO. | [MHz] | [dBµV] | [dB] | AF[dB/m] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | | |
| 1 | 4611.1800 | 43.94 | -45.66 | 31.75 | -65.24 | -40.00 | 25.24 | 214 | 191 | Vertical | | |
| 2 | 6916.7700 | 41.43 | -44.01 | 35.98 | -61.85 | -40.00 | 21.85 | 174 | 148 | Vertical | | |
| 3 | 9222.3600 | 38.18 | -40.24 | 38.36 | -58.97 | -40.00 | 18.97 | 169 | 14 | Vertical | | |
| 4 | 11527.9500 | 34.59 | -37.19 | 38.97 | -58.90 | -40.00 | 18.90 | 192 | 356 | Vertical | | |
| 5 | 13833.5400 | 35.68 | -36.08 | 39.99 | -55.67 | -40.00 | 15.67 | 145 | 359 | Vertical | | |
| 6 | 16139.1300 | 36.18 | -34.58 | 37.69 | -55.97 | -40.00 | 15.97 | 133 | 296 | Vertical | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Felse-Pocument as http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Decument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its interviton only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or results shown in this test report refer only to the sample (s) tested and such sample (s) are retained find 30 systems therewise stated the results shown in this test report refer only to the sample (s) tested and such sample (s) are retained find 30 systems therefore the authenticity of testing /inspection report & certificate, please contact us at telephone: (88-755) 8307 1443, or email: CMD-Moscheck@ses.com



Report No.: SEWM2306000190RG01

Rev.: 01 Page: 6 of 8

Test Band = LTE Band30_5M_ TM1 Test Channel = Low

| Final | Final Data List | | | | | | | | | | | | |
|-------|-----------------|---------|--------|-------------|--------|--------|--------|--------|-------|------------|--|--|--|
| NO. | Frequency | Reading | Factor | AF[dB/m] | Level | Limit | Margin | Height | Angle | Polarity | | | |
| NO. | [MHz] | [dBµV] | [dB] | Ai [dD/iii] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | | | |
| 1 | 4610.6800 | 45.25 | -45.66 | 31.74 | -63.93 | -40.00 | 23.93 | 145 | 225 | Horizontal | | | |
| 2 | 6916.0200 | 41.22 | -44.01 | 35.98 | -62.07 | -40.00 | 22.07 | 174 | 360 | Horizontal | | | |
| 3 | 9221.3600 | 39.03 | -40.24 | 38.36 | -58.12 | -40.00 | 18.12 | 159 | 181 | Horizontal | | | |
| 4 | 11526.7000 | 35.08 | -37.20 | 38.97 | -58.41 | -40.00 | 18.41 | 184 | 74 | Horizontal | | | |
| 5 | 13832.0400 | 35.56 | -36.09 | 39.99 | -55.80 | -40.00 | 15.80 | 126 | 344 | Horizontal | | | |
| 6 | 16137.3800 | 36.29 | -34.58 | 37.69 | -55.85 | -40.00 | 15.85 | 118 | 61 | Horizontal | | | |

| Final | Final Data List | | | | | | | | | | | |
|-------|-----------------|---------|--------|----------|--------|--------|--------|--------|-------|----------|--|--|
| NO. | Frequency | Reading | Factor | ΛΕ[dD/m] | Level | Limit | Margin | Height | Angle | Dolority | | |
| NO. | [MHz] | [dBµV] | [dB] | AF[dB/m] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | | |
| 1 | 4610.6800 | 44.66 | -45.66 | 31.74 | -64.52 | -40.00 | 24.52 | 214 | 240 | Vertical | | |
| 2 | 6916.0200 | 41.37 | -44.01 | 35.98 | -61.92 | -40.00 | 21.92 | 135 | 88 | Vertical | | |
| 3 | 9221.3600 | 38.17 | -40.24 | 38.36 | -58.98 | -40.00 | 18.98 | 165 | 285 | Vertical | | |
| 4 | 11526.7000 | 35.10 | -37.20 | 38.97 | -58.39 | -40.00 | 18.39 | 174 | 256 | Vertical | | |
| 5 | 13832.0400 | 34.98 | -36.09 | 39.99 | -56.38 | -40.00 | 16.38 | 159 | 16 | Vertical | | |
| 6 | 16137.3800 | 36.20 | -34.58 | 37.69 | -55.94 | -40.00 | 15.94 | 142 | 4 | Vertical | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sc.ocm/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sc.ocm/en/Terms-and-Conditions/frems-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its invervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, remail: CAD Doccheck@sus.com



Report No.: SEWM2306000190RG01

Rev.: 01 Page: 7 of 8

Test Band = LTE Band30_5M_ TM1 Test Channel = Mid

| Final Data List | | | | | | | | | | | |
|-----------------|------------|---------|--------|-------------|--------|--------|--------|--------|-------|------------|--|
| NO. | Frequency | Reading | Factor | AF[dB/m] | Level | Limit | Margin | Height | Angle | Polarity | |
| NO. | [MHz] | [dBµV] | [dB] | Ai [db/iii] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | |
| 1 | 4615.6800 | 42.37 | -45.66 | 31.76 | -66.79 | -40.00 | 26.79 | 256 | 271 | Horizontal | |
| 2 | 6923.5200 | 41.58 | -43.97 | 35.99 | -61.66 | -40.00 | 21.66 | 145 | 44 | Horizontal | |
| 3 | 9231.3600 | 39.85 | -40.24 | 38.36 | -57.29 | -40.00 | 17.29 | 159 | 194 | Horizontal | |
| 4 | 11539.2000 | 35.26 | -37.15 | 38.96 | -58.19 | -40.00 | 18.19 | 193 | 194 | Horizontal | |
| 5 | 13847.0400 | 34.58 | -35.95 | 40.00 | -56.63 | -40.00 | 16.63 | 172 | 75 | Horizontal | |
| 6 | 16154.8800 | 36.16 | -34.60 | 37.67 | -56.02 | -40.00 | 16.02 | 125 | 360 | Horizontal | |

| Final Data List | | | | | | | | | | | | |
|-----------------|------------|---------|--------|------------|--------|--------|--------|--------|-------|----------|--|--|
| NO | Frequency | Reading | Factor | Λ Γ[dD/ma] | Level | Limit | Margin | Height | Angle | Dolority | | |
| NO. | [MHz] | [dBµV] | [dB] | AF[dB/m] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | | |
| 1 | 4615.5 | 47.36 | -45.66 | 31.76 | -61.80 | -40.00 | 21.80 | 222 | 164 | Vertical | | |
| 2 | 6923.5200 | 42.34 | -43.97 | 35.99 | -60.90 | -40.00 | 20.90 | 166 | 238 | Vertical | | |
| 3 | 9231.3600 | 38.70 | -40.24 | 38.36 | -58.44 | -40.00 | 18.44 | 138 | 283 | Vertical | | |
| 4 | 11539.2000 | 34.87 | -37.15 | 38.96 | -58.58 | -40.00 | 18.58 | 148 | 136 | Vertical | | |
| 5 | 13847.0400 | 35.27 | -35.95 | 40.00 | -55.94 | -40.00 | 15.94 | 199 | 300 | Vertical | | |
| 6 | 16154.8800 | 36.36 | -34.60 | 37.67 | -55.82 | -40.00 | 15.82 | 123 | 118 | Vertical | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sc.ocm/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sc.ocm/en/Terms-and-Conditions/frems-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its invervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, remail: CAD Doccheck@sus.com



Report No.: SEWM2306000190RG01

Rev.: 01 Page: 8 of 8

Test Band = LTE Band30_5M_ TM1 Test Channel = High

| Final | Final Data List | | | | | | | | | | | | |
|-------|-----------------|---------|--------|-------------|--------|--------|--------|--------|-------|------------|--|--|--|
| NO. | Frequency | Reading | Factor | AF[dB/m] | Level | Limit | Margin | Height | Angle | Polarity | | | |
| NO. | [MHz] | [dBµV] | [dB] | Ai [db/iii] | [dBm] | [dBm] | [dB] | [cm] | [°] | Foldfilly | | | |
| 1 | 4620.6800 | 46.13 | -45.66 | 31.77 | -63.01 | -40.00 | 23.01 | 153 | 270 | Horizontal | | | |
| 2 | 6931.0200 | 41.07 | -43.93 | 36.00 | -62.12 | -40.00 | 22.12 | 256 | 61 | Horizontal | | | |
| 3 | 9241.3600 | 40.35 | -40.24 | 38.37 | -56.78 | -40.00 | 16.78 | 145 | 270 | Horizontal | | | |
| 4 | 11551.7000 | 34.93 | -37.10 | 38.94 | -58.48 | -40.00 | 18.48 | 188 | 134 | Horizontal | | | |
| 5 | 13862.0400 | 34.38 | -35.81 | 40.02 | -56.67 | -40.00 | 16.67 | 159 | 330 | Horizontal | | | |
| 6 | 16172.3800 | 36.15 | -34.61 | 37.65 | -56.07 | -40.00 | 16.07 | 136 | 208 | Horizontal | | | |

| Final | Final Data List | | | | | | | | | | | |
|-------|-----------------|---------|--------|----------|--------|--------|--------|--------|-------|----------|--|--|
| NO. | Frequency | Reading | Factor | ΛΕ[dD/m] | Level | Limit | Margin | Height | Angle | Dolority | | |
| NO. | [MHz] | [dBµV] | [dB] | AF[dB/m] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | | |
| 1 | 4620.6800 | 46.61 | -45.66 | 31.77 | -62.53 | -40.00 | 22.53 | 254 | 178 | Vertical | | |
| 2 | 6931.0200 | 41.63 | -43.93 | 36.00 | -61.56 | -40.00 | 21.56 | 126 | 353 | Vertical | | |
| 3 | 9241.3600 | 38.70 | -40.24 | 38.37 | -58.43 | -40.00 | 18.43 | 153 | 195 | Vertical | | |
| 4 | 11551.7000 | 34.70 | -37.10 | 38.94 | -58.71 | -40.00 | 18.71 | 195 | 300 | Vertical | | |
| 5 | 13862.0400 | 34.14 | -35.81 | 40.02 | -56.91 | -40.00 | 16.91 | 148 | 360 | Vertical | | |
| 6 | 16172.3800 | 37.40 | -34.61 | 37.65 | -54.82 | -40.00 | 14.82 | 172 | 330 | Vertical | | |

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit - Level

---End of Attachment---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.gos.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gos.com/en/Terms-and-Conditions/T