

Report No.: SEWM2306000190RG01

Rev.: 01 Page: 1 of 6

Appendix B.20

LTE CA_38C



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://mww.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://mww.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgor falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained of 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2306000190RG01

Rev.: 01 Page: 2 of 6

Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
38-38	15MHz-15MHz	QPSK-QPSK	37825-37975	1RB#0-0RB#0	23.71	26.17	33	PASS
38-38	15MHz-15MHz	QPSK-QPSK	37825-37975	75RB#0-75RB#0	22.65	25.11	33	PASS
38-38	15MHz-15MHz	QPSK-QPSK	37925-38075	1RB#0-0RB#0	23.76	26.22	33	PASS
38-38	15MHz-15MHz	QPSK-QPSK	37925-38075	75RB#0-75RB#0	22.64	25.1	33	PASS
38-38	15MHz-15MHz	QPSK-QPSK	38025-38175	1RB#0-0RB#0	23.75	26.21	33	PASS
38-38	15MHz-15MHz	QPSK-QPSK	38025-38175	75RB#0-75RB#0	22.57	25.03	33	PASS
38-38	15MHz-15MHz	16QAM-16QAM	37825-37975	1RB#0-0RB#0	23.02	25.48	33	PASS
38-38	15MHz-15MHz	16QAM-16QAM	37825-37975	75RB#0-75RB#0	21.63	24.09	33	PASS
38-38	15MHz-15MHz	16QAM-16QAM	37925-38075	1RB#0-0RB#0	23.1	25.56	33	PASS
38-38	15MHz-15MHz	16QAM-16QAM	37925-38075	75RB#0-75RB#0	21.65	24.11	33	PASS
38-38	15MHz-15MHz	16QAM-16QAM	38025-38175	1RB#0-0RB#0	23.07	25.53	33	PASS
38-38	15MHz-15MHz	16QAM-16QAM	38025-38175	75RB#0-75RB#0	21.58	24.04	33	PASS
38-38	15MHz-15MHz	64QAM-64QAM	37825-37975	1RB#0-0RB#0	22.23	24.69	33	PASS
38-38	15MHz-15MHz	64QAM-64QAM	37825-37975	75RB#0-75RB#0	21.61	24.07	33	PASS
38-38	15MHz-15MHz	64QAM-64QAM	37925-38075	1RB#0-0RB#0	22.21	24.67	33	PASS
38-38	15MHz-15MHz	64QAM-64QAM	37925-38075	75RB#0-75RB#0	21.64	24.1	33	PASS
38-38	15MHz-15MHz	64QAM-64QAM	38025-38175	1RB#0-0RB#0	22.21	24.67	33	PASS
38-38	15MHz-15MHz	64QAM-64QAM	38025-38175	75RB#0-75RB#0	21.6	24.06	33	PASS
38-38	15MHz-15MHz	256QAM-256QAM	37825-37975	1RB#0-0RB#0	19.13	21.59	33	PASS
38-38	15MHz-15MHz	256QAM-256QAM	37825-37975	75RB#0-75RB#0	19.66	22.12	33	PASS
38-38	15MHz-15MHz	256QAM-256QAM	37925-38075	1RB#0-0RB#0	19.2	21.66	33	PASS
38-38	15MHz-15MHz	256QAM-256QAM	37925-38075	75RB#0-75RB#0	19.67	22.13	33	PASS
38-38	15MHz-15MHz	256QAM-256QAM	38025-38175	1RB#0-0RB#0	19.1	21.56	33	PASS
38-38	15MHz-15MHz	256QAM-256QAM	38025-38175	75RB#0-75RB#0	19.63	22.09	33	PASS
38-38	20MHz-20MHz	QPSK-QPSK	37850-38048	100RB#0-100RB#0	22.62	25.08	33	PASS
38-38	20MHz-20MHz	QPSK-QPSK	37850-38048	1RB#0-0RB#0	23.79	26.25	33	PASS
38-38	20MHz-20MHz	QPSK-QPSK	37901-38099	100RB#0-100RB#0	22.63	25.09	33	PASS
38-38	20MHz-20MHz	QPSK-QPSK	37901-38099	1RB#0-0RB#0	23.76	26.22	33	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Felse-Pocument as http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Decument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its interviton only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or results shown in this test report refer only to the sample (s) tested and such sample (s) are retained find 30 systems therewise stated the results shown in this test report refer only to the sample (s) tested and such sample (s) are retained find 30 systems therefore the authenticity of testing /inspection report & certificate, please contact us at telephone: (88-755) 8307 1443, or email: CMD-Moscheck@ses.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 sgs.china@sgs.com

t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2306000190RG01

Rev.: 01 3 of 6 Page:

38-38	20MHz-20MHz	QPSK-QPSK	37952-38150	100RB#0-100RB#0	22.63	25.09	33	PASS
38-38	20MHz-20MHz	QPSK-QPSK	37952-38150	1RB#0-0RB#0	23.73	26.19	33	PASS
38-38	20MHz-20MHz	16QAM-16QAM	37850-38048	100RB#0-100RB#0	21.61	24.07	33	PASS
38-38	20MHz-20MHz	16QAM-16QAM	37850-38048	1RB#0-0RB#0	23.13	25.59	33	PASS
38-38	20MHz-20MHz	16QAM-16QAM	37901-38099	100RB#0-100RB#0	21.62	24.08	33	PASS
38-38	20MHz-20MHz	16QAM-16QAM	37901-38099	1RB#0-0RB#0	22.99	25.45	33	PASS
38-38	20MHz-20MHz	16QAM-16QAM	37952-38150	100RB#0-100RB#0	21.63	24.09	33	PASS
38-38	20MHz-20MHz	16QAM-16QAM	37952-38150	1RB#0-0RB#0	23.03	25.49	33	PASS
38-38	20MHz-20MHz	64QAM-64QAM	37850-38048	100RB#0-100RB#0	21.6	24.06	33	PASS
38-38	20MHz-20MHz	64QAM-64QAM	37850-38048	1RB#0-0RB#0	22.4	24.86	33	PASS
38-38	20MHz-20MHz	64QAM-64QAM	37901-38099	100RB#0-100RB#0	21.58	24.04	33	PASS
38-38	20MHz-20MHz	64QAM-64QAM	37901-38099	1RB#0-0RB#0	22.27	24.73	33	PASS
38-38	20MHz-20MHz	64QAM-64QAM	37952-38150	100RB#0-100RB#0	21.67	24.13	33	PASS
38-38	20MHz-20MHz	64QAM-64QAM	37952-38150	1RB#0-0RB#0	22.2	24.66	33	PASS
38-38	20MHz-20MHz	256QAM-256QAM	37850-38048	100RB#0-100RB#0	19.63	22.09	33	PASS
38-38	20MHz-20MHz	256QAM-256QAM	37850-38048	1RB#0-0RB#0	19.36	21.82	33	PASS
38-38	20MHz-20MHz	256QAM-256QAM	37901-38099	100RB#0-100RB#0	19.64	22.1	33	PASS
38-38	20MHz-20MHz	256QAM-256QAM	37901-38099	1RB#0-0RB#0	19.2	21.66	33	PASS
38-38	20MHz-20MHz	256QAM-256QAM	37952-38150	100RB#0-100RB#0	19.66	22.12	33	PASS
38-38	20MHz-20MHz	256QAM-256QAM	37952-38150	1RB#0-0RB#0	19.17	21.63	33	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-



Report No.: SEWM2306000190RG01

Rev.: 01 Page: 4 of 6

Field Strength of Spurious Radiation

Test Band = LTE CA_38C_ TM1 Test Channel = Low

Final	Final Data List										
NO	Frequency	Reading	Factor	∧ ⊏[dD/ma1	Level	Limit	Margin	Height	Angle	Delevity	
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity	
1	5142.1800	40.75	-45.33	32.96	-66.88	-25.00	41.88	154	165	Horizontal	
2	7713.2700	39.75	-43.01	36.61	-61.91	-25.00	36.91	126	0	Horizontal	
3	10284.3600	34.49	-39.15	38.83	-61.09	-25.00	36.09	132	178	Horizontal	
4	12855.4500	31.32	-36.99	39.69	-61.24	-25.00	36.24	155	178	Horizontal	
5	15426.5400	29.56	-33.99	38.67	-61.02	-25.00	36.02	196	330	Horizontal	
6	17997.6300	32.90	-34.58	42.23	-54.70	-25.00	29.70	148	73	Horizontal	

Final Data List											
NO.	Frequency	Reading	Factor	AF[dB/m]	Level	Limit	Margin	Height	Angle	Dolority	
NO.	[MHz]	[dBµV]	[dB]	AF[ub/III]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity	
1	5142.1800	40.83	-45.33	32.96	-66.80	-25.00	41.80	245	121	Vertical	
2	7713.2700	40.06	-43.01	36.61	-61.60	-25.00	36.60	125	227	Vertical	
3	10284.3600	34.28	-39.15	38.83	-61.30	-25.00	36.30	136	317	Vertical	
4	12855.4500	31.63	-36.99	39.69	-60.93	-25.00	35.93	259	91	Vertical	
5	15426.5400	29.62	-33.99	38.67	-60.96	-25.00	35.96	146	301	Vertical	
6	17997.6300	32.96	-34.58	42.23	-54.64	-25.00	29.64	194	30	Vertical	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Felse-Pocument as http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Decument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its interviton only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or results shown in this test report refer only to the sample (s) tested and such sample (s) are retained find 30 systems therewise stated the results shown in this test report refer only to the sample (s) tested and such sample (s) are retained find 30 systems therefore the authenticity of testing /inspection report & certificate, please contact us at telephone: (88-755) 8307 1443, or email: CMD-Moscheck@ses.com



Report No.: SEWM2306000190RG01

Rev.: 01 Page: 5 of 6

Test Band = LTE CA_38C_ TM1 Test Channel = Mid

Final	Final Data List										
NO.	Frequency	Reading	Factor	VE[9D/m]	Level	Limit	Margin	Height	Angle	Dolority	
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity	
1	3958.5	46.46	-46.14	30.70	-64.24	-25.00	39.24	142	256	Horizontal	
2	5152.3800	40.11	-45.32	32.96	-67.51	-25.00	42.51	126	317	Horizontal	
3	7728.5700	39.03	-42.89	36.64	-62.48	-25.00	37.48	154	357	Horizontal	
4	10304.7600	33.62	-39.09	38.84	-61.89	-25.00	36.89	163	59	Horizontal	
5	12880.9500	31.69	-37.06	39.71	-60.92	-25.00	35.92	259	105	Horizontal	
6	15457.1400	29.55	-34.57	38.63	-61.65	-25.00	36.65	174	357	Horizontal	

Final Data List										
NO.	Frequency	Reading	Factor	∧ ⊏[dD/ma1	Level	Limit	Margin	Height	Angle	Dalavitu
	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	4272.75	43.16	-45.60	31.25	-66.45	-25.00	41.45	199	0	Vertical
2	5152.3800	41.29	-45.32	32.96	-66.33	-25.00	41.33	152	0	Vertical
3	7728.5700	38.82	-42.89	36.64	-62.69	-25.00	37.69	211	1	Vertical
4	10304.7600	33.97	-39.09	38.84	-61.54	-25.00	36.54	136	8	Vertical
5	12880.9500	31.23	-37.06	39.71	-61.38	-25.00	36.38	256	18	Vertical
6	15457.1400	30.11	-34.57	38.63	-61.09	-25.00	36.09	142	8	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.scs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.scs.com/en/Terms-and-Conditions/frems-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its invervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, remail: CAD Doccheck@sus.com



Report No.: SEWM2306000190RG01

Rev.: 01 Page: 6 of 6

Test Band = LTE CA_38C_ TM1 Test Channel = High

Final	Final Data List											
NO.	Frequency	Reading	Factor	AF[dB/m]	Level	Limit	Margin	Height	Angle	Polority		
NO.	[MHz]	[dBµV]	[dB]	AF[ub/III]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity		
1	3956.25	45.18	-46.15	30.70	-65.53	-25.00	40.53	245	256	Horizontal		
2	5162.5800	40.41	-45.31	32.97	-67.19	-25.00	42.19	163	150	Horizontal		
3	7743.8700	40.05	-42.76	36.67	-61.30	-25.00	36.30	126	356	Horizontal		
4	10325.1600	33.73	-39.07	38.84	-61.76	-25.00	36.76	199	330	Horizontal		
5	12906.4500	31.24	-37.12	39.74	-61.41	-25.00	36.41	158	357	Horizontal		
6	15487.7400	28.56	-35.15	38.59	-63.26	-25.00	38.26	140	164	Horizontal		

Final	Final Data List											
NO.	Frequency	Reading	Factor	AF[dB/m]	Level	Limit	Margin	Height	Angle	Dolority		
NO.	[MHz]	[dBµV]	[dB]	AF[ub/III]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity		
1	4053.75	43.53	-45.89	30.88	-66.74	-25.00	41.74	145	43	Vertical		
2	5162.5800	40.01	-45.31	32.97	-67.59	-25.00	42.59	126	301	Vertical		
3	7743.8700	39.23	-42.76	36.67	-62.12	-25.00	37.12	259	238	Vertical		
4	10325.1600	33.88	-39.07	38.84	-61.61	-25.00	36.61	145	1	Vertical		
5	12906.4500	30.97	-37.12	39.74	-61.68	-25.00	36.68	163	356	Vertical		
6	15487.7400	28.32	-35.15	38.59	-63.50	-25.00	38.50	251	59	Vertical		

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit - Level

---End of Attachment---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.gos.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gos.com/en/Terms-and-Conditions/T