

Report No.: SEWM2306000190RG02

Rev.: 01 Page: 1 of 19

Appendix B.25

NR Band n5



South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980



Report No.: SEWM2306000190RG02

Rev.: 01 Page: 2 of 19

Effective (Isotropic) Radiated Power Output Data for SA

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	ERP	LIMIT	Verdict
N5	15	5	DFT-PI2BPSK	L	Inner_1RB_Left	22.67	21.98	38.45	pass
N5	15	5	DFT-PI2BPSK	L	Inner_1RB_Right	22.58	21.89	38.45	pass
N5	15	5	DFT-PI2BPSK	L	Outer_Full	22.63	21.94	38.45	pass
N5	15	5	DFT-QPSK	L	Inner_1RB_Left	22.61	21.92	38.45	pass
N5	15	5	DFT-QPSK	L	Inner_1RB_Right	22.57	21.88	38.45	pass
N5	15	5	DFT-QPSK	L	Outer_Full	22.58	21.89	38.45	pass
N5	15	5	DFT-16QAM	L	Inner_1RB_Left	22.69	22	38.45	pass
N5	15	5	DFT-16QAM	L	Inner_1RB_Right	22.6	21.91	38.45	pass
N5	15	5	DFT-16QAM	L	Outer_Full	21.63	20.94	38.45	pass
N5	15	5	DFT-64QAM	L	Inner_1RB_Left	21.13	20.44	38.45	pass
N5	15	5	DFT-64QAM	L	Inner_1RB_Right	21.32	20.63	38.45	pass
N5	15	5	DFT-64QAM	L	Outer_Full	21.14	20.45	38.45	pass
N5	15	5	DFT-256QAM	L	Inner_1RB_Left	19.17	18.48	38.45	pass
N5	15	5	DFT-256QAM	L	Inner_1RB_Right	19.2	18.51	38.45	pass
N5	15	5	DFT-256QAM	L	Outer_Full	19.15	18.46	38.45	pass
N5	15	5	DFT-PI2BPSK	М	Inner_1RB_Left	22.84	22.15	38.45	pass
N5	15	5	DFT-PI2BPSK	М	Inner_1RB_Right	23	22.31	38.45	pass
N5	15	5	DFT-PI2BPSK	М	Outer_Full	22.95	22.26	38.45	pass
N5	15	5	DFT-QPSK	М	Inner_1RB_Left	22.75	22.06	38.45	pass
N5	15	5	DFT-QPSK	М	Inner_1RB_Right	22.91	22.22	38.45	pass
N5	15	5	DFT-QPSK	М	Outer_Full	22.92	22.23	38.45	pass
N5	15	5	DFT-16QAM	М	Inner_1RB_Left	22.73	22.04	38.45	pass
N5	15	5	DFT-16QAM	М	Inner_1RB_Right	23.01	22.32	38.45	pass
N5	15	5	DFT-16QAM	М	Outer_Full	21.93	21.24	38.45	pass
N5	15	5	DFT-64QAM	М	Inner_1RB_Left	21.35	20.66	38.45	pass
N5	15	5	DFT-64QAM	М	Inner_1RB_Right	21.48	20.79	38.45	pass
N5	15	5	DFT-64QAM	М	Outer_Full	21.41	20.72	38.45	pass
N5	15	5	DFT-256QAM	М	Inner_1RB_Left	19.34	18.65	38.45	pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Fleetornic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2306000190RG02

Rev.: 01 Page: 3 of 19

l NE	15	E	DET SECONN I	N.4	Page:	3 OI	Ī	20.45	
N5	15	5	DFT-256QAM	M	Inner_1RB_Right	19.52	18.83	38.45	pass
N5	15	5	DFT-256QAM	M	Outer_Full	19.41	18.72	38.45	pass
N5	15	5	DFT-PI2BPSK	Н	Inner_1RB_Left	22.93	22.24	38.45	pass
N5	15	5	DFT-PI2BPSK	Н	Inner_1RB_Right	23.02	22.33	38.45	pass
N5	15	5	DFT-PI2BPSK	Н	Outer_Full	23.05	22.36	38.45	pass
N5	15	5	DFT-QPSK	Н	Inner_1RB_Left	22.9	22.21	38.45	pass
N5	15	5	DFT-QPSK	Н	Inner_1RB_Right	22.87	22.18	38.45	pass
N5	15	5	DFT-QPSK	Н	Outer_Full	22.99	22.3	38.45	pass
N5	15	5	DFT-16QAM	Н	Inner_1RB_Left	23.06	22.37	38.45	pass
N5	15	5	DFT-16QAM	Н	Inner_1RB_Right	23.01	22.32	38.45	pass
N5	15	5	DFT-16QAM	Н	Outer_Full	22.05	21.36	38.45	pass
N5	15	5	DFT-64QAM	Н	Inner_1RB_Left	21.46	20.77	38.45	pass
N5	15	5	DFT-64QAM	Н	Inner_1RB_Right	21.4	20.71	38.45	pass
N5	15	5	DFT-64QAM	Н	Outer_Full	21.55	20.86	38.45	pass
N5	15	5	DFT-256QAM	Н	Inner_1RB_Left	19.39	18.7	38.45	pass
N5	15	5	DFT-256QAM	Н	Inner_1RB_Right	19.47	18.78	38.45	pass
N5	15	5	DFT-256QAM	Н	Outer_Full	19.48	18.79	38.45	pass
N5	15	10	DFT-PI2BPSK	L	Inner_1RB_Left	22.6	21.91	38.45	pass
N5	15	10	DFT-PI2BPSK	L	Inner_1RB_Right	22.76	22.07	38.45	pass
N5	15	10	DFT-PI2BPSK	L	Outer_Full	22.78	22.09	38.45	pass
N5	15	10	DFT-QPSK	L	Inner_1RB_Left	22.59	21.9	38.45	pass
N5	15	10	DFT-QPSK	L	Inner_1RB_Right	22.71	22.02	38.45	pass
N5	15	10	DFT-QPSK	L	Outer_Full	22.79	22.1	38.45	pass
N5	15	10	DFT-16QAM	L	Inner_1RB_Left	22.58	21.89	38.45	pass
N5	15	10	DFT-16QAM	L	Inner_1RB_Right	22.6	21.91	38.45	pass
N5	15	10	DFT-16QAM	L	Outer_Full	21.77	21.08	38.45	pass
N5	15	10	DFT-64QAM	L	Inner_1RB_Left	21.13	20.44	38.45	pass
N5	15	10	DFT-64QAM	L	Inner_1RB_Right	21.28	20.59	38.45	pass
N5	15	10	DFT-64QAM	L	Outer_Full	21.27	20.58	38.45	pass
N5	15	10	DFT-256QAM	L	Inner_1RB_Left	19.19	18.5	38.45	pass
N5	15	10	DFT-256QAM	L	Inner_1RB_Right	19.27	18.58	38.45	pass
N5	15	10	DFT-256QAM	L	Outer_Full	19.25	18.56	38.45	pass
N5	15	10	DFT-PI2BPSK	М	Inner_1RB_Left	22.68	21.99	38.45	pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its interviton only and within the limits of Client's instructions, if any. The Company's osle responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or latesification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM_Doccheck@sg.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2306000190RG02

Rev.: 01 Page: 4 of 19

N5	15	10	DFT-PI2BPSK	М	Page: Inner_1RB_Right	22.93	22.24	38.45	nace
									pass
N5	15	10	DFT-PI2BPSK	M	Outer_Full	22.96	22.27	38.45	pass
N5	15	10	DFT-QPSK	M	Inner_1RB_Left	22.61	21.92	38.45	pass
N5	15	10	DFT-QPSK	M	Inner_1RB_Right	22.85	22.16	38.45	pass
N5	15	10	DFT-QPSK	M	Outer_Full	22.93	22.24	38.45	pass
N5	15	10	DFT-16QAM	М	Inner_1RB_Left	22.58	21.89	38.45	pass
N5	15	10	DFT-16QAM	М	Inner_1RB_Right	23.08	22.39	38.45	pass
N5	15	10	DFT-16QAM	М	Outer_Full	21.94	21.25	38.45	pass
N5	15	10	DFT-64QAM	М	Inner_1RB_Left	21.14	20.45	38.45	pass
N5	15	10	DFT-64QAM	М	Inner_1RB_Right	21.44	20.75	38.45	pass
N5	15	10	DFT-64QAM	М	Outer_Full	21.43	20.74	38.45	pass
N5	15	10	DFT-256QAM	M	Inner_1RB_Left	19.22	18.53	38.45	pass
N5	15	10	DFT-256QAM	М	Inner_1RB_Right	19.44	18.75	38.45	pass
N5	15	10	DFT-256QAM	М	Outer_Full	19.42	18.73	38.45	pass
N5	15	10	DFT-PI2BPSK	Н	Inner_1RB_Left	22.91	22.22	38.45	pass
N5	15	10	DFT-PI2BPSK	Н	Inner_1RB_Right	22.94	22.25	38.45	pass
N5	15	10	DFT-PI2BPSK	Н	Outer_Full	23	22.31	38.45	pass
N5	15	10	DFT-QPSK	Н	Inner_1RB_Left	22.84	22.15	38.45	pass
N5	15	10	DFT-QPSK	Н	Inner_1RB_Right	22.82	22.13	38.45	pass
N5	15	10	DFT-QPSK	Н	Outer_Full	22.92	22.23	38.45	pass
N5	15	10	DFT-16QAM	Н	Inner_1RB_Left	22.98	22.29	38.45	pass
N5	15	10	DFT-16QAM	Н	Inner_1RB_Right	22.92	22.23	38.45	pass
N5	15	10	DFT-16QAM	Н	Outer_Full	21.95	21.26	38.45	pass
N5	15	10	DFT-64QAM	Н	Inner_1RB_Left	21.45	20.76	38.45	pass
N5	15	10	DFT-64QAM	Н	Inner_1RB_Right	21.49	20.8	38.45	pass
N5	15	10	DFT-64QAM	Н	Outer_Full	21.43	20.74	38.45	pass
N5	15	10	DFT-256QAM	Н	Inner_1RB_Left	19.59	18.9	38.45	pass
N5	15	10	DFT-256QAM	Н	Inner_1RB_Right	19.29	18.6	38.45	pass
N5	15	10	DFT-256QAM	Н	Outer_Full	19.39	18.7	38.45	pass
N5	15	15	DFT-PI2BPSK	L	Inner_1RB_Left	22.78	22.09	38.45	pass
N5	15	15	DFT-PI2BPSK	L	Inner_1RB_Right	23.02	22.33	38.45	pass
N5	15	15	DFT-PI2BPSK	L	Outer_Full	22.96	22.27	38.45	pass
N5	15	15	DFT-QPSK	L	Inner_1RB_Left	22.66	21.97	38.45	pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its interviton only and within the limits of Client's instructions, if any. The Company's osle responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or latesification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM_Doccheck@sg.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2306000190RG02

Rev.: 01 Page: 5 of 19

l l	I I		l l		Page:	5 01	Ī	ا ۔۔ ۔۔ ا	
N5	15	15	DFT-QPSK	L	Inner_1RB_Right	22.96	22.27	38.45	pass
N5	15	15	DFT-QPSK	L	Outer_Full	22.98	22.29	38.45	pass
N5	15	15	DFT-16QAM	L	Inner_1RB_Left	22.71	22.02	38.45	pass
N5	15	15	DFT-16QAM	L	Inner_1RB_Right	23.03	22.34	38.45	pass
N5	15	15	DFT-16QAM	L	Outer_Full	21.93	21.24	38.45	pass
N5	15	15	DFT-64QAM	L	Inner_1RB_Left	21.25	20.56	38.45	pass
N5	15	15	DFT-64QAM	L	Inner_1RB_Right	21.48	20.79	38.45	pass
N5	15	15	DFT-64QAM	L	Outer_Full	21.47	20.78	38.45	pass
N5	15	15	DFT-256QAM	L	Inner_1RB_Left	19.42	18.73	38.45	pass
N5	15	15	DFT-256QAM	L	Inner_1RB_Right	19.5	18.81	38.45	pass
N5	15	15	DFT-256QAM	L	Outer_Full	19.43	18.74	38.45	pass
N5	15	15	DFT-PI2BPSK	М	Inner_1RB_Left	22.77	22.08	38.45	pass
N5	15	15	DFT-PI2BPSK	М	Inner_1RB_Right	23.05	22.36	38.45	pass
N5	15	15	DFT-PI2BPSK	М	Outer_Full	23	22.31	38.45	pass
N5	15	15	DFT-QPSK	М	Inner_1RB_Left	22.67	21.98	38.45	pass
N5	15	15	DFT-QPSK	М	Inner_1RB_Right	22.97	22.28	38.45	pass
N5	15	15	DFT-QPSK	М	Outer_Full	23.04	22.35	38.45	pass
N5	15	15	DFT-16QAM	М	Inner_1RB_Left	22.69	22	38.45	pass
N5	15	15	DFT-16QAM	М	Inner_1RB_Right	22.89	22.2	38.45	pass
N5	15	15	DFT-16QAM	М	Outer_Full	22.04	21.35	38.45	pass
N5	15	15	DFT-64QAM	М	Inner_1RB_Left	21.32	20.63	38.45	pass
N5	15	15	DFT-64QAM	М	Inner_1RB_Right	21.49	20.8	38.45	pass
N5	15	15	DFT-64QAM	М	Outer_Full	21.58	20.89	38.45	pass
N5	15	15	DFT-256QAM	М	Inner_1RB_Left	19.33	18.64	38.45	pass
N5	15	15	DFT-256QAM	М	Inner_1RB_Right	19.59	18.9	38.45	pass
N5	15	15	DFT-256QAM	М	Outer_Full	19.46	18.77	38.45	pass
N5	15	15	DFT-PI2BPSK	Н	Inner_1RB_Left	22.95	22.26	38.45	pass
N5	15	15	DFT-PI2BPSK	Н	Inner_1RB_Right	23.04	22.35	38.45	pass
N5	15	15	DFT-PI2BPSK	Н	Outer_Full	23.05	22.36	38.45	pass
N5	15	15	DFT-QPSK	Н	Inner_1RB_Left	22.86	22.17	38.45	pass
N5	15	15	DFT-QPSK	Н	Inner_1RB_Right	22.96	22.27	38.45	pass
N5	15	15	DFT-QPSK	Н	Outer_Full	23.07	22.38	38.45	pass
N5	15	15	DFT-16QAM	Н	Inner_1RB_Left	23.02	22.33	38.45	pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its interviton only and within the limits of Client's instructions, if any. The Company's osle responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or latesification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM_Doccheck@sg.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2306000190RG02

Rev.: 01 Page: 6 of 19

1	i i	Ī	İ		Page:	0 01	Ī	i i	
N5	15	15	DFT-16QAM	Н	Inner_1RB_Right	22.96	22.27	38.45	pass
N5	15	15	DFT-16QAM	Н	Outer_Full	22.07	21.38	38.45	pass
N5	15	15	DFT-64QAM	Н	Inner_1RB_Left	21.51	20.82	38.45	pass
N5	15	15	DFT-64QAM	Н	Inner_1RB_Right	21.49	20.8	38.45	pass
N5	15	15	DFT-64QAM	Н	Outer_Full	21.57	20.88	38.45	pass
N5	15	15	DFT-256QAM	Н	Inner_1RB_Left	19.49	18.8	38.45	pass
N5	15	15	DFT-256QAM	Н	Inner_1RB_Right	19.43	18.74	38.45	pass
N5	15	15	DFT-256QAM	Н	Outer_Full	19.54	18.85	38.45	pass
N5	15	20	DFT-PI2BPSK	L	Inner_1RB_Left	22.83	22.14	38.45	pass
N5	15	20	DFT-PI2BPSK	L	Inner_1RB_Right	23.03	22.34	38.45	pass
N5	15	20	DFT-PI2BPSK	L	Outer_Full	22.99	22.3	38.45	pass
N5	15	20	DFT-QPSK	L	Inner_1RB_Left	22.74	22.05	38.45	pass
N5	15	20	DFT-QPSK	L	Inner_1RB_Right	22.95	22.26	38.45	pass
N5	15	20	DFT-QPSK	L	Outer_Full	22.96	22.27	38.45	pass
N5	15	20	DFT-16QAM	L	Inner_1RB_Left	22.79	22.1	38.45	pass
N5	15	20	DFT-16QAM	L	Inner_1RB_Right	23	22.31	38.45	pass
N5	15	20	DFT-16QAM	L	Outer_Full	22	21.31	38.45	pass
N5	15	20	DFT-64QAM	L	Inner_1RB_Left	21.31	20.62	38.45	pass
N5	15	20	DFT-64QAM	L	Inner_1RB_Right	21.56	20.87	38.45	pass
N5	15	20	DFT-64QAM	L	Outer_Full	21.52	20.83	38.45	pass
N5	15	20	DFT-256QAM	L	Inner_1RB_Left	19.44	18.75	38.45	pass
N5	15	20	DFT-256QAM	L	Inner_1RB_Right	19.62	18.93	38.45	pass
N5	15	20	DFT-256QAM	L	Outer_Full	19.46	18.77	38.45	pass
N5	15	20	DFT-PI2BPSK	М	Inner_1RB_Left	22.78	22.09	38.45	pass
N5	15	20	DFT-PI2BPSK	М	Inner_1RB_Right	22.97	22.28	38.45	pass
N5	15	20	DFT-PI2BPSK	М	Outer_Full	22.96	22.27	38.45	pass
N5	15	20	DFT-QPSK	М	Inner_1RB_Left	22.67	21.98	38.45	pass
N5	15	20	DFT-QPSK	М	Inner_1RB_Right	22.89	22.2	38.45	pass
N5	15	20	DFT-QPSK	М	Outer_Full	23.03	22.34	38.45	pass
N5	15	20	DFT-16QAM	М	Inner_1RB_Left	22.83	22.14	38.45	pass
N5	15	20	DFT-16QAM	М	Inner_1RB_Right	22.87	22.18	38.45	pass
N5	15	20	DFT-16QAM	М	Outer_Full	21.97	21.28	38.45	pass
N5	15	20	DFT-64QAM	М	Inner_1RB_Left	21.38	20.69	38.45	pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its interviton only and within the limits of Client's instructions, if any. The Company's osle responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or latesification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM_Doccheck@sg.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2306000190RG02

Rev.: 01 Page: 7 of 19

					i age.	, , ,	.10		
N5	15	20	DFT-64QAM	М	Inner_1RB_Right	21.39	20.7	38.45	pass
N5	15	20	DFT-64QAM	М	Outer_Full	21.5	20.81	38.45	pass
N5	15	20	DFT-256QAM	М	Inner_1RB_Left	19.2	18.51	38.45	pass
N5	15	20	DFT-256QAM	М	Inner_1RB_Right	19.57	18.88	38.45	pass
N5	15	20	DFT-256QAM	М	Outer_Full	19.44	18.75	38.45	pass
N5	15	20	DFT-PI2BPSK	Н	Inner_1RB_Left	22.79	22.1	38.45	pass
N5	15	20	DFT-PI2BPSK	Η	Inner_1RB_Right	23.05	22.36	38.45	pass
N5	15	20	DFT-PI2BPSK	Н	Outer_Full	23.05	22.36	38.45	pass
N5	15	20	DFT-QPSK	Н	Inner_1RB_Left	22.69	22	38.45	pass
N5	15	20	DFT-QPSK	Н	Inner_1RB_Right	22.97	22.28	38.45	pass
N5	15	20	DFT-QPSK	Н	Outer_Full	23.08	22.39	38.45	pass
N5	15	20	DFT-16QAM	Н	Inner_1RB_Left	22.67	21.98	38.45	pass
N5	15	20	DFT-16QAM	Н	Inner_1RB_Right	23.11	22.42	38.45	pass
N5	15	20	DFT-16QAM	Н	Outer_Full	22.07	21.38	38.45	pass
N5	15	20	DFT-64QAM	Н	Inner_1RB_Left	21.39	20.7	38.45	pass
N5	15	20	DFT-64QAM	Н	Inner_1RB_Right	21.46	20.77	38.45	pass
N5	15	20	DFT-64QAM	Н	Outer_Full	21.59	20.9	38.45	pass
N5	15	20	DFT-256QAM	Н	Inner_1RB_Left	19.44	18.75	38.45	pass
N5	15	20	DFT-256QAM	Н	Inner_1RB_Right	19.66	18.97	38.45	pass
N5	15	20	DFT-256QAM	Н	Outer_Full	19.49	18.8	38.45	pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Fleetornic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www t (86–512) 62992980 sgs.



Report No.: SEWM2306000190RG02

Rev.: 01

Page: 8 of 19

Field Strength of Spurious Radiation

Test Band = 5G NR SA n5_ TM1
Test Channel = Low

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Delevity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1649.1429	69.61	-48.22	25.37	-48.50	-13.00	35.50	255	285	Horizontal
2	2473.7143	65.64	-47.32	27.68	-49.25	-13.00	36.25	123	360	Horizontal
3	3298.2857	62.85	-46.67	29.56	-49.53	-13.00	36.53	236	347	Horizontal
4	4122.8571	58.36	-45.91	30.98	-51.83	-13.00	38.83	256	161	Horizontal
5	4947.4286	56.38	-45.69	32.73	-51.84	-13.00	38.84	291	311	Horizontal
6	5771.4286	50.91	-44.63	33.65	-55.34	-13.00	42.34	174	121	Horizontal

Final	Final Data List											
NO.	Frequency	Reading	Factor	AF[dB/m]	Level	Limit	Margin	Height	Angle	Polarity		
NO.	[MHz]	[dBµV]	[dB]	Ar[ub/III]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polatily		
1	1649.1429	65.50	-48.22	25.37	-52.61	-13.00	39.61	230	255	Vertical		
2	2473.7143	67.90	-47.32	27.68	-46.99	-13.00	33.99	145	307	Vertical		
3	3298.2857	64.95	-46.67	29.56	-47.43	-13.00	34.43	184	281	Vertical		
4	4122.8571	66.95	-45.91	30.98	-43.24	-13.00	30.24	195	240	Vertical		
5	4947.4286	69.24	-45.69	32.73	-38.98	-13.00	25.98	162	267	Vertical		
6	5772	62.49	-44.63	33.65	-43.76	-13.00	30.76	143	267	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Fleetornic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND_Doccheck@sgs.com



Report No.: SEWM2306000190RG02

Rev.: 01 Page: 9 of 19

Test Band = 5G NR SA n5_ TM1 Test Channel = Mid

Final	Data List									
NO.	Frequency	Reading	Factor	AF[dB/m]	Level	Limit	Margin	Height	Angle	Polarity
NO.	[MHz]	[dBµV]	[dB]	Ar[ub/III]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polatily
1	1654.2857	67.60	-48.21	25.37	-50.50	-13.00	37.50	258	65	Horizontal
2	2481.1429	64.72	-47.30	27.71	-50.14	-13.00	37.14	174	360	Horizontal
3	3464.5714	44.01	-46.54	29.49	-68.30	-13.00	55.30	196	264	Horizontal
4	4135.4286	55.75	-45.92	31.00	-54.43	-13.00	41.43	154	360	Horizontal
5	4962.2857	53.43	-45.72	32.77	-54.78	-13.00	41.78	162	65	Horizontal
6	5789.1429	48.77	-44.65	33.71	-57.43	-13.00	44.43	135	13	Horizontal

Final Data List											
NO	Frequency	Reading	Factor	↑ □ [dD/m]	Level	Limit	Margin	Height	Angle	Dolovity	
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity	
1	1654.2857	63.94	-48.21	25.37	-54.16	-13.00	41.16	245	268	Vertical	
2	2481.1429	66.65	-47.30	27.71	-48.21	-13.00	35.21	133	123	Vertical	
3	3308	63.32	-46.67	29.55	-49.06	-13.00	36.06	254	228	Vertical	
4	4134.8571	67.20	-45.92	31.00	-42.98	-13.00	29.98	166	281	Vertical	
5	4962.2857	68.89	-45.72	32.77	-39.32	-13.00	26.32	258	202	Vertical	
6	5789.1429	60.50	-44.65	33.71	-45.70	-13.00	32.70	102	189	Vertical	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Fleetornic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWM2306000190RG02

Rev.: 01

Page: 10 of 19

Test Band = 5G NR SA n5_ TM1 Test Channel = High

Final	Final Data List											
NO.	Frequency	Reading	Factor	ΛΕ[dD/m]	Level	Limit	Margin	Height	Angle	Polarity		
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polatily		
1	1658.8571	67.09	-48.21	25.37	-51.01	-13.00	38.01	211	288	Horizontal		
2	2488.5714	61.41	-47.29	27.73	-53.41	-13.00	40.41	245	264	Horizontal		
3	3318.2857	60.13	-46.65	29.53	-52.25	-13.00	39.25	165	340	Horizontal		
4	4147.4286	51.67	-45.93	31.02	-58.50	-13.00	45.50	198	146	Horizontal		
5	4977.1429	52.39	-45.76	32.82	-55.81	-13.00	42.81	196	132	Horizontal		
6	5806.8571	50.41	-44.68	33.76	-55.77	-13.00	42.77	175	197	Horizontal		

Final	Final Data List											
NO	Frequency	Reading	Factor	A FI d D/mal	Level	Limit	Margin	Height	Angle	Dolovity		
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity		
1	1658.8571	63.65	-48.21	25.37	-54.45	-13.00	41.45	236	256	Vertical		
2	2488.5714	62.60	-47.29	27.73	-52.22	-13.00	39.22	154	121	Vertical		
3	3318.2857	62.94	-46.65	29.53	-49.44	-13.00	36.44	100	230	Vertical		
4	4148	63.78	-45.93	31.02	-46.39	-13.00	33.39	188	294	Vertical		
5	4977.1429	68.29	-45.76	32.82	-39.91	-13.00	26.91	198	282	Vertical		
6	5806.2857	59.55	-44.68	33.76	-46.63	-13.00	33.63	142	268	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Fleetornic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWM2306000190RG02

Rev.: 01

Page: 11 of 19

Test Band = NSA 66A-n5A_ TM1 Test Channel = Low

Final	Data List									
NO.	Frequency	Reading	Factor	ΛΕ[dD/m]	Level	Limit	Margin	Height	Angle	Polarity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polatity
1	1658.8571	68.44	-48.21	25.37	-49.66	-13.00	36.66	241	268	Horizontal
2	2488	65.83	-47.29	27.73	-48.99	-13.00	35.99	135	242	Horizontal
3	3317.7143	62.86	-46.66	29.53	-49.52	-13.00	36.52	126	335	Horizontal
4	4146.8571	56.79	-45.93	31.02	-53.38	-13.00	40.38	195	162	Horizontal
5	4976.5714	56.25	-45.76	32.81	-51.95	-13.00	38.95	142	294	Horizontal
6	5805.7143	50.87	-44.68	33.76	-55.31	-13.00	42.31	166	18	Horizontal

Final	Final Data List													
NO	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolovity				
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	1658.8571	64.99	-48.21	25.37	-53.11	-13.00	40.11	158	262	Vertical				
2	2488	65.33	-47.29	27.73	-49.49	-13.00	36.49	146	329	Vertical				
3	3317.7143	65.05	-46.66	29.53	-47.33	-13.00	34.33	189	288	Vertical				
4	4146.8571	68.68	-45.93	31.02	-41.49	-13.00	28.49	193	288	Vertical				
5	4976.5714	71.26	-45.76	32.81	-36.94	-13.00	23.94	147	288	Vertical				
6	5805.7143	61.35	-44.68	33.76	-44.83	-13.00	31.83	178	209	Vertical				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Fleetornic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2306000190RG02

Rev.: 01

Page: 12 of 19

Test Band = NSA 66A-n5A_ TM1 Test Channel = Mid

Final	Data List									
NO.	Frequency	Reading	Factor	ΛΕ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1664	66.85	-48.20	25.38	-51.24	-13.00	38.24	255	308	Horizontal
2	2495.4286	64.54	-47.28	27.75	-50.24	-13.00	37.24	144	242	Horizontal
3	3327.4286	58.41	-46.64	29.52	-53.97	-13.00	40.97	135	335	Horizontal
4	4159.4286	55.75	-45.94	31.04	-54.41	-13.00	41.41	126	163	Horizontal
5	4904	52.58	-45.59	32.61	-55.66	-13.00	42.66	158	242	Horizontal
6	5823.4286	50.80	-44.73	33.79	-55.40	-13.00	42.40	196	0	Horizontal

Final	Data List									
NO.	Frequency	Reading	Factor	ΛΕ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1664	64.35	-48.20	25.38	-53.74	-13.00	40.74	211	254	Vertical
2	2496	62.76	-47.28	27.76	-52.02	-13.00	39.02	174	344	Vertical
3	3327.4286	63.79	-46.64	29.52	-48.59	-13.00	35.59	185	280	Vertical
4	4159.4286	66.52	-45.94	31.04	-43.64	-13.00	30.64	169	294	Vertical
5	4991.4286	69.00	-45.79	32.86	-39.19	-13.00	26.19	192	320	Vertical
6	5823.4286	58.50	-44.73	33.79	-47.70	-13.00	34.70	104	268	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Fleetornic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

215000 t (86–512) 62992980 215000 t (86–512) 62992980



Report No.: SEWM2306000190RG02

Rev.: 01

Page: 13 of 19

Test Band = NSA 66A-n5A_ TM1 Test Channel = High

Final	Data List									
NO.	Frequency	Reading	Factor	ΛΕ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1668.5714	66.07	-48.20	25.38	-52.01	-13.00	39.01	214	306	Horizontal
2	2503.4286	62.36	-47.26	27.78	-52.38	-13.00	39.38	142	280	Horizontal
3	3337.7143	57.89	-46.63	29.51	-54.49	-13.00	41.49	158	266	Horizontal
4	4172	51.62	-45.94	31.06	-58.53	-13.00	45.53	135	132	Horizontal
5	4904	53.42	-45.59	32.61	-54.82	-13.00	41.82	185	239	Horizontal
6	5840.5714	49.75	-44.79	33.83	-56.47	-13.00	43.47	129	16	Horizontal

Final Data List													
NO	Frequency	Reading	Factor	↑ □ [d D /ma]	Level	Limit	Margin	Height	Angle	Dolority			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity			
1	1668.5714	63.48	-48.20	25.38	-54.60	-13.00	41.60	245	251	Vertical			
2	2503.4286	60.90	-47.26	27.78	-53.84	-13.00	40.84	156	360	Vertical			
3	3337.7143	63.07	-46.63	29.51	-49.31	-13.00	36.31	129	289	Vertical			
4	4172	62.91	-45.94	31.06	-47.24	-13.00	34.24	192	289	Vertical			
5	5006.2857	64.21	-45.78	32.88	-43.95	-13.00	30.95	174	277	Vertical			
6	5840.5714	56.65	-44.79	33.83	-49.57	-13.00	36.57	165	277	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Fleetornic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWM2306000190RG02

Rev.: 01

Page: 14 of 19

Test Band = 5G NR CA n5A-n77A_ TM1 Test Channel = Low

Final	Data List									
NO.	Frequency	Reading	Factor	ΛΕ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	6810.1800	41.05	-43.61	35.85	-61.97	-13.00	48.97	211	271	Horizontal
2	7770.175	41.41	-42.69	36.72	-59.82	-13.00	46.82	132	240	Horizontal
3	8695.925	41.02	-41.32	37.91	-57.65	-13.00	44.65	156	240	Horizontal
4	10215.2700	35.35	-39.23	38.81	-60.33	-13.00	47.33	145	181	Horizontal
5	13620.3600	32.77	-36.03	40.13	-58.39	-13.00	45.39	185	16	Horizontal
6	17025.4500	33.27	-33.71	38.51	-57.19	-13.00	44.19	196	152	Horizontal

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	6810.1800	41.06	-43.61	35.85	-61.96	-13.00	48.96	254	2	Vertical
2	7738.55	41.70	-42.81	36.66	-59.71	-13.00	46.71	156	195	Vertical
3	8349.775	41.10	-41.62	37.27	-58.51	-13.00	45.51	136	31	Vertical
4	10215.2700	35.56	-39.23	38.81	-60.12	-13.00	47.12	142	60	Vertical
5	13620.3600	32.47	-36.03	40.13	-58.69	-13.00	45.69	185	121	Vertical
6	17025.4500	32.99	-33.71	38.51	-57.47	-13.00	44.47	169	0	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Fleetornic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2306000190RG02

Rev.: 01

Page: 15 of 19

Test Band = 5G NR CA n5A-n77A_ TM1 Test Channel = Mid

Final	Data List									
NO.	Frequency	Reading	Factor	VE[qD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	6910.1800	40.65	-43.80	35.97	-62.44	-13.00	49.44	211	239	Horizontal
2	8281.925	40.80	-41.92	37.18	-59.20	-13.00	46.20	154	180	Horizontal
3	9269.775	38.68	-40.03	38.39	-58.22	-13.00	45.22	125	0	Horizontal
4	10365.2700	35.04	-38.81	38.85	-60.17	-13.00	47.17	148	313	Horizontal
5	13820.3600	32.18	-36.11	39.98	-59.21	-13.00	46.21	185	270	Horizontal
6	17275.4500	33.29	-35.16	38.70	-58.42	-13.00	45.42	136	270	Horizontal

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[dD/ma]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	6910.1800	40.86	-43.80	35.97	-62.23	-13.00	49.23	248	315	Vertical
2	7792.6	41.28	-42.61	36.77	-59.82	-13.00	46.82	159	44	Vertical
3	8852.9	39.41	-41.02	38.11	-58.76	-13.00	45.76	174	9	Vertical
4	10365.2700	35.86	-38.81	38.85	-59.35	-13.00	46.35	159	0	Vertical
5	13820.3600	32.03	-36.11	39.98	-59.36	-13.00	46.36	168	0	Vertical
6	17275.4500	33.57	-35.16	38.70	-58.14	-13.00	45.14	135	256	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Fleetornic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2306000190RG02

Rev.: 01

Page: 16 of 19

Test Band = 5G NR CA n5A-n77A_ TM1 Test Channel = High

Final	Data List									
NO.	Frequency	Reading	Factor	VE[qD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	7010.1800	40.93	-43.06	36.11	-61.28	-13.00	48.28	214	151	Horizontal
2	7969.125	41.42	-42.32	36.97	-59.18	-13.00	46.18	125	226	Horizontal
3	8410.15	41.20	-41.41	37.35	-58.12	-13.00	45.12	136	0	Horizontal
4	10515.2700	34.27	-38.64	38.98	-60.66	-13.00	47.66	256	346	Horizontal
5	14020.3600	30.74	-35.04	40.15	-59.41	-13.00	46.41	132	240	Horizontal
6	17525.4500	32.70	-33.81	39.28	-57.09	-13.00	44.09	155	196	Horizontal

Final	Data List									
NO.	Frequency	Reading	Factor	ΛΕ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	7010.1800	40.74	-43.06	36.11	-61.47	-13.00	48.47	254	356	Vertical
2	7710.375	41.63	-42.91	36.61	-59.94	-13.00	46.94	125	164	Vertical
3	8406.125	40.70	-41.40	37.34	-58.61	-13.00	45.61	199	356	Vertical
4	10515.2700	34.56	-38.64	38.98	-60.37	-13.00	47.37	152	269	Vertical
5	14020.3600	30.71	-35.04	40.15	-59.44	-13.00	46.44	136	16	Vertical
6	17525.4500	33.31	-33.81	39.28	-56.48	-13.00	43.48	256	164	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Fleetornic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2306000190RG02

Rev.: 01

Page: 17 of 19

Test Band = 5G NR CA n5A-n78A_ TM1 Test Channel = Low

Final Data List										
NO.	Frequency	Reading	Factor	ΛΕ[dD/m]	Level	Limit	Margin	Height	Angle	Polarity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	
1	6810.1800	41.82	-43.61	35.85	-61.20	-13.00	48.20	245	346	Horizontal
2	7784.55	41.86	-42.64	36.75	-59.29	-13.00	46.29	125	0	Horizontal
3	8357.825	41.56	-41.58	37.28	-58.00	-13.00	45.00	168	286	Horizontal
4	10215.2700	35.68	-39.23	38.81	-60.00	-13.00	47.00	159	257	Horizontal
5	13620.3600	33.21	-36.03	40.13	-57.95	-13.00	44.95	142	31	Horizontal
6	17025.4500	34.65	-33.71	38.51	-55.81	-13.00	42.81	135	77	Horizontal

Final Data List										
NO.	Frequency	Reading	Factor	ΛΕ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	6810.1800	41.30	-43.61	35.85	-61.72	-13.00	48.72	258	16	Vertical
2	7407.925	42.48	-42.82	36.49	-59.11	-13.00	46.11	147	0	Vertical
3	8356.1	41.52	-41.59	37.28	-58.05	-13.00	45.05	159	329	Vertical
4	10215.2700	36.46	-39.23	38.81	-59.22	-13.00	46.22	165	120	Vertical
5	13620.3600	33.33	-36.03	40.13	-57.83	-13.00	44.83	185	255	Vertical
6	17025.4500	34.33	-33.71	38.51	-56.13	-13.00	43.13	302	226	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Fleetornic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2306000190RG02

Rev.: 01

Page: 18 of 19

Test Band = 5G NR CA n5A-n78A_ TM1 Test Channel = Mid

Final Data List											
NO.	Frequency	Reading	Factor	AE[dD/m]	Level	Limit	Margin	Height	Angle	Dolority	
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity	
1	6910.1800	41.04	-43.80	35.97	-62.05	-13.00	49.05	211	62	Horizontal	
2	7969.125	41.90	-42.32	36.97	-58.70	-13.00	45.70	145	257	Horizontal	
3	8812.65	40.04	-41.11	38.09	-58.24	-13.00	45.24	136	0	Horizontal	
4	10365.2700	37.11	-38.81	38.85	-58.10	-13.00	45.10	256	91	Horizontal	
5	13820.3600	33.88	-36.11	39.98	-57.51	-13.00	44.51	142	226	Horizontal	
6	17275.4500	33.72	-35.16	38.70	-57.99	-13.00	44.99	186	0	Horizontal	

Final Data List											
NO.	Frequency	Reading	Factor	Λ Γ[dD/ma]	Level	Limit	Margin	Height	Angle	Dolority	
	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity	
1	6910.1800	41.42	-43.80	35.97	-61.67	-13.00	48.67	125	120	Vertical	
2	7785.125	41.58	-42.64	36.75	-59.56	-13.00	46.56	126	120	Vertical	
3	8394.05	41.43	-41.40	37.32	-57.91	-13.00	44.91	142	356	Vertical	
4	10365.2700	35.89	-38.81	38.85	-59.32	-13.00	46.32	158	0	Vertical	
5	13820.3600	33.62	-36.11	39.98	-57.77	-13.00	44.77	198	105	Vertical	
6	17275.4500	33.38	-35.16	38.70	-58.33	-13.00	45.33	142	285	Vertical	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Fleetornic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2306000190RG02

Rev.: 01

Page: 19 of 19

Test Band = 5G NR CA n5A-n78A_ TM1 Test Channel = High

Final Data List										
NO.	Frequency	Reading	Factor	VE[qD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	7010.1800	40.83	-43.06	36.11	-61.38	-13.00	48.38	215	240	Horizontal
2	7969.125	42.32	-42.32	36.97	-58.28	-13.00	45.28	142	195	Horizontal
3	8812.65	40.38	-41.11	38.09	-57.90	-13.00	44.90	132	269	Horizontal
4	10515.2700	35.64	-38.64	38.98	-59.29	-13.00	46.29	165	135	Horizontal
5	14020.3600	32.18	-35.04	40.15	-57.97	-13.00	44.97	128	209	Horizontal
6	17525.4500	33.35	-33.81	39.28	-56.44	-13.00	43.44	169	104	Horizontal

Final Data List											
NO.	Frequency	Reading	Factor	ΛΕ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority	
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity	
1	7010.1800	41.07	-43.06	36.11	-61.14	-13.00	48.14	215	0	Vertical	
2	8303.2	41.03	-41.85	37.21	-58.88	-13.00	45.88	142	117	Vertical	
3	8937.425	39.77	-40.90	38.16	-58.22	-13.00	45.22	125	58	Vertical	
4	10515.2700	35.69	-38.64	38.98	-59.24	-13.00	46.24	188	103	Vertical	
5	14020.3600	32.58	-35.04	40.15	-57.57	-13.00	44.57	135	194	Vertical	
6	17525.4500	33.57	-33.81	39.28	-56.22	-13.00	43.22	126	346	Vertical	

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit - Level

---End of Attachment---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents as <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980