

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT



Applicant:	NetComm Wireless Pty Ltd Level 5, 18-20 Orion Road, Lane Cove NSW 2066 Australia
Product Name:	Smart Antenna Tool
Brand Name:	NetComm 蓉
Model No.:	NRB-0208
Model Difference:	N/A
Report Number:	E2/2020/60002-01
FCC ID	XIA-NRB0208
IC:	8847A-NRB0208
Issue Date:	Oct. 07, 2021
Date of Test:	Aug. 25, 2021~Sep. 08, 2021
Date of EUT Received:	Aug. 09, 2021
	Jazz Huang

Approved By

Jazz Huang

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Central RF Lab The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT comply with FCC rule part §15.247, ISED RSS-247.

The results of this report relate only to the sample identified in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Revision History					
Report Number	Revision	Description	Issue Date	Revised By	
E2/2020/60002	00	Original.	Jun. 30, 2020	Susan Lin	
E2/2020/60002-01	01	Newly test for new power level	Oct. 07, 2021	Susan Lin	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

(ポキカオ) 就例 「 近根 守路 木健 町 海風之(kai 貝 頁 「 阿可花(kai) 程 頃 留 りつく) 本 機 守 先座 な づ 音 幽 計 「 ・ へ 可 可 你 人 夏 か 保 え This document is issued by the Company subject to is General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Table of Contents

1	GENERAL INFORMATION	4
2	SYSTEM TEST CONFIGURATION	6
3	SUMMARY OF TEST RESULTS	9
4	DESCRIPTION OF TEST MODES	.10
5	MEASUREMENT UNCERTAINTY	.13
6	CONDUCTED EMISSION TEST	.14
7	DUTY CYCLE OF TEST SIGNAL	.18
8	PEAK OUTPUT POWER MEASUREMENT	.20
9	EMISSION BANDWIDTH MEASUREMENT	.25
10	CONDUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT	.33
11	RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT	.42
12	POWER SPECTRAL DENSITY	.89
13	ANTENNA REQUIREMENT	.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

(ポキカオ) 就例 「 近根 守路 木健 町 海風之(kai 貝 頁 「 阿可花(kai) 程 頃 留 りつく) 本 機 守 先座 な づ 音 幽 計 「 ・ へ 可 可 你 人 夏 か 保 え This document is issued by the Company subject to is General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



GENERAL INFORMATION 1

1.1 Product Description

Product Name:	Smart Antenna Tool
Brand Name:	NetComm 🧟
Model No.:	NRB-0208
Model Difference:	N/A
Hardware Version:	3
Firmware Version:	1.0.30.0
EUT Series No.:	205633202800594
Power Supply:	3.65Vdc from Rechargeable Li-ion Battery or 5Vdc from AC/DC Adapter

1.2 **RF** Specification

WLAN 2.4GHz

Wi-Fi	Frequency Range	Channels	Rated Power in dBm (Peak)	Modulation Technology	
802.11b	2412~2462	11	11.34	DSSS	
802.11g	2412~2462	11	16.41	OFDM	
802.11n20	2412~2462	11	16.62	OFDM	
802.11n40	2422~2452	7	15.37	OFDM	
Medulation type		CCK, DQPSK, DBPSK for DSSS			
Modulation type:		64QAM, 16QAM, QPSK, BPSK for OFDM			
		802.11 b: 1/2/5.5/11 Mbps			
Data Rate:		802.11 g: 6/9/12/18/24/36/48/54 Mbps			
		802.11 n_20MHz:6.5 - 72.2Mbps			
		802.11 n_40MHz:13.5 - 150Mbps			

1.3 Antenna Designation

Antenna Type	Freq.	Peak Antenna Gain (dBi)
Chip	2.4GHz	0.5

Note: Antenna information is provided by the applicant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



1.4 Test Methodology of Applied Standards

FCC Part 15, Subpart C §15.247 FCC KDB 558074 D01 15.247 Meas Guidance v05r02 RSS-247 issue 2 Feb. 2017 RSS-Gen, Issue 5 (Amendment 2, February 2021) ANSI C63.10:2013

1.5 Test Facility

Laboratory	Test Site Address	Test Site Name	FCC Designa- tion number	IC CAB identifier
		SAC 1		
	Ē	SAC 3		
		Conduction 1		
	No.134, Wu Kung Road, New Taipei	Conducted 1		
	Industrial Park, Wuku District, New	Conducted 2	TW0027	
	Taipei City, Taiwan.	Conducted 3		
		Conducted 4		
		Conducted 5		TW3702
SGS Taiwan Ltd.		Conducted 6		
Central RF Lab.	No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333	Conduction C	TW0028	
(TAF code 3702)		SAC C		
(1AI COUE 5702)		SAC D		
		SAC G		
		Conducted A		
		Conducted B		
		Conducted C		
		Conducted D		
		Conducted E		
		Conducted F		
		Conducted G		
Note: Test site name is remarked on the equipment list in each section of this report as an indication where measurements occurred in specific test site and address.				

1.6 Special Accessories

There are no special accessories used while test was conducted.

1.7 Equipment Modifications

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnielectronic format documents, subject to 1erms and Conditions for Electronic Documents at <u>http://www.sqs.com.tw/1erms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



2 SYSTEM TEST CONFIGURATION

2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

2.3 Test Procedure

2.3.1 Conducted Emissions

The EUT is a placed on a table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz. The CISPR Quasi-Peak and Average detector mode is employed. The two LISNs provide 50uH/50 ohm of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

2.3.2 Conducted Test (RF)

The active antenna port of the unlicensed wireless device is connected to the spectrum analyzer with attenuator to protect the instrumentation. If a second antenna port is available, it is tested at one operating frequency, with other port(s) appropriately terminated, to verify it has similar output characteristics as the fully tested port.


2.3.3 Radiated Emissions

The EUT is a placed on a turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plane. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五殿医新北產業園區五工路 134 號 9 f (886-2) 2298-0488 www.sgs.com.tw





2.4 Measurement Results Explanation Example

2.4.1 Radiated Emission Test Sites For Measurements From 9 kHz To 30 MHz

Radiated emission below 30MHz is measured in a 9m*9m*6m semi-anechoic chamber, the measurements correspond to those obtained at an open-field test site.

There is a comparison data of both open-field test site and semi-Anechoic chamber, and the result came out very similar.

2.4.2 For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



2.5 Test Configuration





Fig. 2-2 Conducted (Antenna Port) Configuration Emission




Fig. 2-3 Conducted (AC Power line) Configuration Emission



2.6 Control Unit(s)

ltem	Equipment	Mfr/Brand	Model/Type No.	Series No.	Data Cable	Power Cord
1.	WLAN Test Software	N/A	N/A	N/A	N/A	N/A
2.	Notebook	Lenovo	L480	P0002332	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnielectronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/1erms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



SUMMARY OF TEST RESULTS 3

FCC Rules	IC Rules	Description Of Test	Result
§15.207(a)	RSS-Gen §8.8	AC Power Line Conducted Emission	Compliant
§15.247(b) (3)	RSS-247 §5.4 d	Peak Output Power	Compliant
§15.247(a)(2)	RSS-247 §5.2 a RSS-Gen §6.7	Emission Bandwidth	Compliant
§15.205 §15.209 §15.247(d)	RSS-247 §5.5 RSS-Gen §8.9 RSS-Gen §8.10 RSS-Gen §6.13	Radiated & Conducted Band Edge and Spurious Emission	Compliant
§15.247(e)	RSS-247 §5.2 b	Power Spectral Density	Compliant
§15.203 §15.247(b)	N/A	Antenna Requirement	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

(ポキカオ) 就例 「 近根 守路 木健 町 海風之(kai 貝 頁 「 阿可花(kai) 程 頃 留 りつく) 本 機 守 先座 な づ 音 幽 計 「 ・ へ 可 可 你 人 夏 か 保 え This document is issued by the Company subject to is General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



DESCRIPTION OF TEST MODES 4

4.1 Operatin Frequencies

Modulation of 20MHz nominal bandwidth

CHANNEL	FREQUENCY (MHz)
1	2412
2	2417
3	2422
4	2427
5	2432
6	2437
7	2442
8	2447
9	2452
10	2457
11	2462

Modulation of 40MHz nominal bandwidth

CHANNEL	FREQUENCY (MHz)
3	2422
4	2427
5	2432
6	2437
7	2442
8	2447
9	2452

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



4.2 The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Test program used to control the EUT for staying in continuous transmitting and receiving mode is programmed.
- 3. Investigation has been done on all the possible configurations for searching the worst case.

The given UE is pre-scanned among below modes.

Modulation	Transmission Chain	Single Transmission Spatial	Multiple Transmission Spatial
🛛 802.11 b	🖾 Ch0 🗆 Ch1 🗆 Ch2 🗆 Ch3	🖂 1TX	□ 2TX
🛛 802.11 g	🖾 Ch0 🗆 Ch1 🗆 Ch2 🗆 Ch3	🖂 1TX	🗆 2TX
🛛 802.11 n	🖾 Ch0 🗆 Ch1 🗆 Ch2 🗆 Ch3	⊠ SISO	

4. Therefore, below summary is the modes of test configuration that yield the highest reading and generate the highest emission chosen to carry out the relevantly mandatory test items.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

S Taiwan Ltd.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnielectronic format documents, subject to 1erms and Conditions for Electronic Documents at <u>http://www.sqs.com.tw/1erms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Conducted							
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT		
802.11b	1 to 11	1,6,11	DSSS	1	ch0		
802.11g	1 to 11	1,6,11	OFDM	6	ch0		
802.11n (HT20)	1 to 11	1,6,11	OFDM	MCS0	ch0		
802.11n (HT40)	3 to 9	3,6,9	OFDM	MCS0	ch0		

RADIATED EMISSION TEST (BELOW 1 GHz)							
MODE AVAILABLE TESTED MODULATION					ANTENNA PORT		
802.11g	1 to 11	1,6,11	OFDM	6	ch0		
802.11n (HT40)	3 to 9	3,6,9	OFDM	MCS0	ch0		

RADIATED EMISSION TEST (ABOVE 1 GHz)							
MODE AVAILABLE TESTED MODULATION DATA RATE (Mbps)							
802.11b	1 to 11	1,6,11	DSSS	1	ch0		
802.11g	1 to 11	1,6,11	OFDM	6	ch0		
802.11n (HT20)	1 to 11	1,6,11	OFDM	MCS0	ch0		
802.11n (HT40)	3 to 9	3,6,9	OFDM	MCS0	ch0		

Note:

The field strength of radiation emission was measured as EUT three orthogonal planes, E1 / E2 / H, are positioned to pre-scan the emission generating the highest one. The worst position is tested and recorded.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnielectronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/1erms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. S Taiwan Ltd.



MEASUREMENT UNCERTAINTY 5

Test Items	Uncertainty			
AC Power Line Conducted Emission	C Power Line Conducted Emission +/- 2			
Emission Bandwidth	+/-	1.53	Hz	
The Maximum Output Power Measurement	+/-	1	dB	
Peak Power Spectral Density Measurement	+/-	1.53	dB	
Frequency Stability	+/-	1.53	Hz	
Temperature	+/-	0.4	°C	
Humidity	+/-	3.5	%	
DC / AC Power Source	+/-	1	%	

Radiated Spurious Emission Measurement Uncertainty						
Polarization: Vertical	+/-	2.64	dB	9kHz~30MHz		
	+/-	4.93	dB	30MHz - 1000MHz		
	+/-	4.81	dB	1GHz - 18GHz		
	+/-	4.52	dB	18GHz - 40GHz		
	+/-	2.64	dB	9kHz~30MHz		
	+/-	4.45	dB	30MHz - 1000MHz		
Polarization: Horizontal	+/-	4.81	dB	1GHz - 18GHz		
	+/-	4.52	dB	18GHz - 40GHz		

Note:

- 1. This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.
- 2. The conformity assessment statement in this report is based solely on the test results, measurement uncertainty is excluded.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

(株子方方 秋切) 「近秋寺地木(寛戸河)(私)(本)(東戸河)中町(株)の(東京)(新宮子総合な)) 香田子 「 小 可 町 内 根 泉 。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



6 CONDUCTED EMISSION TEST

6.1 Standard Applicable

Frequency range within 150kHz to 30MHz shall not exceed the Limit table as below.

Frequency range	Limits (dBuV)				
MHz	Quasi-peak	Average			
0.15 to 0.50	66 to 56	56 to 46			
0.50 to 5	56	46			
5 to 30	60	50			
Note					
1.The lower limit shall apply at the transition frequencies					
2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.					

6.2 Measurement Equipment Used

Radiated Emission Test Site: Conduction C								
EQUIPMENT TYPE			LAST CAL.	CAL DUE.				
Test Software	audix	e3	Ver. 6.11- 20180419c	N.C.R	N.C.R			
LISN	SCHWARZBECK Mess-Elektronik	NSLK8127	973	03/25/2021	03/24/2022			
EMI Test Receiver	R&S	ESCI	101342	04/28/2021	04/27/2022			
Coaxial Cable	EC Lab	RF-HY-CAB-250	RF-HY-CAB-250- 01	03/27/2021	03/26/2022			
Pulse Limiter	EC Lab	VTSD 9561F-N	485	03/27/2021	03/26/2022			
Adapter	Sony	AC-0400-TW	3504600	N.C.R	N.C.R			

6.3 EUT Setup

- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI C63.10:2013.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The EUT was placed flushed with the rear of the table.
- 3. The LISN was connected with 120Vac/60Hz power source.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

www.sgs.com.tw



6.4 Test SET-UP (Block Diagram of Configuration)



6.5 Measurement Procedure

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all phases of power being supplied by given UE are completed

6.6 Measurement Result

Note: Refer to next page for measurement data and plots. Note2: The * reveals the worst-case results that closet to the limit.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

Faiwan Ltd.


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemniviction and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosecuted to the fullest extent of the law.



С

AC POWER LINE CONDUCTED EMISSION TEST DATA

Report Number	:E2/2020/60002-01	Test Site	:Conduction C
Test Mode	:WLAN 2.4G	Test Date	:2021-08-31
Power	:120V/60Hz	Temp./Humi.	:24.5/57
Probe	:L1	Engineer	:Enzo Chang
Note:	:		




Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV	dBµV	dB
0.167	Average	17.70	10.30	28.00	55.12	-27.12
0.167	QP	41.00	10.30	51.30	65.12	-13.82
0.191	Average	17.20	10.30	27.50	53.98	-26.48
0.191	QP	35.10	10.30	45.40	63.98	-18.58
1.021	Average	20.40	10.36	30.76	46.00	-15.24
1.021	QP	28.00	10.36	38.36	56.00	-17.64
1.077	Average	21.40	10.43	31.83	46.00	-14.17
1.077	QP	29.50	10.43	39.93	56.00	-16.07
1.123	Average	21.50	10.48	31.98	46.00	-14.02
1.123	QP	29.70	10.48	40.18	56.00	-15.82
1.249	Average	21.90	10.61	32.51	46.00	-13.49
1.249	QP	30.00	10.61	40.61	56.00	-15.39
1.317	Average	21.80	10.67	32.47	46.00	-13.53
1.317	QP	30.30	10.67	40.97	56.00	-15.03
1.464	Average	21.30	10.80	32.10	46.00	-13.90
1.464	QP	29.60	10.80	40.40	56.00	-15.60
1.544	Average	20.50	10.86	31.36	46.00	-14.64
1.544	QP	28.30	10.86	39.16	56.00	-16.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

(ポキカオ) 就例 「 近根 守路 木健 町 海風之(kai 貝 頁 「 阿可花(kai) 程 頃 留 りつく) 本 機 守 先座 な づ 音 幽 計 「 ・ へ 可 可 你 人 夏 か 保 え This document is issued by the Company subject to is General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Member of SGS Group





Report Number	:E2/2020/60	002-01	Test Site	:Conduc	tion C	
Test Mode	:WLAN 2.40	3	Test Dat	e :2021-08	-31	
Power	:120V/60Hz		Temp./H	umi. :24.5/57		
Probe	:N		Engineer		nang	
Note:	:		Liighiool		lang	
NOLE.						
	10-10					
80 Lever (dBuV)					
70.0						
60.0						
50.0 M						
50.0 2 6						
40.0	h	annuth	9		10	
3	WYW	WWW S T	My population and an	to man	A. I	
30.0				a run	V. Jun	
20.0						
10.0						
10.0						
0.15	0.5	1	2 ency (MHz)	5 10	20 30	
_	D / /			A 1 1		
Freq.	Detector Mode F	Spectrum Reading Level	Factor	Actual FS	Limit	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV	dBµV	dB
0.150	Average	14.90	10.31	25.21	56.00	-30.79
0.150	QP	39.30	10.31	49.61	66.00	-16.39
0.165 0.165	Average QP	20.70 42.40	10.31	31.01 52.71	55.21	-24.20
0.193		42.40 16.50	10.31 10.30	26.80	65.21 53.89	-12.50 -27.09
0.193	Average QP	38.80	10.30	49.10	53.89 63.89	-27.09 -14.79
1.303	Average	38.80 16.70	10.30	27.37	46.00	-14.79 -18.63
1.303	QP	24.20	10.67	34.87	40.00 56.00	-10.03
1.868	Peak	24.20 29.77	10.07	34.87 40.87	56.00 56.00	-21.13 -15.13
18.039	Peak Peak	29.77 29.90	10.94	40.87	56.00 60.00	-15.13
10.000	I Cak	23.30	10.34	40.04	00.00	-13.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

(ポキカオ) 就例 「 近根 守路 木健 町 海風之(kai 貝 頁 「 阿可花(kai) 程 頃 留 りつく) 本 機 守 先座 な づ 音 幽 計 「 ・ へ 可 可 你 人 夏 か 保 え This document is issued by the Company subject to is General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



DUTY CYCLE OF TEST SIGNAL 7

Pre-analysis Check: While conducting average power measurement, duty cycle of each mode shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle.

All duty cycle is pre-scanned, and result as obtained below shows only the most representative ones where duty cycle is conducted as the given transmission with given virtual operation that expresses the percentage.

7.1 Measurement Procedure:

- 1. Set span = Zero
- 2. RBW = 8MHz
- 3. VBW = 8MHz,
- 4. Detector = Peak


7.2 Duty Cycle:

	Duty Cycle (%) = Ton / (Ton+Toff)	Duty Factor (dB) =10*log(1/Duty Cycle)	1/T (kHz)	VBW setting (kHz)
802.11b	97.18	0.12	0.12	1.00
802.11g	83.39	0.79	0.72	1.00
802.11n_20	85.38	0.69	0.76	1.00
802.11n_40	79.22	1.01	1.54	2.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

S Taiwan Ltd.


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemniviction and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosecuted to the fullest extent of the law.





7.3 Duty Cycle test plots

802.11b 20MHz Chain0 2412MHz



802.11g 20MHz Chain0 2412MHz



802.11n 20MHz Chain0 2412MHz Spectrum Analyzer 1 Swept SA + Ö - <u>|</u> Frequency KEYSIGHT Input RF -Input 7: 50 0 30 dF PNO: Fast Gate: Off Avg Type: Vol Trig: Free Ru Center Frequency 2.412000000 GHz Settings Freq Ref: Int (S) PNNNN Ļя Span 1.532 m ∆Mkr3 Ref Lvi Offset 10.70 dB Ref Level 30.00 dBm 0.00000000 Hz Scale/Div 10 dE 0.49 0 Swept Span Zero Span Full Span Start Freq 2.412000000 GHz Stop Freq 2.412000000 GHz AUTO TUNE Center 2.4120 Res BW 8 MH Span 0 Hz veep 10.0 ms (10001 pts) CF Step Marker Table Auto Man Mode Trace Scal Δ2 1 t F 1 t Function Function Width Function (Δ) 1.308 ms (Δ) -5.515 dB 1.281 ms 10.58 dBm Freq Offset 0 Hz <u>3</u> Δ4 (Δ) 1.532 ms (Δ) 0.4909 1.281 ms 10.58 d X Axis Scal

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Х


Signal Tr

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

S Taiwan I td

.# 😽

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnielectronic format documents, subject to 1erms and Conditions for Electronic Documents at <u>http://www.sqs.com.tw/1erms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





8 PEAK OUTPUT POWER MEASUREMENT

8.1 Standard Applicable

For systems using digital modulation in the 2400-2483.5 MHz bands, the limit for peak output power is 1Watt and the e.i.r.p. shall not exceed 4 W.

If the transmitting antenna of directional gain greater than 6dBi are used the peak output power form the intentional radiator shall be reduced below the above stated value by the amount in dB that the directional gain of the Antenna exceeds 6dBi.


In case of point-to-point operation, the limit has to be reduced by 1dB for every 3dB that the directional gain of Antenna exceeds 6dBi.

8.2 Measurement Equipment Used

Conducted Emission Test Site: Conducted B								
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.			
Power Meter	Anritsu	ML2496A	1804002	04/14/2021	04/13/2022			
Power Sensor	Anritsu	MA2411B	1726105	04/14/2021	04/13/2022			
Power Sensor	Anritsu	MA2411B	1726106	04/14/2021	04/13/2022			
Attenuator	Marvelous	MVE2213-10	RF05	11/19/2020	11/18/2021			

8.3 Test Set-up

Power Meter:



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



8.4 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance .
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter.

Power Meter:

It is used as the auxiliary test equipment to conduct the output power measurement.

4. Record the max. Reading as observed from Spectrum or Power Meter.

* Note: The duty cycle factor and below is compensated to obtain the maximum value of measurement in average.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



8.5 Measurement Result

	_			Peak Output	••••	
СН	Freq.	Data	Power	Power	Limit	RESULT
••••	(MHz)	Rate	set	(dBm)	(dBm)	
1	2412	1	12	11.34	30.00	PASS
6	2437	1	12	10.06	30.00	PASS
11	2462	1	12	9.27	30.00	PASS
	1b Ch0	I	12	5.21	50.00	17.00
				Max. Avg. Output		
	Freq.	Data	Power	include tune up	Limit	
СН	(MHz)	Rate	set	tolerance Power	(dBm)	RESULT
		nuto	001	(dBm)	(ubiii)	
1	2412	1	12	9.51	30.00	PASS
6	2437	1	12	8.03	30.00	PASS
11	2462	1	12	7.54	30.00	PASS
802.1	1g Ch0			Peak Output		
	Freq.	Data	Power	Peak Output	Limit	
СН	(MHz)	Rate	set	Power	(dBm)	RESULT
	((dBm)	(abiii)	
1	2412	6	12	16.41	30.00	PASS
6	2437	6	12	15.21	30.00	PASS
11	2462	6	12	14.44	30.00	PASS
802.1	1g Ch0			·		
				Max. Avg. Output		
сп	Freq.	Data	Power	include tune up	Limit	RESULT
СН	(MHz)	Rate	set	tolerance Power	(dBm)	RESULT
on				(dBm)		
1	2412	6	12	8.91	30.00	PASS
	2412 2437	6 6	12 12	8.91 7.58	30.00 30.00	PASS PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

Taiwan Ltd.



802.1 [°]	802.11n_HT20M Ch0									
сн	Freq. (MHz)	Data Rate	Power set	Peak Output Power (dBm)	Limit (dBm)	RESULT				
1	2412	MCS0	12	16.62	30.00	PASS				
6	2437	MCS0	12	15.24	30.00	PASS				
11	2462	MCS0	12	14.30	30.00	PASS				
802.1 ⁻	1n_HT201	M Ch0	-			•				
СН	Freq. (MHz)	Data Rate	Power set	Max. Avg. Output include tune up tolerance Power (dBm)	Limit (dBm)	RESULT				
1	2412	MCS0	12	8.61	30.00	PASS				
6	2437	MCS0	12	7.36	30.00	PASS				
11	2462	MCS0	12	6.37	30.00	PASS				

802.11n_HT40M Ch0									
Freq. (MHz)	Data Rate	Power set	Peak Output Power (dBm)	Limit (dBm)	RESULT				
2422	MCS0	12	15.37	30.00	PASS				
2437	MCS0	12	14.53	30.00	PASS				
2452	MCS0	12	13.91	30.00	PASS				
1n_HT40	VI Ch0								
Freq. (MHz)	Data Rate	Power set	Max. Avg. Output include tune up tolerance Power (dBm)	Limit (dBm)	RESULT				
2422	MCS0	12	7.31	30.00	PASS				
2437	MCS0	12	6.32	30.00	PASS				
2452	MCS0	12	5.70	30.00	PASS				
	Freq. (MHz) 2422 2437 2452 1n_HT40I Freq. (MHz) 2422 2437	Freq. Data (MHz) Rate 2422 MCS0 2437 MCS0 2452 MCS0 1n_HT40M Ch0 The constraint of the constraint o	Freq. (MHz) Data Rate Power set 2422 MCS0 12 2437 MCS0 12 2452 MCS0 12 1n_HT40M Ch0 Freq. Rate Power set 2422 MCS0 12 1n_HT40M Ch0 12 12 2437 MCS0 12 2437 MCS0 12	Freq. (MHz)Data RatePower setPeak Output Power (dBm)2422MCS01215.372437MCS01214.532452MCS01213.911n_HT40M Ch0Power setMax. Avg. Output include tune up tolerance Power (dBm)2422MCS0127.312437MCS0126.32	Freq. (MHz) Data Rate Power set Peak Output Power (dBm) Limit (dBm) 2422 MCS0 12 15.37 30.00 2437 MCS0 12 14.53 30.00 2452 MCS0 12 13.91 30.00 1n_HT40M Ch0 Freq. Data Power set Max. Avg. Output include tune up tolerance Power (dBm) Limit (dBm) 2422 MCS0 12 7.31 30.00				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

(ポキカオ) 就例 「 近根 守路 木健 町 海風之(kai 貝 頁 「 阿可花(kai) 程 頃 留 りつく) 本 機 守 先座 な づ 音 幽 計 「 ・ へ 可 可 你 人 夏 か 保 え This document is issued by the Company subject to is General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



EIRP

802 11h Ch0

002.1											
СН	Freq. (MHz)	Data Rate	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	RESULT				
1	2412	1	9.51	0.50	10.01	36	PASS				
6	2437	1	8.03	0.50	8.53	36	PASS				
11	2462	1	7.54	0.50	8.04	36	PASS				

802.11a Ch0

002.1	602.11g 616										
СН	Freq. (MHz)	Data Rate	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	RESULT				
1	2412	6	8.91	0.50	9.41	36	PASS				
6	2437	6	7.58	0.50	8.08	36	PASS				
11	2462	6	6.59	0.50	7.09	36	PASS				

802.1 <i>°</i>	802.11n_HT20M Ch0											
СН	Freq. (MHz)	Data Rate	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	RESULT					
1	2412	MCS0	8.61	0.50	9.11	36	PASS					
6	2437	MCS0	7.36	0.50	7.86	36	PASS					
11	2462	MCS0	6.37	0.50	6.87	36	PASS					

802.11	02.11n_HT40M Ch0										
СН	Freq. (MHz)	Data Rate	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	RESULT				
3	2422	MCS0	7.31	0.50	7.81	36	PASS				
6	2437	MCS0	6.32	0.50	6.82	36	PASS				
9	2452	MCS0	5.70	0.50	6.20	36	PASS				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

(ポキカオ) 就例 「 近根 守路 木健 町 海風之(kai 貝 頁 「 阿可花(kai) 程 頃 留 りつく) 本 機 守 先座 な づ 音 幽 計 「 ・ へ 可 可 你 人 夏 か 保 え This document is issued by the Company subject to is General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



9 EMISSION BANDWIDTH MEASUREMENT


9.1 Standard Applicable

The minimum 6 dB bandwidth shall be at least 500 kHz.

9.2 Measurement Equipment Used

Conducted Emission Test Site: Conducted B										
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.					
Spectrum Analyzer	Keysight	N9010B	MY60240548	01/31/2021	01/30/2022					
Attenuator	Marvelous	MVE2213-10	RF05	11/19/2020	11/18/2021					
DC Block	PASTERNACK	PE8210	RF157	11/19/2020	11/18/2021					
Test Software	SGS Taiwan	Radio Test Software	Ver.21	N.C.R	N.C.R					

9.3 Test Set-up



9.4 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance .
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set the spectrum analyzer as

RBW= 100kHz , VBW = 3 X RBW, Span= 2 to 5 times of the OBW, Sweep=auto, Detector = Peak, and Max hold for -6dB Bandwidth test.

5. Set the spectrum analyzer as

RBW= 1 % to 5% of 99% Bandwidth ,

VBW \geq 3 X RBW,

Span= large enough to capture all products of the modulation process,

Sweep=auto,

Detector = Peak, and Max hold for 99% Bandwidth test.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



- 6. Turn on the 99% bandwidth function, max reading.
- 7. Repeat above procedures until all test default channel is completed

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

(ポキカオ) 就例 「 近根 守路 木健 町 海風之(kai 貝 頁 「 阿可花(kai) 程 頃 留 りつく) 本 機 守 先座 な づ 音 幽 計 「 ・ へ 可 可 你 人 夏 か 保 え This document is issued by the Company subject to is General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



9.5 6dB Bandwidth

802.11b Ch0 Frea.

2437

2452

esult ASS ASS ASS esult
ASS ASS ASS
ASS ASS
ASS
sult
sult
suit
ASS
ASS
ASS
sult
suit
ASS
ASS
ASS
esult
Joun
ASS

32640.00

32630.00

 ≥ 500


 ≥ 500

PASS


PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

S Taiwan Ltd.




802.11b_20MHz_Chain0_2412MHz




802.11b_20MHz_Chain0_2437MHz




802.11b 20MHz Chain0 2462MHz




802.11g_20MHz_Chain0_2412MHz



802.11g_20MHz_Chain0_2437MHz



802.11g_20MHz_Chain0_2462MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


(ポキカオ) 就例 「 近根 守路 木健 町 海風之(kai 貝 頁 「 阿可花(kai) 程 頃 留 りつく) 本 機 守 先座 な づ 音 幽 計 「 ・ へ 可 可 你 人 夏 か 保 え This document is issued by the Company subject to is General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

<mark>GS Taiwan Ltd.</mark> No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五殿區新北走業園區五工路 134 號 (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw




Report No.: E2/2020/60002-01 Page: 29 of 94


802.11n_20MHz_Chain0_2412MHz




802.11n_20MHz_Chain0_2437MHz




802.11n 20MHz Chain0 2462MHz




802.11n_40MHz_Chain0_2422MHz



802.11n_40MHz_Chain0_2437MHz



802.11n_40MHz_Chain0_2452MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

(ポチカオ) 就例 「 近根 守路 木健 町 海峡 (株 前 貝 頁 「 阿 可 近 株 前 里 (知 智 知 思 つ 大) 可 前 近 株 雪 天 座 へ づ 音 面 計 「 ・ へ 可 可 的 枝 泉 で This document is issued by the Company subject to is General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

<mark>GS Taiwan Ltd.</mark> No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五殿區新北走業園區五工路 134 號 (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw




9.6 99% Bandwidth

802.11b Ch0		802.11g Ch0	
Freq. (MHz)	99% BW (MHz)	Freq. (MHz)	99% BW (MHz)
2412	14.472	2412	16.768
2437	14.488	2437	16.749
2462	14.511	2462	16.738


802.11n HT20M Ch0

802.11n_HT20M Ch0		802.11n HT40M Ch0	
Freq. (MHz)	99% BW (MHz)	Freq.	99% BW
. ,	, ,	(MHz)	(MHz)
2412	17.637	2422	35.955
2437	17.649	2437	35.956
2462	17.654	2452	35.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。




802.11b_20MHz_Chain0_2412MHz




802.11b_20MHz_Chain0_2437MHz




802.11b 20MHz Chain0 2462MHz




802.11g_20MHz_Chain0_2412MHz



802.11g_20MHz_Chain0_2437MHz



802.11g 20MHz Chain0 2462MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


(ポキカオ) 就例 「 近根 守路 木健 町 海風之(kai 貝 頁 「 阿可花(kai) 程 頃 留 りつく) 本 機 守 先座 な づ 音 幽 計 「 ・ へ 可 可 你 人 夏 か 保 え This document is issued by the Company subject to is General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五殿區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.sgs.com.tw



Report No.: E2/2020/60002-01 Page: 32 of 94


802.11n_20MHz_Chain0_2412MHz




802.11n_20MHz_Chain0_2437MHz




802.11n 20MHz Chain0 2462MHz




802.11n_40MHz_Chain0_2422MHz



802.11n_40MHz_Chain0_2437MHz



802.11n_40MHz_Chain0_2452MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

(ポキカオ) 就例 「 近根 守路 木健 町 海風之(kai 貝 頁 「 阿可花(kai) 程 頃 留 りつく) 本 機 守 先座 な づ 音 幽 計 「 ・ へ 可 可 你 人 夏 か 保 え This document is issued by the Company subject to is General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五殿區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.sgs.com.tw



10 CONDUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT

10.1 Standard Applicable


In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits.

In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a) & RSS-Gen §8.10, must also comply with the radiated emission limits specified in §15.209(a) & RSS-Gen §8.9.

Conducted Emission Test Site: Conducted B										
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.					
Spectrum Analyzer	Keysight	N9010B	MY60240548	01/31/2021	01/30/2022					
Attenuator	Marvelous	MVE2213-10	RF05	11/19/2020	11/18/2021					
DC Block	PASTERNACK	PE8210	RF157	11/19/2020	11/18/2021					
Test Software	SGS Taiwan	Radio Test Software	Ver.21	N.C.R	N.C.R					

10.2 Measurement Equipment Used

10.3 Test SET-UP



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



10.4 Measurement Procedure

Reference Level of Emission Limit:

- 1. Set analyzer center frequency to DTS channel center frequency.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance .
- 3. Set the span to 1.5 times the DTS channel bandwidth.
- 4. Set the RBW = 100kHz & VBW = 300 kHz.
- 5. Detector = peak.
- 6. Sweep time = auto couple.
- 7. Trace mode = max hold.
- 8. Allow trace to fully stabilize.
- 9. Use the peak marker function to determine the maximum amplitude level.

Conducted Band Edge:

- 1. To connect Antenna Port of EUT to Spectrum.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance .
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set start to edge frequency, and stop frequency of spectrum analyzer so as to encompass the spectrum to be examined.
- 5. Set the spectrum analyzer as RBW=100 kHz, VBW=300 kHz, Detector = Peak, Sweep = auto
- 6. Mark the highest reading of the emission as the reference level measurement.
- 7. Set DL as the limit = reading on marker of reference level measurement 20dBm
- 8. Mark the highest readings of the emissions outside of 2400MHz~2483.5MHz.
- 9. Repeat above procedures until all default test channel (low, middle, and high) was complete.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Conducted Spurious Emission:

- 1. To connect Antenna Port of EUT to Spectrum
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Set RBW = 100 kHz & VBW= 300 kHz, Detector =Peak, Sweep = Auto.
- 4. Allow trace to fully stabilize.
- 5. Use the peak marker function to determine the maximum power level in any 100 kHz band segment within the fundamental EBW.
- 6. Repeat above procedures until all default test channel measured were complete.

10.5 Measurement Result

2412

2437

2462

-1.40

-2.64

-3.77

Reference Level of Limit 802.11b mode			Reference Level of Limit 802.11g mode		
Freq.	PSD	Reference Level of Limit	Freq.	PSD	Reference Level of Limit
(MHz)	(dBm)	(dBm)	(MHz)	(dBm)	(dBm)
2412	-0.48	-20.48	2412	-1.54	-21.54
2437	-1.77	-21.77	2437	-2.80	-22.80
2462	-2.59	-22.59	2462	-3.67	-23.67
Reference Level of Limit 802.11n20 MODE			Reference Level of Limit 802.11n40 MODE		
Freq.	PSD	Reference Level of Limit	Freq.	PSD	Reference Level of Limit
(MHz)	(dBm)	(dBm)	(MHz)	(dBm)	(dBm)

2422

2437

2452

-5.37

-6.40

-6.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

-21.40

-22.64

-23.77

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnielectronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sqs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

-25.37

-26.40

-26.84


Report No.: E2/2020/60002-01 Page: 36 of 94



Reference Level 802.11b_20MHz_Chain0_2412MHz



802.11b_20MHz_Chain0_2437MHz




802.11b 20MHz Chain0 2462MHz




802.11g_20MHz_Chain0_2412MHz



802.11g_20MHz_Chain0_2437MHz





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

Report No.: E2/2020/60002-01 Page: 37 of 94



802.11n_20MHz_Chain0_2412MHz



802.11n_20MHz_Chain0_2437MHz



802.11n 20MHz Chain0 2462MHz



802.11n_40MHz_Chain0_2422MHz



802.11n_40MHz_Chain0_2437MHz





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

Report No.: E2/2020/60002-01 Page: 38 of 94



Bandedge 802.11b_20MHz_Chain0_2412MHz




802.11b_20MHz_Chain0_2462MHz



802.11g_20MHz_Chain0_2412MHz







Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。