## FCC ID: XJNPA0752

## WLAN (Portable device)

According to §15.247(e)(i) and §1.1307(b)(1), systems operating under the provisions of this section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy level in excess of the Commission's guidelines.

According to KDB 447498 (2)(a)(i)

Frequency Range		Center		
Low Frequency (MHz)	High Frequency(MHz)	frequency (MHz)	60/f SAR Limitation (mw)	
2412	2462	2437	25	

Maximum measured transmitter power: 802.11b

Conducted Power (dBm)	Conducted Power (mw)	Max Antenna Gain (dBi)	EIRP (mw)
11.54	14.26	2	22.59

Maximum measured transmitter power: 802.11g

Conducted Power (dBm)	Conducted Power (mw)	Max Antenna Gain (dBi)	EIRP (mw)
10.50	11.22	2	17.78

Maximum measured transmitter power: 802.11n HT20

Conducted Power (dBm)	Conducted Power (mw)	Max Antenna Gain (dBi)	EIRP (mw)
10.10	10.23	2	16.22

Maximum measured transmitter power: 802.11n HT40

Conducted Power (dBm)	Conducted Power (mw)	Max Antenna Gain (dBi)	EIRP (mw)
8.90	7.76	2	12.30

For the Tune Up information from the applicant, the maximum output power is 11b (11.7dBm) 11g (11dBm) 11n HT20 (10.50dBm) 11n HT40 (9.30dBm), so the worst case of Conducted Power and EIRP will be still less than FCC SAR exemption threshold.

Threshold at which no SAR required is 25 mw.

Maximum Tx power is 22.59mw EIRP Conclusion: No SAR is required.

Sincerely,

Signature

Tony Pan / General Manager

E-mail: : tony@shuoying.com.cn Phone: 86-755-29809865 Fax: 86-755-28177333

Address : Shuoying Road, Hebei Industry Area, Dalang, Longhua

Town, Baoan, Shenzhen, China