





**LCIE SUD EST**  
Laboratoire de Moirans  
Z.I. Centr'Alp  
170, Rue de Chatagnon  
38430 MOIRANS - FRANCE

## PRODUCT LABELING

**FCCID:** XKB-D5000M01

Material: \_\_\_\_\_ **Vinyl or Polyester**  
Type: \_\_\_\_\_ **Adhesive**  
Ink reference: \_\_\_\_\_ **UL969 certified**  
Norm: \_\_\_\_\_ **UL969 certified**  
Color: \_\_\_\_\_ **White RAL9010**  
Dimensions: \_\_\_\_\_ **52mm x 17.5mm and 38mm x 12mm**  
Emplacement on product: \_\_\_\_\_ **Photo provided**





**LCIE SUD EST**  
Laboratoire de Moirans  
Z.I. Centr'Alp  
170, Rue de Chatagnon  
38430 MOIRANS - FRANCE

Model: Desk/5000 CL /Mod HVN: DES50BA ingenico

Product: Desk/5000 CL /Mod

FCC ID: XKB - D5000M01 SN: 160217313001016000000006

US: IEOMM01BD5000M01 PN: TCA30210158A

IC: 2586D - D5000M01 Mac: 547F54D8D682



Made in: VIETNAM Rating: 8V --- 4A

Model: Desk/5000 CL /Eth HVN: DES50BA ingenico

Product: Desk/5000 CL /Eth

FCC ID: XKB - D5000M01 SN: 160217313001016000000004

IC: 2586D - D5000M01 PN: TCA30310156A

Mac: 547F54D8D681



Made in: VIETNAM Rating: 8V --- 4A

Model: Desk/5000 CL /Eth/Mod HVN: DES50BA ingenico

Product: Desk/5000 CL /Eth/Mod

FCC ID: XKB - D5000M01 SN: 160217313001016000000002

US: IEOMM01BD5000M01 PN: TCA30010161A


IC: 2586D - D5000M01 Mac: 547F54D8D67E



Made in: VIETNAM Rating: 8V --- 4A



**LCIE SUD EST**  
 Laboratoire de Moirans  
 Z.I. Centr'Alp  
 170, Rue de Chatagnon  
 38430 MOIRANS - FRANCE

ECHELLE 1 SCALE 1 <div style="border: 1px solid black; padding: 5px; margin-top: 5px;"> <p>This device complies with Industry Canada license-exempt RSS standard(s).            This device complies with Part 15 of the FCC Rules.            Operation is subject to the following two conditions:            (1) this device may not cause interference, and            (2) this device must accept any interference, including interference that may cause undesired operation of the device.</p> </div>					
<div style="display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 100px; height: 100px; margin-right: 10px;"> <div style="position: absolute; top: -10px; left: 50%; transform: translate(-50%, -50%);">52 mm</div> </div> <div style="border: 1px solid black; width: 100px; height: 100px; margin-right: 10px;"> <div style="position: absolute; right: -10px; top: 50%; transform: translateY(-50%);">17,5 mm</div> </div> </div> <div style="border: 1px solid black; padding: 5px; margin-top: 5px;"> <p>This device complies with Industry Canada license-exempt RSS standard(s).            This device complies with Part 15 of the FCC Rules.            Operation is subject to the following two conditions:            (1) this device may not cause interference, and            (2) this device must accept any interference, including interference that may cause undesired operation of the device.</p> </div>	<div style="border: 1px solid black; padding: 5px; margin-top: 5px;"> <p>This device complies with Industry Canada license-exempt RSS standard(s).            This device complies with Part 15 of the FCC Rules.            Operation is subject to the following two conditions:            (1) this device may not cause interference, and            (2) this device must accept any interference, including interference that may cause undesired operation of the device.</p> </div>				
<p>Color:White RAL9010          Adhésive one side:permanent UL969 certified          Material:Vynil or Polyester,thickness 50 to 100 m UL969 certified</p>					
<div style="border: 1px solid black; padding: 20px; width: 80%; margin: auto;"> <div style="display: flex; justify-content: space-between; border-bottom: 1px solid black; margin-bottom: 10px;"> <span>— </span> <span> —</span> </div> <div style="text-align: center; border-bottom: 1px solid black; margin-bottom: 10px;"> <p>This device complies with Industry Canada license-exempt RSS standard(s).            This device complies with Part 15 of the FCC Rules.            Operation is subject to the following two conditions:            (1) this device may not cause interference, and            (2) this device must accept any interference, including interference that may cause undesired operation of the device.</p> </div> <div style="display: flex; justify-content: space-between; border-bottom: 1px solid black; margin-bottom: 10px;"> <span>— </span> <span> —</span> </div> <div style="text-align: center; margin-bottom: 10px;"> <p>Cli1            Pantone black C</p> </div> <div style="display: flex; justify-content: space-between;"> <span>900024094 R46 000 01</span> <span>ECHELLE 1 SCALE 1</span> </div> </div>					
Adobe / ILLUSTRATOR		ECHELLE 2/1 SCALE			
ETABLI DRAWN	NOM / NAME VSUC	DATE 05/01/2016	VERIFIE CHECKED	NOM / NAME ACARABELLI	DATE 05/01/2016
LIBELLE DENOMINATION				<b>ingenico</b> GROUP	
Etiquette FCC-IC-Texte DESK(MAR)				FEUILLE / SHEET 1/1	
DESK FCC-IC-Texte sticker label(MAR)					
R.FAB / P.N. - 296200823		FORMAT SIZE	900024093	R46	000 01
F6151		A4	NUMERO DU DOCUMENT DRAWING NUMBER	TYPE	PART VERS.

DOCUMENT . REPRODUCTION ET DIVULGATION INTERDITES ALL RIGHTS RESERVED REPRODUCTION AND DISCLOSURE PROHIBITED