




NTNV-11g-Ant1-2437




NTNV-11g-Ant1-2462



NTNV-11n20SISO-Ant1-2412



NTNV-11n20SISO-Ant1-2437




NTNV-11n20SISO-Ant1-2462

## Radiated Spurious Emissions Test Result

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	20MHz	Channel	1
IMEI:	357116790000346	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC Part 15C			

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2409.80	41.01	2.23	43.24	-	-	Horizontal	NA
2	4824.50	45.49	-7.85	37.64	54.00	16.36	Horizontal	PASS
3	13822.50	34.36	8.29	42.65	54.00	11.35	Horizontal	PASS
4	17341.00	33.15	12.45	45.60	54.00	8.40	Horizontal	PASS
5	2409.40	44.22	2.24	46.46	-	-	Horizontal	NA
6	4824.00	48.78	-7.84	40.94	74.00	33.06	Horizontal	PASS
7	13829.50	42.49	8.40	50.89	74.00	23.11	Horizontal	PASS
8	17353.00	40.15	12.74	52.89	74.00	21.11	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	20MHz	Channel	1
IMEI:	357116790000346	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC Part 15C			


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2410.00	46.44	2.23	48.67	-	-	Vertical	NA
2	4824.50	48.91	-7.85	41.06	54.00	12.94	Vertical	PASS
3	9648.50	42.56	2.85	45.41	54.00	8.59	Vertical	PASS
4	17365.00	33.95	12.28	46.23	54.00	7.77	Vertical	PASS
5	2409.00	49.44	2.24	51.68	-	-	Vertical	NA
6	4824.00	51.14	-7.84	43.30	74.00	30.70	Vertical	PASS
7	9648.00	45.63	2.85	48.48	74.00	25.52	Vertical	PASS
8	17345.50	40.26	12.66	52.92	74.00	21.08	Vertical	PASS

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	20MHz	Channel	6
IMEI:	357116790000346	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC Part 15C			


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2436.60	47.89	2.29	50.18	-	-	Horizontal	NA
2	4874.50	42.26	-8.08	34.18	54.00	19.82	Horizontal	PASS
3	13821.50	35.72	8.27	43.99	54.00	10.01	Horizontal	PASS
4	17347.50	32.99	12.75	45.74	54.00	8.26	Horizontal	PASS
5	2437.80	50.78	2.29	53.07	-	-	Horizontal	NA
6	4874.00	46.28	-8.08	38.20	74.00	35.80	Horizontal	PASS
7	13831.50	41.67	8.43	50.10	74.00	23.90	Horizontal	PASS
8	17347.00	40.05	12.73	52.78	74.00	21.22	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	20MHz	Channel	6
IMEI:	357116790000346	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC Part 15C			


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2438.00	50.56	2.29	52.85	-	-	Vertical	NA
2	4874.50	44.16	-8.08	36.08	54.00	17.92	Vertical	PASS
3	9748.50	40.54	2.83	43.37	54.00	10.63	Vertical	PASS
4	17337.00	33.63	12.27	45.90	54.00	8.10	Vertical	PASS
5	2437.80	53.11	2.29	55.40	-	-	Vertical	NA
6	4874.00	47.70	-8.08	39.62	74.00	34.38	Vertical	PASS
7	9748.00	44.39	2.83	47.22	74.00	26.78	Vertical	PASS
8	17348.50	39.65	12.79	52.44	74.00	21.56	Vertical	PASS

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	20MHz	Channel	11
IMEI:	357116790000346	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC Part 15C			


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2461.40	45.21	2.34	47.55	-	-	Horizontal	NA
2	4924.50	41.87	-7.76	34.11	54.00	19.89	Horizontal	PASS
3	14356.50	34.71	9.21	43.92	54.00	10.08	Horizontal	PASS
4	17347.50	32.97	12.75	45.72	54.00	8.28	Horizontal	PASS
5	2461.20	48.09	2.33	50.42	-	-	Horizontal	NA
6	4978.00	46.06	-7.57	38.49	74.00	35.51	Horizontal	PASS
7	14356.00	41.86	9.22	51.08	74.00	22.92	Horizontal	PASS
8	17351.00	40.61	12.82	53.43	74.00	20.57	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	20MHz	Channel	11
IMEI:	357116790000346	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC Part 15C			


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2461.20	47.82	2.33	50.15	-	-	Vertical	NA
2	4924.50	41.61	-7.76	33.85	54.00	20.15	Vertical	PASS
3	9848.50	39.90	3.29	43.19	54.00	10.81	Vertical	PASS
4	17358.00	33.60	12.55	46.15	54.00	7.85	Vertical	PASS
5	2461.20	50.70	2.33	53.03	-	-	Vertical	NA
6	4923.00	46.13	-7.77	38.36	74.00	35.64	Vertical	PASS
7	9848.00	44.12	3.29	47.41	74.00	26.59	Vertical	PASS
8	17351.00	39.57	12.82	52.39	74.00	21.61	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	20MHz	Channel	1
IMEI:	357116790000346	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC Part 15C			

### Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2408.20	35.41	2.23	37.64	-	-	Horizontal	NA
2	8821.00	36.65	2.42	39.07	54.00	14.93	Horizontal	PASS
3	15064.00	34.30	8.94	43.24	54.00	10.76	Horizontal	PASS
4	17373.50	33.85	11.94	45.79	54.00	8.21	Horizontal	PASS
5	2392.00	44.15	2.21	46.36	-	-	Horizontal	NA
6	8833.00	43.66	2.54	46.20	74.00	27.80	Horizontal	PASS
7	15243.50	41.66	9.20	50.86	74.00	23.14	Horizontal	PASS
8	17331.50	40.71	12.01	52.72	74.00	21.28	Horizontal	PASS



Project Information			
Mode:	802.11g	Band:	/
Bandwidth	20MHz	Channel	1
IMEI:	357116790000346	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC Part 15C			


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2407.40	40.64	2.23	42.87	-	-	Vertical	NA
2	9648.50	41.80	2.85	44.65	54.00	9.35	Vertical	PASS
3	15271.00	34.27	9.00	43.27	54.00	10.73	Vertical	PASS
4	17366.00	33.29	12.24	45.53	54.00	8.47	Vertical	PASS
5	2392.80	50.34	2.22	52.56	-	-	Vertical	NA
6	9647.50	45.44	2.85	48.29	74.00	25.71	Vertical	PASS
7	15081.50	41.59	9.00	50.59	74.00	23.41	Vertical	PASS
8	17373.00	40.78	11.96	52.74	74.00	21.26	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	20MHz	Channel	6
IMEI:	357116790000346	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC Part 15C			


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2429.60	46.97	2.27	49.24	-	-	Horizontal	NA
2	13821.50	35.07	8.27	43.34	54.00	10.66	Horizontal	PASS
3	15252.50	34.17	9.31	43.48	54.00	10.52	Horizontal	PASS
4	17363.00	33.27	12.35	45.62	54.00	8.38	Horizontal	PASS
5	2429.40	53.06	2.27	55.33	-	-	Horizontal	NA
6	13821.50	42.57	8.27	50.84	74.00	23.16	Horizontal	PASS
7	15035.00	42.25	8.21	50.46	74.00	23.54	Horizontal	PASS
8	17308.00	41.69	10.94	52.63	74.00	21.37	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	20MHz	Channel	6
IMEI:	357116790000346	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC Part 15C			


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2429.40	49.23	2.27	51.50	-	-	Vertical	NA
2	9748.50	40.33	2.83	43.16	54.00	10.84	Vertical	PASS
3	15077.50	34.64	8.98	43.62	54.00	10.38	Vertical	PASS
4	17350.50	33.21	12.84	46.05	54.00	7.95	Vertical	PASS
5	2429.20	54.83	2.27	57.10	-	-	Vertical	NA
6	9748.00	45.40	2.83	48.23	74.00	25.77	Vertical	PASS
7	15132.00	42.00	8.61	50.61	74.00	23.39	Vertical	PASS
8	17350.00	40.76	12.86	53.62	74.00	20.38	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	20MHz	Channel	11
IMEI:	357116790000346	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC Part 15C			


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2454.80	37.92	2.32	40.24	-	-	Horizontal	NA
2	11451.00	35.66	5.00	40.66	54.00	13.34	Horizontal	PASS
3	14365.00	34.01	9.04	43.05	54.00	10.95	Horizontal	PASS
4	17339.50	33.93	12.38	46.31	54.00	7.69	Horizontal	PASS
5	2460.60	44.04	2.33	46.37	-	-	Horizontal	NA
6	11590.50	42.52	5.30	47.82	74.00	26.18	Horizontal	PASS
7	14674.50	41.61	9.24	50.85	74.00	23.15	Horizontal	PASS
8	17375.50	40.78	11.86	52.64	74.00	21.36	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	20MHz	Channel	11
IMEI:	357116790000346	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC Part 15C			


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2454.80	40.91	2.32	43.23	-	-	Vertical	NA
2	9848.50	39.08	3.29	42.37	54.00	11.63	Vertical	PASS
3	14637.50	34.69	9.62	44.31	54.00	9.69	Vertical	PASS
4	17350.50	33.17	12.84	46.01	54.00	7.99	Vertical	PASS
5	2454.60	47.29	2.32	49.61	-	-	Vertical	NA
6	9848.00	43.74	3.29	47.03	74.00	26.97	Vertical	PASS
7	14634.00	41.09	9.54	50.63	74.00	23.37	Vertical	PASS
8	17350.50	40.48	12.84	53.32	74.00	20.68	Vertical	PASS

Project Information			
Mode:	802.11n	Band:	/
Bandwidth	20MHz	Channel	1
IMEI:	357116790000346	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC Part 15C			


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2407.60	34.95	2.23	37.18	-	-	Horizontal	NA
2	10092.00	36.60	3.28	39.88	54.00	14.12	Horizontal	PASS
3	15059.50	34.67	8.92	43.59	54.00	10.41	Horizontal	PASS
4	17366.00	33.09	12.24	45.33	54.00	8.67	Horizontal	PASS
5	2389.80	46.71	2.22	48.93	-	-	Horizontal	NA
6	10146.50	44.29	3.23	47.52	74.00	26.48	Horizontal	PASS
7	15059.50	43.18	8.92	52.10	74.00	21.90	Horizontal	PASS
8	17349.50	39.68	12.84	52.52	74.00	21.48	Horizontal	PASS

Project Information			
Mode:	802.11n	Band:	/
Bandwidth	20MHz	Channel	1
IMEI:	357116790000346	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC Part 15C			


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2407.80	40.23	2.23	42.46	-	-	Vertical	NA
2	9648.50	41.86	2.85	44.71	54.00	9.29	Vertical	PASS
3	15237.00	34.26	9.04	43.30	54.00	10.70	Vertical	PASS
4	17346.00	32.94	12.68	45.62	54.00	8.38	Vertical	PASS
5	2390.40	52.48	2.22	54.70	-	-	Vertical	NA
6	9648.00	45.12	2.85	47.97	74.00	26.03	Vertical	PASS
7	15248.50	40.79	9.31	50.10	74.00	23.90	Vertical	PASS
8	17327.00	40.83	11.81	52.64	74.00	21.36	Vertical	PASS

Project Information			
Mode:	802.11n	Band:	/
Bandwidth	20MHz	Channel	6
IMEI:	357116790000346	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC Part 15C			

### Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2429.60	47.30	2.27	49.57	-	-	Horizontal	NA
2	12003.00	35.51	5.37	40.88	54.00	13.12	Horizontal	PASS
3	15076.00	34.76	8.98	43.74	54.00	10.26	Horizontal	PASS
4	17358.00	33.63	12.55	46.18	54.00	7.82	Horizontal	PASS
5	2429.40	53.58	2.27	55.85	-	-	Horizontal	NA
6	12116.50	44.19	4.66	48.85	74.00	25.15	Horizontal	PASS
7	15072.50	41.48	8.97	50.45	74.00	23.55	Horizontal	PASS
8	17377.50	40.43	11.78	52.21	74.00	21.79	Horizontal	PASS



Project Information			
Mode:	802.11n	Band:	/
Bandwidth	20MHz	Channel	6
IMEI:	357116790000346	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC Part 15C			


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2429.60	48.65	2.27	50.92	-	-	Vertical	NA
2	9748.50	41.16	2.83	43.99	54.00	10.01	Vertical	PASS
3	15077.50	35.09	8.98	44.07	54.00	9.93	Vertical	PASS
4	17347.50	32.83	12.75	45.58	54.00	8.42	Vertical	PASS
5	2429.00	55.11	2.27	57.38	-	-	Vertical	NA
6	9748.00	45.60	2.83	48.43	74.00	25.57	Vertical	PASS
7	15242.00	41.04	9.16	50.20	74.00	23.80	Vertical	PASS
8	17358.50	40.96	12.53	53.49	74.00	20.51	Vertical	PASS

Project Information			
Mode:	802.11n	Band:	/
Bandwidth	20MHz	Channel	11
IMEI:	357116790000346	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC Part 15C			


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2454.00	37.44	2.32	39.76	-	-	Horizontal	NA
2	11415.50	35.04	5.22	40.26	54.00	13.74	Horizontal	PASS
3	14353.00	33.62	9.29	42.91	54.00	11.09	Horizontal	PASS
4	17345.50	33.48	12.66	46.14	54.00	7.86	Horizontal	PASS
5	2453.80	44.12	2.32	46.44	-	-	Horizontal	NA
6	11411.50	42.11	5.26	47.37	74.00	26.63	Horizontal	PASS
7	14360.50	41.34	9.13	50.47	74.00	23.53	Horizontal	PASS
8	17358.00	40.60	12.55	53.15	74.00	20.85	Horizontal	PASS

Project Information			
Mode:	802.11n	Band:	/
Bandwidth	20MHz	Channel	11
IMEI:	357116790000346	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC Part 15C			

### Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2454.60	40.35	2.32	42.67	-	-	Vertical	NA
2	9848.50	39.01	3.29	42.30	54.00	11.70	Vertical	PASS
3	15078.50	34.53	8.99	43.52	54.00	10.48	Vertical	PASS
4	17343.50	33.65	12.56	46.21	54.00	7.79	Vertical	PASS
5	2454.60	46.94	2.32	49.26	-	-	Vertical	NA
6	9848.00	42.75	3.29	46.04	74.00	27.96	Vertical	PASS
7	15078.00	40.90	8.99	49.89	74.00	24.11	Vertical	PASS
8	17370.50	40.23	12.06	52.29	74.00	21.71	Vertical	PASS

## Radiated Band Edge Test Result

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	20MHz	Channel	1
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:22		
Test Standard: FCC Part 15C			

### Test Graph




### Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2339.84	33.84	1.36	35.20	54.00	18.80	Horizontal	PASS
2	2376.36	34.00	1.43	35.43	54.00	18.57	Horizontal	PASS
3	2384.32	34.26	1.43	35.69	54.00	18.31	Horizontal	PASS
4	2340.66	44.98	1.37	46.35	74.00	27.65	Horizontal	PASS
5	2372.03	44.76	1.43	46.19	74.00	27.81	Horizontal	PASS
6	2383.38	44.32	1.43	45.75	74.00	28.25	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	20MHz	Channel	1
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:22		
Test Standard: FCC Part 15C			


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2349.92	33.86	1.45	35.31	54.00	18.69	Vertical	PASS
2	2362.96	33.59	1.45	35.04	54.00	18.96	Vertical	PASS
3	2389.92	38.24	1.43	39.67	54.00	14.33	Vertical	PASS
4	2351.12	44.91	1.45	46.36	74.00	27.64	Vertical	PASS
5	2361.99	45.03	1.44	46.47	74.00	27.53	Vertical	PASS
6	2389.96	48.73	1.43	50.16	74.00	23.84	Vertical	PASS

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	20MHz	Channel	11
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:22		
Test Standard: FCC Part 15C			


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.58	38.80	1.85	40.65	54.00	13.35	Horizontal	PASS
2	2486.48	38.88	1.89	40.77	54.00	13.23	Horizontal	PASS
3	2492.51	33.76	1.95	35.71	54.00	18.29	Horizontal	PASS
4	2483.55	46.25	1.85	48.10	74.00	25.90	Horizontal	PASS
5	2486.43	46.38	1.89	48.27	74.00	25.73	Horizontal	PASS
6	2492.75	44.97	1.95	46.92	74.00	27.08	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	20MHz	Channel	11
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:22		
Test Standard: FCC Part 15C			


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.50	40.23	1.85	42.08	54.00	11.92	Vertical	PASS
2	2486.31	40.29	1.89	42.18	54.00	11.82	Vertical	PASS
3	2492.51	33.86	1.95	35.81	54.00	18.19	Vertical	PASS
4	2483.72	47.20	1.86	49.06	74.00	24.94	Vertical	PASS
5	2486.67	48.43	1.89	50.32	74.00	23.68	Vertical	PASS
6	2492.24	44.85	1.95	46.80	74.00	27.20	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	20MHz	Channel	1
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:20		
Test Standard: FCC Part 15C			

### Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2388.61	38.14	1.43	39.57	54.00	14.43	Horizontal	PASS
2	2389.29	42.05	1.43	43.48	54.00	10.52	Horizontal	PASS
3	2389.88	45.12	1.43	46.55	54.00	7.45	Horizontal	PASS
4	2388.39	51.17	1.43	52.60	74.00	21.40	Horizontal	PASS
5	2389.10	55.81	1.43	57.24	74.00	16.76	Horizontal	PASS
6	2389.99	61.92	1.43	63.35	74.00	10.65	Horizontal	PASS



Project Information			
Mode:	802.11g	Band:	/
Bandwidth	20MHz	Channel	1
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:20		
Test Standard: FCC Part 15C			


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2388.65	42.48	1.43	43.91	54.00	10.09	Vertical	PASS
2	2389.14	45.71	1.43	47.14	54.00	6.86	Vertical	PASS
3	2389.85	49.02	1.43	50.45	54.00	3.55	Vertical	PASS
4	2388.46	56.57	1.43	58.00	74.00	16.00	Vertical	PASS
5	2389.32	62.56	1.43	63.99	74.00	10.01	Vertical	PASS
6	2389.99	64.72	1.43	66.15	74.00	7.85	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	20MHz	Channel	11
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:17		
Test Standard: FCC Part 15C			


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.50	45.90	1.85	47.75	54.00	6.25	Horizontal	PASS
2	2484.42	45.13	1.87	47.00	54.00	7.00	Horizontal	PASS
3	2485.11	44.38	1.87	46.25	54.00	7.75	Horizontal	PASS
4	2483.53	59.99	1.85	61.84	74.00	12.16	Horizontal	PASS
5	2484.18	58.22	1.87	60.09	74.00	13.91	Horizontal	PASS
6	2485.21	56.83	1.88	58.71	74.00	15.29	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	20MHz	Channel	11
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:17		
Test Standard: FCC Part 15C			


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.60	48.38	1.86	50.24	54.00	3.76	Vertical	PASS
2	2484.32	47.36	1.87	49.23	54.00	4.77	Vertical	PASS
3	2485.47	46.08	1.88	47.96	54.00	6.04	Vertical	PASS
4	2483.72	61.88	1.86	63.74	74.00	10.26	Vertical	PASS
5	2484.42	60.26	1.87	62.13	74.00	11.87	Vertical	PASS
6	2485.45	59.42	1.88	61.30	74.00	12.70	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	/
Bandwidth	20MHz	Channel	1
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:19		
Test Standard: FCC Part 15C			


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2388.16	36.67	1.43	38.10	54.00	15.90	Horizontal	PASS
2	2389.06	41.42	1.43	42.85	54.00	11.15	Horizontal	PASS
3	2389.81	44.55	1.43	45.98	54.00	8.02	Horizontal	PASS
4	2387.64	46.88	1.43	48.31	74.00	25.69	Horizontal	PASS
5	2388.61	53.92	1.43	55.35	74.00	18.65	Horizontal	PASS
6	2389.92	60.98	1.43	62.41	74.00	11.59	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	/
Bandwidth	20MHz	Channel	1
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:19		
Test Standard: FCC Part 15C			


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2388.46	41.41	1.43	42.84	54.00	11.16	Vertical	PASS
2	2389.17	45.92	1.43	47.35	54.00	6.65	Vertical	PASS
3	2389.99	49.04	1.43	50.47	54.00	3.53	Vertical	PASS
4	2388.13	55.97	1.43	57.40	74.00	16.60	Vertical	PASS
5	2389.40	64.63	1.43	66.06	74.00	7.94	Vertical	PASS
6	2389.99	65.10	1.43	66.53	74.00	7.47	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	/
Bandwidth	20MHz	Channel	11
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:16.5		
Test Standard: FCC Part 15C			


### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.74	46.19	1.86	48.05	54.00	5.95	Horizontal	PASS
2	2484.73	45.49	1.87	47.36	54.00	6.64	Horizontal	PASS
3	2485.93	44.02	1.88	45.90	54.00	8.10	Horizontal	PASS
4	2483.89	59.50	1.87	61.37	74.00	12.63	Horizontal	PASS
5	2484.66	60.11	1.87	61.98	74.00	12.02	Horizontal	PASS
6	2485.86	57.40	1.88	59.28	74.00	14.72	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	/
Bandwidth	20MHz	Channel	11
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:16.5		
Test Standard: FCC Part 15C			

### Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.53	48.33	1.85	50.18	54.00	3.82	Vertical	PASS
2	2484.54	47.59	1.87	49.46	54.00	4.54	Vertical	PASS
3	2485.42	46.32	1.88	48.20	54.00	5.80	Vertical	PASS
4	2483.50	63.40	1.85	65.25	74.00	8.75	Vertical	PASS
5	2484.61	63.17	1.87	65.04	74.00	8.96	Vertical	PASS
6	2485.59	60.71	1.88	62.59	74.00	11.41	Vertical	PASS

~The End~