



11ac40SISO-Ant1-5670-PASS




11ac40SISO-Ant1-5710 UNII-2C-PASS



11ac40SISO-Ant1-5710 UNII-3-PASS




11ac40SISO-Ant1-5755-PASS




11ac40SISO-Ant1-5795-PASS




11ac80SISO-Ant1-5210-PASS



11ac80SISO-Ant1-5290-PASS




11ac80SISO-Ant1-5530-PASS




11ac80SISO-Ant1-5610-PASS



11ac80SISO-Ant1-5690 UNII-2C-PASS



11ac80SISO-Ant1-5690 UNII-3-PASS




11ac80SISO-Ant1-5775-PASS

Radiated Spurious Emissions Test Result

Project Information			
Mode:	802.11a	Band:	U-UNII-1
Bandwidth	20MHz	Channel	36
IMEI:	357116790000346	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5176.63	49.15	13.91	63.06	-	-	Horizontal	NA
2	11467.40	42.67	4.98	47.65	74.00	26.35	Horizontal	PASS
3	12663.82	42.25	6.11	48.36	74.00	25.64	Horizontal	PASS
4	17842.06	39.61	13.65	53.26	74.00	20.74	Horizontal	PASS
5	5176.91	42.46	13.91	56.37	-	-	Horizontal	NA
6	11478.90	35.10	4.92	40.02	54.00	13.98	Horizontal	PASS
7	12659.99	34.10	6.13	40.23	54.00	13.77	Horizontal	PASS
8	17865.06	31.57	13.79	45.36	54.00	8.64	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-1
Bandwidth	20MHz	Channel	36
IMEI:	357116790000346	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5175.81	50.08	13.90	63.98	-	-	Vertical	NA
2	11230.49	42.75	4.77	47.52	74.00	26.48	Vertical	PASS
3	12400.08	41.65	6.26	47.91	74.00	26.09	Vertical	PASS
4	17857.01	39.05	13.89	52.94	74.00	21.06	Vertical	PASS
5	5176.63	43.37	13.91	57.28	-	-	Vertical	NA
6	11455.90	35.13	5.04	40.17	54.00	13.83	Vertical	PASS
7	12407.36	34.28	6.11	40.39	54.00	13.61	Vertical	PASS
8	17983.52	32.42	13.55	45.97	54.00	8.03	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-1
Bandwidth	20MHz	Channel	40
IMEI:	357116790000346	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5192.58	40.16	13.91	54.07	-	-	Horizontal	NA
2	11393.41	42.26	5.35	47.61	74.00	26.39	Horizontal	PASS
3	12175.44	43.09	5.01	48.10	74.00	25.90	Horizontal	PASS
4	17866.98	39.06	13.77	52.83	74.00	21.17	Horizontal	PASS
5	5192.86	33.77	13.91	47.68	-	-	Horizontal	NA
6	11469.70	35.07	4.97	40.04	54.00	13.96	Horizontal	PASS
7	12319.58	35.13	5.05	40.18	54.00	13.82	Horizontal	PASS
8	17864.30	31.61	13.81	45.42	54.00	8.58	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-1
Bandwidth	20MHz	Channel	40
IMEI:	357116790000346	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5192.58	42.11	13.91	56.02	-	-	Vertical	NA
2	11463.95	42.51	5.00	47.51	74.00	26.49	Vertical	PASS
3	12465.25	42.22	5.31	47.53	74.00	26.47	Vertical	PASS
4	17807.56	41.21	12.19	53.40	74.00	20.60	Vertical	PASS
5	5192.86	35.02	13.91	48.93	-	-	Vertical	NA
6	11442.48	34.86	5.12	39.98	54.00	14.02	Vertical	PASS
7	12661.52	34.39	6.12	40.51	54.00	13.49	Vertical	PASS
8	17862.76	31.64	13.83	45.47	54.00	8.53	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-1
Bandwidth	20MHz	Channel	48
IMEI:	357116790000346	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	11454.75	42.80	5.05	47.85	74.00	26.15	Horizontal	PASS
2	12407.75	42.16	6.10	48.26	74.00	25.74	Horizontal	PASS
3	17847.04	39.34	13.86	53.20	74.00	20.80	Horizontal	PASS
4	11592.37	34.09	5.61	39.70	54.00	14.30	Horizontal	PASS
5	12416.56	34.97	5.92	40.89	54.00	13.11	Horizontal	PASS
6	17986.58	31.92	13.60	45.52	54.00	8.48	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-1
Bandwidth	20MHz	Channel	48
IMEI:	357116790000346	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	11377.70	42.61	5.23	47.84	74.00	26.16	Vertical	PASS
2	12169.69	42.65	4.96	47.61	74.00	26.39	Vertical	PASS
3	17348.69	41.15	12.20	53.35	68.20	14.85	Vertical	PASS
4	11386.13	34.53	5.29	39.82	54.00	14.18	Vertical	PASS
5	12039.35	34.82	5.39	40.21	54.00	13.79	Vertical	PASS
6	17859.31	31.88	13.87	45.75	54.00	8.25	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	52
IMEI:	357116790000346	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5264.91	38.89	14.26	53.15	-	-	Horizontal	NA
2	11254.64	42.67	4.85	47.52	74.00	26.48	Horizontal	PASS
3	12126.37	44.14	4.96	49.10	74.00	24.90	Horizontal	PASS
4	17874.65	40.21	13.67	53.88	74.00	20.12	Horizontal	PASS
5	5267.39	32.41	14.27	46.68	-	-	Horizontal	NA
6	11569.75	35.16	5.23	40.39	54.00	13.61	Horizontal	PASS
7	12062.35	34.72	5.37	40.09	54.00	13.91	Horizontal	PASS
8	17977.38	31.97	13.46	45.43	54.00	8.57	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	52
IMEI:	357116790000346	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5266.56	40.28	14.27	54.55	-	-	Vertical	NA
2	11559.40	42.84	5.05	47.89	74.00	26.11	Vertical	PASS
3	12076.54	42.88	5.31	48.19	74.00	25.81	Vertical	PASS
4	17843.98	39.71	13.74	53.45	74.00	20.55	Vertical	PASS
5	5267.66	33.00	14.27	47.27	-	-	Vertical	NA
6	11396.86	34.91	5.36	40.27	54.00	13.73	Vertical	PASS
7	12038.97	34.22	5.39	39.61	54.00	14.39	Vertical	PASS
8	17876.56	31.57	13.64	45.21	54.00	8.79	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	60
IMEI:	357116790000346	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5295.16	38.59	14.46	53.05	-	-	Horizontal	NA
2	11401.46	42.47	5.38	47.85	74.00	26.15	Horizontal	PASS
3	12506.65	42.35	5.44	47.79	74.00	26.21	Horizontal	PASS
4	17878.48	39.76	13.62	53.38	74.00	20.62	Horizontal	PASS
5	5295.71	32.13	14.46	46.59	-	-	Horizontal	NA
6	11403.38	34.67	5.37	40.04	54.00	13.96	Horizontal	PASS
7	12382.45	34.69	5.89	40.58	54.00	13.42	Horizontal	PASS
8	17993.48	32.41	13.69	46.10	54.00	7.90	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	60
IMEI:	357116790000346	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5295.71	39.61	14.46	54.07	-	-	Vertical	NA
2	10983.23	42.44	5.08	47.52	74.00	26.48	Vertical	PASS
3	12264.76	42.27	5.25	47.52	74.00	26.48	Vertical	PASS
4	17837.84	39.75	13.48	53.23	74.00	20.77	Vertical	PASS
5	5295.99	32.45	14.46	46.91	-	-	Vertical	NA
6	10934.16	35.17	5.02	40.19	54.00	13.81	Vertical	PASS
7	12197.67	34.64	5.25	39.89	54.00	14.11	Vertical	PASS
8	17990.42	32.62	13.65	46.27	54.00	7.73	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	64
IMEI:	357116790000346	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5321.57	43.45	14.55	58.00	-	-	Horizontal	NA
2	11462.03	43.95	5.01	48.96	74.00	25.04	Horizontal	PASS
3	12427.30	42.20	5.70	47.90	74.00	26.10	Horizontal	PASS
4	17997.32	39.27	13.75	53.02	74.00	20.98	Horizontal	PASS
5	5321.57	36.92	14.55	51.47	-	-	Horizontal	NA
6	11396.86	35.01	5.36	40.37	54.00	13.63	Horizontal	PASS
7	12225.66	34.83	5.32	40.15	54.00	13.85	Horizontal	PASS
8	17970.87	32.22	13.37	45.59	54.00	8.41	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	64
IMEI:	357116790000346	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5321.84	44.92	14.55	59.47	-	-	Vertical	NA
2	11569.37	42.34	5.22	47.56	74.00	26.44	Vertical	PASS
3	12022.48	42.45	5.32	47.77	74.00	26.23	Vertical	PASS
4	17975.47	39.85	13.43	53.28	74.00	20.72	Vertical	PASS
5	5321.84	37.23	14.55	51.78	-	-	Vertical	NA
6	11407.60	34.75	5.34	40.09	54.00	13.91	Vertical	PASS
7	12063.12	35.17	5.36	40.53	54.00	13.47	Vertical	PASS
8	17996.55	31.63	13.74	45.37	54.00	8.63	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	100
IMEI:	357116790000346	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5501.15	43.32	14.68	58.00	-	-	Horizontal	NA
2	11348.94	42.89	5.02	47.91	74.00	26.09	Horizontal	PASS
3	12413.11	42.05	5.99	48.04	74.00	25.96	Horizontal	PASS
4	17354.83	41.37	12.22	53.59	68.20	14.61	Horizontal	PASS
5	5500.88	36.61	14.68	51.29	-	-	Horizontal	NA
6	11526.05	35.68	4.85	40.53	54.00	13.47	Horizontal	PASS
7	12400.08	34.03	6.26	40.29	54.00	13.71	Horizontal	PASS
8	17986.20	31.86	13.59	45.45	54.00	8.55	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	100
IMEI:	357116790000346	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5495.92	43.75	14.66	58.41	-	-	Vertical	NA
2	10999.72	42.75	5.05	47.80	74.00	26.20	Vertical	PASS
3	12399.31	41.79	6.25	48.04	74.00	25.96	Vertical	PASS
4	17902.63	39.78	13.33	53.11	74.00	20.89	Vertical	PASS
5	5495.65	37.03	14.65	51.68	-	-	Vertical	NA
6	11000.10	37.15	5.05	42.20	54.00	11.80	Vertical	PASS
7	12440.71	35.55	5.42	40.97	54.00	13.03	Vertical	PASS
8	17996.17	32.20	13.73	45.93	54.00	8.07	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	140
IMEI:	357116790000346	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5706.86	51.38	14.90	66.28	-	-	Horizontal	NA
2	11534.87	42.86	4.87	47.73	74.00	26.27	Horizontal	PASS
3	12322.26	43.15	5.06	48.21	74.00	25.79	Horizontal	PASS
4	17976.62	39.43	13.46	52.89	74.00	21.11	Horizontal	PASS
5	5707.41	44.07	14.90	58.97	-	-	Horizontal	NA
6	11486.95	35.22	4.87	40.09	54.00	13.91	Horizontal	PASS
7	12402.38	34.54	6.22	40.76	54.00	13.24	Horizontal	PASS
8	17998.85	32.01	13.78	45.79	54.00	8.21	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	140
IMEI:	357116790000346	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5706.86	48.06	14.90	62.96	-	-	Vertical	NA
2	11346.64	43.27	5.00	48.27	74.00	25.73	Vertical	PASS
3	12393.56	42.31	6.13	48.44	74.00	25.56	Vertical	PASS
4	17966.65	39.85	13.31	53.16	74.00	20.84	Vertical	PASS
5	5707.14	41.05	14.90	55.95	-	-	Vertical	NA
6	11400.31	36.97	5.39	42.36	54.00	11.64	Vertical	PASS
7	12419.25	35.19	5.86	41.05	54.00	12.95	Vertical	PASS
8	17980.07	32.11	13.50	45.61	54.00	8.39	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	120
IMEI:	357116790000346	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5593.83	45.09	14.72	59.81	-	-	Horizontal	NA
2	11422.16	42.60	5.25	47.85	74.00	26.15	Horizontal	PASS
3	12383.21	43.61	5.92	49.53	74.00	24.47	Horizontal	PASS
4	17991.95	39.84	13.68	53.52	74.00	20.48	Horizontal	PASS
5	5597.95	38.16	14.74	52.90	-	-	Horizontal	NA
6	11401.46	35.14	5.38	40.52	54.00	13.48	Horizontal	PASS
7	12495.92	35.41	5.46	40.87	54.00	13.13	Horizontal	PASS
8	17862.76	32.41	13.83	46.24	54.00	7.76	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	120
IMEI:	357116790000346	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5597.40	43.23	14.73	57.96	-	-	Vertical	NA
2	11200.21	43.93	4.60	48.53	74.00	25.47	Vertical	PASS
3	12396.63	42.51	6.19	48.70	74.00	25.30	Vertical	PASS
4	17992.33	39.81	13.68	53.49	74.00	20.51	Vertical	PASS
5	5594.10	36.56	14.72	51.28	-	-	Vertical	NA
6	11200.21	39.80	4.60	44.40	54.00	9.60	Vertical	PASS
7	12232.17	35.32	5.34	40.66	54.00	13.34	Vertical	PASS
8	17878.86	31.76	13.62	45.38	54.00	8.62	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-3
Bandwidth	20MHz	Channel	149
IMEI:	357116790000346	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5707.41	50.46	15.79	66.25	-	-	Horizontal	NA
2	11403.38	42.86	5.37	48.23	74.00	25.77	Horizontal	PASS
3	12410.05	42.28	6.05	48.33	74.00	25.67	Horizontal	PASS
4	17999.23	40.32	13.78	54.10	74.00	19.90	Horizontal	PASS
5	5712.36	37.28	15.77	53.05	-	-	Horizontal	NA
6	11575.89	35.01	5.33	40.34	54.00	13.66	Horizontal	PASS
7	12424.23	35.26	5.76	41.02	54.00	12.98	Horizontal	PASS
8	17845.13	31.69	13.78	45.47	54.00	8.53	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-3
Bandwidth	20MHz	Channel	149
IMEI:	357116790000346	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5714.84	47.33	15.76	63.09	-	-	Vertical	NA
2	11597.74	42.09	5.72	47.81	74.00	26.19	Vertical	PASS
3	12375.16	42.56	5.75	48.31	74.00	25.69	Vertical	PASS
4	17817.91	40.68	12.63	53.31	74.00	20.69	Vertical	PASS
5	5715.66	34.72	15.76	50.48	-	-	Vertical	NA
6	11490.40	36.26	4.86	41.12	54.00	12.88	Vertical	PASS
7	12370.18	35.43	5.65	41.08	54.00	12.92	Vertical	PASS
8	17983.52	32.01	13.55	45.56	54.00	8.44	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-3
Bandwidth	20MHz	Channel	157
IMEI:	357116790000346	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5790.19	45.69	15.68	61.37	-	-	Horizontal	NA
2	10982.85	42.07	5.08	47.15	74.00	26.85	Horizontal	PASS
3	12369.03	41.98	5.62	47.60	74.00	26.40	Horizontal	PASS
4	17997.70	39.67	13.76	53.43	74.00	20.57	Horizontal	PASS
5	5791.29	39.81	15.68	55.49	-	-	Horizontal	NA
6	10961.38	35.13	5.11	40.24	54.00	13.76	Horizontal	PASS
7	12396.25	34.17	6.18	40.35	54.00	13.65	Horizontal	PASS
8	17842.44	32.49	13.66	46.15	54.00	7.85	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-3
Bandwidth	20MHz	Channel	157
IMEI:	357116790000346	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5790.19	42.37	15.68	58.05	-	-	Vertical	NA
2	11463.18	42.59	5.00	47.59	74.00	26.41	Vertical	PASS
3	12397.40	41.69	6.20	47.89	74.00	26.11	Vertical	PASS
4	17835.54	39.79	13.37	53.16	74.00	20.84	Vertical	PASS
5	5790.74	35.37	15.68	51.05	-	-	Vertical	NA
6	11570.14	35.31	5.24	40.55	54.00	13.45	Vertical	PASS
7	12204.19	34.86	5.28	40.14	54.00	13.86	Vertical	PASS
8	17840.53	32.25	13.59	45.84	54.00	8.16	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-3
Bandwidth	20MHz	Channel	165
IMEI:	357116790000346	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5854.54	48.55	15.61	64.16	-	-	Horizontal	NA
2	11348.94	42.52	5.02	47.54	74.00	26.46	Horizontal	PASS
3	12666.51	42.28	6.10	48.38	74.00	25.62	Horizontal	PASS
4	17844.36	39.05	13.75	52.80	74.00	21.20	Horizontal	PASS
5	5818.24	40.41	15.67	56.08	-	-	Horizontal	NA
6	11598.50	34.24	5.73	39.97	54.00	14.03	Horizontal	PASS
7	12659.22	34.77	6.13	40.90	54.00	13.10	Horizontal	PASS
8	17993.87	31.79	13.71	45.50	54.00	8.50	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-3
Bandwidth	20MHz	Channel	165
IMEI:	357116790000346	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5817.42	42.99	15.66	58.65	-	-	Vertical	NA
2	11650.64	43.55	4.13	47.68	74.00	26.32	Vertical	PASS
3	12729.76	42.32	5.69	48.01	68.20	20.19	Vertical	PASS
4	17997.32	39.37	13.75	53.12	74.00	20.88	Vertical	PASS
5	5820.44	35.70	15.66	51.36	-	-	Vertical	NA
6	11653.71	37.17	4.18	41.35	54.00	12.65	Vertical	PASS
7	12404.68	34.74	6.16	40.90	54.00	13.10	Vertical	PASS
8	17843.98	32.28	13.74	46.02	54.00	7.98	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	U-UNII-1
Bandwidth	20MHz	Channel	36
IMEI:	357116790000312	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5178.56	45.90	13.90	59.80	-	-	Horizontal	NA
2	11471.23	42.91	4.96	47.87	74.00	26.13	Horizontal	PASS
3	12404.30	41.57	6.17	47.74	74.00	26.26	Horizontal	PASS
4	17850.50	39.77	13.98	53.75	74.00	20.25	Horizontal	PASS
5	5178.28	43.47	13.90	57.37	-	-	Horizontal	NA
6	11598.12	34.55	5.72	40.27	54.00	13.73	Horizontal	PASS
7	12413.11	34.09	5.99	40.08	54.00	13.92	Horizontal	PASS
8	17854.33	31.56	13.94	45.50	54.00	8.50	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	U-UNII-1
Bandwidth	20MHz	Channel	36
IMEI:	357116790000312	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5178.28	46.66	13.90	60.56	-	-	Vertical	NA
2	11562.85	43.34	5.12	48.46	74.00	25.54	Vertical	PASS
3	12193.07	42.70	5.20	47.90	74.00	26.10	Vertical	PASS
4	17991.95	39.40	13.68	53.08	74.00	20.92	Vertical	PASS
5	5178.28	43.87	13.90	57.77	-	-	Vertical	NA
6	11600.04	34.78	5.75	40.53	54.00	13.47	Vertical	PASS
7	12405.83	35.14	6.14	41.28	54.00	12.72	Vertical	PASS
8	17995.40	31.50	13.72	45.22	54.00	8.78	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	U-UNII-1
Bandwidth	20MHz	Channel	40
IMEI:	357116790000312	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	11412.96	42.42	5.31	47.73	74.00	26.27	Horizontal	PASS
2	12405.06	41.92	6.16	48.08	74.00	25.92	Horizontal	PASS
3	17867.75	40.40	13.76	54.16	74.00	19.84	Horizontal	PASS
4	11450.92	34.70	5.07	39.77	54.00	14.23	Horizontal	PASS
5	12405.45	33.95	6.15	40.10	54.00	13.90	Horizontal	PASS
6	17999.23	31.49	13.78	45.27	54.00	8.73	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	U-UNII-1
Bandwidth	20MHz	Channel	40
IMEI:	357116790000312	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	11524.90	42.55	4.85	47.40	74.00	26.60	Vertical	PASS
2	12666.89	42.00	6.10	48.10	74.00	25.90	Vertical	PASS
3	17979.68	40.22	13.50	53.72	74.00	20.28	Vertical	PASS
4	11465.87	34.51	4.98	39.49	54.00	14.51	Vertical	PASS
5	12431.13	34.30	5.62	39.92	54.00	14.08	Vertical	PASS
6	17848.19	31.81	13.92	45.73	54.00	8.27	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	U-UNII-1
Bandwidth	20MHz	Channel	48
IMEI:	357116790000312	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	11480.05	42.75	4.91	47.66	74.00	26.34	Horizontal	PASS
2	12045.10	42.64	5.42	48.06	74.00	25.94	Horizontal	PASS
3	17930.61	39.96	13.17	53.13	74.00	20.87	Horizontal	PASS
4	11421.40	34.92	5.25	40.17	54.00	13.83	Horizontal	PASS
5	12129.44	35.06	4.93	39.99	54.00	14.01	Horizontal	PASS
6	17843.59	32.23	13.72	45.95	54.00	8.05	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	U-UNII-1
Bandwidth	20MHz	Channel	48
IMEI:	357116790000312	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	11472.77	42.72	4.95	47.67	74.00	26.33	Vertical	PASS
2	12392.80	41.73	6.12	47.85	74.00	26.15	Vertical	PASS
3	17993.48	39.73	13.69	53.42	74.00	20.58	Vertical	PASS
4	11212.47	35.59	4.67	40.26	54.00	13.74	Vertical	PASS
5	12420.78	34.73	5.83	40.56	54.00	13.44	Vertical	PASS
6	17989.65	31.96	13.64	45.60	54.00	8.40	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	52
IMEI:	357116790000312	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5268.21	39.45	14.27	53.72	-	-	Horizontal	NA
2	11288.76	42.84	4.70	47.54	74.00	26.46	Horizontal	PASS
3	12401.61	42.31	6.23	48.54	74.00	25.46	Horizontal	PASS
4	17996.55	39.28	13.74	53.02	74.00	20.98	Horizontal	PASS
5	5268.49	32.47	14.27	46.74	-	-	Horizontal	NA
6	11528.73	34.92	4.86	39.78	54.00	14.22	Horizontal	PASS
7	12388.20	34.15	6.02	40.17	54.00	13.83	Horizontal	PASS
8	17842.44	31.74	13.66	45.40	54.00	8.60	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	52
IMEI:	357116790000312	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5266.56	39.24	14.27	53.51	-	-	Vertical	NA
2	11450.53	42.97	5.07	48.04	74.00	25.96	Vertical	PASS
3	12472.15	42.10	5.35	47.45	74.00	26.55	Vertical	PASS
4	17347.54	41.54	12.16	53.70	68.20	14.50	Vertical	PASS
5	5268.49	31.96	14.27	46.23	-	-	Vertical	NA
6	11408.36	34.93	5.33	40.26	54.00	13.74	Vertical	PASS
7	12369.80	35.03	5.64	40.67	54.00	13.33	Vertical	PASS
8	17988.12	31.66	13.62	45.28	54.00	8.72	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	60
IMEI:	357116790000312	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5296.54	39.19	14.47	53.66	-	-	Horizontal	NA
2	11239.69	42.69	4.82	47.51	74.00	26.49	Horizontal	PASS
3	11942.75	43.83	5.07	48.90	74.00	25.10	Horizontal	PASS
4	17885.00	39.71	13.54	53.25	74.00	20.75	Horizontal	PASS
5	5296.54	31.31	14.47	45.78	-	-	Horizontal	NA
6	11590.07	34.43	5.58	40.01	54.00	13.99	Horizontal	PASS
7	12051.62	34.53	5.42	39.95	54.00	14.05	Horizontal	PASS
8	17985.43	31.91	13.58	45.49	54.00	8.51	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	60
IMEI:	357116790000312	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5296.26	39.74	14.47	54.21	-	-	Vertical	NA
2	11570.90	42.72	5.25	47.97	74.00	26.03	Vertical	PASS
3	12393.95	42.02	6.14	48.16	74.00	25.84	Vertical	PASS
4	17938.66	39.73	13.13	52.86	74.00	21.14	Vertical	PASS
5	5296.54	32.38	14.47	46.85	-	-	Vertical	NA
6	11374.63	34.73	5.21	39.94	54.00	14.06	Vertical	PASS
7	12407.75	34.42	6.10	40.52	54.00	13.48	Vertical	PASS
8	17865.06	31.59	13.79	45.38	54.00	8.62	Vertical	PASS