


| Project Information          |                 |           |           |
|------------------------------|-----------------|-----------|-----------|
| Mode:                        | 802.11n20       | Band:     | U-UNII-2A |
| Bandwidth                    | 20MHz           | Channel   | 64        |
| IMEI:                        | 357116790000312 | Engineer: | 申状        |
| Remark:                      | Polarity: X     |           |           |
| Test Standard: FCC PART 15 E |                 |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5322.12     | 43.59          | 14.55       | 58.14          | -              | -           | Horizontal | NA      |
| 2         | 11483.50    | 43.28          | 4.90        | 48.18          | 74.00          | 25.82       | Horizontal | PASS    |
| 3         | 12403.15    | 41.75          | 6.19        | 47.94          | 74.00          | 26.06       | Horizontal | PASS    |
| 4         | 17833.63    | 39.66          | 13.30       | 52.96          | 74.00          | 21.04       | Horizontal | PASS    |
| 5         | 5322.39     | 36.10          | 14.55       | 50.65          | -              | -           | Horizontal | NA      |
| 6         | 11614.99    | 35.25          | 5.26        | 40.51          | 54.00          | 13.49       | Horizontal | PASS    |
| 7         | 12376.70    | 34.51          | 5.78        | 40.29          | 54.00          | 13.71       | Horizontal | PASS    |
| 8         | 17990.80    | 32.42          | 13.65       | 46.07          | 54.00          | 7.93        | Horizontal | PASS    |

| Project Information          |                 |           |           |
|------------------------------|-----------------|-----------|-----------|
| Mode:                        | 802.11n20       | Band:     | U-UNII-2A |
| Bandwidth                    | 20MHz           | Channel   | 64        |
| IMEI:                        | 357116790000312 | Engineer: | 申状        |
| Remark:                      | Polarity: X     |           |           |
| Test Standard: FCC PART 15 E |                 |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5321.57     | 43.20          | 14.55       | 57.75          | -              | -           | Vertical | NA      |
| 2         | 11456.28    | 43.13          | 5.03        | 48.16          | 74.00          | 25.84       | Vertical | PASS    |
| 3         | 12154.74    | 43.17          | 4.80        | 47.97          | 74.00          | 26.03       | Vertical | PASS    |
| 4         | 17861.23    | 39.72          | 13.84       | 53.56          | 74.00          | 20.44       | Vertical | PASS    |
| 5         | 5322.67     | 36.61          | 14.55       | 51.16          | -              | -           | Vertical | NA      |
| 6         | 11480.82    | 35.64          | 4.91        | 40.55          | 54.00          | 13.45       | Vertical | PASS    |
| 7         | 12395.86    | 34.07          | 6.17        | 40.24          | 54.00          | 13.76       | Vertical | PASS    |
| 8         | 17844.36    | 32.18          | 13.75       | 45.93          | 54.00          | 8.07        | Vertical | PASS    |

| Project Information          |                 |           |           |
|------------------------------|-----------------|-----------|-----------|
| Mode:                        | 802.11n20       | Band:     | U-UNII-2C |
| Bandwidth                    | 20MHz           | Channel   | 100       |
| IMEI:                        | 357116790000312 | Engineer: | 申状        |
| Remark:                      | Polarity: X     |           |           |
| Test Standard: FCC PART 15 E |                 |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5501.70     | 43.27          | 14.68       | 57.95          | -              | -           | Horizontal | NA      |
| 2         | 11513.78    | 42.54          | 4.83        | 47.37          | 74.00          | 26.63       | Horizontal | PASS    |
| 3         | 12410.05    | 41.84          | 6.05        | 47.89          | 74.00          | 26.11       | Horizontal | PASS    |
| 4         | 17991.18    | 40.06          | 13.66       | 53.72          | 74.00          | 20.28       | Horizontal | PASS    |
| 5         | 5501.43     | 35.73          | 14.68       | 50.41          | -              | -           | Horizontal | NA      |
| 6         | 11393.03    | 34.76          | 5.34        | 40.10          | 54.00          | 13.90       | Horizontal | PASS    |
| 7         | 12400.08    | 33.87          | 6.26        | 40.13          | 54.00          | 13.87       | Horizontal | PASS    |
| 8         | 17999.23    | 31.67          | 13.78       | 45.45          | 54.00          | 8.55        | Horizontal | PASS    |

| Project Information          |                 |           |           |
|------------------------------|-----------------|-----------|-----------|
| Mode:                        | 802.11n20       | Band:     | U-UNII-2C |
| Bandwidth                    | 20MHz           | Channel   | 100       |
| IMEI:                        | 357116790000312 | Engineer: | 申状        |
| Remark:                      | Polarity: X     |           |           |
| Test Standard: FCC PART 15 E |                 |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5502.53     | 43.07          | 14.67       | 57.74          | -              | -           | Vertical | NA      |
| 2         | 11000.10    | 42.51          | 5.05        | 47.56          | 74.00          | 26.44       | Vertical | PASS    |
| 3         | 12671.49    | 42.06          | 6.07        | 48.13          | 74.00          | 25.87       | Vertical | PASS    |
| 4         | 17981.98    | 39.58          | 13.53       | 53.11          | 74.00          | 20.89       | Vertical | PASS    |
| 5         | 5503.08     | 36.28          | 14.67       | 50.95          | -              | -           | Vertical | NA      |
| 6         | 11000.10    | 37.99          | 5.05        | 43.04          | 54.00          | 10.96       | Vertical | PASS    |
| 7         | 12651.94    | 34.21          | 6.17        | 40.38          | 54.00          | 13.62       | Vertical | PASS    |
| 8         | 17992.72    | 32.02          | 13.68       | 45.70          | 54.00          | 8.30        | Vertical | PASS    |

| Project Information          |                 |           |           |
|------------------------------|-----------------|-----------|-----------|
| Mode:                        | 802.11n20       | Band:     | U-UNII-2C |
| Bandwidth                    | 20MHz           | Channel   | 120       |
| IMEI:                        | 357116790000312 | Engineer: | 申状        |
| Remark:                      | Polarity: X     |           |           |
| Test Standard: FCC PART 15 E |                 |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5595.48     | 42.61          | 14.73       | 57.34          | -              | -           | Horizontal | NA      |
| 2         | 11546.37    | 43.57          | 4.88        | 48.45          | 74.00          | 25.55       | Horizontal | PASS    |
| 3         | 12371.71    | 42.49          | 5.67        | 48.16          | 74.00          | 25.84       | Horizontal | PASS    |
| 4         | 17910.68    | 40.49          | 13.28       | 53.77          | 74.00          | 20.23       | Horizontal | PASS    |
| 5         | 5595.75     | 35.06          | 14.73       | 49.79          | -              | -           | Horizontal | NA      |
| 6         | 11490.02    | 35.18          | 4.86        | 40.04          | 54.00          | 13.96       | Horizontal | PASS    |
| 7         | 12416.18    | 34.47          | 5.93        | 40.40          | 54.00          | 13.60       | Horizontal | PASS    |
| 8         | 17838.99    | 32.32          | 13.52       | 45.84          | 54.00          | 8.16        | Horizontal | PASS    |

| Project Information          |                 |           |           |
|------------------------------|-----------------|-----------|-----------|
| Mode:                        | 802.11n20       | Band:     | U-UNII-2C |
| Bandwidth                    | 20MHz           | Channel   | 120       |
| IMEI:                        | 357116790000312 | Engineer: | 申状        |
| Remark:                      | Polarity: X     |           |           |
| Test Standard: FCC PART 15 E |                 |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5594.10     | 42.39          | 14.72       | 57.11          | -              | -           | Vertical | NA      |
| 2         | 11199.82    | 44.06          | 4.60        | 48.66          | 74.00          | 25.34       | Vertical | PASS    |
| 3         | 12239.46    | 43.38          | 5.35        | 48.73          | 74.00          | 25.27       | Vertical | PASS    |
| 4         | 17851.26    | 39.06          | 13.97       | 53.03          | 74.00          | 20.97       | Vertical | PASS    |
| 5         | 5594.93     | 35.30          | 14.72       | 50.02          | -              | -           | Vertical | NA      |
| 6         | 11200.21    | 38.22          | 4.60        | 42.82          | 54.00          | 11.18       | Vertical | PASS    |
| 7         | 12401.61    | 34.19          | 6.23        | 40.42          | 54.00          | 13.58       | Vertical | PASS    |
| 8         | 17934.06    | 32.08          | 13.16       | 45.24          | 54.00          | 8.76        | Vertical | PASS    |

| Project Information          |                 |           |           |
|------------------------------|-----------------|-----------|-----------|
| Mode:                        | 802.11n20       | Band:     | U-UNII-2C |
| Bandwidth                    | 20MHz           | Channel   | 140       |
| IMEI:                        | 357116790000312 | Engineer: | 申状        |
| Remark:                      | Polarity: X     |           |           |
| Test Standard: FCC PART 15 E |                 |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5707.41     | 46.78          | 14.90       | 61.68          | -              | -           | Horizontal | NA      |
| 2         | 10871.68    | 42.95          | 4.22        | 47.17          | 74.00          | 26.83       | Horizontal | PASS    |
| 3         | 12494.77    | 42.55          | 5.45        | 48.00          | 74.00          | 26.00       | Horizontal | PASS    |
| 4         | 17856.25    | 39.60          | 13.91       | 53.51          | 74.00          | 20.49       | Horizontal | PASS    |
| 5         | 5707.69     | 39.95          | 14.90       | 54.85          | -              | -           | Horizontal | NA      |
| 6         | 10964.07    | 35.39          | 5.11        | 40.50          | 54.00          | 13.50       | Horizontal | PASS    |
| 7         | 12392.03    | 34.51          | 6.09        | 40.60          | 54.00          | 13.40       | Horizontal | PASS    |
| 8         | 17985.43    | 32.04          | 13.58       | 45.62          | 54.00          | 8.38        | Horizontal | PASS    |

| Project Information          |                 |           |           |
|------------------------------|-----------------|-----------|-----------|
| Mode:                        | 802.11n20       | Band:     | U-UNII-2C |
| Bandwidth                    | 20MHz           | Channel   | 140       |
| IMEI:                        | 357116790000312 | Engineer: | 申状        |
| Remark:                      | Polarity: X     |           |           |
| Test Standard: FCC PART 15 E |                 |           |           |

### Test Graph




| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5706.31     | 45.04          | 14.90       | 59.94          | -              | -           | Vertical | NA      |
| 2         | 11591.60    | 42.40          | 5.60        | 48.00          | 74.00          | 26.00       | Vertical | PASS    |
| 3         | 12395.48    | 42.00          | 6.17        | 48.17          | 74.00          | 25.83       | Vertical | PASS    |
| 4         | 17855.10    | 38.97          | 13.92       | 52.89          | 74.00          | 21.11       | Vertical | PASS    |
| 5         | 5707.14     | 37.93          | 14.90       | 52.83          | -              | -           | Vertical | NA      |
| 6         | 11606.94    | 34.78          | 5.53        | 40.31          | 54.00          | 13.69       | Vertical | PASS    |
| 7         | 12404.68    | 34.14          | 6.16        | 40.30          | 54.00          | 13.70       | Vertical | PASS    |
| 8         | 17979.30    | 31.98          | 13.49       | 45.47          | 54.00          | 8.53        | Vertical | PASS    |



| Project Information          |                 |           |          |
|------------------------------|-----------------|-----------|----------|
| Mode:                        | 802.11n20       | Band:     | U-UNII-3 |
| Bandwidth                    | 20MHz           | Channel   | 149      |
| IMEI:                        | 357116790000312 | Engineer: | 申状       |
| Remark:                      | Polarity: X     |           |          |
| Test Standard: FCC PART 15 E |                 |           |          |


### Test Graph



| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5711.54     | 52.91          | 15.77       | 68.68          | -              | -           | Horizontal | NA      |
| 2         | 10921.51    | 42.48          | 4.93        | 47.41          | 74.00          | 26.59       | Horizontal | PASS    |
| 3         | 12396.25    | 41.99          | 6.18        | 48.17          | 74.00          | 25.83       | Horizontal | PASS    |
| 4         | 17980.07    | 40.47          | 13.50       | 53.97          | 74.00          | 20.03       | Horizontal | PASS    |
| 5         | 5712.91     | 41.07          | 15.77       | 56.84          | -              | -           | Horizontal | NA      |
| 6         | 10957.93    | 34.83          | 5.12        | 39.95          | 54.00          | 14.05       | Horizontal | PASS    |
| 7         | 12407.75    | 34.60          | 6.10        | 40.70          | 54.00          | 13.30       | Horizontal | PASS    |
| 8         | 17860.85    | 31.30          | 13.85       | 45.15          | 54.00          | 8.85        | Horizontal | PASS    |

| Project Information          |                 |           |          |
|------------------------------|-----------------|-----------|----------|
| Mode:                        | 802.11n20       | Band:     | U-UNII-3 |
| Bandwidth                    | 20MHz           | Channel   | 149      |
| IMEI:                        | 357116790000312 | Engineer: | 申状       |
| Remark:                      | Polarity: X     |           |          |
| Test Standard: FCC PART 15 E |                 |           |          |


### Test Graph



| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5713.74     | 49.86          | 15.77       | 65.63          | -              | -           | Vertical | NA      |
| 2         | 11401.85    | 41.95          | 5.38        | 47.33          | 74.00          | 26.67       | Vertical | PASS    |
| 3         | 12398.93    | 41.92          | 6.24        | 48.16          | 74.00          | 25.84       | Vertical | PASS    |
| 4         | 17842.06    | 39.73          | 13.65       | 53.38          | 74.00          | 20.62       | Vertical | PASS    |
| 5         | 5714.01     | 38.25          | 15.76       | 54.01          | -              | -           | Vertical | NA      |
| 6         | 11490.40    | 35.87          | 4.86        | 40.73          | 54.00          | 13.27       | Vertical | PASS    |
| 7         | 12406.21    | 34.55          | 6.13        | 40.68          | 54.00          | 13.32       | Vertical | PASS    |
| 8         | 17989.27    | 31.74          | 13.64       | 45.38          | 54.00          | 8.62        | Vertical | PASS    |

| Project Information          |                 |           |          |
|------------------------------|-----------------|-----------|----------|
| Mode:                        | 802.11n20       | Band:     | U-UNII-3 |
| Bandwidth                    | 20MHz           | Channel   | 157      |
| IMEI:                        | 357116790000312 | Engineer: | 申状       |
| Remark:                      | Polarity: X     |           |          |
| Test Standard: FCC PART 15 E |                 |           |          |


### Test Graph



| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5792.94     | 46.85          | 15.68       | 62.53          | -              | -           | Horizontal | NA      |
| 2         | 11458.97    | 42.77          | 5.02        | 47.79          | 74.00          | 26.21       | Horizontal | PASS    |
| 3         | 12490.55    | 42.59          | 5.43        | 48.02          | 74.00          | 25.98       | Horizontal | PASS    |
| 4         | 17353.30    | 41.46          | 12.23       | 53.69          | 68.20          | 14.51       | Horizontal | PASS    |
| 5         | 5791.29     | 40.27          | 15.68       | 55.95          | -              | -           | Horizontal | NA      |
| 6         | 11465.10    | 35.03          | 4.99        | 40.02          | 54.00          | 13.98       | Horizontal | PASS    |
| 7         | 12390.50    | 34.55          | 6.06        | 40.61          | 54.00          | 13.39       | Horizontal | PASS    |
| 8         | 17842.83    | 32.06          | 13.69       | 45.75          | 54.00          | 8.25        | Horizontal | PASS    |

| Project Information          |                 |           |          |
|------------------------------|-----------------|-----------|----------|
| Mode:                        | 802.11n20       | Band:     | U-UNII-3 |
| Bandwidth                    | 20MHz           | Channel   | 157      |
| IMEI:                        | 357116790000312 | Engineer: | 申状       |
| Remark:                      | Polarity: X     |           |          |
| Test Standard: FCC PART 15 E |                 |           |          |


### Test Graph



| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5789.91     | 43.26          | 15.68       | 58.94          | -              | -           | Vertical | NA      |
| 2         | 11593.52    | 42.90          | 5.64        | 48.54          | 74.00          | 25.46       | Vertical | PASS    |
| 3         | 12096.85    | 43.09          | 5.21        | 48.30          | 74.00          | 25.70       | Vertical | PASS    |
| 4         | 17887.68    | 40.71          | 13.50       | 54.21          | 74.00          | 19.79       | Vertical | PASS    |
| 5         | 5791.84     | 35.97          | 15.68       | 51.65          | -              | -           | Vertical | NA      |
| 6         | 11570.14    | 35.35          | 5.24        | 40.59          | 54.00          | 13.41       | Vertical | PASS    |
| 7         | 12003.70    | 35.25          | 5.24        | 40.49          | 54.00          | 13.51       | Vertical | PASS    |
| 8         | 17982.75    | 32.27          | 13.54       | 45.81          | 54.00          | 8.19        | Vertical | PASS    |

| Project Information          |                 |           |          |
|------------------------------|-----------------|-----------|----------|
| Mode:                        | 802.11n20       | Band:     | U-UNII-3 |
| Bandwidth                    | 20MHz           | Channel   | 165      |
| IMEI:                        | 357116790000312 | Engineer: | 申状       |
| Remark:                      | Polarity: X     |           |          |
| Test Standard: FCC PART 15 E |                 |           |          |

### Test Graph




| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5686.51     | 47.35          | 15.56       | 62.91          | 68.20          | 5.29        | Horizontal | PASS    |
| 2         | 5863.34     | 48.45          | 15.58       | 64.03          | -              | -           | Horizontal | NA      |
| 3         | 12401.23    | 42.55          | 6.24        | 48.79          | 74.00          | 25.21       | Horizontal | PASS    |
| 4         | 17929.85    | 40.53          | 13.18       | 53.71          | 74.00          | 20.29       | Horizontal | PASS    |
| 5         | 5817.69     | 41.35          | 15.67       | 57.02          | -              | -           | Horizontal | NA      |
| 6         | 11206.34    | 35.81          | 4.64        | 40.45          | 54.00          | 13.55       | Horizontal | PASS    |
| 7         | 12650.02    | 34.60          | 6.18        | 40.78          | 54.00          | 13.22       | Horizontal | PASS    |
| 8         | 17890.75    | 32.13          | 13.46       | 45.59          | 54.00          | 8.41        | Horizontal | PASS    |

| Final Data List |             |             |           |            |         |
|-----------------|-------------|-------------|-----------|------------|---------|
| NO.             | Freq. [MHz] | Height [cm] | Angle [°] | Polarity   | Verdict |
| 1               | 5700.611869 | 220.7       | 359.6     | Horizontal | PASS    |

| Project Information          |                 |           |          |
|------------------------------|-----------------|-----------|----------|
| Mode:                        | 802.11n20       | Band:     | U-UNII-3 |
| Bandwidth                    | 20MHz           | Channel   | 165      |
| IMEI:                        | 357116790000312 | Engineer: | 申状       |
| Remark:                      | Polarity: X     |           |          |
| Test Standard: FCC PART 15 E |                 |           |          |


### Test Graph



| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5856.47     | 44.89          | 15.60       | 60.49          | -              | -           | Vertical | NA      |
| 2         | 11448.61    | 43.14          | 5.08        | 48.22          | 74.00          | 25.78       | Vertical | PASS    |
| 3         | 11943.13    | 43.39          | 5.06        | 48.45          | 74.00          | 25.55       | Vertical | PASS    |
| 4         | 17994.25    | 39.26          | 13.71       | 52.97          | 74.00          | 21.03       | Vertical | PASS    |
| 5         | 5821.54     | 37.47          | 15.65       | 53.12          | -              | -           | Vertical | NA      |
| 6         | 11440.56    | 35.26          | 5.13        | 40.39          | 54.00          | 13.61       | Vertical | PASS    |
| 7         | 12035.13    | 34.80          | 5.38        | 40.18          | 54.00          | 13.82       | Vertical | PASS    |
| 8         | 17886.53    | 32.73          | 13.51       | 46.24          | 54.00          | 7.76        | Vertical | PASS    |

| Project Information          |                 |           |          |
|------------------------------|-----------------|-----------|----------|
| Mode:                        | 802.11n40       | Band:     | U-UNII-1 |
| Bandwidth                    | 40MHz           | Channel   | 38       |
| IMEI:                        | 357116790000346 | Engineer: | 申状       |
| Remark:                      | Polarity: X     |           |          |
| Test Standard: FCC PART 15 E |                 |           |          |


### Test Graph



| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5176.36     | 44.47          | 13.91       | 58.38          | -              | -           | Horizontal | NA      |
| 2         | 11577.80    | 43.58          | 5.37        | 48.95          | 74.00          | 25.05       | Horizontal | PASS    |
| 3         | 12357.91    | 42.53          | 5.40        | 47.93          | 74.00          | 26.07       | Horizontal | PASS    |
| 4         | 17997.32    | 39.23          | 13.75       | 52.98          | 74.00          | 21.02       | Horizontal | PASS    |
| 5         | 5176.63     | 38.04          | 13.91       | 51.95          | -              | -           | Horizontal | NA      |
| 6         | 11414.50    | 34.87          | 5.30        | 40.17          | 54.00          | 13.83       | Horizontal | PASS    |
| 7         | 12420.40    | 35.09          | 5.84        | 40.93          | 54.00          | 13.07       | Horizontal | PASS    |
| 8         | 17999.62    | 32.16          | 13.79       | 45.95          | 54.00          | 8.05        | Horizontal | PASS    |

| Project Information          |                 |           |          |
|------------------------------|-----------------|-----------|----------|
| Mode:                        | 802.11n40       | Band:     | U-UNII-1 |
| Bandwidth                    | 40MHz           | Channel   | 38       |
| IMEI:                        | 357116790000346 | Engineer: | 申状       |
| Remark:                      | Polarity: X     |           |          |
| Test Standard: FCC PART 15 E |                 |           |          |

### Test Graph




| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5178.28     | 45.26          | 13.90       | 59.16          | -              | -           | Vertical | NA      |
| 2         | 11498.45    | 43.19          | 4.82        | 48.01          | 74.00          | 25.99       | Vertical | PASS    |
| 3         | 12385.13    | 42.25          | 5.95        | 48.20          | 74.00          | 25.80       | Vertical | PASS    |
| 4         | 17835.93    | 39.51          | 13.39       | 52.90          | 74.00          | 21.10       | Vertical | PASS    |
| 5         | 5178.01     | 39.61          | 13.90       | 53.51          | -              | -           | Vertical | NA      |
| 6         | 11595.05    | 34.64          | 5.66        | 40.30          | 54.00          | 13.70       | Vertical | PASS    |
| 7         | 12216.46    | 35.17          | 5.30        | 40.47          | 54.00          | 13.53       | Vertical | PASS    |
| 8         | 17848.19    | 31.89          | 13.92       | 45.81          | 54.00          | 8.19        | Vertical | PASS    |



| Project Information          |                 |           |          |
|------------------------------|-----------------|-----------|----------|
| Mode:                        | 802.11n40       | Band:     | U-UNII-1 |
| Bandwidth                    | 40MHz           | Channel   | 46       |
| IMEI:                        | 357116790000346 | Engineer: | 申状       |
| Remark:                      | Polarity: X     |           |          |
| Test Standard: FCC PART 15 E |                 |           |          |


### Test Graph



| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 11590.07    | 42.09          | 5.58        | 47.67          | 74.00          | 26.33       | Horizontal | PASS    |
| 2         | 12395.86    | 42.30          | 6.17        | 48.47          | 74.00          | 25.53       | Horizontal | PASS    |
| 3         | 17347.54    | 41.37          | 12.16       | 53.53          | 68.20          | 14.67       | Horizontal | PASS    |
| 4         | 11802.44    | 35.52          | 5.00        | 40.52          | 54.00          | 13.48       | Horizontal | PASS    |
| 5         | 12428.83    | 34.96          | 5.66        | 40.62          | 54.00          | 13.38       | Horizontal | PASS    |
| 6         | 17994.63    | 31.66          | 13.71       | 45.37          | 54.00          | 8.63        | Horizontal | PASS    |

| Project Information          |                 |           |          |
|------------------------------|-----------------|-----------|----------|
| Mode:                        | 802.11n40       | Band:     | U-UNII-1 |
| Bandwidth                    | 40MHz           | Channel   | 46       |
| IMEI:                        | 357116790000346 | Engineer: | 申状       |
| Remark:                      | Polarity: X     |           |          |
| Test Standard: FCC PART 15 E |                 |           |          |


### Test Graph



| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 10459.97    | 44.77          | 4.37        | 49.14          | 68.20          | 19.06       | Vertical | PASS    |
| 2         | 11508.80    | 43.02          | 4.83        | 47.85          | 74.00          | 26.15       | Vertical | PASS    |
| 3         | 17836.69    | 39.87          | 13.42       | 53.29          | 74.00          | 20.71       | Vertical | PASS    |
| 4         | 11479.67    | 34.94          | 4.92        | 39.86          | 54.00          | 14.14       | Vertical | PASS    |
| 5         | 12403.91    | 34.51          | 6.18        | 40.69          | 54.00          | 13.31       | Vertical | PASS    |
| 6         | 17859.70    | 31.55          | 13.86       | 45.41          | 54.00          | 8.59        | Vertical | PASS    |

| Project Information          |                 |           |           |
|------------------------------|-----------------|-----------|-----------|
| Mode:                        | 802.11n40       | Band:     | U-UNII-2A |
| Bandwidth                    | 40MHz           | Channel   | 54        |
| IMEI:                        | 357116790000528 | Engineer: | 申状        |
| Remark:                      | Polarity: X     |           |           |
| Test Standard: FCC PART 15 E |                 |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5278.39     | 36.73          | 14.34       | 51.07          | -              | -           | Horizontal | NA      |
| 2         | 11450.53    | 42.62          | 5.07        | 47.69          | 74.00          | 26.31       | Horizontal | PASS    |
| 3         | 12417.33    | 42.88          | 5.91        | 48.79          | 74.00          | 25.21       | Horizontal | PASS    |
| 4         | 17878.10    | 39.56          | 13.63       | 53.19          | 74.00          | 20.81       | Horizontal | PASS    |
| 5         | 5275.36     | 29.16          | 14.32       | 43.48          | -              | -           | Horizontal | NA      |
| 6         | 11569.37    | 34.79          | 5.22        | 40.01          | 54.00          | 13.99       | Horizontal | PASS    |
| 7         | 12363.28    | 34.83          | 5.51        | 40.34          | 54.00          | 13.66       | Horizontal | PASS    |
| 8         | 17878.48    | 31.99          | 13.62       | 45.61          | 54.00          | 8.39        | Horizontal | PASS    |

| Project Information          |                 |           |           |
|------------------------------|-----------------|-----------|-----------|
| Mode:                        | 802.11n40       | Band:     | U-UNII-2A |
| Bandwidth                    | 40MHz           | Channel   | 54        |
| IMEI:                        | 357116790000528 | Engineer: | 申状        |
| Remark:                      | Polarity: X     |           |           |
| Test Standard: FCC PART 15 E |                 |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 4956.07     | 36.35          | 12.79       | 49.14          | 74.00          | 24.86       | Vertical | PASS    |
| 2         | 5274.54     | 37.88          | 14.32       | 52.20          | -              | -           | Vertical | NA      |
| 3         | 10539.70    | 45.18          | 3.80        | 48.98          | 68.20          | 19.22       | Vertical | PASS    |
| 4         | 17995.02    | 39.34          | 13.72       | 53.06          | 74.00          | 20.94       | Vertical | PASS    |
| 5         | 4956.07     | 32.34          | 12.79       | 45.13          | 54.00          | 8.87        | Vertical | PASS    |
| 6         | 5274.81     | 30.29          | 14.32       | 44.61          | -              | -           | Vertical | NA      |
| 7         | 12002.93    | 34.82          | 5.24        | 40.06          | 54.00          | 13.94       | Vertical | PASS    |
| 8         | 17964.35    | 32.01          | 13.28       | 45.29          | 54.00          | 8.71        | Vertical | PASS    |

| Project Information          |                 |           |           |
|------------------------------|-----------------|-----------|-----------|
| Mode:                        | 802.11n40       | Band:     | U-UNII-2A |
| Bandwidth                    | 40MHz           | Channel   | 62        |
| IMEI:                        | 357116790000346 | Engineer: | 申状        |
| Remark:                      | Polarity: X     |           |           |
| Test Standard: FCC PART 15 E |                 |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5322.67     | 39.19          | 14.55       | 53.74          | -              | -           | Horizontal | NA      |
| 2         | 11405.68    | 42.65          | 5.35        | 48.00          | 74.00          | 26.00       | Horizontal | PASS    |
| 3         | 12780.36    | 42.98          | 5.83        | 48.81          | 68.20          | 19.39       | Horizontal | PASS    |
| 4         | 17883.08    | 39.79          | 13.56       | 53.35          | 74.00          | 20.65       | Horizontal | PASS    |
| 5         | 5322.12     | 32.52          | 14.55       | 47.07          | -              | -           | Horizontal | NA      |
| 6         | 11352.78    | 35.03          | 5.05        | 40.08          | 54.00          | 13.92       | Horizontal | PASS    |
| 7         | 12614.37    | 35.63          | 5.38        | 41.01          | 54.00          | 12.99       | Horizontal | PASS    |
| 8         | 17810.24    | 33.29          | 12.30       | 45.59          | 54.00          | 8.41        | Horizontal | PASS    |

| Project Information          |                 |           |           |
|------------------------------|-----------------|-----------|-----------|
| Mode:                        | 802.11n40       | Band:     | U-UNII-2A |
| Bandwidth                    | 40MHz           | Channel   | 62        |
| IMEI:                        | 357116790000528 | Engineer: | 申状        |
| Remark:                      | Polarity: X     |           |           |
| Test Standard: FCC PART 15 E |                 |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5322.67     | 40.35          | 14.55       | 54.90          | -              | -           | Vertical | NA      |
| 2         | 10619.82    | 43.57          | 4.11        | 47.68          | 74.00          | 26.32       | Vertical | PASS    |
| 3         | 12360.21    | 42.67          | 5.44        | 48.11          | 74.00          | 25.89       | Vertical | PASS    |
| 4         | 17876.18    | 39.68          | 13.65       | 53.33          | 74.00          | 20.67       | Vertical | PASS    |
| 5         | 5322.39     | 32.10          | 14.55       | 46.65          | -              | -           | Vertical | NA      |
| 6         | 10620.20    | 38.73          | 4.11        | 42.84          | 54.00          | 11.16       | Vertical | PASS    |
| 7         | 12400.85    | 34.10          | 6.24        | 40.34          | 54.00          | 13.66       | Vertical | PASS    |
| 8         | 17853.95    | 31.30          | 13.94       | 45.24          | 54.00          | 8.76        | Vertical | PASS    |

| Project Information          |                 |           |           |
|------------------------------|-----------------|-----------|-----------|
| Mode:                        | 802.11n40       | Band:     | U-UNII-2C |
| Bandwidth                    | 40MHz           | Channel   | 102       |
| IMEI:                        | 357116790000528 | Engineer: | 申状        |
| Remark:                      | Polarity: X     |           |           |
| Test Standard: FCC PART 15 E |                 |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5503.35     | 39.79          | 14.67       | 54.46          | -              | -           | Horizontal | NA      |
| 2         | 10778.91    | 42.55          | 4.36        | 46.91          | 74.00          | 27.09       | Horizontal | PASS    |
| 3         | 12373.25    | 42.35          | 5.71        | 48.06          | 74.00          | 25.94       | Horizontal | PASS    |
| 4         | 17858.93    | 38.76          | 13.88       | 52.64          | 74.00          | 21.36       | Horizontal | PASS    |
| 5         | 5502.25     | 32.62          | 14.68       | 47.30          | -              | -           | Horizontal | NA      |
| 6         | 10788.11    | 35.49          | 4.36        | 39.85          | 54.00          | 14.15       | Horizontal | PASS    |
| 7         | 12384.36    | 34.66          | 5.94        | 40.60          | 54.00          | 13.40       | Horizontal | PASS    |
| 8         | 17842.44    | 32.05          | 13.66       | 45.71          | 54.00          | 8.29        | Horizontal | PASS    |

| Project Information          |                 |           |           |
|------------------------------|-----------------|-----------|-----------|
| Mode:                        | 802.11n40       | Band:     | U-UNII-2C |
| Bandwidth                    | 40MHz           | Channel   | 102       |
| IMEI:                        | 357116790000528 | Engineer: | 申状        |
| Remark:                      | Polarity: X     |           |           |
| Test Standard: FCC PART 15 E |                 |           |           |

### Test Graph




| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5500.88     | 41.68          | 14.68       | 56.36          | -              | -           | Vertical | NA      |
| 2         | 11019.65    | 42.32          | 4.72        | 47.04          | 74.00          | 26.96       | Vertical | PASS    |
| 3         | 12657.69    | 42.42          | 6.14        | 48.56          | 74.00          | 25.44       | Vertical | PASS    |
| 4         | 17843.98    | 39.62          | 13.74       | 53.36          | 74.00          | 20.64       | Vertical | PASS    |
| 5         | 5501.43     | 33.99          | 14.68       | 48.67          | -              | -           | Vertical | NA      |
| 6         | 11020.03    | 37.17          | 4.72        | 41.89          | 54.00          | 12.11       | Vertical | PASS    |
| 7         | 12631.62    | 34.67          | 5.77        | 40.44          | 54.00          | 13.56       | Vertical | PASS    |
| 8         | 17983.90    | 31.91          | 13.56       | 45.47          | 54.00          | 8.53        | Vertical | PASS    |



| Project Information          |                 |           |           |
|------------------------------|-----------------|-----------|-----------|
| Mode:                        | 802.11n40       | Band:     | U-UNII-2C |
| Bandwidth                    | 40MHz           | Channel   | 118       |
| IMEI:                        | 357116790000528 | Engineer: | 申状        |
| Remark:                      | Polarity: X     |           |           |
| Test Standard: FCC PART 15 E |                 |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5594.38     | 40.13          | 14.72       | 54.85          | -              | -           | Horizontal | NA      |
| 2         | 11403.76    | 42.72          | 5.37        | 48.09          | 74.00          | 25.91       | Horizontal | PASS    |
| 3         | 12367.11    | 43.05          | 5.58        | 48.63          | 74.00          | 25.37       | Horizontal | PASS    |
| 4         | 17987.73    | 39.49          | 13.61       | 53.10          | 74.00          | 20.90       | Horizontal | PASS    |
| 5         | 5594.93     | 31.99          | 14.72       | 46.71          | -              | -           | Horizontal | NA      |
| 6         | 11626.87    | 34.80          | 4.88        | 39.68          | 54.00          | 14.32       | Horizontal | PASS    |
| 7         | 12401.23    | 34.28          | 6.24        | 40.52          | 54.00          | 13.48       | Horizontal | PASS    |
| 8         | 17974.32    | 32.14          | 13.42       | 45.56          | 54.00          | 8.44        | Horizontal | PASS    |

| Project Information          |                 |           |           |
|------------------------------|-----------------|-----------|-----------|
| Mode:                        | 802.11n40       | Band:     | U-UNII-2C |
| Bandwidth                    | 40MHz           | Channel   | 118       |
| IMEI:                        | 357116790000528 | Engineer: | 申状        |
| Remark:                      | Polarity: X     |           |           |
| Test Standard: FCC PART 15 E |                 |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5595.48     | 40.15          | 14.73       | 54.88          | -              | -           | Vertical | NA      |
| 2         | 11179.51    | 42.56          | 4.41        | 46.97          | 74.00          | 27.03       | Vertical | PASS    |
| 3         | 12101.45    | 44.06          | 5.17        | 49.23          | 74.00          | 24.77       | Vertical | PASS    |
| 4         | 17968.95    | 39.26          | 13.35       | 52.61          | 74.00          | 21.39       | Vertical | PASS    |
| 5         | 5601.26     | 32.10          | 14.75       | 46.85          | -              | -           | Vertical | NA      |
| 6         | 11180.27    | 38.17          | 4.42        | 42.59          | 54.00          | 11.41       | Vertical | PASS    |
| 7         | 12365.20    | 35.11          | 5.54        | 40.65          | 54.00          | 13.35       | Vertical | PASS    |
| 8         | 17843.21    | 31.85          | 13.70       | 45.55          | 54.00          | 8.45        | Vertical | PASS    |

| Project Information          |                 |           |           |
|------------------------------|-----------------|-----------|-----------|
| Mode:                        | 802.11n40       | Band:     | U-UNII-2C |
| Bandwidth                    | 40MHz           | Channel   | 134       |
| IMEI:                        | 357116790000528 | Engineer: | 申状        |
| Remark:                      | Polarity: X     |           |           |
| Test Standard: FCC PART 15 E |                 |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5682.38     | 44.31          | 14.92       | 59.23          | -              | -           | Horizontal | NA      |
| 2         | 11362.75    | 42.73          | 5.12        | 47.85          | 74.00          | 26.15       | Horizontal | PASS    |
| 3         | 12402.76    | 43.01          | 6.20        | 49.21          | 74.00          | 24.79       | Horizontal | PASS    |
| 4         | 17988.12    | 40.01          | 13.62       | 53.63          | 74.00          | 20.37       | Horizontal | PASS    |
| 5         | 5681.56     | 37.16          | 14.92       | 52.08          | -              | -           | Horizontal | NA      |
| 6         | 11595.82    | 34.34          | 5.68        | 40.02          | 54.00          | 13.98       | Horizontal | PASS    |
| 7         | 12382.83    | 35.44          | 5.91        | 41.35          | 54.00          | 12.65       | Horizontal | PASS    |
| 8         | 17980.83    | 32.03          | 13.51       | 45.54          | 54.00          | 8.46        | Horizontal | PASS    |

| Project Information          |                 |           |           |
|------------------------------|-----------------|-----------|-----------|
| Mode:                        | 802.11n40       | Band:     | U-UNII-2C |
| Bandwidth                    | 40MHz           | Channel   | 134       |
| IMEI:                        | 357116790000528 | Engineer: | 申状        |
| Remark:                      | Polarity: X     |           |           |
| Test Standard: FCC PART 15 E |                 |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5680.73     | 43.10          | 14.92       | 58.02          | -              | -           | Vertical | NA      |
| 2         | 10939.91    | 43.21          | 5.06        | 48.27          | 74.00          | 25.73       | Vertical | PASS    |
| 3         | 12776.91    | 42.23          | 5.80        | 48.03          | 68.20          | 20.17       | Vertical | PASS    |
| 4         | 17846.66    | 39.39          | 13.84       | 53.23          | 74.00          | 20.77       | Vertical | PASS    |
| 5         | 5682.93     | 35.89          | 14.91       | 50.80          | -              | -           | Vertical | NA      |
| 6         | 11340.13    | 36.37          | 4.95        | 41.32          | 54.00          | 12.68       | Vertical | PASS    |
| 7         | 12665.36    | 35.15          | 6.11        | 41.26          | 54.00          | 12.74       | Vertical | PASS    |
| 8         | 17867.36    | 31.78          | 13.76       | 45.54          | 54.00          | 8.46        | Vertical | PASS    |

| Project Information          |                 |           |          |
|------------------------------|-----------------|-----------|----------|
| Mode:                        | 802.11n40       | Band:     | U-UNII-3 |
| Bandwidth                    | 40MHz           | Channel   | 151      |
| IMEI:                        | 357116790000528 | Engineer: | 申状       |
| Remark:                      | Polarity: X     |           |          |
| Test Standard: FCC PART 15 E |                 |           |          |


### Test Graph



| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5712.36     | 58.10          | 15.77       | 73.87          | -              | -           | Horizontal | NA      |
| 2         | 11504.20    | 42.74          | 4.82        | 47.56          | 74.00          | 26.44       | Horizontal | PASS    |
| 3         | 12401.23    | 41.87          | 6.24        | 48.11          | 74.00          | 25.89       | Horizontal | PASS    |
| 4         | 17847.04    | 39.65          | 13.86       | 53.51          | 74.00          | 20.49       | Horizontal | PASS    |
| 5         | 5714.56     | 45.88          | 15.76       | 61.64          | -              | -           | Horizontal | NA      |
| 6         | 11331.69    | 34.68          | 4.89        | 39.57          | 54.00          | 14.43       | Horizontal | PASS    |
| 7         | 12380.15    | 34.31          | 5.85        | 40.16          | 54.00          | 13.84       | Horizontal | PASS    |
| 8         | 17989.65    | 31.91          | 13.64       | 45.55          | 54.00          | 8.45        | Horizontal | PASS    |

| Project Information          |                 |           |          |
|------------------------------|-----------------|-----------|----------|
| Mode:                        | 802.11n40       | Band:     | U-UNII-3 |
| Bandwidth                    | 40MHz           | Channel   | 151      |
| IMEI:                        | 357116790000528 | Engineer: | 申状       |
| Remark:                      | Polarity: X     |           |          |
| Test Standard: FCC PART 15 E |                 |           |          |


### Test Graph



| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5715.39     | 56.53          | 15.76       | 72.29          | -              | -           | Vertical | NA      |
| 2         | 11434.81    | 42.82          | 5.17        | 47.99          | 74.00          | 26.01       | Vertical | PASS    |
| 3         | 12661.14    | 41.72          | 6.12        | 47.84          | 74.00          | 26.16       | Vertical | PASS    |
| 4         | 17849.34    | 40.07          | 13.96       | 54.03          | 74.00          | 19.97       | Vertical | PASS    |
| 5         | 5710.99     | 44.72          | 15.77       | 60.49          | -              | -           | Vertical | NA      |
| 6         | 11510.33    | 35.99          | 4.83        | 40.82          | 54.00          | 13.18       | Vertical | PASS    |
| 7         | 12654.62    | 34.31          | 6.15        | 40.46          | 54.00          | 13.54       | Vertical | PASS    |
| 8         | 17981.22    | 32.48          | 13.51       | 45.99          | 54.00          | 8.01        | Vertical | PASS    |

| Project Information          |                 |           |          |
|------------------------------|-----------------|-----------|----------|
| Mode:                        | 802.11n40       | Band:     | U-UNII-3 |
| Bandwidth                    | 40MHz           | Channel   | 159      |
| IMEI:                        | 357116790000528 | Engineer: | 申状       |
| Remark:                      | Polarity: X     |           |          |
| Test Standard: FCC PART 15 E |                 |           |          |


### Test Graph



| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5805.32     | 43.85          | 15.68       | 59.53          | -              | -           | Horizontal | NA      |
| 2         | 11521.83    | 43.45          | 4.84        | 48.29          | 74.00          | 25.71       | Horizontal | PASS    |
| 3         | 12332.99    | 43.32          | 5.14        | 48.46          | 74.00          | 25.54       | Horizontal | PASS    |
| 4         | 17834.39    | 39.73          | 13.33       | 53.06          | 74.00          | 20.94       | Horizontal | PASS    |
| 5         | 5806.14     | 36.27          | 15.68       | 51.95          | -              | -           | Horizontal | NA      |
| 6         | 11547.90    | 35.29          | 4.89        | 40.18          | 54.00          | 13.82       | Horizontal | PASS    |
| 7         | 12379.76    | 34.65          | 5.84        | 40.49          | 54.00          | 13.51       | Horizontal | PASS    |
| 8         | 17979.68    | 31.77          | 13.50       | 45.27          | 54.00          | 8.73        | Horizontal | PASS    |

| Project Information          |                 |           |          |
|------------------------------|-----------------|-----------|----------|
| Mode:                        | 802.11n40       | Band:     | U-UNII-3 |
| Bandwidth                    | 40MHz           | Channel   | 159      |
| IMEI:                        | 357116790000528 | Engineer: | 申状       |
| Remark:                      | Polarity: X     |           |          |
| Test Standard: FCC PART 15 E |                 |           |          |

### Test Graph




| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5804.49     | 42.50          | 15.68       | 58.18          | -              | -           | Vertical | NA      |
| 2         | 11590.07    | 42.04          | 5.58        | 47.62          | 74.00          | 26.38       | Vertical | PASS    |
| 3         | 12426.53    | 42.20          | 5.72        | 47.92          | 74.00          | 26.08       | Vertical | PASS    |
| 4         | 17977.77    | 39.65          | 13.47       | 53.12          | 74.00          | 20.88       | Vertical | PASS    |
| 5         | 5806.69     | 35.01          | 15.67       | 50.68          | -              | -           | Vertical | NA      |
| 6         | 11590.07    | 34.88          | 5.58        | 40.46          | 54.00          | 13.54       | Vertical | PASS    |
| 7         | 12371.33    | 34.63          | 5.67        | 40.30          | 54.00          | 13.70       | Vertical | PASS    |
| 8         | 17844.36    | 31.57          | 13.75       | 45.32          | 54.00          | 8.68        | Vertical | PASS    |



| Project Information          |                 |           |          |
|------------------------------|-----------------|-----------|----------|
| Mode:                        | 802.11ac80      | Band:     | U-UNII-1 |
| Bandwidth                    | 80MHz           | Channel   | 42       |
| IMEI:                        | 357116790000528 | Engineer: | 申状       |
| Remark:                      | Polarity: X     |           |          |
| Test Standard: FCC PART 15 E |                 |           |          |


### Test Graph



| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5177.73     | 42.95          | 13.90       | 56.85          | -              | -           | Horizontal | NA      |
| 2         | 11444.40    | 42.67          | 5.11        | 47.78          | 74.00          | 26.22       | Horizontal | PASS    |
| 3         | 12373.25    | 42.36          | 5.71        | 48.07          | 74.00          | 25.93       | Horizontal | PASS    |
| 4         | 17983.13    | 39.46          | 13.54       | 53.00          | 74.00          | 21.00       | Horizontal | PASS    |
| 5         | 5177.73     | 34.87          | 13.90       | 48.77          | -              | -           | Horizontal | NA      |
| 6         | 11427.53    | 35.55          | 5.21        | 40.76          | 54.00          | 13.24       | Horizontal | PASS    |
| 7         | 12377.08    | 34.62          | 5.78        | 40.40          | 54.00          | 13.60       | Horizontal | PASS    |
| 8         | 17991.95    | 31.77          | 13.68       | 45.45          | 54.00          | 8.55        | Horizontal | PASS    |

| Project Information          |                 |           |          |
|------------------------------|-----------------|-----------|----------|
| Mode:                        | 802.11ac80      | Band:     | U-UNII-1 |
| Bandwidth                    | 80MHz           | Channel   | 42       |
| IMEI:                        | 357116790000528 | Engineer: | 申状       |
| Remark:                      | Polarity: X     |           |          |
| Test Standard: FCC PART 15 E |                 |           |          |


### Test Graph



| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5174.98     | 42.97          | 13.90       | 56.87          | -              | -           | Vertical | NA      |
| 2         | 11592.37    | 41.90          | 5.61        | 47.51          | 74.00          | 26.49       | Vertical | PASS    |
| 3         | 12256.71    | 42.60          | 5.31        | 47.91          | 74.00          | 26.09       | Vertical | PASS    |
| 4         | 17844.36    | 39.06          | 13.75       | 52.81          | 74.00          | 21.19       | Vertical | PASS    |
| 5         | 5177.73     | 36.61          | 13.90       | 50.51          | -              | -           | Vertical | NA      |
| 6         | 11596.59    | 34.14          | 5.69        | 39.83          | 54.00          | 14.17       | Vertical | PASS    |
| 7         | 12387.81    | 35.08          | 6.01        | 41.09          | 54.00          | 12.91       | Vertical | PASS    |
| 8         | 17868.90    | 31.62          | 13.75       | 45.37          | 54.00          | 8.63        | Vertical | PASS    |

| Project Information          |                 |           |           |
|------------------------------|-----------------|-----------|-----------|
| Mode:                        | 802.11ac80      | Band:     | U-UNII-2A |
| Bandwidth                    | 80MHz           | Channel   | 58        |
| IMEI:                        | 357116790000528 | Engineer: | 申状        |
| Remark:                      | Polarity: X     |           |           |
| Test Standard: FCC PART 15 E |                 |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5374.37     | 49.11          | 14.64       | 63.75          | -              | -           | Horizontal | NA      |
| 2         | 11013.52    | 42.76          | 4.82        | 47.58          | 74.00          | 26.42       | Horizontal | PASS    |
| 3         | 12405.83    | 41.64          | 6.14        | 47.78          | 74.00          | 26.22       | Horizontal | PASS    |
| 4         | 17990.80    | 39.52          | 13.65       | 53.17          | 74.00          | 20.83       | Horizontal | PASS    |
| 5         | 5374.64     | 36.39          | 14.64       | 51.03          | -              | -           | Horizontal | NA      |
| 6         | 11498.45    | 34.88          | 4.82        | 39.70          | 54.00          | 14.30       | Horizontal | PASS    |
| 7         | 12393.56    | 34.34          | 6.13        | 40.47          | 54.00          | 13.53       | Horizontal | PASS    |
| 8         | 17835.16    | 32.92          | 13.36       | 46.28          | 54.00          | 7.72        | Horizontal | PASS    |

| Project Information          |                 |           |           |
|------------------------------|-----------------|-----------|-----------|
| Mode:                        | 802.11ac80      | Band:     | U-UNII-2A |
| Bandwidth                    | 80MHz           | Channel   | 58        |
| IMEI:                        | 357116790000528 | Engineer: | 申状        |
| Remark:                      | Polarity: X     |           |           |
| Test Standard: FCC PART 15 E |                 |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5366.12     | 50.82          | 14.64       | 65.46          | -              | -           | Vertical | NA      |
| 2         | 11405.30    | 42.00          | 5.35        | 47.35          | 74.00          | 26.65       | Vertical | PASS    |
| 3         | 12380.15    | 41.62          | 5.85        | 47.47          | 74.00          | 26.53       | Vertical | PASS    |
| 4         | 17822.89    | 40.60          | 12.84       | 53.44          | 74.00          | 20.56       | Vertical | PASS    |
| 5         | 5366.39     | 37.21          | 14.64       | 51.85          | -              | -           | Vertical | NA      |
| 6         | 11432.13    | 34.91          | 5.19        | 40.10          | 54.00          | 13.90       | Vertical | PASS    |
| 7         | 12404.68    | 33.86          | 6.16        | 40.02          | 54.00          | 13.98       | Vertical | PASS    |
| 8         | 17889.21    | 32.17          | 13.48       | 45.65          | 54.00          | 8.35        | Vertical | PASS    |

| Project Information          |                 |           |           |
|------------------------------|-----------------|-----------|-----------|
| Mode:                        | 802.11ac80      | Band:     | U-UNII-2C |
| Bandwidth                    | 80MHz           | Channel   | 106       |
| IMEI:                        | 357116790000528 | Engineer: | 申状        |
| Remark:                      | Polarity: X     |           |           |
| Test Standard: FCC PART 15 E |                 |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5465.40     | 46.93          | 14.45       | 61.38          | -              | -           | Horizontal | NA      |
| 2         | 11475.83    | 42.59          | 4.93        | 47.52          | 74.00          | 26.48       | Horizontal | PASS    |
| 3         | 12266.29    | 42.57          | 5.23        | 47.80          | 74.00          | 26.20       | Horizontal | PASS    |
| 4         | 17995.02    | 39.70          | 13.72       | 53.42          | 74.00          | 20.58       | Horizontal | PASS    |
| 5         | 5464.85     | 35.52          | 14.45       | 49.97          | -              | -           | Horizontal | NA      |
| 6         | 11393.03    | 34.58          | 5.34        | 39.92          | 54.00          | 14.08       | Horizontal | PASS    |
| 7         | 12543.07    | 35.47          | 5.23        | 40.70          | 54.00          | 13.30       | Horizontal | PASS    |
| 8         | 17846.28    | 31.86          | 13.83       | 45.69          | 54.00          | 8.31        | Horizontal | PASS    |

| Project Information          |                 |           |           |
|------------------------------|-----------------|-----------|-----------|
| Mode:                        | 802.11ac80      | Band:     | U-UNII-2C |
| Bandwidth                    | 80MHz           | Channel   | 106       |
| IMEI:                        | 357116790000528 | Engineer: | 申状        |
| Remark:                      | Polarity: X     |           |           |
| Test Standard: FCC PART 15 E |                 |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5465.95     | 48.03          | 14.46       | 62.49          | -              | -           | Vertical | NA      |
| 2         | 11059.90    | 43.33          | 4.19        | 47.52          | 74.00          | 26.48       | Vertical | PASS    |
| 3         | 12378.61    | 42.01          | 5.82        | 47.83          | 74.00          | 26.17       | Vertical | PASS    |
| 4         | 17847.81    | 39.57          | 13.90       | 53.47          | 74.00          | 20.53       | Vertical | PASS    |
| 5         | 5463.20     | 36.24          | 14.44       | 50.68          | -              | -           | Vertical | NA      |
| 6         | 11060.29    | 37.86          | 4.19        | 42.05          | 54.00          | 11.95       | Vertical | PASS    |
| 7         | 12412.73    | 34.16          | 5.99        | 40.15          | 54.00          | 13.85       | Vertical | PASS    |
| 8         | 17847.04    | 31.92          | 13.86       | 45.78          | 54.00          | 8.22        | Vertical | PASS    |

| Project Information          |                 |           |           |
|------------------------------|-----------------|-----------|-----------|
| Mode:                        | 802.11ac80      | Band:     | U-UNII-2C |
| Bandwidth                    | 80MHz           | Channel   | 122       |
| IMEI:                        | 357116790000528 | Engineer: | 申状        |
| Remark:                      | Polarity: X     |           |           |
| Test Standard: FCC PART 15 E |                 |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5643.06     | 40.37          | 14.93       | 55.30          | -              | -           | Horizontal | NA      |
| 2         | 11469.32    | 42.73          | 4.97        | 47.70          | 74.00          | 26.30       | Horizontal | PASS    |
| 3         | 12264.76    | 42.27          | 5.25        | 47.52          | 74.00          | 26.48       | Horizontal | PASS    |
| 4         | 17987.73    | 39.01          | 13.61       | 52.62          | 74.00          | 21.38       | Horizontal | PASS    |
| 5         | 5637.28     | 32.96          | 14.91       | 47.87          | -              | -           | Horizontal | NA      |
| 6         | 11489.63    | 35.08          | 4.86        | 39.94          | 54.00          | 14.06       | Horizontal | PASS    |
| 7         | 12401.23    | 34.09          | 6.24        | 40.33          | 54.00          | 13.67       | Horizontal | PASS    |
| 8         | 17989.65    | 31.90          | 13.64       | 45.54          | 54.00          | 8.46        | Horizontal | PASS    |

| Project Information          |                 |           |           |
|------------------------------|-----------------|-----------|-----------|
| Mode:                        | 802.11ac80      | Band:     | U-UNII-2C |
| Bandwidth                    | 80MHz           | Channel   | 122       |
| IMEI:                        | 357116790000528 | Engineer: | 申状        |
| Remark:                      | Polarity: X     |           |           |
| Test Standard: FCC PART 15 E |                 |           |           |

### Test Graph



| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5634.26     | 40.10          | 14.90       | 55.00          | -              | -           | Vertical | NA      |
| 2         | 11343.19    | 42.55          | 4.98        | 47.53          | 74.00          | 26.47       | Vertical | PASS    |
| 3         | 12068.87    | 42.35          | 5.34        | 47.69          | 74.00          | 26.31       | Vertical | PASS    |
| 4         | 17887.68    | 39.45          | 13.50       | 52.95          | 74.00          | 21.05       | Vertical | PASS    |
| 5         | 5636.46     | 32.87          | 14.91       | 47.78          | -              | -           | Vertical | NA      |
| 6         | 11220.14    | 37.70          | 4.71        | 42.41          | 54.00          | 11.59       | Vertical | PASS    |
| 7         | 12022.10    | 34.40          | 5.32        | 39.72          | 54.00          | 14.28       | Vertical | PASS    |
| 8         | 17995.02    | 32.30          | 13.72       | 46.02          | 54.00          | 7.98        | Vertical | PASS    |