


Project Information			
Mode:	802.11ac80	Band:	U-UNII-3
Bandwidth	80MHz	Channel	155
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5713.46	48.17	15.77	63.94	-	-	Horizontal	NA
2	11375.40	42.88	5.21	48.09	74.00	25.91	Horizontal	PASS
3	12114.49	43.20	5.06	48.26	74.00	25.74	Horizontal	PASS
4	17851.65	39.08	13.97	53.05	74.00	20.95	Horizontal	PASS
5	5712.91	37.34	15.77	53.11	-	-	Horizontal	NA
6	11560.17	35.01	5.06	40.07	54.00	13.93	Horizontal	PASS
7	12258.24	35.20	5.30	40.50	54.00	13.50	Horizontal	PASS
8	17979.30	31.72	13.49	45.21	54.00	8.79	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-UNII-3
Bandwidth	80MHz	Channel	155
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5713.74	46.33	15.77	62.10	-	-	Vertical	NA
2	11588.54	41.98	5.56	47.54	74.00	26.46	Vertical	PASS
3	12654.62	41.48	6.15	47.63	74.00	26.37	Vertical	PASS
4	17988.50	39.27	13.62	52.89	74.00	21.11	Vertical	PASS
5	5703.56	36.08	15.80	51.88	-	-	Vertical	NA
6	11550.20	35.68	4.89	40.57	54.00	13.43	Vertical	PASS
7	12658.84	34.31	6.14	40.45	54.00	13.55	Vertical	PASS
8	17860.85	31.73	13.85	45.58	54.00	8.42	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	144
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5727.96	76.88	14.91	91.79	-	-	Horizontal	NA
2	10957.93	35.83	5.12	40.95	54.00	13.05	Horizontal	PASS
3	12057.37	35.72	5.40	41.12	54.00	12.88	Horizontal	PASS
4	17980.45	33.25	13.51	46.76	54.00	7.24	Horizontal	PASS
5	5728.51	82.25	14.91	97.16	-	-	Horizontal	NA
6	10967.13	43.14	5.10	48.24	74.00	25.76	Horizontal	PASS
7	12051.62	42.76	5.42	48.18	74.00	25.82	Horizontal	PASS
8	17986.20	39.66	13.59	53.25	74.00	20.75	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	144
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5727.96	73.37	14.91	88.28	-	-	Vertical	NA
2	11440.18	36.57	5.13	41.70	54.00	12.30	Vertical	PASS
3	12403.91	35.18	6.18	41.36	54.00	12.64	Vertical	PASS
4	17856.25	32.53	13.91	46.44	54.00	7.56	Vertical	PASS
5	5727.77	78.13	14.91	93.04	-	-	Vertical	NA
6	11434.81	42.70	5.17	47.87	74.00	26.13	Vertical	PASS
7	12415.80	42.87	5.94	48.81	74.00	25.19	Vertical	PASS
8	17901.10	39.55	13.33	52.88	74.00	21.12	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	144
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5728.69	79.10	14.91	94.01	-	-	Horizontal	NA
2	11429.45	35.45	5.20	40.65	54.00	13.35	Horizontal	PASS
3	12046.63	35.66	5.42	41.08	54.00	12.92	Horizontal	PASS
4	17995.40	33.13	13.72	46.85	54.00	7.15	Horizontal	PASS
5	5728.32	84.13	14.91	99.04	-	-	Horizontal	NA
6	11478.90	43.41	4.92	48.33	74.00	25.67	Horizontal	PASS
7	12079.22	42.82	5.29	48.11	74.00	25.89	Horizontal	PASS
8	17940.96	39.95	13.11	53.06	74.00	20.94	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	144
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5728.69	75.64	14.91	90.55	-	-	Vertical	NA
2	11105.90	36.37	4.09	40.46	54.00	13.54	Vertical	PASS
3	12407.36	35.22	6.11	41.33	54.00	12.67	Vertical	PASS
4	17985.43	32.98	13.58	46.56	54.00	7.44	Vertical	PASS
5	5728.32	80.39	14.91	95.30	-	-	Vertical	NA
6	10965.98	43.31	5.10	48.41	74.00	25.59	Vertical	PASS
7	12472.92	42.93	5.34	48.27	74.00	25.73	Vertical	PASS
8	17883.85	40.67	13.55	54.22	74.00	19.78	Vertical	PASS

Project Information			
Mode:	802.11n40	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	142
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5727.41	73.48	14.91	88.39	-	-	Horizontal	NA
2	10911.55	35.93	4.86	40.79	54.00	13.21	Horizontal	PASS
3	12654.62	35.41	6.15	41.56	54.00	12.44	Horizontal	PASS
4	17985.43	33.20	13.58	46.78	54.00	7.22	Horizontal	PASS
5	5727.59	77.96	14.91	92.87	-	-	Horizontal	NA
6	10802.68	43.52	4.34	47.86	74.00	26.14	Horizontal	PASS
7	12708.67	42.78	5.86	48.64	68.20	19.56	Horizontal	PASS
8	17985.43	40.03	13.58	53.61	74.00	20.39	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	142
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5727.59	69.32	14.91	84.23	-	-	Vertical	NA
2	11420.25	36.61	5.26	41.87	54.00	12.13	Vertical	PASS
3	12420.78	35.48	5.83	41.31	54.00	12.69	Vertical	PASS
4	17848.19	32.05	13.92	45.97	54.00	8.03	Vertical	PASS
5	5727.59	73.78	14.91	88.69	-	-	Vertical	NA
6	11491.55	43.51	4.86	48.37	74.00	25.63	Vertical	PASS
7	12433.43	42.07	5.57	47.64	74.00	26.36	Vertical	PASS
8	17845.51	39.78	13.80	53.58	74.00	20.42	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-UNII-2C
Bandwidth	80MHz	Channel	138
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5727.96	65.22	14.91	80.13	-	-	Horizontal	NA
2	11401.46	35.28	5.38	40.66	54.00	13.34	Horizontal	PASS
3	12400.46	35.09	6.25	41.34	54.00	12.66	Horizontal	PASS
4	17976.23	33.08	13.44	46.52	54.00	7.48	Horizontal	PASS
5	5727.41	70.69	14.91	85.60	-	-	Horizontal	NA
6	11462.42	42.94	5.01	47.95	74.00	26.05	Horizontal	PASS
7	12407.36	42.45	6.11	48.56	74.00	25.44	Horizontal	PASS
8	17864.68	39.80	13.80	53.60	74.00	20.40	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-UNII-2C
Bandwidth	80MHz	Channel	138
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 E			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5727.96	62.10	14.91	77.01	-	-	Vertical	NA
2	11380.00	36.56	5.25	41.81	54.00	12.19	Vertical	PASS
3	12264.76	35.74	5.25	40.99	54.00	13.01	Vertical	PASS
4	17863.53	32.71	13.82	46.53	54.00	7.47	Vertical	PASS
5	5727.59	67.05	14.91	81.96	-	-	Vertical	NA
6	11386.13	42.55	5.29	47.84	74.00	26.16	Vertical	PASS
7	12017.50	42.89	5.30	48.19	74.00	25.81	Vertical	PASS
8	17998.08	39.78	13.76	53.54	74.00	20.46	Vertical	PASS

Radiated Band Edge Test Result

Project Information			
Mode:	802.11a	Band:	U-UNII-1
Bandwidth	20MHz	Channel	36
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:17		
Test Standard: FCC Part 15.407			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	5127.54	35.09	12.32	47.41	54.00	6.59	Horizontal	PASS
2	5146.04	33.63	12.45	46.08	54.00	7.92	Horizontal	PASS
3	5148.80	35.07	12.48	47.55	54.00	6.45	Horizontal	PASS
4	5127.54	45.92	12.32	58.24	74.00	15.76	Horizontal	PASS
5	5146.01	52.44	12.45	64.89	74.00	9.11	Horizontal	PASS
6	5149.91	52.16	12.48	64.64	74.00	9.36	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-1
Bandwidth	20MHz	Channel	36
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:17		
Test Standard: FCC Part 15.407			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5127.76	36.50	12.32	48.82	54.00	5.18	Vertical	PASS
2	5144.35	34.88	12.44	47.32	54.00	6.68	Vertical	PASS
3	5149.97	37.06	12.48	49.54	54.00	4.46	Vertical	PASS
4	5127.08	45.55	12.32	57.87	74.00	16.13	Vertical	PASS
5	5144.31	54.52	12.44	66.96	74.00	7.04	Vertical	PASS
6	5148.80	55.33	12.48	67.81	74.00	6.19	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	64
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:17.5		
Test Standard: FCC Part 15.407			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5350.84	36.64	12.69	49.33	54.00	4.67	Horizontal	PASS
2	5353.15	34.80	12.69	47.49	54.00	6.51	Horizontal	PASS
3	5372.33	35.71	12.81	48.52	54.00	5.48	Horizontal	PASS
4	5350.55	53.33	12.68	66.01	74.00	7.99	Horizontal	PASS
5	5353.77	51.79	12.70	64.49	74.00	9.51	Horizontal	PASS
6	5372.07	45.09	12.81	57.90	74.00	16.10	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	64
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:17.5		
Test Standard: FCC Part 15.407			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5350.32	37.47	12.68	50.15	54.00	3.85	Vertical	PASS
2	5352.47	36.36	12.70	49.06	54.00	4.94	Vertical	PASS
3	5371.88	35.90	12.81	48.71	54.00	5.29	Vertical	PASS
4	5350.26	56.23	12.68	68.91	74.00	5.09	Vertical	PASS
5	5353.93	53.14	12.70	65.84	74.00	8.16	Vertical	PASS
6	5372.95	46.25	12.81	59.06	74.00	14.94	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	100
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:16		
Test Standard: FCC Part 15.407			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5457.11	43.93	12.75	56.68	74.00	17.32	Horizontal	PASS
2	5466.96	46.23	12.91	59.14	68.20	9.06	Horizontal	PASS
3	5469.57	45.94	12.96	58.90	68.20	9.30	Horizontal	PASS
4	5454.47	31.87	12.72	44.59	54.00	9.41	Horizontal	PASS
5	5457.05	31.69	12.75	44.44	54.00	9.56	Horizontal	PASS
6	5459.24	31.93	12.79	44.72	54.00	9.28	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	100
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:16		
Test Standard: FCC Part 15.407			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5459.69	43.66	12.80	56.46	74.00	17.54	Vertical	PASS
2	5466.90	47.53	12.91	60.44	68.20	7.76	Vertical	PASS
3	5469.93	47.51	12.96	60.47	68.20	7.73	Vertical	PASS
4	5453.54	32.27	12.70	44.97	54.00	9.03	Vertical	PASS
5	5458.37	31.92	12.78	44.70	54.00	9.30	Vertical	PASS
6	5459.93	31.69	12.80	44.49	54.00	9.51	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	140
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:18		
Test Standard: FCC Part 15.407			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5856.71	39.57	13.31	52.88	68.20	15.32	Horizontal	PASS
2	5872.22	39.26	13.46	52.72	68.20	15.48	Horizontal	PASS
3	5909.59	39.17	13.80	52.97	68.20	15.23	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	140
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:18		
Test Standard: FCC Part 15.407			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5855.78	39.27	13.30	52.57	68.20	15.63	Vertical	PASS
2	5880.59	39.90	13.54	53.44	68.20	14.76	Vertical	PASS
3	5898.73	40.10	13.72	53.82	68.20	14.38	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	U-UNII-3
Bandwidth	20MHz	Channel	149
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:17		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11a	Band:	U-UNII-3
Bandwidth	20MHz	Channel	149
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:17		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11a	Band:	U-UNII-3
Bandwidth	20MHz	Channel	165
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:17		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11a	Band:	U-UNII-3
Bandwidth	20MHz	Channel	165
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:17		
Test Standard: FCC Part15 407			

Test Graph



Project Information			
Mode:	802.11n20	Band:	U-UNII-1
Bandwidth	20MHz	Channel	36
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:16.5		
Test Standard: FCC Part 15.407			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5128.67	35.14	12.33	47.47	54.00	6.53	Horizontal	PASS
2	5147.34	33.32	12.46	45.78	54.00	8.22	Horizontal	PASS
3	5149.78	34.78	12.48	47.26	54.00	6.74	Horizontal	PASS
4	5128.54	44.85	12.33	57.18	74.00	16.82	Horizontal	PASS
5	5147.31	48.75	12.46	61.21	74.00	12.79	Horizontal	PASS
6	5149.74	51.13	12.48	63.61	74.00	10.39	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	U-UNII-1
Bandwidth	20MHz	Channel	36
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:16.5		
Test Standard: FCC Part 15.407			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5128.22	36.70	12.32	49.02	54.00	4.98	Vertical	PASS
2	5148.57	35.49	12.47	47.96	54.00	6.04	Vertical	PASS
3	5149.65	35.71	12.48	48.19	54.00	5.81	Vertical	PASS
4	5128.58	45.78	12.33	58.11	74.00	15.89	Vertical	PASS
5	5148.54	52.82	12.47	65.29	74.00	8.71	Vertical	PASS
6	5149.61	54.16	12.48	66.64	74.00	7.36	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	64
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:17.5		
Test Standard: FCC Part 15.407			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5350.03	37.71	12.68	50.39	54.00	3.61	Horizontal	PASS
2	5352.01	37.42	12.70	50.12	54.00	3.88	Horizontal	PASS
3	5371.81	35.60	12.81	48.41	54.00	5.59	Horizontal	PASS
4	5350.65	53.88	12.69	66.57	74.00	7.43	Horizontal	PASS
5	5351.65	53.98	12.69	66.67	74.00	7.33	Horizontal	PASS
6	5371.59	45.95	12.81	58.76	74.00	15.24	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	64
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:17.5		
Test Standard: FCC Part 15.407			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.26	38.21	12.68	50.89	54.00	3.11	Vertical	PASS
2	5353.67	36.72	12.70	49.42	54.00	4.58	Vertical	PASS
3	5371.42	36.48	12.81	49.29	54.00	4.71	Vertical	PASS
4	5350.29	55.87	12.68	68.55	74.00	5.45	Vertical	PASS
5	5353.38	55.67	12.70	68.37	74.00	5.63	Vertical	PASS
6	5371.65	46.19	12.81	59.00	74.00	15.00	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	100
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:16		
Test Standard: FCC Part 15.407			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5453.27	44.05	12.69	56.74	74.00	17.26	Horizontal	PASS
2	5464.83	45.42	12.88	58.30	68.20	9.90	Horizontal	PASS
3	5468.58	47.76	12.94	60.70	68.20	7.50	Horizontal	PASS
4	5453.72	32.03	12.70	44.73	54.00	9.27	Horizontal	PASS
5	5456.60	31.83	12.75	44.58	54.00	9.42	Horizontal	PASS
6	5459.63	31.73	12.80	44.53	54.00	9.47	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	100
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:16		
Test Standard: FCC Part 15.407			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5463.75	44.72	12.86	57.58	68.20	10.62	Vertical	PASS
2	5465.70	46.96	12.89	59.85	68.20	8.35	Vertical	PASS
3	5469.36	51.21	12.96	64.17	68.20	4.03	Vertical	PASS
4	5452.64	32.05	12.69	44.74	54.00	9.26	Vertical	PASS
5	5456.06	31.87	12.74	44.61	54.00	9.39	Vertical	PASS
6	5458.37	32.07	12.78	44.85	54.00	9.15	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	140
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:18		
Test Standard: FCC Part 15.407			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5859.65	39.94	13.33	53.27	68.20	14.93	Horizontal	PASS
2	5908.97	39.84	13.80	53.64	68.20	14.56	Horizontal	PASS
3	5925.25	39.62	13.91	53.53	68.20	14.67	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	140
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:18		
Test Standard: FCC Part 15.407			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5870.67	39.96	13.44	53.40	68.20	14.80	Vertical	PASS
2	5909.90	39.80	13.80	53.60	68.20	14.60	Vertical	PASS
3	5921.53	39.39	13.88	53.27	68.20	14.93	Vertical	PASS


Project Information			
Mode:	802.11n20	Band:	U-UNII-3
Bandwidth	20MHz	Channel	149
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:17		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11n20	Band:	U-UNII-3
Bandwidth	20MHz	Channel	149
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:17		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11n20	Band:	U-UNII-3
Bandwidth	20MHz	Channel	165
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:17		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11n20	Band:	U-UNII-3
Bandwidth	20MHz	Channel	165
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:17		
Test Standard: FCC Part15 407			

Test Graph



Project Information			
Mode:	802.11n40	Band:	U-UNII-1
Bandwidth	40MHz	Channel	38
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:16		
Test Standard: FCC Part 15.407			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5143.96	31.74	12.44	44.18	54.00	9.82	Horizontal	PASS
2	5147.71	33.11	12.46	45.57	54.00	8.43	Horizontal	PASS
3	5149.87	33.83	12.48	46.31	54.00	7.69	Horizontal	PASS
4	5143.92	51.80	12.44	64.24	74.00	9.76	Horizontal	PASS
5	5147.07	51.29	12.46	63.75	74.00	10.25	Horizontal	PASS
6	5149.79	52.11	12.48	64.59	74.00	9.41	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	U-UNII-1
Bandwidth	40MHz	Channel	38
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:16		
Test Standard: FCC Part 15.407			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5142.56	33.77	12.43	46.20	54.00	7.80	Vertical	PASS
2	5147.66	35.65	12.46	48.11	54.00	5.89	Vertical	PASS
3	5149.79	35.46	12.48	47.94	54.00	6.06	Vertical	PASS
4	5144.05	54.78	12.44	67.22	74.00	6.78	Vertical	PASS
5	5147.20	54.82	12.46	67.28	74.00	6.72	Vertical	PASS
6	5149.79	56.38	12.48	68.86	74.00	5.14	Vertical	PASS

Project Information			
Mode:	802.11n40	Band:	U-UNII-2A
Bandwidth	40MHz	Channel	62
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:16		
Test Standard: FCC Part 15.407			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5350.21	36.77	12.68	49.45	54.00	4.55	Horizontal	PASS
2	5351.91	35.96	12.69	48.65	54.00	5.35	Horizontal	PASS
3	5354.76	35.22	12.71	47.93	54.00	6.07	Horizontal	PASS
4	5351.06	54.94	12.69	67.63	74.00	6.37	Horizontal	PASS
5	5352.59	56.29	12.69	68.98	74.00	5.02	Horizontal	PASS
6	5354.72	54.43	12.71	67.14	74.00	6.86	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	U-UNII-2A
Bandwidth	40MHz	Channel	62
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:16		
Test Standard: FCC Part 15.407			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5350.42	37.88	12.68	50.56	54.00	3.44	Vertical	PASS
2	5353.02	36.14	12.69	48.83	54.00	5.17	Vertical	PASS
3	5355.27	34.83	12.71	47.54	54.00	6.46	Vertical	PASS
4	5350.38	56.88	12.68	69.56	74.00	4.44	Vertical	PASS
5	5352.97	55.64	12.69	68.33	74.00	5.67	Vertical	PASS
6	5355.87	54.11	12.72	66.83	74.00	7.17	Vertical	PASS

Project Information			
Mode:	802.11n40	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	102
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:15		
Test Standard: FCC Part 15.407			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5464.97	45.04	12.88	57.92	68.20	10.28	Horizontal	PASS
2	5467.33	46.10	12.92	59.02	68.20	9.18	Horizontal	PASS
3	5469.45	46.00	12.96	58.96	68.20	9.24	Horizontal	PASS
4	5452.48	27.68	12.68	40.36	54.00	13.64	Horizontal	PASS
5	5457.24	27.82	12.75	40.57	54.00	13.43	Horizontal	PASS
6	5459.68	27.99	12.80	40.79	54.00	13.21	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	102
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:15		
Test Standard: FCC Part 15.407			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5464.49	48.57	12.88	61.45	68.20	6.75	Vertical	PASS
2	5467.01	46.41	12.91	59.32	68.20	8.88	Vertical	PASS
3	5469.33	48.72	12.96	61.68	68.20	6.52	Vertical	PASS
4	5455.84	27.93	12.74	40.67	54.00	13.33	Vertical	PASS
5	5457.40	27.94	12.76	40.70	54.00	13.30	Vertical	PASS
6	5458.96	28.35	12.78	41.13	54.00	12.87	Vertical	PASS

Project Information			
Mode:	802.11n40	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	134
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:18		
Test Standard: FCC Part 15.407			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5872.36	40.53	13.46	53.99	68.20	14.21	Horizontal	PASS
2	5902.65	39.68	13.75	53.43	68.20	14.77	Horizontal	PASS
3	5927.86	39.91	13.93	53.84	68.20	14.36	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	134
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:18		
Test Standard: FCC Part 15.407			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5856.25	39.12	13.30	52.42	68.20	15.78	Vertical	PASS
2	5876.04	39.88	13.50	53.38	68.20	14.82	Vertical	PASS
3	5914.73	39.98	13.84	53.82	68.20	14.38	Vertical	PASS


Project Information			
Mode:	802.11n40	Band:	U-UNII-3
Bandwidth	40MHz	Channel	151
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:17		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11n40	Band:	U-UNII-3
Bandwidth	40MHz	Channel	151
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:17		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11n40	Band:	U-UNII-3
Bandwidth	40MHz	Channel	159
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:17		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11n40	Band:	U-UNII-3
Bandwidth	40MHz	Channel	159
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:17		
Test Standard: FCC Part15 407			

Test Graph



Project Information			
Mode:	802.11ac80	Band:	U-UNII-1
Bandwidth	80MHz	Channel	42
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:17		
Test Standard: FCC Part 15.407			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5142.26	35.11	12.43	47.54	54.00	6.46	Horizontal	PASS
2	5145.01	35.88	12.45	48.33	54.00	5.67	Horizontal	PASS
3	5149.57	36.85	12.48	49.33	54.00	4.67	Horizontal	PASS
4	5142.32	50.50	12.43	62.93	74.00	11.07	Horizontal	PASS
5	5147.26	52.56	12.46	65.02	74.00	8.98	Horizontal	PASS
6	5149.57	53.57	12.48	66.05	74.00	7.95	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-UNII-1
Bandwidth	80MHz	Channel	42
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:17		
Test Standard: FCC Part 15.407			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5143.38	36.10	12.43	48.53	54.00	5.47	Vertical	PASS
2	5147.14	37.30	12.46	49.76	54.00	4.24	Vertical	PASS
3	5149.39	38.16	12.48	50.64	54.00	3.36	Vertical	PASS
4	5143.70	51.93	12.43	64.36	74.00	9.64	Vertical	PASS
5	5146.95	54.35	12.46	66.81	74.00	7.19	Vertical	PASS
6	5149.82	55.61	12.48	68.09	74.00	5.91	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-UNII-2A
Bandwidth	80MHz	Channel	58
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:15.5		
Test Standard: FCC Part 15.407			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5350.61	36.05	12.68	48.73	54.00	5.27	Horizontal	PASS
2	5363.87	33.65	12.76	46.41	54.00	7.59	Horizontal	PASS
3	5366.62	32.81	12.78	45.59	54.00	8.41	Horizontal	PASS
4	5350.43	49.14	12.68	61.82	74.00	12.18	Horizontal	PASS
5	5363.37	48.90	12.75	61.65	74.00	12.35	Horizontal	PASS
6	5368.25	49.98	12.78	62.76	74.00	11.24	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-UNII-2A
Bandwidth	80MHz	Channel	58
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:15.5		
Test Standard: FCC Part 15.407			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5350.55	36.66	12.68	49.34	54.00	4.66	Vertical	PASS
2	5356.68	35.35	12.72	48.07	54.00	5.93	Vertical	PASS
3	5366.18	34.26	12.78	47.04	54.00	6.96	Vertical	PASS
4	5350.43	49.80	12.68	62.48	74.00	11.52	Vertical	PASS
5	5361.31	50.47	12.75	63.22	74.00	10.78	Vertical	PASS
6	5365.75	51.16	12.77	63.93	74.00	10.07	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-UNII-2C
Bandwidth	80MHz	Channel	106
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:16		
Test Standard: FCC Part 15.407			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5464.83	48.20	12.88	61.08	68.20	7.12	Horizontal	PASS
2	5466.99	49.32	12.91	62.23	68.20	5.97	Horizontal	PASS
3	5469.63	49.56	12.96	62.52	68.20	5.68	Horizontal	PASS
4	5453.54	30.11	12.70	42.81	54.00	11.19	Horizontal	PASS
5	5456.54	29.94	12.75	42.69	54.00	11.31	Horizontal	PASS
6	5458.28	30.80	12.77	43.57	54.00	10.43	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-UNII-2C
Bandwidth	80MHz	Channel	106
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:16		
Test Standard: FCC Part 15.407			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5463.51	48.12	12.86	60.98	68.20	7.22	Vertical	PASS
2	5466.21	49.27	12.91	62.18	68.20	6.02	Vertical	PASS
3	5469.69	50.22	12.96	63.18	68.20	5.02	Vertical	PASS
4	5454.38	30.77	12.71	43.48	54.00	10.52	Vertical	PASS
5	5455.88	30.54	12.74	43.28	54.00	10.72	Vertical	PASS
6	5458.46	31.46	12.78	44.24	54.00	9.76	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-UNII-2C
Bandwidth	80MHz	Channel	122
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:16		
Test Standard: FCC Part 15.407			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5856.31	39.68	13.30	52.98	68.20	15.22	Horizontal	PASS
2	5879.97	39.87	13.53	53.40	68.20	14.80	Horizontal	PASS
3	5955.90	39.96	14.03	53.99	68.20	14.21	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-UNII-2C
Bandwidth	80MHz	Channel	122
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:16		
Test Standard: FCC Part 15.407			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5852.87	39.45	13.27	52.72	68.20	15.48	Vertical	PASS
2	5882.12	40.00	13.55	53.55	68.20	14.65	Vertical	PASS
3	5906.43	39.68	13.77	53.45	68.20	14.75	Vertical	PASS


Project Information			
Mode:	802.11ac80	Band:	U-UNII-3
Bandwidth	80MHz	Channel	155
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:15		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11ac80	Band:	U-UNII-3
Bandwidth	80MHz	Channel	155
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X Power:15		
Test Standard: FCC Part15 407			

Test Graph



Project Information			
Mode:	802.11a	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	144
IMEI:	357116790000528	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC Part 15.407			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5860.88	44.70	13.35	58.05	68.20	10.15	Horizontal	PASS
2	5907.44	44.52	13.78	58.30	68.20	9.90	Horizontal	PASS
3	5959.52	44.05	13.99	58.04	68.20	10.16	Horizontal	PASS