

EXTERNAL PHOTOS OF TESTED EUT

iPP250-01Txxxxx



**iPP220-01Txxxxx**



**iPP220-01Txxxxx & iPP250-01Txxxxx & iPP280-01Txxxxx**



**RJ45 Connector with plastic cover**



**RJ45 Connector without plastic cover**

**Configuration n°1 :**

Communication access: - USB

Power supply: - (5Vdc) Provided by ICT220 Equipment (Auxilliary Equipment)  
ICT220 is powered by a Power supply adapter Type: 152810 (SAGEM MONETEL)

Option Cable: - Ref: 296110769 (16/10) "Untwisted"



**Configuration n2**

Communication access: - USB

Power supply: - (5Vdc) Provided by ICT220 Equipment (Auxilliary Equipment)  
ICT220 is powered by a Power supply adapter Type 152810 (SAGEM MONETEL)

Option Cable: - Ref: INGH-296101129 "twisted"



**Configuration n3**

Communication access : - USB

Power supply : - Power supply adapter Type FW7650L/05 (SAGEM MONETEL) "5Vdc"

Option Cable : - Ref: 296107803 (11/10)



**Configuration n°4**

Communication access : - RJ11

Power supply : - Power through AC/DC power supply adapter type "8Vdc"

Option Cable : - Ref: 296110706 (16/10)

Remark : - Power supply (SAGEM AD5632)

- In this configuration permits to emulate a 8Vdc power supply source

