



PRODUCT LABELING

FCC ID / IC number label

IUI120 / Option Bluetooth Ref : IUI120-01T2661


IUI1XX-XXXXXXXX	<i>ingenico</i>
Terminal Ref Bar-Code	CE
Terminal Bar-Code Serial N°	
Serial N° YYDDDPPTXXXXXXXX 10-45V MAX 2A Made in:	XX


BT Adr Bar-Code Serial N°	
BT Adr.:	C US

MAC Adr:	MODEL: IUI120-01T2661
MAC Adr: Bar-Code	
FCC ID: XKB-IUI12X-RF IC: 2586D-IUI12XRFB	


IUI120 / Option Bluetooth + Module Approuvé GPRS

Ref : IUI120-01T2662

IUI1XX-XXXXXXXX	<i>ingenico</i>
Terminal Ref Bar-Code	CE
Terminal Bar-Code Serial N°	
Serial N° YYDDDPPTXXXXXXXX 10-45V MAX 2A Made in:	XX

IMEI:	
IMEI Bar-Code	
BT Adr Bar-Code Serial N°	
BT Adr.:	C US

MAC Adr:	MODEL: IUI120-01T2662
MAC Adr: Bar-Code	
FCC ID: XKB-IUI12X-RF Contains FCC ID: VW3HILOV2 IC: 2586D-IUI12XRFB Contains IC: 9140A-HILOV2	



Color: White RAL9010
Adhésive one side: permanent UL969 certified
Material: Vynil or Polyester, thickness 50 to 100 μm UL969 certified

FCC ID: XKB-IUI12X-RF
IC: 2586D-IUI12XRFB

Localization :

