

REMOTE UNIT LOW POWER VARIANTS

<i>Commercial name</i>	<i>Description</i>	
REMOTE UNIT LOW POWER		
TRUxxxxxcL/zz-kkkj	TRU	Teko Telecom Remote Unit
	xxxxx =	<p>Operating band:</p> <p>7S: SMR700 (UL: 698-716+776-787MHz) DL: 728-757MHz)</p> <p>7P: Public Safety 700 (DL: 763-775MHz; UL: 793-805MHz)</p> <p>8S: SMR800 (DL: 851-869MHz; UL: 806-824MHz)</p> <p>8A: AMPS (DL: 869-894MHz; UL: 824-849MHz)</p> <p>9S: SMR900 (DL: 935-941MHz; UL: 896-902MHz)</p> <p>19: PCS1900 (DL: 1930-1995MHz; UL: 1850-1915MHz)</p> <p>AW: AWS2100 (DL: 2110-2155MHz; UL: 1710-1755MHz)</p> <p><i>and combination of these</i></p>
	c =	<p>RF Connector:</p> <p>W: wideband D: duplexed B: bi duplexed N: no duplexed S: single connector</p>
	L =	L: low power
	zz =	<p>Power supply:</p> <p>AC: Power Supply: 85-264Vac, 50-60Hz 48: Power Supply: 36-72Vdc</p>

	<p>kkk =</p>	<p>Laser version:</p> <p>Without option: NO WDM</p> <p>Termocontrolled laser version:</p> <p>W21: $\lambda = 1560,61\text{nm}$ W23: $\lambda = 1558,98\text{nm}$ W25: $\lambda = 1557,36\text{nm}$ W27: $\lambda = 1555,75\text{nm}$ W29: $\lambda = 1554,13\text{nm}$ W31: $\lambda = 1552,52\text{nm}$ W: $\lambda = 1550,92\text{nm}$ W35: $\lambda = 1549,32\text{nm}$ W37: $\lambda = 1547,72\text{nm}$</p> <p>No termocontrolled laser version:</p> <p>M11: $\lambda = 1470 \pm 3 \text{ nm}$ M12: $\lambda = 1490 \pm 3 \text{ nm}$ M13: $\lambda = 1510 \pm 3 \text{ nm}$ M14: $\lambda = 1530 \pm 3 \text{ nm}$ W : $\lambda = 1550 \pm 3 \text{ nm}$ (standard version) M16: $\lambda = 1570 \pm 3 \text{ nm}$ M17: $\lambda = 1590 \pm 3 \text{ nm}$ M18: $\lambda = 1610 \pm 3 \text{ nm}$</p>
	<p>j =</p>	<p>Optical connector:</p> <p>S: SC-APC E: E-2000</p>