



11N40SISO_Ant1_5710_UNII-2C




11N40SISO_Ant1_5710_UNII-3




11N40SISO_Ant1_5755




11N40SISO_Ant1_5795




11A20SISO_Ant1_5180




11A20SISO_Ant1_5220




11AC20SISO_Ant1_5240




11AC20SISO_Ant1_5260



11AC20SISO_Ant1_5300




11AC20SISO_Ant1_5320



11AC20SISO_Ant1_5500




11AC20SISO_Ant1_5580




11AC20SISO_Ant1_5720_UNII-2C




11AC20SISO_Ant1_5720_UNII-3



11AC20SISO_Ant1_5745



11AC20SISO_Ant1_5785



11AC20SISO_Ant1_5825




11AC40SISO_Ant1_5190




11AC40SISO_Ant1_5230




11AC40SISO_Ant1_5270




11AC40SISO_Ant1_5310




11AC40SISO_Ant1_5510




11AC40SISO_Ant1_5550




11AC40SISO_Ant1_5710_UNII-2C




11AC40SISO_Ant1_5710_UNII-3



11AC40SISO_Ant1_5755



11AC40SISO_Ant1_5795



11AC80SISO_Ant1_5210



11AC80SISO_Ant1_5290



11AC80SISO_Ant1_5530



11AC80SISO_Ant1_5610



11AC80SISO_Ant1_5690_UNII-2C



11AC80SISO_Ant1_5690_UNII-3



11AC80SISO_Ant1_5775

6. Emissions in Restricted Bands

6.1. Test Result

TestMode	Antenna	ChName	Channel	Detector	Freq [MHz]	EIRP [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5180	AV	4500.000	-54.33	≤-41.20	PASS
				AV	5032.609	-51.15	≤-41.20	PASS
				AV	5150.000	-52.35	≤-41.20	PASS
				Peak	4500.000	-42.91	≤-21.20	PASS
				Peak	5149.275	-36.31	≤-21.20	PASS
				Peak	5150.000	-37.81	≤-21.20	PASS
		High	5320	AV	5350.000	-50.83	≤-41.20	PASS
				AV	5447.478	-50.45	≤-41.20	PASS
				AV	5460.000	-51.95	≤-41.20	PASS
				Peak	5350.000	-35.1	≤-21.20	PASS
				Peak	5350.087	-36.32	≤-21.20	PASS
				Peak	5460.000	-42.52	≤-21.20	PASS
		Low	5500	AV	5460.000	-49.56	≤-41.20	PASS
				AV	5469.826	-46.5	≤-41.20	PASS
				AV	5470.000	-46.63	≤-41.20	PASS
				Peak	5460.000	-34.75	≤-21.20	PASS
				Peak	5463.043	-31.7	≤-21.20	PASS
				Peak	5470.000	-33.72	≤-21.20	PASS
		High	5700	AV	5725.000	-46.71	≤-41.20	PASS
				AV	5727.043	-46.67	≤-41.20	PASS
				AV	5735.000	-50.26	≤-41.20	PASS
				Peak	5725.000	-34.55	≤-21.20	PASS
				Peak	5725.043	-34.55	≤-21.20	PASS
				Peak	5735.000	-38.99	≤-21.20	PASS
		Low	5745	Peak	5650.000	-45.17	≤-27.00	PASS
				Peak	5700.000	-44.06	≤10.00	PASS
				Peak	5720.000	-36.9	≤15.60	PASS
				Peak	5725.000	-30.43	≤27.00	PASS
		High	5825	Peak	5850.000	-32.6	≤15.60	PASS
				Peak	5855.000	-35.02	≤27.00	PASS
Peak	5875.000			-40.94	≤15.60	PASS		
Peak	5925.000			-42.36	≤10.00	PASS		
11N20SISO	Ant1	Low	5180	AV	4500.000	-54.01	≤-41.20	PASS
				AV	5149.275	-45.28	≤-41.20	PASS
				AV	5150.000	-44.74	≤-41.20	PASS
				Peak	4500.000	-44.01	≤-21.20	PASS
				Peak	5147.246	-26.18	≤-21.20	PASS
				Peak	5150.000	-25.55	≤-21.20	PASS
		High	5320	AV	5350.000	-49.76	≤-41.20	PASS
				AV	5350.087	-49.92	≤-41.20	PASS
				AV	5460.000	-51.88	≤-41.20	PASS

		Low	5500	Peak	5350.000	-37.57	≤-21.20	PASS		
				Peak	5354.029	-37.09	≤-21.20	PASS		
				Peak	5460.000	-42.83	≤-21.20	PASS		
				AV	5460.000	-48.99	≤-41.20	PASS		
				AV	5470.000	-45.35	≤-41.20	PASS		
				Peak	5460.000	-33.73	≤-21.20	PASS		
		High	5700	Peak	5470.000	-29.16	≤-21.20	PASS		
				AV	5725.000	-48.35	≤-41.20	PASS		
				AV	5725.043	-48.35	≤-41.20	PASS		
				AV	5735.000	-51.36	≤-41.20	PASS		
				Peak	5725.000	-36.81	≤-21.20	PASS		
				Peak	5725.304	-36.27	≤-21.20	PASS		
		Low	5745	Peak	5735.000	-40.61	≤-21.20	PASS		
				Peak	5650.000	-40.64	≤-27.00	PASS		
				Peak	5700.000	-42.11	≤10.00	PASS		
				Peak	5720.000	-34.65	≤15.60	PASS		
		High	5825	Peak	5725.000	-26.34	≤27.00	PASS		
				Peak	5850.000	-28.98	≤15.60	PASS		
				Peak	5855.000	-32.91	≤27.00	PASS		
				Peak	5875.000	-41.34	≤15.60	PASS		
		11N40SISO	Ant1	Low	5190	Peak	5925.000	-42.22	≤10.00	PASS
						AV	4500.000	-53.85	≤-41.20	PASS
						AV	5149.275	-44.13	≤-41.20	PASS
						AV	5150.000	-43.75	≤-41.20	PASS
Peak	4500.000					-43.21	≤-21.20	PASS		
Peak	5148.261					-26.99	≤-21.20	PASS		
High	5310			Peak	5150.000	-28.28	≤-21.20	PASS		
				AV	5350.000	-46.65	≤-41.20	PASS		
				AV	5350.783	-46.73	≤-41.20	PASS		
				AV	5460.000	-51.74	≤-41.20	PASS		
				Peak	5350.000	-33.62	≤-21.20	PASS		
				Peak	5352.406	-33.15	≤-21.20	PASS		
Low	5510			Peak	5460.000	-42.58	≤-21.20	PASS		
				AV	5460.000	-50.84	≤-41.20	PASS		
				AV	5468.667	-48.98	≤-41.20	PASS		
				AV	5470.000	-49.27	≤-41.20	PASS		
				Peak	5460.000	-41.96	≤-21.20	PASS		
				Peak	5467.957	-36.15	≤-21.20	PASS		
High	5670			Peak	5470.000	-37.94	≤-21.20	PASS		
				AV	5725.000	-51.41	≤-41.20	PASS		
				AV	5725.507	-51.27	≤-41.20	PASS		
				AV	5735.000	-52.25	≤-41.20	PASS		
				Peak	5725.000	-42.91	≤-21.20	PASS		
				Peak	5733.913	-39.86	≤-21.20	PASS		
Low	5755	Peak	5735.000	-40.51	≤-21.20	PASS				
		Peak	5650.000	-42.45	≤-27.00	PASS				

11AC20SIS O	Ant1	High	5795	Peak	5700.000	-36.15	≤10.00	PASS
				Peak	5720.000	-27.8	≤15.60	PASS
				Peak	5725.000	-24.08	≤27.00	PASS
				Peak	5850.000	-31.03	≤15.60	PASS
				Peak	5855.000	-38.03	≤27.00	PASS
				Peak	5875.000	-39.96	≤15.60	PASS
				Peak	5925.000	-42.88	≤10.00	PASS
		Low	5180	AV	4500.000	-54.39	≤-41.20	PASS
				AV	5149.275	-46.44	≤-41.20	PASS
				AV	5150.000	-45.6	≤-41.20	PASS
				Peak	4500.000	-43.89	≤-21.20	PASS
				Peak	5149.275	-32.35	≤-21.20	PASS
				Peak	5150.000	-29.58	≤-21.20	PASS
		High	5320	AV	5350.000	-49.21	≤-41.20	PASS
AV	5350.087			-49.29	≤-41.20	PASS		
AV	5460.000			-52.08	≤-41.20	PASS		
Peak	5350.000			-37.65	≤-21.20	PASS		
Peak	5352.638			-37.22	≤-21.20	PASS		
Peak	5460.000			-42.59	≤-21.20	PASS		
Low	5500	AV	5460.000	-49.05	≤-41.20	PASS		
		AV	5470.000	-44.98	≤-41.20	PASS		
		Peak	5460.000	-37.73	≤-21.20	PASS		
		Peak	5470.000	-29.88	≤-21.20	PASS		
High	5700	AV	5725.000	-47.91	≤-41.20	PASS		
		AV	5725.043	-47.91	≤-41.20	PASS		
		AV	5735.000	-51.21	≤-41.20	PASS		
		Peak	5725.000	-35.97	≤-21.20	PASS		
		Peak	5725.043	-35.97	≤-21.20	PASS		
		Peak	5735.000	-40.06	≤-21.20	PASS		
Low	5745	Peak	5650.000	-44.45	≤-27.00	PASS		
		Peak	5700.000	-41.88	≤10.00	PASS		
		Peak	5720.000	-35.16	≤15.60	PASS		
		Peak	5725.000	-25.2	≤27.00	PASS		
High	5825	Peak	5850.000	-26.96	≤15.60	PASS		
		Peak	5855.000	-34.17	≤27.00	PASS		
		Peak	5875.000	-41.72	≤15.60	PASS		
		Peak	5925.000	-41.78	≤10.00	PASS		
11AC40SIS O	Ant1	Low	5190	AV	4500.000	-54.12	≤-41.20	PASS
				AV	5149.275	-44.02	≤-41.20	PASS
				AV	5150.000	-43.66	≤-41.20	PASS
				Peak	4500.000	-44.19	≤-21.20	PASS
				Peak	5149.275	-29.05	≤-21.20	PASS
				Peak	5150.000	-27.99	≤-21.20	PASS
		High	5310	AV	5350.000	-46.87	≤-41.20	PASS
				AV	5350.551	-46.63	≤-41.20	PASS
				AV	5460.000	-51.51	≤-41.20	PASS
				AV	5460.000	-51.51	≤-41.20	PASS


		Low	5510	Peak	5350.000	-31.84	≤-21.20	PASS
				Peak	5350.087	-32.34	≤-21.20	PASS
				Peak	5460.000	-42.79	≤-21.20	PASS
				AV	5460.000	-50.84	≤-41.20	PASS
				AV	5469.986	-48.65	≤-41.20	PASS
				AV	5470.000	-48.65	≤-41.20	PASS
				Peak	5460.000	-41.79	≤-21.20	PASS
				Peak	5469.275	-37.71	≤-21.20	PASS
				Peak	5470.000	-38.63	≤-21.20	PASS
				AV	5725.000	-51.14	≤-41.20	PASS
		High	5670	AV	5725.652	-51.04	≤-41.20	PASS
				AV	5735.000	-52.06	≤-41.20	PASS
				Peak	5725.000	-41.63	≤-21.20	PASS
				Peak	5727.246	-37.48	≤-21.20	PASS
				Peak	5735.000	-40.73	≤-21.20	PASS
				Peak	5650.000	-40.98	≤-27.00	PASS
		Low	5755	Peak	5700.000	-35.79	≤10.00	PASS
				Peak	5720.000	-24.81	≤15.60	PASS
				Peak	5725.000	-24.17	≤27.00	PASS
				Peak	5850.000	-37.82	≤15.60	PASS
High	5795	Peak	5855.000	-38.03	≤27.00	PASS		
		Peak	5875.000	-41.05	≤15.60	PASS		
		Peak	5925.000	-42.68	≤10.00	PASS		
		AV	4500.000	-53.24	≤-41.20	PASS		
11AC80SIS O	Ant1	Low	5210	AV	5150.000	-50.07	≤-41.20	PASS
				Peak	4500.000	-44.45	≤-21.20	PASS
				Peak	4688.043	-39.58	≤-21.20	PASS
				Peak	5150.000	-39.65	≤-21.20	PASS
				AV	5350.000	-42.49	≤-41.20	PASS
		High	5290	AV	5350.145	-42.51	≤-41.20	PASS
				AV	5460.000	-50.03	≤-41.20	PASS
				Peak	5350.000	-33.75	≤-21.20	PASS
				Peak	5361.739	-30.79	≤-21.20	PASS
				Peak	5460.000	-41.32	≤-21.20	PASS
				AV	5460.000	-48.37	≤-41.20	PASS
		Low	5530	AV	5469.971	-46.03	≤-41.20	PASS
				AV	5470.000	-46.03	≤-41.20	PASS
				Peak	5460.000	-38.75	≤-21.20	PASS
				Peak	5469.971	-33.67	≤-21.20	PASS
				Peak	5470.000	-33.67	≤-21.20	PASS
				AV	5725.000	-48.61	≤-41.20	PASS
		High	5610	AV	5731.739	-48.53	≤-41.20	PASS
				AV	5735.000	-49.6	≤-41.20	PASS
				Peak	5725.000	-38.75	≤-21.20	PASS
Peak	5726.812			-36.77	≤-21.20	PASS		
Peak	5735.000			-38.72	≤-21.20	PASS		

	Low	5775	Peak	5650.000	-39.35	≤-27.00	PASS
			Peak	5700.000	-28.28	≤10.00	PASS
			Peak	5720.000	-26.35	≤15.60	PASS
			Peak	5725.000	-21.58	≤27.00	PASS
	High	5775	Peak	5850.000	-25.41	≤15.60	PASS
			Peak	5855.000	-26.13	≤27.00	PASS
			Peak	5875.000	-32.42	≤15.60	PASS
			Peak	5925.000	-40.44	≤10.00	PASS


Note:

1. The Antenna Gain is compensated in the graph.
2. For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a) or RSS-Gen 8.10. The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.


6.2. Test Graphs




11A_Ant1_Low_5180_AV




11A_Ant1_Low_5180_Peak




11A_Ant1_High_5320_AV




11A_Ant1_High_5320_Peak




11A_Ant1_Low_5500_AV




11A_Ant1_Low_5500_Peak




11A_Ant1_High_5700_AV




11A_Ant1_High_5700_Peak




11A_Ant1_Low_5745_Peak




11A_Ant1_High_5825_Peak




11N20SISO_Ant1_Low_5180_AV




11N20SISO_Ant1_Low_5180_Peak




11N20SISO_Ant1_High_5320_AV




11N20SISO_Ant1_High_5320_Peak



11N20SISO_Ant1_Low_5500_AV




11N20SISO_Ant1_Low_5500_Peak




11N20SISO_Ant1_High_5700_AV




11N20SISO_Ant1_High_5700_Peak




11N20SISO_Ant1_Low_5745_Peak




11N20SISO_Ant1_High_5825_Peak




11N40SISO_Ant1_Low_5190_AV




11N40SISO_Ant1_Low_5190_Peak




11N40SISO_Ant1_High_5310_AV



11N40SISO_Ant1_High_5310_Peak




11N40SISO_Ant1_Low_5510_AV




11N40SISO_Ant1_Low_5510_Peak



11N40SISO_Ant1_High_5670_AV




11N40SISO_Ant1_High_5670_Peak




11N40SISO_Ant1_Low_5755_Peak




11N40SISO_Ant1_High_5795_Peak




11AC20SISO_Ant1_Low_5180_AV




11AC20SISO_Ant1_Low_5180_Peak




11AC20SISO_Ant1_High_5320_AV




11AC20SISO_Ant1_High_5320_Peak




11AC20SISO_Ant1_Low_5500_AV




11AC20SISO_Ant1_Low_5500_Peak




11AC20SISO_Ant1_High_5700_AV




11AC20SISO_Ant1_High_5700_Peak




11AC20SISO_Ant1_Low_5745_Peak




11AC20SISO_Ant1_High_5825_Peak




11AC40SISO_Ant1_Low_5190_AV




11AC40SISO_Ant1_Low_5190_Peak




11AC40SISO_Ant1_High_5310_AV




11AC40SISO_Ant1_High_5310_Peak




11AC40SISO_Ant1_Low_5510_AV




11AC40SISO_Ant1_Low_5510_Peak




11AC40SISO_Ant1_High_5670_AV




11AC40SISO_Ant1_High_5670_Peak




11AC40SISO_Ant1_Low_5755_Peak




11AC40SISO_Ant1_High_5795_Peak




11AC80SISO_Ant1_Low_5210_AV




11AC80SISO_Ant1_Low_5210_Peak




11AC80SISO_Ant1_High_5290_AV




11AC80SISO_Ant1_High_5290_Peak




11AC80SISO_Ant1_Low_5530_AV



11AC80SISO_Ant1_Low_5530_Peak




11AC80SISO_Ant1_High_5610_AV



11AC80SISO_Ant1_High_5610_Peak



11AC80SISO_Ant1_Low_5775_Peak



11AC80SISO_Ant1_High_5775_Peak

7. Conducted Spurious Emission


7.1. Test Result

TestMode	Antenna	Channel	FreqRange [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	30~1000	958.76	-48.58	≤-27	PASS
			1000~40000	39524.2	-34.19	≤-27	PASS
		5220	30~1000	632.63	-48.43	≤-27	PASS
			1000~40000	39411.1	-34.71	≤-27	PASS
		5240	30~1000	680.06	-48.78	≤-27	PASS
			1000~40000	39970.1	-34.4	≤-27	PASS
		5260	30~1000	706.73	-48.27	≤-27	PASS
			1000~40000	39892.1	-33.84	≤-27	PASS
		5300	30~1000	871.59	-48.49	≤-27	PASS
			1000~40000	39509.9	-33.71	≤-27	PASS
		5320	30~1000	872.85	-47.85	≤-27	PASS
			1000~40000	39691.9	-34.63	≤-27	PASS
		5500	30~1000	621.05	-48.4	≤-27	PASS
			1000~40000	39984.4	-32.89	≤-27	PASS
		5580	30~1000	939.2	-48.18	≤-27	PASS
			1000~40000	39580.1	-33.33	≤-27	PASS
		5700	30~1000	810.29	-48.2	≤-27	PASS
			1000~40000	39502.1	-33.39	≤-27	PASS
		5720	30~1000	373.55	-47.59	≤-27	PASS
			1000~40000	39966.2	-32.85	≤-27	PASS
		5745	30~1000	797.75	-47.96	≤-27	PASS
			1000~40000	39972.7	-33.7	≤-27	PASS
		5785	30~1000	963.8	-47.61	≤-27	PASS
			1000~40000	39483.9	-33.2	≤-27	PASS
5825	30~1000	860.44	-47.27	≤-27	PASS		
	1000~40000	39989.6	-33.2	≤-27	PASS		
11N20SISO	Ant1	5180	30~1000	865.42	-47.83	≤-27	PASS
			1000~40000	39959.7	-33.99	≤-27	PASS
		5220	30~1000	694.32	-49.3	≤-27	PASS
			1000~40000	39998.7	-33.53	≤-27	PASS
		5240	30~1000	770.94	-49.42	≤-27	PASS
			1000~40000	39620.4	-34.46	≤-27	PASS
		5260	30~1000	963.64	-48.62	≤-27	PASS
			1000~40000	39996.1	-33.71	≤-27	PASS
		5300	30~1000	712.52	-46.83	≤-27	PASS
			1000~40000	39990.9	-34.34	≤-27	PASS
		5320	30~1000	893.16	-47.23	≤-27	PASS
			1000~40000	39979.2	-32.41	≤-27	PASS
		5500	30~1000	863.06	-47.31	≤-27	PASS
			1000~40000	39855.7	-32.87	≤-27	PASS
		5580	30~1000	863.38	-48.73	≤-27	PASS


		5720	1000~40000	39911.6	-33.33	≤-27	PASS		
			30~1000	566.09	-47.74	≤-27	PASS		
		5745	1000~40000	39979.2	-33.76	≤-27	PASS		
			30~1000	894.78	-47.48	≤-27	PASS		
		5785	1000~40000	39905.1	-33.56	≤-27	PASS		
			30~1000	979.55	-48.88	≤-27	PASS		
		5825	1000~40000	39944.1	-33.38	≤-27	PASS		
			30~1000	833.21	-46.96	≤-27	PASS		
		11N40SISO	Ant1	5190	1000~40000	39971.4	-33.76	≤-27	PASS
					30~1000	705.37	-49.24	≤-27	PASS
				5230	1000~40000	39998.7	-34.12	≤-27	PASS
					30~1000	649.37	-48.13	≤-27	PASS
5270	1000~40000			39634.7	-34.08	≤-27	PASS		
	30~1000			860.08	-49.35	≤-27	PASS		
5310	1000~40000			38967.8	-34.52	≤-27	PASS		
	30~1000			860.05	-48.24	≤-27	PASS		
5510	1000~40000			39987	-34.02	≤-27	PASS		
	30~1000			781.06	-48.56	≤-27	PASS		
5550	1000~40000			39613.9	-32.96	≤-27	PASS		
	30~1000			959.38	-46.01	≤-27	PASS		
5710	1000~40000	39962.3	-34.15	≤-27	PASS				
	30~1000	892.35	-47.36	≤-27	PASS				
5755	1000~40000	39741.3	-33.48	≤-27	PASS				
	30~1000	586	-48.6	≤-27	PASS				
5795	1000~40000	39894.7	-33.31	≤-27	PASS				
	30~1000	969.33	-47.79	≤-27	PASS				
11AC20SISO	Ant1	5180	1000~40000	39989.6	-34.13	≤-27	PASS		
			30~1000	891.22	-48.64	≤-27	PASS		
		5220	1000~40000	39554.1	-34.5	≤-27	PASS		
			30~1000	872.43	-48.75	≤-27	PASS		
		5240	1000~40000	40000	-34.29	≤-27	PASS		
			30~1000	859.95	-46.8	≤-27	PASS		
		5260	1000~40000	39985.7	-34.2	≤-27	PASS		
			30~1000	708.57	-47.87	≤-27	PASS		
		5300	1000~40000	39994.8	-34.42	≤-27	PASS		
			30~1000	706.12	-47.65	≤-27	PASS		
		5320	1000~40000	39998.7	-33.79	≤-27	PASS		
			30~1000	958.44	-48.6	≤-27	PASS		
5500	1000~40000	39018.5	-34.24	≤-27	PASS				
	30~1000	958.76	-46.87	≤-27	PASS				
5580	1000~40000	39974	-33.57	≤-27	PASS				
	30~1000	865.26	-47.79	≤-27	PASS				
5720	1000~40000	39565.8	-34.03	≤-27	PASS				
	30~1000	134.58	-47.75	≤-27	PASS				
5745	1000~40000	39940.2	-33.6	≤-27	PASS				
	30~1000	860.08	-48.62	≤-27	PASS				

		5785	1000~40000	39879.1	-33.73	≤-27	PASS		
			30~1000	718.14	-48.19	≤-27	PASS		
		5825	1000~40000	39957.1	-33.51	≤-27	PASS		
			30~1000	508.6	-47.71	≤-27	PASS		
11AC40SISO	Ant1	5190	30~1000	516.58	-48.21	≤-27	PASS		
			1000~40000	39997.4	-34.39	≤-27	PASS		
		5230	30~1000	862.9	-48.5	≤-27	PASS		
			1000~40000	39693.2	-33.74	≤-27	PASS		
		5270	30~1000	862.18	-47.49	≤-27	PASS		
			1000~40000	39994.8	-34.43	≤-27	PASS		
		5310	30~1000	709.16	-47.85	≤-27	PASS		
			1000~40000	39556.7	-33.71	≤-27	PASS		
		5510	30~1000	120.48	-48.06	≤-27	PASS		
			1000~40000	39976.6	-33.6	≤-27	PASS		
		5550	30~1000	893.26	-48.17	≤-27	PASS		
			1000~40000	39927.2	-32.79	≤-27	PASS		
		5710	30~1000	889.38	-47.94	≤-27	PASS		
			1000~40000	39976.6	-33.31	≤-27	PASS		
		5755	30~1000	382.7	-47.41	≤-27	PASS		
			1000~40000	39421.5	-33.34	≤-27	PASS		
		5795	30~1000	962.87	-46.59	≤-27	PASS		
			1000~40000	39699.7	-34.49	≤-27	PASS		
		11AC80SISO	Ant1	5210	30~1000	959.54	-48.23	≤-27	PASS
					1000~40000	39998.7	-33.6	≤-27	PASS
5290	30~1000			707.64	-47.94	≤-27	PASS		
	1000~40000			39444.9	-33.9	≤-27	PASS		
5530	30~1000			946.67	-48.19	≤-27	PASS		
	1000~40000			39950.6	-33.14	≤-27	PASS		
5610	30~1000			715.43	-48.05	≤-27	PASS		
	1000~40000			39548.9	-33.04	≤-27	PASS		
5690	30~1000			893.68	-46.47	≤-27	PASS		
	1000~40000			39975.3	-33.79	≤-27	PASS		
5775	30~1000			705.5	-46.83	≤-27	PASS		
	1000~40000			39954.5	-34.07	≤-27	PASS		


7.2. Test Graphs




11A_Ant1_5180_30~1000




11A_Ant1_5180_1000~40000




11A_Ant1_5220_30~1000




11A_Ant1_5220_1000~40000




11A_Ant1_5240_30~1000




11A_Ant1_5240_1000~40000




11A_Ant1_5260_30~1000




11A_Ant1_5260_1000~4000




11A_Ant1_5300_30~1000




11A_Ant1_5300_1000~40000




11A_Ant1_5320_30~1000




11A_Ant1_5320_1000~40000




11A_Ant1_5500_30~1000




11A_Ant1_5500_1000~4000




11A_Ant1_5580_30~1000




11A_Ant1_5580_1000~40000




11A_Ant1_5700_30~1000




11A_Ant1_5700_1000~40000




11A_Ant1_5720_30~1000




11A_Ant1_5720_1000~4000




11A_Ant1_5745_30~1000




11A_Ant1_5745_1000~40000




11A_Ant1_5785_30~1000




11A_Ant1_5785_1000~40000




11A_Ant1_5825_30~1000




11A_Ant1_5825_1000~4000




11N20SISO_Ant1_5180_30~1000




11N20SISO_Ant1_5180_1000~40000




11N20SISO_Ant1_5220_30~1000




11N20SISO_Ant1_5220_1000~40000




11N20SISO_Ant1_5240_30~1000




11N20SISO_Ant1_5240_1000~40000




11N20SISO_Ant1_5260_30~1000




11N20SISO_Ant1_5260_1000~40000




11N20SISO_Ant1_5300_30~1000




11N20SISO_Ant1_5300_1000~40000




11N20SISO_Ant1_5320_30~1000




11N20SISO_Ant1_5320_1000~40000




11N20SISO_Ant1_5500_30~1000




11N20SISO_Ant1_5500_1000~40000




11N20SISO_Ant1_5580_30~1000




11N20SISO_Ant1_5580_1000~40000




11N20SISO_Ant1_5720_30~1000




11N20SISO_Ant1_5720_1000~40000




11N20SISO_Ant1_5745_30~1000




11N20SISO_Ant1_5745_1000~40000




11N20SISO_Ant1_5785_30~1000




11N20SISO_Ant1_5785_1000~40000



11N20SISO_Ant1_5825_30~1000



11N20SISO_Ant1_5825_1000~40000



11N40SISO_Ant1_5190_30~1000