## FCC §1.1307& §2.1091 –MAXIMUM PERMISSIBLE EXPOSURE (MPE)

## **Applicable Standard**

According to subpart § 2.1051and subpart §1.1310, systems operating under the provisions of this section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy level in excess of the Commission's guidelines.

(B) Limits for General Population/Uncontrolled Exposure									
Frequency Range (MHz)	Electric Field Strength (V/m)	Magnetic Field Strength (A/m)	Power Density (mW/cm2)	Averaging Time (minutes)					
0.3-1.34	614	1.63	*(100)	30					
1.34-30	824/f	2.19/f	*(180/f <sup>2</sup> )	30					
30-300	27.5	0.073	0.2	30					
300-1500	/	/	f/1500	30					
1500-100,000	/	/	1.0	30					

Limits for Maximum Permissible Exposure (MPE) (§1.1310, §2.1091)

f = frequency in MHz; \* = Plane-wave equivalent power density;

According to §1.1310 and §2.1091 RF exposure is calculated.

Calculated Formulary:

Predication of MPE limit at a given distance

 $S = PG/4 \pi R^2 = power density$  (in appropriate units, e.g. mW/cm2);

P = power input to the antenna (in appropriate units, e.g., mW);

G = power gain of the antenna in the direction of interest relative to an isotropic radiator, the power gain factor, is normally numeric gain;

R = distance to the center of radiation of the antenna (appropriate units, e.g., cm);

Calculated Data:

Mode	Frequency (MHz)	Antenna Gain		Target Power		Evaluation	Power	MPE
		(dBi)	(numeric)	(dBm)	(mW)	Distance (cm)	Density (mW/cm2)	Limit (mW/cm2)
WCDMA (Band V)	824.0	1.0	1.26	23.5	223.87	20	0.056	0.549
WCDMA (Band II)	1850.0	1.0	1.26	23.5	223.87	20	0.056	1.0
LTE (Band II)	1850.0	1.0	1.26	24	251.19	20	0.063	1.0
LTE (Band IV)	1755.0	1.0	1.26	24	251.19	20	0.063	1.0
(Band XII)	699	1.0	1.26	24	251.19	20	0.063	0.466

Bay Area Compliance Laboratories Corp.(Taiwan)

Note :

(1) Target Power =the max power including Tune-up tolerance, the tune up power declared by manufacture as:

WCDMA Band V = 22.5±1dBm; WCDMA Band II =22.5±1dBm; FDD Band II=22±2dBm ; FDD Band IV= 22±2dBm ; FDD Band XII= 22±2dBm

Result: The device meet FCC MPE at 20 cm distance

FCC Part 27, FCC Part 22H/24E