






Band2-9400-1-0.009~0.15MHz-PASS




Band2-9400-2-0.009~0.15MHz-PASS



Band2-9400-3-0.009~0.15MHz-PASS




Band2-9400-4-0.009~0.15MHz-PASS




Band2-9400-5-0.009~0.15MHz-PASS




Band2-9400-1-0.15~30MHz-PASS



Band2-9400-2-0.15~30MHz-PASS




Band2-9400-3-0.15~30MHz-PASS




Band2-9400-4-0.15~30MHz-PASS




Band2-9400-5-0.15~30MHz-PASS



Band2-9400-1-30~1000MHz-PASS




Band2-9400-2-30~1000MHz-PASS




Band2-9400-3-30~1000MHz-PASS







Band2-9400-4-30~1000MHz-PASS




Band2-9400-5-30~1000MHz-PASS



Band2-9400-1-1000~20000MHz-PASS







Band2-9538-1-0.009~0.15MHz-PASS




Band2-9538-2-0.009~0.15MHz-PASS



Band2-9538-3-0.009~0.15MHz-PASS




Band2-9538-4-0.009~0.15MHz-PASS




Band2-9538-5-0.009~0.15MHz-PASS




Band2-9538-1-0.15~30MHz-PASS



Band2-9538-2-0.15~30MHz-PASS




Band2-9538-3-0.15~30MHz-PASS




Band2-9538-4-0.15~30MHz-PASS




Band2-9538-5-0.15~30MHz-PASS



Band2-9538-1-30~1000MHz-PASS




Band2-9538-2-30~1000MHz-PASS




Band2-9538-3-30~1000MHz-PASS




Band2-9538-4-30~1000MHz-PASS



Band2-9538-5-30~1000MHz-PASS




Band2-9538-1-1000~20000MHz-PASS




Band2-9538-2-1000~20000MHz-PASS



Band2-9538-3-1000~20000MHz-PASS



Band2-9538-4-1000~20000MHz-PASS



Band2-9538-5-1000~20000MHz-PASS

Frequency Stability

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	VN	NT	1.74	0.000939	±2.5	PASS
Band2	9262	VL	NT	1.34	0.000723	±2.5	PASS
Band2	9262	VH	NT	3.13	0.001690	±2.5	PASS
Band2	9400	VN	NT	-0.73	-0.000388	±2.5	PASS
Band2	9400	VL	NT	-0.54	-0.000287	±2.5	PASS
Band2	9400	VH	NT	-0.18	-0.000096	±2.5	PASS
Band2	9538	VN	NT	-3.34	-0.001751	±2.5	PASS
Band2	9538	VL	NT	-4.99	-0.002616	±2.5	PASS
Band2	9538	VH	NT	-4.10	-0.002149	±2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	NV	-30	3.44	0.001857	±2.5	PASS
Band2	9262	NV	-20	1.10	0.000594	±2.5	PASS
Band2	9262	NV	-10	3.28	0.001771	±2.5	PASS
Band2	9262	NV	0	1.88	0.001015	±2.5	PASS
Band2	9262	NV	10	1.46	0.000788	±2.5	PASS
Band2	9262	NV	20	1.22	0.000659	±2.5	PASS
Band2	9262	NV	30	0.84	0.000453	±2.5	PASS
Band2	9262	NV	40	0.54	0.000292	±2.5	PASS
Band2	9262	NV	50	2.39	0.001290	±2.5	PASS
Band2	9400	NV	-30	-1.31	-0.000697	±2.5	PASS
Band2	9400	NV	-20	-1.83	-0.000973	±2.5	PASS
Band2	9400	NV	-10	0.29	0.000154	±2.5	PASS
Band2	9400	NV	0	-1.32	-0.000702	±2.5	PASS
Band2	9400	NV	10	-1.63	-0.000867	±2.5	PASS
Band2	9400	NV	20	-0.91	-0.000484	±2.5	PASS
Band2	9400	NV	30	-1.90	-0.001011	±2.5	PASS
Band2	9400	NV	40	-0.41	-0.000218	±2.5	PASS
Band2	9400	NV	50	-0.54	-0.000287	±2.5	PASS
Band2	9538	NV	-30	-4.33	-0.002270	±2.5	PASS
Band2	9538	NV	-20	-5.31	-0.002784	±2.5	PASS
Band2	9538	NV	-10	-4.21	-0.002207	±2.5	PASS
Band2	9538	NV	0	-5.14	-0.002694	±2.5	PASS
Band2	9538	NV	10	-4.74	-0.002485	±2.5	PASS

Band2	9538	NV	20	-4.52	-0.002369	±2.5	PASS
Band2	9538	NV	30	-3.62	-0.001898	±2.5	PASS
Band2	9538	NV	40	-3.75	-0.001966	±2.5	PASS
Band2	9538	NV	50	-4.46	-0.002338	±2.5	PASS

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	-3.82	-0.002062	±2.5	PASS
Band2	9262	1	VL	NT	-2.66	-0.001436	±2.5	PASS
Band2	9262	1	VH	NT	-4.25	-0.002294	±2.5	PASS
Band2	9262	2	VN	NT	-3.12	-0.001684	±2.5	PASS
Band2	9262	2	VL	NT	-4.32	-0.002332	±2.5	PASS
Band2	9262	2	VH	NT	-4.48	-0.002418	±2.5	PASS
Band2	9262	3	VN	NT	-3.30	-0.001781	±2.5	PASS
Band2	9262	3	VL	NT	-4.40	-0.002375	±2.5	PASS
Band2	9262	3	VH	NT	-4.75	-0.002564	±2.5	PASS
Band2	9262	4	VN	NT	-3.40	-0.001835	±2.5	PASS
Band2	9262	4	VL	NT	-4.51	-0.002435	±2.5	PASS
Band2	9262	4	VH	NT	-1.91	-0.001031	±2.5	PASS
Band2	9400	1	VN	NT	-3.55	-0.001888	±2.5	PASS
Band2	9400	1	VL	NT	-3.70	-0.001968	±2.5	PASS
Band2	9400	1	VH	NT	-3.42	-0.001819	±2.5	PASS
Band2	9400	2	VN	NT	-3.66	-0.001947	±2.5	PASS
Band2	9400	2	VL	NT	-5.66	-0.003011	±2.5	PASS
Band2	9400	2	VH	NT	-4.08	-0.002170	±2.5	PASS
Band2	9400	3	VN	NT	-4.54	-0.002415	±2.5	PASS
Band2	9400	3	VL	NT	-1.80	-0.000957	±2.5	PASS
Band2	9400	3	VH	NT	-3.72	-0.001979	±2.5	PASS
Band2	9400	4	VN	NT	-4.72	-0.002511	±2.5	PASS
Band2	9400	4	VL	NT	-3.33	-0.001771	±2.5	PASS
Band2	9400	4	VH	NT	-2.64	-0.001404	±2.5	PASS
Band2	9538	1	VN	NT	-3.92	-0.002055	±2.5	PASS
Band2	9538	1	VL	NT	-2.89	-0.001515	±2.5	PASS
Band2	9538	1	VH	NT	-4.73	-0.002480	±2.5	PASS
Band2	9538	2	VN	NT	-2.74	-0.001436	±2.5	PASS
Band2	9538	2	VL	NT	-1.27	-0.000666	±2.5	PASS
Band2	9538	2	VH	NT	-4.61	-0.002417	±2.5	PASS
Band2	9538	3	VN	NT	-3.96	-0.002076	±2.5	PASS
Band2	9538	3	VL	NT	-1.93	-0.001012	±2.5	PASS
Band2	9538	3	VH	NT	-3.85	-0.002018	±2.5	PASS
Band2	9538	4	VN	NT	-4.79	-0.002511	±2.5	PASS

Band2	9538	4	VL	NT	-3.83	-0.002008	±2.5	PASS
Band2	9538	4	VH	NT	-3.18	-0.001667	±2.5	PASS

Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	-2.68	-0.001447	±2.5	PASS
Band2	9262	1	NV	-20	-2.69	-0.001452	±2.5	PASS
Band2	9262	1	NV	-10	-4.82	-0.002602	±2.5	PASS
Band2	9262	1	NV	0	-3.12	-0.001684	±2.5	PASS
Band2	9262	1	NV	10	-4.14	-0.002235	±2.5	PASS
Band2	9262	1	NV	20	-2.13	-0.001150	±2.5	PASS
Band2	9262	1	NV	30	-2.82	-0.001522	±2.5	PASS
Band2	9262	1	NV	40	-3.60	-0.001943	±2.5	PASS
Band2	9262	1	NV	50	-4.83	-0.002607	±2.5	PASS
Band2	9262	2	NV	-30	-3.55	-0.001916	±2.5	PASS
Band2	9262	2	NV	-20	-3.70	-0.001997	±2.5	PASS
Band2	9262	2	NV	-10	-2.34	-0.001263	±2.5	PASS
Band2	9262	2	NV	0	-4.40	-0.002375	±2.5	PASS
Band2	9262	2	NV	10	-2.63	-0.001420	±2.5	PASS
Band2	9262	2	NV	20	-3.50	-0.001889	±2.5	PASS
Band2	9262	2	NV	30	-4.71	-0.002543	±2.5	PASS
Band2	9262	2	NV	40	-3.50	-0.001889	±2.5	PASS
Band2	9262	2	NV	50	-5.47	-0.002953	±2.5	PASS
Band2	9262	3	NV	-30	-2.57	-0.001387	±2.5	PASS
Band2	9262	3	NV	-20	-3.51	-0.001895	±2.5	PASS
Band2	9262	3	NV	-10	-2.94	-0.001587	±2.5	PASS
Band2	9262	3	NV	0	-3.15	-0.001700	±2.5	PASS
Band2	9262	3	NV	10	-0.79	-0.000426	±2.5	PASS
Band2	9262	3	NV	20	-3.99	-0.002154	±2.5	PASS
Band2	9262	3	NV	30	-2.31	-0.001247	±2.5	PASS
Band2	9262	3	NV	40	-3.52	-0.001900	±2.5	PASS
Band2	9262	3	NV	50	-4.15	-0.002240	±2.5	PASS
Band2	9262	4	NV	-30	-3.99	-0.002154	±2.5	PASS
Band2	9262	4	NV	-20	-3.06	-0.001652	±2.5	PASS
Band2	9262	4	NV	-10	-3.89	-0.002100	±2.5	PASS
Band2	9262	4	NV	0	-3.29	-0.001776	±2.5	PASS
Band2	9262	4	NV	10	-3.12	-0.001684	±2.5	PASS
Band2	9262	4	NV	20	-3.85	-0.002078	±2.5	PASS
Band2	9262	4	NV	30	-3.84	-0.002073	±2.5	PASS
Band2	9262	4	NV	40	-3.59	-0.001938	±2.5	PASS
Band2	9262	4	NV	50	-3.92	-0.002116	±2.5	PASS

Band2	9400	1	NV	-30	-2.09	-0.001112	±2.5	PASS
Band2	9400	1	NV	-20	-2.46	-0.001309	±2.5	PASS
Band2	9400	1	NV	-10	-3.35	-0.001782	±2.5	PASS
Band2	9400	1	NV	0	-3.65	-0.001941	±2.5	PASS
Band2	9400	1	NV	10	-4.01	-0.002133	±2.5	PASS
Band2	9400	1	NV	20	-5.13	-0.002729	±2.5	PASS
Band2	9400	1	NV	30	-3.88	-0.002064	±2.5	PASS
Band2	9400	1	NV	40	-5.71	-0.003037	±2.5	PASS
Band2	9400	1	NV	50	-3.16	-0.001681	±2.5	PASS
Band2	9400	2	NV	-30	-3.40	-0.001809	±2.5	PASS
Band2	9400	2	NV	-20	-2.30	-0.001223	±2.5	PASS
Band2	9400	2	NV	-10	-0.92	-0.000489	±2.5	PASS
Band2	9400	2	NV	0	-2.61	-0.001388	±2.5	PASS
Band2	9400	2	NV	10	-2.53	-0.001346	±2.5	PASS
Band2	9400	2	NV	20	-3.94	-0.002096	±2.5	PASS
Band2	9400	2	NV	30	-3.73	-0.001984	±2.5	PASS
Band2	9400	2	NV	40	-3.35	-0.001782	±2.5	PASS
Band2	9400	2	NV	50	-3.32	-0.001766	±2.5	PASS
Band2	9400	3	NV	-30	-4.03	-0.002144	±2.5	PASS
Band2	9400	3	NV	-20	-2.49	-0.001324	±2.5	PASS
Band2	9400	3	NV	-10	-3.24	-0.001723	±2.5	PASS
Band2	9400	3	NV	0	-1.22	-0.000649	±2.5	PASS
Band2	9400	3	NV	10	-4.04	-0.002149	±2.5	PASS
Band2	9400	3	NV	20	-1.85	-0.000984	±2.5	PASS
Band2	9400	3	NV	30	-3.04	-0.001617	±2.5	PASS
Band2	9400	3	NV	40	-4.06	-0.002160	±2.5	PASS
Band2	9400	3	NV	50	-4.24	-0.002255	±2.5	PASS
Band2	9400	4	NV	-30	-2.96	-0.001574	±2.5	PASS
Band2	9400	4	NV	-20	-1.93	-0.001027	±2.5	PASS
Band2	9400	4	NV	-10	-3.38	-0.001798	±2.5	PASS
Band2	9400	4	NV	0	-4.08	-0.002170	±2.5	PASS
Band2	9400	4	NV	10	-2.87	-0.001527	±2.5	PASS
Band2	9400	4	NV	20	-4.72	-0.002511	±2.5	PASS
Band2	9400	4	NV	30	-4.07	-0.002165	±2.5	PASS
Band2	9400	4	NV	40	-3.22	-0.001713	±2.5	PASS
Band2	9400	4	NV	50	-5.22	-0.002777	±2.5	PASS
Band2	9538	1	NV	-30	-5.34	-0.002799	±2.5	PASS
Band2	9538	1	NV	-20	-3.35	-0.001756	±2.5	PASS
Band2	9538	1	NV	-10	-3.99	-0.002092	±2.5	PASS
Band2	9538	1	NV	0	-4.31	-0.002259	±2.5	PASS
Band2	9538	1	NV	10	-4.57	-0.002396	±2.5	PASS

Band2	9538	1	NV	20	-3.34	-0.001751	±2.5	PASS
Band2	9538	1	NV	30	-2.89	-0.001515	±2.5	PASS
Band2	9538	1	NV	40	-3.33	-0.001746	±2.5	PASS
Band2	9538	1	NV	50	-4.56	-0.002390	±2.5	PASS
Band2	9538	2	NV	-30	-3.42	-0.001793	±2.5	PASS
Band2	9538	2	NV	-20	-3.62	-0.001898	±2.5	PASS
Band2	9538	2	NV	-10	-3.86	-0.002023	±2.5	PASS
Band2	9538	2	NV	0	-2.80	-0.001468	±2.5	PASS
Band2	9538	2	NV	10	-3.46	-0.001814	±2.5	PASS
Band2	9538	2	NV	20	-2.00	-0.001048	±2.5	PASS
Band2	9538	2	NV	30	-4.21	-0.002207	±2.5	PASS
Band2	9538	2	NV	40	-2.93	-0.001536	±2.5	PASS
Band2	9538	2	NV	50	-3.68	-0.001929	±2.5	PASS
Band2	9538	3	NV	-30	-2.64	-0.001384	±2.5	PASS
Band2	9538	3	NV	-20	-3.15	-0.001651	±2.5	PASS
Band2	9538	3	NV	-10	-3.37	-0.001767	±2.5	PASS
Band2	9538	3	NV	0	-3.19	-0.001672	±2.5	PASS
Band2	9538	3	NV	10	-1.78	-0.000933	±2.5	PASS
Band2	9538	3	NV	20	-3.81	-0.001997	±2.5	PASS
Band2	9538	3	NV	30	-3.28	-0.001719	±2.5	PASS
Band2	9538	3	NV	40	-1.82	-0.000954	±2.5	PASS
Band2	9538	3	NV	50	-3.91	-0.002050	±2.5	PASS
Band2	9538	4	NV	-30	-3.26	-0.001709	±2.5	PASS
Band2	9538	4	NV	-20	-4.11	-0.002155	±2.5	PASS
Band2	9538	4	NV	-10	-2.85	-0.001494	±2.5	PASS
Band2	9538	4	NV	0	-3.91	-0.002050	±2.5	PASS
Band2	9538	4	NV	10	-2.84	-0.001489	±2.5	PASS
Band2	9538	4	NV	20	-2.91	-0.001525	±2.5	PASS
Band2	9538	4	NV	30	-2.84	-0.001489	±2.5	PASS
Band2	9538	4	NV	40	-3.29	-0.001725	±2.5	PASS
Band2	9538	4	NV	50	-1.96	-0.001027	±2.5	PASS

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	-2.51	-0.001355	±2.5	PASS
Band2	9262	1	VL	NT	-3.61	-0.001949	±2.5	PASS
Band2	9262	1	VH	NT	-2.99	-0.001614	±2.5	PASS
Band2	9262	2	VN	NT	-2.97	-0.001603	±2.5	PASS
Band2	9262	2	VL	NT	-2.39	-0.001290	±2.5	PASS
Band2	9262	2	VH	NT	-4.39	-0.002370	±2.5	PASS
Band2	9262	3	VN	NT	-3.11	-0.001679	±2.5	PASS

Band2	9262	3	VL	NT	-4.52	-0.002440	±2.5	PASS
Band2	9262	3	VH	NT	-3.24	-0.001749	±2.5	PASS
Band2	9262	4	VN	NT	-3.85	-0.002078	±2.5	PASS
Band2	9262	4	VL	NT	-2.43	-0.001312	±2.5	PASS
Band2	9262	4	VH	NT	-4.48	-0.002418	±2.5	PASS
Band2	9262	5	VN	NT	-2.77	-0.001495	±2.5	PASS
Band2	9262	5	VL	NT	-3.94	-0.002127	±2.5	PASS
Band2	9262	5	VH	NT	-2.24	-0.001209	±2.5	PASS
Band2	9400	1	VN	NT	-1.76	-0.000936	±2.5	PASS
Band2	9400	1	VL	NT	-2.80	-0.001489	±2.5	PASS
Band2	9400	1	VH	NT	-2.13	-0.001133	±2.5	PASS
Band2	9400	2	VN	NT	-2.89	-0.001537	±2.5	PASS
Band2	9400	2	VL	NT	-3.13	-0.001665	±2.5	PASS
Band2	9400	2	VH	NT	-3.31	-0.001761	±2.5	PASS
Band2	9400	3	VN	NT	-2.46	-0.001309	±2.5	PASS
Band2	9400	3	VL	NT	-2.97	-0.001580	±2.5	PASS
Band2	9400	3	VH	NT	-2.79	-0.001484	±2.5	PASS
Band2	9400	4	VN	NT	-2.52	-0.001340	±2.5	PASS
Band2	9400	4	VL	NT	-3.26	-0.001734	±2.5	PASS
Band2	9400	4	VH	NT	-2.53	-0.001346	±2.5	PASS
Band2	9400	5	VN	NT	-3.44	-0.001830	±2.5	PASS
Band2	9400	5	VL	NT	-3.46	-0.001840	±2.5	PASS
Band2	9400	5	VH	NT	-3.22	-0.001713	±2.5	PASS
Band2	9538	1	VN	NT	-4.85	-0.002542	±2.5	PASS
Band2	9538	1	VL	NT	-2.76	-0.001447	±2.5	PASS
Band2	9538	1	VH	NT	-3.43	-0.001798	±2.5	PASS
Band2	9538	2	VN	NT	-1.48	-0.000776	±2.5	PASS
Band2	9538	2	VL	NT	-3.29	-0.001725	±2.5	PASS
Band2	9538	2	VH	NT	-3.17	-0.001662	±2.5	PASS
Band2	9538	3	VN	NT	-2.39	-0.001253	±2.5	PASS
Band2	9538	3	VL	NT	-3.04	-0.001594	±2.5	PASS
Band2	9538	3	VH	NT	-2.64	-0.001384	±2.5	PASS
Band2	9538	4	VN	NT	-3.35	-0.001756	±2.5	PASS
Band2	9538	4	VL	NT	-2.63	-0.001379	±2.5	PASS
Band2	9538	4	VH	NT	-2.80	-0.001468	±2.5	PASS
Band2	9538	5	VN	NT	-1.23	-0.000645	±2.5	PASS
Band2	9538	5	VL	NT	-3.68	-0.001929	±2.5	PASS
Band2	9538	5	VH	NT	-3.92	-0.002055	±2.5	PASS

Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict

Band2	9262	1	NV	-30	-3.19	-0.001722	±2.5	PASS
Band2	9262	1	NV	-20	-3.22	-0.001738	±2.5	PASS
Band2	9262	1	NV	-10	-4.53	-0.002445	±2.5	PASS
Band2	9262	1	NV	0	-3.42	-0.001846	±2.5	PASS
Band2	9262	1	NV	10	-3.23	-0.001744	±2.5	PASS
Band2	9262	1	NV	20	-2.56	-0.001382	±2.5	PASS
Band2	9262	1	NV	30	-3.96	-0.002138	±2.5	PASS
Band2	9262	1	NV	40	-6.67	-0.003601	±2.5	PASS
Band2	9262	1	NV	50	-3.57	-0.001927	±2.5	PASS
Band2	9262	2	NV	-30	-3.49	-0.001884	±2.5	PASS
Band2	9262	2	NV	-20	-2.31	-0.001247	±2.5	PASS
Band2	9262	2	NV	-10	-3.55	-0.001916	±2.5	PASS
Band2	9262	2	NV	0	-2.39	-0.001290	±2.5	PASS
Band2	9262	2	NV	10	-2.83	-0.001528	±2.5	PASS
Band2	9262	2	NV	20	-3.81	-0.002057	±2.5	PASS
Band2	9262	2	NV	30	-2.09	-0.001128	±2.5	PASS
Band2	9262	2	NV	40	-3.20	-0.001727	±2.5	PASS
Band2	9262	2	NV	50	-3.13	-0.001690	±2.5	PASS
Band2	9262	3	NV	-30	-3.17	-0.001711	±2.5	PASS
Band2	9262	3	NV	-20	-1.27	-0.000686	±2.5	PASS
Band2	9262	3	NV	-10	-2.30	-0.001242	±2.5	PASS
Band2	9262	3	NV	0	-3.72	-0.002008	±2.5	PASS
Band2	9262	3	NV	10	-2.90	-0.001566	±2.5	PASS
Band2	9262	3	NV	20	-1.96	-0.001058	±2.5	PASS
Band2	9262	3	NV	30	-3.70	-0.001997	±2.5	PASS
Band2	9262	3	NV	40	-3.56	-0.001922	±2.5	PASS
Band2	9262	3	NV	50	-2.96	-0.001598	±2.5	PASS
Band2	9262	4	NV	-30	-1.80	-0.000972	±2.5	PASS
Band2	9262	4	NV	-20	-1.47	-0.000794	±2.5	PASS
Band2	9262	4	NV	-10	-4.56	-0.002462	±2.5	PASS
Band2	9262	4	NV	0	-2.21	-0.001193	±2.5	PASS
Band2	9262	4	NV	10	-1.45	-0.000783	±2.5	PASS
Band2	9262	4	NV	20	-2.95	-0.001593	±2.5	PASS
Band2	9262	4	NV	30	-3.22	-0.001738	±2.5	PASS
Band2	9262	4	NV	40	-3.78	-0.002041	±2.5	PASS
Band2	9262	4	NV	50	-3.77	-0.002035	±2.5	PASS
Band2	9262	5	NV	-30	-3.91	-0.002111	±2.5	PASS
Band2	9262	5	NV	-20	-2.38	-0.001285	±2.5	PASS
Band2	9262	5	NV	-10	-4.87	-0.002629	±2.5	PASS
Band2	9262	5	NV	0	-2.85	-0.001539	±2.5	PASS
Band2	9262	5	NV	10	-4.70	-0.002537	±2.5	PASS

Band2	9262	5	NV	20	-3.30	-0.001781	±2.5	PASS
Band2	9262	5	NV	30	-2.82	-0.001522	±2.5	PASS
Band2	9262	5	NV	40	-3.36	-0.001814	±2.5	PASS
Band2	9262	5	NV	50	-4.13	-0.002230	±2.5	PASS
Band2	9400	1	NV	-30	-3.27	-0.001739	±2.5	PASS
Band2	9400	1	NV	-20	-2.58	-0.001372	±2.5	PASS
Band2	9400	1	NV	-10	-2.66	-0.001415	±2.5	PASS
Band2	9400	1	NV	0	-3.08	-0.001638	±2.5	PASS
Band2	9400	1	NV	10	-2.75	-0.001463	±2.5	PASS
Band2	9400	1	NV	20	-4.27	-0.002271	±2.5	PASS
Band2	9400	1	NV	30	-4.14	-0.002202	±2.5	PASS
Band2	9400	1	NV	40	-3.86	-0.002053	±2.5	PASS
Band2	9400	1	NV	50	-4.47	-0.002378	±2.5	PASS
Band2	9400	2	NV	-30	-3.57	-0.001899	±2.5	PASS
Band2	9400	2	NV	-20	-2.60	-0.001383	±2.5	PASS
Band2	9400	2	NV	-10	-3.37	-0.001793	±2.5	PASS
Band2	9400	2	NV	0	-3.77	-0.002005	±2.5	PASS
Band2	9400	2	NV	10	-4.54	-0.002415	±2.5	PASS
Band2	9400	2	NV	20	-3.05	-0.001622	±2.5	PASS
Band2	9400	2	NV	30	-3.28	-0.001745	±2.5	PASS
Band2	9400	2	NV	40	-2.38	-0.001266	±2.5	PASS
Band2	9400	2	NV	50	-4.25	-0.002261	±2.5	PASS
Band2	9400	3	NV	-30	-4.81	-0.002559	±2.5	PASS
Band2	9400	3	NV	-20	-4.07	-0.002165	±2.5	PASS
Band2	9400	3	NV	-10	-4.98	-0.002649	±2.5	PASS
Band2	9400	3	NV	0	-3.75	-0.001995	±2.5	PASS
Band2	9400	3	NV	10	-3.13	-0.001665	±2.5	PASS
Band2	9400	3	NV	20	-3.59	-0.001910	±2.5	PASS
Band2	9400	3	NV	30	-2.42	-0.001287	±2.5	PASS
Band2	9400	3	NV	40	-2.36	-0.001255	±2.5	PASS
Band2	9400	3	NV	50	-4.04	-0.002149	±2.5	PASS
Band2	9400	4	NV	-30	-2.26	-0.001202	±2.5	PASS
Band2	9400	4	NV	-20	-1.81	-0.000963	±2.5	PASS
Band2	9400	4	NV	-10	-3.57	-0.001899	±2.5	PASS
Band2	9400	4	NV	0	-3.44	-0.001830	±2.5	PASS
Band2	9400	4	NV	10	-2.25	-0.001197	±2.5	PASS
Band2	9400	4	NV	20	-3.55	-0.001888	±2.5	PASS
Band2	9400	4	NV	30	-2.43	-0.001293	±2.5	PASS
Band2	9400	4	NV	40	-2.93	-0.001559	±2.5	PASS
Band2	9400	4	NV	50	-3.24	-0.001723	±2.5	PASS
Band2	9400	5	NV	-30	-2.35	-0.001250	±2.5	PASS

Band2	9400	5	NV	-20	-4.60	-0.002447	±2.5	PASS
Band2	9400	5	NV	-10	-5.24	-0.002787	±2.5	PASS
Band2	9400	5	NV	0	-3.58	-0.001904	±2.5	PASS
Band2	9400	5	NV	10	-4.55	-0.002420	±2.5	PASS
Band2	9400	5	NV	20	-2.50	-0.001330	±2.5	PASS
Band2	9400	5	NV	30	-4.48	-0.002383	±2.5	PASS
Band2	9400	5	NV	40	-3.19	-0.001697	±2.5	PASS
Band2	9400	5	NV	50	-2.86	-0.001521	±2.5	PASS
Band2	9538	1	NV	-30	-4.56	-0.002390	±2.5	PASS
Band2	9538	1	NV	-20	-3.03	-0.001588	±2.5	PASS
Band2	9538	1	NV	-10	-3.45	-0.001809	±2.5	PASS
Band2	9538	1	NV	0	-4.28	-0.002244	±2.5	PASS
Band2	9538	1	NV	10	-3.35	-0.001756	±2.5	PASS
Band2	9538	1	NV	20	-1.76	-0.000923	±2.5	PASS
Band2	9538	1	NV	30	-4.37	-0.002291	±2.5	PASS
Band2	9538	1	NV	40	-5.01	-0.002626	±2.5	PASS
Band2	9538	1	NV	50	-2.03	-0.001064	±2.5	PASS
Band2	9538	2	NV	-30	-2.85	-0.001494	±2.5	PASS
Band2	9538	2	NV	-20	-2.92	-0.001531	±2.5	PASS
Band2	9538	2	NV	-10	-2.41	-0.001263	±2.5	PASS
Band2	9538	2	NV	0	-4.54	-0.002380	±2.5	PASS
Band2	9538	2	NV	10	-2.79	-0.001463	±2.5	PASS
Band2	9538	2	NV	20	-2.22	-0.001164	±2.5	PASS
Band2	9538	2	NV	30	-2.12	-0.001111	±2.5	PASS
Band2	9538	2	NV	40	-5.43	-0.002847	±2.5	PASS
Band2	9538	2	NV	50	-2.32	-0.001216	±2.5	PASS
Band2	9538	3	NV	-30	-5.48	-0.002873	±2.5	PASS
Band2	9538	3	NV	-20	-3.18	-0.001667	±2.5	PASS
Band2	9538	3	NV	-10	-2.88	-0.001510	±2.5	PASS
Band2	9538	3	NV	0	-2.52	-0.001321	±2.5	PASS
Band2	9538	3	NV	10	-4.12	-0.002160	±2.5	PASS
Band2	9538	3	NV	20	-3.49	-0.001830	±2.5	PASS
Band2	9538	3	NV	30	-3.05	-0.001599	±2.5	PASS
Band2	9538	3	NV	40	-2.72	-0.001426	±2.5	PASS
Band2	9538	3	NV	50	-1.40	-0.000734	±2.5	PASS
Band2	9538	4	NV	-30	-2.39	-0.001253	±2.5	PASS
Band2	9538	4	NV	-20	-3.92	-0.002055	±2.5	PASS
Band2	9538	4	NV	-10	-3.69	-0.001934	±2.5	PASS
Band2	9538	4	NV	0	-2.32	-0.001216	±2.5	PASS
Band2	9538	4	NV	10	-1.84	-0.000965	±2.5	PASS
Band2	9538	4	NV	20	-2.30	-0.001206	±2.5	PASS

Band2	9538	4	NV	30	-1.61	-0.000844	±2.5	PASS
Band2	9538	4	NV	40	-2.96	-0.001552	±2.5	PASS
Band2	9538	4	NV	50	-2.96	-0.001552	±2.5	PASS
Band2	9538	5	NV	-30	-3.40	-0.001782	±2.5	PASS
Band2	9538	5	NV	-20	-2.94	-0.001541	±2.5	PASS
Band2	9538	5	NV	-10	-2.43	-0.001274	±2.5	PASS
Band2	9538	5	NV	0	-3.22	-0.001688	±2.5	PASS
Band2	9538	5	NV	10	-3.02	-0.001583	±2.5	PASS
Band2	9538	5	NV	20	-4.30	-0.002254	±2.5	PASS
Band2	9538	5	NV	30	-3.19	-0.001672	±2.5	PASS
Band2	9538	5	NV	40	-2.95	-0.001546	±2.5	PASS
Band2	9538	5	NV	50	-4.40	-0.002307	±2.5	PASS