





LTE Band 41 CA / 10MHz+15MHz

Highest Channel / QPSK

Highest Channel / 16QAM




Date: 21.JAN.2020 16:13:31

Date: 21.JAN.2020 16:07:00

Highest Channel / 64QAM

N/A




Date: 21.JAN.2020 16:05:56




LTE Band 41 CA / 10MHz+20MHz

Lowest Channel / QPSK

Lowest Channel / 16QAM




Date: 21.JAN.2020 16:53:37



Date: 21.JAN.2020 17:52:44

Lowest Channel / 64QAM

N/A





Date: 21.JAN.2020 18:11:53



LTE Band 41 CA / 10MHz+20MHz

Middle Channel / QPSK

Middle Channel / 16QAM




Date: 22 JAN 2020 10:53:51

Date: 22 JAN 2020 10:45:40

Middle Channel / 64QAM

N/A




Date: 22 JAN 2020 10:41:49




LTE Band 41 CA / 10MHz+20MHz

Highest Channel / QPSK

Highest Channel / 16QAM




Date: 22 JAN 2020 14:43:48



Date: 22 JAN 2020 16:12:32

Highest Channel / 64QAM

N/A





Date: 22 JAN 2020 16:27:33



LTE Band 41 CA / 15MHz+10MHz

Lowest Channel / QPSK

Lowest Channel / 16QAM




Date: 21.FEB.2020 07:24:10

Date: 21.FEB.2020 07:25:11

Lowest Channel / 64QAM

N/A





Date: 21.FEB.2020 07:26:02



LTE Band 41 CA / 15MHz+10MHz

Middle Channel / QPSK

Middle Channel / 16QAM




Date: 21.FEB.2020 07:29:04

Date: 21.FEB.2020 07:28:12

Middle Channel / 64QAM

N/A





Date: 21.FEB.2020 07:27:23



LTE Band 41 CA / 15MHz+10MHz

Highest Channel / QPSK

Highest Channel / 16QAM




Date: 21.FEB.2020 07:33:30

Date: 21.FEB.2020 07:34:35

Highest Channel / 64QAM

N/A





Date: 21.FEB.2020 07:35:34



LTE Band 41 CA / 15MHz+15MHz

Lowest Channel / QPSK

Lowest Channel / 16QAM




Date: 21.FEB.2020 07:48:36

Date: 21.FEB.2020 07:47:33

Lowest Channel / 64QAM

N/A





Date: 21.FEB.2020 07:46:42



LTE Band 41 CA / 15MHz+15MHz

Middle Channel / QPSK

Middle Channel / 16QAM




Date: 21.FEB.2020 07:43:24

Date: 21.FEB.2020 07:44:15

Middle Channel / 64QAM

N/A





Date: 21.FEB.2020 07:45:09



LTE Band 41 CA / 15MHz+15MHz

Highest Channel / QPSK

Highest Channel / 16QAM




Date: 21.FEB.2020 07:39:05

Date: 21.FEB.2020 07:38:13

Highest Channel / 64QAM

N/A




Date: 21.FEB.2020 07:37:23




LTE Band 41 CA / 15MHz+20MHz

Lowest Channel / QPSK

Lowest Channel / 16QAM




Date: 21.FEB.2020 07:53:33



Date: 21.FEB.2020 07:54:43

Lowest Channel / 64QAM

N/A





Date: 21.FEB.2020 07:55:36



LTE Band 41 CA / 15MHz+20MHz

Middle Channel / QPSK

Middle Channel / 16QAM




Date: 21.FEB.2020 07:58:50

Date: 21.FEB.2020 07:58:00

Middle Channel / 64QAM

N/A





Date: 21.FEB.2020 07:57:02



LTE Band 41 CA / 15MHz+20MHz

Highest Channel / QPSK

Highest Channel / 16QAM




Date: 21.FEB.2020 08:03:15

Date: 21.FEB.2020 08:04:08

Highest Channel / 64QAM

N/A





Date: 21.FEB.2020 08:05:16



LTE Band 41 CA / 20MHz+5MHz

Lowest Channel / QPSK

Lowest Channel / 16QAM




Date: 21.JAN.2020 14:19:35

Date: 21.JAN.2020 14:17:25

Lowest Channel / 64QAM

N/A





Date: 21.JAN.2020 14:16:23



LTE Band 41 CA / 20MHz+5MHz

Middle Channel / QPSK

Middle Channel / 16QAM




Date: 21.JAN.2020 14:22:00

Date: 21.JAN.2020 14:22:57

Middle Channel / 64QAM

N/A





Date: 21.JAN.2020 14:23:56



LTE Band 41 CA / 20MHz+5MHz

Highest Channel / QPSK

Highest Channel / 16QAM




Date: 21.JAN.2020 14:33:15

Date: 21.JAN.2020 14:32:07

Highest Channel / 64QAM

N/A





Date: 21.JAN.2020 14:31:18



LTE Band 41 CA / 20MHz+10MHz

Lowest Channel / QPSK

Lowest Channel / 16QAM




Date: 21.FEB.2020 07:17:59

Date: 21.FEB.2020 07:17:07

Lowest Channel / 64QAM

N/A





Date: 21.FEB.2020 07:16:16



LTE Band 41 CA / 20MHz+10MHz

Middle Channel / QPSK

Middle Channel / 16QAM




Date: 21.FEB.2020 07:13:12

Date: 21.FEB.2020 07:14:03

Middle Channel / 64QAM

N/A





Date: 21.FEB.2020 07:14:58



LTE Band 41 CA / 20MHz+10MHz

Highest Channel / QPSK

Highest Channel / 16QAM




Date: 21.FEB.2020 07:08:57

Date: 21.FEB.2020 07:08:02

Highest Channel / 64QAM

N/A





Date: 21.FEB.2020 07:06:55



LTE Band 41 CA / 20MHz+15MHz

Lowest Channel / QPSK

Lowest Channel / 16QAM




Date: 21.FEB.2020 06:50:26

Date: 21.FEB.2020 06:51:21

Lowest Channel / 64QAM

N/A





Date: 21.FEB.2020 06:52:11



LTE Band 41 CA / 20MHz+15MHz

Middle Channel / QPSK

Middle Channel / 16QAM




Date: 21.FEB.2020 06:58:15

Date: 21.FEB.2020 06:57:16

Middle Channel / 64QAM

N/A





Date: 21.FEB.2020 06:56:23



LTE Band 41 CA / 20MHz+15MHz

Highest Channel / QPSK

Highest Channel / 16QAM




Date: 21.FEB.2020 07:02:35

Date: 21.FEB.2020 07:03:40

Highest Channel / 64QAM

N/A





Date: 21.FEB.2020 07:04:58



LTE Band 41 CA / 20MHz+20MHz

Lowest Channel / QPSK

Lowest Channel / 16QAM




Date: 20 FEB 2020 07:27:16

Date: 20 FEB 2020 07:28:15

Lowest Channel / 64QAM

N/A





Date: 20 FEB 2020 07:29:19



LTE Band 41 CA / 20MHz+20MHz

MiddleChannel / QPSK

Middle Channel / 16QAM




Date: 20 FEB 2020 07:34:08

Date: 20 FEB 2020 07:32:56

Middle Channel / 64QAM

N/A





Date: 20 FEB 2020 07:31:41



LTE Band 41 CA / 20MHz+20MHz

Highest Channel / QPSK

Highest Channel / 16QAM




Date: 20 FEB 2020 07:38:40

Date: 20 FEB 2020 07:39:28

Highest Channel / 64QAM

N/A



Date: 20 FEB 2020 07:41:07



Appendix B. Test Results of Radiated Test

Radiated Spurious Emission

LTE Band 7 / 20MHz / QPSK								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5004	-62.74	-25	-37.74	-72.95	3.03	13.24	H
	7503.27	-60.82	-25	-35.82	-70.27	3.56	13.01	H
	10004.35	-57.36	-25	-32.36	-66.88	3.92	13.44	H
	12505.45	-57.34	-25	-32.34	-67.26	4.44	14.36	H
	15010	-54.65	-25	-29.65	-65.02	4.77	15.14	H
	5004	-55.47	-25	-30.47	-65.68	3.03	13.24	V
	7504	-60.23	-25	-35.23	-69.68	3.56	13.01	V
	10000	-58.09	-25	-33.09	-67.61	3.92	13.44	V
	12505.45	-56.91	-25	-31.91	-66.83	4.44	14.36	V
	15010	-50.16	-25	-25.16	-60.53	4.77	15.14	V
Middle	5052	-60.45	-25	-35.45	-70.66	3.03	13.24	H
	7580	-60.47	-25	-35.47	-69.92	3.56	13.01	H
	10100	-56.96	-25	-31.96	-66.48	3.92	13.44	H
	12630	-57.32	-25	-32.32	-67.24	4.44	14.36	H
	15156.34	-53.92	-25	-28.92	-64.29	4.77	15.14	H
	5052	-53.21	-25	-28.21	-63.42	3.03	13.24	V
	7580	-59.56	-25	-34.56	-69.01	3.56	13.01	V
	10104.36	-57.71	-25	-32.71	-67.23	3.92	13.44	V
	12630.36	-57.06	-25	-32.06	-66.98	4.44	14.36	V
	15160	-47.91	-25	-22.91	-58.28	4.77	15.14	V
Highest	5100	-61.75	-25	-36.75	-71.96	3.03	13.24	H
	7653.27	-60.78	-25	-35.78	-70.23	3.56	13.01	H
	10204.36	-57.81	-25	-32.81	-67.33	3.92	13.44	H
	12755.45	-57.31	-25	-32.31	-67.23	4.44	14.36	H
	15310	-54.31	-25	-29.31	-64.68	4.77	15.14	H
	5100	-54.23	-25	-29.23	-64.44	3.03	13.24	V
	7652	-60.33	-25	-35.33	-69.78	3.56	13.01	V
	10200	-57.81	-25	-32.81	-67.33	3.92	13.44	V
	12755.45	-56.61	-25	-31.61	-66.53	4.44	14.36	V
	15310	-48.83	-25	-23.83	-59.20	4.77	15.14	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 12 / 10MHz / QPSK								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1398	-62.78	-13	-49.78	-69.75	1.58	10.70	H
	2098	-65.77	-13	-52.77	-74.02	2.102	12.50	H
	2798	-62.68	-13	-49.68	-71.57	2.856	13.90	H
	1400	-66.65	-13	-53.65	-73.62	1.58	10.70	V
	2098	-65.78	-13	-52.78	-74.03	2.10	12.50	V
	2798	-62.63	-13	-49.63	-71.52	2.86	13.90	V
Middle	1406	-62.12	-13	-49.12	-69.09	1.58	10.70	H
	2110	-65.69	-13	-52.69	-73.94	2.102	12.50	H
	2812	-62.71	-13	-49.71	-71.60	2.856	13.90	H
	1406	-67.15	-13	-54.15	-74.12	1.58	10.70	V
	2110	-65.55	-13	-52.55	-73.80	2.10	12.50	V
	2812	-62.90	-13	-49.90	-71.79	2.86	13.90	V
Highest	1414	-61.09	-13	-48.09	-68.06	1.58	10.70	H
	2120	-65.92	-13	-52.92	-74.17	2.102	12.50	H
	2826	-62.62	-13	-49.62	-71.51	2.856	13.90	H
	1414	-66.76	-13	-53.76	-73.73	1.58	10.70	V
	2120	-65.69	-13	-52.69	-73.94	2.10	12.50	V
	2826	-62.71	-13	-49.71	-71.60	2.86	13.90	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 13 / 5MHz / QPSK								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1554	-67.79	-13	-54.79	-70.42	1.09	5.87	H
	2332	-64.96	-13	-51.96	-67.36	1.37	5.92	H
	3108	-63.12	-13	-50.12	-67.01	1.64	7.68	H
	1554	-67.68	-13	-54.68	-70.31	1.09	5.87	V
	2332	-64.86	-13	-51.86	-67.26	1.37	5.92	V
	3108	-63.09	-13	-50.09	-66.98	1.64	7.68	V
Middle	1560	-67.41	-42.15	-25.26	-70.04	1.09	5.87	H
	2340	-64.86	-13	-51.86	-67.26	1.37	5.92	H
	3120	-62.80	-13	-49.80	-66.69	1.64	7.68	H
	1560	-67.85	-42.15	-25.70	-70.48	1.09	5.87	V
	2340	-64.80	-13	-51.80	-67.20	1.37	5.92	V
	3120	-63.03	-13	-50.03	-66.92	1.64	7.68	V
Highest	1564	-67.46	-42.15	-25.31	-70.09	1.09	5.87	H
	2348	-64.78	-13	-51.78	-67.18	1.37	5.92	H
	3132	-63.13	-13	-50.13	-67.02	1.64	7.68	H
	1564	-67.60	-42.15	-25.45	-70.23	1.09	5.87	V
	2348	-64.27	-13	-51.27	-66.67	1.37	5.92	V
	3132	-63.24	-13	-50.24	-67.13	1.64	7.68	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 13 / 10MHz / QPSK								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1556	-67.78	-13	-54.78	-70.41	1.09	5.87	H
	2332	-65.01	-13	-52.01	-67.41	1.37	5.92	H
	3108	-63.05	-13	-50.05	-66.94	1.64	7.68	H
	1556	-67.95	-13	-54.95	-70.58	1.09	5.87	V
	2332.77	-64.41	-13	-51.41	-66.81	1.37	5.92	V
	3108	-63.14	-13	-50.14	-67.03	1.64	7.68	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 25 / 20MHz / QPSK								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3702	-57.23	-13	-44.23	-69.49	2.64	14.90	H
	5553	-55.20	-13	-42.20	-67.06	2.94	14.80	H
	7404	-50.33	-13	-37.33	-60.10	3.39	13.16	H
	3702	-57.07	-13	-44.07	-69.33	2.64	14.90	V
	5553	-54.52	-13	-41.52	-66.38	2.94	14.80	V
	7404	-50.03	-13	-37.03	-59.80	3.39	13.16	V
Middle	3741	-56.85	-13	-43.85	-69.11	2.64	14.90	H
	5613	-55.07	-13	-42.07	-66.93	2.94	14.80	H
	7488	-49.77	-13	-36.77	-59.54	3.39	13.16	H
	3741	-56.55	-13	-43.55	-68.81	2.64	14.90	V
	5613	-53.81	-13	-40.81	-65.67	2.94	14.80	V
	7488	-49.25	-13	-36.25	-59.02	3.39	13.16	V
Highest	3792	-57.41	-13	-44.41	-69.67	2.64	14.90	H
	5688	-55.36	-13	-42.36	-67.22	2.94	14.80	H
	7584	-50.74	-13	-37.74	-60.51	3.39	13.16	H
	3792	-57.01	-13	-44.01	-69.27	2.64	14.90	V
	5688	-54.60	-13	-41.60	-66.46	2.94	14.80	V
	7584	-49.78	-13	-36.78	-59.55	3.39	13.16	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 26 / 15MHz / QPSK								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1650	-68.49	-13	-55.49	-75.46	1.58	10.70	H
	2474	-64.23	-13	-51.23	-72.48	2.102	12.50	H
	3300	-64.13	-13	-51.13	-73.02	2.856	13.90	H
	1650	-68.52	-13	-55.52	-75.49	1.58	10.70	V
	2474	-63.64	-13	-50.64	-71.89	2.10	12.50	V
	3300	-63.50	-13	-50.50	-72.39	2.86	13.90	V
Middle	1660	-68.16	-13	-55.16	-75.13	1.58	10.70	H
	2490	-63.60	-13	-50.60	-71.85	2.102	12.50	H
	3318	-64.39	-13	-51.39	-73.28	2.856	13.90	H
	1660	-68.41	-13	-55.41	-75.38	1.58	10.70	V
	2490	-63.00	-13	-50.00	-71.25	2.10	12.50	V
	3318	-64.15	-13	-51.15	-73.04	2.86	13.90	V
Highest	1670	-68.06	-13	-55.06	-75.03	1.58	10.70	H
	2504	-64.01	-13	-51.01	-72.26	2.102	12.50	H
	3342	-64.28	-13	-51.28	-73.17	2.856	13.90	H
	1670	-68.08	-13	-55.08	-75.05	1.58	10.70	V
	2504	-64.23	-13	-51.23	-72.48	2.10	12.50	V
	3342	-64.04	-13	-51.04	-72.93	2.86	13.90	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 41 / 20MHz / QPSK								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	4992	-61.14	-25	-36.14	-71.35	3.03	13.24	H
	7492	-60.42	-25	-35.42	-69.87	3.56	13.01	H
	9990	-57.52	-25	-32.52	-67.04	3.92	13.44	H
	12485.45	-57.56	-25	-32.56	-67.48	4.44	14.36	H
	14980	-53.55	-25	-28.55	-63.92	4.77	15.14	H
	4992	-52.83	-25	-27.83	-63.04	3.03	13.24	V
	7492	-58.27	-25	-33.27	-67.72	3.56	13.01	V
	9988.36	-58.07	-25	-33.07	-67.59	3.92	13.44	V
	12490	-57.20	-25	-32.20	-67.12	4.44	14.36	V
	14980	-47.32	-25	-22.32	-57.69	4.77	15.14	V
Middle	5168	-59.01	-25	-34.01	-69.22	3.03	13.24	H
	7752	-60.36	-25	-35.36	-69.81	3.56	13.01	H
	10340	-57.81	-25	-32.81	-67.33	3.92	13.44	H
	12920.45	-57.81	-25	-32.81	-67.73	4.44	14.36	H
	15500	-55.56	-25	-30.56	-65.93	4.77	15.14	H
	5168	-51.44	-25	-26.44	-61.65	3.03	13.24	V
	7752	-59.75	-25	-34.75	-69.20	3.56	13.01	V
	10340	-57.88	-25	-32.88	-67.40	3.92	13.44	V
	12920.45	-57.47	-25	-32.47	-67.39	4.44	14.36	V
	15500	-48.83	-25	-23.83	-59.20	4.77	15.14	V
Highest	5340	-61.16	-25	-36.16	-71.37	3.03	13.24	H
	8012	-60.49	-25	-35.49	-69.94	3.56	13.01	H
	10684.36	-56.78	-25	-31.78	-66.30	3.92	13.44	H
	13356	-57.01	-25	-32.01	-66.93	4.44	14.36	H
	16026.54	-60.94	-25	-35.94	-71.31	4.77	15.14	H
	5340	-56.50	-25	-31.50	-66.71	3.03	13.24	V
	8012	-60.17	-25	-35.17	-69.62	3.56	13.01	V
	10683	-56.43	-25	-31.43	-65.95	3.92	13.44	V
	13355.45	-55.97	-25	-30.97	-65.89	4.44	14.36	V
	16029	-55.23	-25	-30.23	-65.60	4.77	15.14	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 66 / 20MHz / QPSK								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3423	-58.23	-13	-45.23	-68.97	2.604	13.34	H
	5133	-56.32	-13	-43.32	-66.83	3.011	13.52	H
	6840	-53.08	-13	-40.08	-63.28	3.271	13.47	H
	3423	-57.46	-13	-44.46	-68.20	2.604	13.34	V
	5133.27	-56.15	-13	-43.15	-66.66	3.011	13.52	V
	6840	-52.87	-13	-39.87	-63.07	3.271	13.47	V
Middle	3471	-58.87	-13	-45.87	-69.61	2.604	13.34	H
	5208	-56.63	-13	-43.63	-67.14	3.011	13.52	H
	6948	-52.48	-13	-39.48	-62.68	3.271	13.47	H
	3471	-58.13	-13	-45.13	-68.87	2.604	13.34	V
	5208	-55.97	-13	-42.97	-66.48	3.011	13.52	V
	6948	-52.36	-13	-39.36	-62.56	3.271	13.47	V
Highest	3522	-58.99	-13	-45.99	-69.73	2.604	13.34	H
	5283.27	-56.86	-13	-43.86	-67.37	3.011	13.52	H
	7044	-51.53	-13	-38.53	-61.73	3.271	13.47	H
	3522	-58.79	-13	-45.79	-69.53	2.604	13.34	V
	5283	-56.97	-13	-43.97	-67.48	3.011	13.52	V
	7044	-51.08	-13	-38.08	-61.28	3.271	13.47	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 71 / 20MHz / QPSK								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1328	-61.09	-13	-48.09	-62.84	1.02	4.92	H
	1992	-63.31	-13	-50.31	-65.28	1.27	5.39	H
	2656	-63.19	-13	-50.19	-66.12	1.49	6.57	H
	1328	-63.53	-13	-50.53	-65.28	1.02	4.92	V
	1992	-60.58	-13	-47.58	-62.55	1.27	5.39	V
	2656	-63.45	-13	-50.45	-66.38	1.49	6.57	V
Middle	1348	-62.83	-13	-49.83	-64.58	1.02	4.92	H
	2022	-64.23	-13	-51.23	-66.20	1.27	5.39	H
	2696	-62.31	-13	-49.31	-65.24	1.49	6.57	H
	1348	-65.12	-13	-52.12	-66.87	1.02	4.92	V
	2022	-60.55	-13	-47.55	-62.52	1.27	5.39	V
	2696	-62.52	-13	-49.52	-65.45	1.49	6.57	V
Highest	1358	-62.48	-13	-49.48	-64.23	1.02	4.92	H
	2037.27	-65.39	-13	-52.39	-67.36	1.27	5.39	H
	2716	-62.68	-13	-49.68	-65.61	1.49	6.57	H
	1358	-64.21	-13	-51.21	-65.96	1.02	4.92	V
	2038	-62.82	-13	-49.82	-64.79	1.27	5.39	V
	2716	-62.84	-13	-49.84	-65.77	1.49	6.57	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 7C_CA / 20M+20M / QPSK								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5000	-63.61	-25	-38.61	-73.82	3.03	13.24	H
	7504	-60.44	-25	-35.44	-69.89	3.56	13.01	H
	10000	-57.33	-25	-32.33	-66.85	3.92	13.44	H
	5000	-57.74	-25	-32.74	-67.95	3.03	13.24	V
	7503.27	-59.92	-25	-34.92	-69.37	3.56	13.01	V
	10000	-57.91	-25	-32.91	-67.43	3.92	13.44	V
Middle	5032	-63.42	-25	-38.42	-73.63	3.03	13.24	H
	7548	-60.65	-25	-35.65	-70.10	3.56	13.01	H
	10060	-57.30	-25	-32.30	-66.82	3.92	13.44	H
	5032	-55.87	-25	-30.87	-66.08	3.03	13.24	V
	7548	-59.92	-25	-34.92	-69.37	3.56	13.01	V
	10060	-58.39	-25	-33.39	-67.91	3.92	13.44	V
Highest	5064	-63.25	-25	-38.25	-73.46	3.03	13.24	H
	7593.87	-60.80	-25	-35.80	-70.25	3.56	13.01	H
	10125	-57.45	-25	-32.45	-66.97	3.92	13.44	H
	5064	-54.01	-25	-29.01	-64.22	3.03	13.24	V
	7592	-59.90	-25	-34.90	-69.35	3.56	13.01	V
	10125	-58.11	-25	-33.11	-67.63	3.92	13.44	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 41C_CA / 20M+20M / QPSK								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	4996	-57.92	-25	-32.92	-68.13	3.03	13.24	H
	7491.27	-59.42	-25	-34.42	-68.87	3.56	13.01	H
	9988.36	-56.90	-25	-31.90	-66.42	3.92	13.44	H
	12485.45	-57.38	-25	-32.38	-67.30	4.44	14.36	H
	14980	-52.53	-25	-27.53	-62.90	4.77	15.14	H
	4992	-50.15	-25	-25.15	-60.36	3.03	13.24	V
	7492	-55.60	-25	-30.60	-65.05	3.56	13.01	V
	9990	-55.66	-25	-30.66	-65.18	3.92	13.44	V
	12485.45	-58.89	-25	-33.89	-68.81	4.44	14.36	V
	14980	-45.70	-25	-20.70	-56.07	4.77	15.14	V
Middle	5148	-56.67	-25	-31.67	-66.88	3.03	13.24	H
	7724	-58.79	-25	-33.79	-68.24	3.56	13.01	H
	10296.76	-56.91	-25	-31.91	-66.43	3.92	13.44	H
	12870.95	-61.42	-25	-36.42	-71.34	4.44	14.36	H
	15440	-49.60	-25	-24.60	-59.97	4.77	15.14	H
	5148	-49.78	-25	-24.78	-59.99	3.03	13.24	V
	7724	-52.82	-25	-27.82	-62.27	3.56	13.01	V
	10296.76	-56.36	-25	-31.36	-65.88	3.92	13.44	V
	12870.95	-57.74	-25	-32.74	-67.66	4.44	14.36	V
	15440	-42.00	-25	-17.00	-52.37	4.77	15.14	V
Highest	5304	-61.48	-25	-36.48	-71.69	3.03	13.24	H
	7952	-60.70	-25	-35.70	-70.15	3.56	13.01	H
	10605.16	-56.58	-25	-31.58	-66.10	3.92	13.44	H
	13256.45	-57.72	-25	-32.72	-67.64	4.44	14.36	H
	15910	-59.13	-25	-34.13	-69.50	4.77	15.14	H
	5304	-56.47	-25	-31.47	-66.68	3.03	13.24	V
	7952	-60.07	-25	-35.07	-69.52	3.56	13.01	V
	10600	-54.16	-25	-29.16	-63.68	3.92	13.44	V
	13256.45	-57.35	-25	-32.35	-67.27	4.44	14.36	V
	15910	-49.33	-25	-24.33	-59.70	4.77	15.14	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.