



## 5MHz Channel Bandwidth


## Channel 26065 (1852.5MHz)



## Channel 26365 (1882.5MHz)




## Channel 26665 (1912.5MHz)




## 10MHz Channel Bandwidth


## Channel 16390 (1855MHz)



## Channel 26365 (1882.5MHz)




## Channel 26640 (1910MHz)




## 15MHz Channel Bandwidth


## Channel 26115 (1857MHz)



## Channel 26365 (1882.5MHz)




## Channel 26615 (1907.5MHz)




## 20MHz Channel Bandwidth


## Channel 26140 (1860MHz)



## Channel 26365 (1882.5MHz)



## Channel 26590 (1905MHz)




Product	LTE-A Cat 16 M.2 Module	Test Engineer	Candy Luo
Test Date	2020/06/30	Test Site	SR6
Test Band	Band 4/66	Test Result	Pass


Channel	Frequency (MHz)	Channel Bandwidth (MHz)	Frequency Range (MHz)	Max Spurious Emissions (dBm)	Limit (dBm)	Result
131979	1710.7	1.4	30 ~ 20000	-47.14	≤ -13.00	Pass
132322	1745.0	1.4	30 ~ 20000	-46.75	≤ -13.00	Pass
132665	1779.3	1.4	30 ~ 20000	-46.22	≤ -13.00	Pass
131987	1711.5	3	30 ~ 20000	-47.88	≤ -13.00	Pass
132322	1745.0	3	30 ~ 20000	-48.68	≤ -13.00	Pass
132657	1778.5	3	30 ~ 20000	-47.60	≤ -13.00	Pass
131997	1712.5	5	30 ~ 20000	-47.37	≤ -13.00	Pass
132322	1745.0	5	30 ~ 20000	-47.72	≤ -13.00	Pass
132647	1777.5	5	30 ~ 20000	-47.89	≤ -13.00	Pass
132022	1715.0	10	30 ~ 20000	-45.87	≤ -13.00	Pass
132322	1745.0	10	30 ~ 20000	-48.39	≤ -13.00	Pass
132622	1775.0	10	30 ~ 20000	-48.05	≤ -13.00	Pass
132047	1717.5	15	30 ~ 20000	-52.53	≤ -13.00	Pass
132322	1745.0	15	30 ~ 20000	-55.39	≤ -13.00	Pass
132597	1772.5	15	30 ~ 20000	-52.05	≤ -13.00	Pass
132072	1720.0	20	30 ~ 20000	-53.69	≤ -13.00	Pass
132322	1745.0	20	30 ~ 20000	-54.17	≤ -13.00	Pass
132572	1770.0	20	30 ~ 20000	-51.40	≤ -13.00	Pass

## 1.4MHz Channel Bandwidth


## Channel 131979 (1710.7MHz)



## Channel 132322 (1745MHz)




## Channel 132665 (1779.3MHz)




## 3MHz Channel Bandwidth


## Channel 131987 (1711.5MHz)



## Channel 132322 (1745MHz)




## Channel 132657 (1778.5MHz)




## 5MHz Channel Bandwidth


## Channel 131997 (1712.5MHz)



## Channel 132322 (1745MHz)




## Channel 132647 (1777.5MHz)




## 10MHz Channel Bandwidth


## Channel 132022 (1715MHz)



## Channel 132322 (1745MHz)







## Channel 132622 (1775MHz)








**15MHz Channel Bandwidth**



**20MHz Channel Bandwidth**




Product	LTE-A Cat 16 M.2 Module	Test Engineer	Candy Luo
Test Date	2020/06/30	Test Site	SR6
Test Band	Band 5/26	Test Result	Pass


Channel	Frequency (MHz)	Channel Bandwidth (MHz)	Frequency Range (MHz)	Max Spurious Emissions (dBm)	Limit (dBm)	Result
26697	814.7	1.4	30 ~ 10000	-42.61	≤ -13.00	Pass
26865	831.5	1.4	30 ~ 10000	-44.60	≤ -13.00	Pass
27033	848.3	1.4	30 ~ 10000	-42.80	≤ -13.00	Pass
26705	815.5	3	30 ~ 10000	-43.29	≤ -13.00	Pass
26865	831.5	3	30 ~ 10000	-42.68	≤ -13.00	Pass
27025	847.5	3	30 ~ 10000	-40.92	≤ -13.00	Pass
26715	816.5	5	30 ~ 10000	-44.69	≤ -13.00	Pass
26865	831.5	5	30 ~ 10000	-42.14	≤ -13.00	Pass
27015	846.5	5	30 ~ 10000	-40.75	≤ -13.00	Pass
26740	819.0	10	30 ~ 10000	-42.20	≤ -13.00	Pass
26865	831.5	10	30 ~ 10000	-42.82	≤ -13.00	Pass
26990	844.0	10	30 ~ 10000	-41.51	≤ -13.00	Pass

## 1.4MHz Channel Bandwidth


## Channel 26697 (814.7MHz)



## Channel 25865 (831.5MHz)




## Channel 27033 (848.3MHz)




## 3MHz Channel Bandwidth


## Channel 26705 (815.5MHz)



## Channel 26865 (831.5MHz)




## Channel 27025 (847.5MHz)






5MHz Channel Bandwidth


Channel 26715 (816.5MHz)



Channel 26865 (831.5MHz)




Channel 27015 (846.5MHz)




10MHz Channel Bandwidth


Channel 26740 (819MHz)



Channel 26865 (831.5MHz)



Channel 26990 (844MHz)




Product	LTE-A Cat 16 M.2 Module	Test Engineer	Candy Luo
Test Date	2020/06/30	Test Site	SR6
Test Band	Band 7	Test Result	Pass

Channel	Frequency (MHz)	Channel Bandwidth (MHz)	Frequency Range (MHz)	Max Spurious Emissions (dBm)	Limit (dBm)	Result
20775	2502.5	5	30 ~ 26500	-53.58	≤ -25.00	Pass
21100	2535.0	5	30 ~ 26500	-50.37	≤ -25.00	Pass
21425	2567.5	5	30 ~ 26500	-51.18	≤ -25.00	Pass
20800	2505.0	10	30 ~ 26500	-49.67	≤ -25.00	Pass
21100	2535.0	10	30 ~ 26500	-51.39	≤ -25.00	Pass
21400	2565.0	10	30 ~ 26500	-49.93	≤ -25.00	Pass
20825	2507.5	15	30 ~ 26500	-50.96	≤ -25.00	Pass
21100	2535.0	15	30 ~ 26500	-52.51	≤ -25.00	Pass
21375	2562.5	15	30 ~ 26500	-52.02	≤ -25.00	Pass
20850	2510.0	20	30 ~ 26500	-51.74	≤ -25.00	Pass
21100	2535.0	20	30 ~ 26500	-51.37	≤ -25.00	Pass
21350	2560.0	20	30 ~ 26500	-50.64	≤ -25.00	Pass

## 5MHz Channel Bandwidth


## Channel 20775 (2502.5MHz) /



## Channel 21100 (2535MHz)




## Channel 21425 (2567.5MHz)



## 10MHz Channel Bandwidth


## Channel 20800 (2505MHz)



## Channel 21100 (2535MHz)



## Channel 21400 (2565MHz)




## 15MHz Channel Bandwidth


## Channel 20825 (2507.5MHz)



## Channel 21100 (2535MHz)




## Channel 21375 (2562.5MHz)



## 20MHz Channel Bandwidth


## Channel 20850 (2510MHz)



## Channel 21100 (2535MHz)



## Channel 21350 (2560MHz)



Product	LTE-A Cat 16 M.2 Module	Test Engineer	Candy Luo
Test Date	2020/06/24	Test Site	SR6
Test Band	Band 12	Test Result	Pass

Channel	Frequency (MHz)	Channel Bandwidth (MHz)	Frequency Range (MHz)	Max Spurious Emissions (dBm)	Limit (dBm)	Result
23017	699.7	1.4	30 ~ 10000	-44.45	≤ -13.00	Pass
23095	707.5	1.4	30 ~ 10000	-46.71	≤ -13.00	Pass
23173	715.3	1.4	30 ~ 10000	-45.47	≤ -13.00	Pass
23025	700.5	3	30 ~ 10000	-47.19	≤ -13.00	Pass
23095	707.5	3	30 ~ 10000	-47.14	≤ -13.00	Pass
23165	714.5	3	30 ~ 10000	-46.95	≤ -13.00	Pass
23035	701.5	5	30 ~ 10000	-47.08	≤ -13.00	Pass
23095	707.5	5	30 ~ 10000	-47.85	≤ -13.00	Pass
23155	713.5	5	30 ~ 10000	-46.48	≤ -13.00	Pass
23060	704.0	10	30 ~ 10000	-45.12	≤ -13.00	Pass
23095	707.5	10	30 ~ 10000	-45.36	≤ -13.00	Pass
23130	711.0	10	30 ~ 10000	-48.62	≤ -13.00	Pass