

SPOT CHECK REPORT

FCC PART 2 & 22 & 24 & 27

FCC ID: XMR2020RM510QGL

Application: Quectel Wireless Solutions Company Limited

Application Type: Certification

Product: 5G Sub-6 GHz & mmWave M.2 Module

Model No.: RM510Q-GL


Brand Name: Quectel

FCC Rule Part(s): Part 2, 22 (H), 24 (E), 27

Test Procedure(s): ANSI C63.26: 2015

Test Date: December 09, 2020 ~ January 04, 2021

Reviewed By: 
Sunny Sun

Approved By: 
Robin Wu



The test results relate only to the samples tested.

This equipment has been shown to be capable of compliance with the applicable technical standards as indicated in the measurement report and was tested in accordance with the measurement procedures specified in ANSI C63.26-2015. Test results reported herein relate only to the item(s) tested.

The test report shall not be reproduced except in full without the written approval of MRT Technology (Suzhou) Co., Ltd.

Revision History

Report No.	Version	Description	Issue Date	Note
2012RSU045-U2	Rev. 01	Initial Report	03-03-2021	Valid

Note: This application for certification is leveraging the data reuse procedures from KDB 484596 based on reference FCC ID: XMR2020RM502QAE to cover variant FCC ID: XMR2020RM510QGL.

CONTENTS

Description	Page
1. GENERAL INFORMATION	4
1.1. Applicant	4
1.2. Manufacturer	4
1.3. Testing Facility.....	4
2. PRODUCT INFORMATION	5
2.1. Equipment Description	5
2.2. Product Specification Subjective to this Report	6
2.3. Description of Available Antennas.....	7
2.4. Test Methodology	7
2.5. Device Capabilities.....	8
2.6. EMI Suppression Device(s)/Modifications.....	8
2.7. Configuration of Tested System	9
2.8. Test Environment Condition.....	9
3. TEST EQUIPMENT CALIBRATION DATE.....	10
4. MEASUREMENT UNCERTAINTY	11
5. TEST RESULT	12
5.1. Summary.....	12
5.2. Equivalent Isotropically Radiated Power Measurement	13
5.2.1. Test Limit	13
5.2.2. Test Procedures Used	13
5.2.3. Test Setting.....	13
5.2.4. Test Setup	14
5.2.5. Test Result.....	15
5.3. Conducted Spurious Emissions.....	58
5.3.1. Test Limit	58
5.3.2. Test Procedure Used	58
5.3.3. Test Setting.....	58
5.3.4. Test Setup	59
5.3.5. Test Result.....	60
6. CONCLUSION	69
Appendix A - Test Setup Photograph	70
Appendix B - EUT Photograph.....	71
Appendix C - Reference Test Report	72

1. GENERAL INFORMATION

1.1. Applicant

Quectel Wireless Solutions Company Limited
 Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District,
 Shanghai, China 200233

1.2. Manufacturer

Quectel Wireless Solutions Company Limited
 Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District,
 Shanghai, China 200233

1.3. Testing Facility

<input checked="" type="checkbox"/>	Test Site - MRT Suzhou Laboratory
	Laboratory Location (Suzhou - Wuzhong) D8 Building, No.2 Tian'edang Rd., Wuzhong Economic Development Zone, Suzhou, China
	Laboratory Location (Suzhou - SIP) 4b Building, Liando U Valley, No.200 Xingpu Rd., Shengpu Town, Suzhou Industrial Park, China
	Laboratory Accreditations
	A2LA: 3628.01 CNAS: L10551
	FCC: CN1166 ISED: CN0001
	VCCI: R-20025, G-20034, C-20020, T-20020
<input type="checkbox"/>	Test Site - MRT Shenzhen Laboratory
	Laboratory Location (Shenzhen) 1G, Building A, Junxiangda Building, Zhongshanyuan Road West, Nanshan District, Shenzhen, China
	Laboratory Accreditations
	A2LA: 3628.02 CNAS: L10551
	FCC: CN1284 ISED: CN0105
<input type="checkbox"/>	Test Site - MRT Taiwan Laboratory
	Laboratory Location (Taiwan) No. 38, Fuxing 2 nd Rd., Guishan Dist., Taoyuan City 333, Taiwan (R.O.C.)
	Laboratory Accreditations
	TAF: L3261-190725
	FCC: 291082, TW3261 ISED: TW3261

2. PRODUCT INFORMATION

2.1. Equipment Description

Product Name:	5G Sub-6 GHz & mmWave M.2 Module
Model No.:	RM510Q-GL
Brand Name:	Quectel
IMEI:	867034040010481, 867034040011117
Operating Temperature:	-20 ~ 60 °C
Power Type:	3.135 ~ 4.4Vdc, typical 3.7Vdc
UMTS Specification	
Single Band:	Band 2, 4, 5
Modulation:	Uplink up to 16QAM, Downlink up to 64QAM
E-UTRA Specification	
Single Band:	Band 2, 4, 5, 7, 12, 13, 14, 17, 25, 26, 30, 38, 41, 48, 66, 71
Intra-Band:	CA_2C, CA_5B, CA_7C, CA_38C, CA_41C, CA_66C
Modulation:	UL & DL up to 256QAM
5G NR FR1 Specification	
SA Band:	n2, n5, n7, n12, n25, n41, n66, n71, n77
SA UL MIMO Band:	n41
EN-DC Band:	DC_5A_n2A, DC_12A_n2, DC_13A_n2A, DC_2A_n5A DC_30A_n5A, DC_66A_n5A, DC_5A_n7A, DC_12A_n7A DC_2A_n12A, DC_12A_n25A, DC_2A_n41A, DC_25A_n41A DC_26A_n41A, DC_66A_n41A, DC_5A_n66A, DC_12A_n66A DC_13A_n66A, DC_14A_n66A, DC_71A_n66A, DC_2A_n71A DC_7A_n71A, DC_66A_n71A
HPUE Band:	n41, n77
SCS for NR cell:	FDD Band: 15kHz; TDD Band: 30kHz
Modulation:	UL & DL up to 256QAM
5G NR FR2 Specification	
Band:	n260, n261
SCS for NR cell:	120kHz

Note: The module without passive antenna.

2.2. Product Specification Subjective to this Report

FDD T _x Frequency Range:	Band 2: 1850 ~ 1910 MHz; Band 4: 1710 ~ 1755 MHz Band 5: 824 ~ 849 MHz; Band 7: 2500 ~ 2570 MHz Band 12: 699 ~ 716 MHz; Band 13: 777 ~ 787 MHz Band 17: 704 ~ 716 MHz; Band 25: 1850 ~ 1915 MHz; Band 26: 824 ~ 849 MHz; Band 66: 1710 ~ 1780 MHz Band 71: 663 ~ 698 MHz
FDD R _x Frequency Range:	Band 2: 1930 ~ 1990 MHz; Band 4: 2110 ~ 2155 MHz Band 5: 869 ~ 894 MHz; Band 7: 2620 ~ 2690 MHz Band 12: 729 ~ 746 MHz; Band 13: 746 ~ 756 MHz Band 17: 734 ~ 746 MHz; Band 25: 1930 ~ 1995 MHz; Band 26: 869 ~ 894 MHz; Band 66: 2110 ~ 2200 MHz Band 71: 617 ~ 652 MHz
TDD T _x & R _x Frequency Range:	Band 38: 2570 ~ 2620 MHz; Band 41: 2496 ~ 2690 MHz;

Note 1: For other features of this EUT, test report will be issued separately.

Note 2: The declared of product specification for EUT presented in the report are provided by the manufacturer, and the manufacturer takes all the responsibilities for the accuracy of product specification.

Note 3: LTE band 26 transmit frequency for part 90 rule is 814 ~ 824MHz and part 22 rule is 824 ~ 849MHz. ERP over 15MHz bandwidth complies the ERP limit line of part 22 rule, therefore ERP of the partial frequency spectrum which falls within part 22 also complies.

2.3. Description of Available Antennas

Technology	Frequency Range (MHz)	Antenna Type	Max Peak Gain (dBi)
LTE Band 2	1850 ~ 1910	Dipole	0.25
LTE Band 4	1710 ~ 1755		1.47
LTE Band 5	824 ~ 849		2.68
LTE Band 7	2500 ~ 2570		0.55
LTE Band 12	699 ~ 716		-0.20
LTE Band 13	777 ~ 787		1.54
LTE Band 14	788 ~ 798		2.42
LTE Band 17	704 ~ 716		-0.20
LTE Band 25	1850 ~ 1915		0.25
LTE Band 26	814 ~ 849		2.68
LTE Band 30	2305 ~ 2315		-3.06
LTE Band 38	2570 ~ 2620		0.78
LTE Band 41	2496 ~ 2690		0.78
LTE Band 48	3550 ~ 3700		-4.29
LTE Band 66	1710 ~ 1780		1.47
LTE Band 71	663 ~ 698		1.22

Note: All antenna information (Antenna type and Peak Gain) is provided by the manufacturer.

2.4. Test Methodology

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- ANSI C63.26:2015
- FCC CFR 47 Part 2, Part 22, Part 24, Part 27
- FCC KDB 971168 D01 v03r01: Power Meas License Digital Systems
- FCC KDB 971168 D02 v02r01: Misc Rev Approv License Devices
- FCC KDB 412172 D01 v01r01: Determining ERP and EIRP

2.5. Device Capabilities

This device contains the following capabilities:

Working on LTE Band 2, 4, 5, 7, 12, 13, 14, 25, 26, 30, 38, 41, 66; Intra-band CA_41C LTE Module. LTE Band 66 (1710 ~ 1780 MHz) overlaps the entire frequency range of LTE Band 4 (1710 ~ 1755 MHz). Therefore, test data provided in this report covers Band 4 as well as Band 66.

LTE Band 25 (1850 ~ 1915 MHz) overlaps the entire frequency range of LTE Band 2 (1850 ~ 1910 MHz). Therefore, test data provided in this report covers Band 2 as well as Band 25.


LTE Band 26 (814 ~ 849 MHz) overlaps the entire frequency range of LTE Band 5 (824 ~ 849 MHz). Therefore, test data provided in this report covers Band 5 as well as Band 26.

LTE Band 41 (2496 ~ 2690 MHz) overlaps the entire frequency range of LTE Band 38 (2570 ~ 2620 MHz). Therefore, test data provided in this report covers Band 38 as well as Band 41.

2.6. EMI Suppression Device(s)/Modifications

No EMI suppression device(s) were added and/or no modifications were made during testing.

2.7. Configuration of Tested System



2.8. Test Environment Condition

Ambient Temperature	15 ~ 35°C
Relative Humidity	20% ~ 75%RH

3. TEST EQUIPMENT CALIBRATION DATE

Conducted Test Equipment (WZ-SR6, WZ-TR3)

Instrument	Manufacturer	Type No.	Asset No.	Cali. Interval	Cali. Due Date
EXA Signal Analyzer	Agilent	N9020A	MRTSUE06106	1 year	2021/04/15
EXA Signal Analyzer	Keysight	N9010B	MRTSUE06452	1 year	2021/07/11
Signal Analyzer	R&S	FSV40	MRTSUE06218	1 year	2021/04/15
Wideband Radio Communication Tester	R&S	CMW 500	MRTSUE06243	1 year	2021/11/07
Power Meter	Agilent	U2021XA	MRTSUE06030	1 year	2021/11/18
DC Power Supply	GWINSTEK	DPS-3303C	MRTSUE06064	N/A	N/A
True RMS Clamp Meter	Fluke	319	MRTSUE06080	1 year	2021/05/06
Directional Coupler	Agilent	87301D	MRTSUE06082	1 year	2021/03/25
Dual Directional Coupler	Agilent	7778D	MRTSUE06083	1 year	2021/03/25
Attenuator	MVE	6dB	MRTSUE06534	1 year	2021/12/12
Attenuator	MVE	10dB	MRTSUE06543	1 year	2021/12/12
Temperature & Humidity Chamber	BAOYT	BYH-150CL	MRTSUE06051	1 year	2021/11/07
Thermohygrometer	testo	608-H1	MRTSUE06401	1 year	2021/08/08

4. MEASUREMENT UNCERTAINTY

Where relevant, the following test uncertainty levels have been estimated for tests performed on the EUT as specified in CISPR 16-4-2. This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of $k = 2$.

Conducted Spurious Emissions
Measuring Uncertainty for a Level of Confidence of 95% ($U=2Uc(y)$): 0.78dB
Conducted Output Power
Measuring Uncertainty for a Level of Confidence of 95% ($U=2Uc(y)$): 1.13dB

5. TEST RESULT

5.1. Summary

FCC Part Section(s)	Test Description	Test Limit	Test Condition	Test Result	Reference
22.913(a)(5)	Equivalent Radiated Power (Band 5/26)	< 7 Watts Max ERP	Conducted	Pass	Section 5.2
27.50(b)(9) 27.50(c)(9)	Equivalent Radiated Power (Band 12, 13, 17)	< 30 Watts Max ERP			
27.50(c)(10)	Equivalent Radiated Power (Band 71)	< 3 Watts Max ERP			
24.232(c) 27.50(h)(2)	Equivalent Isotropic Radiated Power (Band 2/25, 7, 38/41)	< 2 Watts Max EIRP			
27.50(d)(4)	Equivalent Isotropic Radiated Power (Band 4/66)	< 1 Watts Max EIRP		Pass	Section 5.3
2.1051, 22.917(a) 24.238(a), 27.53(c), 27.53(g), 27.53(h)	Spurious Emission (Band 2/25, 4/66, 5/26, 12, 13, 17, 71)	< 43 + 10log ₁₀ (P _[Watts])			
2.1051, 27.53(m)	Spurious Emission (Band 7, 38/41)	< 55 + 10log ₁₀ (P _[Watts])			

Notes:

- 1) The analyzer plots shown in this section were all taken with a correction table loaded into the analyzer. The correction table was used to account for the losses of the cables and attenuators used as part of the system to connect the EUT to the analyzer at all frequencies of interest.
- 2) The difference compared with the original report is only different DL CA bands. Output power and conducted spurious emissions verification worst test refer to original MRT Repor No. "2010RSU005-U2".

5.2. Equivalent Isotropically Radiated Power Measurement

5.2.1. Test Limit

Band 5/26:

The ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 watts.

Band 12, 13, 17

Control stations and mobile stations transmitting in the 746-757 MHz, 776-788 MHz, and 805-806 MHz bands are limited to 30 watts ERP.

Control and mobile stations in the 698-746 MHz band are limited to 30 watts ERP.

Band 71

Fixed and mobile stations in the 600 MHz uplink band are limited to 3 watts ERP.

Band 2/25, 7, 38/41:

Mobile and portable stations are limited to 2 watts EIRP and the equipment must employ a means for limiting power to the minimum necessary for successful communications.

Band 4/66:

Fixed, mobile stations operating in the 1710-1755 MHz band and mobile in the 1695-1710 MHz and 1755-1780 MHz bands are limited to 1 watt EIRP.

5.2.2. Test Procedures Used

ANSI C63.26-2015 - Section 5.2

5.2.3. Test Setting

Average power measurements were performed only when the EUT was transmitting at its maximum power control level using a broadband power meter with a pulse sensor. The power meter implemented triggering and gating capabilities which were set up such that power measurements were recorded only during the ON time of the transmitter.

The relevant equation for determining the maximum ERP or EIRP from the measured RF output power is given in Equation (1) as follows:

$$\text{ERP or EIRP} = P_{\text{Meas}} + G_T$$

where


ERP or EIRP effective radiated power or equivalent isotropically radiated power, respectively (expressed in the same units as P_{Meas} , e.g., dBm or dBW)

P_{Meas} measured transmitter output power or PSD, in dBm or dBW

G_T gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP)

$$\text{ERP} = \text{EIRP} - 2.15$$

5.2.4. Test Setup



5.2.5. Test Result

Product	5G Sub-6 GHz & mmWave M.2 Module	Test Site	WZ-SR6
Test Engineer	Larry Yan	Test Date	2021/01/04~ 2021/01/06
Test Band	LTE Band 2/25		

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
26047	1850.70	1.4	1	0	22.37	22.62	< 33.01
26365	1882.50				22.32	22.57	< 33.01
26683	1914.30				22.30	22.55	< 33.01
26047	1850.70	1.4	1	2	22.49	22.74	< 33.01
26365	1882.50				22.46	22.71	< 33.01
26683	1914.30				22.33	22.58	< 33.01
26047	1850.70	1.4	1	6	22.42	22.67	< 33.01
26365	1882.50				22.45	22.70	< 33.01
26683	1914.30				22.38	22.63	< 33.01
26047	1850.70	1.4	6	0	21.52	21.77	< 33.01
26365	1882.50				21.43	21.68	< 33.01
26683	1914.30				21.41	21.66	< 33.01
26055	1851.50	3	1	0	22.46	22.71	< 33.01
26365	1882.50				22.56	22.81	< 33.01
26675	1913.50				22.32	22.57	< 33.01
26055	1851.50	3	1	7	22.55	22.80	< 33.01
26365	1882.50				22.69	22.94	< 33.01
26675	1913.50				22.53	22.78	< 33.01
26055	1851.50	3	1	14	22.46	22.71	< 33.01
26365	1882.50				22.52	22.77	< 33.01
26675	1913.50				22.45	22.70	< 33.01
26055	1851.50	3	15	0	21.60	21.85	< 33.01
26365	1882.50				21.53	21.78	< 33.01
26675	1913.50				21.48	21.73	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
26065	1852.50	5	1	0	22.37	22.62	< 33.01
26365	1882.50				22.46	22.71	< 33.01
26665	1912.50				22.41	22.66	< 33.01
26065	1852.50	5	1	12	22.46	22.71	< 33.01
26365	1882.50				22.42	22.67	< 33.01
26665	1912.50				22.41	22.66	< 33.01
26065	1852.50	5	1	24	22.50	22.75	< 33.01
26365	1882.50				22.48	22.73	< 33.01
26665	1912.50				22.35	22.60	< 33.01
26065	1852.50	5	25	0	21.58	21.83	< 33.01
26365	1882.50				21.57	21.82	< 33.01
26665	1912.50				21.55	21.80	< 33.01
16390	1855.00	10	1	0	22.46	22.71	< 33.01
26365	1882.50				22.67	22.92	< 33.01
26640	1910.00				22.47	22.72	< 33.01
16390	1855.00	10	1	24	22.45	22.70	< 33.01
26365	1882.50				22.53	22.78	< 33.01
26640	1910.00				22.54	22.79	< 33.01
16390	1855.00	10	1	49	22.52	22.77	< 33.01
26365	1882.50				22.78	23.03	< 33.01
26640	1910.00				22.50	22.75	< 33.01
16390	1855.00	10	50	0	21.53	21.78	< 33.01
26365	1882.50				21.60	21.85	< 33.01
26640	1910.00				21.45	21.70	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
26115	1857.50	15	1	0	22.49	22.74	< 33.01
26365	1882.50				22.54	22.79	< 33.01
26615	1907.50				22.64	22.89	< 33.01
26115	1857.50	15	1	37	22.38	22.63	< 33.01
26365	1882.50				22.52	22.77	< 33.01
26615	1907.50				22.65	22.90	< 33.01
26115	1857.50	15	1	74	22.57	22.82	< 33.01
26365	1882.50				22.55	22.80	< 33.01
26615	1907.50				22.57	22.82	< 33.01
26115	1857.50	15	75	0	21.59	21.84	< 33.01
26365	1882.50				21.58	21.83	< 33.01
26615	1907.50				21.46	21.71	< 33.01
26140	1860.00	20	1	0	22.55	22.80	< 33.01
26365	1882.50				22.48	22.73	< 33.01
26590	1905.00				22.28	22.53	< 33.01
26140	1860.00	20	1	49	22.46	22.71	< 33.01
26365	1882.50				22.41	22.66	< 33.01
26590	1905.00				22.46	22.71	< 33.01
26140	1860.00	20	1	99	22.45	22.70	< 33.01
26365	1882.50				22.43	22.68	< 33.01
26590	1905.00				22.49	22.74	< 33.01
26140	1860.00	20	100	0	21.55	21.80	< 33.01
26365	1882.50				21.63	21.88	< 33.01
26590	1905.00				21.57	21.82	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Product	5G Sub-6 GHz & mmWave M.2 Module	Test Site	WZ-SR6
Test Engineer	Larry Yan	Test Date	2021/01/04~ 2021/01/06
Test Band	LTE Band 4/66		

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
131979	1710.70	1.4	1	0	22.38	23.85	< 30.00
132322	1745.00				22.44	23.91	< 30.00
132665	1779.30				22.21	23.68	< 30.00
131979	1710.70	1.4	1	2	22.45	23.92	< 30.00
132322	1745.00				22.51	23.98	< 30.00
132665	1779.30				22.32	23.79	< 30.00
131979	1710.70	1.4	1	6	22.41	23.88	< 30.00
132322	1745.00				22.38	23.85	< 30.00
132665	1779.30				22.27	23.74	< 30.00
131979	1710.70	1.4	6	0	21.44	22.91	< 30.00
132322	1745.00				21.54	23.01	< 30.00
132665	1779.30				21.34	22.81	< 30.00
131987	1711.50	3	1	0	22.51	23.98	< 30.00
132322	1745.00				22.47	23.94	< 30.00
132657	1778.50				21.39	22.86	< 30.00
131987	1711.50	3	1	7	22.57	24.04	< 30.00
132322	1745.00				22.65	24.12	< 30.00
132657	1778.50				22.40	23.87	< 30.00
131987	1711.50	3	1	14	22.54	24.01	< 30.00
132322	1745.00				22.58	24.05	< 30.00
132657	1778.50				22.35	23.82	< 30.00
131987	1711.50	3	15	0	21.61	23.08	< 30.00
132322	1745.00				21.59	23.06	< 30.00
132657	1778.50				21.43	22.90	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
131997	1712.50	5	1	0	22.41	23.88	< 30.00
132322	1745.00				22.37	23.84	< 30.00
132647	1777.50				22.40	23.87	< 30.00
131997	1712.50	5	1	12	22.49	23.96	< 30.00
132322	1745.00				22.56	24.03	< 30.00
132647	1777.50				22.30	23.77	< 30.00
131997	1712.50	5	1	24	22.42	23.89	< 30.00
132322	1745.00				22.57	24.04	< 30.00
132647	1777.50				22.29	23.76	< 30.00
131997	1712.50	5	25	0	21.55	23.02	< 30.00
132322	1745.00				21.64	23.11	< 30.00
132647	1777.50				21.46	22.93	< 30.00
132022	1715.00	10	1	0	22.51	23.98	< 30.00
132322	1745.00				22.73	24.20	< 30.00
132622	1775.00				22.38	23.85	< 30.00
132022	1715.00	10	1	24	22.47	23.94	< 30.00
132322	1745.00				22.57	24.04	< 30.00
132622	1775.00				22.43	23.90	< 30.00
132022	1715.00	10	1	49	22.71	24.18	< 30.00
132322	1745.00				22.69	24.16	< 30.00
132622	1775.00				22.40	23.87	< 30.00
132022	1715.00	10	50	0	21.67	23.14	< 30.00
132322	1745.00				21.68	23.15	< 30.00
132622	1775.00				21.47	22.94	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
132047	1717.50	15	1	0	22.47	23.94	< 30.00
132322	1745.00				22.66	24.13	< 30.00
132597	1772.50				22.33	23.80	< 30.00
132047	1717.50	15	1	37	22.58	24.05	< 30.00
132322	1745.00				22.58	24.05	< 30.00
132597	1772.50				22.40	23.87	< 30.00
132047	1717.50	15	1	74	22.73	24.20	< 30.00
132322	1745.00				22.47	23.94	< 30.00
132597	1772.50				22.40	23.87	< 30.00
132047	1717.50	15	75	0	21.58	23.05	< 30.00
132322	1745.00				21.56	23.03	< 30.00
132597	1772.50				21.32	22.79	< 30.00
132072	1720.00	20	1	0	22.45	23.92	< 30.00
132322	1745.00				22.50	23.97	< 30.00
132572	1770.00				22.48	23.95	< 30.00
132072	1720.00	20	1	49	22.42	23.89	< 30.00
132322	1745.00				22.46	23.93	< 30.00
132572	1770.00				22.43	23.90	< 30.00
132072	1720.00	20	1	99	22.49	23.96	< 30.00
132322	1745.00				22.41	23.88	< 30.00
132572	1770.00				22.36	23.83	< 30.00
132072	1720.00	20	100	0	21.67	23.14	< 30.00
132322	1745.00				21.66	23.13	< 30.00
132572	1770.00				21.29	22.76	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Product	5G Sub-6 GHz & mmWave M.2 Module	Test Site	WZ-SR6
Test Engineer	Larry Yan	Test Date	2021/01/04~ 2021/01/06
Test Band	LTE Band 5/26		

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK							
26797	824.70	1.4	1	0	22.72	23.25	< 38.45
26915	836.50				22.54	23.07	< 38.45
27033	848.30				22.47	23.00	< 38.45
26797	824.70	1.4	1	2	22.79	23.32	< 38.45
26915	836.50				22.70	23.23	< 38.45
27033	848.30				22.56	23.09	< 38.45
26797	824.70	1.4	1	6	22.62	23.15	< 38.45
26915	836.50				22.59	23.12	< 38.45
27033	848.30				22.47	23.00	< 38.45
26797	824.70	1.4	6	0	21.77	22.30	< 38.45
26915	836.50				21.73	22.26	< 38.45
27033	848.30				21.59	22.12	< 38.45
26805	825.50	3	1	0	22.89	23.42	< 38.45
26915	836.50				22.67	23.20	< 38.45
27015	846.50				22.59	23.12	< 38.45
26805	825.50	3	1	7	22.95	23.48	< 38.45
26915	836.50				22.79	23.32	< 38.45
27015	846.50				22.68	23.21	< 38.45
26805	825.50	3	1	14	22.74	23.27	< 38.45
26915	836.50				22.61	23.14	< 38.45
27015	846.50				22.54	23.07	< 38.45
26805	825.50	3	15	0	21.78	22.31	< 38.45
26915	836.50				21.81	22.34	< 38.45
27015	846.50				21.65	22.18	< 38.45

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK							
26815	826.50	5	1	0	22.81	23.34	< 38.45
26915	836.50				22.67	23.20	< 38.45
27015	846.50				22.70	23.23	< 38.45
26815	826.50	5	1	12	22.72	23.25	< 38.45
26915	836.50				22.67	23.20	< 38.45
27015	846.50				22.67	23.20	< 38.45
26815	826.50	5	1	24	22.74	23.27	< 38.45
26915	836.50				22.65	23.18	< 38.45
27015	846.50				22.59	23.12	< 38.45
26815	826.50	5	25	0	21.89	22.42	< 38.45
26915	836.50				21.81	22.34	< 38.45
27015	846.50				21.73	22.26	< 38.45
26840	829.00	10	1	0	22.78	23.31	< 38.45
26915	836.50				22.77	23.30	< 38.45
26990	844.00				22.85	23.38	< 38.45
26840	829.00	10	1	24	22.78	23.31	< 38.45
26915	836.50				22.73	23.26	< 38.45
26990	844.00				22.70	23.23	< 38.45
26840	829.00	10	1	49	22.88	23.41	< 38.45
26915	836.50				22.74	23.27	< 38.45
26990	844.00				22.60	23.13	< 38.45
26840	829.00	10	50	0	21.85	22.38	< 38.45
26915	836.50				21.82	22.35	< 38.45
26990	844.00				21.71	22.24	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK							
26765	821.50	15	1	0	22.80	23.33	< 38.45
26915	836.50				22.71	23.24	< 38.45
26965	841.50				22.59	23.12	< 38.45
26765	821.50	15	1	37	22.88	23.41	< 38.45
26915	836.50				22.61	23.14	< 38.45
26965	841.50				22.63	23.16	< 38.45
26765	821.50	15	1	74	22.73	23.26	< 38.45
26915	836.50				22.73	23.26	< 38.45
26965	841.50				22.50	23.03	< 38.45
26765	821.50	15	75	0	21.81	22.34	< 38.45
26915	836.50				21.75	22.28	< 38.45
26965	841.50				21.76	22.29	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Product	5G Sub-6 GHz & mmWave M.2 Module	Test Site	WZ-SR6
Test Engineer	Larry Yan	Test Date	2021/01/04~ 2021/01/06
Test Band	LTE Band 7		

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
20775	2502.50	5	1	0	22.31	22.86	< 33.01
21100	2535.00				22.39	22.94	< 33.01
21425	2567.50				22.38	22.93	< 33.01
20775	2502.50	5	1	12	22.41	22.96	< 33.01
21100	2535.00				22.44	22.99	< 33.01
21425	2567.50				22.44	22.99	< 33.01
20775	2502.50	5	1	24	22.38	22.93	< 33.01
21100	2535.00				22.45	23.00	< 33.01
21425	2567.50				22.36	22.91	< 33.01
20775	2502.50	5	25	0	21.53	22.08	< 33.01
21100	2535.00				21.48	22.03	< 33.01
21425	2567.50				21.51	22.06	< 33.01
20800	2505.00	10	1	0	22.54	23.09	< 33.01
21100	2535.00				22.37	22.92	< 33.01
21400	2565.00				22.52	23.07	< 33.01
20800	2505.00	10	1	24	22.51	23.06	< 33.01
21100	2535.00				22.43	22.98	< 33.01
21400	2565.00				22.46	23.01	< 33.01
20800	2505.00	10	1	49	22.43	22.98	< 33.01
21100	2535.00				22.47	23.02	< 33.01
21400	2565.00				22.47	23.02	< 33.01
20800	2505.00	10	50	0	21.51	22.06	< 33.01
21100	2535.00				21.53	22.08	< 33.01
21400	2565.00				22.59	23.14	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
20825	2507.50	15	1	0	22.58	23.13	< 33.01
21100	2535.00				22.44	22.99	< 33.01
21375	2562.50				22.51	23.06	< 33.01
20825	2507.50	15	1	37	22.47	23.02	< 33.01
21100	2535.00				22.52	23.07	< 33.01
21375	2562.50				22.50	23.05	< 33.01
20825	2507.50	15	1	74	22.55	23.10	< 33.01
21100	2535.00				22.48	23.03	< 33.01
21375	2562.50				22.43	22.98	< 33.01
20825	2507.50	15	75	0	21.51	22.06	< 33.01
21100	2535.00				21.51	22.06	< 33.01
21375	2562.50				21.51	22.06	< 33.01
20850	2510.00	20	1	0	22.41	22.96	< 33.01
21100	2535.00				22.33	22.88	< 33.01
21350	2560.00				22.47	23.02	< 33.01
20850	2510.00	20	1	49	22.40	22.95	< 33.01
21100	2535.00				22.38	22.93	< 33.01
21350	2560.00				22.46	23.01	< 33.01
20850	2510.00	20	1	99	22.47	23.02	< 33.01
21100	2535.00				22.41	22.96	< 33.01
21350	2560.00				22.34	22.89	< 33.01
20850	2510.00	20	100	0	21.60	22.15	< 33.01
21100	2535.00				21.53	22.08	< 33.01
21350	2560.00				21.46	22.01	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Product	5G Sub-6 GHz & mmWave M.2 Module	Test Site	WZ-SR6
Test Engineer	Larry Yan	Test Date	2021/01/04~ 2021/01/06
Test Band	LTE Band 12		

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK							
23017	699.7	1.4	1	0	22.53	20.18	< 34.77
23095	707.5				22.57	20.22	< 34.77
23173	715.3				22.58	20.23	< 34.77
23017	699.7	1.4	1	2	22.59	20.24	< 34.77
23095	707.5				22.69	20.34	< 34.77
23173	715.3				22.65	20.30	< 34.77
23017	699.7	1.4	1	6	22.56	20.21	< 34.77
23095	707.5				22.55	20.20	< 34.77
23173	715.3				22.59	20.24	< 34.77
23017	699.7	1.4	6	0	21.65	19.30	< 34.77
23095	707.5				21.61	19.26	< 34.77
23173	715.3				21.64	19.29	< 34.77
23025	700.5	3	1	0	22.76	20.41	< 34.77
23095	707.5				22.63	20.28	< 34.77
23165	714.5				22.68	20.33	< 34.77
23025	700.5	3	1	7	22.72	20.37	< 34.77
23095	707.5				22.74	20.39	< 34.77
23165	714.5				22.69	20.34	< 34.77
23025	700.5	3	1	14	22.70	20.35	< 34.77
23095	707.5				22.54	20.19	< 34.77
23165	714.5				22.56	20.21	< 34.77
23025	700.5	3	15	0	21.67	19.32	< 34.77
23095	707.5				21.63	19.28	< 34.77
23165	714.5				21.76	19.41	< 34.77

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK							
23035	701.5	5	1	0	22.58	20.23	< 34.77
23095	707.5				22.62	20.27	< 34.77
23155	713.5				22.60	20.25	< 34.77
23035	701.5	5	1	12	22.59	20.24	< 34.77
23095	707.5				22.59	20.24	< 34.77
23155	713.5				22.67	20.32	< 34.77
23035	701.5	5	1	24	22.62	20.27	< 34.77
23095	707.5				22.68	20.33	< 34.77
23155	713.5				22.56	20.21	< 34.77
23035	701.5	5	25	0	21.74	19.39	< 34.77
23095	707.5				21.65	19.30	< 34.77
23155	713.5				21.76	19.41	< 34.77
23060	704.0	10	1	0	22.61	20.26	< 34.77
23095	707.5				22.64	20.29	< 34.77
23130	711.0				22.76	20.41	< 34.77
23060	704.0	10	1	24	22.60	20.25	< 34.77
23095	707.5				22.76	20.41	< 34.77
23130	711.0				22.68	20.33	< 34.77
23060	704.0	10	1	49	22.71	20.36	< 34.77
23095	707.5				22.75	20.40	< 34.77
23130	711.0				22.57	20.22	< 34.77
23060	704.0	10	50	0	21.71	19.36	< 34.77
23095	707.5				21.67	19.32	< 34.77
23130	711.0				21.69	19.34	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Product	5G Sub-6 GHz & mmWave M.2 Module	Test Site	WZ-SR6
Test Engineer	Larry Yan	Test Date	2021/01/04~ 2021/01/06
Test Band	LTE Band 13		

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK							
23205	779.5	5	1	0	22.51	21.90	< 34.77
23230	782.0				22.55	21.94	< 34.77
23255	784.5				22.48	21.87	< 34.77
23205	779.5	5	1	12	22.71	22.10	< 34.77
23230	782.0				22.47	21.86	< 34.77
23255	784.5				22.46	21.85	< 34.77
23205	779.5	5	1	24	22.56	21.95	< 34.77
23230	782.0				22.59	21.98	< 34.77
23255	784.5				22.49	21.88	< 34.77
23205	779.5	5	25	0	21.62	21.01	< 34.77
23230	782.0				21.09	20.48	< 34.77
23255	784.5				21.60	20.99	< 34.77
23230	782.0	10	1	0	22.58	21.97	< 34.77
23230	782.0		1	24	22.54	21.93	< 34.77
23230	782.0		1	49	22.69	22.08	< 34.77
23230	782.0		50	0	21.61	21.00	< 34.77

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Product	5G Sub-6 GHz & mmWave M.2 Module	Test Site	WZ-SR6
Test Engineer	Larry Yan	Test Date	2021/01/04~ 2021/01/06
Test Band	LTE Band 17		

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK							
23755	706.5	5	1	0	22.56	20.21	< 34.77
23790	710.0				22.55	20.20	< 34.77
23825	713.5				22.55	20.20	< 34.77
23755	706.5	5	1	12	22.62	20.27	< 34.77
23790	710.0				22.65	20.30	< 34.77
23825	713.5				22.56	20.21	< 34.77
23755	706.5	5	1	24	22.56	20.21	< 34.77
23790	710.0				22.67	20.32	< 34.77
23825	713.5				22.59	20.24	< 34.77
23755	706.5	5	25	0	21.76	19.41	< 34.77
23790	710.0				21.67	19.32	< 34.77
23825	713.5				21.70	19.35	< 34.77
23780	709.0	10	1	0	22.67	20.32	< 34.77
23790	710.0				22.58	20.23	< 34.77
23800	711.0				22.27	19.92	< 34.77
23780	709.0	10	1	24	22.67	20.32	< 34.77
23790	710.0				22.53	20.18	< 34.77
23800	711.0				22.57	20.22	< 34.77
23780	709.0	10	1	49	22.76	20.41	< 34.77
23790	710.0				22.68	20.33	< 34.77
23800	711.0				22.62	20.27	< 34.77
23780	709.0	10	50	0	21.65	19.30	< 34.77
23790	710.0				21.73	19.38	< 34.77
23800	711.0				21.68	19.33	< 34.77

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Product	5G Sub-6 GHz & mmWave M.2 Module	Test Site	WZ-SR6
Test Engineer	Larry Yan	Test Date	2021/01/04~ 2021/01/06
Test Band	LTE Band 38/41		

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
39675	2498.50	5	1	0	23.38	24.16	< 33.01
40620	2593.00				22.99	23.77	< 33.01
40565	2687.50				23.11	23.89	< 33.01
39675	2498.50	5	1	12	23.44	24.22	< 33.01
40620	2593.00				23.17	23.95	< 33.01
40565	2687.50				23.11	23.89	< 33.01
39675	2498.50	5	1	24	23.37	24.15	< 33.01
40620	2593.00				23.05	23.83	< 33.01
40565	2687.50				23.10	23.88	< 33.01
39675	2498.50	5	25	0	22.58	23.36	< 33.01
40620	2593.00				22.39	23.17	< 33.01
40565	2687.50				22.25	23.03	< 33.01
39700	2501.00	10	1	0	22.44	23.22	< 33.01
40620	2593.00				23.31	24.09	< 33.01
41540	2685.00				23.07	23.85	< 33.01
39700	2501.00	10	1	24	23.11	23.89	< 33.01
40620	2593.00				23.06	23.84	< 33.01
41540	2685.00				23.24	24.02	< 33.01
39700	2501.00	10	1	49	23.08	23.86	< 33.01
40620	2593.00				23.10	23.88	< 33.01
41540	2685.00				23.17	23.95	< 33.01
39700	2501.00	10	50	0	22.69	23.47	< 33.01
40620	2593.00				22.39	23.17	< 33.01
41540	2685.00				22.31	23.09	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
39725	2503.50	15	1	0	22.93	23.71	< 33.01
40620	2593.00				22.98	23.76	< 33.01
41515	2682.50				23.11	23.89	< 33.01
39725	2503.50	15	1	37	23.03	23.81	< 33.01
40620	2593.00				23.02	23.80	< 33.01
41515	2682.50				23.22	24.00	< 33.01
39725	2503.50	15	1	74	22.82	23.60	< 33.01
40620	2593.00				23.02	23.80	< 33.01
41515	2682.50				23.18	23.96	< 33.01
39725	2503.50	15	75	0	22.94	23.72	< 33.01
40620	2593.00				22.33	23.11	< 33.01
41515	2682.50				22.22	23.00	< 33.01
39750	2506.00	20	1	0	23.02	23.80	< 33.01
40620	2593.00				23.28	24.06	< 33.01
41490	2680.00				23.23	24.01	< 33.01
39750	2506.00	20	1	49	23.12	23.90	< 33.01
40620	2593.00				23.24	24.02	< 33.01
41490	2680.00				23.11	23.89	< 33.01
39750	2506.00	20	1	99	23.06	23.84	< 33.01
40620	2593.00				23.20	23.98	< 33.01
41490	2680.00				23.22	24.00	< 33.01
39750	2506.00	20	100	0	22.68	23.46	< 33.01
40620	2593.00				22.41	23.19	< 33.01
41490	2680.00				22.25	23.03	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Product	5G Sub-6 GHz & mmWave M.2 Module	Test Site	WZ-SR6
Test Engineer	Larry Yan	Test Date	2021/01/04~ 2021/01/06
Test Band	LTE Band 71		

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK							
133147	665.5	5	1	0	22.92	21.99	< 34.77
133297	680.5				22.96	22.03	< 34.77
133447	695.5				22.82	21.89	< 34.77
133147	665.5	5	1	12	22.90	21.97	< 34.77
133297	680.5				23.05	22.12	< 34.77
133447	695.5				22.81	21.88	< 34.77
133147	665.5	5	1	24	22.81	21.88	< 34.77
133297	680.5				22.94	22.01	< 34.77
133447	695.5				22.67	21.74	< 34.77
133147	665.5	5	25	0	21.88	20.95	< 34.77
133297	680.5				21.86	20.93	< 34.77
133447	695.5				21.76	20.83	< 34.77
133172	668.0	10	1	0	22.98	22.05	< 34.77
133297	680.5				22.76	21.83	< 34.77
133422	693.0				22.72	21.79	< 34.77
133172	668.0	10	1	24	22.71	21.78	< 34.77
133297	680.5				22.73	21.80	< 34.77
133422	693.0				22.56	21.63	< 34.77
133172	668.0	10	1	49	22.69	21.76	< 34.77
133297	680.5				22.71	21.78	< 34.77
133422	693.0				22.51	21.58	< 34.77
133172	668.0	10	50	0	21.88	20.95	< 34.77
133297	680.5				21.86	20.93	< 34.77
133422	693.0				21.87	20.94	< 34.77

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK							
133197	670.5	15	1	0	22.91	21.98	< 34.77
133297	680.5				22.75	21.82	< 34.77
133397	690.5				22.68	21.75	< 34.77
133197	670.5	15	1	37	22.83	21.90	< 34.77
133297	680.5				22.79	21.86	< 34.77
133397	690.5				22.65	21.72	< 34.77
133197	670.5	15	1	74	22.78	21.85	< 34.77
133297	680.5				22.71	21.78	< 34.77
133397	690.5				22.43	21.50	< 34.77
133197	670.5	15	75	0	21.88	20.95	< 34.77
133297	680.5				21.87	20.94	< 34.77
133397	690.5				21.88	20.95	< 34.77
133222	673.0	20	1	0	22.73	21.80	< 34.77
133322	683.0				22.83	21.90	< 34.77
133372	688.0				22.89	21.96	< 34.77
133222	673.0	20	1	49	22.59	21.66	< 34.77
133322	683.0				22.86	21.93	< 34.77
133372	688.0				22.85	21.92	< 34.77
133222	673.0	20	1	99	22.54	21.61	< 34.77
133322	683.0				22.63	21.70	< 34.77
133372	688.0				22.73	21.80	< 34.77
133222	673.0	20	100	0	21.91	20.98	< 34.77
133322	683.0				21.84	20.91	< 34.77
133372	688.0				21.92	20.99	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Product	5G Sub-6 GHz & mmWave M.2 Module	Test Site	WZ-SR6
Test Engineer	Larry Yan	Test Date	2021/01/04~ 2021/01/06
Test Band	Intra-Band CA_2C		

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
1860.0	1879.8	20+20	P_1@0	S_1@99	14.68	14.93	< 33.01
1870.1	1889.9				14.85	15.10	< 33.01
1880.2	1900.0				14.62	14.87	< 33.01
1860.0	1879.8		P_1@49	S_0@0	23.04	23.29	< 33.01
1870.1	1889.9				23.01	23.26	< 33.01
1880.2	1900.0				23.14	23.39	< 33.01
1860.0	1879.8		P_1@99	S_1@0	23.01	23.26	< 33.01
1870.1	1889.9				23.07	23.32	< 33.01
1880.2	1900.0				23.14	23.39	< 33.01
1860.0	1879.8		P_100@0	S_10@0	21.20	21.45	< 33.01
1870.1	1889.9				21.20	21.45	< 33.01
1880.2	1900.0				21.18	21.43	< 33.01
1860.0	1877.1	20+15	P_1@0	S_1@74	14.67	14.92	< 33.01
1872.6	1889.7				14.78	15.03	< 33.01
1885.1	1902.2				14.77	15.02	< 33.01
1860.0	1877.1		P_1@49	S_0@0	22.98	23.23	< 33.01
1872.6	1889.7				22.98	23.23	< 33.01
1885.1	1902.2				23.14	23.39	< 33.01
1860.0	1877.1		P_1@99	S_1@0	22.93	23.18	< 33.01
1872.6	1889.7				23.03	23.28	< 33.01
1885.1	1902.2				23.09	23.34	< 33.01
1860.0	1877.1		P_100@0	S_75@0	21.18	21.43	< 33.01
1872.6	1889.7				21.15	21.40	< 33.01
1885.1	1902.2				21.20	21.45	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
1857.8	1874.9	15+20	P_1@0	S_1@99	14.68	14.93	< 33.01
1870.3	1887.4				15.05	15.30	< 33.01
1882.9	1900.0				15.07	15.32	< 33.01
1857.8	1874.9		P_1@38	S_0@0	23.11	23.36	< 33.01
1870.3	1887.4				23.06	23.31	< 33.01
1882.9	1900.0				23.01	23.26	< 33.01
1857.8	1874.9		P_1@74	S_1@0	22.98	23.23	< 33.01
1870.3	1887.4				22.95	23.20	< 33.01
1882.9	1900.0				22.99	23.24	< 33.01
1857.8	1874.9		P_75@0	S_100@0	21.17	21.42	< 33.01
1870.3	1887.4				21.22	21.47	< 33.01
1882.9	1900.0				21.16	21.41	< 33.01
1860.0	1874.4	20+10	P_1@0	S_1@49	14.61	14.86	< 33.01
1875.1	1889.5				14.62	14.87	< 33.01
1890.1	1904.5				14.71	14.96	< 33.01
1860.0	1874.4		P_1@49	S_0@0	22.99	23.24	< 33.01
1875.1	1889.5				23.03	23.28	< 33.01
1890.1	1904.5				23.08	23.33	< 33.01
1860.0	1874.4		P_1@99	S_1@0	22.91	23.16	< 33.01
1875.1	1889.5				23.05	23.30	< 33.01
1890.1	1904.5				23.04	23.29	< 33.01
1860.0	1874.4		P_100@0	S_50@0	21.16	21.41	< 33.01
1875.1	1889.5				21.22	21.47	< 33.01
1890.1	1904.5				21.23	21.48	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
1855.5	1869.9	10+20	P_1@0	S_1@99	14.52	14.77	< 33.01
1870.6	1885.0				14.93	15.18	< 33.01
1885.6	1900.0				14.88	15.13	< 33.01
1855.5	1869.9		P_1@25	S_0@0	23.01	23.26	< 33.01
1870.6	1885.0				23.13	23.38	< 33.01
1885.6	1900.0				22.97	23.22	< 33.01
1855.5	1869.9		P_1@49	S_1@0	23.05	23.30	< 33.01
1870.6	1885.0				21.04	21.29	< 33.01
1885.6	1900.0				23.05	23.30	< 33.01
1855.5	1869.9		P_50@0	S_100@0	21.18	21.43	< 33.01
1870.6	1885.0				21.22	21.47	< 33.01
1885.6	1900.0				21.23	21.48	< 33.01
1860.0	1871.7	20+5	P_1@0	S_1@24	14.83	15.08	< 33.01
1877.5	1889.2				14.75	15.00	< 33.01
1895.0	1906.7				14.77	15.02	< 33.01
1860.0	1871.7		P_1@49	S_0@0	22.98	23.23	< 33.01
1877.5	1889.2				23.05	23.30	< 33.01
1895.0	1906.7				23.08	23.33	< 33.01
1860.0	1871.7		P_1@99	S_1@0	23.16	23.41	< 33.01
1877.5	1889.2				23.26	23.51	< 33.01
1895.0	1906.7				23.23	23.48	< 33.01
1860.0	1871.7		P_100@	S_25@0	21.11	21.36	< 33.01
1877.5	1889.2				21.17	21.42	< 33.01
1895.0	1906.7				21.13	21.38	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
1853.3	1865.0	5+20	P_1@0	S_1@99	14.59	14.84	< 33.01
1870.8	1882.5				14.70	14.95	< 33.01
1888.3	1900.0				14.66	14.91	< 33.01
1853.3	1865.0		P_1@13	S_0@0	23.11	23.36	< 33.01
1870.8	1882.5				23.30	23.55	< 33.01
1888.3	1900.0				23.13	23.38	< 33.01
1853.3	1865.0		P_1@24	S_1@0	22.97	23.22	< 33.01
1870.8	1882.5				14.81	15.06	< 33.01
1888.3	1900.0				23.13	23.38	< 33.01
1853.3	1865.0		P_25@0	S_100@0	21.31	21.56	< 33.01
1870.8	1882.5				21.32	21.57	< 33.01
1888.3	1900.0				21.22	21.47	< 33.01
1857.5	1904.5	15+15	P_1@0	S_1@74	14.86	15.11	< 33.01
1872.5	1872.5				14.90	15.15	< 33.01
1887.5	1887.5				14.95	15.20	< 33.01
1857.5	1902.5		P_1@38	S_0@0	22.92	23.17	< 33.01
1872.5	1872.5				22.87	23.12	< 33.01
1887.5	1887.5				22.94	23.19	< 33.01
1857.5	1902.5		P_1@74	S_1@0	23.01	23.26	< 33.01
1872.5	1872.5				22.97	23.22	< 33.01
1887.5	1887.5				22.90	23.15	< 33.01
1857.5	1902.5		P_75@0	S_75@0	21.21	21.46	< 33.01
1872.5	1872.5				21.16	21.41	< 33.01
1887.5	1887.5				21.18	21.43	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
1855.3	1867.3	10+15	P_1@0	S_1@74	14.71	14.96	< 33.01
1872.9	1884.9				14.89	15.14	< 33.01
1890.5	1902.5				15.05	15.30	< 33.01
1855.3	1867.3		P_1@25	S_0@0	23.02	23.27	< 33.01
1872.9	1884.9				22.99	23.24	< 33.01
1890.5	1902.5				22.94	23.19	< 33.01
1855.3	1867.3		P_1@49	S_1@0	23.09	23.34	< 33.01
1872.9	1884.9				22.97	23.22	< 33.01
1890.5	1902.5				23.02	23.27	< 33.01
1855.3	1867.3		P_50@0	S_75@0	21.16	21.41	< 33.01
1872.9	1884.9				21.15	21.40	< 33.01
1890.5	1902.5				21.22	21.47	< 33.01
1857.5	1869.5	15+10	P_1@0	S_1@49	14.87	15.12	< 33.01
1875.1	1887.1				14.79	15.04	< 33.01
1892.7	1904.7				14.94	15.19	< 33.01
1857.5	1869.5		P_1@38	S_0@0	22.88	23.13	< 33.01
1875.1	1887.1				22.96	23.21	< 33.01
1892.7	1904.7				22.93	23.18	< 33.01
1857.5	1869.5		P_1@74	S_1@0	22.95	23.20	< 33.01
1875.1	1887.1				23.04	23.29	< 33.01
1892.7	1904.7				23.01	23.26	< 33.01
1857.5	1869.5		P_75@0	S_50@0	21.21	21.46	< 33.01
1875.1	1887.1				21.12	21.37	< 33.01
1892.7	1904.7				21.11	21.36	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Product	5G Sub-6 GHz & mmWave M.2 Module	Test Site	WZ-SR6
Test Engineer	Larry Yan	Test Date	2021/01/04~ 2021/01/06
Test Band	Intra-Band CA_5B		

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	ERP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
826.8	834.0	5+10	P_1@0	S_1@49	12.94	13.47	< 38.45
831.8	839.0				12.90	13.43	< 38.45
836.8	844.0				13.22	13.75	< 38.45
826.8	834.0		P_1@13	S_0@0	22.69	23.22	< 38.45
831.8	839.0				22.47	23.00	< 38.45
836.8	844.0				22.65	23.18	< 38.45
826.8	834.0		P_1@24	S_1@0	23.37	23.90	< 38.45
831.8	839.0				23.22	23.75	< 38.45
836.8	844.0				23.43	23.96	< 38.45
826.8	834.0		P_25@0	S_50@0	21.39	21.92	< 38.45
831.8	839.0				21.39	21.92	< 38.45
836.8	844.0				21.41	21.94	< 38.45
829.0	836.2	10+5	P_1@0	S_1@24	12.86	13.39	< 38.45
834.0	841.2				12.96	13.49	< 38.45
839.0	846.2				13.14	13.67	< 38.45
829.0	836.2		P_1@25	S_0@0	22.50	23.03	< 38.45
834.0	841.2				22.52	23.05	< 38.45
839.0	846.2				22.50	23.03	< 38.45
829.0	836.2		P_1@49	S_1@0	23.33	23.86	< 38.45
834.0	841.2				23.30	23.83	< 38.45
839.0	846.2				23.31	23.84	< 38.45
829.0	836.2		P_50@0	S_25@0	21.42	21.95	< 38.45
834.0	841.2				21.41	21.94	< 38.45
839.0	846.2				21.43	21.96	< 38.45

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	ERP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
829.0	838.9	10+10	P_1@0	S_1@49	12.30	12.83	< 38.45
831.6	841.5				12.39	12.92	< 38.45
834.1	844.0				12.28	12.81	< 38.45
829.0	838.9		P_1@25	S_0@0	22.48	23.01	< 38.45
831.6	841.5				22.53	23.06	< 38.45
834.1	844.0				22.49	23.02	< 38.45
829.0	838.9		P_1@49	S_1@0	23.34	23.87	< 38.45
831.6	841.5				23.34	23.87	< 38.45
834.1	844.0				23.27	23.80	< 38.45
829.0	838.9		P_50@0	S_50@0	21.39	21.92	< 38.45
831.6	841.5				21.38	21.91	< 38.45
834.1	844.0				21.25	21.78	< 38.45

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Product	5G Sub-6 GHz & mmWave M.2 Module	Test Site	WZ-SR6
Test Engineer	Larry Yan	Test Date	2021/01/04~ 2021/01/06
Test Band	Intra-Band CA_7C		

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
2510.0	2529.8	20+20	P_1@0	S_1@99	14.49	15.04	< 33.01
2525.1	2544.9				14.58	15.13	< 33.01
2540.2	2560.0				14.46	15.01	< 33.01
2510.0	2529.8		P_1@49	S_0@0	22.96	23.51	< 33.01
2525.1	2544.9				22.95	23.50	< 33.01
2540.2	2560.0				22.91	23.46	< 33.01
2510.0	2529.8		P_1@99	S_1@0	22.83	23.38	< 33.01
2525.1	2544.9				22.81	23.36	< 33.01
2540.2	2560.0				22.97	23.52	< 33.01
2510.0	2529.8		P_100@0	S_100@0	21.14	21.69	< 33.01
2525.1	2544.9				21.01	21.56	< 33.01
2540.2	2560.0				21.08	21.63	< 33.01
2510.0	2527.1	20+15	P_1@0	S_1@74	14.46	15.01	< 33.01
2527.6	2544.7				14.62	15.17	< 33.01
2545.1	2562.2				14.52	15.07	< 33.01
2510.0	2527.1		P_1@49	S_0@0	22.87	23.42	< 33.01
2527.6	2544.7				22.89	23.44	< 33.01
2545.1	2562.2				22.89	23.44	< 33.01
2510.0	2527.1		P_1@99	S_1@0	22.82	23.37	< 33.01
2527.6	2544.7				22.94	23.49	< 33.01
2545.1	2562.2				23.02	23.57	< 33.01
2510.0	2527.1		P_100@0	S_75@0	21.71	22.26	< 33.01
2527.6	2544.7				21.08	21.63	< 33.01
2545.1	2562.2				21.81	22.36	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
2507.8	2524.9	15+20	P_1@0	S_1@99	14.56	15.11	< 33.01
2525.3	2542.4				14.55	15.10	< 33.01
2542.9	2560.0				14.53	15.08	< 33.01
2507.8	2524.9		P_1@18	S_0@0	22.91	23.46	< 33.01
2525.3	2542.4				22.94	23.49	< 33.01
2542.9	2560.0				22.85	23.40	< 33.01
2507.8	2524.9		P_1@74	S_1@0	22.82	23.37	< 33.01
2525.3	2542.4				22.75	23.30	< 33.01
2542.9	2560.0				22.78	23.33	< 33.01
2507.8	2524.9		P_75@0	S_100@0	21.09	21.64	< 33.01
2525.3	2542.4				21.07	21.62	< 33.01
2542.9	2560.0				21.06	21.61	< 33.01
2507.5	2564.7	15+15	P_1@0	S_1@74	14.58	15.13	< 33.01
2527.5	2522.5				14.58	15.13	< 33.01
2547.5	2542.5				14.51	15.06	< 33.01
2507.5	2562.5		P_1@18	S_0@0	22.92	23.47	< 33.01
2527.5	2522.5				22.86	23.41	< 33.01
2547.5	2542.5				22.90	23.45	< 33.01
2507.5	2562.5		P_1@74	S_1@0	22.91	23.46	< 33.01
2527.5	2522.5				22.80	23.35	< 33.01
2547.5	2542.5				22.83	23.38	< 33.01
2507.5	2562.5		P_75@0	S_75@0	21.02	21.57	< 33.01
2527.5	2522.5				21.06	21.61	< 33.01
2547.5	2542.5				21.05	21.60	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
2505.5	2519.9	10+20	P_1@0	S_1@99	14.61	15.16	< 33.01
2525.6	2540.0				14.54	15.09	< 33.01
2545.6	2560.0				14.52	15.07	< 33.01
2505.5	2519.9		P_1@25	S_0@0	22.94	23.49	< 33.01
2525.6	2540.0				22.78	23.33	< 33.01
2545.6	2560.0				22.85	23.40	< 33.01
2505.5	2519.9		P_1@49	S_1@0	22.85	23.40	< 33.01
2525.6	2540.0				22.81	23.36	< 33.01
2545.6	2560.0				22.92	23.47	< 33.01
2505.5	2519.9		P_50@0	S_100@0	21.02	21.57	< 33.01
2525.6	2540.0				21.17	21.72	< 33.01
2545.6	2560.0				21.12	21.67	< 33.01
2510.0	2524.4	20+10	P_1@0	S_1@49	14.65	15.20	< 33.01
2530.1	2544.5				14.57	15.12	< 33.01
2550.1	2564.5				14.52	15.07	< 33.01
2510.0	2524.4		P_1@49	S_0@0	22.89	23.44	< 33.01
2530.1	2544.5				22.83	23.38	< 33.01
2550.1	2564.5				22.94	23.49	< 33.01
2510.0	2524.4		P_1@99	S_1@0	23.00	23.55	< 33.01
2530.1	2544.5				22.95	23.50	< 33.01
2550.1	2564.5				23.02	23.57	< 33.01
2510.0	2524.4		P_100@0	S_50@0	21.07	21.62	< 33.01
2530.1	2544.5				21.05	21.60	< 33.01
2550.1	2564.5				21.02	21.57	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
2507.5	2519.5	15+10	P_1@0	S_1@49	14.57	15.12	< 33.01
2530.1	2542.1				14.47	15.02	< 33.01
2552.7	2564.7				14.51	15.06	< 33.01
2507.5	2519.5		P_1@38	S_0@0	23.03	23.58	< 33.01
2530.1	2542.1				22.87	23.42	< 33.01
2552.7	2564.7				22.87	23.42	< 33.01
2507.5	2519.5		P_1@74	S_1@0	22.90	23.45	< 33.01
2530.1	2542.1				22.79	23.34	< 33.01
2552.7	2564.7				22.82	23.37	< 33.01
2507.5	2519.5		P_75@0	S_50@0	21.98	22.53	< 33.01
2530.1	2542.1				21.01	21.56	< 33.01
2552.7	2564.7				21.04	21.59	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Product	5G Sub-6 GHz & mmWave M.2 Module	Test Site	WZ-SR6
Test Engineer	Larry Yan	Test Date	2021/01/04~ 2021/01/06
Test Band	Intra-Band CA_38C		

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
2577.5	2592.5	15+15	P_1@0	S_1@74	15.67	16.45	< 33.01
2587.5	2602.5				15.61	16.39	< 33.01
2597.5	2612.5				15.15	15.93	< 33.01
2577.5	2592.5		P_1@38	S_0@0	23.10	23.88	< 33.01
2587.5	2602.5				23.12	23.90	< 33.01
2597.5	2612.5				23.11	23.89	< 33.01
2577.5	2592.5		P_1@74	S_1@0	23.90	24.68	< 33.01
2587.5	2602.5				23.95	24.73	< 33.01
2597.5	2612.5				23.12	23.90	< 33.01
2577.5	2592.5		P_75@0	S_75@0	22.01	22.79	< 33.01
2587.5	2602.5				22.02	22.80	< 33.01
2597.5	2612.5				21.99	22.77	< 33.01
2580.0	2599.8	20+20	P_1@0	S_1@99	15.78	16.56	< 33.01
2585.1	2604.9				15.74	16.52	< 33.01
2590.2	2610.0				15.70	16.48	< 33.01
2580.0	2599.8		P_1@49	S_0@0	23.10	23.88	< 33.01
2585.1	2604.9				22.90	23.68	< 33.01
2590.2	2610.0				22.87	23.65	< 33.01
2580.0	2599.8		P_1@99	S_1@0	23.78	24.56	< 33.01
2585.1	2604.9				23.74	24.52	< 33.01
2590.2	2610.0				23.68	24.46	< 33.01
2580.0	2599.8		P_100@0	S_100@0	21.97	22.75	< 33.01
2585.1	2604.9				21.93	22.71	< 33.01
2590.2	2610.0				21.88	22.66	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Product	5G Sub-6 GHz & mmWave M.2 Module	Test Site	WZ-SR6
Test Engineer	Larry Yan	Test Date	2021/01/04~ 2021/01/06
Test Band	Intra-Band CA_41C		

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
2506.00	2525.80	20+20	P_1@0	S_1@99	15.71	16.49	< 33.01
2583.10	2602.90				16.17	16.95	< 33.01
2660.20	2680.00				15.96	16.74	< 33.01
2506.00	2525.80		P_1@49	S_0@0	23.60	24.38	< 33.01
2583.10	2602.90				23.89	24.67	< 33.01
2660.20	2680.00				23.62	24.40	< 33.01
2506.00	2525.80		P_1@99	S_1@0	24.51	25.29	< 33.01
2583.10	2602.90				24.58	25.36	< 33.01
2660.20	2680.00				24.42	25.20	< 33.01
2506.00	2525.80		P_100@0	S_100@0	22.66	23.44	< 33.01
2583.10	2602.90				22.72	23.50	< 33.01
2660.20	2680.00				22.60	23.38	< 33.01
2506.00	2523.10	20+15	P_1@0	S_1@74	16.14	16.92	< 33.01
2585.60	2602.70				16.13	16.91	< 33.01
2665.10	2682.20				16.14	16.92	< 33.01
2506.00	2523.10		P_1@49	S_0@0	23.63	24.41	< 33.01
2585.60	2602.70				23.67	24.45	< 33.01
2665.10	2682.20				23.75	24.53	< 33.01
2506.00	2523.10		P_1@99	S_1@0	24.49	25.27	< 33.01
2585.60	2602.70				24.54	25.32	< 33.01
2665.10	2682.20				24.60	25.38	< 33.01
2506.00	2523.10		P_100@0	S_75@0	22.66	23.44	< 33.01
2585.60	2602.70				22.67	23.45	< 33.01
2665.10	2682.20				22.58	23.36	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
2503.80	2520.90	15+20	P_1@0	S_1@99	16.08	16.86	< 33.01
2593.30	2600.40				16.16	16.94	< 33.01
2662.90	2680.00				16.09	16.87	< 33.01
2503.80	2520.90		P_1@38	S_0@0	23.76	24.54	< 33.01
2593.30	2600.40				23.84	24.62	< 33.01
2662.90	2680.00				23.74	24.52	< 33.01
2503.80	2520.90		P_1@74	S_1@0	24.42	25.20	< 33.01
2593.30	2600.40				24.47	25.25	< 33.01
2662.90	2680.00				24.35	25.13	< 33.01
2503.80	2520.90		P_75@0	S_100@0	22.65	23.43	< 33.01
2593.30	2600.40				22.64	23.42	< 33.01
2662.90	2680.00				22.61	23.39	< 33.01
2506.00	2520.40	20+10	P_1@0	S_1@49	16.12	16.90	< 33.01
2588.10	2602.50				16.08	16.86	< 33.01
2670.10	2684.50				16.06	16.84	< 33.01
2506.00	2520.40		P_1@49	S_0@0	23.68	24.46	< 33.01
2588.10	2602.50				23.59	24.37	< 33.01
2670.10	2684.50				23.67	24.45	< 33.01
2506.00	2520.40		P_1@99	S_1@0	24.51	25.29	< 33.01
2588.10	2602.50				24.44	25.22	< 33.01
2670.10	2684.50				24.56	25.34	< 33.01
2506.00	2520.40		P_100@0	S_50@0	22.64	23.42	< 33.01
2588.10	2602.50				22.67	23.45	< 33.01
2670.10	2684.50				22.57	23.35	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
2501.50	2515.90	10+20	P_1@0	S_1@99	16.22	17.00	< 33.01
2583.60	2598.00				16.19	16.97	< 33.01
2665.60	2680.00				16.08	16.86	< 33.01
2501.50	2515.90		P_1@25	S_0@0	23.74	24.52	< 33.01
2583.60	2598.00				23.84	24.62	< 33.01
2665.60	2680.00				23.72	24.50	< 33.01
2501.50	2515.90		P_1@49	S_1@0	24.50	25.28	< 33.01
2583.60	2598.00				24.53	25.31	< 33.01
2665.60	2680.00				24.45	25.23	< 33.01
2501.50	2515.90		P_50@0	S_100@0	22.64	23.42	< 33.01
2583.60	2598.00				22.70	23.48	< 33.01
2665.60	2680.00				22.62	23.40	< 33.01
2506.00	2517.70	20+5	P_1@0	S_1@24	16.15	16.93	< 33.01
2590.50	2602.20				16.06	16.84	< 33.01
2675.00	2686.70				16.06	16.84	< 33.01
2506.00	2517.70		P_1@49	S_0@0	23.67	24.45	< 33.01
2590.50	2602.20				23.56	24.34	< 33.01
2675.00	2686.70				23.57	24.35	< 33.01
2506.00	2517.70		P_1@99	S_1@0	24.52	25.30	< 33.01
2590.50	2602.20				24.50	25.28	< 33.01
2675.00	2686.70				24.48	25.26	< 33.01
2506.00	2517.70		P_100@	S_25@0	22.63	23.41	< 33.01
2590.50	2602.20				22.59	23.37	< 33.01
2675.00	2686.70				22.55	23.33	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
2499.30	2511.00	5+20	P_1@0	S_1@99	16.12	16.90	< 33.01
2583.80	2595.50				16.15	16.93	< 33.01
2668.30	2680.00				16.05	16.83	< 33.01
2499.30	2511.00		P_1@13	S_0@0	23.78	24.56	< 33.01
2583.80	2595.50				23.89	24.67	< 33.01
2668.30	2680.00				23.81	24.59	< 33.01
2499.30	2511.00		P_1@24	S_1@0	24.47	25.25	< 33.01
2583.80	2595.50				24.54	25.32	< 33.01
2668.30	2680.00				24.51	25.29	< 33.01
2499.30	2511.00		P_25@0	S_100@0	22.60	23.38	< 33.01
2583.80	2595.50				22.66	23.44	< 33.01
2668.30	2680.00				22.52	23.30	< 33.01
2503.50	2518.50	15+15	P_1@0	S_1@74	16.08	16.86	< 33.01
2585.50	2600.50				16.18	16.96	< 33.01
2667.50	2682.50				16.01	16.79	< 33.01
2503.50	2518.50		P_1@38	S_1@0	23.71	24.49	< 33.01
2585.50	2600.50				23.79	24.57	< 33.01
2667.50	2682.50				23.58	24.36	< 33.01
2503.50	2518.50		P_1@74	S_0@0	24.43	25.21	< 33.01
2585.50	2600.50				24.47	25.25	< 33.01
2667.50	2682.50				24.38	25.16	< 33.01
2503.50	2518.50		P_75@0	S_75@0	22.58	23.36	< 33.01
2585.50	2600.50				22.67	23.45	< 33.01
2667.50	2682.50				22.52	23.30	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
2501.30	2513.30	10+15	P_1@0	S_1@74	16.22	17.00	< 33.01
2585.90	2597.90				16.19	16.97	< 33.01
2670.50	2682.50				16.04	16.82	< 33.01
2501.30	2513.30		P_1@25	S_0@0	23.75	24.53	< 33.01
2585.90	2597.90				23.85	24.63	< 33.01
2670.50	2682.50				23.68	24.46	< 33.01
2501.30	2513.30		P_1@49	S_1@0	24.52	25.30	< 33.01
2585.90	2597.90				24.52	25.30	< 33.01
2670.50	2682.50				24.44	25.22	< 33.01
2501.30	2513.30		P_50@0	S_75@0	22.60	23.38	< 33.01
2585.90	2597.90				22.64	23.42	< 33.01
2670.50	2682.50				22.57	23.35	< 33.01
2503.50	2515.50	15+10	P_1@0	S_1@49	16.14	16.92	< 33.01
2588.10	2600.10				16.16	16.94	< 33.01
2672.70	2684.70				16.01	16.79	< 33.01
2503.50	2515.50		P_1@38	S_0@0	23.73	24.51	< 33.01
2588.10	2600.10				23.81	24.59	< 33.01
2672.70	2684.70				23.59	24.37	< 33.01
2503.50	2515.50		P_1@74	S_1@0	24.51	25.29	< 33.01
2588.10	2600.10				24.58	25.36	< 33.01
2672.70	2684.70				24.48	25.26	< 33.01
2503.50	2515.50		P_75@0	S_50@0	22.60	23.38	< 33.01
2588.10	2600.10				22.64	23.42	< 33.01
2672.70	2684.70				22.54	23.32	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Product	5G Sub-6 GHz & mmWave M.2 Module	Test Site	WZ-SR6
Test Engineer	Larry Yan	Test Date	2021/01/04~ 2021/01/06
Test Band	Intra-Band CA_66C		

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
1715.3	1727.3	10+15	P_1@0	S_1@74	15.41	16.88	< 30.00
1747.9	1759.9				15.49	16.96	< 30.00
1760.5	1772.5				15.23	16.70	< 30.00
1715.3	1727.3		P_1@25	S_0@0	23.17	24.64	< 30.00
1747.9	1759.9				23.07	24.54	< 30.00
1760.5	1772.5				22.69	24.16	< 30.00
1715.3	1727.3		P_1@49	S_1@0	23.64	25.11	< 30.00
1747.9	1759.9				23.73	25.20	< 30.00
1760.5	1772.5				23.40	24.87	< 30.00
1715.3	1727.3		P_50@0	S_75@0	21.93	23.40	< 30.00
1747.9	1759.9				21.98	23.45	< 30.00
1760.5	1772.5				21.93	23.40	< 30.00
1717.5	1729.5	15+10	P_1@0	S_1@49	15.22	16.69	< 30.00
1750.1	1762.1				15.63	17.10	< 30.00
1762.7	1774.7				15.24	16.71	< 30.00
1717.5	1729.5		P_1@38	S_0@0	22.93	24.40	< 30.00
1750.1	1762.1				22.93	24.40	< 30.00
1762.7	1774.7				22.77	24.24	< 30.00
1717.5	1729.5		P_1@74	S_1@0	23.65	25.12	< 30.00
1750.1	1762.1				23.62	25.09	< 30.00
1762.7	1774.7				23.46	24.93	< 30.00
1717.5	1729.5		P_75@0	S_50@0	21.91	23.38	< 30.00
1750.1	1762.1				21.96	23.43	< 30.00
1762.7	1774.7				21.91	23.38	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
1715.5	1729.9	10+20	P_1@0	S_1@99	15.46	16.93	< 30.00
1745.6	1760				15.75	17.22	< 30.00
1755.6	1770				15.37	16.84	< 30.00
1715.5	1729.9		P_1@25	S_0@0	23.27	24.74	< 30.00
1745.6	1760				23.05	24.52	< 30.00
1755.6	1770				22.79	24.26	< 30.00
1715.5	1729.9		P_1@49	S_1@0	23.92	25.39	< 30.00
1745.6	1760				23.83	25.30	< 30.00
1755.6	1770				23.56	25.03	< 30.00
1715.5	1729.9		P_50@0	S_100@0	21.97	23.44	< 30.00
1745.6	1760				22.15	23.62	< 30.00
1755.6	1770				21.93	23.40	< 30.00
1720	1734.4	20+10	P_1@0	S_1@49	15.51	16.98	< 30.00
1750.1	1764.5				15.51	16.98	< 30.00
1760.1	1774.5				15.58	17.05	< 30.00
1720	1734.4		P_1@49	S_0@0	23.24	24.71	< 30.00
1750.1	1764.5				23.01	24.48	< 30.00
1760.1	1774.5				22.92	24.39	< 30.00
1720	1734.4		P_1@99	S_1@0	23.91	25.38	< 30.00
1750.1	1764.5				23.73	25.20	< 30.00
1760.1	1774.5				23.61	25.08	< 30.00
1720	1734.4		P_100@0	S_50@0	22.07	23.54	< 30.00
1750.1	1764.5				21.98	23.45	< 30.00
1760.1	1774.5				21.96	23.43	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
1717.8	1734.9	15+20	P_1@0	S_1@99	15.59	17.06	< 30.00
1745.3	1762.4				15.67	17.14	< 30.00
1752.9	1770.0				15.49	16.96	< 30.00
1717.8	1734.9		P_1@38	S_0@0	23.00	24.47	< 30.00
1745.3	1762.4				23.16	24.63	< 30.00
1752.9	1770.0				23.19	24.66	< 30.00
1717.8	1734.9		P_1@74	S_1@0	23.74	25.21	< 30.00
1745.3	1762.4				23.57	25.04	< 30.00
1752.9	1770.0				23.54	25.01	< 30.00
1717.8	1734.9		P_75@0	S_100@0	22.07	23.54	< 30.00
1745.3	1762.4				22.03	23.50	< 30.00
1752.9	1770.0				22.06	23.53	< 30.00
1720.0	1737.1	20+15	P_1@0	S_1@74	15.53	17.00	< 30.00
1747.6	1764.7				15.57	17.04	< 30.00
1755.1	1772.2				15.52	16.99	< 30.00
1720.0	1737.1		P_1@49	S_0@0	23.14	24.61	< 30.00
1747.6	1764.7				23.00	24.47	< 30.00
1755.1	1772.2				23.04	24.51	< 30.00
1720.0	1737.1		P_1@99	S_1@0	23.82	25.29	< 30.00
1747.6	1764.7				23.71	25.18	< 30.00
1755.1	1772.2				23.82	25.29	< 30.00
1720.0	1737.1		P_100@	S_75@0	22.07	23.54	< 30.00
1747.6	1764.7				22.03	23.50	< 30.00
1755.1	1772.2				22.02	23.49	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
1720.0	1731.7	20+5	P_1@0	S_1@24	15.42	16.89	< 30.00
1752.5	1764.2				15.46	16.93	< 30.00
1765.0	1776.7				15.43	16.90	< 30.00
1720.0	1731.7		P_1@49	S_0@0	23.07	24.54	< 30.00
1752.5	1764.2				23.02	24.49	< 30.00
1765.0	1776.7				22.85	24.32	< 30.00
1720.0	1731.7		P_1@99	S_1@0	23.32	24.79	< 30.00
1752.5	1764.2				23.81	25.28	< 30.00
1765.0	1776.7				23.59	25.06	< 30.00
1720.0	1731.7		P_100@0	S_25@0	21.92	23.39	< 30.00
1752.5	1764.2				21.98	23.45	< 30.00
1765.0	1776.7				21.80	23.27	< 30.00
1713.3	1725.0	5+20	P_1@0	S_1@99	15.36	16.83	< 30.00
1745.8	1757.5				15.58	17.05	< 30.00
1758.3	1770.0				15.30	16.77	< 30.00
1713.3	1725.0		P_1@13	S_0@0	22.94	24.41	< 30.00
1745.8	1757.5				23.07	24.54	< 30.00
1758.3	1770.0				23.02	24.49	< 30.00
1713.3	1725.0		P_1@24	S_1@0	23.82	25.29	< 30.00
1745.8	1757.5				23.77	25.24	< 30.00
1758.3	1770.0				23.73	25.20	< 30.00
1713.3	1725.0		P_25@0	S_100@0	21.88	23.35	< 30.00
1745.8	1757.5				21.87	23.34	< 30.00
1758.3	1770.0				21.93	23.40	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
1713.3	1725.0	15+15	P_1@0	S_1@74	15.37	16.84	< 30.00
1745.8	1757.5				15.57	17.04	< 30.00
1758.3	1770.0				15.42	16.89	< 30.00
1713.3	1725.0		P_1@38	S_0@0	22.54	24.01	< 30.00
1745.8	1757.5				12.71	14.18	< 30.00
1758.3	1770.0				22.80	24.27	< 30.00
1713.3	1725.0		P_1@74	S_1@0	23.53	25.00	< 30.00
1745.8	1757.5				23.78	25.25	< 30.00
1758.3	1770.0				23.78	25.25	< 30.00
1713.3	1725.0		P_75@0	S_75@0	22.02	23.49	< 30.00
1745.8	1757.5				21.95	23.42	< 30.00
1758.3	1770.0				21.91	23.38	< 30.00
1720.0	1739.8	20+20	P_1@0	S_1@99	15.54	17.01	< 30.00
1745.1	1764.9				15.52	16.99	< 30.00
1750.2	1770.0				15.49	16.96	< 30.00
1720.0	1739.8		P_1@49	S_0@0	23.13	24.60	< 30.00
1745.1	1764.9				23.01	24.48	< 30.00
1750.2	1770.0				22.86	24.33	< 30.00
1720.0	1739.8		P_1@99	S_1@0	24.00	25.47	< 30.00
1745.1	1764.9				23.80	25.27	< 30.00
1750.2	1770.0				23.65	25.12	< 30.00
1720.0	1739.8		P_100@0	S_100@0	22.08	23.55	< 30.00
1745.1	1764.9				22.08	23.55	< 30.00
1750.2	1770.0				22.03	23.50	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Product	5G Sub-6 GHz & mmWave M.2 Module	Test Site	WZ-SR6
Test Engineer	Larry Yan	Test Date	2021/01/04~ 2021/01/06
Test Band	Band 38/41_HPUE		

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
39675	2498.50	5	1	0	26.51	27.29	< 33.01
40620	2593.00				26.40	27.18	< 33.01
40565	2687.50				25.94	26.72	< 33.01
39675	2498.50	5	1	12	26.54	27.32	< 33.01
40620	2593.00				26.50	27.28	< 33.01
40565	2687.50				25.83	26.61	< 33.01
39675	2498.50	5	1	24	26.52	27.30	< 33.01
40620	2593.00				26.45	27.23	< 33.01
40565	2687.50				25.63	26.41	< 33.01
39675	2498.50	5	25	0	25.56	26.34	< 33.01
40620	2593.00				25.55	26.33	< 33.01
40565	2687.50				24.46	25.24	< 33.01
39700	2501.00	10	1	0	26.55	27.33	< 33.01
40620	2593.00				26.53	27.31	< 33.01
41540	2685.00				26.20	26.98	< 33.01
39700	2501.00	10	1	24	26.51	27.29	< 33.01
40620	2593.00				26.49	27.27	< 33.01
41540	2685.00				25.85	26.63	< 33.01
39700	2501.00	10	1	49	26.51	27.29	< 33.01
40620	2593.00				26.49	27.27	< 33.01
41540	2685.00				25.53	26.31	< 33.01
39700	2501.00	10	50	0	25.59	26.37	< 33.01
40620	2593.00				25.59	26.37	< 33.01
41540	2685.00				24.64	25.42	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
39725	2503.50	15	1	0	26.47	27.25	< 33.01
40620	2593.00				26.42	27.20	< 33.01
41515	2682.50				26.28	27.06	< 33.01
39725	2503.50	15	1	37	26.46	27.24	< 33.01
40620	2593.00				26.36	27.14	< 33.01
41515	2682.50				26.12	26.90	< 33.01
39725	2503.50	15	1	74	26.47	27.25	< 33.01
40620	2593.00				26.43	27.21	< 33.01
41515	2682.50				25.31	26.09	< 33.01
39725	2503.50	15	75	0	25.54	26.32	< 33.01
40620	2593.00				25.47	26.25	< 33.01
41515	2682.50				24.87	25.65	< 33.01
39750	2506.00	20	1	0	26.44	27.22	< 33.01
40620	2593.00				26.43	27.21	< 33.01
41490	2680.00				26.28	27.06	< 33.01
39750	2506.00	20	1	49	26.34	27.12	< 33.01
40620	2593.00				26.34	27.12	< 33.01
41490	2680.00				26.18	26.96	< 33.01
39750	2506.00	20	1	99	26.43	27.21	< 33.01
40620	2593.00				26.40	27.18	< 33.01
41490	2680.00				25.35	26.13	< 33.01
39750	2506.00	20	100	0	25.52	26.30	< 33.01
40620	2593.00				25.49	26.27	< 33.01
41490	2680.00				25.29	26.07	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

5.3. Conducted Spurious Emissions

5.3.1. Test Limit

The level of the carrier and the various conducted spurious and harmonic frequencies is measured by means of a calibrated spectrum analyzer. The spectrum is scanned from the lowest frequency generated in the equipment up to a frequency including its 10th harmonic. All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst-case configuration. All modes of operation were investigated and the worst-case configuration results are reported in this section.

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

For Band 7, 38/41 the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $55 + 10 \log(P)$ dB.

5.3.2. Test Procedure Used

ANSI C63.26-2015 - Section 5.7

5.3.3. Test Setting

1. Set the analyzer frequency to low, mid, high channel.
2. RBW = 1MHz
3. VBW $\geq 3 \cdot$ RBW
4. Sweep time = auto
5. Detector = power averaging (rms)
6. Set sweep trigger to "free run."
7. User gate triggered such that the analyzer only sweeps when the device is transmitting at full power.
8. Trace average at least 100 traces in power averaging (rms) mode if sweep is set to auto-couple. To accurately determine the average power over the on and off time of the transmitter, it can be necessary to increase the number of traces to be averaged above 100, or if using a manually configured sweep time, increase the sweep time.


5.3.4. Test Setup



5.3.5. Test Result


Product	5G Sub-6 GHz & mmWave M.2 Module	Test Site	WZ-SR6
Test Engineer	Edgar Ma	Test Date	2021/01/05
Test Band	LTE Band 2/25, 1RB, QPSK		

Channel	Frequency (MHz)	Channel Bandwidth (MHz)	Frequency Range (MHz)	Max Spurious Emissions (dBm)	Limit (dBm)	Result
26365	1882.5	1.4	30 ~ 20000	-53.17	≤ -13.00	Pass




Product	5G Sub-6 GHz & mmWave M.2 Module	Test Site	WZ-SR6
Test Engineer	Edgar Ma	Test Date	2021/01/05
Test Band	LTE Band 4/66, 1RB, QPSK		

Channel	Frequency (MHz)	Channel Bandwidth (MHz)	Frequency Range (MHz)	Max Spurious Emissions (dBm)	Limit (dBm)	Result
132322	1745.0	1.4	30 ~ 20000	-51.70	≤ -13.00	Pass




Product	5G Sub-6 GHz & mmWave M.2 Module	Test Site	WZ-SR6
Test Engineer	Edgar Ma	Test Date	2021/01/05
Test Band	LTE Band 5/26, 1RB, QPSK		

Channel	Frequency (MHz)	Channel Bandwidth (MHz)	Frequency Range (MHz)	Max Spurious Emissions (dBm)	Limit (dBm)	Result
26915	836.5	1.4	30 ~ 10000	-46.41	≤ -13.00	Pass




Product	5G Sub-6 GHz & mmWave M.2 Module	Test Site	WZ-SR6
Test Engineer	Edgar Ma	Test Date	2021/01/05
Test Band	LTE Band 7, 1RB, QPSK		

Channel	Frequency (MHz)	Channel Bandwidth (MHz)	Frequency Range (MHz)	Max Spurious Emissions (dBm)	Limit (dBm)	Result
21100	2535.0	5	30 ~ 27000	-49.39	≤ -25.00	Pass




Product	5G Sub-6 GHz & mmWave M.2 Module	Test Site	WZ-SR6
Test Engineer	Edgar Ma	Test Date	2021/01/05
Test Band	LTE Band 12, 1RB, QPSK		

Channel	Frequency (MHz)	Channel Bandwidth (MHz)	Frequency Range (MHz)	Max Spurious Emissions (dBm)	Limit (dBm)	Result
23095	707.5	1.4	30 ~ 10000	-44.52	≤ -13.00	Pass




Product	5G Sub-6 GHz & mmWave M.2 Module	Test Site	WZ-SR6
Test Engineer	Edgar Ma	Test Date	2021/01/05
Test Band	LTE Band 13, 1RB, QPSK		

Channel	Frequency (MHz)	Channel Bandwidth (MHz)	Frequency Range (MHz)	Max Spurious Emissions (dBm)	Limit (dBm)	Result
23230	782.0	5	30 ~ 10000	-43.73	≤ -13.00	Pass




Product	5G Sub-6 GHz & mmWave M.2 Module	Test Site	WZ-SR6
Test Engineer	Edgar Ma	Test Date	2021/01/03
Test Band	LTE Band 17, 1RB, QPSK		

Channel	Frequency (MHz)	Channel Bandwidth (MHz)	Frequency Range (MHz)	Max Spurious Emissions (dBm)	Limit (dBm)	Result
23790	710.0	5	30 ~ 10000	-42.61	≤ -13.00	Pass




Product	5G Sub-6 GHz & mmWave M.2 Module	Test Site	WZ-SR6
Test Engineer	Edgar Ma	Test Date	2021/01/05
Test Band	LTE Band 38/41_HPUE, 1RB, QPSK		

Channel	Frequency (MHz)	Channel Bandwidth (MHz)	Frequency Range (MHz)	Max Spurious Emissions (dBm)	Limit (dBm)	Result
40620	2593.00	5	30 ~ 27000	-47.67	≤ -25.00	Pass



Product	5G Sub-6 GHz & mmWave M.2 Module	Test Site	WZ-SR6
Test Engineer	Edgar Ma	Test Date	2021/01/05
Test Band	LTE Band 71, 1RB, QPSK		

Channel	Frequency (MHz)	Channel Bandwidth (MHz)	Frequency Range (MHz)	Max Spurious Emissions (dBm)	Limit (dBm)	Result
133297	680.5	5	30 ~ 10000	-43.59	≤ -13.00	Pass



6. CONCLUSION

The data collected relate only the item(s) tested and show that unit is compliance with FCC Rules.

W

_____ The End _____

Appendix A - Test Setup Photograph

Refer to "2012RSU045-UT" file.

Appendix B - EUT Photograph

Refer to "2012RSU045-UE" file.

Appendix C - Reference Test Report