



## 99% Bandwidth - PI/2 BPSK


## 5MHz Channel Bandwidth




## 10MHz Channel Bandwidth



## 15MHz Channel Bandwidth




## 20MHz Channel Bandwidth




## 99% Bandwidth - QPSK

## 5MHz Channel Bandwidth



## 10MHz Channel Bandwidth



## 15MHz Channel Bandwidth




## 20MHz Channel Bandwidth




## 99% Bandwidth - 16QAM


## 5MHz Channel Bandwidth



## 10MHz Channel Bandwidth



## 15MHz Channel Bandwidth



## 20MHz Channel Bandwidth




## 99% Bandwidth - 64QAM

## 5MHz Channel Bandwidth




## 10MHz Channel Bandwidth




## 15MHz Channel Bandwidth



## 20MHz Channel Bandwidth





|               |                         |           |            |
|---------------|-------------------------|-----------|------------|
| Product       | 5G Sub-6 GHz M.2 Module | Test Site | WZ-SR6     |
| Test Engineer | Eric Xu                 | Test Date | 2020/10/30 |
| Test Band     | n41_HPUE                |           |            |

| Channel          | Frequency (MHz) | Bandwidth (MHz) | 99% Bandwidth (MHz) |
|------------------|-----------------|-----------------|---------------------|
| <b>PI/2 BPSK</b> |                 |                 |                     |
| 518598           | 2592.99         | 20              | 18.04               |
| 518598           | 2592.99         | 30              | 27.62               |
| 518598           | 2592.99         | 40              | 37.31               |
| 518598           | 2592.99         | 50              | 47.01               |
| 518598           | 2592.99         | 60              | 57.62               |
| 518598           | 2592.99         | 80              | 76.83               |
| 518598           | 2592.99         | 100             | 96.06               |
| <b>QPSK</b>      |                 |                 |                     |
| 518598           | 2592.99         | 20              | 17.91               |
| 518598           | 2592.99         | 30              | 26.75               |
| 518598           | 2592.99         | 40              | 35.70               |
| 518598           | 2592.99         | 50              | 45.67               |
| 518598           | 2592.99         | 60              | 57.82               |
| 518598           | 2592.99         | 80              | 76.88               |
| 518598           | 2592.99         | 100             | 96.15               |
| <b>16QAM</b>     |                 |                 |                     |
| 518598           | 2592.99         | 20              | 17.81               |
| 518598           | 2592.99         | 30              | 26.82               |
| 518598           | 2592.99         | 40              | 35.70               |
| 518598           | 2592.99         | 50              | 45.76               |
| 518598           | 2592.99         | 60              | 57.78               |
| 518598           | 2592.99         | 80              | 76.84               |
| 518598           | 2592.99         | 100             | 96.20               |


| 64QAM  |         |     |       |
|--------|---------|-----|-------|
| 518598 | 2592.99 | 20  | 18.00 |
| 518598 | 2592.99 | 30  | 26.78 |
| 518598 | 2592.99 | 40  | 35.67 |
| 518598 | 2592.99 | 50  | 45.72 |
| 518598 | 2592.99 | 60  | 57.71 |
| 518598 | 2592.99 | 80  | 77.11 |
| 518598 | 2592.99 | 100 | 96.06 |
| 256QAM |         |     |       |
| 518598 | 2592.99 | 20  | 17.92 |
| 518598 | 2592.99 | 30  | 26.84 |
| 518598 | 2592.99 | 40  | 35.69 |
| 518598 | 2592.99 | 50  | 45.66 |
| 518598 | 2592.99 | 60  | 57.83 |
| 518598 | 2592.99 | 80  | 76.92 |
| 518598 | 2592.99 | 100 | 96.25 |

## 99% Bandwidth - PI/2 BPSK


### 20MHz Channel Bandwidth




### 30MHz Channel Bandwidth




### 40MHz Channel Bandwidth




### 50MHz Channel Bandwidth



### 60MHz Channel Bandwidth



### 80MHz Channel Bandwidth




### 100MHz Channel Bandwidth




### 99% Bandwidth - QPSK


#### 20MHz Channel Bandwidth




#### 30MHz Channel Bandwidth




#### 40MHz Channel Bandwidth




#### 50MHz Channel Bandwidth




#### 60MHz Channel Bandwidth



#### 80MHz Channel Bandwidth




#### 100MHz Channel Bandwidth




99% Bandwidth - 16QAM


20MHz Channel Bandwidth




30MHz Channel Bandwidth




40MHz Channel Bandwidth




50MHz Channel Bandwidth




60MHz Channel Bandwidth



80MHz Channel Bandwidth




100MHz Channel Bandwidth






99% Bandwidth - 64QAM


20MHz Channel Bandwidth




30MHz Channel Bandwidth




40MHz Channel Bandwidth




50MHz Channel Bandwidth




60MHz Channel Bandwidth




80MHz Channel Bandwidth





100MHz Channel Bandwidth







|               |                         |           |            |
|---------------|-------------------------|-----------|------------|
| Product       | 5G Sub-6 GHz M.2 Module | Test Site | WZ-SR6     |
| Test Engineer | Eric Xu                 | Test Date | 2020/10/30 |
| Test Band     | n77_HPUE                |           |            |



| Channel | Frequency (MHz) | Bandwidth (MHz) | Modulation | 99% Bandwidth (MHz) |
|---------|-----------------|-----------------|------------|---------------------|
| 772998  | 3864.99         | 100             | PI/2 BPSK  | 96.19               |
| 772998  | 3864.99         | 100             | QPSK       | 96.50               |
| 772998  | 3864.99         | 100             | 16QAM      | 96.47               |
| 772998  | 3864.99         | 100             | 64QAM      | 96.41               |
| 772998  | 3864.99         | 100             | 256QAM     | 96.11               |





**99% Bandwidth - 16QAM**



**99% Bandwidth - 64QAM**



**99% Bandwidth - 256QAM**



### **5.3. Frequency Stability Measurement**

#### **5.3.1. Test Limit**

The frequency stability shall be measured by variation of ambient temperature and variation of primary supply voltage to ensure that the fundamental emission stays within the authorized frequency block. The frequency stability of the transmitter shall be maintained within  $\pm 0.00025\%$  ( $\pm 2.5\text{ppm}$ ) of the center frequency.

#### **5.3.2. Test Procedures Used**

ANSI C63.26-2015 - Section 5.6

#### **5.3.3. Test Setting**

##### **Frequency Stability Under Temperature Variations:**


The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 20°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to highest. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C decreased per stage until the lowest temperature reached.

##### **Frequency Stability Under Voltage Variations:**

Set chamber temperature to 20°C. Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency.

Reduce the input voltage to specify extreme voltage variation ( $\pm 15\%$ ) and endpoint, record the maximum frequency change.

### 5.3.4. Test Setup



**5.3.5.Test Result**

|               |                         |           |            |
|---------------|-------------------------|-----------|------------|
| Product       | 5G Sub-6 GHz M.2 Module | Test Site | WZ-TR3     |
| Test Engineer | Larry Yan               | Test Date | 2020/10/17 |
| Test Band     | n2/25                   |           |            |

| Power (V <sub>DC</sub> ) | Temp (°C)  | Frequency Tolerance (ppm) |
|--------------------------|------------|---------------------------|
| 3.7                      | - 30       | -0.0029                   |
|                          | - 20       | -0.0102                   |
|                          | - 10       | -0.0136                   |
|                          | 0          | -0.0076                   |
|                          | + 10       | -0.0098                   |
|                          | + 20 (Ref) | -0.0031                   |
|                          | + 30       | -0.0031                   |
|                          | + 40       | -0.0126                   |
|                          | + 50       | -0.0071                   |
| 4.4                      | + 20       | -0.0027                   |
| 3.135                    | + 20       | -0.0053                   |

|               |                         |           |            |
|---------------|-------------------------|-----------|------------|
| Product       | 5G Sub-6 GHz M.2 Module | Test Site | WZ-TR3     |
| Test Engineer | Larry Yan               | Test Date | 2020/10/17 |
| Test Band     | n5                      |           |            |

| Power (V <sub>DC</sub> ) | Temp (°C)  | Frequency Tolerance (ppm) |
|--------------------------|------------|---------------------------|
| 3.7                      | - 30       | -0.0108                   |
|                          | - 20       | -0.0073                   |
|                          | - 10       | -0.0059                   |
|                          | 0          | -0.0107                   |
|                          | + 10       | -0.0015                   |
|                          | + 20 (Ref) | -0.0068                   |
|                          | + 30       | -0.0047                   |
|                          | + 40       | -0.0067                   |
|                          | + 50       | -0.0045                   |
| 4.4                      | + 20       | -0.0089                   |
| 3.135                    | + 20       | -0.0121                   |



|               |                         |           |            |
|---------------|-------------------------|-----------|------------|
| Product       | 5G Sub-6 GHz M.2 Module | Test Site | WZ-TR3     |
| Test Engineer | Larry Yan               | Test Date | 2020/10/17 |
| Test Band     | n7                      |           |            |

| Power (V <sub>DC</sub> ) | Temp (°C)  | Frequency Tolerance (ppm) |
|--------------------------|------------|---------------------------|
| 3.7                      | - 30       | -0.0050                   |
|                          | - 20       | -0.0031                   |
|                          | - 10       | -0.0010                   |
|                          | 0          | -0.0013                   |
|                          | + 10       | -0.0054                   |
|                          | + 20 (Ref) | -0.0057                   |
|                          | + 30       | -0.0014                   |
|                          | + 40       | -0.0016                   |
|                          | + 50       | 0.0018                    |
| 4.4                      | + 20       | -0.0029                   |
| 3.135                    | + 20       | -0.0076                   |

|               |                         |           |            |
|---------------|-------------------------|-----------|------------|
| Product       | 5G Sub-6 GHz M.2 Module | Test Site | WZ-TR3     |
| Test Engineer | Larry Yan               | Test Date | 2020/10/17 |
| Test Band     | n12                     |           |            |

| Power (V <sub>DC</sub> ) | Temp (°C)  | Frequency Tolerance (ppm) |
|--------------------------|------------|---------------------------|
| 3.7                      | - 30       | -0.0067                   |
|                          | - 20       | -0.0105                   |
|                          | - 10       | -0.0034                   |
|                          | 0          | 0.0012                    |
|                          | + 10       | -0.0089                   |
|                          | + 20 (Ref) | -0.0110                   |
|                          | + 30       | -0.0018                   |
|                          | + 40       | 0.0014                    |
|                          | + 50       | 0.0031                    |
| 4.4                      | + 20       | 0.0018                    |
| 3.135                    | + 20       | 0.0010                    |

|               |                         |           |            |
|---------------|-------------------------|-----------|------------|
| Product       | 5G Sub-6 GHz M.2 Module | Test Site | WZ-TR3     |
| Test Engineer | Larry Yan               | Test Date | 2020/10/17 |
| Test Band     | n66                     |           |            |

| Power (V <sub>DC</sub> ) | Temp (°C)  | Frequency Tolerance (ppm) |
|--------------------------|------------|---------------------------|
| 3.7                      | - 30       | 0.0035                    |
|                          | - 20       | -0.0040                   |
|                          | - 10       | -0.0051                   |
|                          | 0          | -0.0094                   |
|                          | + 10       | -0.0040                   |
|                          | + 20 (Ref) | -0.0009                   |
|                          | + 30       | -0.0086                   |
|                          | + 40       | -0.0080                   |
|                          | + 50       | -0.0085                   |
| 4.4                      | + 20       | -0.0046                   |
| 3.135                    | + 20       | -0.0061                   |

|               |                         |           |            |
|---------------|-------------------------|-----------|------------|
| Product       | 5G Sub-6 GHz M.2 Module | Test Site | WZ-TR3     |
| Test Engineer | Larry Yan               | Test Date | 2020/10/17 |
| Test Band     | n71                     |           |            |

| Power (V <sub>DC</sub> ) | Temp (°C)  | Frequency Tolerance (ppm) |
|--------------------------|------------|---------------------------|
| 3.7                      | - 30       | -0.0089                   |
|                          | - 20       | -0.0055                   |
|                          | - 10       | -0.0065                   |
|                          | 0          | -0.0046                   |
|                          | + 10       | -0.0067                   |
|                          | + 20 (Ref) | -0.0070                   |
|                          | + 30       | -0.0075                   |
|                          | + 40       | -0.0079                   |
|                          | + 50       | -0.0047                   |
| 4.4                      | + 20       | -0.0078                   |
| 3.135                    | + 20       | -0.0083                   |

|               |                         |           |            |
|---------------|-------------------------|-----------|------------|
| Product       | 5G Sub-6 GHz M.2 Module | Test Site | WZ-TR3     |
| Test Engineer | Larry Yan               | Test Date | 2020/10/17 |
| Test Band     | n41_HPUE                |           |            |

| Power (V <sub>DC</sub> ) | Temp (°C)  | Frequency Tolerance (ppm) |
|--------------------------|------------|---------------------------|
| 3.7                      | - 30       | -0.0036                   |
|                          | - 20       | -0.0087                   |
|                          | - 10       | -0.0106                   |
|                          | 0          | -0.0072                   |
|                          | + 10       | -0.0100                   |
|                          | + 20 (Ref) | -0.0054                   |
|                          | + 30       | -0.0029                   |
|                          | + 40       | -0.0084                   |
|                          | + 50       | -0.0089                   |
| 4.4                      | + 20       | -0.0072                   |
| 3.135                    | + 20       | -0.0099                   |

|               |                         |           |            |
|---------------|-------------------------|-----------|------------|
| Product       | 5G Sub-6 GHz M.2 Module | Test Site | WZ-TR3     |
| Test Engineer | Larry Yan               | Test Date | 2020/10/17 |
| Test Band     | n77_HPUE                |           |            |

| Power (V <sub>DC</sub> ) | Temp (°C)  | Frequency Tolerance (ppm) |
|--------------------------|------------|---------------------------|
| 3.7                      | - 30       | -0.0089                   |
|                          | - 20       | -0.0103                   |
|                          | - 10       | -0.0096                   |
|                          | 0          | -0.0056                   |
|                          | + 10       | -0.0029                   |
|                          | + 20 (Ref) | -0.0040                   |
|                          | + 30       | -0.0087                   |
|                          | + 40       | -0.0082                   |
|                          | + 50       | -0.0092                   |
| 4.4                      | + 20       | -0.0056                   |
| 3.135                    | + 20       | -0.0086                   |

## 5.4. Equivalent Isotropically Radiated Power Measurement

### 5.4.1. Test Limit

The ERP of mobile transmitters must not exceed 7 watts for n5.

The ERP of mobile transmitters must not exceed 3 watts for n12 & n71.

The EIRP of mobile transmitters must not exceed 2 watts for n2 & n7 & n25 & n41.

The EIRP of mobile transmitters must not exceed 1 watt for n66 & n77.

### 5.4.2. Test Procedures Used

ANSI C63.26-2015 - Section 5.2

### 5.4.3. Test Setting

Average power measurements were performed only when the EUT was transmitting at its maximum power control level using a broadband power meter with a pulse sensor. The power meter implemented triggering and gating capabilities which were set up such that power measurements were recorded only during the ON time of the transmitter.

The relevant equation for determining the maximum ERP or EIRP from the measured RF output power is given in Equation (1) as follows:

$$\text{ERP or EIRP} = P_{\text{Meas}} + G_{\text{T}}$$

where


ERP or EIRP effective radiated power or equivalent isotropically radiated power, respectively (expressed in the same units as  $P_{\text{Meas}}$ , e.g., dBm or dBW)

$P_{\text{Meas}}$  measured transmitter output power or PSD, in dBm or dBW

$G_{\text{T}}$  gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP)

$$\text{ERP} = \text{EIRP} - 2.15$$

### 5.4.4. Test Setup





**5.4.5. Test Result**

|               |                         |           |            |
|---------------|-------------------------|-----------|------------|
| Product       | 5G Sub-6 GHz M.2 Module | Test Site | WZ-SR6     |
| Test Engineer | Cloud Guo               | Test Date | 2020/10/20 |
| Test Band     | n2/25_SA                |           |            |

| Channel No. | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| PI/2 BPSK   |                 |                         |         |           |                    |            |             |
| 370500      | 1852.5          | 5                       | 1       | 0         | 23.10              | 23.35      | < 33.01     |
|             |                 |                         | 1       | 1         | 23.12              | 23.37      | < 33.01     |
|             |                 |                         | 12      | 6         | 23.57              | 23.82      | < 33.01     |
|             |                 |                         | 25      | 0         | 23.58              | 23.83      | < 33.01     |
| 376500      | 1882.5          | 5                       | 1       | 0         | 23.01              | 23.26      | < 33.01     |
|             |                 |                         | 1       | 1         | 23.02              | 23.27      | < 33.01     |
|             |                 |                         | 12      | 6         | 23.17              | 23.42      | < 33.01     |
|             |                 |                         | 25      | 0         | 23.21              | 23.46      | < 33.01     |
| 382500      | 1912.5          | 5                       | 1       | 0         | 23.07              | 23.32      | < 33.01     |
|             |                 |                         | 1       | 1         | 23.11              | 23.36      | < 33.01     |
|             |                 |                         | 12      | 6         | 23.13              | 23.38      | < 33.01     |
|             |                 |                         | 25      | 0         | 23.10              | 23.35      | < 33.01     |
| 371000      | 1855.0          | 10                      | 1       | 0         | 23.01              | 23.26      | < 33.01     |
|             |                 |                         | 1       | 1         | 23.10              | 23.35      | < 33.01     |
|             |                 |                         | 25      | 12        | 23.21              | 23.46      | < 33.01     |
|             |                 |                         | 50      | 0         | 23.22              | 23.47      | < 33.01     |
| 376500      | 1882.5          | 10                      | 1       | 0         | 23.01              | 23.26      | < 33.01     |
|             |                 |                         | 1       | 1         | 23.06              | 23.31      | < 33.01     |
|             |                 |                         | 25      | 12        | 23.20              | 23.45      | < 33.01     |
|             |                 |                         | 50      | 0         | 23.16              | 23.41      | < 33.01     |
| 382000      | 1910.0          | 10                      | 1       | 0         | 23.12              | 23.37      | < 33.01     |
|             |                 |                         | 1       | 1         | 23.16              | 23.41      | < 33.01     |
|             |                 |                         | 25      | 12        | 23.24              | 23.49      | < 33.01     |
|             |                 |                         | 50      | 0         | 23.09              | 23.34      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| PI/2 BPSK  |                 |                         |         |           |                    |            |             |
| 371500   | 1857.5          | 15                      | 1       | 0         | 23.19              | 23.44      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.18              | 23.43      | < 33.01     |
|  |                 |                         | 36      | 18        | 23.12              | 23.37      | < 33.01     |
|  |                 |                         | 75      | 0         | 23.15              | 23.40      | < 33.01     |
| 376500   | 1882.5          | 15                      | 1       | 0         | 23.13              | 23.38      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.23              | 23.48      | < 33.01     |
|  |                 |                         | 36      | 18        | 23.11              | 23.36      | < 33.01     |
|  |                 |                         | 75      | 0         | 23.14              | 23.39      | < 33.01     |
| 381500   | 1907.5          | 15                      | 1       | 0         | 23.15              | 23.40      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.16              | 23.41      | < 33.01     |
|  |                 |                         | 36      | 18        | 23.11              | 23.36      | < 33.01     |
|  |                 |                         | 75      | 0         | 23.23              | 23.48      | < 33.01     |
| 372000   | 1860.0          | 20                      | 1       | 0         | 23.20              | 23.45      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.29              | 23.54      | < 33.01     |
|  |                 |                         | 50      | 25        | 23.11              | 23.36      | < 33.01     |
|  |                 |                         | 100     | 0         | 23.10              | 23.35      | < 33.01     |
| 376500   | 1882.5          | 20                      | 1       | 0         | 23.14              | 23.39      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.15              | 23.40      | < 33.01     |
|  |                 |                         | 50      | 25        | 23.16              | 23.41      | < 33.01     |
|  |                 |                         | 100     | 0         | 23.14              | 23.39      | < 33.01     |
| 381000   | 1905.0          | 20                      | 1       | 0         | 23.14              | 23.39      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.23              | 23.48      | < 33.01     |
|  |                 |                         | 50      | 25        | 23.31              | 23.56      | < 33.01     |
|  |                 |                         | 100     | 0         | 23.11              | 23.36      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| QPSK   |                 |                         |         |           |                    |            |             |
| 370500   | 1852.5          | 5                       | 1       | 0         | 23.03              | 23.28      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.08              | 23.33      | < 33.01     |
|  |                 |                         | 12      | 6         | 23.12              | 23.37      | < 33.01     |
|  |                 |                         | 25      | 0         | 23.10              | 23.35      | < 33.01     |
| 376500   | 1882.5          | 5                       | 1       | 0         | 23.19              | 23.44      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.24              | 23.49      | < 33.01     |
|  |                 |                         | 12      | 6         | 23.18              | 23.43      | < 33.01     |
|  |                 |                         | 25      | 0         | 23.10              | 23.35      | < 33.01     |
| 382500   | 1912.5          | 5                       | 1       | 0         | 23.01              | 23.26      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.05              | 23.30      | < 33.01     |
|  |                 |                         | 12      | 6         | 23.17              | 23.42      | < 33.01     |
|  |                 |                         | 25      | 0         | 23.12              | 23.37      | < 33.01     |
| 371000   | 1855.0          | 10                      | 1       | 0         | 22.99              | 23.24      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.04              | 23.29      | < 33.01     |
|  |                 |                         | 25      | 12        | 23.09              | 23.34      | < 33.01     |
|  |                 |                         | 50      | 0         | 23.18              | 23.43      | < 33.01     |
| 376500   | 1882.5          | 10                      | 1       | 0         | 23.11              | 23.36      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.02              | 23.27      | < 33.01     |
|  |                 |                         | 25      | 12        | 23.30              | 23.55      | < 33.01     |
|  |                 |                         | 50      | 0         | 23.22              | 23.47      | < 33.01     |
| 382000   | 1910.0          | 10                      | 1       | 0         | 23.16              | 23.41      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.17              | 23.42      | < 33.01     |
|  |                 |                         | 25      | 12        | 23.25              | 23.50      | < 33.01     |
|  |                 |                         | 50      | 0         | 23.10              | 23.35      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| QPSK   |                 |                         |         |           |                    |            |             |
| 371500   | 1857.5          | 15                      | 1       | 0         | 23.19              | 23.44      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.28              | 23.53      | < 33.01     |
|  |                 |                         | 36      | 18        | 23.12              | 23.37      | < 33.01     |
|  |                 |                         | 75      | 0         | 23.16              | 23.41      | < 33.01     |
| 376500   | 1882.5          | 15                      | 1       | 0         | 22.94              | 23.19      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.03              | 23.28      | < 33.01     |
|  |                 |                         | 36      | 18        | 23.14              | 23.39      | < 33.01     |
|  |                 |                         | 75      | 0         | 23.11              | 23.36      | < 33.01     |
| 381500   | 1907.5          | 15                      | 1       | 0         | 23.10              | 23.35      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.21              | 23.46      | < 33.01     |
|  |                 |                         | 36      | 18        | 23.11              | 23.36      | < 33.01     |
|  |                 |                         | 75      | 0         | 23.16              | 23.41      | < 33.01     |
| 372000   | 1860.0          | 20                      | 1       | 0         | 23.12              | 23.37      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.12              | 23.37      | < 33.01     |
|  |                 |                         | 50      | 25        | 23.12              | 23.37      | < 33.01     |
|  |                 |                         | 100     | 0         | 23.20              | 23.45      | < 33.01     |
| 376500   | 1882.5          | 20                      | 1       | 0         | 23.20              | 23.45      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.09              | 23.34      | < 33.01     |
|  |                 |                         | 50      | 25        | 23.17              | 23.42      | < 33.01     |
|  |                 |                         | 100     | 0         | 23.12              | 23.37      | < 33.01     |
| 381000   | 1905.0          | 20                      | 1       | 0         | 23.29              | 23.54      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.17              | 23.42      | < 33.01     |
|  |                 |                         | 50      | 25        | 23.23              | 23.48      | < 33.01     |
|  |                 |                         | 100     | 0         | 23.18              | 23.43      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 16QAM  |                 |                         |         |           |                    |            |             |
| 370500   | 1852.5          | 5                       | 1       | 0         | 22.06              | 22.31      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.74              | 22.99      | < 33.01     |
|  |                 |                         | 12      | 6         | 23.04              | 23.29      | < 33.01     |
|  |                 |                         | 25      | 0         | 22.07              | 22.32      | < 33.01     |
| 376500   | 1882.5          | 5                       | 1       | 0         | 21.94              | 22.19      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.16              | 23.41      | < 33.01     |
|  |                 |                         | 12      | 6         | 23.14              | 23.39      | < 33.01     |
|  |                 |                         | 25      | 0         | 22.13              | 22.38      | < 33.01     |
| 382500   | 1912.5          | 5                       | 1       | 0         | 21.97              | 22.22      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.78              | 23.03      | < 33.01     |
|  |                 |                         | 12      | 6         | 23.05              | 23.30      | < 33.01     |
|  |                 |                         | 25      | 0         | 22.03              | 22.28      | < 33.01     |
| 371000   | 1855.0          | 10                      | 1       | 0         | 21.86              | 22.11      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.41              | 23.66      | < 33.01     |
|  |                 |                         | 25      | 12        | 23.16              | 23.41      | < 33.01     |
|  |                 |                         | 50      | 0         | 22.10              | 22.35      | < 33.01     |
| 376500   | 1882.5          | 10                      | 1       | 0         | 22.21              | 22.46      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.03              | 23.28      | < 33.01     |
|  |                 |                         | 25      | 12        | 23.17              | 23.42      | < 33.01     |
|  |                 |                         | 50      | 0         | 22.25              | 22.50      | < 33.01     |
| 382000   | 1910.0          | 10                      | 1       | 0         | 21.81              | 22.06      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.16              | 23.41      | < 33.01     |
|  |                 |                         | 25      | 12        | 23.15              | 23.40      | < 33.01     |
|  |                 |                         | 50      | 0         | 22.11              | 22.36      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 16QAM  |                 |                         |         |           |                    |            |             |
| 371500   | 1857.5          | 15                      | 1       | 0         | 22.33              | 22.58      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.16              | 23.41      | < 33.01     |
|  |                 |                         | 36      | 18        | 23.22              | 23.47      | < 33.01     |
|  |                 |                         | 75      | 0         | 22.16              | 22.41      | < 33.01     |
| 376500   | 1882.5          | 15                      | 1       | 0         | 21.99              | 22.24      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.47              | 23.72      | < 33.01     |
|  |                 |                         | 36      | 18        | 23.18              | 23.43      | < 33.01     |
|  |                 |                         | 75      | 0         | 22.18              | 22.43      | < 33.01     |
| 381500   | 1907.5          | 15                      | 1       | 0         | 22.10              | 22.35      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.81              | 23.06      | < 33.01     |
|  |                 |                         | 36      | 18        | 23.13              | 23.38      | < 33.01     |
|  |                 |                         | 75      | 0         | 22.15              | 22.40      | < 33.01     |
| 372000   | 1860.0          | 20                      | 1       | 0         | 22.05              | 22.30      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.56              | 23.81      | < 33.01     |
|  |                 |                         | 50      | 25        | 23.17              | 23.42      | < 33.01     |
|  |                 |                         | 100     | 0         | 22.18              | 22.43      | < 33.01     |
| 376500   | 1882.5          | 20                      | 1       | 0         | 22.12              | 22.37      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.25              | 23.50      | < 33.01     |
|  |                 |                         | 50      | 25        | 23.07              | 23.32      | < 33.01     |
|  |                 |                         | 100     | 0         | 22.13              | 22.38      | < 33.01     |
| 381000   | 1905.0          | 20                      | 1       | 0         | 22.11              | 22.36      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.20              | 23.45      | < 33.01     |
|  |                 |                         | 50      | 25        | 23.19              | 23.44      | < 33.01     |
|  |                 |                         | 100     | 0         | 22.11              | 22.36      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 64QAM  |                 |                         |         |           |                    |            |             |
| 370500   | 1852.5          | 5                       | 1       | 0         | 21.87              | 22.12      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.89              | 22.14      | < 33.01     |
|  |                 |                         | 12      | 6         | 21.59              | 21.84      | < 33.01     |
|  |                 |                         | 25      | 0         | 21.66              | 21.91      | < 33.01     |
| 376500   | 1882.5          | 5                       | 1       | 0         | 21.95              | 22.20      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.96              | 22.21      | < 33.01     |
|  |                 |                         | 12      | 6         | 21.68              | 21.93      | < 33.01     |
|  |                 |                         | 25      | 0         | 21.64              | 21.89      | < 33.01     |
| 382500   | 1912.5          | 5                       | 1       | 0         | 21.41              | 21.66      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.31              | 21.56      | < 33.01     |
|  |                 |                         | 12      | 6         | 21.26              | 21.51      | < 33.01     |
|  |                 |                         | 25      | 0         | 21.65              | 21.90      | < 33.01     |
| 371000   | 1855.0          | 10                      | 1       | 0         | 21.63              | 21.88      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.66              | 21.91      | < 33.01     |
|  |                 |                         | 25      | 12        | 21.00              | 21.25      | < 33.01     |
|  |                 |                         | 50      | 0         | 21.55              | 21.80      | < 33.01     |
| 376500   | 1882.5          | 10                      | 1       | 0         | 21.50              | 21.75      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.55              | 21.80      | < 33.01     |
|  |                 |                         | 25      | 12        | 21.68              | 21.93      | < 33.01     |
|  |                 |                         | 50      | 0         | 21.69              | 21.94      | < 33.01     |
| 382000   | 1910.0          | 10                      | 1       | 0         | 21.44              | 21.69      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.45              | 21.70      | < 33.01     |
|  |                 |                         | 25      | 12        | 21.67              | 21.92      | < 33.01     |
|  |                 |                         | 50      | 0         | 21.57              | 21.82      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 64QAM  |                 |                         |         |           |                    |            |             |
| 371500   | 1857.5          | 15                      | 1       | 0         | 21.64              | 21.89      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.66              | 21.91      | < 33.01     |
|  |                 |                         | 36      | 18        | 21.70              | 21.95      | < 33.01     |
|  |                 |                         | 75      | 0         | 21.65              | 21.90      | < 33.01     |
| 376500   | 1882.5          | 15                      | 1       | 0         | 21.63              | 21.88      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.58              | 21.83      | < 33.01     |
|  |                 |                         | 36      | 18        | 21.63              | 21.88      | < 33.01     |
|  |                 |                         | 75      | 0         | 21.62              | 21.87      | < 33.01     |
| 381500   | 1907.5          | 15                      | 1       | 0         | 21.77              | 22.02      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.77              | 22.02      | < 33.01     |
|  |                 |                         | 36      | 18        | 21.68              | 21.93      | < 33.01     |
|  |                 |                         | 75      | 0         | 21.90              | 22.15      | < 33.01     |
| 372000   | 1860.0          | 20                      | 1       | 0         | 21.75              | 22.00      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.76              | 22.01      | < 33.01     |
|  |                 |                         | 50      | 25        | 21.73              | 21.98      | < 33.01     |
|  |                 |                         | 100     | 0         | 21.74              | 21.99      | < 33.01     |
| 376500   | 1882.5          | 20                      | 1       | 0         | 21.38              | 21.63      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.40              | 21.65      | < 33.01     |
|  |                 |                         | 50      | 25        | 21.62              | 21.87      | < 33.01     |
|  |                 |                         | 100     | 0         | 21.61              | 21.86      | < 33.01     |
| 381000   | 1905.0          | 20                      | 1       | 0         | 21.93              | 22.18      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.92              | 22.17      | < 33.01     |
|  |                 |                         | 50      | 25        | 21.62              | 21.87      | < 33.01     |
|  |                 |                         | 100     | 0         | 21.70              | 21.95      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |



| Channel No. | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 256QAM      |                 |                         |         |           |                    |            |             |
| 370500      | 1852.5          | 5                       | 1       | 0         | 19.09              | 19.34      | < 33.01     |
|             |                 |                         | 1       | 1         | 19.11              | 19.36      | < 33.01     |
|             |                 |                         | 12      | 6         | 19.56              | 19.81      | < 33.01     |
|             |                 |                         | 25      | 0         | 19.60              | 19.85      | < 33.01     |
| 376500      | 1882.5          | 5                       | 1       | 0         | 21.82              | 22.07      | < 33.01     |
|             |                 |                         | 1       | 1         | 21.82              | 22.07      | < 33.01     |
|             |                 |                         | 12      | 6         | 21.73              | 21.98      | < 33.01     |
|             |                 |                         | 25      | 0         | 21.67              | 21.92      | < 33.01     |
| 382500      | 1912.5          | 5                       | 1       | 0         | 19.14              | 19.39      | < 33.01     |
|             |                 |                         | 1       | 1         | 19.14              | 19.39      | < 33.01     |
|             |                 |                         | 12      | 6         | 19.50              | 19.75      | < 33.01     |
|             |                 |                         | 25      | 0         | 19.55              | 19.80      | < 33.01     |
| 371000      | 1855.0          | 10                      | 1       | 0         | 21.50              | 21.75      | < 33.01     |
|             |                 |                         | 1       | 1         | 21.54              | 21.79      | < 33.01     |
|             |                 |                         | 25      | 12        | 21.62              | 21.87      | < 33.01     |
|             |                 |                         | 50      | 0         | 21.61              | 21.86      | < 33.01     |
| 376500      | 1882.5          | 10                      | 1       | 0         | 19.13              | 19.38      | < 33.01     |
|             |                 |                         | 1       | 1         | 19.17              | 19.42      | < 33.01     |
|             |                 |                         | 25      | 12        | 19.57              | 19.82      | < 33.01     |
|             |                 |                         | 50      | 0         | 19.66              | 19.91      | < 33.01     |
| 382000      | 1910.0          | 10                      | 1       | 0         | 21.72              | 21.97      | < 33.01     |
|             |                 |                         | 1       | 1         | 21.65              | 21.90      | < 33.01     |
|             |                 |                         | 25      | 12        | 21.60              | 21.85      | < 33.01     |
|             |                 |                         | 50      | 0         | 21.65              | 21.90      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 256QAM   |                 |                         |         |           |                    |            |             |
| 371500   | 1857.5          | 15                      | 1       | 0         | 19.34              | 19.59      | < 33.01     |
|  |                 |                         | 1       | 1         | 19.34              | 19.59      | < 33.01     |
|  |                 |                         | 36      | 18        | 19.68              | 19.93      | < 33.01     |
|  |                 |                         | 75      | 0         | 19.56              | 19.81      | < 33.01     |
| 376500   | 1882.5          | 15                      | 1       | 0         | 21.60              | 21.85      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.57              | 21.82      | < 33.01     |
|  |                 |                         | 36      | 18        | 21.69              | 21.94      | < 33.01     |
|  |                 |                         | 75      | 0         | 21.72              | 21.97      | < 33.01     |
| 381500   | 1907.5          | 15                      | 1       | 0         | 19.27              | 19.52      | < 33.01     |
|  |                 |                         | 1       | 1         | 19.16              | 19.41      | < 33.01     |
|  |                 |                         | 36      | 18        | 19.54              | 19.79      | < 33.01     |
|  |                 |                         | 75      | 0         | 19.65              | 19.90      | < 33.01     |
| 372000   | 1860.0          | 20                      | 1       | 0         | 21.76              | 22.01      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.66              | 21.91      | < 33.01     |
|  |                 |                         | 50      | 25        | 21.64              | 21.89      | < 33.01     |
|  |                 |                         | 100     | 0         | 21.74              | 21.99      | < 33.01     |
| 376500   | 1882.5          | 20                      | 1       | 0         | 19.15              | 19.40      | < 33.01     |
|  |                 |                         | 1       | 1         | 19.27              | 19.52      | < 33.01     |
|  |                 |                         | 50      | 25        | 19.60              | 19.85      | < 33.01     |
|  |                 |                         | 100     | 0         | 19.64              | 19.89      | < 33.01     |
| 381000   | 1905.0          | 20                      | 1       | 0         | 21.90              | 22.15      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.79              | 22.04      | < 33.01     |
|  |                 |                         | 50      | 25        | 21.67              | 21.92      | < 33.01     |
|  |                 |                         | 100     | 0         | 21.70              | 21.95      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

|               |                         |           |            |
|---------------|-------------------------|-----------|------------|
| Product       | 5G Sub-6 GHz M.2 Module | Test Site | WZ-SR6     |
| Test Engineer | Cloud Guo               | Test Date | 2020/10/20 |
| Test Band     | n5_SA                   |           |            |

| Channel No. | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|-------------|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| PI/2 BPSK   |                 |                         |         |           |                    |           |             |
| 165300      | 826.5           | 5                       | 1       | 0         | 23.28              | 23.81     | < 38.45     |
|             |                 |                         | 1       | 1         | 23.34              | 23.87     | < 38.45     |
|             |                 |                         | 12      | 6         | 23.23              | 23.76     | < 38.45     |
|             |                 |                         | 25      | 0         | 23.22              | 23.75     | < 38.45     |
| 167300      | 836.5           | 5                       | 1       | 0         | 23.10              | 23.63     | < 38.45     |
|             |                 |                         | 1       | 1         | 23.14              | 23.67     | < 38.45     |
|             |                 |                         | 12      | 6         | 23.18              | 23.71     | < 38.45     |
|             |                 |                         | 25      | 0         | 23.16              | 23.69     | < 38.45     |
| 169300      | 846.5           | 5                       | 1       | 0         | 23.02              | 23.55     | < 38.45     |
|             |                 |                         | 1       | 1         | 23.15              | 23.68     | < 38.45     |
|             |                 |                         | 12      | 6         | 22.95              | 23.48     | < 38.45     |
|             |                 |                         | 25      | 0         | 23.05              | 23.58     | < 38.45     |
| 165800      | 829.0           | 10                      | 1       | 0         | 23.24              | 23.77     | < 38.45     |
|             |                 |                         | 1       | 1         | 23.17              | 23.70     | < 38.45     |
|             |                 |                         | 25      | 12        | 23.20              | 23.73     | < 38.45     |
|             |                 |                         | 50      | 0         | 23.19              | 23.72     | < 38.45     |
| 167300      | 836.5           | 10                      | 1       | 0         | 23.15              | 23.68     | < 38.45     |
|             |                 |                         | 1       | 1         | 23.17              | 23.70     | < 38.45     |
|             |                 |                         | 25      | 12        | 23.29              | 23.82     | < 38.45     |
|             |                 |                         | 50      | 0         | 23.25              | 23.78     | < 38.45     |
| 168800      | 844.0           | 10                      | 1       | 0         | 23.13              | 23.66     | < 38.45     |
|             |                 |                         | 1       | 1         | 23.03              | 23.56     | < 38.45     |
|             |                 |                         | 25      | 12        | 23.07              | 23.60     | < 38.45     |
|             |                 |                         | 50      | 0         | 23.07              | 23.60     | < 38.45     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| PI/2 BPSK  |                 |                         |         |           |                    |           |             |
| 166300   | 831.5           | 15                      | 1       | 0         | 23.26              | 23.79     | < 38.45     |
|  |                 |                         | 1       | 1         | 23.28              | 23.81     | < 38.45     |
|  |                 |                         | 36      | 18        | 23.25              | 23.78     | < 38.45     |
|  |                 |                         | 75      | 0         | 23.18              | 23.71     | < 38.45     |
| 167300   | 836.5           | 15                      | 1       | 0         | 23.15              | 23.68     | < 38.45     |
|  |                 |                         | 1       | 1         | 23.25              | 23.78     | < 38.45     |
|  |                 |                         | 36      | 18        | 23.11              | 23.64     | < 38.45     |
|  |                 |                         | 75      | 0         | 23.21              | 23.74     | < 38.45     |
| 168300   | 841.5           | 15                      | 1       | 0         | 23.13              | 23.66     | < 38.45     |
|  |                 |                         | 1       | 1         | 23.12              | 23.65     | < 38.45     |
|  |                 |                         | 36      | 18        | 23.07              | 23.60     | < 38.45     |
|  |                 |                         | 75      | 0         | 23.15              | 23.68     | < 38.45     |
| 166800   | 834.0           | 20                      | 1       | 0         | 23.01              | 23.54     | < 38.45     |
|  |                 |                         | 1       | 1         | 23.02              | 23.55     | < 38.45     |
|  |                 |                         | 50      | 25        | 22.87              | 23.40     | < 38.45     |
|  |                 |                         | 100     | 0         | 22.84              | 23.37     | < 38.45     |
| 167300   | 836.5           | 20                      | 1       | 0         | 22.83              | 23.36     | < 38.45     |
|  |                 |                         | 1       | 1         | 22.76              | 23.29     | < 38.45     |
|  |                 |                         | 50      | 25        | 22.64              | 23.17     | < 38.45     |
|  |                 |                         | 100     | 0         | 22.85              | 23.38     | < 38.45     |
| 167800   | 839.0           | 20                      | 1       | 0         | 22.68              | 23.21     | < 38.45     |
|  |                 |                         | 1       | 1         | 22.67              | 23.20     | < 38.45     |
|  |                 |                         | 50      | 25        | 22.65              | 23.18     | < 38.45     |
|  |                 |                         | 100     | 0         | 22.58              | 23.11     | < 38.45     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| QPSK   |                 |                         |         |           |                    |           |             |
| 165300   | 826.5           | 5                       | 1       | 0         | 23.28              | 23.81     | < 38.45     |
|  |                 |                         | 1       | 1         | 23.25              | 23.78     | < 38.45     |
|  |                 |                         | 12      | 6         | 23.24              | 23.77     | < 38.45     |
|  |                 |                         | 25      | 0         | 23.22              | 23.75     | < 38.45     |
| 167300   | 836.5           | 5                       | 1       | 0         | 23.09              | 23.62     | < 38.45     |
|  |                 |                         | 1       | 1         | 23.14              | 23.67     | < 38.45     |
|  |                 |                         | 12      | 6         | 23.22              | 23.75     | < 38.45     |
|  |                 |                         | 25      | 0         | 23.13              | 23.66     | < 38.45     |
| 169300   | 846.5           | 5                       | 1       | 0         | 23.02              | 23.55     | < 38.45     |
|  |                 |                         | 1       | 1         | 23.05              | 23.58     | < 38.45     |
|  |                 |                         | 12      | 6         | 22.98              | 23.51     | < 38.45     |
|  |                 |                         | 25      | 0         | 22.93              | 23.46     | < 38.45     |
| 165800   | 829.0           | 10                      | 1       | 0         | 23.24              | 23.77     | < 38.45     |
|  |                 |                         | 1       | 1         | 23.16              | 23.69     | < 38.45     |
|  |                 |                         | 25      | 12        | 23.18              | 23.71     | < 38.45     |
|  |                 |                         | 50      | 0         | 23.20              | 23.73     | < 38.45     |
| 167300   | 836.5           | 10                      | 1       | 0         | 23.16              | 23.69     | < 38.45     |
|  |                 |                         | 1       | 1         | 23.17              | 23.70     | < 38.45     |
|  |                 |                         | 25      | 12        | 23.28              | 23.81     | < 38.45     |
|  |                 |                         | 50      | 0         | 23.25              | 23.78     | < 38.45     |
| 168800   | 844.0           | 10                      | 1       | 0         | 23.02              | 23.55     | < 38.45     |
|  |                 |                         | 1       | 1         | 23.13              | 23.66     | < 38.45     |
|  |                 |                         | 25      | 12        | 23.21              | 23.74     | < 38.45     |
|  |                 |                         | 50      | 0         | 23.11              | 23.64     | < 38.45     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| QPSK   |                 |                         |         |           |                    |           |             |
| 166300   | 831.5           | 15                      | 1       | 0         | 23.26              | 23.79     | < 38.45     |
|  |                 |                         | 1       | 1         | 23.28              | 23.81     | < 38.45     |
|  |                 |                         | 36      | 18        | 23.24              | 23.77     | < 38.45     |
|  |                 |                         | 75      | 0         | 23.18              | 23.71     | < 38.45     |
| 167300   | 836.5           | 15                      | 1       | 0         | 23.10              | 23.63     | < 38.45     |
|  |                 |                         | 1       | 1         | 23.11              | 23.64     | < 38.45     |
|  |                 |                         | 36      | 18        | 23.11              | 23.64     | < 38.45     |
|  |                 |                         | 75      | 0         | 23.21              | 23.74     | < 38.45     |
| 168300   | 841.5           | 15                      | 1       | 0         | 23.14              | 23.67     | < 38.45     |
|  |                 |                         | 1       | 1         | 23.14              | 23.67     | < 38.45     |
|  |                 |                         | 36      | 18        | 23.24              | 23.77     | < 38.45     |
|  |                 |                         | 75      | 0         | 23.11              | 23.64     | < 38.45     |
| 166800   | 834.0           | 20                      | 1       | 0         | 22.86              | 23.39     | < 38.45     |
|  |                 |                         | 1       | 1         | 22.88              | 23.41     | < 38.45     |
|  |                 |                         | 50      | 25        | 22.76              | 23.29     | < 38.45     |
|  |                 |                         | 100     | 0         | 22.91              | 23.44     | < 38.45     |
| 167300   | 836.5           | 20                      | 1       | 0         | 22.84              | 23.37     | < 38.45     |
|  |                 |                         | 1       | 1         | 22.77              | 23.30     | < 38.45     |
|  |                 |                         | 50      | 25        | 22.64              | 23.17     | < 38.45     |
|  |                 |                         | 100     | 0         | 22.83              | 23.36     | < 38.45     |
| 167800   | 839.0           | 20                      | 1       | 0         | 22.71              | 23.24     | < 38.45     |
|  |                 |                         | 1       | 1         | 22.70              | 23.23     | < 38.45     |
|  |                 |                         | 50      | 25        | 22.69              | 23.22     | < 38.45     |
|  |                 |                         | 100     | 0         | 22.77              | 23.30     | < 38.45     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |

| Channel No. | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|-------------|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| 16QAM       |                 |                         |         |           |                    |           |             |
| 165300      | 826.5           | 5                       | 1       | 0         | 22.26              | 22.79     | < 38.45     |
|             |                 |                         | 1       | 1         | 22.96              | 23.49     | < 38.45     |
|             |                 |                         | 12      | 6         | 23.19              | 23.72     | < 38.45     |
|             |                 |                         | 25      | 0         | 22.23              | 22.76     | < 38.45     |
| 167300      | 836.5           | 5                       | 1       | 0         | 22.15              | 22.68     | < 38.45     |
|             |                 |                         | 1       | 1         | 22.78              | 23.31     | < 38.45     |
|             |                 |                         | 12      | 6         | 23.04              | 23.57     | < 38.45     |
|             |                 |                         | 25      | 0         | 22.16              | 22.69     | < 38.45     |
| 169300      | 846.5           | 5                       | 1       | 0         | 22.10              | 22.63     | < 38.45     |
|             |                 |                         | 1       | 1         | 22.66              | 23.19     | < 38.45     |
|             |                 |                         | 12      | 6         | 22.90              | 23.43     | < 38.45     |
|             |                 |                         | 25      | 0         | 21.98              | 22.51     | < 38.45     |
| 165800      | 829.0           | 10                      | 1       | 0         | 22.22              | 22.75     | < 38.45     |
|             |                 |                         | 1       | 1         | 22.87              | 23.40     | < 38.45     |
|             |                 |                         | 25      | 12        | 22.26              | 22.79     | < 38.45     |
|             |                 |                         | 50      | 0         | 22.23              | 22.76     | < 38.45     |
| 167300      | 836.5           | 10                      | 1       | 0         | 22.08              | 22.61     | < 38.45     |
|             |                 |                         | 1       | 1         | 22.71              | 23.24     | < 38.45     |
|             |                 |                         | 25      | 12        | 22.23              | 22.76     | < 38.45     |
|             |                 |                         | 50      | 0         | 22.23              | 22.76     | < 38.45     |
| 168800      | 844.0           | 10                      | 1       | 0         | 22.18              | 22.71     | < 38.45     |
|             |                 |                         | 1       | 1         | 22.00              | 22.53     | < 38.45     |
|             |                 |                         | 25      | 12        | 22.13              | 22.66     | < 38.45     |
|             |                 |                         | 50      | 0         | 22.10              | 22.63     | < 38.45     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| 16QAM  |                 |                         |         |           |                    |           |             |
| 166300   | 831.5           | 15                      | 1       | 0         | 22.24              | 22.77     | < 38.45     |
|  |                 |                         | 1       | 1         | 22.93              | 23.46     | < 38.45     |
|  |                 |                         | 36      | 18        | 23.19              | 23.72     | < 38.45     |
|  |                 |                         | 75      | 0         | 22.17              | 22.70     | < 38.45     |
| 167300   | 836.5           | 15                      | 1       | 0         | 22.21              | 22.74     | < 38.45     |
|  |                 |                         | 1       | 1         | 22.87              | 23.40     | < 38.45     |
|  |                 |                         | 36      | 18        | 22.14              | 22.67     | < 38.45     |
|  |                 |                         | 75      | 0         | 22.11              | 22.64     | < 38.45     |
| 168300   | 841.5           | 15                      | 1       | 0         | 22.17              | 22.70     | < 38.45     |
|  |                 |                         | 1       | 1         | 22.78              | 23.31     | < 38.45     |
|  |                 |                         | 36      | 18        | 22.11              | 22.64     | < 38.45     |
|  |                 |                         | 75      | 0         | 22.14              | 22.67     | < 38.45     |
| 166800   | 834.0           | 20                      | 1       | 0         | 21.76              | 22.29     | < 38.45     |
|  |                 |                         | 1       | 1         | 22.88              | 23.41     | < 38.45     |
|  |                 |                         | 50      | 25        | 22.82              | 23.35     | < 38.45     |
|  |                 |                         | 100     | 0         | 21.86              | 22.39     | < 38.45     |
| 167300   | 836.5           | 20                      | 1       | 0         | 21.97              | 22.50     | < 38.45     |
|  |                 |                         | 1       | 1         | 22.94              | 23.47     | < 38.45     |
|  |                 |                         | 50      | 25        | 22.68              | 23.21     | < 38.45     |
|  |                 |                         | 100     | 0         | 21.74              | 22.27     | < 38.45     |
| 167800   | 839.0           | 20                      | 1       | 0         | 21.62              | 22.15     | < 38.45     |
|  |                 |                         | 1       | 1         | 22.73              | 23.26     | < 38.45     |
|  |                 |                         | 50      | 25        | 22.84              | 23.37     | < 38.45     |
|  |                 |                         | 100     | 0         | 21.60              | 22.13     | < 38.45     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |



| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| 64QAM  |                 |                         |         |           |                    |           |             |
| 165300   | 826.5           | 5                       | 1       | 0         | 21.64              | 22.17     | < 38.45     |
|  |                 |                         | 1       | 1         | 21.66              | 22.19     | < 38.45     |
|  |                 |                         | 12      | 6         | 21.73              | 22.26     | < 38.45     |
|  |                 |                         | 25      | 0         | 21.73              | 22.26     | < 38.45     |
| 167300   | 836.5           | 5                       | 1       | 0         | 21.89              | 22.42     | < 38.45     |
|  |                 |                         | 1       | 1         | 21.38              | 21.91     | < 38.45     |
|  |                 |                         | 12      | 6         | 21.69              | 22.22     | < 38.45     |
|  |                 |                         | 25      | 0         | 21.66              | 22.19     | < 38.45     |
| 169300   | 846.5           | 5                       | 1       | 0         | 21.95              | 22.48     | < 38.45     |
|  |                 |                         | 1       | 1         | 21.93              | 22.46     | < 38.45     |
|  |                 |                         | 12      | 6         | 21.38              | 21.91     | < 38.45     |
|  |                 |                         | 25      | 0         | 21.46              | 21.99     | < 38.45     |
| 165800   | 829.0           | 10                      | 1       | 0         | 22.01              | 22.54     | < 38.45     |
|  |                 |                         | 1       | 1         | 22.04              | 22.57     | < 38.45     |
|  |                 |                         | 25      | 12        | 21.74              | 22.27     | < 38.45     |
|  |                 |                         | 50      | 0         | 21.76              | 22.29     | < 38.45     |
| 167300   | 836.5           | 10                      | 1       | 0         | 21.45              | 21.98     | < 38.45     |
|  |                 |                         | 1       | 1         | 21.46              | 21.99     | < 38.45     |
|  |                 |                         | 25      | 12        | 21.80              | 22.33     | < 38.45     |
|  |                 |                         | 50      | 0         | 21.76              | 22.29     | < 38.45     |
| 168800   | 844.0           | 10                      | 1       | 0         | 21.50              | 22.03     | < 38.45     |
|  |                 |                         | 1       | 1         | 21.40              | 21.93     | < 38.45     |
|  |                 |                         | 25      | 12        | 21.53              | 22.06     | < 38.45     |
|  |                 |                         | 50      | 0         | 21.61              | 22.14     | < 38.45     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |

| Channel No. | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|-------------|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| 64QAM       |                 |                         |         |           |                    |           |             |
| 166300      | 831.5           | 15                      | 1       | 0         | 22.09              | 22.62     | < 38.45     |
|             |                 |                         | 1       | 1         | 22.10              | 22.63     | < 38.45     |
|             |                 |                         | 36      | 18        | 22.04              | 22.57     | < 38.45     |
|             |                 |                         | 75      | 0         | 21.66              | 22.19     | < 38.45     |
| 167300      | 836.5           | 15                      | 1       | 0         | 21.98              | 22.51     | < 38.45     |
|             |                 |                         | 1       | 1         | 21.99              | 22.52     | < 38.45     |
|             |                 |                         | 36      | 18        | 21.57              | 22.10     | < 38.45     |
|             |                 |                         | 75      | 0         | 21.71              | 22.24     | < 38.45     |
| 168300      | 841.5           | 15                      | 1       | 0         | 21.95              | 22.48     | < 38.45     |
|             |                 |                         | 1       | 1         | 21.94              | 22.47     | < 38.45     |
|             |                 |                         | 36      | 18        | 21.63              | 22.16     | < 38.45     |
|             |                 |                         | 75      | 0         | 21.67              | 22.20     | < 38.45     |
| 166800      | 834.0           | 20                      | 1       | 0         | 21.15              | 21.68     | < 38.45     |
|             |                 |                         | 1       | 1         | 21.18              | 21.71     | < 38.45     |
|             |                 |                         | 50      | 25        | 21.37              | 21.90     | < 38.45     |
|             |                 |                         | 100     | 0         | 21.34              | 21.87     | < 38.45     |
| 167300      | 836.5           | 20                      | 1       | 0         | 21.10              | 21.63     | < 38.45     |
|             |                 |                         | 1       | 1         | 21.11              | 21.64     | < 38.45     |
|             |                 |                         | 50      | 25        | 21.17              | 21.70     | < 38.45     |
|             |                 |                         | 100     | 0         | 21.19              | 21.72     | < 38.45     |
| 167800      | 839.0           | 20                      | 1       | 0         | 21.03              | 21.56     | < 38.45     |
|             |                 |                         | 1       | 1         | 21.08              | 21.61     | < 38.45     |
|             |                 |                         | 50      | 25        | 21.15              | 21.68     | < 38.45     |
|             |                 |                         | 100     | 0         | 21.11              | 21.64     | < 38.45     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| 256QAM   |                 |                         |         |           |                    |           |             |
| 165300   | 826.5           | 5                       | 1       | 0         | 19.46              | 19.99     | < 38.45     |
|  |                 |                         | 1       | 1         | 19.38              | 19.91     | < 38.45     |
|  |                 |                         | 12      | 6         | 19.80              | 20.33     | < 38.45     |
|  |                 |                         | 25      | 0         | 19.75              | 20.28     | < 38.45     |
| 167300   | 836.5           | 5                       | 1       | 0         | 19.30              | 19.83     | < 38.45     |
|  |                 |                         | 1       | 1         | 19.31              | 19.84     | < 38.45     |
|  |                 |                         | 12      | 6         | 19.56              | 20.09     | < 38.45     |
|  |                 |                         | 25      | 0         | 19.56              | 20.09     | < 38.45     |
| 169300   | 846.5           | 5                       | 1       | 0         | 19.20              | 19.73     | < 38.45     |
|  |                 |                         | 1       | 1         | 19.20              | 19.73     | < 38.45     |
|  |                 |                         | 12      | 6         | 19.46              | 19.99     | < 38.45     |
|  |                 |                         | 25      | 0         | 19.49              | 20.02     | < 38.45     |
| 165800   | 829.0           | 10                      | 1       | 0         | 19.19              | 19.72     | < 38.45     |
|  |                 |                         | 1       | 1         | 19.24              | 19.77     | < 38.45     |
|  |                 |                         | 25      | 12        | 19.72              | 20.25     | < 38.45     |
|  |                 |                         | 50      | 0         | 19.66              | 20.19     | < 38.45     |
| 167300   | 836.5           | 10                      | 1       | 0         | 19.31              | 19.84     | < 38.45     |
|  |                 |                         | 1       | 1         | 19.18              | 19.71     | < 38.45     |
|  |                 |                         | 25      | 12        | 19.67              | 20.20     | < 38.45     |
|  |                 |                         | 50      | 0         | 19.78              | 20.31     | < 38.45     |
| 168800   | 844.0           | 10                      | 1       | 0         | 19.12              | 19.65     | < 38.45     |
|  |                 |                         | 1       | 1         | 19.12              | 19.65     | < 38.45     |
|  |                 |                         | 25      | 12        | 19.52              | 20.05     | < 38.45     |
|  |                 |                         | 50      | 0         | 19.55              | 20.08     | < 38.45     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| 256QAM   |                 |                         |         |           |                    |           |             |
| 166300   | 831.5           | 15                      | 1       | 0         | 19.28              | 19.81     | < 38.45     |
|  |                 |                         | 1       | 1         | 19.30              | 19.83     | < 38.45     |
|  |                 |                         | 36      | 18        | 19.60              | 20.13     | < 38.45     |
|  |                 |                         | 75      | 0         | 19.67              | 20.20     | < 38.45     |
| 167300   | 836.5           | 15                      | 1       | 0         | 19.35              | 19.88     | < 38.45     |
|  |                 |                         | 1       | 1         | 19.25              | 19.78     | < 38.45     |
|  |                 |                         | 36      | 18        | 19.53              | 20.06     | < 38.45     |
|  |                 |                         | 75      | 0         | 19.65              | 20.18     | < 38.45     |
| 168300   | 841.5           | 15                      | 1       | 0         | 19.29              | 19.82     | < 38.45     |
|  |                 |                         | 1       | 1         | 19.35              | 19.88     | < 38.45     |
|  |                 |                         | 36      | 18        | 19.70              | 20.23     | < 38.45     |
|  |                 |                         | 75      | 0         | 19.63              | 20.16     | < 38.45     |
| 166800   | 834.0           | 20                      | 1       | 0         | 18.97              | 19.50     | < 38.45     |
|  |                 |                         | 1       | 1         | 19.01              | 19.54     | < 38.45     |
|  |                 |                         | 50      | 25        | 19.30              | 19.83     | < 38.45     |
|  |                 |                         | 100     | 0         | 19.37              | 19.90     | < 38.45     |
| 167300   | 836.5           | 20                      | 1       | 0         | 18.88              | 19.41     | < 38.45     |
|  |                 |                         | 1       | 1         | 18.90              | 19.43     | < 38.45     |
|  |                 |                         | 50      | 25        | 19.15              | 19.68     | < 38.45     |
|  |                 |                         | 100     | 0         | 19.22              | 19.75     | < 38.45     |
| 167800   | 839.0           | 20                      | 1       | 0         | 18.96              | 19.49     | < 38.45     |
|  |                 |                         | 1       | 1         | 18.96              | 19.49     | < 38.45     |
|  |                 |                         | 50      | 25        | 19.36              | 19.89     | < 38.45     |
|  |                 |                         | 100     | 0         | 19.26              | 19.79     | < 38.45     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |

|               |                         |           |            |
|---------------|-------------------------|-----------|------------|
| Product       | 5G Sub-6 GHz M.2 Module | Test Site | WZ-SR6     |
| Test Engineer | Cloud Guo               | Test Date | 2020/10/20 |
| Test Band     | n7_SA                   |           |            |

| Channel No. | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| PI/2 BPSK   |                 |                         |         |           |                    |            |             |
| 500500      | 2502.5          | 5                       | 1       | 0         | 22.88              | 23.43      | < 33.01     |
|             |                 |                         | 1       | 1         | 22.82              | 23.37      | < 33.01     |
|             |                 |                         | 12      | 6         | 22.92              | 23.47      | < 33.01     |
|             |                 |                         | 25      | 0         | 22.94              | 23.49      | < 33.01     |
| 507000      | 2535.0          | 5                       | 1       | 0         | 22.74              | 23.29      | < 33.01     |
|             |                 |                         | 1       | 1         | 22.77              | 23.32      | < 33.01     |
|             |                 |                         | 12      | 6         | 22.81              | 23.36      | < 33.01     |
|             |                 |                         | 25      | 0         | 22.89              | 23.44      | < 33.01     |
| 513500      | 2567.5          | 5                       | 1       | 0         | 22.69              | 23.24      | < 33.01     |
|             |                 |                         | 1       | 1         | 22.71              | 23.26      | < 33.01     |
|             |                 |                         | 12      | 6         | 22.72              | 23.27      | < 33.01     |
|             |                 |                         | 25      | 0         | 22.78              | 23.33      | < 33.01     |
| 501000      | 2505.0          | 10                      | 1       | 0         | 22.60              | 23.15      | < 33.01     |
|             |                 |                         | 1       | 1         | 22.57              | 23.12      | < 33.01     |
|             |                 |                         | 25      | 12        | 22.97              | 23.52      | < 33.01     |
|             |                 |                         | 50      | 0         | 23.02              | 23.57      | < 33.01     |
| 507000      | 2535.0          | 10                      | 1       | 0         | 23.33              | 23.88      | < 33.01     |
|             |                 |                         | 1       | 1         | 23.35              | 23.90      | < 33.01     |
|             |                 |                         | 25      | 12        | 23.51              | 24.06      | < 33.01     |
|             |                 |                         | 50      | 0         | 23.49              | 24.04      | < 33.01     |
| 513000      | 2565.0          | 10                      | 1       | 0         | 23.30              | 23.85      | < 33.01     |
|             |                 |                         | 1       | 1         | 23.31              | 23.86      | < 33.01     |
|             |                 |                         | 25      | 12        | 23.39              | 23.94      | < 33.01     |
|             |                 |                         | 50      | 0         | 23.32              | 23.87      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| PI/2 BPSK  |                 |                         |         |           |                    |            |             |
| 501500   | 2507.5          | 15                      | 1       | 0         | 23.59              | 24.14      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.56              | 24.11      | < 33.01     |
|  |                 |                         | 36      | 18        | 23.66              | 24.21      | < 33.01     |
|  |                 |                         | 75      | 0         | 23.58              | 24.13      | < 33.01     |
| 507000   | 2535.0          | 15                      | 1       | 0         | 23.51              | 24.06      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.50              | 24.05      | < 33.01     |
|  |                 |                         | 36      | 18        | 23.42              | 23.97      | < 33.01     |
|  |                 |                         | 75      | 0         | 23.53              | 24.08      | < 33.01     |
| 512500   | 2562.5          | 15                      | 1       | 0         | 23.33              | 23.88      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.34              | 23.89      | < 33.01     |
|  |                 |                         | 36      | 18        | 23.31              | 23.86      | < 33.01     |
|  |                 |                         | 75      | 0         | 23.46              | 24.01      | < 33.01     |
| 502000   | 2510.0          | 20                      | 1       | 0         | 23.60              | 24.15      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.70              | 24.25      | < 33.01     |
|  |                 |                         | 50      | 25        | 23.56              | 24.11      | < 33.01     |
|  |                 |                         | 100     | 0         | 23.59              | 24.14      | < 33.01     |
| 507000   | 2535.0          | 20                      | 1       | 0         | 23.37              | 23.92      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.45              | 24.00      | < 33.01     |
|  |                 |                         | 50      | 25        | 23.32              | 23.87      | < 33.01     |
|  |                 |                         | 100     | 0         | 23.31              | 23.86      | < 33.01     |
| 512000   | 2560.0          | 20                      | 1       | 0         | 23.20              | 23.75      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.18              | 23.73      | < 33.01     |
|  |                 |                         | 50      | 25        | 23.26              | 23.81      | < 33.01     |
|  |                 |                         | 100     | 0         | 23.32              | 23.87      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| QPSK   |                 |                         |         |           |                    |            |             |
| 500500   | 2502.5          | 5                       | 1       | 0         | 22.93              | 23.48      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.86              | 23.41      | < 33.01     |
|  |                 |                         | 12      | 6         | 22.94              | 23.49      | < 33.01     |
|  |                 |                         | 25      | 0         | 22.99              | 23.54      | < 33.01     |
| 507000   | 2535.0          | 5                       | 1       | 0         | 22.74              | 23.29      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.75              | 23.30      | < 33.01     |
|  |                 |                         | 12      | 6         | 22.84              | 23.39      | < 33.01     |
|  |                 |                         | 25      | 0         | 22.82              | 23.37      | < 33.01     |
| 513500   | 2567.5          | 5                       | 1       | 0         | 22.71              | 23.26      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.67              | 23.22      | < 33.01     |
|  |                 |                         | 12      | 6         | 22.79              | 23.34      | < 33.01     |
|  |                 |                         | 25      | 0         | 22.76              | 23.31      | < 33.01     |
| 501000   | 2505.0          | 10                      | 1       | 0         | 23.39              | 23.94      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.39              | 23.94      | < 33.01     |
|  |                 |                         | 25      | 12        | 23.61              | 24.16      | < 33.01     |
|  |                 |                         | 50      | 0         | 23.49              | 24.04      | < 33.01     |
| 507000   | 2535.0          | 10                      | 1       | 0         | 23.44              | 23.99      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.37              | 23.92      | < 33.01     |
|  |                 |                         | 25      | 12        | 23.42              | 23.97      | < 33.01     |
|  |                 |                         | 50      | 0         | 23.48              | 24.03      | < 33.01     |
| 513000   | 2565.0          | 10                      | 1       | 0         | 23.30              | 23.85      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.29              | 23.84      | < 33.01     |
|  |                 |                         | 25      | 12        | 23.38              | 23.93      | < 33.01     |
|  |                 |                         | 50      | 0         | 23.37              | 23.92      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| QPSK   |                 |                         |         |           |                    |            |             |
| 501500   | 2507.5          | 15                      | 1       | 0         | 23.49              | 24.04      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.49              | 24.04      | < 33.01     |
|  |                 |                         | 36      | 18        | 23.64              | 24.19      | < 33.01     |
|  |                 |                         | 75      | 0         | 23.10              | 23.65      | < 33.01     |
| 507000   | 2535.0          | 15                      | 1       | 0         | 23.52              | 24.07      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.61              | 24.16      | < 33.01     |
|  |                 |                         | 36      | 18        | 23.53              | 24.08      | < 33.01     |
|  |                 |                         | 75      | 0         | 23.53              | 24.08      | < 33.01     |
| 512500   | 2562.5          | 15                      | 1       | 0         | 23.30              | 23.85      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.41              | 23.96      | < 33.01     |
|  |                 |                         | 36      | 18        | 23.33              | 23.88      | < 33.01     |
|  |                 |                         | 75      | 0         | 23.35              | 23.90      | < 33.01     |
| 502000   | 2510.0          | 20                      | 1       | 0         | 23.57              | 24.12      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.58              | 24.13      | < 33.01     |
|  |                 |                         | 50      | 25        | 23.65              | 24.20      | < 33.01     |
|  |                 |                         | 100     | 0         | 23.58              | 24.13      | < 33.01     |
| 507000   | 2535.0          | 20                      | 1       | 0         | 23.38              | 23.93      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.36              | 23.91      | < 33.01     |
|  |                 |                         | 50      | 25        | 23.30              | 23.85      | < 33.01     |
|  |                 |                         | 100     | 0         | 23.35              | 23.90      | < 33.01     |
| 512000   | 2560.0          | 20                      | 1       | 0         | 23.22              | 23.77      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.21              | 23.76      | < 33.01     |
|  |                 |                         | 50      | 25        | 23.25              | 23.80      | < 33.01     |
|  |                 |                         | 100     | 0         | 23.33              | 23.88      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |



| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 16QAM  |                 |                         |         |           |                    |            |             |
| 500500   | 2502.5          | 5                       | 1       | 0         | 22.09              | 22.64      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.04              | 22.59      | < 33.01     |
|  |                 |                         | 12      | 6         | 21.91              | 22.46      | < 33.01     |
|  |                 |                         | 25      | 0         | 21.88              | 22.43      | < 33.01     |
| 507000   | 2535.0          | 5                       | 1       | 0         | 21.99              | 22.54      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.76              | 23.31      | < 33.01     |
|  |                 |                         | 12      | 6         | 22.77              | 23.32      | < 33.01     |
|  |                 |                         | 25      | 0         | 21.92              | 22.47      | < 33.01     |
| 513500   | 2567.5          | 5                       | 1       | 0         | 21.25              | 21.80      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.87              | 23.42      | < 33.01     |
|  |                 |                         | 12      | 6         | 22.68              | 23.23      | < 33.01     |
|  |                 |                         | 25      | 0         | 21.78              | 22.33      | < 33.01     |
| 501000   | 2505.0          | 10                      | 1       | 0         | 22.46              | 23.01      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.58              | 24.13      | < 33.01     |
|  |                 |                         | 25      | 12        | 23.51              | 24.06      | < 33.01     |
|  |                 |                         | 50      | 0         | 22.45              | 23.00      | < 33.01     |
| 507000   | 2535.0          | 10                      | 1       | 0         | 22.40              | 22.95      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.51              | 24.06      | < 33.01     |
|  |                 |                         | 25      | 12        | 23.45              | 24.00      | < 33.01     |
|  |                 |                         | 50      | 0         | 22.42              | 22.97      | < 33.01     |
| 513000   | 2565.0          | 10                      | 1       | 0         | 22.44              | 22.99      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.16              | 23.71      | < 33.01     |
|  |                 |                         | 25      | 12        | 23.33              | 23.88      | < 33.01     |
|  |                 |                         | 50      | 0         | 22.41              | 22.96      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 16QAM  |                 |                         |         |           |                    |            |             |
| 501500   | 2507.5          | 15                      | 1       | 0         | 22.45              | 23.00      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.78              | 24.33      | < 33.01     |
|  |                 |                         | 36      | 18        | 23.64              | 24.19      | < 33.01     |
|  |                 |                         | 75      | 0         | 22.63              | 23.18      | < 33.01     |
| 507000   | 2535.0          | 15                      | 1       | 0         | 22.65              | 23.20      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.50              | 24.05      | < 33.01     |
|  |                 |                         | 36      | 18        | 23.55              | 24.10      | < 33.01     |
|  |                 |                         | 75      | 0         | 22.53              | 23.08      | < 33.01     |
| 512500   | 2562.5          | 15                      | 1       | 0         | 22.23              | 22.78      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.71              | 24.26      | < 33.01     |
|  |                 |                         | 36      | 18        | 23.28              | 23.83      | < 33.01     |
|  |                 |                         | 75      | 0         | 23.33              | 23.88      | < 33.01     |
| 502000   | 2510.0          | 20                      | 1       | 0         | 22.75              | 23.30      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.55              | 24.10      | < 33.01     |
|  |                 |                         | 50      | 25        | 23.60              | 24.15      | < 33.01     |
|  |                 |                         | 100     | 0         | 22.61              | 23.16      | < 33.01     |
| 507000   | 2535.0          | 20                      | 1       | 0         | 22.30              | 22.85      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.73              | 24.28      | < 33.01     |
|  |                 |                         | 50      | 25        | 23.34              | 23.89      | < 33.01     |
|  |                 |                         | 100     | 0         | 22.36              | 22.91      | < 33.01     |
| 512000   | 2560.0          | 20                      | 1       | 0         | 22.33              | 22.88      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.56              | 24.11      | < 33.01     |
|  |                 |                         | 50      | 25        | 23.38              | 23.93      | < 33.01     |
|  |                 |                         | 100     | 0         | 22.47              | 23.02      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 64QAM  |                 |                         |         |           |                    |            |             |
| 500500   | 2502.5          | 5                       | 1       | 0         | 21.32              | 21.87      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.31              | 21.86      | < 33.01     |
|  |                 |                         | 12      | 6         | 21.33              | 21.88      | < 33.01     |
|  |                 |                         | 25      | 0         | 21.43              | 21.98      | < 33.01     |
| 507000   | 2535.0          | 5                       | 1       | 0         | 21.29              | 21.84      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.25              | 21.80      | < 33.01     |
|  |                 |                         | 12      | 6         | 21.24              | 21.79      | < 33.01     |
|  |                 |                         | 25      | 0         | 21.36              | 21.91      | < 33.01     |
| 513500   | 2567.5          | 5                       | 1       | 0         | 20.99              | 21.54      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.06              | 21.61      | < 33.01     |
|  |                 |                         | 12      | 6         | 21.29              | 21.84      | < 33.01     |
|  |                 |                         | 25      | 0         | 21.28              | 21.83      | < 33.01     |
| 501000   | 2505.0          | 10                      | 1       | 0         | 21.60              | 22.15      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.60              | 22.15      | < 33.01     |
|  |                 |                         | 25      | 12        | 21.99              | 22.54      | < 33.01     |
|  |                 |                         | 50      | 0         | 22.04              | 22.59      | < 33.01     |
| 507000   | 2535.0          | 10                      | 1       | 0         | 22.07              | 22.62      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.95              | 22.50      | < 33.01     |
|  |                 |                         | 25      | 12        | 21.87              | 22.42      | < 33.01     |
|  |                 |                         | 50      | 0         | 21.97              | 22.52      | < 33.01     |
| 513000   | 2565.0          | 10                      | 1       | 0         | 21.77              | 22.32      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.66              | 22.21      | < 33.01     |
|  |                 |                         | 25      | 12        | 21.82              | 22.37      | < 33.01     |
|  |                 |                         | 50      | 0         | 21.81              | 22.36      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No. | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 64QAM       |                 |                         |         |           |                    |            |             |
| 501500      | 2507.5          | 15                      | 1       | 0         | 22.01              | 22.56      | < 33.01     |
|             |                 |                         | 1       | 1         | 22.70              | 23.25      | < 33.01     |
|             |                 |                         | 36      | 18        | 22.11              | 22.66      | < 33.01     |
|             |                 |                         | 75      | 0         | 22.18              | 22.73      | < 33.01     |
| 507000      | 2535.0          | 15                      | 1       | 0         | 22.06              | 22.61      | < 33.01     |
|             |                 |                         | 1       | 1         | 21.94              | 22.49      | < 33.01     |
|             |                 |                         | 36      | 18        | 21.99              | 22.54      | < 33.01     |
|             |                 |                         | 75      | 0         | 21.91              | 22.46      | < 33.01     |
| 512500      | 2562.5          | 15                      | 1       | 0         | 21.89              | 22.44      | < 33.01     |
|             |                 |                         | 1       | 1         | 21.88              | 22.43      | < 33.01     |
|             |                 |                         | 36      | 18        | 21.90              | 22.45      | < 33.01     |
|             |                 |                         | 75      | 0         | 21.88              | 22.43      | < 33.01     |
| 502000      | 2510.0          | 20                      | 1       | 0         | 22.06              | 22.61      | < 33.01     |
|             |                 |                         | 1       | 1         | 22.06              | 22.61      | < 33.01     |
|             |                 |                         | 50      | 25        | 22.06              | 22.61      | < 33.01     |
|             |                 |                         | 100     | 0         | 22.08              | 22.63      | < 33.01     |
| 507000      | 2535.0          | 20                      | 1       | 0         | 21.89              | 22.44      | < 33.01     |
|             |                 |                         | 1       | 1         | 21.88              | 22.43      | < 33.01     |
|             |                 |                         | 50      | 25        | 21.88              | 22.43      | < 33.01     |
|             |                 |                         | 100     | 0         | 21.92              | 22.47      | < 33.01     |
| 512000      | 2560.0          | 20                      | 1       | 0         | 21.86              | 22.41      | < 33.01     |
|             |                 |                         | 1       | 1         | 21.72              | 22.27      | < 33.01     |
|             |                 |                         | 50      | 25        | 22.01              | 22.56      | < 33.01     |
|             |                 |                         | 100     | 0         | 21.99              | 22.54      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 256QAM   |                 |                         |         |           |                    |            |             |
| 500500   | 2502.5          | 5                       | 1       | 0         | 19.02              | 19.57      | < 33.01     |
|  |                 |                         | 1       | 1         | 19.01              | 19.56      | < 33.01     |
|  |                 |                         | 12      | 6         | 19.43              | 19.98      | < 33.01     |
|  |                 |                         | 25      | 0         | 19.40              | 19.95      | < 33.01     |
| 507000   | 2535.0          | 5                       | 1       | 0         | 19.04              | 19.59      | < 33.01     |
|  |                 |                         | 1       | 1         | 18.93              | 19.48      | < 33.01     |
|  |                 |                         | 12      | 6         | 19.24              | 19.79      | < 33.01     |
|  |                 |                         | 25      | 0         | 19.28              | 19.83      | < 33.01     |
| 513500   | 2567.5          | 5                       | 1       | 0         | 18.65              | 19.20      | < 33.01     |
|  |                 |                         | 1       | 1         | 18.72              | 19.27      | < 33.01     |
|  |                 |                         | 12      | 6         | 19.21              | 19.76      | < 33.01     |
|  |                 |                         | 25      | 0         | 19.23              | 19.78      | < 33.01     |
| 501000   | 2505.0          | 10                      | 1       | 0         | 19.61              | 20.16      | < 33.01     |
|  |                 |                         | 1       | 1         | 19.58              | 20.13      | < 33.01     |
|  |                 |                         | 25      | 12        | 19.95              | 20.50      | < 33.01     |
|  |                 |                         | 50      | 0         | 20.02              | 20.57      | < 33.01     |
| 507000   | 2535.0          | 10                      | 1       | 0         | 20.10              | 20.65      | < 33.01     |
|  |                 |                         | 1       | 1         | 20.08              | 20.63      | < 33.01     |
|  |                 |                         | 25      | 12        | 19.99              | 20.54      | < 33.01     |
|  |                 |                         | 50      | 0         | 20.04              | 20.59      | < 33.01     |
| 513000   | 2565.0          | 10                      | 1       | 0         | 19.42              | 19.97      | < 33.01     |
|  |                 |                         | 1       | 1         | 19.43              | 19.98      | < 33.01     |
|  |                 |                         | 25      | 12        | 19.77              | 20.32      | < 33.01     |
|  |                 |                         | 50      | 0         | 19.82              | 20.37      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 256QAM   |                 |                         |         |           |                    |            |             |
| 501500   | 2507.5          | 15                      | 1       | 0         | 20.06              | 20.61      | < 33.01     |
|  |                 |                         | 1       | 1         | 20.28              | 20.83      | < 33.01     |
|  |                 |                         | 36      | 18        | 20.01              | 20.56      | < 33.01     |
|  |                 |                         | 75      | 0         | 20.17              | 20.72      | < 33.01     |
| 507000   | 2535.0          | 15                      | 1       | 0         | 19.65              | 20.20      | < 33.01     |
|  |                 |                         | 1       | 1         | 19.64              | 20.19      | < 33.01     |
|  |                 |                         | 36      | 18        | 19.95              | 20.50      | < 33.01     |
|  |                 |                         | 75      | 0         | 19.94              | 20.49      | < 33.01     |
| 512500   | 2562.5          | 15                      | 1       | 0         | 19.91              | 20.46      | < 33.01     |
|  |                 |                         | 1       | 1         | 19.90              | 20.45      | < 33.01     |
|  |                 |                         | 36      | 18        | 19.80              | 20.35      | < 33.01     |
|  |                 |                         | 75      | 0         | 19.88              | 20.43      | < 33.01     |
| 502000   | 2510.0          | 20                      | 1       | 0         | 19.72              | 20.27      | < 33.01     |
|  |                 |                         | 1       | 1         | 19.72              | 20.27      | < 33.01     |
|  |                 |                         | 50      | 25        | 20.07              | 20.62      | < 33.01     |
|  |                 |                         | 100     | 0         | 20.07              | 20.62      | < 33.01     |
| 507000   | 2535.0          | 20                      | 1       | 0         | 19.89              | 20.44      | < 33.01     |
|  |                 |                         | 1       | 1         | 19.88              | 20.43      | < 33.01     |
|  |                 |                         | 50      | 25        | 19.90              | 20.45      | < 33.01     |
|  |                 |                         | 100     | 0         | 19.92              | 20.47      | < 33.01     |
| 512000   | 2560.0          | 20                      | 1       | 0         | 19.57              | 20.12      | < 33.01     |
|  |                 |                         | 1       | 1         | 19.48              | 20.03      | < 33.01     |
|  |                 |                         | 50      | 25        | 19.94              | 20.49      | < 33.01     |
|  |                 |                         | 100     | 0         | 19.91              | 20.46      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

|               |                         |           |            |
|---------------|-------------------------|-----------|------------|
| Product       | 5G Sub-6 GHz M.2 Module | Test Site | WZ-SR6     |
| Test Engineer | Cloud Guo               | Test Date | 2020/10/21 |
| Test Band     | n12_SA                  |           |            |

| Channel No. | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|-------------|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| PI/2 BPSK   |                 |                         |         |           |                    |           |             |
| 140300      | 701.5           | 5                       | 1       | 0         | 23.60              | 21.25     | < 34.77     |
|             |                 |                         | 1       | 1         | 23.62              | 21.27     | < 34.77     |
|             |                 |                         | 12      | 6         | 23.58              | 21.23     | < 34.77     |
|             |                 |                         | 25      | 0         | 23.67              | 21.32     | < 34.77     |
| 141500      | 707.5           | 5                       | 1       | 0         | 23.55              | 21.20     | < 34.77     |
|             |                 |                         | 1       | 1         | 23.45              | 21.10     | < 34.77     |
|             |                 |                         | 12      | 6         | 23.46              | 21.11     | < 34.77     |
|             |                 |                         | 25      | 0         | 23.44              | 21.09     | < 34.77     |
| 142700      | 713.5           | 5                       | 1       | 0         | 23.33              | 20.98     | < 34.77     |
|             |                 |                         | 1       | 1         | 23.41              | 21.06     | < 34.77     |
|             |                 |                         | 12      | 6         | 23.36              | 21.01     | < 34.77     |
|             |                 |                         | 25      | 0         | 23.38              | 21.03     | < 34.77     |
| 140800      | 704.0           | 10                      | 1       | 0         | 23.60              | 21.25     | < 34.77     |
|             |                 |                         | 1       | 1         | 23.53              | 21.18     | < 34.77     |
|             |                 |                         | 25      | 12        | 23.61              | 21.26     | < 34.77     |
|             |                 |                         | 50      | 0         | 23.55              | 21.20     | < 34.77     |
| 141500      | 707.5           | 10                      | 1       | 0         | 23.61              | 21.26     | < 34.77     |
|             |                 |                         | 1       | 1         | 23.53              | 21.18     | < 34.77     |
|             |                 |                         | 25      | 12        | 23.46              | 21.11     | < 34.77     |
|             |                 |                         | 50      | 0         | 23.44              | 21.09     | < 34.77     |
| 142200      | 711.0           | 10                      | 1       | 0         | 23.38              | 21.03     | < 34.77     |
|             |                 |                         | 1       | 1         | 23.42              | 21.07     | < 34.77     |
|             |                 |                         | 25      | 12        | 23.44              | 21.09     | < 34.77     |
|             |                 |                         | 50      | 0         | 23.34              | 20.99     | < 34.77     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| PI/2 BPSK  |                 |                         |         |           |                    |           |             |
| 141300   | 706.5           | 15                      | 1       | 0         | 23.54              | 21.19     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.64              | 21.29     | < 34.77     |
|  |                 |                         | 36      | 18        | 23.53              | 21.18     | < 34.77     |
|  |                 |                         | 75      | 0         | 23.51              | 21.16     | < 34.77     |
| 141500   | 707.5           | 15                      | 1       | 0         | 23.53              | 21.18     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.44              | 21.09     | < 34.77     |
|  |                 |                         | 36      | 18        | 23.50              | 21.15     | < 34.77     |
|  |                 |                         | 75      | 0         | 23.53              | 21.18     | < 34.77     |
| 141700   | 708.5           | 15                      | 1       | 0         | 23.37              | 21.02     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.45              | 21.10     | < 34.77     |
|  |                 |                         | 36      | 18        | 23.45              | 21.10     | < 34.77     |
|  |                 |                         | 75      | 0         | 23.41              | 21.06     | < 34.77     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |



| Channel No. | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|-------------|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| QPSK        |                 |                         |         |           |                    |           |             |
| 140300      | 701.5           | 5                       | 1       | 0         | 23.64              | 21.29     | < 34.77     |
|             |                 |                         | 1       | 1         | 23.52              | 21.17     | < 34.77     |
|             |                 |                         | 12      | 6         | 23.57              | 21.22     | < 34.77     |
|             |                 |                         | 25      | 0         | 23.65              | 21.30     | < 34.77     |
| 141500      | 707.5           | 5                       | 1       | 0         | 23.56              | 21.21     | < 34.77     |
|             |                 |                         | 1       | 1         | 23.46              | 21.11     | < 34.77     |
|             |                 |                         | 12      | 6         | 23.46              | 21.11     | < 34.77     |
|             |                 |                         | 25      | 0         | 23.48              | 21.13     | < 34.77     |
| 142700      | 713.5           | 5                       | 1       | 0         | 23.39              | 21.04     | < 34.77     |
|             |                 |                         | 1       | 1         | 23.45              | 21.10     | < 34.77     |
|             |                 |                         | 12      | 6         | 23.36              | 21.01     | < 34.77     |
|             |                 |                         | 25      | 0         | 23.38              | 21.03     | < 34.77     |
| 140800      | 704.0           | 10                      | 1       | 0         | 23.69              | 21.34     | < 34.77     |
|             |                 |                         | 1       | 1         | 23.62              | 21.27     | < 34.77     |
|             |                 |                         | 25      | 12        | 23.65              | 21.30     | < 34.77     |
|             |                 |                         | 50      | 0         | 23.59              | 21.24     | < 34.77     |
| 141500      | 707.5           | 10                      | 1       | 0         | 23.51              | 21.16     | < 34.77     |
|             |                 |                         | 1       | 1         | 23.53              | 21.18     | < 34.77     |
|             |                 |                         | 25      | 12        | 23.46              | 21.11     | < 34.77     |
|             |                 |                         | 50      | 0         | 23.53              | 21.18     | < 34.77     |
| 142200      | 711.0           | 10                      | 1       | 0         | 23.38              | 21.03     | < 34.77     |
|             |                 |                         | 1       | 1         | 23.41              | 21.06     | < 34.77     |
|             |                 |                         | 25      | 12        | 23.44              | 21.09     | < 34.77     |
|             |                 |                         | 50      | 0         | 23.43              | 21.08     | < 34.77     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| QPSK   |                 |                         |         |           |                    |           |             |
| 141300   | 706.5           | 15                      | 1       | 0         | 23.58              | 21.23     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.71              | 21.36     | < 34.77     |
|  |                 |                         | 36      | 18        | 23.46              | 21.11     | < 34.77     |
|  |                 |                         | 75      | 0         | 23.63              | 21.28     | < 34.77     |
| 141500   | 707.5           | 15                      | 1       | 0         | 23.43              | 21.08     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.44              | 21.09     | < 34.77     |
|  |                 |                         | 36      | 18        | 23.45              | 21.10     | < 34.77     |
|  |                 |                         | 75      | 0         | 23.55              | 21.20     | < 34.77     |
| 141700   | 708.5           | 15                      | 1       | 0         | 23.37              | 21.02     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.45              | 21.10     | < 34.77     |
|  |                 |                         | 36      | 18        | 23.41              | 21.06     | < 34.77     |
|  |                 |                         | 75      | 0         | 23.44              | 21.09     | < 34.77     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| 16QAM  |                 |                         |         |           |                    |           |             |
| 140300   | 701.5           | 5                       | 1       | 0         | 22.41              | 20.06     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.61              | 21.26     | < 34.77     |
|  |                 |                         | 12      | 6         | 23.65              | 21.30     | < 34.77     |
|  |                 |                         | 25      | 0         | 22.66              | 20.31     | < 34.77     |
| 141500   | 707.5           | 5                       | 1       | 0         | 22.65              | 20.30     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.65              | 21.30     | < 34.77     |
|  |                 |                         | 12      | 6         | 23.45              | 21.10     | < 34.77     |
|  |                 |                         | 25      | 0         | 22.51              | 20.16     | < 34.77     |
| 142700   | 713.5           | 5                       | 1       | 0         | 22.63              | 20.28     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.50              | 21.15     | < 34.77     |
|  |                 |                         | 12      | 6         | 23.34              | 20.99     | < 34.77     |
|  |                 |                         | 25      | 0         | 22.33              | 19.98     | < 34.77     |
| 140800   | 704.0           | 10                      | 1       | 0         | 22.80              | 20.45     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.71              | 21.36     | < 34.77     |
|  |                 |                         | 25      | 12        | 23.63              | 21.28     | < 34.77     |
|  |                 |                         | 50      | 0         | 22.54              | 20.19     | < 34.77     |
| 141500   | 707.5           | 10                      | 1       | 0         | 22.70              | 20.35     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.66              | 21.31     | < 34.77     |
|  |                 |                         | 25      | 12        | 23.54              | 21.19     | < 34.77     |
|  |                 |                         | 50      | 0         | 22.44              | 20.09     | < 34.77     |
| 142200   | 711.0           | 10                      | 1       | 0         | 22.60              | 20.25     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.60              | 21.25     | < 34.77     |
|  |                 |                         | 25      | 12        | 23.41              | 21.06     | < 34.77     |
|  |                 |                         | 50      | 0         | 22.32              | 19.97     | < 34.77     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| 16QAM  |                 |                         |         |           |                    |           |             |
| 141300   | 706.5           | 15                      | 1       | 0         | 22.79              | 20.44     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.76              | 21.41     | < 34.77     |
|  |                 |                         | 36      | 18        | 23.51              | 21.16     | < 34.77     |
|  |                 |                         | 75      | 0         | 22.57              | 20.22     | < 34.77     |
| 141500   | 707.5           | 15                      | 1       | 0         | 22.70              | 20.35     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.66              | 21.31     | < 34.77     |
|  |                 |                         | 36      | 18        | 23.49              | 21.14     | < 34.77     |
|  |                 |                         | 75      | 0         | 22.44              | 20.09     | < 34.77     |
| 141700   | 708.5           | 15                      | 1       | 0         | 22.63              | 20.28     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.65              | 21.30     | < 34.77     |
|  |                 |                         | 36      | 18        | 23.37              | 21.02     | < 34.77     |
|  |                 |                         | 75      | 0         | 22.37              | 20.02     | < 34.77     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| 64QAM  |                 |                         |         |           |                    |           |             |
| 140300   | 701.5           | 5                       | 1       | 0         | 22.06              | 19.71     | < 34.77     |
|  |                 |                         | 1       | 1         | 22.08              | 19.73     | < 34.77     |
|  |                 |                         | 12      | 6         | 22.05              | 19.70     | < 34.77     |
|  |                 |                         | 25      | 0         | 22.16              | 19.81     | < 34.77     |
| 141500   | 707.5           | 5                       | 1       | 0         | 21.85              | 19.50     | < 34.77     |
|  |                 |                         | 1       | 1         | 21.90              | 19.55     | < 34.77     |
|  |                 |                         | 12      | 6         | 21.92              | 19.57     | < 34.77     |
|  |                 |                         | 25      | 0         | 21.97              | 19.62     | < 34.77     |
| 142700   | 713.5           | 5                       | 1       | 0         | 21.77              | 19.42     | < 34.77     |
|  |                 |                         | 1       | 1         | 21.78              | 19.43     | < 34.77     |
|  |                 |                         | 12      | 6         | 21.83              | 19.48     | < 34.77     |
|  |                 |                         | 25      | 0         | 21.86              | 19.51     | < 34.77     |
| 140800   | 704.0           | 10                      | 1       | 0         | 21.96              | 19.61     | < 34.77     |
|  |                 |                         | 1       | 1         | 21.99              | 19.64     | < 34.77     |
|  |                 |                         | 25      | 12        | 22.08              | 19.73     | < 34.77     |
|  |                 |                         | 50      | 0         | 22.04              | 19.69     | < 34.77     |
| 141500   | 707.5           | 10                      | 1       | 0         | 21.84              | 19.49     | < 34.77     |
|  |                 |                         | 1       | 1         | 21.86              | 19.51     | < 34.77     |
|  |                 |                         | 25      | 12        | 22.03              | 19.68     | < 34.77     |
|  |                 |                         | 50      | 0         | 21.96              | 19.61     | < 34.77     |
| 142200   | 711.0           | 10                      | 1       | 0         | 21.83              | 19.48     | < 34.77     |
|  |                 |                         | 1       | 1         | 21.76              | 19.41     | < 34.77     |
|  |                 |                         | 25      | 12        | 21.90              | 19.55     | < 34.77     |
|  |                 |                         | 50      | 0         | 21.97              | 19.62     | < 34.77     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| 64QAM  |                 |                         |         |           |                    |           |             |
| 141300   | 706.5           | 15                      | 1       | 0         | 21.89              | 19.54     | < 34.77     |
|  |                 |                         | 1       | 1         | 21.92              | 19.57     | < 34.77     |
|  |                 |                         | 36      | 18        | 22.04              | 19.69     | < 34.77     |
|  |                 |                         | 75      | 0         | 22.01              | 19.66     | < 34.77     |
| 141500   | 707.5           | 15                      | 1       | 0         | 21.82              | 19.47     | < 34.77     |
|  |                 |                         | 1       | 1         | 21.81              | 19.46     | < 34.77     |
|  |                 |                         | 36      | 18        | 22.01              | 19.66     | < 34.77     |
|  |                 |                         | 75      | 0         | 22.11              | 19.76     | < 34.77     |
| 141700   | 708.5           | 15                      | 1       | 0         | 21.79              | 19.44     | < 34.77     |
|  |                 |                         | 1       | 1         | 21.77              | 19.42     | < 34.77     |
|  |                 |                         | 36      | 18        | 21.89              | 19.54     | < 34.77     |
|  |                 |                         | 75      | 0         | 21.96              | 19.61     | < 34.77     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| 256QAM   |                 |                         |         |           |                    |           |             |
| 140300   | 701.5           | 5                       | 1       | 0         | 19.78              | 17.43     | < 34.77     |
|  |                 |                         | 1       | 1         | 19.70              | 17.35     | < 34.77     |
|  |                 |                         | 12      | 6         | 19.97              | 17.62     | < 34.77     |
|  |                 |                         | 25      | 0         | 20.06              | 17.71     | < 34.77     |
| 141500   | 707.5           | 5                       | 1       | 0         | 19.62              | 17.27     | < 34.77     |
|  |                 |                         | 1       | 1         | 19.59              | 17.24     | < 34.77     |
|  |                 |                         | 12      | 6         | 19.93              | 17.58     | < 34.77     |
|  |                 |                         | 25      | 0         | 19.90              | 17.55     | < 34.77     |
| 142700   | 713.5           | 5                       | 1       | 0         | 19.53              | 17.18     | < 34.77     |
|  |                 |                         | 1       | 1         | 19.55              | 17.20     | < 34.77     |
|  |                 |                         | 12      | 6         | 19.58              | 17.23     | < 34.77     |
|  |                 |                         | 25      | 0         | 19.81              | 17.46     | < 34.77     |
| 140800   | 704.0           | 10                      | 1       | 0         | 19.68              | 17.33     | < 34.77     |
|  |                 |                         | 1       | 1         | 19.72              | 17.37     | < 34.77     |
|  |                 |                         | 25      | 12        | 19.96              | 17.61     | < 34.77     |
|  |                 |                         | 50      | 0         | 19.92              | 17.57     | < 34.77     |
| 141500   | 707.5           | 10                      | 1       | 0         | 19.61              | 17.26     | < 34.77     |
|  |                 |                         | 1       | 1         | 19.65              | 17.30     | < 34.77     |
|  |                 |                         | 25      | 12        | 19.92              | 17.57     | < 34.77     |
|  |                 |                         | 50      | 0         | 19.98              | 17.63     | < 34.77     |
| 142200   | 711.0           | 10                      | 1       | 0         | 19.50              | 17.15     | < 34.77     |
|  |                 |                         | 1       | 1         | 19.57              | 17.22     | < 34.77     |
|  |                 |                         | 25      | 12        | 19.86              | 17.51     | < 34.77     |
|  |                 |                         | 50      | 0         | 19.91              | 17.56     | < 34.77     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| 256QAM   |                 |                         |         |           |                    |           |             |
| 141300   | 706.5           | 15                      | 1       | 0         | 19.67              | 17.32     | < 34.77     |
|  |                 |                         | 1       | 1         | 19.60              | 17.25     | < 34.77     |
|  |                 |                         | 36      | 18        | 20.03              | 17.68     | < 34.77     |
|  |                 |                         | 75      | 0         | 20.01              | 17.66     | < 34.77     |
| 141500   | 707.5           | 15                      | 1       | 0         | 19.63              | 17.28     | < 34.77     |
|  |                 |                         | 1       | 1         | 19.54              | 17.19     | < 34.77     |
|  |                 |                         | 36      | 18        | 19.86              | 17.51     | < 34.77     |
|  |                 |                         | 75      | 0         | 20.01              | 17.66     | < 34.77     |
| 141700   | 708.5           | 15                      | 1       | 0         | 19.58              | 17.23     | < 34.77     |
|  |                 |                         | 1       | 1         | 19.56              | 17.21     | < 34.77     |
|  |                 |                         | 36      | 18        | 19.87              | 17.52     | < 34.77     |
|  |                 |                         | 75      | 0         | 19.91              | 17.56     | < 34.77     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |



|               |                         |           |            |
|---------------|-------------------------|-----------|------------|
| Product       | 5G Sub-6 GHz M.2 Module | Test Site | WZ-SR6     |
| Test Engineer | Cloud Guo               | Test Date | 2020/10/21 |
| Test Band     | n66_SA                  |           |            |

| Channel No. | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| PI/2 BPSK   |                 |                         |         |           |                    |            |             |
| 342500      | 1712.5          | 5                       | 1       | 0         | 23.39              | 24.86      | < 30.00     |
|             |                 |                         | 1       | 1         | 23.34              | 24.81      | < 30.00     |
|             |                 |                         | 12      | 6         | 23.54              | 25.01      | < 30.00     |
|             |                 |                         | 25      | 0         | 23.48              | 24.95      | < 30.00     |
| 349000      | 1745.0          | 5                       | 1       | 0         | 23.44              | 24.91      | < 30.00     |
|             |                 |                         | 1       | 1         | 23.36              | 24.83      | < 30.00     |
|             |                 |                         | 12      | 6         | 23.43              | 24.90      | < 30.00     |
|             |                 |                         | 25      | 0         | 23.44              | 24.91      | < 30.00     |
| 355500      | 1777.5          | 5                       | 1       | 0         | 23.51              | 24.98      | < 30.00     |
|             |                 |                         | 1       | 1         | 23.53              | 25.00      | < 30.00     |
|             |                 |                         | 12      | 6         | 23.44              | 24.91      | < 30.00     |
|             |                 |                         | 25      | 0         | 23.32              | 24.79      | < 30.00     |
| 343000      | 1715.0          | 10                      | 1       | 0         | 23.46              | 24.93      | < 30.00     |
|             |                 |                         | 1       | 1         | 23.40              | 24.87      | < 30.00     |
|             |                 |                         | 25      | 12        | 23.80              | 25.27      | < 30.00     |
|             |                 |                         | 50      | 0         | 23.86              | 25.33      | < 30.00     |
| 349000      | 1745.0          | 10                      | 1       | 0         | 23.44              | 24.91      | < 30.00     |
|             |                 |                         | 1       | 1         | 23.28              | 24.75      | < 30.00     |
|             |                 |                         | 25      | 12        | 23.47              | 24.94      | < 30.00     |
|             |                 |                         | 50      | 0         | 23.46              | 24.93      | < 30.00     |
| 355000      | 1775.0          | 10                      | 1       | 0         | 23.22              | 24.69      | < 30.00     |
|             |                 |                         | 1       | 1         | 23.24              | 24.71      | < 30.00     |
|             |                 |                         | 25      | 12        | 23.31              | 24.78      | < 30.00     |
|             |                 |                         | 50      | 0         | 23.33              | 24.80      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| PI/2 BPSK  |                 |                         |         |           |                    |            |             |
| 343500   | 1717.5          | 15                      | 1       | 0         | 23.47              | 24.94      | < 30.00     |
|  |                 |                         | 1       | 1         | 23.50              | 24.97      | < 30.00     |
|  |                 |                         | 36      | 18        | 23.40              | 24.87      | < 30.00     |
|  |                 |                         | 75      | 0         | 23.55              | 25.02      | < 30.00     |
| 349000   | 1745.0          | 15                      | 1       | 0         | 23.37              | 24.84      | < 30.00     |
|  |                 |                         | 1       | 1         | 23.38              | 24.85      | < 30.00     |
|  |                 |                         | 36      | 18        | 23.33              | 24.80      | < 30.00     |
|  |                 |                         | 75      | 0         | 23.35              | 24.82      | < 30.00     |
| 354500   | 1772.5          | 15                      | 1       | 0         | 23.33              | 24.80      | < 30.00     |
|  |                 |                         | 1       | 1         | 23.30              | 24.77      | < 30.00     |
|  |                 |                         | 36      | 18        | 23.23              | 24.70      | < 30.00     |
|  |                 |                         | 75      | 0         | 23.25              | 24.72      | < 30.00     |
| 344000   | 1720.0          | 20                      | 1       | 0         | 23.56              | 25.03      | < 30.00     |
|  |                 |                         | 1       | 1         | 23.53              | 25.00      | < 30.00     |
|  |                 |                         | 50      | 25        | 23.43              | 24.90      | < 30.00     |
|  |                 |                         | 100     | 0         | 23.53              | 25.00      | < 30.00     |
| 349000   | 1745.0          | 20                      | 1       | 0         | 23.55              | 25.02      | < 30.00     |
|  |                 |                         | 1       | 1         | 23.42              | 24.89      | < 30.00     |
|  |                 |                         | 50      | 25        | 23.31              | 24.78      | < 30.00     |
|  |                 |                         | 100     | 0         | 23.41              | 24.88      | < 30.00     |
| 354000   | 1770.0          | 20                      | 1       | 0         | 23.36              | 24.83      | < 30.00     |
|  |                 |                         | 1       | 1         | 23.34              | 24.81      | < 30.00     |
|  |                 |                         | 50      | 25        | 23.30              | 24.77      | < 30.00     |
|  |                 |                         | 100     | 0         | 23.39              | 24.86      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No. | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| QPSK        |                 |                         |         |           |                    |            |             |
| 342500      | 1712.5          | 5                       | 1       | 0         | 23.40              | 24.87      | < 30.00     |
|             |                 |                         | 1       | 1         | 23.35              | 24.82      | < 30.00     |
|             |                 |                         | 12      | 6         | 23.55              | 25.02      | < 30.00     |
|             |                 |                         | 25      | 0         | 23.48              | 24.95      | < 30.00     |
| 349000      | 1745.0          | 5                       | 1       | 0         | 23.35              | 24.82      | < 30.00     |
|             |                 |                         | 1       | 1         | 23.62              | 25.09      | < 30.00     |
|             |                 |                         | 12      | 6         | 23.52              | 24.99      | < 30.00     |
|             |                 |                         | 25      | 0         | 23.48              | 24.95      | < 30.00     |
| 355500      | 1777.5          | 5                       | 1       | 0         | 23.11              | 24.58      | < 30.00     |
|             |                 |                         | 1       | 1         | 23.30              | 24.77      | < 30.00     |
|             |                 |                         | 12      | 6         | 23.30              | 24.77      | < 30.00     |
|             |                 |                         | 25      | 0         | 23.22              | 24.69      | < 30.00     |
| 343000      | 1715.0          | 10                      | 1       | 0         | 23.34              | 24.81      | < 30.00     |
|             |                 |                         | 1       | 1         | 23.36              | 24.83      | < 30.00     |
|             |                 |                         | 25      | 12        | 23.39              | 24.86      | < 30.00     |
|             |                 |                         | 50      | 0         | 23.36              | 24.83      | < 30.00     |
| 349000      | 1745.0          | 10                      | 1       | 0         | 23.35              | 24.82      | < 30.00     |
|             |                 |                         | 1       | 1         | 23.51              | 24.98      | < 30.00     |
|             |                 |                         | 25      | 12        | 23.38              | 24.85      | < 30.00     |
|             |                 |                         | 50      | 0         | 23.41              | 24.88      | < 30.00     |
| 355000      | 1775.0          | 10                      | 1       | 0         | 23.29              | 24.76      | < 30.00     |
|             |                 |                         | 1       | 1         | 23.31              | 24.78      | < 30.00     |
|             |                 |                         | 25      | 12        | 23.35              | 24.82      | < 30.00     |
|             |                 |                         | 50      | 0         | 23.34              | 24.81      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| QPSK   |                 |                         |         |           |                    |            |             |
| 343500   | 1717.5          | 15                      | 1       | 0         | 23.45              | 24.92      | < 30.00     |
|  |                 |                         | 1       | 1         | 23.42              | 24.89      | < 30.00     |
|  |                 |                         | 36      | 18        | 23.41              | 24.88      | < 30.00     |
|  |                 |                         | 75      | 0         | 23.44              | 24.91      | < 30.00     |
| 349000   | 1745.0          | 15                      | 1       | 0         | 23.39              | 24.86      | < 30.00     |
|  |                 |                         | 1       | 1         | 23.38              | 24.85      | < 30.00     |
|  |                 |                         | 36      | 18        | 23.32              | 24.79      | < 30.00     |
|  |                 |                         | 75      | 0         | 23.34              | 24.81      | < 30.00     |
| 354500   | 1772.5          | 15                      | 1       | 0         | 23.18              | 24.65      | < 30.00     |
|  |                 |                         | 1       | 1         | 23.26              | 24.73      | < 30.00     |
|  |                 |                         | 36      | 18        | 23.20              | 24.67      | < 30.00     |
|  |                 |                         | 75      | 0         | 23.27              | 24.74      | < 30.00     |
| 344000   | 1720.0          | 20                      | 1       | 0         | 23.59              | 25.06      | < 30.00     |
|  |                 |                         | 1       | 1         | 23.59              | 25.06      | < 30.00     |
|  |                 |                         | 50      | 25        | 23.43              | 24.90      | < 30.00     |
|  |                 |                         | 100     | 0         | 23.43              | 24.90      | < 30.00     |
| 349000   | 1745.0          | 20                      | 1       | 0         | 23.37              | 24.84      | < 30.00     |
|  |                 |                         | 1       | 1         | 23.31              | 24.78      | < 30.00     |
|  |                 |                         | 50      | 25        | 23.30              | 24.77      | < 30.00     |
|  |                 |                         | 100     | 0         | 23.40              | 24.87      | < 30.00     |
| 354000   | 1770.0          | 20                      | 1       | 0         | 23.31              | 24.78      | < 30.00     |
|  |                 |                         | 1       | 1         | 23.38              | 24.85      | < 30.00     |
|  |                 |                         | 50      | 25        | 23.40              | 24.87      | < 30.00     |
|  |                 |                         | 100     | 0         | 23.33              | 24.80      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 16QAM  |                 |                         |         |           |                    |            |             |
| 342500   | 1712.5          | 5                       | 1       | 0         | 22.21              | 23.68      | < 30.00     |
|  |                 |                         | 1       | 1         | 23.26              | 24.73      | < 30.00     |
|  |                 |                         | 12      | 6         | 23.51              | 24.98      | < 30.00     |
|  |                 |                         | 25      | 0         | 22.44              | 23.91      | < 30.00     |
| 349000   | 1745.0          | 5                       | 1       | 0         | 22.33              | 23.80      | < 30.00     |
|  |                 |                         | 1       | 1         | 23.46              | 24.93      | < 30.00     |
|  |                 |                         | 12      | 6         | 23.62              | 25.09      | < 30.00     |
|  |                 |                         | 25      | 0         | 22.51              | 23.98      | < 30.00     |
| 355500   | 1777.5          | 5                       | 1       | 0         | 22.10              | 23.57      | < 30.00     |
|  |                 |                         | 1       | 1         | 22.88              | 24.35      | < 30.00     |
|  |                 |                         | 12      | 6         | 23.13              | 24.60      | < 30.00     |
|  |                 |                         | 25      | 0         | 22.13              | 23.60      | < 30.00     |
| 343000   | 1715.0          | 10                      | 1       | 0         | 22.44              | 23.91      | < 30.00     |
|  |                 |                         | 1       | 1         | 23.10              | 24.57      | < 30.00     |
|  |                 |                         | 25      | 12        | 23.45              | 24.92      | < 30.00     |
|  |                 |                         | 50      | 0         | 22.45              | 23.92      | < 30.00     |
| 349000   | 1745.0          | 10                      | 1       | 0         | 22.37              | 23.84      | < 30.00     |
|  |                 |                         | 1       | 1         | 23.35              | 24.82      | < 30.00     |
|  |                 |                         | 25      | 12        | 23.44              | 24.91      | < 30.00     |
|  |                 |                         | 50      | 0         | 22.46              | 23.93      | < 30.00     |
| 355000   | 1775.0          | 10                      | 1       | 0         | 22.41              | 23.88      | < 30.00     |
|  |                 |                         | 1       | 1         | 23.51              | 24.98      | < 30.00     |
|  |                 |                         | 25      | 12        | 23.28              | 24.75      | < 30.00     |
|  |                 |                         | 50      | 0         | 22.30              | 23.77      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 16QAM  |                 |                         |         |           |                    |            |             |
| 343500   | 1717.5          | 15                      | 1       | 0         | 22.35              | 23.82      | < 30.00     |
|  |                 |                         | 1       | 1         | 23.55              | 25.02      | < 30.00     |
|  |                 |                         | 36      | 18        | 23.40              | 24.87      | < 30.00     |
|  |                 |                         | 75      | 0         | 22.52              | 23.99      | < 30.00     |
| 349000   | 1745.0          | 15                      | 1       | 0         | 22.46              | 23.93      | < 30.00     |
|  |                 |                         | 1       | 1         | 23.31              | 24.78      | < 30.00     |
|  |                 |                         | 36      | 18        | 23.28              | 24.75      | < 30.00     |
|  |                 |                         | 75      | 0         | 22.37              | 23.84      | < 30.00     |
| 354500   | 1772.5          | 15                      | 1       | 0         | 22.23              | 23.70      | < 30.00     |
|  |                 |                         | 1       | 1         | 23.27              | 24.74      | < 30.00     |
|  |                 |                         | 36      | 18        | 23.25              | 24.72      | < 30.00     |
|  |                 |                         | 75      | 0         | 22.27              | 23.74      | < 30.00     |
| 344000   | 1720.0          | 20                      | 1       | 0         | 22.55              | 24.02      | < 30.00     |
|  |                 |                         | 1       | 1         | 23.27              | 24.74      | < 30.00     |
|  |                 |                         | 50      | 25        | 23.54              | 25.01      | < 30.00     |
|  |                 |                         | 100     | 0         | 22.53              | 24.00      | < 30.00     |
| 349000   | 1745.0          | 20                      | 1       | 0         | 22.27              | 23.74      | < 30.00     |
|  |                 |                         | 1       | 1         | 23.79              | 25.26      | < 30.00     |
|  |                 |                         | 50      | 25        | 23.23              | 24.70      | < 30.00     |
|  |                 |                         | 100     | 0         | 22.30              | 23.77      | < 30.00     |
| 354000   | 1770.0          | 20                      | 1       | 0         | 23.44              | 24.91      | < 30.00     |
|  |                 |                         | 1       | 1         | 23.26              | 24.73      | < 30.00     |
|  |                 |                         | 50      | 25        | 23.26              | 24.73      | < 30.00     |
|  |                 |                         | 100     | 0         | 23.36              | 24.83      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No. | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 64QAM       |                 |                         |         |           |                    |            |             |
| 342500      | 1712.5          | 5                       | 1       | 0         | 22.24              | 23.71      | < 30.00     |
|             |                 |                         | 1       | 1         | 23.37              | 24.84      | < 30.00     |
|             |                 |                         | 12      | 6         | 23.57              | 25.04      | < 30.00     |
|             |                 |                         | 25      | 0         | 22.48              | 23.95      | < 30.00     |
| 349000      | 1745.0          | 5                       | 1       | 0         | 22.24              | 23.71      | < 30.00     |
|             |                 |                         | 1       | 1         | 22.26              | 23.73      | < 30.00     |
|             |                 |                         | 12      | 6         | 22.01              | 23.48      | < 30.00     |
|             |                 |                         | 25      | 0         | 21.92              | 23.39      | < 30.00     |
| 355500      | 1777.5          | 5                       | 1       | 0         | 21.46              | 22.93      | < 30.00     |
|             |                 |                         | 1       | 1         | 21.50              | 22.97      | < 30.00     |
|             |                 |                         | 12      | 6         | 21.70              | 23.17      | < 30.00     |
|             |                 |                         | 25      | 0         | 21.74              | 23.21      | < 30.00     |
| 343000      | 1715.0          | 10                      | 1       | 0         | 22.14              | 23.61      | < 30.00     |
|             |                 |                         | 1       | 1         | 22.17              | 23.64      | < 30.00     |
|             |                 |                         | 25      | 12        | 21.84              | 23.31      | < 30.00     |
|             |                 |                         | 50      | 0         | 21.89              | 23.36      | < 30.00     |
| 349000      | 1745.0          | 10                      | 1       | 0         | 22.19              | 23.66      | < 30.00     |
|             |                 |                         | 1       | 1         | 22.12              | 23.59      | < 30.00     |
|             |                 |                         | 25      | 12        | 22.01              | 23.48      | < 30.00     |
|             |                 |                         | 50      | 0         | 21.93              | 23.40      | < 30.00     |
| 355000      | 1775.0          | 10                      | 1       | 0         | 21.68              | 23.15      | < 30.00     |
|             |                 |                         | 1       | 1         | 21.71              | 23.18      | < 30.00     |
|             |                 |                         | 25      | 12        | 21.74              | 23.21      | < 30.00     |
|             |                 |                         | 50      | 0         | 21.85              | 23.32      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Channel No. | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 64QAM       |                 |                         |         |           |                    |            |             |
| 343500      | 1717.5          | 15                      | 1       | 0         | 21.87              | 23.34      | < 30.00     |
|             |                 |                         | 1       | 1         | 21.78              | 23.25      | < 30.00     |
|             |                 |                         | 36      | 18        | 21.97              | 23.44      | < 30.00     |
|             |                 |                         | 75      | 0         | 21.94              | 23.41      | < 30.00     |
| 349000      | 1745.0          | 15                      | 1       | 0         | 21.83              | 23.30      | < 30.00     |
|             |                 |                         | 1       | 1         | 21.82              | 23.29      | < 30.00     |
|             |                 |                         | 36      | 18        | 21.82              | 23.29      | < 30.00     |
|             |                 |                         | 75      | 0         | 21.83              | 23.30      | < 30.00     |
| 354500      | 1772.5          | 15                      | 1       | 0         | 21.73              | 23.20      | < 30.00     |
|             |                 |                         | 1       | 1         | 21.71              | 23.18      | < 30.00     |
|             |                 |                         | 36      | 18        | 21.71              | 23.18      | < 30.00     |
|             |                 |                         | 75      | 0         | 21.75              | 23.22      | < 30.00     |
| 344000      | 1720.0          | 20                      | 1       | 0         | 21.79              | 23.26      | < 30.00     |
|             |                 |                         | 1       | 1         | 21.90              | 23.37      | < 30.00     |
|             |                 |                         | 50      | 25        | 21.92              | 23.39      | < 30.00     |
|             |                 |                         | 100     | 0         | 22.04              | 23.51      | < 30.00     |
| 349000      | 1745.0          | 20                      | 1       | 0         | 21.87              | 23.34      | < 30.00     |
|             |                 |                         | 1       | 1         | 21.76              | 23.23      | < 30.00     |
|             |                 |                         | 50      | 25        | 21.73              | 23.20      | < 30.00     |
|             |                 |                         | 100     | 0         | 21.76              | 23.23      | < 30.00     |
| 354000      | 1770.0          | 20                      | 1       | 0         | 21.72              | 23.19      | < 30.00     |
|             |                 |                         | 1       | 1         | 21.80              | 23.27      | < 30.00     |
|             |                 |                         | 50      | 25        | 21.77              | 23.24      | < 30.00     |
|             |                 |                         | 100     | 0         | 21.82              | 23.29      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 256QAM   |                 |                         |         |           |                    |            |             |
| 342500   | 1712.5          | 5                       | 1       | 0         | 19.53              | 21.00      | < 30.00     |
|  |                 |                         | 1       | 1         | 19.55              | 21.02      | < 30.00     |
|  |                 |                         | 12      | 6         | 19.91              | 21.38      | < 30.00     |
|  |                 |                         | 25      | 0         | 19.85              | 21.32      | < 30.00     |
| 349000   | 1745.0          | 5                       | 1       | 0         | 20.15              | 21.62      | < 30.00     |
|  |                 |                         | 1       | 1         | 20.06              | 21.53      | < 30.00     |
|  |                 |                         | 12      | 6         | 20.02              | 21.49      | < 30.00     |
|  |                 |                         | 25      | 0         | 19.91              | 21.38      | < 30.00     |
| 355500   | 1777.5          | 5                       | 1       | 0         | 19.25              | 20.72      | < 30.00     |
|  |                 |                         | 1       | 1         | 19.30              | 20.77      | < 30.00     |
|  |                 |                         | 12      | 6         | 19.63              | 21.10      | < 30.00     |
|  |                 |                         | 25      | 0         | 19.67              | 21.14      | < 30.00     |
| 343000   | 1715.0          | 10                      | 1       | 0         | 19.45              | 20.92      | < 30.00     |
|  |                 |                         | 1       | 1         | 19.48              | 20.95      | < 30.00     |
|  |                 |                         | 25      | 12        | 19.79              | 21.26      | < 30.00     |
|  |                 |                         | 50      | 0         | 19.86              | 21.33      | < 30.00     |
| 349000   | 1745.0          | 10                      | 1       | 0         | 20.18              | 21.65      | < 30.00     |
|  |                 |                         | 1       | 1         | 19.61              | 21.08      | < 30.00     |
|  |                 |                         | 25      | 12        | 19.01              | 20.48      | < 30.00     |
|  |                 |                         | 50      | 0         | 19.11              | 20.58      | < 30.00     |
| 355000   | 1775.0          | 10                      | 1       | 0         | 19.35              | 20.82      | < 30.00     |
|  |                 |                         | 1       | 1         | 19.32              | 20.79      | < 30.00     |
|  |                 |                         | 25      | 12        | 19.68              | 21.15      | < 30.00     |
|  |                 |                         | 50      | 0         | 19.75              | 21.22      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No. | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 256QAM      |                 |                         |         |           |                    |            |             |
| 343500      | 1717.5          | 15                      | 1       | 0         | 20.03              | 21.50      | < 30.00     |
|             |                 |                         | 1       | 1         | 20.04              | 21.51      | < 30.00     |
|             |                 |                         | 36      | 18        | 19.93              | 21.40      | < 30.00     |
|             |                 |                         | 75      | 0         | 19.99              | 21.46      | < 30.00     |
| 349000      | 1745.0          | 15                      | 1       | 0         | 19.45              | 20.92      | < 30.00     |
|             |                 |                         | 1       | 1         | 19.44              | 20.91      | < 30.00     |
|             |                 |                         | 36      | 18        | 19.71              | 21.18      | < 30.00     |
|             |                 |                         | 75      | 0         | 19.76              | 21.23      | < 30.00     |
| 354500      | 1772.5          | 15                      | 1       | 0         | 19.96              | 21.43      | < 30.00     |
|             |                 |                         | 1       | 1         | 19.93              | 21.40      | < 30.00     |
|             |                 |                         | 36      | 18        | 19.62              | 21.09      | < 30.00     |
|             |                 |                         | 75      | 0         | 19.74              | 21.21      | < 30.00     |
| 344000      | 1720.0          | 20                      | 1       | 0         | 19.61              | 21.08      | < 30.00     |
|             |                 |                         | 1       | 1         | 19.62              | 21.09      | < 30.00     |
|             |                 |                         | 50      | 25        | 19.91              | 21.38      | < 30.00     |
|             |                 |                         | 100     | 0         | 20.04              | 21.51      | < 30.00     |
| 349000      | 1745.0          | 20                      | 1       | 0         | 19.77              | 21.24      | < 30.00     |
|             |                 |                         | 1       | 1         | 19.77              | 21.24      | < 30.00     |
|             |                 |                         | 50      | 25        | 19.76              | 21.23      | < 30.00     |
|             |                 |                         | 100     | 0         | 19.84              | 21.31      | < 30.00     |
| 354000      | 1770.0          | 20                      | 1       | 0         | 19.37              | 20.84      | < 30.00     |
|             |                 |                         | 1       | 1         | 19.34              | 20.81      | < 30.00     |
|             |                 |                         | 50      | 25        | 19.71              | 21.18      | < 30.00     |
|             |                 |                         | 100     | 0         | 19.85              | 21.32      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

|               |                         |           |            |
|---------------|-------------------------|-----------|------------|
| Product       | 5G Sub-6 GHz M.2 Module | Test Site | WZ-SR6     |
| Test Engineer | Cloud Guo               | Test Date | 2020/10/14 |
| Test Band     | n71_SA                  |           |            |

| Channel No. | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|-------------|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| PI/2 BPSK   |                 |                         |         |           |                    |           |             |
| 133100      | 665.5           | 5                       | 1       | 0         | 22.96              | 22.03     | < 34.77     |
|             |                 |                         | 1       | 1         | 23.93              | 23.00     | < 34.77     |
|             |                 |                         | 12      | 6         | 23.91              | 22.98     | < 34.77     |
|             |                 |                         | 25      | 0         | 23.59              | 22.66     | < 34.77     |
| 136100      | 680.5           | 5                       | 1       | 0         | 23.62              | 22.69     | < 34.77     |
|             |                 |                         | 1       | 1         | 23.56              | 22.63     | < 34.77     |
|             |                 |                         | 12      | 6         | 23.60              | 22.67     | < 34.77     |
|             |                 |                         | 25      | 0         | 23.53              | 22.60     | < 34.77     |
| 139100      | 695.5           | 5                       | 1       | 0         | 23.51              | 22.58     | < 34.77     |
|             |                 |                         | 1       | 1         | 23.53              | 22.60     | < 34.77     |
|             |                 |                         | 12      | 6         | 23.35              | 22.42     | < 34.77     |
|             |                 |                         | 25      | 0         | 23.28              | 22.35     | < 34.77     |
| 133600      | 668.0           | 10                      | 1       | 0         | 23.93              | 23.00     | < 34.77     |
|             |                 |                         | 1       | 1         | 23.83              | 22.90     | < 34.77     |
|             |                 |                         | 25      | 12        | 23.90              | 22.97     | < 34.77     |
|             |                 |                         | 50      | 0         | 23.81              | 22.88     | < 34.77     |
| 136100      | 680.5           | 10                      | 1       | 0         | 23.63              | 22.70     | < 34.77     |
|             |                 |                         | 1       | 1         | 23.54              | 22.61     | < 34.77     |
|             |                 |                         | 25      | 12        | 23.69              | 22.76     | < 34.77     |
|             |                 |                         | 50      | 0         | 23.60              | 22.67     | < 34.77     |
| 138600      | 693.0           | 10                      | 1       | 0         | 22.69              | 21.76     | < 34.77     |
|             |                 |                         | 1       | 1         | 23.61              | 22.68     | < 34.77     |
|             |                 |                         | 25      | 12        | 23.44              | 22.51     | < 34.77     |
|             |                 |                         | 50      | 0         | 22.40              | 21.47     | < 34.77     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| PI/2 BPSK  |                 |                         |         |           |                    |           |             |
| 134100   | 670.5           | 15                      | 1       | 0         | 23.78              | 22.85     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.75              | 22.82     | < 34.77     |
|  |                 |                         | 36      | 18        | 23.53              | 22.60     | < 34.77     |
|  |                 |                         | 75      | 0         | 23.56              | 22.63     | < 34.77     |
| 136100   | 680.5           | 15                      | 1       | 0         | 23.59              | 22.66     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.63              | 22.70     | < 34.77     |
|  |                 |                         | 36      | 18        | 23.55              | 22.62     | < 34.77     |
|  |                 |                         | 75      | 0         | 23.44              | 22.51     | < 34.77     |
| 138100   | 690.5           | 15                      | 1       | 0         | 23.51              | 22.58     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.46              | 22.53     | < 34.77     |
|  |                 |                         | 36      | 18        | 23.41              | 22.48     | < 34.77     |
|  |                 |                         | 75      | 0         | 23.38              | 22.45     | < 34.77     |
| 134600   | 673.0           | 20                      | 1       | 0         | 23.92              | 22.99     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.77              | 22.84     | < 34.77     |
|  |                 |                         | 50      | 25        | 23.53              | 22.60     | < 34.77     |
|  |                 |                         | 100     | 0         | 23.71              | 22.78     | < 34.77     |
| 136100   | 680.5           | 20                      | 1       | 0         | 23.63              | 22.70     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.55              | 22.62     | < 34.77     |
|  |                 |                         | 50      | 25        | 23.51              | 22.58     | < 34.77     |
|  |                 |                         | 100     | 0         | 23.56              | 22.63     | < 34.77     |
| 137600   | 688.0           | 20                      | 1       | 0         | 23.49              | 22.56     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.56              | 22.63     | < 34.77     |
|  |                 |                         | 50      | 25        | 23.55              | 22.62     | < 34.77     |
|  |                 |                         | 100     | 0         | 23.44              | 22.51     | < 34.77     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| QPSK   |                 |                         |         |           |                    |           |             |
| 133100   | 665.5           | 5                       | 1       | 0         | 22.86              | 21.93     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.89              | 22.96     | < 34.77     |
|  |                 |                         | 12      | 6         | 23.82              | 22.89     | < 34.77     |
|  |                 |                         | 25      | 0         | 23.72              | 22.79     | < 34.77     |
| 136100   | 680.5           | 5                       | 1       | 0         | 23.61              | 22.68     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.55              | 22.62     | < 34.77     |
|  |                 |                         | 12      | 6         | 23.60              | 22.67     | < 34.77     |
|  |                 |                         | 25      | 0         | 23.51              | 22.58     | < 34.77     |
| 139100   | 695.5           | 5                       | 1       | 0         | 23.35              | 22.42     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.36              | 22.43     | < 34.77     |
|  |                 |                         | 12      | 6         | 23.39              | 22.46     | < 34.77     |
|  |                 |                         | 25      | 0         | 23.41              | 22.48     | < 34.77     |
| 133600   | 668.0           | 10                      | 1       | 0         | 23.82              | 22.89     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.91              | 22.98     | < 34.77     |
|  |                 |                         | 25      | 12        | 23.80              | 22.87     | < 34.77     |
|  |                 |                         | 50      | 0         | 23.88              | 22.95     | < 34.77     |
| 136100   | 680.5           | 10                      | 1       | 0         | 23.65              | 22.72     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.68              | 22.75     | < 34.77     |
|  |                 |                         | 25      | 12        | 23.55              | 22.62     | < 34.77     |
|  |                 |                         | 50      | 0         | 23.53              | 22.60     | < 34.77     |
| 138600   | 693.0           | 10                      | 1       | 0         | 22.63              | 21.70     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.48              | 22.55     | < 34.77     |
|  |                 |                         | 25      | 12        | 23.44              | 22.51     | < 34.77     |
|  |                 |                         | 50      | 0         | 22.40              | 21.47     | < 34.77     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| QPSK   |                 |                         |         |           |                    |           |             |
| 134100   | 670.5           | 15                      | 1       | 0         | 23.76              | 22.83     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.77              | 22.84     | < 34.77     |
|  |                 |                         | 36      | 18        | 23.63              | 22.70     | < 34.77     |
|  |                 |                         | 75      | 0         | 23.58              | 22.65     | < 34.77     |
| 136100   | 680.5           | 15                      | 1       | 0         | 23.56              | 22.63     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.60              | 22.67     | < 34.77     |
|  |                 |                         | 36      | 18        | 23.50              | 22.57     | < 34.77     |
|  |                 |                         | 75      | 0         | 23.53              | 22.60     | < 34.77     |
| 138100   | 690.5           | 15                      | 1       | 0         | 23.49              | 22.56     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.51              | 22.58     | < 34.77     |
|  |                 |                         | 36      | 18        | 23.40              | 22.47     | < 34.77     |
|  |                 |                         | 75      | 0         | 23.38              | 22.45     | < 34.77     |
| 134600   | 673.0           | 20                      | 1       | 0         | 23.76              | 22.83     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.69              | 22.76     | < 34.77     |
|  |                 |                         | 50      | 25        | 23.60              | 22.67     | < 34.77     |
|  |                 |                         | 100     | 0         | 23.63              | 22.70     | < 34.77     |
| 136100   | 680.5           | 20                      | 1       | 0         | 23.62              | 22.69     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.53              | 22.60     | < 34.77     |
|  |                 |                         | 50      | 25        | 23.50              | 22.57     | < 34.77     |
|  |                 |                         | 100     | 0         | 23.56              | 22.63     | < 34.77     |
| 137600   | 688.0           | 20                      | 1       | 0         | 23.52              | 22.59     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.59              | 22.66     | < 34.77     |
|  |                 |                         | 50      | 25        | 23.46              | 22.53     | < 34.77     |
|  |                 |                         | 100     | 0         | 23.44              | 22.51     | < 34.77     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| 16QAM  |                 |                         |         |           |                    |           |             |
| 133100   | 665.5           | 5                       | 1       | 0         | 21.68              | 20.75     | < 34.77     |
|  |                 |                         | 1       | 1         | 22.53              | 21.60     | < 34.77     |
|  |                 |                         | 12      | 6         | 22.04              | 21.11     | < 34.77     |
|  |                 |                         | 25      | 0         | 22.55              | 21.62     | < 34.77     |
| 136100   | 680.5           | 5                       | 1       | 0         | 22.78              | 21.85     | < 34.77     |
|  |                 |                         | 1       | 1         | 22.69              | 21.76     | < 34.77     |
|  |                 |                         | 12      | 6         | 22.33              | 21.40     | < 34.77     |
|  |                 |                         | 25      | 0         | 22.49              | 21.56     | < 34.77     |
| 139100   | 695.5           | 5                       | 1       | 0         | 22.35              | 21.42     | < 34.77     |
|  |                 |                         | 1       | 1         | 22.63              | 21.70     | < 34.77     |
|  |                 |                         | 12      | 6         | 22.51              | 21.58     | < 34.77     |
|  |                 |                         | 25      | 0         | 22.31              | 21.38     | < 34.77     |
| 133600   | 668.0           | 10                      | 1       | 0         | 22.15              | 21.22     | < 34.77     |
|  |                 |                         | 1       | 1         | 22.16              | 21.23     | < 34.77     |
|  |                 |                         | 25      | 12        | 22.03              | 21.10     | < 34.77     |
|  |                 |                         | 50      | 0         | 22.66              | 21.73     | < 34.77     |
| 136100   | 680.5           | 10                      | 1       | 0         | 22.59              | 21.66     | < 34.77     |
|  |                 |                         | 1       | 1         | 22.65              | 21.72     | < 34.77     |
|  |                 |                         | 25      | 12        | 22.46              | 21.53     | < 34.77     |
|  |                 |                         | 50      | 0         | 22.53              | 21.60     | < 34.77     |
| 138600   | 693.0           | 10                      | 1       | 0         | 22.65              | 21.72     | < 34.77     |
|  |                 |                         | 1       | 1         | 22.57              | 21.64     | < 34.77     |
|  |                 |                         | 25      | 12        | 22.49              | 21.56     | < 34.77     |
|  |                 |                         | 50      | 0         | 22.44              | 21.51     | < 34.77     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| 16QAM  |                 |                         |         |           |                    |           |             |
| 134100   | 670.5           | 15                      | 1       | 0         | 22.76              | 21.83     | < 34.77     |
|  |                 |                         | 1       | 1         | 22.58              | 21.65     | < 34.77     |
|  |                 |                         | 36      | 18        | 22.36              | 21.43     | < 34.77     |
|  |                 |                         | 75      | 0         | 22.65              | 21.72     | < 34.77     |
| 136100   | 680.5           | 15                      | 1       | 0         | 22.76              | 21.83     | < 34.77     |
|  |                 |                         | 1       | 1         | 22.70              | 21.77     | < 34.77     |
|  |                 |                         | 36      | 18        | 22.50              | 21.57     | < 34.77     |
|  |                 |                         | 75      | 0         | 22.52              | 21.59     | < 34.77     |
| 138100   | 690.5           | 15                      | 1       | 0         | 22.52              | 21.59     | < 34.77     |
|  |                 |                         | 1       | 1         | 22.33              | 21.40     | < 34.77     |
|  |                 |                         | 36      | 18        | 22.40              | 21.47     | < 34.77     |
|  |                 |                         | 75      | 0         | 22.31              | 21.38     | < 34.77     |
| 134600   | 673.0           | 20                      | 1       | 0         | 22.72              | 21.79     | < 34.77     |
|  |                 |                         | 1       | 1         | 22.71              | 21.78     | < 34.77     |
|  |                 |                         | 50      | 25        | 22.51              | 21.58     | < 34.77     |
|  |                 |                         | 100     | 0         | 22.56              | 21.63     | < 34.77     |
| 136100   | 680.5           | 20                      | 1       | 0         | 22.46              | 21.53     | < 34.77     |
|  |                 |                         | 1       | 1         | 22.78              | 21.85     | < 34.77     |
|  |                 |                         | 50      | 25        | 22.50              | 21.57     | < 34.77     |
|  |                 |                         | 100     | 0         | 22.43              | 21.50     | < 34.77     |
| 137600   | 688.0           | 20                      | 1       | 0         | 22.73              | 21.80     | < 34.77     |
|  |                 |                         | 1       | 1         | 22.51              | 21.58     | < 34.77     |
|  |                 |                         | 50      | 25        | 22.39              | 21.46     | < 34.77     |
|  |                 |                         | 100     | 0         | 22.39              | 21.46     | < 34.77     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |



| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| 64QAM  |                 |                         |         |           |                    |           |             |
| 133100   | 665.5           | 5                       | 1       | 0         | 20.87              | 19.94     | < 34.77     |
|  |                 |                         | 1       | 1         | 20.97              | 20.04     | < 34.77     |
|  |                 |                         | 12      | 6         | 21.58              | 20.65     | < 34.77     |
|  |                 |                         | 25      | 0         | 22.04              | 21.11     | < 34.77     |
| 136100   | 680.5           | 5                       | 1       | 0         | 21.95              | 21.02     | < 34.77     |
|  |                 |                         | 1       | 1         | 22.02              | 21.09     | < 34.77     |
|  |                 |                         | 12      | 6         | 21.93              | 21.00     | < 34.77     |
|  |                 |                         | 25      | 0         | 22.02              | 21.09     | < 34.77     |
| 139100   | 695.5           | 5                       | 1       | 0         | 21.66              | 20.73     | < 34.77     |
|  |                 |                         | 1       | 1         | 22.63              | 21.70     | < 34.77     |
|  |                 |                         | 12      | 6         | 22.01              | 21.08     | < 34.77     |
|  |                 |                         | 25      | 0         | 22.40              | 21.47     | < 34.77     |
| 133600   | 668.0           | 10                      | 1       | 0         | 22.28              | 21.35     | < 34.77     |
|  |                 |                         | 1       | 1         | 22.28              | 21.35     | < 34.77     |
|  |                 |                         | 25      | 12        | 22.56              | 21.63     | < 34.77     |
|  |                 |                         | 50      | 0         | 22.31              | 21.38     | < 34.77     |
| 136100   | 680.5           | 10                      | 1       | 0         | 22.38              | 21.45     | < 34.77     |
|  |                 |                         | 1       | 1         | 22.41              | 21.48     | < 34.77     |
|  |                 |                         | 25      | 12        | 22.01              | 21.08     | < 34.77     |
|  |                 |                         | 50      | 0         | 21.97              | 21.04     | < 34.77     |
| 138600   | 693.0           | 10                      | 1       | 0         | 21.89              | 20.96     | < 34.77     |
|  |                 |                         | 1       | 1         | 21.77              | 20.84     | < 34.77     |
|  |                 |                         | 25      | 12        | 21.96              | 21.03     | < 34.77     |
|  |                 |                         | 50      | 0         | 22.01              | 21.08     | < 34.77     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| 64QAM  |                 |                         |         |           |                    |           |             |
| 134100   | 670.5           | 15                      | 1       | 0         | 22.17              | 21.24     | < 34.77     |
|  |                 |                         | 1       | 1         | 22.25              | 21.32     | < 34.77     |
|  |                 |                         | 36      | 18        | 21.88              | 20.95     | < 34.77     |
|  |                 |                         | 75      | 0         | 22.14              | 21.21     | < 34.77     |
| 136100   | 680.5           | 15                      | 1       | 0         | 21.93              | 21.00     | < 34.77     |
|  |                 |                         | 1       | 1         | 21.97              | 21.04     | < 34.77     |
|  |                 |                         | 36      | 18        | 22.04              | 21.11     | < 34.77     |
|  |                 |                         | 75      | 0         | 22.04              | 21.11     | < 34.77     |
| 138100   | 690.5           | 15                      | 1       | 0         | 21.75              | 20.82     | < 34.77     |
|  |                 |                         | 1       | 1         | 21.73              | 20.80     | < 34.77     |
|  |                 |                         | 36      | 18        | 21.83              | 20.90     | < 34.77     |
|  |                 |                         | 75      | 0         | 21.86              | 20.93     | < 34.77     |
| 134600   | 673.0           | 20                      | 1       | 0         | 22.19              | 21.26     | < 34.77     |
|  |                 |                         | 1       | 1         | 22.18              | 21.25     | < 34.77     |
|  |                 |                         | 50      | 25        | 22.03              | 21.10     | < 34.77     |
|  |                 |                         | 100     | 0         | 22.05              | 21.12     | < 34.77     |
| 136100   | 680.5           | 20                      | 1       | 0         | 22.38              | 21.45     | < 34.77     |
|  |                 |                         | 1       | 1         | 21.95              | 21.02     | < 34.77     |
|  |                 |                         | 50      | 25        | 22.01              | 21.08     | < 34.77     |
|  |                 |                         | 100     | 0         | 22.04              | 21.11     | < 34.77     |
| 137600   | 688.0           | 20                      | 1       | 0         | 21.86              | 20.93     | < 34.77     |
|  |                 |                         | 1       | 1         | 21.93              | 21.00     | < 34.77     |
|  |                 |                         | 50      | 25        | 21.94              | 21.01     | < 34.77     |
|  |                 |                         | 100     | 0         | 21.94              | 21.01     | < 34.77     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| 256QAM   |                 |                         |         |           |                    |           |             |
| 133100   | 665.5           | 5                       | 1       | 0         | 19.12              | 18.19     | < 34.77     |
|  |                 |                         | 1       | 1         | 19.20              | 18.27     | < 34.77     |
|  |                 |                         | 12      | 6         | 19.97              | 19.04     | < 34.77     |
|  |                 |                         | 25      | 0         | 20.02              | 19.09     | < 34.77     |
| 136100   | 680.5           | 5                       | 1       | 0         | 19.76              | 18.83     | < 34.77     |
|  |                 |                         | 1       | 1         | 19.76              | 18.83     | < 34.77     |
|  |                 |                         | 12      | 6         | 19.97              | 19.04     | < 34.77     |
|  |                 |                         | 25      | 0         | 19.98              | 19.05     | < 34.77     |
| 139100   | 695.5           | 5                       | 1       | 0         | 20.09              | 19.16     | < 34.77     |
|  |                 |                         | 1       | 1         | 20.17              | 19.24     | < 34.77     |
|  |                 |                         | 12      | 6         | 19.82              | 18.89     | < 34.77     |
|  |                 |                         | 25      | 0         | 19.86              | 18.93     | < 34.77     |
| 133600   | 668.0           | 10                      | 1       | 0         | 19.80              | 18.87     | < 34.77     |
|  |                 |                         | 1       | 1         | 19.89              | 18.96     | < 34.77     |
|  |                 |                         | 25      | 12        | 19.94              | 19.01     | < 34.77     |
|  |                 |                         | 50      | 0         | 20.22              | 19.29     | < 34.77     |
| 136100   | 680.5           | 10                      | 1       | 0         | 20.30              | 19.37     | < 34.77     |
|  |                 |                         | 1       | 1         | 20.22              | 19.29     | < 34.77     |
|  |                 |                         | 25      | 12        | 20.01              | 19.08     | < 34.77     |
|  |                 |                         | 50      | 0         | 20.04              | 19.11     | < 34.77     |
| 138600   | 693.0           | 10                      | 1       | 0         | 19.60              | 18.67     | < 34.77     |
|  |                 |                         | 1       | 1         | 19.63              | 18.70     | < 34.77     |
|  |                 |                         | 25      | 12        | 19.95              | 19.02     | < 34.77     |
|  |                 |                         | 50      | 0         | 19.69              | 18.76     | < 34.77     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| 256QAM   |                 |                         |         |           |                    |           |             |
| 134100   | 670.5           | 15                      | 1       | 0         | 19.87              | 18.94     | < 34.77     |
|  |                 |                         | 1       | 1         | 19.95              | 19.02     | < 34.77     |
|  |                 |                         | 36      | 18        | 20.15              | 19.22     | < 34.77     |
|  |                 |                         | 75      | 0         | 20.10              | 19.17     | < 34.77     |
| 136100   | 680.5           | 15                      | 1       | 0         | 19.65              | 18.72     | < 34.77     |
|  |                 |                         | 1       | 1         | 19.67              | 18.74     | < 34.77     |
|  |                 |                         | 36      | 18        | 19.86              | 18.93     | < 34.77     |
|  |                 |                         | 75      | 0         | 19.92              | 18.99     | < 34.77     |
| 138100   | 690.5           | 15                      | 1       | 0         | 19.62              | 18.69     | < 34.77     |
|  |                 |                         | 1       | 1         | 19.63              | 18.70     | < 34.77     |
|  |                 |                         | 36      | 18        | 19.79              | 18.86     | < 34.77     |
|  |                 |                         | 75      | 0         | 19.79              | 18.86     | < 34.77     |
| 134600   | 673.0           | 20                      | 1       | 0         | 20.03              | 19.10     | < 34.77     |
|  |                 |                         | 1       | 1         | 20.20              | 19.27     | < 34.77     |
|  |                 |                         | 50      | 25        | 20.13              | 19.20     | < 34.77     |
|  |                 |                         | 100     | 0         | 20.14              | 19.21     | < 34.77     |
| 136100   | 680.5           | 20                      | 1       | 0         | 20.30              | 19.37     | < 34.77     |
|  |                 |                         | 1       | 1         | 20.30              | 19.37     | < 34.77     |
|  |                 |                         | 50      | 25        | 19.98              | 19.05     | < 34.77     |
|  |                 |                         | 100     | 0         | 19.93              | 19.00     | < 34.77     |
| 137600   | 688.0           | 20                      | 1       | 0         | 19.57              | 18.64     | < 34.77     |
|  |                 |                         | 1       | 1         | 19.57              | 18.64     | < 34.77     |
|  |                 |                         | 50      | 25        | 19.90              | 18.97     | < 34.77     |
|  |                 |                         | 100     | 0         | 19.92              | 18.99     | < 34.77     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |

|               |                         |           |            |
|---------------|-------------------------|-----------|------------|
| Product       | 5G Sub-6 GHz M.2 Module | Test Site | WZ-SR6     |
| Test Engineer | Cloud Guo               | Test Date | 2020/10/14 |
| Test Band     | n41_SA                  |           |            |

| Channel No. | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| PI/2 BPSK   |                 |                         |         |           |                    |            |             |
| 501204      | 2506.02         | 20                      | 1       | 0         | 22.57              | 23.35      | < 33.01     |
|             |                 |                         | 1       | 1         | 22.03              | 22.81      | < 33.01     |
|             |                 |                         | 25      | 12        | 22.51              | 23.29      | < 33.01     |
|             |                 |                         | 50      | 0         | 22.52              | 23.30      | < 33.01     |
| 518598      | 2592.99         | 20                      | 1       | 0         | 22.45              | 23.23      | < 33.01     |
|             |                 |                         | 1       | 1         | 22.27              | 23.05      | < 33.01     |
|             |                 |                         | 25      | 12        | 22.35              | 23.13      | < 33.01     |
|             |                 |                         | 50      | 0         | 22.54              | 23.32      | < 33.01     |
| 535998      | 2679.99         | 20                      | 1       | 0         | 22.30              | 23.08      | < 33.01     |
|             |                 |                         | 1       | 1         | 22.80              | 23.58      | < 33.01     |
|             |                 |                         | 25      | 12        | 22.61              | 23.39      | < 33.01     |
|             |                 |                         | 50      | 0         | 22.61              | 23.39      | < 33.01     |
| 502200      | 2511.0          | 30                      | 1       | 0         | 22.98              | 23.76      | < 33.01     |
|             |                 |                         | 1       | 1         | 22.43              | 23.21      | < 33.01     |
|             |                 |                         | 36      | 18        | 22.43              | 23.21      | < 33.01     |
|             |                 |                         | 75      | 0         | 22.49              | 23.27      | < 33.01     |
| 518598      | 2592.99         | 30                      | 1       | 0         | 22.77              | 23.55      | < 33.01     |
|             |                 |                         | 1       | 1         | 22.38              | 23.16      | < 33.01     |
|             |                 |                         | 36      | 18        | 22.26              | 23.04      | < 33.01     |
|             |                 |                         | 75      | 0         | 22.35              | 23.13      | < 33.01     |
| 534996      | 2674.98         | 30                      | 1       | 0         | 22.98              | 23.76      | < 33.01     |
|             |                 |                         | 1       | 1         | 22.21              | 22.99      | < 33.01     |
|             |                 |                         | 36      | 18        | 22.03              | 22.81      | < 33.01     |
|             |                 |                         | 75      | 0         | 22.35              | 23.13      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| PI/2 BPSK  |                 |                         |         |           |                    |            |             |
| 503202   | 2516.01         | 40                      | 1       | 0         | 22.74              | 23.52      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.29              | 23.07      | < 33.01     |
|  |                 |                         | 50      | 25        | 22.97              | 23.75      | < 33.01     |
|  |                 |                         | 100     | 0         | 22.14              | 22.92      | < 33.01     |
| 518598   | 2592.99         | 40                      | 1       | 0         | 22.77              | 23.55      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.32              | 23.10      | < 33.01     |
|  |                 |                         | 50      | 25        | 22.64              | 23.42      | < 33.01     |
|  |                 |                         | 100     | 0         | 22.45              | 23.23      | < 33.01     |
| 534000   | 2670.0          | 40                      | 1       | 0         | 22.86              | 23.64      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.28              | 23.06      | < 33.01     |
|  |                 |                         | 50      | 25        | 22.60              | 23.38      | < 33.01     |
|  |                 |                         | 100     | 0         | 22.58              | 23.36      | < 33.01     |
| 504204   | 2521.02         | 50                      | 1       | 0         | 22.73              | 23.51      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.25              | 23.03      | < 33.01     |
|  |                 |                         | 64      | 32        | 22.12              | 22.90      | < 33.01     |
|  |                 |                         | 128     | 0         | 22.09              | 22.87      | < 33.01     |
| 518598   | 2592.99         | 50                      | 1       | 0         | 22.51              | 23.29      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.00              | 22.78      | < 33.01     |
|  |                 |                         | 64      | 32        | 22.05              | 22.83      | < 33.01     |
|  |                 |                         | 128     | 0         | 22.35              | 23.13      | < 33.01     |
| 532998   | 2664.99         | 50                      | 1       | 0         | 22.28              | 23.06      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.12              | 22.90      | < 33.01     |
|  |                 |                         | 64      | 32        | 22.24              | 23.02      | < 33.01     |
|  |                 |                         | 128     | 0         | 22.23              | 23.01      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No. | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| PI/2 BPSK   |                 |                         |         |           |                    |            |             |
| 505200      | 2526.0          | 60                      | 1       | 0         | 22.33              | 23.11      | < 33.01     |
|             |                 |                         | 1       | 1         | 22.84              | 23.62      | < 33.01     |
|             |                 |                         | 81      | 40        | 22.99              | 23.77      | < 33.01     |
|             |                 |                         | 162     | 0         | 22.16              | 22.94      | < 33.01     |
| 518598      | 2592.99         | 60                      | 1       | 0         | 22.54              | 23.32      | < 33.01     |
|             |                 |                         | 1       | 1         | 22.03              | 22.81      | < 33.01     |
|             |                 |                         | 81      | 40        | 22.26              | 23.04      | < 33.01     |
|             |                 |                         | 162     | 0         | 22.22              | 23.00      | < 33.01     |
| 531996      | 2659.98         | 60                      | 1       | 0         | 22.22              | 23.00      | < 33.01     |
|             |                 |                         | 1       | 1         | 22.64              | 23.42      | < 33.01     |
|             |                 |                         | 81      | 40        | 22.29              | 23.07      | < 33.01     |
|             |                 |                         | 162     | 0         | 22.38              | 23.16      | < 33.01     |
| 507204      | 2536.02         | 80                      | 1       | 0         | 23.08              | 23.86      | < 33.01     |
|             |                 |                         | 1       | 1         | 22.98              | 23.76      | < 33.01     |
|             |                 |                         | 108     | 54        | 23.25              | 24.03      | < 33.01     |
|             |                 |                         | 216     | 0         | 22.30              | 23.08      | < 33.01     |
| 518598      | 2592.99         | 80                      | 1       | 0         | 22.12              | 22.90      | < 33.01     |
|             |                 |                         | 1       | 1         | 22.60              | 23.38      | < 33.01     |
|             |                 |                         | 108     | 54        | 22.25              | 23.03      | < 33.01     |
|             |                 |                         | 216     | 0         | 22.41              | 23.19      | < 33.01     |
| 529998      | 2649.99         | 80                      | 1       | 0         | 23.30              | 24.08      | < 33.01     |
|             |                 |                         | 1       | 1         | 22.82              | 23.60      | < 33.01     |
|             |                 |                         | 108     | 54        | 22.62              | 23.40      | < 33.01     |
|             |                 |                         | 216     | 0         | 22.56              | 23.34      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| PI/2 BPSK  |                 |                         |         |           |                    |            |             |
| 509202   | 2546.01         | 100                     | 1       | 0         | 22.88              | 23.66      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.94              | 23.72      | < 33.01     |
|  |                 |                         | 135     | 67        | 22.97              | 23.75      | < 33.01     |
|  |                 |                         | 270     | 0         | 22.77              | 23.55      | < 33.01     |
| 518598   | 2592.99         | 100                     | 1       | 0         | 22.81              | 23.59      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.61              | 23.39      | < 33.01     |
|  |                 |                         | 135     | 67        | 22.76              | 23.54      | < 33.01     |
|  |                 |                         | 270     | 0         | 22.51              | 23.29      | < 33.01     |
| 528000   | 2640.0          | 100                     | 1       | 0         | 23.12              | 23.90      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.17              | 23.95      | < 33.01     |
|  |                 |                         | 135     | 67        | 23.34              | 24.12      | < 33.01     |
|  |                 |                         | 270     | 0         | 23.30              | 24.08      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |



| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| QPSK   |                 |                         |         |           |                    |            |             |
| 501204   | 2506.02         | 20                      | 1       | 0         | 23.46              | 24.24      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.97              | 23.75      | < 33.01     |
|  |                 |                         | 25      | 12        | 22.10              | 22.88      | < 33.01     |
|  |                 |                         | 50      | 0         | 22.38              | 23.16      | < 33.01     |
| 518598   | 2592.99         | 20                      | 1       | 0         | 22.75              | 23.53      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.34              | 23.12      | < 33.01     |
|  |                 |                         | 25      | 12        | 22.31              | 23.09      | < 33.01     |
|  |                 |                         | 50      | 0         | 22.29              | 23.07      | < 33.01     |
| 535998   | 2679.99         | 20                      | 1       | 0         | 22.37              | 23.15      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.73              | 23.51      | < 33.01     |
|  |                 |                         | 25      | 12        | 22.64              | 23.42      | < 33.01     |
|  |                 |                         | 50      | 0         | 22.62              | 23.40      | < 33.01     |
| 502200   | 2511.0          | 30                      | 1       | 0         | 22.97              | 23.75      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.41              | 23.19      | < 33.01     |
|  |                 |                         | 36      | 18        | 22.48              | 23.26      | < 33.01     |
|  |                 |                         | 75      | 0         | 22.45              | 23.23      | < 33.01     |
| 518598   | 2592.99         | 30                      | 1       | 0         | 23.01              | 23.79      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.78              | 23.56      | < 33.01     |
|  |                 |                         | 36      | 18        | 22.72              | 23.50      | < 33.01     |
|  |                 |                         | 75      | 0         | 22.88              | 23.66      | < 33.01     |
| 534996   | 2674.98         | 30                      | 1       | 0         | 22.98              | 23.76      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.03              | 23.81      | < 33.01     |
|  |                 |                         | 36      | 18        | 23.13              | 23.91      | < 33.01     |
|  |                 |                         | 75      | 0         | 23.19              | 23.97      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No. | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| QPSK        |                 |                         |         |           |                    |            |             |
| 503202      | 2516.01         | 40                      | 1       | 0         | 22.76              | 23.54      | < 33.01     |
|             |                 |                         | 1       | 1         | 22.21              | 22.99      | < 33.01     |
|             |                 |                         | 50      | 25        | 22.94              | 23.72      | < 33.01     |
|             |                 |                         | 100     | 0         | 22.13              | 22.91      | < 33.01     |
| 518598      | 2592.99         | 40                      | 1       | 0         | 22.74              | 23.52      | < 33.01     |
|             |                 |                         | 1       | 1         | 22.23              | 23.01      | < 33.01     |
|             |                 |                         | 50      | 25        | 22.33              | 23.11      | < 33.01     |
|             |                 |                         | 100     | 0         | 22.51              | 23.29      | < 33.01     |
| 534000      | 2670.0          | 40                      | 1       | 0         | 22.84              | 23.62      | < 33.01     |
|             |                 |                         | 1       | 1         | 22.27              | 23.05      | < 33.01     |
|             |                 |                         | 50      | 25        | 22.61              | 23.39      | < 33.01     |
|             |                 |                         | 100     | 0         | 22.69              | 23.47      | < 33.01     |
| 504204      | 2521.02         | 50                      | 1       | 0         | 22.99              | 23.77      | < 33.01     |
|             |                 |                         | 1       | 1         | 23.16              | 23.94      | < 33.01     |
|             |                 |                         | 64      | 32        | 23.26              | 24.04      | < 33.01     |
|             |                 |                         | 128     | 0         | 23.10              | 23.88      | < 33.01     |
| 518598      | 2592.99         | 50                      | 1       | 0         | 22.95              | 23.73      | < 33.01     |
|             |                 |                         | 1       | 1         | 23.06              | 23.84      | < 33.01     |
|             |                 |                         | 64      | 32        | 23.03              | 23.81      | < 33.01     |
|             |                 |                         | 128     | 0         | 23.25              | 24.03      | < 33.01     |
| 532998      | 2664.99         | 50                      | 1       | 0         | 22.89              | 23.67      | < 33.01     |
|             |                 |                         | 1       | 1         | 22.99              | 23.77      | < 33.01     |
|             |                 |                         | 64      | 32        | 22.56              | 23.34      | < 33.01     |
|             |                 |                         | 128     | 0         | 22.78              | 23.56      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| QPSK   |                 |                         |         |           |                    |            |             |
| 505200   | 2526.0          | 60                      | 1       | 0         | 23.26              | 24.04      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.71              | 23.49      | < 33.01     |
|  |                 |                         | 81      | 40        | 23.01              | 23.79      | < 33.01     |
|  |                 |                         | 162     | 0         | 23.16              | 23.94      | < 33.01     |
| 518598   | 2592.99         | 60                      | 1       | 0         | 23.57              | 24.35      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.05              | 23.83      | < 33.01     |
|  |                 |                         | 81      | 40        | 23.32              | 24.10      | < 33.01     |
|  |                 |                         | 162     | 0         | 23.30              | 24.08      | < 33.01     |
| 531996   | 2659.98         | 60                      | 1       | 0         | 23.14              | 23.92      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.27              | 24.05      | < 33.01     |
|  |                 |                         | 81      | 40        | 23.31              | 24.09      | < 33.01     |
|  |                 |                         | 162     | 0         | 23.06              | 23.84      | < 33.01     |
| 507204   | 2536.02         | 80                      | 1       | 0         | 22.46              | 23.24      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.89              | 23.67      | < 33.01     |
|  |                 |                         | 108     | 54        | 22.22              | 23.00      | < 33.01     |
|  |                 |                         | 216     | 0         | 22.30              | 23.08      | < 33.01     |
| 518598   | 2592.99         | 80                      | 1       | 0         | 23.05              | 23.83      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.04              | 23.82      | < 33.01     |
|  |                 |                         | 108     | 54        | 23.35              | 24.13      | < 33.01     |
|  |                 |                         | 216     | 0         | 23.11              | 23.89      | < 33.01     |
| 529998   | 2649.99         | 80                      | 1       | 0         | 23.13              | 23.91      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.75              | 24.53      | < 33.01     |
|  |                 |                         | 108     | 54        | 23.09              | 23.87      | < 33.01     |
|  |                 |                         | 216     | 0         | 23.56              | 24.34      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| QPSK   |                 |                         |         |           |                    |            |             |
| 509202   | 2546.01         | 100                     | 1       | 0         | 23.45              | 24.23      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.98              | 23.76      | < 33.01     |
|  |                 |                         | 135     | 67        | 23.58              | 24.36      | < 33.01     |
|  |                 |                         | 270     | 0         | 23.39              | 24.17      | < 33.01     |
| 518598   | 2592.99         | 100                     | 1       | 0         | 23.19              | 23.97      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.12              | 23.90      | < 33.01     |
|  |                 |                         | 135     | 67        | 23.31              | 24.09      | < 33.01     |
|  |                 |                         | 270     | 0         | 23.43              | 24.21      | < 33.01     |
| 528000   | 2640.0          | 100                     | 1       | 0         | 23.68              | 24.46      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.07              | 23.85      | < 33.01     |
|  |                 |                         | 135     | 67        | 23.14              | 23.92      | < 33.01     |
|  |                 |                         | 270     | 0         | 23.35              | 24.13      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 16QAM  |                 |                         |         |           |                    |            |             |
| 501204   | 2506.02         | 20                      | 1       | 0         | 21.66              | 22.44      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.17              | 22.95      | < 33.01     |
|  |                 |                         | 25      | 12        | 22.04              | 22.82      | < 33.01     |
|  |                 |                         | 50      | 0         | 22.51              | 23.29      | < 33.01     |
| 518598   | 2592.99         | 20                      | 1       | 0         | 22.00              | 22.78      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.46              | 23.24      | < 33.01     |
|  |                 |                         | 25      | 12        | 22.28              | 23.06      | < 33.01     |
|  |                 |                         | 50      | 0         | 22.27              | 23.05      | < 33.01     |
| 535998   | 2679.99         | 20                      | 1       | 0         | 22.20              | 22.98      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.75              | 23.53      | < 33.01     |
|  |                 |                         | 25      | 12        | 22.74              | 23.52      | < 33.01     |
|  |                 |                         | 50      | 0         | 22.64              | 23.42      | < 33.01     |
| 502200   | 2511.0          | 30                      | 1       | 0         | 22.05              | 22.83      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.40              | 23.18      | < 33.01     |
|  |                 |                         | 36      | 18        | 22.38              | 23.16      | < 33.01     |
|  |                 |                         | 75      | 0         | 22.45              | 23.23      | < 33.01     |
| 518598   | 2592.99         | 30                      | 1       | 0         | 22.03              | 22.81      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.45              | 23.23      | < 33.01     |
|  |                 |                         | 36      | 18        | 22.30              | 23.08      | < 33.01     |
|  |                 |                         | 75      | 0         | 22.31              | 23.09      | < 33.01     |
| 534996   | 2674.98         | 30                      | 1       | 0         | 21.53              | 22.31      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.99              | 22.77      | < 33.01     |
|  |                 |                         | 36      | 18        | 21.95              | 22.73      | < 33.01     |
|  |                 |                         | 75      | 0         | 22.02              | 22.80      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No. | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 16QAM       |                 |                         |         |           |                    |            |             |
| 503202      | 2516.01         | 40                      | 1       | 0         | 21.80              | 22.58      | < 33.01     |
|             |                 |                         | 1       | 1         | 22.58              | 23.36      | < 33.01     |
|             |                 |                         | 50      | 25        | 21.88              | 22.66      | < 33.01     |
|             |                 |                         | 100     | 0         | 22.20              | 22.98      | < 33.01     |
| 518598      | 2592.99         | 40                      | 1       | 0         | 21.86              | 22.64      | < 33.01     |
|             |                 |                         | 1       | 1         | 22.41              | 23.19      | < 33.01     |
|             |                 |                         | 50      | 25        | 22.60              | 23.38      | < 33.01     |
|             |                 |                         | 100     | 0         | 22.50              | 23.28      | < 33.01     |
| 534000      | 2670.0          | 40                      | 1       | 0         | 22.03              | 22.81      | < 33.01     |
|             |                 |                         | 1       | 1         | 22.35              | 23.13      | < 33.01     |
|             |                 |                         | 50      | 25        | 22.73              | 23.51      | < 33.01     |
|             |                 |                         | 100     | 0         | 22.64              | 23.42      | < 33.01     |
| 504204      | 2521.02         | 50                      | 1       | 0         | 21.79              | 22.57      | < 33.01     |
|             |                 |                         | 1       | 1         | 22.24              | 23.02      | < 33.01     |
|             |                 |                         | 64      | 32        | 22.15              | 22.93      | < 33.01     |
|             |                 |                         | 128     | 0         | 22.13              | 22.91      | < 33.01     |
| 518598      | 2592.99         | 50                      | 1       | 0         | 21.79              | 22.57      | < 33.01     |
|             |                 |                         | 1       | 1         | 22.13              | 22.91      | < 33.01     |
|             |                 |                         | 64      | 32        | 22.10              | 22.88      | < 33.01     |
|             |                 |                         | 128     | 0         | 22.21              | 22.99      | < 33.01     |
| 532998      | 2664.99         | 50                      | 1       | 0         | 21.52              | 22.30      | < 33.01     |
|             |                 |                         | 1       | 1         | 21.98              | 22.76      | < 33.01     |
|             |                 |                         | 64      | 32        | 22.01              | 22.79      | < 33.01     |
|             |                 |                         | 128     | 0         | 22.65              | 23.43      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 16QAM  |                 |                         |         |           |                    |            |             |
| 505200   | 2526.0          | 60                      | 1       | 0         | 21.40              | 22.18      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.95              | 22.73      | < 33.01     |
|  |                 |                         | 81      | 40        | 21.96              | 22.74      | < 33.01     |
|  |                 |                         | 162     | 0         | 22.14              | 22.92      | < 33.01     |
| 518598   | 2592.99         | 60                      | 1       | 0         | 21.91              | 22.69      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.37              | 23.15      | < 33.01     |
|  |                 |                         | 81      | 40        | 22.30              | 23.08      | < 33.01     |
|  |                 |                         | 162     | 0         | 22.27              | 23.05      | < 33.01     |
| 531996   | 2659.98         | 60                      | 1       | 0         | 22.17              | 22.95      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.54              | 23.32      | < 33.01     |
|  |                 |                         | 81      | 40        | 22.29              | 23.07      | < 33.01     |
|  |                 |                         | 162     | 0         | 22.10              | 22.88      | < 33.01     |
| 507204   | 2536.02         | 80                      | 1       | 0         | 21.53              | 22.31      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.93              | 22.71      | < 33.01     |
|  |                 |                         | 108     | 54        | 22.27              | 23.05      | < 33.01     |
|  |                 |                         | 216     | 0         | 22.25              | 23.03      | < 33.01     |
| 518598   | 2592.99         | 80                      | 1       | 0         | 22.21              | 22.99      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.46              | 23.24      | < 33.01     |
|  |                 |                         | 108     | 54        | 22.21              | 22.99      | < 33.01     |
|  |                 |                         | 216     | 0         | 22.24              | 23.02      | < 33.01     |
| 529998   | 2649.99         | 80                      | 1       | 0         | 21.32              | 22.10      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.98              | 22.76      | < 33.01     |
|  |                 |                         | 108     | 54        | 22.57              | 23.35      | < 33.01     |
|  |                 |                         | 216     | 0         | 22.06              | 22.84      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 16QAM  |                 |                         |         |           |                    |            |             |
| 509202   | 2546.01         | 100                     | 1       | 0         | 22.40              | 23.18      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.18              | 22.96      | < 33.01     |
|  |                 |                         | 135     | 67        | 22.55              | 23.33      | < 33.01     |
|  |                 |                         | 270     | 0         | 22.21              | 22.99      | < 33.01     |
| 518598   | 2592.99         | 100                     | 1       | 0         | 22.56              | 23.34      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.03              | 23.81      | < 33.01     |
|  |                 |                         | 135     | 67        | 22.50              | 23.28      | < 33.01     |
|  |                 |                         | 270     | 0         | 22.71              | 23.49      | < 33.01     |
| 528000   | 2640.0          | 100                     | 1       | 0         | 21.89              | 22.67      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.34              | 23.12      | < 33.01     |
|  |                 |                         | 135     | 67        | 22.22              | 23.00      | < 33.01     |
|  |                 |                         | 270     | 0         | 22.51              | 23.29      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |



| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 64QAM  |                 |                         |         |           |                    |            |             |
| 501204   | 2506.02         | 20                      | 1       | 0         | 21.36              | 22.14      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.98              | 22.76      | < 33.01     |
|  |                 |                         | 25      | 12        | 22.11              | 22.89      | < 33.01     |
|  |                 |                         | 50      | 0         | 22.01              | 22.79      | < 33.01     |
| 518598   | 2592.99         | 20                      | 1       | 0         | 21.49              | 22.27      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.98              | 22.76      | < 33.01     |
|  |                 |                         | 25      | 12        | 22.29              | 23.07      | < 33.01     |
|  |                 |                         | 50      | 0         | 22.29              | 23.07      | < 33.01     |
| 535998   | 2679.99         | 20                      | 1       | 0         | 22.19              | 22.97      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.53              | 23.31      | < 33.01     |
|  |                 |                         | 25      | 12        | 22.69              | 23.47      | < 33.01     |
|  |                 |                         | 50      | 0         | 22.77              | 23.55      | < 33.01     |
| 502200   | 2511.0          | 30                      | 1       | 0         | 22.15              | 22.93      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.69              | 23.47      | < 33.01     |
|  |                 |                         | 36      | 18        | 22.45              | 23.23      | < 33.01     |
|  |                 |                         | 75      | 0         | 22.43              | 23.21      | < 33.01     |
| 518598   | 2592.99         | 30                      | 1       | 0         | 21.93              | 22.71      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.20              | 22.98      | < 33.01     |
|  |                 |                         | 36      | 18        | 22.32              | 23.10      | < 33.01     |
|  |                 |                         | 75      | 0         | 22.30              | 23.08      | < 33.01     |
| 534996   | 2674.98         | 30                      | 1       | 0         | 21.45              | 22.23      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.94              | 22.72      | < 33.01     |
|  |                 |                         | 36      | 18        | 21.65              | 22.43      | < 33.01     |
|  |                 |                         | 75      | 0         | 21.69              | 22.47      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 64QAM  |                 |                         |         |           |                    |            |             |
| 503202   | 2516.01         | 40                      | 1       | 0         | 21.08              | 21.86      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.58              | 22.36      | < 33.01     |
|  |                 |                         | 50      | 25        | 21.95              | 22.73      | < 33.01     |
|  |                 |                         | 100     | 0         | 22.16              | 22.94      | < 33.01     |
| 518598   | 2592.99         | 40                      | 1       | 0         | 21.01              | 21.79      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.12              | 22.90      | < 33.01     |
|  |                 |                         | 50      | 25        | 22.34              | 23.12      | < 33.01     |
|  |                 |                         | 100     | 0         | 22.56              | 23.34      | < 33.01     |
| 534000   | 2670.0          | 40                      | 1       | 0         | 21.51              | 22.29      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.03              | 22.81      | < 33.01     |
|  |                 |                         | 50      | 25        | 22.24              | 23.02      | < 33.01     |
|  |                 |                         | 100     | 0         | 22.66              | 23.44      | < 33.01     |
| 504204   | 2521.02         | 50                      | 1       | 0         | 21.93              | 22.71      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.48              | 23.26      | < 33.01     |
|  |                 |                         | 64      | 32        | 22.16              | 22.94      | < 33.01     |
|  |                 |                         | 128     | 0         | 22.10              | 22.88      | < 33.01     |
| 518598   | 2592.99         | 50                      | 1       | 0         | 21.68              | 22.46      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.26              | 23.04      | < 33.01     |
|  |                 |                         | 64      | 32        | 22.08              | 22.86      | < 33.01     |
|  |                 |                         | 128     | 0         | 22.01              | 22.79      | < 33.01     |
| 532998   | 2664.99         | 50                      | 1       | 0         | 21.40              | 22.18      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.90              | 22.68      | < 33.01     |
|  |                 |                         | 64      | 32        | 21.62              | 22.40      | < 33.01     |
|  |                 |                         | 128     | 0         | 21.68              | 22.46      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 64QAM  |                 |                         |         |           |                    |            |             |
| 505200   | 2526.0          | 60                      | 1       | 0         | 21.45              | 22.23      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.89              | 22.67      | < 33.01     |
|  |                 |                         | 81      | 40        | 22.04              | 22.82      | < 33.01     |
|  |                 |                         | 162     | 0         | 22.15              | 22.93      | < 33.01     |
| 518598   | 2592.99         | 60                      | 1       | 0         | 21.14              | 21.92      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.98              | 22.76      | < 33.01     |
|  |                 |                         | 81      | 40        | 22.31              | 23.09      | < 33.01     |
|  |                 |                         | 162     | 0         | 22.30              | 23.08      | < 33.01     |
| 531996   | 2659.98         | 60                      | 1       | 0         | 22.28              | 23.06      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.41              | 23.19      | < 33.01     |
|  |                 |                         | 81      | 40        | 22.29              | 23.07      | < 33.01     |
|  |                 |                         | 162     | 0         | 22.11              | 22.89      | < 33.01     |
| 507204   | 2536.02         | 80                      | 1       | 0         | 21.32              | 22.10      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.69              | 22.47      | < 33.01     |
|  |                 |                         | 108     | 54        | 22.19              | 22.97      | < 33.01     |
|  |                 |                         | 216     | 0         | 22.20              | 22.98      | < 33.01     |
| 518598   | 2592.99         | 80                      | 1       | 0         | 21.87              | 22.65      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.21              | 22.99      | < 33.01     |
|  |                 |                         | 108     | 54        | 22.31              | 23.09      | < 33.01     |
|  |                 |                         | 216     | 0         | 21.99              | 22.77      | < 33.01     |
| 529998   | 2649.99         | 80                      | 1       | 0         | 20.98              | 21.76      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.98              | 22.76      | < 33.01     |
|  |                 |                         | 108     | 54        | 22.42              | 23.20      | < 33.01     |
|  |                 |                         | 216     | 0         | 22.46              | 23.24      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 64QAM  |                 |                         |         |           |                    |            |             |
| 509202   | 2546.01         | 100                     | 1       | 0         | 21.36              | 22.14      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.95              | 22.73      | < 33.01     |
|  |                 |                         | 135     | 67        | 22.50              | 23.28      | < 33.01     |
|  |                 |                         | 270     | 0         | 22.42              | 23.20      | < 33.01     |
| 518598   | 2592.99         | 100                     | 1       | 0         | 22.02              | 22.80      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.54              | 23.32      | < 33.01     |
|  |                 |                         | 135     | 67        | 22.52              | 23.30      | < 33.01     |
|  |                 |                         | 270     | 0         | 22.45              | 23.23      | < 33.01     |
| 528000   | 2640.0          | 100                     | 1       | 0         | 21.68              | 22.46      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.87              | 22.65      | < 33.01     |
|  |                 |                         | 135     | 67        | 22.46              | 23.24      | < 33.01     |
|  |                 |                         | 270     | 0         | 22.44              | 23.22      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 256QAM   |                 |                         |         |           |                    |            |             |
| 501204   | 2506.02         | 20                      | 1       | 0         | 20.98              | 21.76      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.01              | 21.79      | < 33.01     |
|  |                 |                         | 25      | 12        | 20.68              | 21.46      | < 33.01     |
|  |                 |                         | 50      | 0         | 20.77              | 21.55      | < 33.01     |
| 518598   | 2592.99         | 20                      | 1       | 0         | 20.28              | 21.06      | < 33.01     |
|  |                 |                         | 1       | 1         | 20.60              | 21.38      | < 33.01     |
|  |                 |                         | 25      | 12        | 20.72              | 21.50      | < 33.01     |
|  |                 |                         | 50      | 0         | 20.74              | 21.52      | < 33.01     |
| 535998   | 2679.99         | 20                      | 1       | 0         | 20.18              | 20.96      | < 33.01     |
|  |                 |                         | 1       | 1         | 20.19              | 20.97      | < 33.01     |
|  |                 |                         | 25      | 12        | 20.13              | 20.91      | < 33.01     |
|  |                 |                         | 50      | 0         | 20.18              | 20.96      | < 33.01     |
| 502200   | 2511.0          | 30                      | 1       | 0         | 20.67              | 21.45      | < 33.01     |
|  |                 |                         | 1       | 1         | 20.61              | 21.39      | < 33.01     |
|  |                 |                         | 36      | 18        | 20.87              | 21.65      | < 33.01     |
|  |                 |                         | 75      | 0         | 20.91              | 21.69      | < 33.01     |
| 518598   | 2592.99         | 30                      | 1       | 0         | 20.47              | 21.25      | < 33.01     |
|  |                 |                         | 1       | 1         | 20.18              | 20.96      | < 33.01     |
|  |                 |                         | 36      | 18        | 20.79              | 21.57      | < 33.01     |
|  |                 |                         | 75      | 0         | 20.78              | 21.56      | < 33.01     |
| 534996   | 2674.98         | 30                      | 1       | 0         | 20.12              | 20.90      | < 33.01     |
|  |                 |                         | 1       | 1         | 20.07              | 20.85      | < 33.01     |
|  |                 |                         | 36      | 18        | 20.11              | 20.89      | < 33.01     |
|  |                 |                         | 75      | 0         | 20.43              | 21.21      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No. | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 256QAM      |                 |                         |         |           |                    |            |             |
| 503202      | 2516.01         | 40                      | 1       | 0         | 20.54              | 21.32      | < 33.01     |
|             |                 |                         | 1       | 1         | 20.62              | 21.40      | < 33.01     |
|             |                 |                         | 50      | 25        | 20.45              | 21.23      | < 33.01     |
|             |                 |                         | 100     | 0         | 20.63              | 21.41      | < 33.01     |
| 518598      | 2592.99         | 40                      | 1       | 0         | 20.66              | 21.44      | < 33.01     |
|             |                 |                         | 1       | 1         | 20.35              | 21.13      | < 33.01     |
|             |                 |                         | 50      | 25        | 20.03              | 20.81      | < 33.01     |
|             |                 |                         | 100     | 0         | 20.01              | 20.79      | < 33.01     |
| 534000      | 2670.0          | 40                      | 1       | 0         | 20.75              | 21.53      | < 33.01     |
|             |                 |                         | 1       | 1         | 20.72              | 21.50      | < 33.01     |
|             |                 |                         | 50      | 25        | 20.21              | 20.99      | < 33.01     |
|             |                 |                         | 100     | 0         | 20.14              | 20.92      | < 33.01     |
| 504204      | 2521.02         | 50                      | 1       | 0         | 20.68              | 21.46      | < 33.01     |
|             |                 |                         | 1       | 1         | 20.20              | 20.98      | < 33.01     |
|             |                 |                         | 64      | 32        | 20.19              | 20.97      | < 33.01     |
|             |                 |                         | 128     | 0         | 20.15              | 20.93      | < 33.01     |
| 518598      | 2592.99         | 50                      | 1       | 0         | 20.29              | 21.07      | < 33.01     |
|             |                 |                         | 1       | 1         | 20.28              | 21.06      | < 33.01     |
|             |                 |                         | 64      | 32        | 20.55              | 21.33      | < 33.01     |
|             |                 |                         | 128     | 0         | 20.53              | 21.31      | < 33.01     |
| 532998      | 2664.99         | 50                      | 1       | 0         | 19.78              | 20.56      | < 33.01     |
|             |                 |                         | 1       | 1         | 20.11              | 20.89      | < 33.01     |
|             |                 |                         | 64      | 32        | 20.10              | 20.88      | < 33.01     |
|             |                 |                         | 128     | 0         | 20.05              | 20.83      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 256QAM   |                 |                         |         |           |                    |            |             |
| 505200   | 2526.0          | 60                      | 1       | 0         | 20.10              | 20.88      | < 33.01     |
|  |                 |                         | 1       | 1         | 20.14              | 20.92      | < 33.01     |
|  |                 |                         | 81      | 40        | 20.38              | 21.16      | < 33.01     |
|  |                 |                         | 162     | 0         | 20.61              | 21.39      | < 33.01     |
| 518598   | 2592.99         | 60                      | 1       | 0         | 20.46              | 21.24      | < 33.01     |
|  |                 |                         | 1       | 1         | 20.56              | 21.34      | < 33.01     |
|  |                 |                         | 81      | 40        | 20.76              | 21.54      | < 33.01     |
|  |                 |                         | 162     | 0         | 20.78              | 21.56      | < 33.01     |
| 531996   | 2659.98         | 60                      | 1       | 0         | 20.06              | 20.84      | < 33.01     |
|  |                 |                         | 1       | 1         | 20.01              | 20.79      | < 33.01     |
|  |                 |                         | 81      | 40        | 20.79              | 21.57      | < 33.01     |
|  |                 |                         | 162     | 0         | 20.97              | 21.75      | < 33.01     |
| 507204   | 2536.02         | 80                      | 1       | 0         | 20.18              | 20.96      | < 33.01     |
|  |                 |                         | 1       | 1         | 20.32              | 21.10      | < 33.01     |
|  |                 |                         | 108     | 54        | 20.68              | 21.46      | < 33.01     |
|  |                 |                         | 216     | 0         | 20.60              | 21.38      | < 33.01     |
| 518598   | 2592.99         | 80                      | 1       | 0         | 20.94              | 21.72      | < 33.01     |
|  |                 |                         | 1       | 1         | 20.98              | 21.76      | < 33.01     |
|  |                 |                         | 108     | 54        | 20.77              | 21.55      | < 33.01     |
|  |                 |                         | 216     | 0         | 20.88              | 21.66      | < 33.01     |
| 529998   | 2649.99         | 80                      | 1       | 0         | 20.03              | 20.81      | < 33.01     |
|  |                 |                         | 1       | 1         | 20.20              | 20.98      | < 33.01     |
|  |                 |                         | 108     | 54        | 20.97              | 21.75      | < 33.01     |
|  |                 |                         | 216     | 0         | 20.90              | 21.68      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 256QAM   |                 |                         |         |           |                    |            |             |
| 509202   | 2546.01         | 100                     | 1       | 0         | 20.50              | 21.28      | < 33.01     |
|  |                 |                         | 1       | 1         | 20.56              | 21.34      | < 33.01     |
|  |                 |                         | 135     | 67        | 20.11              | 20.89      | < 33.01     |
|  |                 |                         | 270     | 0         | 20.93              | 21.71      | < 33.01     |
| 518598   | 2592.99         | 100                     | 1       | 0         | 20.21              | 20.99      | < 33.01     |
|  |                 |                         | 1       | 1         | 20.12              | 20.90      | < 33.01     |
|  |                 |                         | 135     | 67        | 20.93              | 21.71      | < 33.01     |
|  |                 |                         | 270     | 0         | 20.21              | 20.99      | < 33.01     |
| 528000   | 2640.0          | 100                     | 1       | 0         | 20.23              | 21.01      | < 33.01     |
|  |                 |                         | 1       | 1         | 20.54              | 21.32      | < 33.01     |
|  |                 |                         | 135     | 67        | 20.32              | 21.10      | < 33.01     |
|  |                 |                         | 270     | 0         | 20.01              | 20.79      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |



|               |                         |           |            |
|---------------|-------------------------|-----------|------------|
| Product       | 5G Sub-6 GHz M.2 Module | Test Site | WZ-SR6     |
| Test Engineer | Cloud Guo               | Test Date | 2020/10/30 |
| Test Band     | n41_SA_HPUE             |           |            |

| Channel No. | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| PI/2 BPSK   |                 |                         |         |           |                    |            |             |
| 501204      | 2506.02         | 20                      | 1       | 0         | 25.47              | 26.25      | < 33.01     |
|             |                 |                         | 1       | 1         | 26.05              | 26.83      | < 33.01     |
|             |                 |                         | 25      | 12        | 26.08              | 26.86      | < 33.01     |
|             |                 |                         | 50      | 0         | 24.99              | 25.77      | < 33.01     |
| 518598      | 2592.99         | 20                      | 1       | 0         | 25.93              | 26.71      | < 33.01     |
|             |                 |                         | 1       | 1         | 26.23              | 27.01      | < 33.01     |
|             |                 |                         | 25      | 12        | 26.39              | 27.17      | < 33.01     |
|             |                 |                         | 50      | 0         | 25.51              | 26.29      | < 33.01     |
| 535998      | 2679.99         | 20                      | 1       | 0         | 25.40              | 26.18      | < 33.01     |
|             |                 |                         | 1       | 1         | 25.58              | 26.36      | < 33.01     |
|             |                 |                         | 25      | 12        | 25.42              | 26.20      | < 33.01     |
|             |                 |                         | 50      | 0         | 25.52              | 26.30      | < 33.01     |
| 502200      | 2511.0          | 30                      | 1       | 0         | 26.06              | 26.84      | < 33.01     |
|             |                 |                         | 1       | 1         | 25.27              | 26.05      | < 33.01     |
|             |                 |                         | 36      | 18        | 25.31              | 26.09      | < 33.01     |
|             |                 |                         | 75      | 0         | 25.82              | 26.60      | < 33.01     |
| 518598      | 2592.99         | 30                      | 1       | 0         | 25.61              | 26.39      | < 33.01     |
|             |                 |                         | 1       | 1         | 25.01              | 25.79      | < 33.01     |
|             |                 |                         | 36      | 18        | 24.99              | 25.77      | < 33.01     |
|             |                 |                         | 75      | 0         | 24.94              | 25.72      | < 33.01     |
| 534996      | 2674.98         | 30                      | 1       | 0         | 25.35              | 26.13      | < 33.01     |
|             |                 |                         | 1       | 1         | 24.56              | 25.34      | < 33.01     |
|             |                 |                         | 36      | 18        | 24.85              | 25.63      | < 33.01     |
|             |                 |                         | 75      | 0         | 25.02              | 25.80      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Channel No. | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| PI/2 BPSK   |                 |                         |         |           |                    |            |             |
| 503202      | 2516.01         | 40                      | 1       | 0         | 25.76              | 26.54      | < 33.01     |
|             |                 |                         | 1       | 1         | 26.33              | 27.11      | < 33.01     |
|             |                 |                         | 50      | 25        | 26.20              | 26.98      | < 33.01     |
|             |                 |                         | 100     | 0         | 25.18              | 25.96      | < 33.01     |
| 518598      | 2592.99         | 40                      | 1       | 0         | 25.09              | 25.87      | < 33.01     |
|             |                 |                         | 1       | 1         | 26.08              | 26.86      | < 33.01     |
|             |                 |                         | 50      | 25        | 26.35              | 27.13      | < 33.01     |
|             |                 |                         | 100     | 0         | 25.63              | 26.41      | < 33.01     |
| 534000      | 2670.0          | 40                      | 1       | 0         | 25.03              | 25.81      | < 33.01     |
|             |                 |                         | 1       | 1         | 26.35              | 27.13      | < 33.01     |
|             |                 |                         | 50      | 25        | 25.60              | 26.38      | < 33.01     |
|             |                 |                         | 100     | 0         | 25.01              | 25.79      | < 33.01     |
| 504204      | 2521.02         | 50                      | 1       | 0         | 24.85              | 25.63      | < 33.01     |
|             |                 |                         | 1       | 1         | 25.34              | 26.12      | < 33.01     |
|             |                 |                         | 64      | 32        | 25.33              | 26.11      | < 33.01     |
|             |                 |                         | 128     | 0         | 24.85              | 25.63      | < 33.01     |
| 518598      | 2592.99         | 50                      | 1       | 0         | 24.28              | 25.06      | < 33.01     |
|             |                 |                         | 1       | 1         | 24.64              | 25.42      | < 33.01     |
|             |                 |                         | 64      | 32        | 24.66              | 25.44      | < 33.01     |
|             |                 |                         | 128     | 0         | 24.78              | 25.56      | < 33.01     |
| 532998      | 2664.99         | 50                      | 1       | 0         | 24.64              | 25.42      | < 33.01     |
|             |                 |                         | 1       | 1         | 25.33              | 26.11      | < 33.01     |
|             |                 |                         | 64      | 32        | 24.12              | 24.90      | < 33.01     |
|             |                 |                         | 128     | 0         | 24.22              | 25.00      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| PI/2 BPSK  |                 |                         |         |           |                    |            |             |
| 505200   | 2526.0          | 60                      | 1       | 0         | 25.35              | 26.13      | < 33.01     |
|  |                 |                         | 1       | 1         | 25.89              | 26.67      | < 33.01     |
|  |                 |                         | 81      | 40        | 25.96              | 26.74      | < 33.01     |
|  |                 |                         | 162     | 0         | 24.96              | 25.74      | < 33.01     |
| 518598   | 2592.99         | 60                      | 1       | 0         | 25.71              | 26.49      | < 33.01     |
|  |                 |                         | 1       | 1         | 26.22              | 27.00      | < 33.01     |
|  |                 |                         | 81      | 40        | 26.45              | 27.23      | < 33.01     |
|  |                 |                         | 162     | 0         | 25.44              | 26.22      | < 33.01     |
| 531996   | 2659.98         | 60                      | 1       | 0         | 25.76              | 26.54      | < 33.01     |
|  |                 |                         | 1       | 1         | 26.26              | 27.04      | < 33.01     |
|  |                 |                         | 81      | 40        | 25.96              | 26.74      | < 33.01     |
|  |                 |                         | 162     | 0         | 25.01              | 25.79      | < 33.01     |
| 507204   | 2536.02         | 80                      | 1       | 0         | 25.44              | 26.22      | < 33.01     |
|  |                 |                         | 1       | 1         | 25.97              | 26.75      | < 33.01     |
|  |                 |                         | 108     | 54        | 25.95              | 26.73      | < 33.01     |
|  |                 |                         | 216     | 0         | 24.98              | 25.76      | < 33.01     |
| 518598   | 2592.99         | 80                      | 1       | 0         | 25.79              | 26.57      | < 33.01     |
|  |                 |                         | 1       | 1         | 26.23              | 27.01      | < 33.01     |
|  |                 |                         | 108     | 54        | 26.40              | 27.18      | < 33.01     |
|  |                 |                         | 216     | 0         | 25.42              | 26.20      | < 33.01     |
| 529998   | 2649.99         | 80                      | 1       | 0         | 25.15              | 25.93      | < 33.01     |
|  |                 |                         | 1       | 1         | 26.59              | 27.37      | < 33.01     |
|  |                 |                         | 108     | 54        | 26.30              | 27.08      | < 33.01     |
|  |                 |                         | 216     | 0         | 25.38              | 26.16      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| PI/2 BPSK  |                 |                         |         |           |                    |            |             |
| 509202   | 2546.01         | 100                     | 1       | 0         | 25.34              | 26.12      | < 33.01     |
|  |                 |                         | 1       | 1         | 25.99              | 26.77      | < 33.01     |
|  |                 |                         | 135     | 67        | 26.11              | 26.89      | < 33.01     |
|  |                 |                         | 270     | 0         | 25.14              | 25.92      | < 33.01     |
| 518598   | 2592.99         | 100                     | 1       | 0         | 25.79              | 26.57      | < 33.01     |
|  |                 |                         | 1       | 1         | 26.40              | 27.18      | < 33.01     |
|  |                 |                         | 135     | 67        | 26.49              | 27.27      | < 33.01     |
|  |                 |                         | 270     | 0         | 25.50              | 26.28      | < 33.01     |
| 528000   | 2640.0          | 100                     | 1       | 0         | 25.92              | 26.70      | < 33.01     |
|  |                 |                         | 1       | 1         | 26.43              | 27.21      | < 33.01     |
|  |                 |                         | 135     | 67        | 26.36              | 27.14      | < 33.01     |
|  |                 |                         | 270     | 0         | 25.40              | 26.18      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| QPSK   |                 |                         |         |           |                    |            |             |
| 501204   | 2506.02         | 20                      | 1       | 0         | 25.52              | 26.30      | < 33.01     |
|  |                 |                         | 1       | 1         | 26.02              | 26.80      | < 33.01     |
|  |                 |                         | 12      | 6         | 25.99              | 26.77      | < 33.01     |
|  |                 |                         | 25      | 0         | 25.01              | 25.79      | < 33.01     |
| 518598   | 2592.99         | 20                      | 1       | 0         | 25.97              | 26.75      | < 33.01     |
|  |                 |                         | 1       | 1         | 26.26              | 27.04      | < 33.01     |
|  |                 |                         | 12      | 6         | 26.44              | 27.22      | < 33.01     |
|  |                 |                         | 25      | 0         | 25.48              | 26.26      | < 33.01     |
| 535998   | 2679.99         | 20                      | 1       | 0         | 25.08              | 25.86      | < 33.01     |
|  |                 |                         | 1       | 1         | 25.29              | 26.07      | < 33.01     |
|  |                 |                         | 25      | 12        | 25.32              | 26.10      | < 33.01     |
|  |                 |                         | 50      | 0         | 24.75              | 25.53      | < 33.01     |
| 502200   | 2511.0          | 30                      | 1       | 0         | 25.05              | 25.83      | < 33.01     |
|  |                 |                         | 1       | 1         | 25.18              | 25.96      | < 33.01     |
|  |                 |                         | 25      | 12        | 25.30              | 26.08      | < 33.01     |
|  |                 |                         | 50      | 0         | 25.39              | 26.17      | < 33.01     |
| 518598   | 2592.99         | 30                      | 1       | 0         | 24.53              | 25.31      | < 33.01     |
|  |                 |                         | 1       | 1         | 24.95              | 25.73      | < 33.01     |
|  |                 |                         | 25      | 12        | 24.78              | 25.56      | < 33.01     |
|  |                 |                         | 50      | 0         | 24.92              | 25.70      | < 33.01     |
| 534996   | 2674.98         | 30                      | 1       | 0         | 24.85              | 25.63      | < 33.01     |
|  |                 |                         | 1       | 1         | 24.66              | 25.44      | < 33.01     |
|  |                 |                         | 25      | 12        | 24.30              | 25.08      | < 33.01     |
|  |                 |                         | 50      | 0         | 24.12              | 24.90      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No. | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| QPSK        |                 |                         |         |           |                    |            |             |
| 503202      | 2516.01         | 40                      | 1       | 0         | 25.83              | 26.61      | < 33.01     |
|             |                 |                         | 1       | 1         | 26.06              | 26.84      | < 33.01     |
|             |                 |                         | 50      | 25        | 26.13              | 26.91      | < 33.01     |
|             |                 |                         | 100     | 0         | 25.16              | 25.94      | < 33.01     |
| 518598      | 2592.99         | 40                      | 1       | 0         | 25.68              | 26.46      | < 33.01     |
|             |                 |                         | 1       | 1         | 25.80              | 26.58      | < 33.01     |
|             |                 |                         | 50      | 25        | 26.35              | 27.13      | < 33.01     |
|             |                 |                         | 100     | 0         | 25.59              | 26.37      | < 33.01     |
| 534000      | 2670.0          | 40                      | 1       | 0         | 25.85              | 26.63      | < 33.01     |
|             |                 |                         | 1       | 1         | 26.06              | 26.84      | < 33.01     |
|             |                 |                         | 50      | 25        | 25.70              | 26.48      | < 33.01     |
|             |                 |                         | 100     | 0         | 25.00              | 25.78      | < 33.01     |
| 504204      | 2521.02         | 50                      | 1       | 0         | 24.89              | 25.67      | < 33.01     |
|             |                 |                         | 1       | 1         | 25.07              | 25.85      | < 33.01     |
|             |                 |                         | 64      | 32        | 25.25              | 26.03      | < 33.01     |
|             |                 |                         | 128     | 0         | 24.02              | 24.80      | < 33.01     |
| 518598      | 2592.99         | 50                      | 1       | 0         | 24.64              | 25.42      | < 33.01     |
|             |                 |                         | 1       | 1         | 24.78              | 25.56      | < 33.01     |
|             |                 |                         | 64      | 32        | 25.01              | 25.79      | < 33.01     |
|             |                 |                         | 128     | 0         | 24.65              | 25.43      | < 33.01     |
| 532998      | 2664.99         | 50                      | 1       | 0         | 25.13              | 25.91      | < 33.01     |
|             |                 |                         | 1       | 1         | 25.31              | 26.09      | < 33.01     |
|             |                 |                         | 64      | 32        | 25.14              | 25.92      | < 33.01     |
|             |                 |                         | 128     | 0         | 24.03              | 24.81      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| QPSK   |                 |                         |         |           |                    |            |             |
| 505200   | 2526.0          | 60                      | 1       | 0         | 25.33              | 26.11      | < 33.01     |
|  |                 |                         | 1       | 1         | 25.79              | 26.57      | < 33.01     |
|  |                 |                         | 81      | 40        | 26.00              | 26.78      | < 33.01     |
|  |                 |                         | 162     | 0         | 24.88              | 25.66      | < 33.01     |
| 518598   | 2592.99         | 60                      | 1       | 0         | 25.65              | 26.43      | < 33.01     |
|  |                 |                         | 1       | 1         | 25.96              | 26.74      | < 33.01     |
|  |                 |                         | 81      | 40        | 26.38              | 27.16      | < 33.01     |
|  |                 |                         | 162     | 0         | 25.46              | 26.24      | < 33.01     |
| 531996   | 2659.98         | 60                      | 1       | 0         | 25.70              | 26.48      | < 33.01     |
|  |                 |                         | 1       | 1         | 26.12              | 26.90      | < 33.01     |
|  |                 |                         | 81      | 40        | 25.97              | 26.75      | < 33.01     |
|  |                 |                         | 162     | 0         | 24.99              | 25.77      | < 33.01     |
| 507204   | 2536.02         | 80                      | 1       | 0         | 22.40              | 23.18      | < 33.01     |
|  |                 |                         | 1       | 1         | 25.69              | 26.47      | < 33.01     |
|  |                 |                         | 108     | 54        | 26.04              | 26.82      | < 33.01     |
|  |                 |                         | 216     | 0         | 25.00              | 25.78      | < 33.01     |
| 518598   | 2592.99         | 80                      | 1       | 0         | 22.67              | 23.45      | < 33.01     |
|  |                 |                         | 1       | 1         | 26.03              | 26.81      | < 33.01     |
|  |                 |                         | 108     | 54        | 26.48              | 27.26      | < 33.01     |
|  |                 |                         | 216     | 0         | 25.33              | 26.11      | < 33.01     |
| 529998   | 2649.99         | 80                      | 1       | 0         | 22.95              | 23.73      | < 33.01     |
|  |                 |                         | 1       | 1         | 26.36              | 27.14      | < 33.01     |
|  |                 |                         | 108     | 54        | 26.30              | 27.08      | < 33.01     |
|  |                 |                         | 216     | 0         | 25.33              | 26.11      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| QPSK   |                 |                         |         |           |                    |            |             |
| 509202   | 2546.01         | 100                     | 1       | 0         | 25.27              | 26.05      | < 33.01     |
|  |                 |                         | 1       | 1         | 25.92              | 26.70      | < 33.01     |
|  |                 |                         | 135     | 67        | 26.08              | 26.86      | < 33.01     |
|  |                 |                         | 270     | 0         | 25.11              | 25.89      | < 33.01     |
| 518598   | 2592.99         | 100                     | 1       | 0         | 25.70              | 26.48      | < 33.01     |
|  |                 |                         | 1       | 1         | 26.16              | 26.94      | < 33.01     |
|  |                 |                         | 135     | 67        | 26.53              | 27.31      | < 33.01     |
|  |                 |                         | 270     | 0         | 25.46              | 26.24      | < 33.01     |
| 528000   | 2640.0          | 100                     | 1       | 0         | 25.81              | 26.59      | < 33.01     |
|  |                 |                         | 1       | 1         | 26.12              | 26.90      | < 33.01     |
|  |                 |                         | 135     | 67        | 26.38              | 27.16      | < 33.01     |
|  |                 |                         | 270     | 0         | 25.46              | 26.24      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |



| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 16QAM  |                 |                         |         |           |                    |            |             |
| 501204   | 2506.02         | 20                      | 1       | 0         | 24.42              | 25.20      | < 33.01     |
|  |                 |                         | 1       | 1         | 25.04              | 25.82      | < 33.01     |
|  |                 |                         | 12      | 6         | 24.97              | 25.75      | < 33.01     |
|  |                 |                         | 25      | 0         | 23.87              | 24.65      | < 33.01     |
| 518598   | 2592.99         | 20                      | 1       | 0         | 24.99              | 25.77      | < 33.01     |
|  |                 |                         | 1       | 1         | 25.19              | 25.97      | < 33.01     |
|  |                 |                         | 12      | 6         | 25.41              | 26.19      | < 33.01     |
|  |                 |                         | 25      | 0         | 24.39              | 25.17      | < 33.01     |
| 535998   | 2679.99         | 20                      | 1       | 0         | 24.33              | 25.11      | < 33.01     |
|  |                 |                         | 1       | 1         | 24.32              | 25.10      | < 33.01     |
|  |                 |                         | 25      | 12        | 24.42              | 25.20      | < 33.01     |
|  |                 |                         | 50      | 0         | 23.77              | 24.55      | < 33.01     |
| 502200   | 2511.0          | 30                      | 1       | 0         | 23.98              | 24.76      | < 33.01     |
|  |                 |                         | 1       | 1         | 24.34              | 25.12      | < 33.01     |
|  |                 |                         | 25      | 12        | 24.40              | 25.18      | < 33.01     |
|  |                 |                         | 50      | 0         | 23.44              | 24.22      | < 33.01     |
| 518598   | 2592.99         | 30                      | 1       | 0         | 23.27              | 24.05      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.44              | 24.22      | < 33.01     |
|  |                 |                         | 25      | 12        | 23.79              | 24.57      | < 33.01     |
|  |                 |                         | 50      | 0         | 23.01              | 23.79      | < 33.01     |
| 534996   | 2674.98         | 30                      | 1       | 0         | 23.25              | 24.03      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.35              | 24.13      | < 33.01     |
|  |                 |                         | 25      | 12        | 23.03              | 23.81      | < 33.01     |
|  |                 |                         | 50      | 0         | 22.95              | 23.73      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 16QAM  |                 |                         |         |           |                    |            |             |
| 503202   | 2516.01         | 40                      | 1       | 0         | 23.84              | 24.62      | < 33.01     |
|  |                 |                         | 1       | 1         | 24.06              | 24.84      | < 33.01     |
|  |                 |                         | 50      | 25        | 25.13              | 25.91      | < 33.01     |
|  |                 |                         | 100     | 0         | 24.22              | 25.00      | < 33.01     |
| 518598   | 2592.99         | 40                      | 1       | 0         | 24.01              | 24.79      | < 33.01     |
|  |                 |                         | 1       | 1         | 24.83              | 25.61      | < 33.01     |
|  |                 |                         | 50      | 25        | 25.32              | 26.10      | < 33.01     |
|  |                 |                         | 100     | 0         | 24.66              | 25.44      | < 33.01     |
| 534000   | 2670.0          | 40                      | 1       | 0         | 24.84              | 25.62      | < 33.01     |
|  |                 |                         | 1       | 1         | 25.11              | 25.89      | < 33.01     |
|  |                 |                         | 50      | 25        | 24.67              | 25.45      | < 33.01     |
|  |                 |                         | 100     | 0         | 24.06              | 24.84      | < 33.01     |
| 504204   | 2521.02         | 50                      | 1       | 0         | 24.01              | 24.79      | < 33.01     |
|  |                 |                         | 1       | 1         | 24.56              | 25.34      | < 33.01     |
|  |                 |                         | 64      | 32        | 24.03              | 24.81      | < 33.01     |
|  |                 |                         | 128     | 0         | 24.00              | 24.78      | < 33.01     |
| 518598   | 2592.99         | 50                      | 1       | 0         | 23.33              | 24.11      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.78              | 24.56      | < 33.01     |
|  |                 |                         | 64      | 32        | 23.85              | 24.63      | < 33.01     |
|  |                 |                         | 128     | 0         | 23.73              | 24.51      | < 33.01     |
| 532998   | 2664.99         | 50                      | 1       | 0         | 23.74              | 24.52      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.76              | 24.54      | < 33.01     |
|  |                 |                         | 64      | 32        | 23.37              | 24.15      | < 33.01     |
|  |                 |                         | 128     | 0         | 23.81              | 24.59      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 16QAM  |                 |                         |         |           |                    |            |             |
| 505200   | 2526.0          | 60                      | 1       | 0         | 24.40              | 25.18      | < 33.01     |
|  |                 |                         | 1       | 1         | 24.99              | 25.77      | < 33.01     |
|  |                 |                         | 81      | 40        | 24.98              | 25.76      | < 33.01     |
|  |                 |                         | 162     | 0         | 23.95              | 24.73      | < 33.01     |
| 518598   | 2592.99         | 60                      | 1       | 0         | 24.61              | 25.39      | < 33.01     |
|  |                 |                         | 1       | 1         | 25.03              | 25.81      | < 33.01     |
|  |                 |                         | 81      | 40        | 25.36              | 26.14      | < 33.01     |
|  |                 |                         | 162     | 0         | 24.43              | 25.21      | < 33.01     |
| 531996   | 2659.98         | 60                      | 1       | 0         | 24.83              | 25.61      | < 33.01     |
|  |                 |                         | 1       | 1         | 25.41              | 26.19      | < 33.01     |
|  |                 |                         | 81      | 40        | 24.89              | 25.67      | < 33.01     |
|  |                 |                         | 162     | 0         | 24.06              | 24.84      | < 33.01     |
| 507204   | 2536.02         | 80                      | 1       | 0         | 24.46              | 25.24      | < 33.01     |
|  |                 |                         | 1       | 1         | 24.84              | 25.62      | < 33.01     |
|  |                 |                         | 108     | 54        | 25.08              | 25.86      | < 33.01     |
|  |                 |                         | 216     | 0         | 24.08              | 24.86      | < 33.01     |
| 518598   | 2592.99         | 80                      | 1       | 0         | 24.74              | 25.52      | < 33.01     |
|  |                 |                         | 1       | 1         | 25.09              | 25.87      | < 33.01     |
|  |                 |                         | 108     | 54        | 25.52              | 26.30      | < 33.01     |
|  |                 |                         | 216     | 0         | 24.45              | 25.23      | < 33.01     |
| 529998   | 2649.99         | 80                      | 1       | 0         | 24.98              | 25.76      | < 33.01     |
|  |                 |                         | 1       | 1         | 25.47              | 26.25      | < 33.01     |
|  |                 |                         | 108     | 54        | 25.33              | 26.11      | < 33.01     |
|  |                 |                         | 216     | 0         | 24.52              | 25.30      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 16QAM  |                 |                         |         |           |                    |            |             |
| 509202   | 2546.01         | 100                     | 1       | 0         | 24.30              | 25.08      | < 33.01     |
|  |                 |                         | 1       | 1         | 25.12              | 25.90      | < 33.01     |
|  |                 |                         | 135     | 67        | 25.09              | 25.87      | < 33.01     |
|  |                 |                         | 270     | 0         | 24.10              | 24.88      | < 33.01     |
| 518598   | 2592.99         | 100                     | 1       | 0         | 24.76              | 25.54      | < 33.01     |
|  |                 |                         | 1       | 1         | 25.22              | 26.00      | < 33.01     |
|  |                 |                         | 135     | 67        | 25.48              | 26.26      | < 33.01     |
|  |                 |                         | 270     | 0         | 24.49              | 25.27      | < 33.01     |
| 528000   | 2640.0          | 100                     | 1       | 0         | 24.85              | 25.63      | < 33.01     |
|  |                 |                         | 1       | 1         | 25.21              | 25.99      | < 33.01     |
|  |                 |                         | 135     | 67        | 25.33              | 26.11      | < 33.01     |
|  |                 |                         | 270     | 0         | 24.55              | 25.33      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 64QAM  |                 |                         |         |           |                    |            |             |
| 501204   | 2506.02         | 20                      | 1       | 0         | 22.23              | 23.01      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.21              | 23.99      | < 33.01     |
|  |                 |                         | 12      | 6         | 23.42              | 24.20      | < 33.01     |
|  |                 |                         | 25      | 0         | 23.47              | 24.25      | < 33.01     |
| 518598   | 2592.99         | 20                      | 1       | 0         | 22.65              | 23.43      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.67              | 24.45      | < 33.01     |
|  |                 |                         | 12      | 6         | 23.79              | 24.57      | < 33.01     |
|  |                 |                         | 25      | 0         | 23.63              | 24.41      | < 33.01     |
| 535998   | 2679.99         | 20                      | 1       | 0         | 23.31              | 24.09      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.12              | 23.90      | < 33.01     |
|  |                 |                         | 25      | 12        | 23.04              | 23.82      | < 33.01     |
|  |                 |                         | 50      | 0         | 23.16              | 23.94      | < 33.01     |
| 502200   | 2511.0          | 30                      | 1       | 0         | 23.06              | 23.84      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.20              | 23.98      | < 33.01     |
|  |                 |                         | 25      | 12        | 23.68              | 24.46      | < 33.01     |
|  |                 |                         | 50      | 0         | 22.93              | 23.71      | < 33.01     |
| 518598   | 2592.99         | 30                      | 1       | 0         | 22.62              | 23.40      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.13              | 23.91      | < 33.01     |
|  |                 |                         | 25      | 12        | 23.35              | 24.13      | < 33.01     |
|  |                 |                         | 50      | 0         | 23.45              | 24.23      | < 33.01     |
| 534996   | 2674.98         | 30                      | 1       | 0         | 22.51              | 23.29      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.51              | 24.29      | < 33.01     |
|  |                 |                         | 25      | 12        | 22.62              | 23.40      | < 33.01     |
|  |                 |                         | 50      | 0         | 22.82              | 23.60      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 64QAM  |                 |                         |         |           |                    |            |             |
| 503202   | 2516.01         | 40                      | 1       | 0         | 22.66              | 23.44      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.22              | 24.00      | < 33.01     |
|  |                 |                         | 50      | 25        | 23.74              | 24.52      | < 33.01     |
|  |                 |                         | 100     | 0         | 23.75              | 24.53      | < 33.01     |
| 518598   | 2592.99         | 40                      | 1       | 0         | 22.81              | 23.59      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.76              | 24.54      | < 33.01     |
|  |                 |                         | 50      | 25        | 23.92              | 24.70      | < 33.01     |
|  |                 |                         | 100     | 0         | 24.15              | 24.93      | < 33.01     |
| 534000   | 2670.0          | 40                      | 1       | 0         | 22.72              | 23.50      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.58              | 24.36      | < 33.01     |
|  |                 |                         | 50      | 25        | 23.36              | 24.14      | < 33.01     |
|  |                 |                         | 100     | 0         | 23.51              | 24.29      | < 33.01     |
| 504204   | 2521.02         | 50                      | 1       | 0         | 22.90              | 23.68      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.34              | 24.12      | < 33.01     |
|  |                 |                         | 64      | 32        | 22.51              | 23.29      | < 33.01     |
|  |                 |                         | 128     | 0         | 22.43              | 23.21      | < 33.01     |
| 518598   | 2592.99         | 50                      | 1       | 0         | 22.34              | 23.12      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.44              | 23.22      | < 33.01     |
|  |                 |                         | 64      | 32        | 23.01              | 23.79      | < 33.01     |
|  |                 |                         | 128     | 0         | 22.31              | 23.09      | < 33.01     |
| 532998   | 2664.99         | 50                      | 1       | 0         | 22.24              | 23.02      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.28              | 23.06      | < 33.01     |
|  |                 |                         | 64      | 32        | 22.21              | 22.99      | < 33.01     |
|  |                 |                         | 128     | 0         | 22.32              | 23.10      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 64QAM  |                 |                         |         |           |                    |            |             |
| 505200   | 2526.0          | 60                      | 1       | 0         | 23.08              | 23.86      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.12              | 23.90      | < 33.01     |
|  |                 |                         | 81      | 40        | 23.53              | 24.31      | < 33.01     |
|  |                 |                         | 162     | 0         | 23.47              | 24.25      | < 33.01     |
| 518598   | 2592.99         | 60                      | 1       | 0         | 22.93              | 23.71      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.37              | 24.15      | < 33.01     |
|  |                 |                         | 81      | 40        | 23.94              | 24.72      | < 33.01     |
|  |                 |                         | 162     | 0         | 23.97              | 24.75      | < 33.01     |
| 531996   | 2659.98         | 60                      | 1       | 0         | 22.85              | 23.63      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.55              | 24.33      | < 33.01     |
|  |                 |                         | 81      | 40        | 23.48              | 24.26      | < 33.01     |
|  |                 |                         | 162     | 0         | 23.56              | 24.34      | < 33.01     |
| 507204   | 2536.02         | 80                      | 1       | 0         | 23.27              | 24.05      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.21              | 23.99      | < 33.01     |
|  |                 |                         | 108     | 54        | 23.56              | 24.34      | < 33.01     |
|  |                 |                         | 216     | 0         | 23.64              | 24.42      | < 33.01     |
| 518598   | 2592.99         | 80                      | 1       | 0         | 23.56              | 24.34      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.56              | 24.34      | < 33.01     |
|  |                 |                         | 108     | 54        | 24.00              | 24.78      | < 33.01     |
|  |                 |                         | 216     | 0         | 23.92              | 24.70      | < 33.01     |
| 529998   | 2649.99         | 80                      | 1       | 0         | 23.81              | 24.59      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.88              | 24.66      | < 33.01     |
|  |                 |                         | 108     | 54        | 23.81              | 24.59      | < 33.01     |
|  |                 |                         | 216     | 0         | 23.84              | 24.62      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 64QAM  |                 |                         |         |           |                    |            |             |
| 509202   | 2546.01         | 100                     | 1       | 0         | 23.10              | 23.88      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.53              | 24.31      | < 33.01     |
|  |                 |                         | 135     | 67        | 23.63              | 24.41      | < 33.01     |
|  |                 |                         | 270     | 0         | 23.73              | 24.51      | < 33.01     |
| 518598   | 2592.99         | 100                     | 1       | 0         | 22.51              | 23.29      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.14              | 23.92      | < 33.01     |
|  |                 |                         | 135     | 67        | 24.01              | 24.79      | < 33.01     |
|  |                 |                         | 270     | 0         | 24.00              | 24.78      | < 33.01     |
| 528000   | 2640.0          | 100                     | 1       | 0         | 23.60              | 24.38      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.78              | 24.56      | < 33.01     |
|  |                 |                         | 135     | 67        | 23.83              | 24.61      | < 33.01     |
|  |                 |                         | 270     | 0         | 23.88              | 24.66      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |



| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 256QAM   |                 |                         |         |           |                    |            |             |
| 501204   | 2506.02         | 20                      | 1       | 0         | 21.28              | 22.06      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.25              | 22.03      | < 33.01     |
|  |                 |                         | 12      | 6         | 21.38              | 22.16      | < 33.01     |
|  |                 |                         | 25      | 0         | 21.43              | 22.21      | < 33.01     |
| 518598   | 2592.99         | 20                      | 1       | 0         | 21.64              | 22.42      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.56              | 22.34      | < 33.01     |
|  |                 |                         | 12      | 6         | 21.92              | 22.70      | < 33.01     |
|  |                 |                         | 25      | 0         | 22.02              | 22.80      | < 33.01     |
| 535998   | 2679.99         | 20                      | 1       | 0         | 21.28              | 22.06      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.30              | 22.08      | < 33.01     |
|  |                 |                         | 25      | 12        | 21.28              | 22.06      | < 33.01     |
|  |                 |                         | 50      | 0         | 21.35              | 22.13      | < 33.01     |
| 502200   | 2511.0          | 30                      | 1       | 0         | 20.25              | 21.03      | < 33.01     |
|  |                 |                         | 1       | 1         | 20.38              | 21.16      | < 33.01     |
|  |                 |                         | 25      | 12        | 20.91              | 21.69      | < 33.01     |
|  |                 |                         | 50      | 0         | 20.34              | 21.12      | < 33.01     |
| 518598   | 2592.99         | 30                      | 1       | 0         | 20.36              | 21.14      | < 33.01     |
|  |                 |                         | 1       | 1         | 20.56              | 21.34      | < 33.01     |
|  |                 |                         | 25      | 12        | 20.47              | 21.25      | < 33.01     |
|  |                 |                         | 50      | 0         | 20.49              | 21.27      | < 33.01     |
| 534996   | 2674.98         | 30                      | 1       | 0         | 20.32              | 21.10      | < 33.01     |
|  |                 |                         | 1       | 1         | 20.44              | 21.22      | < 33.01     |
|  |                 |                         | 25      | 12        | 20.51              | 21.29      | < 33.01     |
|  |                 |                         | 50      | 0         | 20.43              | 21.21      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 256QAM   |                 |                         |         |           |                    |            |             |
| 503202   | 2516.01         | 40                      | 1       | 0         | 21.04              | 21.82      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.07              | 21.85      | < 33.01     |
|  |                 |                         | 50      | 25        | 21.66              | 22.44      | < 33.01     |
|  |                 |                         | 100     | 0         | 21.71              | 22.49      | < 33.01     |
| 518598   | 2592.99         | 40                      | 1       | 0         | 21.95              | 22.73      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.86              | 22.64      | < 33.01     |
|  |                 |                         | 50      | 25        | 21.28              | 22.06      | < 33.01     |
|  |                 |                         | 100     | 0         | 21.35              | 22.13      | < 33.01     |
| 534000   | 2670.0          | 40                      | 1       | 0         | 21.70              | 22.48      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.66              | 22.44      | < 33.01     |
|  |                 |                         | 50      | 25        | 21.75              | 22.53      | < 33.01     |
|  |                 |                         | 100     | 0         | 21.85              | 22.63      | < 33.01     |
| 504204   | 2521.02         | 50                      | 1       | 0         | 20.14              | 20.92      | < 33.01     |
|  |                 |                         | 1       | 1         | 20.95              | 21.73      | < 33.01     |
|  |                 |                         | 64      | 32        | 20.74              | 21.52      | < 33.01     |
|  |                 |                         | 128     | 0         | 20.55              | 21.33      | < 33.01     |
| 518598   | 2592.99         | 50                      | 1       | 0         | 19.95              | 20.73      | < 33.01     |
|  |                 |                         | 1       | 1         | 20.10              | 20.88      | < 33.01     |
|  |                 |                         | 64      | 32        | 20.33              | 21.11      | < 33.01     |
|  |                 |                         | 128     | 0         | 20.28              | 21.06      | < 33.01     |
| 532998   | 2664.99         | 50                      | 1       | 0         | 19.85              | 20.63      | < 33.01     |
|  |                 |                         | 1       | 1         | 20.01              | 20.79      | < 33.01     |
|  |                 |                         | 64      | 32        | 20.28              | 21.06      | < 33.01     |
|  |                 |                         | 128     | 0         | 20.32              | 21.10      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 256QAM   |                 |                         |         |           |                    |            |             |
| 505200   | 2526.0          | 60                      | 1       | 0         | 21.11              | 21.89      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.07              | 21.85      | < 33.01     |
|  |                 |                         | 81      | 40        | 21.48              | 22.26      | < 33.01     |
|  |                 |                         | 162     | 0         | 21.56              | 22.34      | < 33.01     |
| 518598   | 2592.99         | 60                      | 1       | 0         | 21.33              | 22.11      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.45              | 22.23      | < 33.01     |
|  |                 |                         | 81      | 40        | 21.01              | 21.79      | < 33.01     |
|  |                 |                         | 162     | 0         | 21.01              | 21.79      | < 33.01     |
| 531996   | 2659.98         | 60                      | 1       | 0         | 21.45              | 22.23      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.45              | 22.23      | < 33.01     |
|  |                 |                         | 81      | 40        | 21.46              | 22.24      | < 33.01     |
|  |                 |                         | 162     | 0         | 21.58              | 22.36      | < 33.01     |
| 507204   | 2536.02         | 80                      | 1       | 0         | 21.17              | 21.95      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.16              | 21.94      | < 33.01     |
|  |                 |                         | 108     | 54        | 21.57              | 22.35      | < 33.01     |
|  |                 |                         | 216     | 0         | 21.37              | 22.15      | < 33.01     |
| 518598   | 2592.99         | 80                      | 1       | 0         | 21.43              | 22.21      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.48              | 22.26      | < 33.01     |
|  |                 |                         | 108     | 54        | 21.02              | 21.80      | < 33.01     |
|  |                 |                         | 216     | 0         | 21.97              | 22.75      | < 33.01     |
| 529998   | 2649.99         | 80                      | 1       | 0         | 21.83              | 22.61      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.87              | 22.65      | < 33.01     |
|  |                 |                         | 108     | 54        | 21.89              | 22.67      | < 33.01     |
|  |                 |                         | 216     | 0         | 21.92              | 22.70      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 256QAM   |                 |                         |         |           |                    |            |             |
| 509202   | 2546.01         | 100                     | 1       | 0         | 21.00              | 21.78      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.23              | 22.01      | < 33.01     |
|  |                 |                         | 135     | 67        | 21.63              | 22.41      | < 33.01     |
|  |                 |                         | 270     | 0         | 21.52              | 22.30      | < 33.01     |
| 518598   | 2592.99         | 100                     | 1       | 0         | 21.48              | 22.26      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.67              | 22.45      | < 33.01     |
|  |                 |                         | 135     | 67        | 21.00              | 21.78      | < 33.01     |
|  |                 |                         | 270     | 0         | 21.94              | 22.72      | < 33.01     |
| 528000   | 2640.0          | 100                     | 1       | 0         | 21.57              | 22.35      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.76              | 22.54      | < 33.01     |
|  |                 |                         | 135     | 67        | 21.87              | 22.65      | < 33.01     |
|  |                 |                         | 270     | 0         | 21.96              | 22.74      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

|               |                         |           |            |
|---------------|-------------------------|-----------|------------|
| Product       | 5G Sub-6 GHz M.2 Module | Test Site | WZ-SR6     |
| Test Engineer | Cloud Guo               | Test Date | 2020/10/16 |
| Test Band     | n77_SA                  |           |            |

| Channel No. | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| PI/2 BPSK   |                 |                         |         |           |                    |            |             |
| 750000      | 3750.0          | 100                     | 1       | 0         | 22.76              | 18.65      | < 30.00     |
|             |                 |                         | 1       | 1         | 22.47              | 18.36      | < 30.00     |
|             |                 |                         | 135     | 67        | 23.22              | 19.11      | < 30.00     |
|             |                 |                         | 270     | 0         | 23.05              | 18.94      | < 30.00     |
| 772998      | 3864.99         | 100                     | 1       | 0         | 22.70              | 18.59      | < 30.00     |
|             |                 |                         | 1       | 1         | 23.40              | 19.29      | < 30.00     |
|             |                 |                         | 135     | 67        | 23.60              | 19.49      | < 30.00     |
|             |                 |                         | 270     | 0         | 23.51              | 19.40      | < 30.00     |
| 786000      | 3930.0          | 100                     | 1       | 0         | 22.93              | 18.82      | < 30.00     |
|             |                 |                         | 1       | 1         | 23.64              | 19.53      | < 30.00     |
|             |                 |                         | 135     | 67        | 23.29              | 19.18      | < 30.00     |
|             |                 |                         | 270     | 0         | 23.38              | 19.27      | < 30.00     |
| QPSK        |                 |                         |         |           |                    |            |             |
| 750000      | 3750.0          | 100                     | 1       | 0         | 22.76              | 18.65      | < 30.00     |
|             |                 |                         | 1       | 1         | 22.46              | 18.35      | < 30.00     |
|             |                 |                         | 135     | 67        | 23.15              | 19.04      | < 30.00     |
|             |                 |                         | 270     | 0         | 23.03              | 18.92      | < 30.00     |
| 772998      | 3864.99         | 100                     | 1       | 0         | 22.70              | 18.59      | < 30.00     |
|             |                 |                         | 1       | 1         | 23.40              | 19.29      | < 30.00     |
|             |                 |                         | 135     | 67        | 23.59              | 19.48      | < 30.00     |
|             |                 |                         | 270     | 0         | 23.51              | 19.40      | < 30.00     |
| 786000      | 3930.0          | 100                     | 1       | 0         | 22.93              | 18.82      | < 30.00     |
|             |                 |                         | 1       | 1         | 23.48              | 19.37      | < 30.00     |
|             |                 |                         | 135     | 67        | 23.31              | 19.20      | < 30.00     |
|             |                 |                         | 270     | 0         | 23.28              | 19.17      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>16QAM</b>   |                 |                         |         |           |                    |            |             |
| 750000   | 3750.0          | 100                     | 1       | 0         | 22.88              | 18.77      | < 30.00     |
|  |                 |                         | 1       | 1         | 22.60              | 18.49      | < 30.00     |
|  |                 |                         | 135     | 67        | 23.17              | 19.06      | < 30.00     |
|  |                 |                         | 270     | 0         | 23.03              | 18.92      | < 30.00     |
| 772998   | 3864.99         | 100                     | 1       | 0         | 22.92              | 18.81      | < 30.00     |
|  |                 |                         | 1       | 1         | 23.06              | 18.95      | < 30.00     |
|  |                 |                         | 135     | 67        | 23.53              | 19.42      | < 30.00     |
|  |                 |                         | 270     | 0         | 23.56              | 19.45      | < 30.00     |
| 786000   | 3930.0          | 100                     | 1       | 0         | 22.64              | 18.53      | < 30.00     |
|  |                 |                         | 1       | 1         | 23.47              | 19.36      | < 30.00     |
|  |                 |                         | 135     | 67        | 23.28              | 19.17      | < 30.00     |
|  |                 |                         | 270     | 0         | 23.43              | 19.32      | < 30.00     |
| <b>64QAM</b>   |                 |                         |         |           |                    |            |             |
| 750000   | 3750.0          | 100                     | 1       | 0         | 21.41              | 17.30      | < 30.00     |
|  |                 |                         | 1       | 1         | 21.61              | 17.50      | < 30.00     |
|  |                 |                         | 135     | 67        | 22.14              | 18.03      | < 30.00     |
|  |                 |                         | 270     | 0         | 22.04              | 17.93      | < 30.00     |
| 772998   | 3864.99         | 100                     | 1       | 0         | 21.89              | 17.78      | < 30.00     |
|  |                 |                         | 1       | 1         | 21.84              | 17.73      | < 30.00     |
|  |                 |                         | 135     | 67        | 21.60              | 17.49      | < 30.00     |
|  |                 |                         | 270     | 0         | 22.58              | 18.47      | < 30.00     |
| 786000   | 3930.0          | 100                     | 1       | 0         | 22.62              | 18.51      | < 30.00     |
|  |                 |                         | 1       | 1         | 22.29              | 18.18      | < 30.00     |
|  |                 |                         | 135     | 67        | 22.35              | 18.24      | < 30.00     |
|  |                 |                         | 270     | 0         | 22.44              | 18.33      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 256QAM   |                 |                         |         |           |                    |            |             |
| 750000   | 3750.0          | 100                     | 1       | 0         | 20.68              | 16.57      | < 30.00     |
|  |                 |                         | 1       | 1         | 20.87              | 16.76      | < 30.00     |
|  |                 |                         | 135     | 67        | 20.66              | 16.55      | < 30.00     |
|  |                 |                         | 270     | 0         | 20.57              | 16.46      | < 30.00     |
| 772998   | 3864.99         | 100                     | 1       | 0         | 20.56              | 16.45      | < 30.00     |
|  |                 |                         | 1       | 1         | 20.66              | 16.55      | < 30.00     |
|  |                 |                         | 135     | 67        | 21.12              | 17.01      | < 30.00     |
|  |                 |                         | 270     | 0         | 21.03              | 16.92      | < 30.00     |
| 786000   | 3930.0          | 100                     | 1       | 0         | 20.65              | 16.54      | < 30.00     |
|  |                 |                         | 1       | 1         | 20.83              | 16.72      | < 30.00     |
|  |                 |                         | 135     | 67        | 20.79              | 16.68      | < 30.00     |
|  |                 |                         | 270     | 0         | 20.93              | 16.82      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

|               |                         |           |            |
|---------------|-------------------------|-----------|------------|
| Product       | 5G Sub-6 GHz M.2 Module | Test Site | WZ-SR6     |
| Test Engineer | Cloud Guo               | Test Date | 2020/10/16 |
| Test Band     | n77_SA_HPUE             |           |            |

| Channel No. | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| PI/2 BPSK   |                 |                         |         |           |                    |            |             |
| 750000      | 3750.0          | 100                     | 1       | 0         | 24.61              | 20.50      | < 30.00     |
|             |                 |                         | 1       | 1         | 25.26              | 21.15      | < 30.00     |
|             |                 |                         | 135     | 67        | 25.78              | 21.67      | < 30.00     |
|             |                 |                         | 270     | 0         | 24.74              | 20.63      | < 30.00     |
| 772998      | 3864.99         | 100                     | 1       | 0         | 24.18              | 20.07      | < 30.00     |
|             |                 |                         | 1       | 1         | 25.87              | 21.76      | < 30.00     |
|             |                 |                         | 135     | 67        | 26.19              | 22.08      | < 30.00     |
|             |                 |                         | 270     | 0         | 25.17              | 21.06      | < 30.00     |
| 786000      | 3930.0          | 100                     | 1       | 0         | 25.31              | 21.20      | < 30.00     |
|             |                 |                         | 1       | 1         | 26.00              | 21.89      | < 30.00     |
|             |                 |                         | 135     | 67        | 26.07              | 21.96      | < 30.00     |
|             |                 |                         | 270     | 0         | 25.06              | 20.95      | < 30.00     |
| QPSK        |                 |                         |         |           |                    |            |             |
| 750000      | 3750.0          | 100                     | 1       | 0         | 24.52              | 20.41      | < 30.00     |
|             |                 |                         | 1       | 1         | 25.26              | 21.15      | < 30.00     |
|             |                 |                         | 135     | 67        | 25.77              | 21.66      | < 30.00     |
|             |                 |                         | 270     | 0         | 24.80              | 20.69      | < 30.00     |
| 772998      | 3864.99         | 100                     | 1       | 0         | 25.12              | 21.01      | < 30.00     |
|             |                 |                         | 1       | 1         | 25.86              | 21.75      | < 30.00     |
|             |                 |                         | 135     | 67        | 26.16              | 22.05      | < 30.00     |
|             |                 |                         | 270     | 0         | 25.11              | 21.00      | < 30.00     |
| 786000      | 3930.0          | 100                     | 1       | 0         | 25.25              | 21.14      | < 30.00     |
|             |                 |                         | 1       | 1         | 25.94              | 21.83      | < 30.00     |
|             |                 |                         | 135     | 67        | 26.07              | 21.96      | < 30.00     |
|             |                 |                         | 270     | 0         | 25.07              | 20.96      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| <b>16QAM</b>   |                 |                         |         |           |                    |            |             |
| 750000   | 3750.0          | 100                     | 1       | 0         | 23.46              | 19.35      | < 30.00     |
|  |                 |                         | 1       | 1         | 24.26              | 20.15      | < 30.00     |
|  |                 |                         | 135     | 67        | 24.77              | 20.66      | < 30.00     |
|  |                 |                         | 270     | 0         | 23.80              | 19.69      | < 30.00     |
| 772998   | 3864.99         | 100                     | 1       | 0         | 24.17              | 20.06      | < 30.00     |
|  |                 |                         | 1       | 1         | 25.14              | 21.03      | < 30.00     |
|  |                 |                         | 135     | 67        | 25.12              | 21.01      | < 30.00     |
|  |                 |                         | 270     | 0         | 24.05              | 19.94      | < 30.00     |
| 786000   | 3930.0          | 100                     | 1       | 0         | 24.22              | 20.11      | < 30.00     |
|  |                 |                         | 1       | 1         | 25.25              | 21.14      | < 30.00     |
|  |                 |                         | 135     | 67        | 25.05              | 20.94      | < 30.00     |
|  |                 |                         | 270     | 0         | 24.03              | 19.92      | < 30.00     |
| <b>64QAM</b>   |                 |                         |         |           |                    |            |             |
| 750000   | 3750.0          | 100                     | 1       | 0         | 23.21              | 19.10      | < 30.00     |
|  |                 |                         | 1       | 1         | 22.98              | 18.87      | < 30.00     |
|  |                 |                         | 135     | 67        | 23.32              | 19.21      | < 30.00     |
|  |                 |                         | 270     | 0         | 23.32              | 19.21      | < 30.00     |
| 772998   | 3864.99         | 100                     | 1       | 0         | 23.08              | 18.97      | < 30.00     |
|  |                 |                         | 1       | 1         | 23.38              | 19.27      | < 30.00     |
|  |                 |                         | 135     | 67        | 23.55              | 19.44      | < 30.00     |
|  |                 |                         | 270     | 0         | 23.56              | 19.45      | < 30.00     |
| 786000   | 3930.0          | 100                     | 1       | 0         | 23.18              | 19.07      | < 30.00     |
|  |                 |                         | 1       | 1         | 23.55              | 19.44      | < 30.00     |
|  |                 |                         | 135     | 67        | 23.61              | 19.50      | < 30.00     |
|  |                 |                         | 270     | 0         | 23.56              | 19.45      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 256QAM   |                 |                         |         |           |                    |            |             |
| 750000   | 3750.0          | 100                     | 1       | 0         | 21.47              | 17.36      | < 30.00     |
|  |                 |                         | 1       | 1         | 21.95              | 17.84      | < 30.00     |
|  |                 |                         | 135     | 67        | 21.35              | 17.24      | < 30.00     |
|  |                 |                         | 270     | 0         | 21.33              | 17.22      | < 30.00     |
| 772998   | 3864.99         | 100                     | 1       | 0         | 21.00              | 16.89      | < 30.00     |
|  |                 |                         | 1       | 1         | 21.08              | 16.97      | < 30.00     |
|  |                 |                         | 135     | 67        | 21.60              | 17.49      | < 30.00     |
|  |                 |                         | 270     | 0         | 21.49              | 17.38      | < 30.00     |
| 786000   | 3930.0          | 100                     | 1       | 0         | 21.01              | 16.90      | < 30.00     |
|  |                 |                         | 1       | 1         | 21.20              | 17.09      | < 30.00     |
|  |                 |                         | 135     | 67        | 21.48              | 17.37      | < 30.00     |
|  |                 |                         | 270     | 0         | 21.43              | 17.32      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

|               |                         |           |            |
|---------------|-------------------------|-----------|------------|
| Product       | 5G Sub-6 GHz M.2 Module | Test Site | WZ-SR6     |
| Test Engineer | Eric Xu                 | Test Date | 2020/10/18 |
| Test Band     | n2/25_EN-DC             |           |            |

| Channel No. | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| PI/2 BPSK   |                 |                         |         |           |                    |            |             |
| 370500      | 1852.5          | 5                       | 1       | 0         | 22.73              | 22.98      | < 33.01     |
|             |                 |                         | 1       | 1         | 22.65              | 22.90      | < 33.01     |
|             |                 |                         | 12      | 6         | 22.78              | 23.03      | < 33.01     |
|             |                 |                         | 25      | 0         | 22.92              | 23.17      | < 33.01     |
| 376500      | 1882.5          | 5                       | 1       | 0         | 22.86              | 23.11      | < 33.01     |
|             |                 |                         | 1       | 1         | 22.79              | 23.04      | < 33.01     |
|             |                 |                         | 12      | 6         | 22.81              | 23.06      | < 33.01     |
|             |                 |                         | 25      | 0         | 22.89              | 23.14      | < 33.01     |
| 382500      | 1912.5          | 5                       | 1       | 0         | 22.73              | 22.98      | < 33.01     |
|             |                 |                         | 1       | 1         | 22.69              | 22.94      | < 33.01     |
|             |                 |                         | 12      | 6         | 22.71              | 22.96      | < 33.01     |
|             |                 |                         | 25      | 0         | 22.85              | 23.10      | < 33.01     |
| 371000      | 1855.0          | 10                      | 1       | 0         | 22.69              | 22.94      | < 33.01     |
|             |                 |                         | 1       | 1         | 22.72              | 22.97      | < 33.01     |
|             |                 |                         | 25      | 12        | 22.81              | 23.06      | < 33.01     |
|             |                 |                         | 50      | 0         | 22.72              | 22.97      | < 33.01     |
| 376500      | 1882.5          | 10                      | 1       | 0         | 22.69              | 22.94      | < 33.01     |
|             |                 |                         | 1       | 1         | 22.58              | 22.83      | < 33.01     |
|             |                 |                         | 25      | 12        | 22.67              | 22.92      | < 33.01     |
|             |                 |                         | 50      | 0         | 22.73              | 22.98      | < 33.01     |
| 382000      | 1910.0          | 10                      | 1       | 0         | 22.56              | 22.81      | < 33.01     |
|             |                 |                         | 1       | 1         | 22.47              | 22.72      | < 33.01     |
|             |                 |                         | 25      | 12        | 22.35              | 22.60      | < 33.01     |
|             |                 |                         | 50      | 0         | 22.13              | 22.38      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| PI/2 BPSK  |                 |                         |         |           |                    |            |             |
| 371500   | 1857.5          | 15                      | 1       | 0         | 23.02              | 23.27      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.93              | 23.18      | < 33.01     |
|  |                 |                         | 36      | 18        | 22.91              | 23.16      | < 33.01     |
|  |                 |                         | 75      | 0         | 22.95              | 23.20      | < 33.01     |
| 376500   | 1882.5          | 15                      | 1       | 0         | 22.71              | 22.96      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.66              | 22.91      | < 33.01     |
|  |                 |                         | 36      | 18        | 22.89              | 23.14      | < 33.01     |
|  |                 |                         | 75      | 0         | 22.79              | 23.04      | < 33.01     |
| 381500   | 1907.5          | 15                      | 1       | 0         | 22.85              | 23.10      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.69              | 22.94      | < 33.01     |
|  |                 |                         | 36      | 18        | 22.83              | 23.08      | < 33.01     |
|  |                 |                         | 75      | 0         | 22.79              | 23.04      | < 33.01     |
| 372000   | 1860.0          | 20                      | 1       | 0         | 22.56              | 22.81      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.54              | 22.79      | < 33.01     |
|  |                 |                         | 50      | 25        | 22.33              | 22.58      | < 33.01     |
|  |                 |                         | 100     | 0         | 22.61              | 22.86      | < 33.01     |
| 376500   | 1882.5          | 20                      | 1       | 0         | 22.77              | 23.02      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.57              | 22.82      | < 33.01     |
|  |                 |                         | 50      | 25        | 22.76              | 23.01      | < 33.01     |
|  |                 |                         | 100     | 0         | 22.91              | 23.16      | < 33.01     |
| 381000   | 1905.0          | 20                      | 1       | 0         | 22.85              | 23.10      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.88              | 23.13      | < 33.01     |
|  |                 |                         | 50      | 25        | 22.65              | 22.90      | < 33.01     |
|  |                 |                         | 100     | 0         | 22.58              | 22.83      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| QPSK   |                 |                         |         |           |                    |            |             |
| 370500   | 1852.5          | 5                       | 1       | 0         | 22.72              | 22.97      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.63              | 22.88      | < 33.01     |
|  |                 |                         | 12      | 6         | 22.79              | 23.04      | < 33.01     |
|  |                 |                         | 25      | 0         | 22.80              | 23.05      | < 33.01     |
| 376500   | 1882.5          | 5                       | 1       | 0         | 22.76              | 23.01      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.81              | 23.06      | < 33.01     |
|  |                 |                         | 12      | 6         | 22.89              | 23.14      | < 33.01     |
|  |                 |                         | 25      | 0         | 22.86              | 23.11      | < 33.01     |
| 382500   | 1912.5          | 5                       | 1       | 0         | 22.68              | 22.93      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.67              | 22.92      | < 33.01     |
|  |                 |                         | 12      | 6         | 22.72              | 22.97      | < 33.01     |
|  |                 |                         | 25      | 0         | 22.66              | 22.91      | < 33.01     |
| 371000   | 1855.0          | 10                      | 1       | 0         | 22.72              | 22.97      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.75              | 23.00      | < 33.01     |
|  |                 |                         | 25      | 12        | 22.88              | 23.13      | < 33.01     |
|  |                 |                         | 50      | 0         | 22.78              | 23.03      | < 33.01     |
| 376500   | 1882.5          | 10                      | 1       | 0         | 22.91              | 23.16      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.83              | 23.08      | < 33.01     |
|  |                 |                         | 25      | 12        | 22.85              | 23.10      | < 33.01     |
|  |                 |                         | 50      | 0         | 22.87              | 23.12      | < 33.01     |
| 382000   | 1910.0          | 10                      | 1       | 0         | 22.83              | 23.08      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.89              | 23.14      | < 33.01     |
|  |                 |                         | 25      | 12        | 22.69              | 22.94      | < 33.01     |
|  |                 |                         | 50      | 0         | 22.85              | 23.10      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| QPSK   |                 |                         |         |           |                    |            |             |
| 371500   | 1857.5          | 15                      | 1       | 0         | 22.92              | 23.17      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.89              | 23.14      | < 33.01     |
|  |                 |                         | 36      | 18        | 22.96              | 23.21      | < 33.01     |
|  |                 |                         | 75      | 0         | 22.91              | 23.16      | < 33.01     |
| 376500   | 1882.5          | 15                      | 1       | 0         | 23.12              | 23.37      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.85              | 23.10      | < 33.01     |
|  |                 |                         | 36      | 18        | 22.87              | 23.12      | < 33.01     |
|  |                 |                         | 75      | 0         | 22.94              | 23.19      | < 33.01     |
| 381500   | 1907.5          | 15                      | 1       | 0         | 22.67              | 22.92      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.74              | 22.99      | < 33.01     |
|  |                 |                         | 36      | 18        | 22.75              | 23.00      | < 33.01     |
|  |                 |                         | 75      | 0         | 22.79              | 23.04      | < 33.01     |
| 372000   | 1860.0          | 20                      | 1       | 0         | 22.95              | 23.20      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.95              | 23.20      | < 33.01     |
|  |                 |                         | 50      | 25        | 22.93              | 23.18      | < 33.01     |
|  |                 |                         | 100     | 0         | 22.92              | 23.17      | < 33.01     |
| 376500   | 1882.5          | 20                      | 1       | 0         | 22.36              | 22.61      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.77              | 23.02      | < 33.01     |
|  |                 |                         | 50      | 25        | 22.65              | 22.90      | < 33.01     |
|  |                 |                         | 100     | 0         | 22.88              | 23.13      | < 33.01     |
| 381000   | 1905.0          | 20                      | 1       | 0         | 22.76              | 23.01      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.86              | 23.11      | < 33.01     |
|  |                 |                         | 50      | 25        | 22.78              | 23.03      | < 33.01     |
|  |                 |                         | 100     | 0         | 22.73              | 22.98      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 16QAM  |                 |                         |         |           |                    |            |             |
| 370500   | 1852.5          | 5                       | 1       | 0         | 21.54              | 21.79      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.64              | 22.89      | < 33.01     |
|  |                 |                         | 12      | 6         | 22.82              | 23.07      | < 33.01     |
|  |                 |                         | 25      | 0         | 21.89              | 22.14      | < 33.01     |
| 376500   | 1882.5          | 5                       | 1       | 0         | 22.19              | 22.44      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.96              | 23.21      | < 33.01     |
|  |                 |                         | 12      | 6         | 22.86              | 23.11      | < 33.01     |
|  |                 |                         | 25      | 0         | 21.85              | 22.10      | < 33.01     |
| 382500   | 1912.5          | 5                       | 1       | 0         | 22.65              | 22.90      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.94              | 23.19      | < 33.01     |
|  |                 |                         | 12      | 6         | 22.68              | 22.93      | < 33.01     |
|  |                 |                         | 25      | 0         | 22.80              | 23.05      | < 33.01     |
| 371000   | 1855.0          | 10                      | 1       | 0         | 22.30              | 22.55      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.87              | 23.12      | < 33.01     |
|  |                 |                         | 25      | 12        | 22.85              | 23.10      | < 33.01     |
|  |                 |                         | 50      | 0         | 21.90              | 22.15      | < 33.01     |
| 376500   | 1882.5          | 10                      | 1       | 0         | 21.59              | 21.84      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.74              | 22.99      | < 33.01     |
|  |                 |                         | 25      | 12        | 22.83              | 23.08      | < 33.01     |
|  |                 |                         | 50      | 0         | 21.80              | 22.05      | < 33.01     |
| 382000   | 1910.0          | 10                      | 1       | 0         | 21.39              | 21.64      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.53              | 22.78      | < 33.01     |
|  |                 |                         | 25      | 12        | 22.81              | 23.06      | < 33.01     |
|  |                 |                         | 50      | 0         | 21.72              | 21.97      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 16QAM  |                 |                         |         |           |                    |            |             |
| 371500   | 1857.5          | 15                      | 1       | 0         | 21.93              | 22.18      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.91              | 23.16      | < 33.01     |
|  |                 |                         | 36      | 18        | 22.96              | 23.21      | < 33.01     |
|  |                 |                         | 75      | 0         | 21.94              | 22.19      | < 33.01     |
| 376500   | 1882.5          | 15                      | 1       | 0         | 22.01              | 22.26      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.93              | 23.18      | < 33.01     |
|  |                 |                         | 36      | 18        | 22.91              | 23.16      | < 33.01     |
|  |                 |                         | 75      | 0         | 21.84              | 22.09      | < 33.01     |
| 381500   | 1907.5          | 15                      | 1       | 0         | 21.78              | 22.03      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.80              | 23.05      | < 33.01     |
|  |                 |                         | 36      | 18        | 22.74              | 22.99      | < 33.01     |
|  |                 |                         | 75      | 0         | 21.72              | 21.97      | < 33.01     |
| 372000   | 1860.0          | 20                      | 1       | 0         | 22.07              | 22.32      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.05              | 23.30      | < 33.01     |
|  |                 |                         | 50      | 25        | 22.89              | 23.14      | < 33.01     |
|  |                 |                         | 100     | 0         | 21.91              | 22.16      | < 33.01     |
| 376500   | 1882.5          | 20                      | 1       | 0         | 22.13              | 22.38      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.89              | 23.14      | < 33.01     |
|  |                 |                         | 50      | 25        | 22.81              | 23.06      | < 33.01     |
|  |                 |                         | 100     | 0         | 21.99              | 22.24      | < 33.01     |
| 381000   | 1905.0          | 20                      | 1       | 0         | 21.92              | 22.17      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.97              | 23.22      | < 33.01     |
|  |                 |                         | 50      | 25        | 22.79              | 23.04      | < 33.01     |
|  |                 |                         | 100     | 0         | 21.69              | 21.94      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |



| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 64QAM  |                 |                         |         |           |                    |            |             |
| 370500   | 1852.5          | 5                       | 1       | 0         | 21.49              | 21.74      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.50              | 21.75      | < 33.01     |
|  |                 |                         | 12      | 6         | 21.36              | 21.61      | < 33.01     |
|  |                 |                         | 25      | 0         | 21.33              | 21.58      | < 33.01     |
| 376500   | 1882.5          | 5                       | 1       | 0         | 21.52              | 21.77      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.53              | 21.78      | < 33.01     |
|  |                 |                         | 12      | 6         | 21.42              | 21.67      | < 33.01     |
|  |                 |                         | 25      | 0         | 21.37              | 21.62      | < 33.01     |
| 382500   | 1912.5          | 5                       | 1       | 0         | 21.39              | 21.64      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.41              | 21.66      | < 33.01     |
|  |                 |                         | 12      | 6         | 21.31              | 21.56      | < 33.01     |
|  |                 |                         | 25      | 0         | 21.29              | 21.54      | < 33.01     |
| 371000   | 1855.0          | 10                      | 1       | 0         | 21.58              | 21.83      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.48              | 21.73      | < 33.01     |
|  |                 |                         | 25      | 12        | 21.38              | 21.63      | < 33.01     |
|  |                 |                         | 50      | 0         | 21.34              | 21.59      | < 33.01     |
| 376500   | 1882.5          | 10                      | 1       | 0         | 21.56              | 21.81      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.63              | 21.88      | < 33.01     |
|  |                 |                         | 25      | 12        | 21.34              | 21.59      | < 33.01     |
|  |                 |                         | 50      | 0         | 21.30              | 21.55      | < 33.01     |
| 382000   | 1910.0          | 10                      | 1       | 0         | 21.50              | 21.75      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.52              | 21.77      | < 33.01     |
|  |                 |                         | 25      | 12        | 21.28              | 21.53      | < 33.01     |
|  |                 |                         | 50      | 0         | 21.23              | 21.48      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No. | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 64QAM       |                 |                         |         |           |                    |            |             |
| 371500      | 1857.5          | 15                      | 1       | 0         | 21.64              | 21.89      | < 33.01     |
|             |                 |                         | 1       | 1         | 21.66              | 21.91      | < 33.01     |
|             |                 |                         | 36      | 18        | 21.39              | 21.64      | < 33.01     |
|             |                 |                         | 75      | 0         | 21.40              | 21.65      | < 33.01     |
| 376500      | 1882.5          | 15                      | 1       | 0         | 21.71              | 21.96      | < 33.01     |
|             |                 |                         | 1       | 1         | 21.55              | 21.80      | < 33.01     |
|             |                 |                         | 36      | 18        | 21.38              | 21.63      | < 33.01     |
|             |                 |                         | 75      | 0         | 21.35              | 21.60      | < 33.01     |
| 381500      | 1907.5          | 15                      | 1       | 0         | 21.60              | 21.85      | < 33.01     |
|             |                 |                         | 1       | 1         | 21.52              | 21.77      | < 33.01     |
|             |                 |                         | 36      | 18        | 21.27              | 21.52      | < 33.01     |
|             |                 |                         | 75      | 0         | 21.23              | 21.48      | < 33.01     |
| 372000      | 1860.0          | 20                      | 1       | 0         | 21.68              | 21.93      | < 33.01     |
|             |                 |                         | 1       | 1         | 21.69              | 21.94      | < 33.01     |
|             |                 |                         | 50      | 25        | 21.44              | 21.69      | < 33.01     |
|             |                 |                         | 100     | 0         | 21.39              | 21.64      | < 33.01     |
| 376500      | 1882.5          | 20                      | 1       | 0         | 21.23              | 21.48      | < 33.01     |
|             |                 |                         | 1       | 1         | 21.35              | 21.60      | < 33.01     |
|             |                 |                         | 50      | 25        | 21.30              | 21.55      | < 33.01     |
|             |                 |                         | 100     | 0         | 21.46              | 21.71      | < 33.01     |
| 381000      | 1905.0          | 20                      | 1       | 0         | 21.66              | 21.91      | < 33.01     |
|             |                 |                         | 1       | 1         | 21.64              | 21.89      | < 33.01     |
|             |                 |                         | 50      | 25        | 21.28              | 21.53      | < 33.01     |
|             |                 |                         | 100     | 0         | 21.35              | 21.60      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 256QAM   |                 |                         |         |           |                    |            |             |
| 370500   | 1852.5          | 5                       | 1       | 0         | 19.31              | 19.56      | < 33.01     |
|  |                 |                         | 1       | 1         | 19.11              | 19.36      | < 33.01     |
|  |                 |                         | 12      | 6         | 19.25              | 19.50      | < 33.01     |
|  |                 |                         | 25      | 0         | 19.29              | 19.54      | < 33.01     |
| 376500   | 1882.5          | 5                       | 1       | 0         | 19.20              | 19.45      | < 33.01     |
|  |                 |                         | 1       | 1         | 19.23              | 19.48      | < 33.01     |
|  |                 |                         | 12      | 6         | 19.36              | 19.61      | < 33.01     |
|  |                 |                         | 25      | 0         | 19.27              | 19.52      | < 33.01     |
| 382500   | 1912.5          | 5                       | 1       | 0         | 19.32              | 19.57      | < 33.01     |
|  |                 |                         | 1       | 1         | 18.99              | 19.24      | < 33.01     |
|  |                 |                         | 12      | 6         | 19.13              | 19.38      | < 33.01     |
|  |                 |                         | 25      | 0         | 19.21              | 19.46      | < 33.01     |
| 371000   | 1855.0          | 10                      | 1       | 0         | 19.25              | 19.50      | < 33.01     |
|  |                 |                         | 1       | 1         | 19.28              | 19.53      | < 33.01     |
|  |                 |                         | 25      | 12        | 19.28              | 19.53      | < 33.01     |
|  |                 |                         | 50      | 0         | 19.30              | 19.55      | < 33.01     |
| 376500   | 1882.5          | 10                      | 1       | 0         | 19.32              | 19.57      | < 33.01     |
|  |                 |                         | 1       | 1         | 19.25              | 19.50      | < 33.01     |
|  |                 |                         | 25      | 12        | 19.47              | 19.72      | < 33.01     |
|  |                 |                         | 50      | 0         | 19.54              | 19.79      | < 33.01     |
| 382000   | 1910.0          | 10                      | 1       | 0         | 19.44              | 19.69      | < 33.01     |
|  |                 |                         | 1       | 1         | 19.41              | 19.66      | < 33.01     |
|  |                 |                         | 25      | 12        | 19.52              | 19.77      | < 33.01     |
|  |                 |                         | 50      | 0         | 19.33              | 19.58      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 256QAM   |                 |                         |         |           |                    |            |             |
| 371500   | 1857.5          | 15                      | 1       | 0         | 19.26              | 19.51      | < 33.01     |
|  |                 |                         | 1       | 1         | 19.36              | 19.61      | < 33.01     |
|  |                 |                         | 36      | 18        | 19.34              | 19.59      | < 33.01     |
|  |                 |                         | 75      | 0         | 19.37              | 19.62      | < 33.01     |
| 376500   | 1882.5          | 15                      | 1       | 0         | 19.41              | 19.66      | < 33.01     |
|  |                 |                         | 1       | 1         | 19.38              | 19.63      | < 33.01     |
|  |                 |                         | 36      | 18        | 19.28              | 19.53      | < 33.01     |
|  |                 |                         | 75      | 0         | 19.32              | 19.57      | < 33.01     |
| 381500   | 1907.5          | 15                      | 1       | 0         | 19.09              | 19.34      | < 33.01     |
|  |                 |                         | 1       | 1         | 19.08              | 19.33      | < 33.01     |
|  |                 |                         | 36      | 18        | 19.18              | 19.43      | < 33.01     |
|  |                 |                         | 75      | 0         | 19.17              | 19.42      | < 33.01     |
| 372000   | 1860.0          | 20                      | 1       | 0         | 19.31              | 19.56      | < 33.01     |
|  |                 |                         | 1       | 1         | 19.32              | 19.57      | < 33.01     |
|  |                 |                         | 50      | 25        | 19.37              | 19.62      | < 33.01     |
|  |                 |                         | 100     | 0         | 19.44              | 19.69      | < 33.01     |
| 376500   | 1882.5          | 20                      | 1       | 0         | 19.57              | 19.82      | < 33.01     |
|  |                 |                         | 1       | 1         | 19.35              | 19.60      | < 33.01     |
|  |                 |                         | 50      | 25        | 19.56              | 19.81      | < 33.01     |
|  |                 |                         | 100     | 0         | 19.35              | 19.60      | < 33.01     |
| 381000   | 1905.0          | 20                      | 1       | 0         | 19.33              | 19.58      | < 33.01     |
|  |                 |                         | 1       | 1         | 19.41              | 19.66      | < 33.01     |
|  |                 |                         | 50      | 25        | 19.55              | 19.80      | < 33.01     |
|  |                 |                         | 100     | 0         | 19.27              | 19.52      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

|               |                         |           |            |
|---------------|-------------------------|-----------|------------|
| Product       | 5G Sub-6 GHz M.2 Module | Test Site | WZ-SR6     |
| Test Engineer | Eric Xu                 | Test Date | 2020/10/18 |
| Test Band     | n5_EN-DC                |           |            |

| Channel No. | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|-------------|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| PI/2 BPSK   |                 |                         |         |           |                    |           |             |
| 165300      | 826.5           | 5                       | 1       | 0         | 23.30              | 23.83     | < 38.45     |
|             |                 |                         | 1       | 1         | 23.25              | 23.78     | < 38.45     |
|             |                 |                         | 12      | 6         | 23.31              | 23.84     | < 38.45     |
|             |                 |                         | 25      | 0         | 23.31              | 23.84     | < 38.45     |
| 167300      | 836.5           | 5                       | 1       | 0         | 23.56              | 24.09     | < 38.45     |
|             |                 |                         | 1       | 1         | 23.54              | 24.07     | < 38.45     |
|             |                 |                         | 12      | 6         | 23.39              | 23.92     | < 38.45     |
|             |                 |                         | 25      | 0         | 23.44              | 23.97     | < 38.45     |
| 169300      | 846.5           | 5                       | 1       | 0         | 23.06              | 23.59     | < 38.45     |
|             |                 |                         | 1       | 1         | 23.14              | 23.67     | < 38.45     |
|             |                 |                         | 12      | 6         | 23.01              | 23.54     | < 38.45     |
|             |                 |                         | 25      | 0         | 23.12              | 23.65     | < 38.45     |
| 165800      | 829.0           | 10                      | 1       | 0         | 23.48              | 24.01     | < 38.45     |
|             |                 |                         | 1       | 1         | 23.39              | 23.92     | < 38.45     |
|             |                 |                         | 25      | 12        | 23.21              | 23.74     | < 38.45     |
|             |                 |                         | 50      | 0         | 23.15              | 23.68     | < 38.45     |
| 167300      | 836.5           | 10                      | 1       | 0         | 23.44              | 23.97     | < 38.45     |
|             |                 |                         | 1       | 1         | 23.55              | 24.08     | < 38.45     |
|             |                 |                         | 25      | 12        | 23.21              | 23.74     | < 38.45     |
|             |                 |                         | 50      | 0         | 23.20              | 23.73     | < 38.45     |
| 168800      | 844.0           | 10                      | 1       | 0         | 22.94              | 23.47     | < 38.45     |
|             |                 |                         | 1       | 1         | 22.94              | 23.47     | < 38.45     |
|             |                 |                         | 25      | 12        | 23.22              | 23.75     | < 38.45     |
|             |                 |                         | 50      | 0         | 23.06              | 23.59     | < 38.45     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| PI/2 BPSK  |                 |                         |         |           |                    |           |             |
| 166300   | 831.5           | 15                      | 1       | 0         | 23.30              | 23.83     | < 38.45     |
|  |                 |                         | 1       | 1         | 23.31              | 23.84     | < 38.45     |
|  |                 |                         | 36      | 18        | 23.17              | 23.70     | < 38.45     |
|  |                 |                         | 75      | 0         | 23.31              | 23.84     | < 38.45     |
| 167300   | 836.5           | 15                      | 1       | 0         | 23.19              | 23.72     | < 38.45     |
|  |                 |                         | 1       | 1         | 23.18              | 23.71     | < 38.45     |
|  |                 |                         | 36      | 18        | 23.13              | 23.66     | < 38.45     |
|  |                 |                         | 75      | 0         | 23.19              | 23.72     | < 38.45     |
| 168300   | 841.5           | 15                      | 1       | 0         | 23.03              | 23.56     | < 38.45     |
|  |                 |                         | 1       | 1         | 23.06              | 23.59     | < 38.45     |
|  |                 |                         | 36      | 18        | 23.04              | 23.57     | < 38.45     |
|  |                 |                         | 75      | 0         | 23.14              | 23.67     | < 38.45     |
| 166800   | 834.0           | 20                      | 1       | 0         | 23.35              | 23.88     | < 38.45     |
|  |                 |                         | 1       | 1         | 23.26              | 23.79     | < 38.45     |
|  |                 |                         | 50      | 25        | 23.34              | 23.87     | < 38.45     |
|  |                 |                         | 100     | 0         | 23.21              | 23.74     | < 38.45     |
| 167300   | 836.5           | 20                      | 1       | 0         | 23.51              | 24.04     | < 38.45     |
|  |                 |                         | 1       | 1         | 23.19              | 23.72     | < 38.45     |
|  |                 |                         | 50      | 25        | 23.16              | 23.69     | < 38.45     |
|  |                 |                         | 100     | 0         | 23.11              | 23.64     | < 38.45     |
| 167800   | 839.0           | 20                      | 1       | 0         | 23.31              | 23.84     | < 38.45     |
|  |                 |                         | 1       | 1         | 23.35              | 23.88     | < 38.45     |
|  |                 |                         | 50      | 25        | 23.24              | 23.77     | < 38.45     |
|  |                 |                         | 100     | 0         | 23.37              | 23.90     | < 38.45     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| QPSK   |                 |                         |         |           |                    |           |             |
| 165300   | 826.5           | 5                       | 1       | 0         | 23.31              | 23.84     | < 38.45     |
|  |                 |                         | 1       | 1         | 23.35              | 23.88     | < 38.45     |
|  |                 |                         | 12      | 6         | 23.31              | 23.84     | < 38.45     |
|  |                 |                         | 25      | 0         | 23.31              | 23.84     | < 38.45     |
| 167300   | 836.5           | 5                       | 1       | 0         | 23.13              | 23.66     | < 38.45     |
|  |                 |                         | 1       | 1         | 23.14              | 23.67     | < 38.45     |
|  |                 |                         | 12      | 6         | 23.13              | 23.66     | < 38.45     |
|  |                 |                         | 25      | 0         | 23.08              | 23.61     | < 38.45     |
| 169300   | 846.5           | 5                       | 1       | 0         | 23.03              | 23.56     | < 38.45     |
|  |                 |                         | 1       | 1         | 22.97              | 23.50     | < 38.45     |
|  |                 |                         | 12      | 6         | 23.01              | 23.54     | < 38.45     |
|  |                 |                         | 25      | 0         | 23.05              | 23.58     | < 38.45     |
| 165800   | 829.0           | 10                      | 1       | 0         | 23.30              | 23.83     | < 38.45     |
|  |                 |                         | 1       | 1         | 23.22              | 23.75     | < 38.45     |
|  |                 |                         | 25      | 12        | 23.31              | 23.84     | < 38.45     |
|  |                 |                         | 50      | 0         | 23.34              | 23.87     | < 38.45     |
| 167300   | 836.5           | 10                      | 1       | 0         | 23.07              | 23.60     | < 38.45     |
|  |                 |                         | 1       | 1         | 23.09              | 23.62     | < 38.45     |
|  |                 |                         | 25      | 12        | 23.21              | 23.74     | < 38.45     |
|  |                 |                         | 50      | 0         | 23.15              | 23.68     | < 38.45     |
| 168800   | 844.0           | 10                      | 1       | 0         | 23.03              | 23.56     | < 38.45     |
|  |                 |                         | 1       | 1         | 22.93              | 23.46     | < 38.45     |
|  |                 |                         | 25      | 12        | 23.08              | 23.61     | < 38.45     |
|  |                 |                         | 50      | 0         | 23.07              | 23.60     | < 38.45     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| QPSK   |                 |                         |         |           |                    |           |             |
| 166300   | 831.5           | 15                      | 1       | 0         | 23.28              | 23.81     | < 38.45     |
|  |                 |                         | 1       | 1         | 23.27              | 23.80     | < 38.45     |
|  |                 |                         | 36      | 18        | 23.23              | 23.76     | < 38.45     |
|  |                 |                         | 75      | 0         | 23.19              | 23.72     | < 38.45     |
| 167300   | 836.5           | 15                      | 1       | 0         | 23.15              | 23.68     | < 38.45     |
|  |                 |                         | 1       | 1         | 23.26              | 23.79     | < 38.45     |
|  |                 |                         | 36      | 18        | 23.14              | 23.67     | < 38.45     |
|  |                 |                         | 75      | 0         | 23.17              | 23.70     | < 38.45     |
| 168300   | 841.5           | 15                      | 1       | 0         | 23.46              | 23.99     | < 38.45     |
|  |                 |                         | 1       | 1         | 23.03              | 23.56     | < 38.45     |
|  |                 |                         | 36      | 18        | 23.11              | 23.64     | < 38.45     |
|  |                 |                         | 75      | 0         | 23.09              | 23.62     | < 38.45     |
| 166800   | 834.0           | 20                      | 1       | 0         | 23.26              | 23.79     | < 38.45     |
|  |                 |                         | 1       | 1         | 23.28              | 23.81     | < 38.45     |
|  |                 |                         | 50      | 25        | 23.14              | 23.67     | < 38.45     |
|  |                 |                         | 100     | 0         | 23.18              | 23.71     | < 38.45     |
| 167300   | 836.5           | 20                      | 1       | 0         | 23.28              | 23.81     | < 38.45     |
|  |                 |                         | 1       | 1         | 23.20              | 23.73     | < 38.45     |
|  |                 |                         | 50      | 25        | 23.18              | 23.71     | < 38.45     |
|  |                 |                         | 100     | 0         | 23.21              | 23.74     | < 38.45     |
| 167800   | 839.0           | 20                      | 1       | 0         | 23.13              | 23.66     | < 38.45     |
|  |                 |                         | 1       | 1         | 23.23              | 23.76     | < 38.45     |
|  |                 |                         | 50      | 25        | 23.20              | 23.73     | < 38.45     |
|  |                 |                         | 100     | 0         | 23.06              | 23.59     | < 38.45     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |



| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| 16QAM  |                 |                         |         |           |                    |           |             |
| 165300   | 826.5           | 5                       | 1       | 0         | 22.72              | 23.25     | < 38.45     |
|  |                 |                         | 1       | 1         | 23.91              | 24.44     | < 38.45     |
|  |                 |                         | 12      | 6         | 23.31              | 23.84     | < 38.45     |
|  |                 |                         | 25      | 0         | 22.38              | 22.91     | < 38.45     |
| 167300   | 836.5           | 5                       | 1       | 0         | 22.53              | 23.06     | < 38.45     |
|  |                 |                         | 1       | 1         | 23.50              | 24.03     | < 38.45     |
|  |                 |                         | 12      | 6         | 23.19              | 23.72     | < 38.45     |
|  |                 |                         | 25      | 0         | 22.19              | 22.72     | < 38.45     |
| 169300   | 846.5           | 5                       | 1       | 0         | 22.08              | 22.61     | < 38.45     |
|  |                 |                         | 1       | 1         | 22.96              | 23.49     | < 38.45     |
|  |                 |                         | 12      | 6         | 23.12              | 23.65     | < 38.45     |
|  |                 |                         | 25      | 0         | 22.14              | 22.67     | < 38.45     |
| 165800   | 829.0           | 10                      | 1       | 0         | 22.68              | 23.21     | < 38.45     |
|  |                 |                         | 1       | 1         | 23.81              | 24.34     | < 38.45     |
|  |                 |                         | 25      | 12        | 23.36              | 23.89     | < 38.45     |
|  |                 |                         | 50      | 0         | 22.31              | 22.84     | < 38.45     |
| 167300   | 836.5           | 10                      | 1       | 0         | 22.57              | 23.10     | < 38.45     |
|  |                 |                         | 1       | 1         | 24.10              | 24.63     | < 38.45     |
|  |                 |                         | 25      | 12        | 23.09              | 23.62     | < 38.45     |
|  |                 |                         | 50      | 0         | 22.10              | 22.63     | < 38.45     |
| 168800   | 844.0           | 10                      | 1       | 0         | 22.21              | 22.74     | < 38.45     |
|  |                 |                         | 1       | 1         | 22.98              | 23.51     | < 38.45     |
|  |                 |                         | 25      | 12        | 23.06              | 23.59     | < 38.45     |
|  |                 |                         | 50      | 0         | 22.01              | 22.54     | < 38.45     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| 16QAM  |                 |                         |         |           |                    |           |             |
| 166300   | 831.5           | 15                      | 1       | 0         | 22.21              | 22.74     | < 38.45     |
|  |                 |                         | 1       | 1         | 23.27              | 23.80     | < 38.45     |
|  |                 |                         | 36      | 18        | 23.21              | 23.74     | < 38.45     |
|  |                 |                         | 75      | 0         | 22.36              | 22.89     | < 38.45     |
| 167300   | 836.5           | 15                      | 1       | 0         | 22.55              | 23.08     | < 38.45     |
|  |                 |                         | 1       | 1         | 23.54              | 24.07     | < 38.45     |
|  |                 |                         | 36      | 18        | 23.06              | 23.59     | < 38.45     |
|  |                 |                         | 75      | 0         | 22.10              | 22.63     | < 38.45     |
| 168300   | 841.5           | 15                      | 1       | 0         | 22.25              | 22.78     | < 38.45     |
|  |                 |                         | 1       | 1         | 23.01              | 23.54     | < 38.45     |
|  |                 |                         | 36      | 18        | 23.16              | 23.69     | < 38.45     |
|  |                 |                         | 75      | 0         | 22.17              | 22.70     | < 38.45     |
| 166800   | 834.0           | 20                      | 1       | 0         | 22.54              | 23.07     | < 38.45     |
|  |                 |                         | 1       | 1         | 23.46              | 23.99     | < 38.45     |
|  |                 |                         | 50      | 25        | 23.23              | 23.76     | < 38.45     |
|  |                 |                         | 100     | 0         | 22.20              | 22.73     | < 38.45     |
| 167300   | 836.5           | 20                      | 1       | 0         | 22.25              | 22.78     | < 38.45     |
|  |                 |                         | 1       | 1         | 23.17              | 23.70     | < 38.45     |
|  |                 |                         | 50      | 25        | 23.04              | 23.57     | < 38.45     |
|  |                 |                         | 100     | 0         | 22.08              | 22.61     | < 38.45     |
| 167800   | 839.0           | 20                      | 1       | 0         | 22.51              | 23.04     | < 38.45     |
|  |                 |                         | 1       | 1         | 23.73              | 24.26     | < 38.45     |
|  |                 |                         | 50      | 25        | 23.11              | 23.64     | < 38.45     |
|  |                 |                         | 100     | 0         | 22.09              | 22.62     | < 38.45     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| 64QAM  |                 |                         |         |           |                    |           |             |
| 165300   | 826.5           | 5                       | 1       | 0         | 22.39              | 22.92     | < 38.45     |
|  |                 |                         | 1       | 1         | 22.51              | 23.04     | < 38.45     |
|  |                 |                         | 12      | 6         | 21.93              | 22.46     | < 38.45     |
|  |                 |                         | 25      | 0         | 21.88              | 22.41     | < 38.45     |
| 167300   | 836.5           | 5                       | 1       | 0         | 21.96              | 22.49     | < 38.45     |
|  |                 |                         | 1       | 1         | 21.98              | 22.51     | < 38.45     |
|  |                 |                         | 12      | 6         | 21.66              | 22.19     | < 38.45     |
|  |                 |                         | 25      | 0         | 21.60              | 22.13     | < 38.45     |
| 169300   | 846.5           | 5                       | 1       | 0         | 21.99              | 22.52     | < 38.45     |
|  |                 |                         | 1       | 1         | 21.98              | 22.51     | < 38.45     |
|  |                 |                         | 12      | 6         | 21.53              | 22.06     | < 38.45     |
|  |                 |                         | 25      | 0         | 21.50              | 22.03     | < 38.45     |
| 165800   | 829.0           | 10                      | 1       | 0         | 22.17              | 22.70     | < 38.45     |
|  |                 |                         | 1       | 1         | 22.20              | 22.73     | < 38.45     |
|  |                 |                         | 25      | 12        | 21.82              | 22.35     | < 38.45     |
|  |                 |                         | 50      | 0         | 21.87              | 22.40     | < 38.45     |
| 167300   | 836.5           | 10                      | 1       | 0         | 22.15              | 22.68     | < 38.45     |
|  |                 |                         | 1       | 1         | 22.15              | 22.68     | < 38.45     |
|  |                 |                         | 25      | 12        | 21.61              | 22.14     | < 38.45     |
|  |                 |                         | 50      | 0         | 21.63              | 22.16     | < 38.45     |
| 168800   | 844.0           | 10                      | 1       | 0         | 21.63              | 22.16     | < 38.45     |
|  |                 |                         | 1       | 1         | 21.61              | 22.14     | < 38.45     |
|  |                 |                         | 25      | 12        | 21.56              | 22.09     | < 38.45     |
|  |                 |                         | 50      | 0         | 21.53              | 22.06     | < 38.45     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| 64QAM  |                 |                         |         |           |                    |           |             |
| 166300   | 831.5           | 15                      | 1       | 0         | 22.10              | 22.63     | < 38.45     |
|  |                 |                         | 1       | 1         | 22.01              | 22.54     | < 38.45     |
|  |                 |                         | 36      | 18        | 21.70              | 22.23     | < 38.45     |
|  |                 |                         | 75      | 0         | 21.74              | 22.27     | < 38.45     |
| 167300   | 836.5           | 15                      | 1       | 0         | 22.18              | 22.71     | < 38.45     |
|  |                 |                         | 1       | 1         | 22.19              | 22.72     | < 38.45     |
|  |                 |                         | 36      | 18        | 21.62              | 22.15     | < 38.45     |
|  |                 |                         | 75      | 0         | 21.58              | 22.11     | < 38.45     |
| 168300   | 841.5           | 15                      | 1       | 0         | 21.87              | 22.40     | < 38.45     |
|  |                 |                         | 1       | 1         | 21.97              | 22.50     | < 38.45     |
|  |                 |                         | 36      | 18        | 21.57              | 22.10     | < 38.45     |
|  |                 |                         | 75      | 0         | 21.57              | 22.10     | < 38.45     |
| 166800   | 834.0           | 20                      | 1       | 0         | 21.86              | 22.39     | < 38.45     |
|  |                 |                         | 1       | 1         | 21.87              | 22.40     | < 38.45     |
|  |                 |                         | 50      | 25        | 21.67              | 22.20     | < 38.45     |
|  |                 |                         | 100     | 0         | 21.67              | 22.20     | < 38.45     |
| 167300   | 836.5           | 20                      | 1       | 0         | 21.83              | 22.36     | < 38.45     |
|  |                 |                         | 1       | 1         | 21.85              | 22.38     | < 38.45     |
|  |                 |                         | 50      | 25        | 21.65              | 22.18     | < 38.45     |
|  |                 |                         | 100     | 0         | 21.61              | 22.14     | < 38.45     |
| 167800   | 839.0           | 20                      | 1       | 0         | 21.76              | 22.29     | < 38.45     |
|  |                 |                         | 1       | 1         | 21.78              | 22.31     | < 38.45     |
|  |                 |                         | 50      | 25        | 21.68              | 22.21     | < 38.45     |
|  |                 |                         | 100     | 0         | 21.56              | 22.09     | < 38.45     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| 256QAM   |                 |                         |         |           |                    |           |             |
| 165300   | 826.5           | 5                       | 1       | 0         | 19.74              | 20.27     | < 38.45     |
|  |                 |                         | 1       | 1         | 19.89              | 20.42     | < 38.45     |
|  |                 |                         | 12      | 6         | 19.76              | 20.29     | < 38.45     |
|  |                 |                         | 25      | 0         | 19.86              | 20.39     | < 38.45     |
| 167300   | 836.5           | 5                       | 1       | 0         | 19.67              | 20.20     | < 38.45     |
|  |                 |                         | 1       | 1         | 19.68              | 20.21     | < 38.45     |
|  |                 |                         | 12      | 6         | 19.50              | 20.03     | < 38.45     |
|  |                 |                         | 25      | 0         | 19.52              | 20.05     | < 38.45     |
| 169300   | 846.5           | 5                       | 1       | 0         | 19.23              | 19.76     | < 38.45     |
|  |                 |                         | 1       | 1         | 19.22              | 19.75     | < 38.45     |
|  |                 |                         | 12      | 6         | 19.35              | 19.88     | < 38.45     |
|  |                 |                         | 25      | 0         | 19.28              | 19.81     | < 38.45     |
| 165800   | 829.0           | 10                      | 1       | 0         | 19.83              | 20.36     | < 38.45     |
|  |                 |                         | 1       | 1         | 19.77              | 20.30     | < 38.45     |
|  |                 |                         | 25      | 12        | 19.55              | 20.08     | < 38.45     |
|  |                 |                         | 50      | 0         | 19.81              | 20.34     | < 38.45     |
| 167300   | 836.5           | 10                      | 1       | 0         | 19.61              | 20.14     | < 38.45     |
|  |                 |                         | 1       | 1         | 19.53              | 20.06     | < 38.45     |
|  |                 |                         | 25      | 12        | 19.57              | 20.10     | < 38.45     |
|  |                 |                         | 50      | 0         | 19.58              | 20.11     | < 38.45     |
| 168800   | 844.0           | 10                      | 1       | 0         | 19.88              | 20.41     | < 38.45     |
|  |                 |                         | 1       | 1         | 19.68              | 20.21     | < 38.45     |
|  |                 |                         | 25      | 12        | 19.78              | 20.31     | < 38.45     |
|  |                 |                         | 50      | 0         | 19.75              | 20.28     | < 38.45     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |

| Channel No. | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|-------------|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| 256QAM      |                 |                         |         |           |                    |           |             |
| 166300      | 831.5           | 15                      | 1       | 0         | 19.86              | 20.39     | < 38.45     |
|             |                 |                         | 1       | 1         | 19.76              | 20.29     | < 38.45     |
|             |                 |                         | 36      | 18        | 19.74              | 20.27     | < 38.45     |
|             |                 |                         | 75      | 0         | 19.75              | 20.28     | < 38.45     |
| 167300      | 836.5           | 15                      | 1       | 0         | 19.68              | 20.21     | < 38.45     |
|             |                 |                         | 1       | 1         | 19.64              | 20.17     | < 38.45     |
|             |                 |                         | 36      | 18        | 19.58              | 20.11     | < 38.45     |
|             |                 |                         | 75      | 0         | 19.69              | 20.22     | < 38.45     |
| 168300      | 841.5           | 15                      | 1       | 0         | 19.56              | 20.09     | < 38.45     |
|             |                 |                         | 1       | 1         | 19.54              | 20.07     | < 38.45     |
|             |                 |                         | 36      | 18        | 19.53              | 20.06     | < 38.45     |
|             |                 |                         | 75      | 0         | 19.58              | 20.11     | < 38.45     |
| 166800      | 834.0           | 20                      | 1       | 0         | 19.84              | 20.37     | < 38.45     |
|             |                 |                         | 1       | 1         | 19.86              | 20.39     | < 38.45     |
|             |                 |                         | 50      | 25        | 19.67              | 20.20     | < 38.45     |
|             |                 |                         | 100     | 0         | 19.66              | 20.19     | < 38.45     |
| 167300      | 836.5           | 20                      | 1       | 0         | 19.78              | 20.31     | < 38.45     |
|             |                 |                         | 1       | 1         | 19.77              | 20.30     | < 38.45     |
|             |                 |                         | 50      | 25        | 19.63              | 20.16     | < 38.45     |
|             |                 |                         | 100     | 0         | 19.70              | 20.23     | < 38.45     |
| 167800      | 839.0           | 20                      | 1       | 0         | 19.59              | 20.12     | < 38.45     |
|             |                 |                         | 1       | 1         | 19.69              | 20.22     | < 38.45     |
|             |                 |                         | 50      | 25        | 19.67              | 20.20     | < 38.45     |
|             |                 |                         | 100     | 0         | 19.63              | 20.16     | < 38.45     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

|               |                         |           |            |
|---------------|-------------------------|-----------|------------|
| Product       | 5G Sub-6 GHz M.2 Module | Test Site | WZ-SR6     |
| Test Engineer | Eric Xu                 | Test Date | 2020/10/18 |
| Test Band     | n7_EN-DC                |           |            |

| Channel No. | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| PI/2 BPSK   |                 |                         |         |           |                    |            |             |
| 500500      | 2502.5          | 5                       | 1       | 0         | 22.73              | 23.28      | < 33.01     |
|             |                 |                         | 1       | 1         | 22.72              | 23.27      | < 33.01     |
|             |                 |                         | 12      | 6         | 22.81              | 23.36      | < 33.01     |
|             |                 |                         | 25      | 0         | 22.88              | 23.43      | < 33.01     |
| 507000      | 2535.0          | 5                       | 1       | 0         | 22.43              | 22.98      | < 33.01     |
|             |                 |                         | 1       | 1         | 22.51              | 23.06      | < 33.01     |
|             |                 |                         | 12      | 6         | 22.67              | 23.22      | < 33.01     |
|             |                 |                         | 25      | 0         | 22.61              | 23.16      | < 33.01     |
| 513500      | 2567.5          | 5                       | 1       | 0         | 22.51              | 23.06      | < 33.01     |
|             |                 |                         | 1       | 1         | 22.58              | 23.13      | < 33.01     |
|             |                 |                         | 12      | 6         | 22.55              | 23.10      | < 33.01     |
|             |                 |                         | 25      | 0         | 22.55              | 23.10      | < 33.01     |
| 501000      | 2505.0          | 10                      | 1       | 0         | 22.71              | 23.26      | < 33.01     |
|             |                 |                         | 1       | 1         | 22.80              | 23.35      | < 33.01     |
|             |                 |                         | 25      | 12        | 22.85              | 23.40      | < 33.01     |
|             |                 |                         | 50      | 0         | 22.87              | 23.42      | < 33.01     |
| 507000      | 2535.0          | 10                      | 1       | 0         | 22.65              | 23.20      | < 33.01     |
|             |                 |                         | 1       | 1         | 22.53              | 23.08      | < 33.01     |
|             |                 |                         | 25      | 12        | 22.71              | 23.26      | < 33.01     |
|             |                 |                         | 50      | 0         | 22.66              | 23.21      | < 33.01     |
| 513000      | 2565.0          | 10                      | 1       | 0         | 22.44              | 22.99      | < 33.01     |
|             |                 |                         | 1       | 1         | 22.58              | 23.13      | < 33.01     |
|             |                 |                         | 25      | 12        | 22.66              | 23.21      | < 33.01     |
|             |                 |                         | 50      | 0         | 22.53              | 23.08      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| PI/2 BPSK  |                 |                         |         |           |                    |            |             |
| 501500   | 2507.5          | 15                      | 1       | 0         | 22.97              | 23.52      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.20              | 23.75      | < 33.01     |
|  |                 |                         | 36      | 18        | 22.91              | 23.46      | < 33.01     |
|  |                 |                         | 75      | 0         | 22.96              | 23.51      | < 33.01     |
| 507000   | 2535.0          | 15                      | 1       | 0         | 22.68              | 23.23      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.65              | 23.20      | < 33.01     |
|  |                 |                         | 36      | 18        | 22.67              | 23.22      | < 33.01     |
|  |                 |                         | 75      | 0         | 22.76              | 23.31      | < 33.01     |
| 512500   | 2562.5          | 15                      | 1       | 0         | 22.66              | 23.21      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.64              | 23.19      | < 33.01     |
|  |                 |                         | 36      | 18        | 22.62              | 23.17      | < 33.01     |
|  |                 |                         | 75      | 0         | 22.52              | 23.07      | < 33.01     |
| 502000   | 2510.0          | 20                      | 1       | 0         | 22.89              | 23.44      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.98              | 23.53      | < 33.01     |
|  |                 |                         | 50      | 25        | 22.93              | 23.48      | < 33.01     |
|  |                 |                         | 100     | 0         | 22.87              | 23.42      | < 33.01     |
| 507000   | 2535.0          | 20                      | 1       | 0         | 23.01              | 23.56      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.08              | 23.63      | < 33.01     |
|  |                 |                         | 50      | 25        | 22.98              | 23.53      | < 33.01     |
|  |                 |                         | 100     | 0         | 23.03              | 23.58      | < 33.01     |
| 512000   | 2560.0          | 20                      | 1       | 0         | 22.97              | 23.52      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.89              | 23.44      | < 33.01     |
|  |                 |                         | 50      | 25        | 22.86              | 23.41      | < 33.01     |
|  |                 |                         | 100     | 0         | 22.92              | 23.47      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |



| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| QPSK   |                 |                         |         |           |                    |            |             |
| 500500   | 2502.5          | 5                       | 1       | 0         | 22.79              | 23.34      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.72              | 23.27      | < 33.01     |
|  |                 |                         | 12      | 6         | 22.83              | 23.38      | < 33.01     |
|  |                 |                         | 25      | 0         | 22.85              | 23.40      | < 33.01     |
| 507000   | 2535.0          | 5                       | 1       | 0         | 22.50              | 23.05      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.49              | 23.04      | < 33.01     |
|  |                 |                         | 12      | 6         | 22.51              | 23.06      | < 33.01     |
|  |                 |                         | 25      | 0         | 22.56              | 23.11      | < 33.01     |
| 513500   | 2567.5          | 5                       | 1       | 0         | 22.53              | 23.08      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.46              | 23.01      | < 33.01     |
|  |                 |                         | 12      | 6         | 22.51              | 23.06      | < 33.01     |
|  |                 |                         | 25      | 0         | 22.61              | 23.16      | < 33.01     |
| 501000   | 2505.0          | 10                      | 1       | 0         | 22.86              | 23.41      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.76              | 23.31      | < 33.01     |
|  |                 |                         | 25      | 12        | 22.83              | 23.38      | < 33.01     |
|  |                 |                         | 50      | 0         | 22.83              | 23.38      | < 33.01     |
| 507000   | 2535.0          | 10                      | 1       | 0         | 22.60              | 23.15      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.58              | 23.13      | < 33.01     |
|  |                 |                         | 25      | 12        | 22.66              | 23.21      | < 33.01     |
|  |                 |                         | 50      | 0         | 22.69              | 23.24      | < 33.01     |
| 513000   | 2565.0          | 10                      | 1       | 0         | 22.71              | 23.26      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.39              | 22.94      | < 33.01     |
|  |                 |                         | 25      | 12        | 22.57              | 23.12      | < 33.01     |
|  |                 |                         | 50      | 0         | 22.53              | 23.08      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| QPSK   |                 |                         |         |           |                    |            |             |
| 501500   | 2507.5          | 15                      | 1       | 0         | 22.95              | 23.50      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.32              | 23.87      | < 33.01     |
|  |                 |                         | 36      | 18        | 22.94              | 23.49      | < 33.01     |
|  |                 |                         | 75      | 0         | 22.97              | 23.52      | < 33.01     |
| 507000   | 2535.0          | 15                      | 1       | 0         | 22.69              | 23.24      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.72              | 23.27      | < 33.01     |
|  |                 |                         | 36      | 18        | 22.61              | 23.16      | < 33.01     |
|  |                 |                         | 75      | 0         | 22.69              | 23.24      | < 33.01     |
| 512500   | 2562.5          | 15                      | 1       | 0         | 22.54              | 23.09      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.51              | 23.06      | < 33.01     |
|  |                 |                         | 36      | 18        | 22.60              | 23.15      | < 33.01     |
|  |                 |                         | 75      | 0         | 22.68              | 23.23      | < 33.01     |
| 502000   | 2510.0          | 20                      | 1       | 0         | 22.97              | 23.52      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.89              | 23.44      | < 33.01     |
|  |                 |                         | 50      | 25        | 22.90              | 23.45      | < 33.01     |
|  |                 |                         | 100     | 0         | 22.93              | 23.48      | < 33.01     |
| 507000   | 2535.0          | 20                      | 1       | 0         | 22.85              | 23.40      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.83              | 23.38      | < 33.01     |
|  |                 |                         | 50      | 25        | 22.69              | 23.24      | < 33.01     |
|  |                 |                         | 100     | 0         | 22.91              | 23.46      | < 33.01     |
| 512000   | 2560.0          | 20                      | 1       | 0         | 22.81              | 23.36      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.76              | 23.31      | < 33.01     |
|  |                 |                         | 50      | 25        | 22.69              | 23.24      | < 33.01     |
|  |                 |                         | 100     | 0         | 22.99              | 23.54      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 16QAM  |                 |                         |         |           |                    |            |             |
| 500500   | 2502.5          | 5                       | 1       | 0         | 21.64              | 22.19      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.61              | 23.16      | < 33.01     |
|  |                 |                         | 12      | 6         | 22.90              | 23.45      | < 33.01     |
|  |                 |                         | 25      | 0         | 21.97              | 22.52      | < 33.01     |
| 507000   | 2535.0          | 5                       | 1       | 0         | 21.68              | 22.23      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.85              | 23.40      | < 33.01     |
|  |                 |                         | 12      | 6         | 22.64              | 23.19      | < 33.01     |
|  |                 |                         | 25      | 0         | 21.63              | 22.18      | < 33.01     |
| 513500   | 2567.5          | 5                       | 1       | 0         | 21.11              | 21.66      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.32              | 22.87      | < 33.01     |
|  |                 |                         | 12      | 6         | 22.45              | 23.00      | < 33.01     |
|  |                 |                         | 25      | 0         | 21.62              | 22.17      | < 33.01     |
| 501000   | 2505.0          | 10                      | 1       | 0         | 21.95              | 22.50      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.97              | 23.52      | < 33.01     |
|  |                 |                         | 25      | 12        | 22.79              | 23.34      | < 33.01     |
|  |                 |                         | 50      | 0         | 21.89              | 22.44      | < 33.01     |
| 507000   | 2535.0          | 10                      | 1       | 0         | 21.51              | 22.06      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.35              | 22.90      | < 33.01     |
|  |                 |                         | 25      | 12        | 22.78              | 23.33      | < 33.01     |
|  |                 |                         | 50      | 0         | 21.75              | 22.30      | < 33.01     |
| 513000   | 2565.0          | 10                      | 1       | 0         | 21.54              | 22.09      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.81              | 23.36      | < 33.01     |
|  |                 |                         | 25      | 12        | 22.53              | 23.08      | < 33.01     |
|  |                 |                         | 50      | 0         | 21.52              | 22.07      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 16QAM  |                 |                         |         |           |                    |            |             |
| 501500   | 2507.5          | 15                      | 1       | 0         | 21.97              | 22.52      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.73              | 23.28      | < 33.01     |
|  |                 |                         | 36      | 18        | 23.01              | 23.56      | < 33.01     |
|  |                 |                         | 75      | 0         | 22.03              | 22.58      | < 33.01     |
| 507000   | 2535.0          | 15                      | 1       | 0         | 22.45              | 23.00      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.85              | 23.40      | < 33.01     |
|  |                 |                         | 36      | 18        | 22.64              | 23.19      | < 33.01     |
|  |                 |                         | 75      | 0         | 21.63              | 22.18      | < 33.01     |
| 512500   | 2562.5          | 15                      | 1       | 0         | 21.36              | 21.91      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.33              | 22.88      | < 33.01     |
|  |                 |                         | 36      | 18        | 22.72              | 23.27      | < 33.01     |
|  |                 |                         | 75      | 0         | 21.44              | 21.99      | < 33.01     |
| 502000   | 2510.0          | 20                      | 1       | 0         | 22.15              | 22.70      | < 33.01     |
|  |                 |                         | 1       | 1         | 23.16              | 23.71      | < 33.01     |
|  |                 |                         | 50      | 25        | 22.80              | 23.35      | < 33.01     |
|  |                 |                         | 100     | 0         | 21.93              | 22.48      | < 33.01     |
| 507000   | 2535.0          | 20                      | 1       | 0         | 22.06              | 22.61      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.74              | 23.29      | < 33.01     |
|  |                 |                         | 50      | 25        | 22.45              | 23.00      | < 33.01     |
|  |                 |                         | 100     | 0         | 22.06              | 22.61      | < 33.01     |
| 512000   | 2560.0          | 20                      | 1       | 0         | 22.67              | 23.22      | < 33.01     |
|  |                 |                         | 1       | 1         | 22.59              | 23.14      | < 33.01     |
|  |                 |                         | 50      | 25        | 22.63              | 23.18      | < 33.01     |
|  |                 |                         | 100     | 0         | 22.59              | 23.14      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 64QAM  |                 |                         |         |           |                    |            |             |
| 500500   | 2502.5          | 5                       | 1       | 0         | 21.64              | 22.19      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.65              | 22.20      | < 33.01     |
|  |                 |                         | 12      | 6         | 21.30              | 21.85      | < 33.01     |
|  |                 |                         | 25      | 0         | 21.39              | 21.94      | < 33.01     |
| 507000   | 2535.0          | 5                       | 1       | 0         | 21.30              | 21.85      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.23              | 21.78      | < 33.01     |
|  |                 |                         | 12      | 6         | 21.11              | 21.66      | < 33.01     |
|  |                 |                         | 25      | 0         | 21.09              | 21.64      | < 33.01     |
| 513500   | 2567.5          | 5                       | 1       | 0         | 21.21              | 21.76      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.31              | 21.86      | < 33.01     |
|  |                 |                         | 12      | 6         | 21.08              | 21.63      | < 33.01     |
|  |                 |                         | 25      | 0         | 20.12              | 20.67      | < 33.01     |
| 501000   | 2505.0          | 10                      | 1       | 0         | 21.27              | 21.82      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.26              | 21.81      | < 33.01     |
|  |                 |                         | 25      | 12        | 21.38              | 21.93      | < 33.01     |
|  |                 |                         | 50      | 0         | 21.43              | 21.98      | < 33.01     |
| 507000   | 2535.0          | 10                      | 1       | 0         | 21.34              | 21.89      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.32              | 21.87      | < 33.01     |
|  |                 |                         | 25      | 12        | 21.26              | 21.81      | < 33.01     |
|  |                 |                         | 50      | 0         | 21.20              | 21.75      | < 33.01     |
| 513000   | 2565.0          | 10                      | 1       | 0         | 21.15              | 21.70      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.16              | 21.71      | < 33.01     |
|  |                 |                         | 25      | 12        | 21.01              | 21.56      | < 33.01     |
|  |                 |                         | 50      | 0         | 21.02              | 21.57      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 64QAM  |                 |                         |         |           |                    |            |             |
| 501500   | 2507.5          | 15                      | 1       | 0         | 21.83              | 22.38      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.64              | 22.19      | < 33.01     |
|  |                 |                         | 36      | 18        | 21.53              | 22.08      | < 33.01     |
|  |                 |                         | 75      | 0         | 21.49              | 22.04      | < 33.01     |
| 507000   | 2535.0          | 15                      | 1       | 0         | 21.57              | 22.12      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.45              | 22.00      | < 33.01     |
|  |                 |                         | 36      | 18        | 21.30              | 21.85      | < 33.01     |
|  |                 |                         | 75      | 0         | 21.06              | 21.61      | < 33.01     |
| 512500   | 2562.5          | 15                      | 1       | 0         | 21.57              | 22.12      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.45              | 22.00      | < 33.01     |
|  |                 |                         | 36      | 18        | 21.12              | 21.67      | < 33.01     |
|  |                 |                         | 75      | 0         | 21.06              | 21.61      | < 33.01     |
| 502000   | 2510.0          | 20                      | 1       | 0         | 21.09              | 21.64      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.77              | 22.32      | < 33.01     |
|  |                 |                         | 50      | 25        | 21.44              | 21.99      | < 33.01     |
|  |                 |                         | 100     | 0         | 21.40              | 21.95      | < 33.01     |
| 507000   | 2535.0          | 20                      | 1       | 0         | 21.13              | 21.68      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.65              | 22.20      | < 33.01     |
|  |                 |                         | 50      | 25        | 21.59              | 22.14      | < 33.01     |
|  |                 |                         | 100     | 0         | 21.66              | 22.21      | < 33.01     |
| 512000   | 2560.0          | 20                      | 1       | 0         | 21.68              | 22.23      | < 33.01     |
|  |                 |                         | 1       | 1         | 21.69              | 22.24      | < 33.01     |
|  |                 |                         | 50      | 25        | 21.88              | 22.43      | < 33.01     |
|  |                 |                         | 100     | 0         | 21.79              | 22.34      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No. | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 256QAM      |                 |                         |         |           |                    |            |             |
| 500500      | 2502.5          | 5                       | 1       | 0         | 19.17              | 19.72      | < 33.01     |
|             |                 |                         | 1       | 1         | 19.16              | 19.71      | < 33.01     |
|             |                 |                         | 12      | 6         | 19.22              | 19.77      | < 33.01     |
|             |                 |                         | 25      | 0         | 19.32              | 19.87      | < 33.01     |
| 507000      | 2535.0          | 5                       | 1       | 0         | 19.26              | 19.81      | < 33.01     |
|             |                 |                         | 1       | 1         | 19.18              | 19.73      | < 33.01     |
|             |                 |                         | 12      | 6         | 19.21              | 19.76      | < 33.01     |
|             |                 |                         | 25      | 0         | 19.41              | 19.96      | < 33.01     |
| 513500      | 2567.5          | 5                       | 1       | 0         | 19.31              | 19.86      | < 33.01     |
|             |                 |                         | 1       | 1         | 19.26              | 19.81      | < 33.01     |
|             |                 |                         | 12      | 6         | 19.25              | 19.80      | < 33.01     |
|             |                 |                         | 25      | 0         | 19.33              | 19.88      | < 33.01     |
| 501000      | 2505.0          | 10                      | 1       | 0         | 19.22              | 19.77      | < 33.01     |
|             |                 |                         | 1       | 1         | 19.22              | 19.77      | < 33.01     |
|             |                 |                         | 25      | 12        | 19.27              | 19.82      | < 33.01     |
|             |                 |                         | 50      | 0         | 19.31              | 19.86      | < 33.01     |
| 507000      | 2535.0          | 10                      | 1       | 0         | 19.13              | 19.68      | < 33.01     |
|             |                 |                         | 1       | 1         | 19.13              | 19.68      | < 33.01     |
|             |                 |                         | 25      | 12        | 19.15              | 19.70      | < 33.01     |
|             |                 |                         | 50      | 0         | 19.18              | 19.73      | < 33.01     |
| 513000      | 2565.0          | 10                      | 1       | 0         | 18.91              | 19.46      | < 33.01     |
|             |                 |                         | 1       | 1         | 18.93              | 19.48      | < 33.01     |
|             |                 |                         | 25      | 12        | 19.01              | 19.56      | < 33.01     |
|             |                 |                         | 50      | 0         | 18.94              | 19.49      | < 33.01     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 256QAM   |                 |                         |         |           |                    |            |             |
| 501500   | 2507.5          | 15                      | 1       | 0         | 19.50              | 20.05      | < 33.01     |
|  |                 |                         | 1       | 1         | 19.21              | 19.76      | < 33.01     |
|  |                 |                         | 36      | 18        | 19.41              | 19.96      | < 33.01     |
|  |                 |                         | 75      | 0         | 19.43              | 19.98      | < 33.01     |
| 507000   | 2535.0          | 15                      | 1       | 0         | 18.89              | 19.44      | < 33.01     |
|  |                 |                         | 1       | 1         | 18.87              | 19.42      | < 33.01     |
|  |                 |                         | 36      | 18        | 19.07              | 19.62      | < 33.01     |
|  |                 |                         | 75      | 0         | 19.12              | 19.67      | < 33.01     |
| 512500   | 2562.5          | 15                      | 1       | 0         | 18.96              | 19.51      | < 33.01     |
|  |                 |                         | 1       | 1         | 18.99              | 19.54      | < 33.01     |
|  |                 |                         | 36      | 18        | 19.12              | 19.67      | < 33.01     |
|  |                 |                         | 75      | 0         | 19.03              | 19.58      | < 33.01     |
| 502000   | 2510.0          | 20                      | 1       | 0         | 19.17              | 19.72      | < 33.01     |
|  |                 |                         | 1       | 1         | 19.16              | 19.71      | < 33.01     |
|  |                 |                         | 50      | 25        | 19.36              | 19.91      | < 33.01     |
|  |                 |                         | 100     | 0         | 19.40              | 19.95      | < 33.01     |
| 507000   | 2535.0          | 20                      | 1       | 0         | 19.23              | 19.78      | < 33.01     |
|  |                 |                         | 1       | 1         | 19.32              | 19.87      | < 33.01     |
|  |                 |                         | 50      | 25        | 19.39              | 19.94      | < 33.01     |
|  |                 |                         | 100     | 0         | 19.25              | 19.80      | < 33.01     |
| 512000   | 2560.0          | 20                      | 1       | 0         | 19.36              | 19.91      | < 33.01     |
|  |                 |                         | 1       | 1         | 19.44              | 19.99      | < 33.01     |
|  |                 |                         | 50      | 25        | 19.41              | 19.96      | < 33.01     |
|  |                 |                         | 100     | 0         | 19.30              | 19.85      | < 33.01     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |



|               |                         |           |            |
|---------------|-------------------------|-----------|------------|
| Product       | 5G Sub-6 GHz M.2 Module | Test Site | WZ-SR6     |
| Test Engineer | Eric Xu                 | Test Date | 2020/10/18 |
| Test Band     | n12_EN-DC               |           |            |

| Channel No. | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|-------------|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| PI/2 BPSK   |                 |                         |         |           |                    |           |             |
| 140300      | 701.5           | 5                       | 1       | 0         | 23.47              | 21.12     | < 34.77     |
|             |                 |                         | 1       | 1         | 23.60              | 21.25     | < 34.77     |
|             |                 |                         | 12      | 6         | 23.51              | 21.16     | < 34.77     |
|             |                 |                         | 25      | 0         | 23.48              | 21.13     | < 34.77     |
| 141500      | 707.5           | 5                       | 1       | 0         | 23.34              | 20.99     | < 34.77     |
|             |                 |                         | 1       | 1         | 23.29              | 20.94     | < 34.77     |
|             |                 |                         | 12      | 6         | 23.39              | 21.04     | < 34.77     |
|             |                 |                         | 25      | 0         | 23.38              | 21.03     | < 34.77     |
| 142700      | 713.5           | 5                       | 1       | 0         | 23.25              | 20.90     | < 34.77     |
|             |                 |                         | 1       | 1         | 23.31              | 20.96     | < 34.77     |
|             |                 |                         | 12      | 6         | 23.51              | 21.16     | < 34.77     |
|             |                 |                         | 25      | 0         | 23.21              | 20.86     | < 34.77     |
| 140800      | 704.0           | 10                      | 1       | 0         | 23.38              | 21.03     | < 34.77     |
|             |                 |                         | 1       | 1         | 23.42              | 21.07     | < 34.77     |
|             |                 |                         | 25      | 12        | 23.40              | 21.05     | < 34.77     |
|             |                 |                         | 50      | 0         | 23.46              | 21.11     | < 34.77     |
| 141500      | 707.5           | 10                      | 1       | 0         | 23.31              | 20.96     | < 34.77     |
|             |                 |                         | 1       | 1         | 23.41              | 21.06     | < 34.77     |
|             |                 |                         | 25      | 12        | 23.32              | 20.97     | < 34.77     |
|             |                 |                         | 50      | 0         | 23.33              | 20.98     | < 34.77     |
| 142200      | 711.0           | 10                      | 1       | 0         | 23.26              | 20.91     | < 34.77     |
|             |                 |                         | 1       | 1         | 23.39              | 21.04     | < 34.77     |
|             |                 |                         | 25      | 12        | 23.24              | 20.89     | < 34.77     |
|             |                 |                         | 50      | 0         | 23.27              | 20.92     | < 34.77     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| PI/2 BPSK  |                 |                         |         |           |                    |           |             |
| 141300   | 706.5           | 15                      | 1       | 0         | 23.37              | 21.02     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.51              | 21.16     | < 34.77     |
|  |                 |                         | 36      | 18        | 23.32              | 20.97     | < 34.77     |
|  |                 |                         | 75      | 0         | 23.28              | 20.93     | < 34.77     |
| 141500   | 707.5           | 15                      | 1       | 0         | 23.33              | 20.98     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.32              | 20.97     | < 34.77     |
|  |                 |                         | 36      | 18        | 23.31              | 20.96     | < 34.77     |
|  |                 |                         | 75      | 0         | 23.26              | 20.91     | < 34.77     |
| 141700   | 708.5           | 15                      | 1       | 0         | 23.46              | 21.11     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.53              | 21.18     | < 34.77     |
|  |                 |                         | 36      | 18        | 23.33              | 20.98     | < 34.77     |
|  |                 |                         | 75      | 0         | 23.36              | 21.01     | < 34.77     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| QPSK   |                 |                         |         |           |                    |           |             |
| 140300   | 701.5           | 5                       | 1       | 0         | 23.50              | 21.15     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.43              | 21.08     | < 34.77     |
|  |                 |                         | 12      | 6         | 23.45              | 21.10     | < 34.77     |
|  |                 |                         | 25      | 0         | 23.48              | 21.13     | < 34.77     |
| 141500   | 707.5           | 5                       | 1       | 0         | 23.39              | 21.04     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.37              | 21.02     | < 34.77     |
|  |                 |                         | 12      | 6         | 23.39              | 21.04     | < 34.77     |
|  |                 |                         | 25      | 0         | 23.34              | 20.99     | < 34.77     |
| 142700   | 713.5           | 5                       | 1       | 0         | 23.30              | 20.95     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.22              | 20.87     | < 34.77     |
|  |                 |                         | 12      | 6         | 23.19              | 20.84     | < 34.77     |
|  |                 |                         | 25      | 0         | 23.28              | 20.93     | < 34.77     |
| 140800   | 704.0           | 10                      | 1       | 0         | 23.42              | 21.07     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.46              | 21.11     | < 34.77     |
|  |                 |                         | 25      | 12        | 23.44              | 21.09     | < 34.77     |
|  |                 |                         | 50      | 0         | 23.38              | 21.03     | < 34.77     |
| 141500   | 707.5           | 10                      | 1       | 0         | 23.33              | 20.98     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.25              | 20.90     | < 34.77     |
|  |                 |                         | 25      | 12        | 23.32              | 20.97     | < 34.77     |
|  |                 |                         | 50      | 0         | 23.30              | 20.95     | < 34.77     |
| 142200   | 711.0           | 10                      | 1       | 0         | 23.29              | 20.94     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.23              | 20.88     | < 34.77     |
|  |                 |                         | 25      | 12        | 23.26              | 20.91     | < 34.77     |
|  |                 |                         | 50      | 0         | 23.31              | 20.96     | < 34.77     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| QPSK   |                 |                         |         |           |                    |           |             |
| 141300   | 706.5           | 15                      | 1       | 0         | 23.36              | 21.01     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.35              | 21.00     | < 34.77     |
|  |                 |                         | 36      | 18        | 23.29              | 20.94     | < 34.77     |
|  |                 |                         | 75      | 0         | 23.30              | 20.95     | < 34.77     |
| 141500   | 707.5           | 15                      | 1       | 0         | 23.42              | 21.07     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.58              | 21.23     | < 34.77     |
|  |                 |                         | 36      | 18        | 23.25              | 20.90     | < 34.77     |
|  |                 |                         | 75      | 0         | 23.33              | 20.98     | < 34.77     |
| 141700   | 708.5           | 15                      | 1       | 0         | 23.44              | 21.09     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.41              | 21.06     | < 34.77     |
|  |                 |                         | 36      | 18        | 23.42              | 21.07     | < 34.77     |
|  |                 |                         | 75      | 0         | 23.35              | 21.00     | < 34.77     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| 16QAM  |                 |                         |         |           |                    |           |             |
| 140300   | 701.5           | 5                       | 1       | 0         | 23.61              | 21.26     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.45              | 21.10     | < 34.77     |
|  |                 |                         | 12      | 6         | 23.55              | 21.20     | < 34.77     |
|  |                 |                         | 25      | 0         | 22.51              | 20.16     | < 34.77     |
| 141500   | 707.5           | 5                       | 1       | 0         | 22.28              | 19.93     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.30              | 20.95     | < 34.77     |
|  |                 |                         | 12      | 6         | 22.50              | 20.15     | < 34.77     |
|  |                 |                         | 25      | 0         | 22.47              | 20.12     | < 34.77     |
| 142700   | 713.5           | 5                       | 1       | 0         | 22.67              | 20.32     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.65              | 21.30     | < 34.77     |
|  |                 |                         | 12      | 6         | 23.26              | 20.91     | < 34.77     |
|  |                 |                         | 25      | 0         | 22.29              | 19.94     | < 34.77     |
| 140800   | 704.0           | 10                      | 1       | 0         | 22.83              | 20.48     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.70              | 21.35     | < 34.77     |
|  |                 |                         | 25      | 12        | 23.42              | 21.07     | < 34.77     |
|  |                 |                         | 50      | 0         | 22.47              | 20.12     | < 34.77     |
| 141500   | 707.5           | 10                      | 1       | 0         | 22.79              | 20.44     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.63              | 21.28     | < 34.77     |
|  |                 |                         | 25      | 12        | 23.42              | 21.07     | < 34.77     |
|  |                 |                         | 50      | 0         | 22.39              | 20.04     | < 34.77     |
| 142200   | 711.0           | 10                      | 1       | 0         | 22.66              | 20.31     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.62              | 21.27     | < 34.77     |
|  |                 |                         | 25      | 12        | 23.29              | 20.94     | < 34.77     |
|  |                 |                         | 50      | 0         | 22.33              | 19.98     | < 34.77     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| 16QAM  |                 |                         |         |           |                    |           |             |
| 141300   | 706.5           | 15                      | 1       | 0         | 22.71              | 20.36     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.65              | 21.30     | < 34.77     |
|  |                 |                         | 36      | 18        | 23.33              | 20.98     | < 34.77     |
|  |                 |                         | 75      | 0         | 22.30              | 19.95     | < 34.77     |
| 141500   | 707.5           | 15                      | 1       | 0         | 22.76              | 20.41     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.80              | 21.45     | < 34.77     |
|  |                 |                         | 36      | 18        | 23.29              | 20.94     | < 34.77     |
|  |                 |                         | 75      | 0         | 22.30              | 19.95     | < 34.77     |
| 141700   | 708.5           | 15                      | 1       | 0         | 22.59              | 20.24     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.96              | 21.61     | < 34.77     |
|  |                 |                         | 36      | 18        | 23.36              | 21.01     | < 34.77     |
|  |                 |                         | 75      | 0         | 22.33              | 19.98     | < 34.77     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| 64QAM  |                 |                         |         |           |                    |           |             |
| 140300   | 701.5           | 5                       | 1       | 0         | 22.53              | 20.18     | < 34.77     |
|  |                 |                         | 1       | 1         | 22.56              | 20.21     | < 34.77     |
|  |                 |                         | 12      | 6         | 22.06              | 19.71     | < 34.77     |
|  |                 |                         | 25      | 0         | 21.97              | 19.62     | < 34.77     |
| 141500   | 707.5           | 5                       | 1       | 0         | 22.18              | 19.83     | < 34.77     |
|  |                 |                         | 1       | 1         | 22.23              | 19.88     | < 34.77     |
|  |                 |                         | 12      | 6         | 21.92              | 19.57     | < 34.77     |
|  |                 |                         | 25      | 0         | 21.81              | 19.46     | < 34.77     |
| 142700   | 713.5           | 5                       | 1       | 0         | 22.28              | 19.93     | < 34.77     |
|  |                 |                         | 1       | 1         | 22.29              | 19.94     | < 34.77     |
|  |                 |                         | 12      | 6         | 21.75              | 19.40     | < 34.77     |
|  |                 |                         | 25      | 0         | 21.71              | 19.36     | < 34.77     |
| 140800   | 704.0           | 10                      | 1       | 0         | 21.98              | 19.63     | < 34.77     |
|  |                 |                         | 1       | 1         | 22.02              | 19.67     | < 34.77     |
|  |                 |                         | 25      | 12        | 21.77              | 19.42     | < 34.77     |
|  |                 |                         | 50      | 0         | 22.05              | 19.70     | < 34.77     |
| 141500   | 707.5           | 10                      | 1       | 0         | 22.13              | 19.78     | < 34.77     |
|  |                 |                         | 1       | 1         | 22.25              | 19.90     | < 34.77     |
|  |                 |                         | 25      | 12        | 21.85              | 19.50     | < 34.77     |
|  |                 |                         | 50      | 0         | 21.84              | 19.49     | < 34.77     |
| 142200   | 711.0           | 10                      | 1       | 0         | 21.87              | 19.52     | < 34.77     |
|  |                 |                         | 1       | 1         | 21.89              | 19.54     | < 34.77     |
|  |                 |                         | 25      | 12        | 21.77              | 19.42     | < 34.77     |
|  |                 |                         | 50      | 0         | 21.76              | 19.41     | < 34.77     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| 64QAM  |                 |                         |         |           |                    |           |             |
| 141300   | 706.5           | 15                      | 1       | 0         | 22.01              | 19.66     | < 34.77     |
|  |                 |                         | 1       | 1         | 21.95              | 19.60     | < 34.77     |
|  |                 |                         | 36      | 18        | 21.80              | 19.45     | < 34.77     |
|  |                 |                         | 75      | 0         | 21.77              | 19.42     | < 34.77     |
| 141500   | 707.5           | 15                      | 1       | 0         | 22.04              | 19.69     | < 34.77     |
|  |                 |                         | 1       | 1         | 22.03              | 19.68     | < 34.77     |
|  |                 |                         | 36      | 18        | 21.80              | 19.45     | < 34.77     |
|  |                 |                         | 75      | 0         | 21.78              | 19.43     | < 34.77     |
| 141700   | 708.5           | 15                      | 1       | 0         | 22.05              | 19.70     | < 34.77     |
|  |                 |                         | 1       | 1         | 22.03              | 19.68     | < 34.77     |
|  |                 |                         | 36      | 18        | 21.91              | 19.56     | < 34.77     |
|  |                 |                         | 75      | 0         | 21.81              | 19.46     | < 34.77     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |



| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| 256QAM   |                 |                         |         |           |                    |           |             |
| 140300   | 701.5           | 5                       | 1       | 0         | 19.83              | 17.48     | < 34.77     |
|  |                 |                         | 1       | 1         | 19.78              | 17.43     | < 34.77     |
|  |                 |                         | 12      | 6         | 19.79              | 17.44     | < 34.77     |
|  |                 |                         | 25      | 0         | 19.85              | 17.50     | < 34.77     |
| 141500   | 707.5           | 5                       | 1       | 0         | 19.78              | 17.43     | < 34.77     |
|  |                 |                         | 1       | 1         | 19.93              | 17.58     | < 34.77     |
|  |                 |                         | 12      | 6         | 19.89              | 17.54     | < 34.77     |
|  |                 |                         | 25      | 0         | 19.80              | 17.45     | < 34.77     |
| 142700   | 713.5           | 5                       | 1       | 0         | 19.73              | 17.38     | < 34.77     |
|  |                 |                         | 1       | 1         | 19.75              | 17.40     | < 34.77     |
|  |                 |                         | 12      | 6         | 19.62              | 17.27     | < 34.77     |
|  |                 |                         | 25      | 0         | 19.64              | 17.29     | < 34.77     |
| 140800   | 704.0           | 10                      | 1       | 0         | 19.65              | 17.30     | < 34.77     |
|  |                 |                         | 1       | 1         | 19.72              | 17.37     | < 34.77     |
|  |                 |                         | 25      | 12        | 19.82              | 17.47     | < 34.77     |
|  |                 |                         | 50      | 0         | 19.79              | 17.44     | < 34.77     |
| 141500   | 707.5           | 10                      | 1       | 0         | 19.72              | 17.37     | < 34.77     |
|  |                 |                         | 1       | 1         | 19.73              | 17.38     | < 34.77     |
|  |                 |                         | 25      | 12        | 19.72              | 17.37     | < 34.77     |
|  |                 |                         | 50      | 0         | 19.82              | 17.47     | < 34.77     |
| 142200   | 711.0           | 10                      | 1       | 0         | 19.72              | 17.37     | < 34.77     |
|  |                 |                         | 1       | 1         | 19.78              | 17.43     | < 34.77     |
|  |                 |                         | 25      | 12        | 19.75              | 17.40     | < 34.77     |
|  |                 |                         | 50      | 0         | 19.77              | 17.42     | < 34.77     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| 256QAM   |                 |                         |         |           |                    |           |             |
| 141300   | 706.5           | 15                      | 1       | 0         | 19.94              | 17.59     | < 34.77     |
|  |                 |                         | 1       | 1         | 19.97              | 17.62     | < 34.77     |
|  |                 |                         | 36      | 18        | 19.78              | 17.43     | < 34.77     |
|  |                 |                         | 75      | 0         | 19.80              | 17.45     | < 34.77     |
| 141500   | 707.5           | 15                      | 1       | 0         | 19.93              | 17.58     | < 34.77     |
|  |                 |                         | 1       | 1         | 19.94              | 17.59     | < 34.77     |
|  |                 |                         | 36      | 18        | 19.79              | 17.44     | < 34.77     |
|  |                 |                         | 75      | 0         | 19.73              | 17.38     | < 34.77     |
| 141700   | 708.5           | 15                      | 1       | 0         | 19.75              | 17.40     | < 34.77     |
|  |                 |                         | 1       | 1         | 20.21              | 17.86     | < 34.77     |
|  |                 |                         | 36      | 18        | 19.81              | 17.46     | < 34.77     |
|  |                 |                         | 75      | 0         | 19.78              | 17.43     | < 34.77     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |

|               |                         |           |            |
|---------------|-------------------------|-----------|------------|
| Product       | 5G Sub-6 GHz M.2 Module | Test Site | WZ-SR6     |
| Test Engineer | Eric Xu                 | Test Date | 2020/10/19 |
| Test Band     | n66_EN-DC               |           |            |

| Channel No. | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| PI/2 BPSK   |                 |                         |         |           |                    |            |             |
| 342500      | 1712.5          | 5                       | 1       | 0         | 22.69              | 24.16      | < 30.00     |
|             |                 |                         | 1       | 1         | 22.59              | 24.06      | < 30.00     |
|             |                 |                         | 12      | 6         | 22.86              | 24.33      | < 30.00     |
|             |                 |                         | 25      | 0         | 22.83              | 24.30      | < 30.00     |
| 349000      | 1745.0          | 5                       | 1       | 0         | 22.66              | 24.13      | < 30.00     |
|             |                 |                         | 1       | 1         | 22.65              | 24.12      | < 30.00     |
|             |                 |                         | 12      | 6         | 22.81              | 24.28      | < 30.00     |
|             |                 |                         | 25      | 0         | 22.89              | 24.36      | < 30.00     |
| 355500      | 1777.5          | 5                       | 1       | 0         | 22.56              | 24.03      | < 30.00     |
|             |                 |                         | 1       | 1         | 22.57              | 24.04      | < 30.00     |
|             |                 |                         | 12      | 6         | 22.69              | 24.16      | < 30.00     |
|             |                 |                         | 25      | 0         | 22.73              | 24.20      | < 30.00     |
| 343000      | 1715.0          | 10                      | 1       | 0         | 22.64              | 24.11      | < 30.00     |
|             |                 |                         | 1       | 1         | 22.68              | 24.15      | < 30.00     |
|             |                 |                         | 25      | 12        | 22.93              | 24.40      | < 30.00     |
|             |                 |                         | 50      | 0         | 22.79              | 24.26      | < 30.00     |
| 349000      | 1745.0          | 10                      | 1       | 0         | 22.45              | 23.92      | < 30.00     |
|             |                 |                         | 1       | 1         | 22.26              | 23.73      | < 30.00     |
|             |                 |                         | 25      | 12        | 22.35              | 23.82      | < 30.00     |
|             |                 |                         | 50      | 0         | 22.33              | 23.80      | < 30.00     |
| 355000      | 1775.0          | 10                      | 1       | 0         | 22.85              | 24.32      | < 30.00     |
|             |                 |                         | 1       | 1         | 22.65              | 24.12      | < 30.00     |
|             |                 |                         | 25      | 12        | 22.77              | 24.24      | < 30.00     |
|             |                 |                         | 50      | 0         | 22.66              | 24.13      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| PI/2 BPSK  |                 |                         |         |           |                    |            |             |
| 343500   | 1717.5          | 15                      | 1       | 0         | 22.81              | 24.28      | < 30.00     |
|  |                 |                         | 1       | 1         | 22.69              | 24.16      | < 30.00     |
|  |                 |                         | 36      | 18        | 22.81              | 24.28      | < 30.00     |
|  |                 |                         | 75      | 0         | 22.74              | 24.21      | < 30.00     |
| 349000   | 1745.0          | 15                      | 1       | 0         | 22.68              | 24.15      | < 30.00     |
|  |                 |                         | 1       | 1         | 22.72              | 24.19      | < 30.00     |
|  |                 |                         | 36      | 18        | 22.70              | 24.17      | < 30.00     |
|  |                 |                         | 75      | 0         | 22.76              | 24.23      | < 30.00     |
| 354500   | 1772.5          | 15                      | 1       | 0         | 22.69              | 24.16      | < 30.00     |
|  |                 |                         | 1       | 1         | 22.61              | 24.08      | < 30.00     |
|  |                 |                         | 36      | 18        | 22.60              | 24.07      | < 30.00     |
|  |                 |                         | 75      | 0         | 22.62              | 24.09      | < 30.00     |
| 344000   | 1720.0          | 20                      | 1       | 0         | 22.89              | 24.36      | < 30.00     |
|  |                 |                         | 1       | 1         | 22.79              | 24.26      | < 30.00     |
|  |                 |                         | 50      | 25        | 22.67              | 24.14      | < 30.00     |
|  |                 |                         | 100     | 0         | 22.80              | 24.27      | < 30.00     |
| 349000   | 1745.0          | 20                      | 1       | 0         | 22.88              | 24.35      | < 30.00     |
|  |                 |                         | 1       | 1         | 22.79              | 24.26      | < 30.00     |
|  |                 |                         | 50      | 25        | 22.76              | 24.23      | < 30.00     |
|  |                 |                         | 100     | 0         | 22.91              | 24.38      | < 30.00     |
| 354000   | 1770.0          | 20                      | 1       | 0         | 22.78              | 24.25      | < 30.00     |
|  |                 |                         | 1       | 1         | 22.69              | 24.16      | < 30.00     |
|  |                 |                         | 50      | 25        | 22.85              | 24.32      | < 30.00     |
|  |                 |                         | 100     | 0         | 22.78              | 24.25      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| QPSK   |                 |                         |         |           |                    |            |             |
| 342500   | 1712.5          | 5                       | 1       | 0         | 22.69              | 24.16      | < 30.00     |
|  |                 |                         | 1       | 1         | 22.63              | 24.10      | < 30.00     |
|  |                 |                         | 12      | 6         | 22.77              | 24.24      | < 30.00     |
|  |                 |                         | 25      | 0         | 22.79              | 24.26      | < 30.00     |
| 349000   | 1745.0          | 5                       | 1       | 0         | 22.66              | 24.13      | < 30.00     |
|  |                 |                         | 1       | 1         | 22.69              | 24.16      | < 30.00     |
|  |                 |                         | 12      | 6         | 22.78              | 24.25      | < 30.00     |
|  |                 |                         | 25      | 0         | 22.88              | 24.35      | < 30.00     |
| 355500   | 1777.5          | 5                       | 1       | 0         | 22.59              | 24.06      | < 30.00     |
|  |                 |                         | 1       | 1         | 22.53              | 24.00      | < 30.00     |
|  |                 |                         | 12      | 6         | 22.69              | 24.16      | < 30.00     |
|  |                 |                         | 25      | 0         | 22.62              | 24.09      | < 30.00     |
| 343000   | 1715.0          | 10                      | 1       | 0         | 22.80              | 24.27      | < 30.00     |
|  |                 |                         | 1       | 1         | 22.83              | 24.30      | < 30.00     |
|  |                 |                         | 25      | 12        | 22.91              | 24.38      | < 30.00     |
|  |                 |                         | 50      | 0         | 22.81              | 24.28      | < 30.00     |
| 349000   | 1745.0          | 10                      | 1       | 0         | 22.79              | 24.26      | < 30.00     |
|  |                 |                         | 1       | 1         | 22.85              | 24.32      | < 30.00     |
|  |                 |                         | 25      | 12        | 22.86              | 24.33      | < 30.00     |
|  |                 |                         | 50      | 0         | 22.63              | 24.10      | < 30.00     |
| 355000   | 1775.0          | 10                      | 1       | 0         | 22.61              | 24.08      | < 30.00     |
|  |                 |                         | 1       | 1         | 22.53              | 24.00      | < 30.00     |
|  |                 |                         | 25      | 12        | 22.56              | 24.03      | < 30.00     |
|  |                 |                         | 50      | 0         | 22.58              | 24.05      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No. | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| QPSK        |                 |                         |         |           |                    |            |             |
| 343500      | 1717.5          | 15                      | 1       | 0         | 22.87              | 24.34      | < 30.00     |
|             |                 |                         | 1       | 1         | 22.85              | 24.32      | < 30.00     |
|             |                 |                         | 36      | 18        | 22.88              | 24.35      | < 30.00     |
|             |                 |                         | 75      | 0         | 23.01              | 24.48      | < 30.00     |
| 349000      | 1745.0          | 15                      | 1       | 0         | 22.78              | 24.25      | < 30.00     |
|             |                 |                         | 1       | 1         | 22.75              | 24.22      | < 30.00     |
|             |                 |                         | 36      | 18        | 22.75              | 24.22      | < 30.00     |
|             |                 |                         | 75      | 0         | 22.82              | 24.29      | < 30.00     |
| 354500      | 1772.5          | 15                      | 1       | 0         | 22.62              | 24.09      | < 30.00     |
|             |                 |                         | 1       | 1         | 22.58              | 24.05      | < 30.00     |
|             |                 |                         | 36      | 18        | 22.61              | 24.08      | < 30.00     |
|             |                 |                         | 75      | 0         | 22.67              | 24.14      | < 30.00     |
| 344000      | 1720.0          | 20                      | 1       | 0         | 22.88              | 24.35      | < 30.00     |
|             |                 |                         | 1       | 1         | 23.20              | 24.67      | < 30.00     |
|             |                 |                         | 50      | 25        | 22.87              | 24.34      | < 30.00     |
|             |                 |                         | 100     | 0         | 22.89              | 24.36      | < 30.00     |
| 349000      | 1745.0          | 20                      | 1       | 0         | 22.83              | 24.30      | < 30.00     |
|             |                 |                         | 1       | 1         | 22.83              | 24.30      | < 30.00     |
|             |                 |                         | 50      | 25        | 22.67              | 24.14      | < 30.00     |
|             |                 |                         | 100     | 0         | 22.80              | 24.27      | < 30.00     |
| 354000      | 1770.0          | 20                      | 1       | 0         | 22.71              | 24.18      | < 30.00     |
|             |                 |                         | 1       | 1         | 22.60              | 24.07      | < 30.00     |
|             |                 |                         | 50      | 25        | 22.78              | 24.25      | < 30.00     |
|             |                 |                         | 100     | 0         | 22.77              | 24.24      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 16QAM  |                 |                         |         |           |                    |            |             |
| 342500   | 1712.5          | 5                       | 1       | 0         | 21.72              | 23.19      | < 30.00     |
|  |                 |                         | 1       | 1         | 22.49              | 23.96      | < 30.00     |
|  |                 |                         | 12      | 6         | 22.87              | 24.34      | < 30.00     |
|  |                 |                         | 25      | 0         | 21.87              | 23.34      | < 30.00     |
| 349000   | 1745.0          | 5                       | 1       | 0         | 21.90              | 23.37      | < 30.00     |
|  |                 |                         | 1       | 1         | 23.10              | 24.57      | < 30.00     |
|  |                 |                         | 12      | 6         | 22.92              | 24.39      | < 30.00     |
|  |                 |                         | 25      | 0         | 21.90              | 23.37      | < 30.00     |
| 355500   | 1777.5          | 5                       | 1       | 0         | 21.31              | 22.78      | < 30.00     |
|  |                 |                         | 1       | 1         | 22.46              | 23.93      | < 30.00     |
|  |                 |                         | 12      | 6         | 22.64              | 24.11      | < 30.00     |
|  |                 |                         | 25      | 0         | 21.74              | 23.21      | < 30.00     |
| 343000   | 1715.0          | 10                      | 1       | 0         | 21.57              | 23.04      | < 30.00     |
|  |                 |                         | 1       | 1         | 22.62              | 24.09      | < 30.00     |
|  |                 |                         | 25      | 12        | 22.76              | 24.23      | < 30.00     |
|  |                 |                         | 50      | 0         | 21.77              | 23.24      | < 30.00     |
| 349000   | 1745.0          | 10                      | 1       | 0         | 21.69              | 23.16      | < 30.00     |
|  |                 |                         | 1       | 1         | 22.67              | 24.14      | < 30.00     |
|  |                 |                         | 25      | 12        | 22.59              | 24.06      | < 30.00     |
|  |                 |                         | 50      | 0         | 22.45              | 23.92      | < 30.00     |
| 355000   | 1775.0          | 10                      | 1       | 0         | 22.23              | 23.70      | < 30.00     |
|  |                 |                         | 1       | 1         | 22.36              | 23.83      | < 30.00     |
|  |                 |                         | 25      | 12        | 22.63              | 24.10      | < 30.00     |
|  |                 |                         | 50      | 0         | 22.68              | 24.15      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No. | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|-------------|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 16QAM       |                 |                         |         |           |                    |            |             |
| 343500      | 1717.5          | 15                      | 1       | 0         | 21.67              | 23.14      | < 30.00     |
|             |                 |                         | 1       | 1         | 22.68              | 24.15      | < 30.00     |
|             |                 |                         | 36      | 18        | 22.96              | 24.43      | < 30.00     |
|             |                 |                         | 75      | 0         | 22.01              | 23.48      | < 30.00     |
| 349000      | 1745.0          | 15                      | 1       | 0         | 21.91              | 23.38      | < 30.00     |
|             |                 |                         | 1       | 1         | 23.04              | 24.51      | < 30.00     |
|             |                 |                         | 36      | 18        | 22.68              | 24.15      | < 30.00     |
|             |                 |                         | 75      | 0         | 21.77              | 23.24      | < 30.00     |
| 354500      | 1772.5          | 15                      | 1       | 0         | 22.25              | 23.72      | < 30.00     |
|             |                 |                         | 1       | 1         | 22.52              | 23.99      | < 30.00     |
|             |                 |                         | 36      | 18        | 22.68              | 24.15      | < 30.00     |
|             |                 |                         | 75      | 0         | 22.68              | 24.15      | < 30.00     |
| 344000      | 1720.0          | 20                      | 1       | 0         | 21.77              | 23.24      | < 30.00     |
|             |                 |                         | 1       | 1         | 22.76              | 24.23      | < 30.00     |
|             |                 |                         | 50      | 25        | 22.86              | 24.33      | < 30.00     |
|             |                 |                         | 100     | 0         | 21.82              | 23.29      | < 30.00     |
| 349000      | 1745.0          | 20                      | 1       | 0         | 22.00              | 23.47      | < 30.00     |
|             |                 |                         | 1       | 1         | 23.09              | 24.56      | < 30.00     |
|             |                 |                         | 50      | 25        | 22.76              | 24.23      | < 30.00     |
|             |                 |                         | 100     | 0         | 21.75              | 23.22      | < 30.00     |
| 354000      | 1770.0          | 20                      | 1       | 0         | 22.70              | 24.17      | < 30.00     |
|             |                 |                         | 1       | 1         | 22.59              | 24.06      | < 30.00     |
|             |                 |                         | 50      | 25        | 22.75              | 24.22      | < 30.00     |
|             |                 |                         | 100     | 0         | 22.68              | 24.15      | < 30.00     |

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 64QAM  |                 |                         |         |           |                    |            |             |
| 342500   | 1712.5          | 5                       | 1       | 0         | 21.72              | 23.19      | < 30.00     |
|  |                 |                         | 1       | 1         | 21.38              | 22.85      | < 30.00     |
|  |                 |                         | 12      | 6         | 21.34              | 22.81      | < 30.00     |
|  |                 |                         | 25      | 0         | 21.37              | 22.84      | < 30.00     |
| 349000   | 1745.0          | 5                       | 1       | 0         | 21.52              | 22.99      | < 30.00     |
|  |                 |                         | 1       | 1         | 21.45              | 22.92      | < 30.00     |
|  |                 |                         | 12      | 6         | 21.39              | 22.86      | < 30.00     |
|  |                 |                         | 25      | 0         | 21.41              | 22.88      | < 30.00     |
| 355500   | 1777.5          | 5                       | 1       | 0         | 21.39              | 22.86      | < 30.00     |
|  |                 |                         | 1       | 1         | 21.41              | 22.88      | < 30.00     |
|  |                 |                         | 12      | 6         | 22.22              | 23.69      | < 30.00     |
|  |                 |                         | 25      | 0         | 21.15              | 22.62      | < 30.00     |
| 343000   | 1715.0          | 10                      | 1       | 0         | 21.45              | 22.92      | < 30.00     |
|  |                 |                         | 1       | 1         | 21.49              | 22.96      | < 30.00     |
|  |                 |                         | 25      | 12        | 21.28              | 22.75      | < 30.00     |
|  |                 |                         | 50      | 0         | 21.21              | 22.68      | < 30.00     |
| 349000   | 1745.0          | 10                      | 1       | 0         | 21.44              | 22.91      | < 30.00     |
|  |                 |                         | 1       | 1         | 21.25              | 22.72      | < 30.00     |
|  |                 |                         | 25      | 12        | 21.46              | 22.93      | < 30.00     |
|  |                 |                         | 50      | 0         | 21.33              | 22.80      | < 30.00     |
| 355000   | 1775.0          | 10                      | 1       | 0         | 21.29              | 22.76      | < 30.00     |
|  |                 |                         | 1       | 1         | 21.31              | 22.78      | < 30.00     |
|  |                 |                         | 25      | 12        | 21.16              | 22.63      | < 30.00     |
|  |                 |                         | 50      | 0         | 21.13              | 22.60      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 64QAM  |                 |                         |         |           |                    |            |             |
| 343500   | 1717.5          | 15                      | 1       | 0         | 21.57              | 23.04      | < 30.00     |
|  |                 |                         | 1       | 1         | 21.59              | 23.06      | < 30.00     |
|  |                 |                         | 36      | 18        | 21.36              | 22.83      | < 30.00     |
|  |                 |                         | 75      | 0         | 21.32              | 22.79      | < 30.00     |
| 349000   | 1745.0          | 15                      | 1       | 0         | 21.76              | 23.23      | < 30.00     |
|  |                 |                         | 1       | 1         | 21.66              | 23.13      | < 30.00     |
|  |                 |                         | 36      | 18        | 21.25              | 22.72      | < 30.00     |
|  |                 |                         | 75      | 0         | 21.27              | 22.74      | < 30.00     |
| 354500   | 1772.5          | 15                      | 1       | 0         | 21.58              | 23.05      | < 30.00     |
|  |                 |                         | 1       | 1         | 21.56              | 23.03      | < 30.00     |
|  |                 |                         | 36      | 18        | 21.19              | 22.66      | < 30.00     |
|  |                 |                         | 75      | 0         | 21.18              | 22.65      | < 30.00     |
| 344000   | 1720.0          | 20                      | 1       | 0         | 21.68              | 23.15      | < 30.00     |
|  |                 |                         | 1       | 1         | 21.60              | 23.07      | < 30.00     |
|  |                 |                         | 50      | 25        | 21.38              | 22.85      | < 30.00     |
|  |                 |                         | 100     | 0         | 21.43              | 22.90      | < 30.00     |
| 349000   | 1745.0          | 20                      | 1       | 0         | 21.63              | 23.10      | < 30.00     |
|  |                 |                         | 1       | 1         | 21.75              | 23.22      | < 30.00     |
|  |                 |                         | 50      | 25        | 21.17              | 22.64      | < 30.00     |
|  |                 |                         | 100     | 0         | 21.22              | 22.69      | < 30.00     |
| 354000   | 1770.0          | 20                      | 1       | 0         | 21.62              | 23.09      | < 30.00     |
|  |                 |                         | 1       | 1         | 21.50              | 22.97      | < 30.00     |
|  |                 |                         | 50      | 25        | 21.15              | 22.62      | < 30.00     |
|  |                 |                         | 100     | 0         | 21.21              | 22.68      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 256QAM   |                 |                         |         |           |                    |            |             |
| 342500   | 1712.5          | 5                       | 1       | 0         | 19.21              | 20.68      | < 30.00     |
|  |                 |                         | 1       | 1         | 19.23              | 20.70      | < 30.00     |
|  |                 |                         | 12      | 6         | 19.29              | 20.76      | < 30.00     |
|  |                 |                         | 25      | 0         | 19.27              | 20.74      | < 30.00     |
| 349000   | 1745.0          | 5                       | 1       | 0         | 19.23              | 20.70      | < 30.00     |
|  |                 |                         | 1       | 1         | 19.16              | 20.63      | < 30.00     |
|  |                 |                         | 12      | 6         | 19.25              | 20.72      | < 30.00     |
|  |                 |                         | 25      | 0         | 19.29              | 20.76      | < 30.00     |
| 355500   | 1777.5          | 5                       | 1       | 0         | 19.25              | 20.72      | < 30.00     |
|  |                 |                         | 1       | 1         | 19.27              | 20.74      | < 30.00     |
|  |                 |                         | 12      | 6         | 19.35              | 20.82      | < 30.00     |
|  |                 |                         | 25      | 0         | 19.31              | 20.78      | < 30.00     |
| 343000   | 1715.0          | 10                      | 1       | 0         | 19.24              | 20.71      | < 30.00     |
|  |                 |                         | 1       | 1         | 19.65              | 21.12      | < 30.00     |
|  |                 |                         | 25      | 12        | 19.58              | 21.05      | < 30.00     |
|  |                 |                         | 50      | 0         | 19.35              | 20.82      | < 30.00     |
| 349000   | 1745.0          | 10                      | 1       | 0         | 19.33              | 20.80      | < 30.00     |
|  |                 |                         | 1       | 1         | 19.25              | 20.72      | < 30.00     |
|  |                 |                         | 25      | 12        | 19.36              | 20.83      | < 30.00     |
|  |                 |                         | 50      | 0         | 19.67              | 21.14      | < 30.00     |
| 355000   | 1775.0          | 10                      | 1       | 0         | 19.36              | 20.83      | < 30.00     |
|  |                 |                         | 1       | 1         | 19.38              | 20.85      | < 30.00     |
|  |                 |                         | 25      | 12        | 19.11              | 20.58      | < 30.00     |
|  |                 |                         | 50      | 0         | 19.11              | 20.58      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | EIRP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|------------|-------------|
| 256QAM   |                 |                         |         |           |                    |            |             |
| 343500   | 1717.5          | 15                      | 1       | 0         | 19.29              | 20.76      | < 30.00     |
|  |                 |                         | 1       | 1         | 19.30              | 20.77      | < 30.00     |
|  |                 |                         | 36      | 18        | 19.31              | 20.78      | < 30.00     |
|  |                 |                         | 75      | 0         | 19.40              | 20.87      | < 30.00     |
| 349000   | 1745.0          | 15                      | 1       | 0         | 18.99              | 20.46      | < 30.00     |
|  |                 |                         | 1       | 1         | 18.91              | 20.38      | < 30.00     |
|  |                 |                         | 36      | 18        | 19.18              | 20.65      | < 30.00     |
|  |                 |                         | 75      | 0         | 19.18              | 20.65      | < 30.00     |
| 354500   | 1772.5          | 15                      | 1       | 0         | 19.41              | 20.88      | < 30.00     |
|  |                 |                         | 1       | 1         | 19.32              | 20.79      | < 30.00     |
|  |                 |                         | 36      | 18        | 19.33              | 20.80      | < 30.00     |
|  |                 |                         | 75      | 0         | 19.27              | 20.74      | < 30.00     |
| 344000   | 1720.0          | 20                      | 1       | 0         | 19.30              | 20.77      | < 30.00     |
|  |                 |                         | 1       | 1         | 19.31              | 20.78      | < 30.00     |
|  |                 |                         | 50      | 25        | 19.38              | 20.85      | < 30.00     |
|  |                 |                         | 100     | 0         | 19.43              | 20.90      | < 30.00     |
| 349000   | 1745.0          | 20                      | 1       | 0         | 19.15              | 20.62      | < 30.00     |
|  |                 |                         | 1       | 1         | 19.06              | 20.53      | < 30.00     |
|  |                 |                         | 50      | 25        | 19.22              | 20.69      | < 30.00     |
|  |                 |                         | 100     | 0         | 19.28              | 20.75      | < 30.00     |
| 354000   | 1770.0          | 20                      | 1       | 0         | 19.33              | 20.80      | < 30.00     |
|  |                 |                         | 1       | 1         | 19.54              | 21.01      | < 30.00     |
|  |                 |                         | 50      | 25        | 19.44              | 20.91      | < 30.00     |
|  |                 |                         | 100     | 0         | 19.27              | 20.74      | < 30.00     |
| Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi) |                 |                         |         |           |                    |            |             |

|               |                         |           |            |
|---------------|-------------------------|-----------|------------|
| Product       | 5G Sub-6 GHz M.2 Module | Test Site | WZ-SR6     |
| Test Engineer | Eric Xu                 | Test Date | 2020/10/19 |
| Test Band     | n71_EN-DC               |           |            |

| Channel No. | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|-------------|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| PI/2 BPSK   |                 |                         |         |           |                    |           |             |
| 133100      | 665.5           | 5                       | 1       | 0         | 23.59              | 22.66     | < 34.77     |
|             |                 |                         | 1       | 1         | 23.54              | 22.61     | < 34.77     |
|             |                 |                         | 12      | 6         | 23.65              | 22.72     | < 34.77     |
|             |                 |                         | 25      | 0         | 23.71              | 22.78     | < 34.77     |
| 136100      | 680.5           | 5                       | 1       | 0         | 23.44              | 22.51     | < 34.77     |
|             |                 |                         | 1       | 1         | 23.65              | 22.72     | < 34.77     |
|             |                 |                         | 12      | 6         | 23.41              | 22.48     | < 34.77     |
|             |                 |                         | 25      | 0         | 23.45              | 22.52     | < 34.77     |
| 139100      | 695.5           | 5                       | 1       | 0         | 23.37              | 22.44     | < 34.77     |
|             |                 |                         | 1       | 1         | 23.32              | 22.39     | < 34.77     |
|             |                 |                         | 12      | 6         | 23.27              | 22.34     | < 34.77     |
|             |                 |                         | 25      | 0         | 23.42              | 22.49     | < 34.77     |
| 133600      | 668.0           | 10                      | 1       | 0         | 23.70              | 22.77     | < 34.77     |
|             |                 |                         | 1       | 1         | 23.55              | 22.62     | < 34.77     |
|             |                 |                         | 25      | 12        | 23.68              | 22.75     | < 34.77     |
|             |                 |                         | 50      | 0         | 23.57              | 22.64     | < 34.77     |
| 136100      | 680.5           | 10                      | 1       | 0         | 23.48              | 22.55     | < 34.77     |
|             |                 |                         | 1       | 1         | 23.52              | 22.59     | < 34.77     |
|             |                 |                         | 25      | 12        | 23.44              | 22.51     | < 34.77     |
|             |                 |                         | 50      | 0         | 23.47              | 22.54     | < 34.77     |
| 138600      | 693.0           | 10                      | 1       | 0         | 23.40              | 22.47     | < 34.77     |
|             |                 |                         | 1       | 1         | 23.52              | 22.59     | < 34.77     |
|             |                 |                         | 25      | 12        | 23.42              | 22.49     | < 34.77     |
|             |                 |                         | 50      | 0         | 23.35              | 22.42     | < 34.77     |

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| PI/2 BPSK  |                 |                         |         |           |                    |           |             |
| 134100   | 670.5           | 15                      | 1       | 0         | 23.78              | 22.85     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.74              | 22.81     | < 34.77     |
|  |                 |                         | 36      | 18        | 23.62              | 22.69     | < 34.77     |
|  |                 |                         | 75      | 0         | 23.59              | 22.66     | < 34.77     |
| 136100   | 680.5           | 15                      | 1       | 0         | 23.54              | 22.61     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.67              | 22.74     | < 34.77     |
|  |                 |                         | 36      | 18        | 23.52              | 22.59     | < 34.77     |
|  |                 |                         | 75      | 0         | 23.45              | 22.52     | < 34.77     |
| 138100   | 690.5           | 15                      | 1       | 0         | 23.51              | 22.58     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.46              | 22.53     | < 34.77     |
|  |                 |                         | 36      | 18        | 23.34              | 22.41     | < 34.77     |
|  |                 |                         | 75      | 0         | 23.30              | 22.37     | < 34.77     |
| 134600   | 673.0           | 20                      | 1       | 0         | 23.75              | 22.82     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.73              | 22.80     | < 34.77     |
|  |                 |                         | 50      | 25        | 23.51              | 22.58     | < 34.77     |
|  |                 |                         | 100     | 0         | 23.61              | 22.68     | < 34.77     |
| 136100   | 680.5           | 20                      | 1       | 0         | 23.66              | 22.73     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.49              | 22.56     | < 34.77     |
|  |                 |                         | 50      | 25        | 23.47              | 22.54     | < 34.77     |
|  |                 |                         | 100     | 0         | 23.41              | 22.48     | < 34.77     |
| 137600   | 688.0           | 20                      | 1       | 0         | 23.51              | 22.58     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.59              | 22.66     | < 34.77     |
|  |                 |                         | 50      | 25        | 23.37              | 22.44     | < 34.77     |
|  |                 |                         | 100     | 0         | 23.33              | 22.40     | < 34.77     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| QPSK   |                 |                         |         |           |                    |           |             |
| 133100   | 665.5           | 5                       | 1       | 0         | 23.63              | 22.70     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.60              | 22.67     | < 34.77     |
|  |                 |                         | 12      | 6         | 23.59              | 22.66     | < 34.77     |
|  |                 |                         | 25      | 0         | 23.56              | 22.63     | < 34.77     |
| 136100   | 680.5           | 5                       | 1       | 0         | 23.47              | 22.54     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.49              | 22.56     | < 34.77     |
|  |                 |                         | 12      | 6         | 23.48              | 22.55     | < 34.77     |
|  |                 |                         | 25      | 0         | 23.49              | 22.56     | < 34.77     |
| 139100   | 695.5           | 5                       | 1       | 0         | 23.33              | 22.40     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.30              | 22.37     | < 34.77     |
|  |                 |                         | 12      | 6         | 23.37              | 22.44     | < 34.77     |
|  |                 |                         | 25      | 0         | 23.31              | 22.38     | < 34.77     |
| 133600   | 668.0           | 10                      | 1       | 0         | 23.71              | 22.78     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.57              | 22.64     | < 34.77     |
|  |                 |                         | 25      | 12        | 23.60              | 22.67     | < 34.77     |
|  |                 |                         | 50      | 0         | 23.59              | 22.66     | < 34.77     |
| 136100   | 680.5           | 10                      | 1       | 0         | 23.44              | 22.51     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.46              | 22.53     | < 34.77     |
|  |                 |                         | 25      | 12        | 23.47              | 22.54     | < 34.77     |
|  |                 |                         | 50      | 0         | 23.48              | 22.55     | < 34.77     |
| 138600   | 693.0           | 10                      | 1       | 0         | 23.50              | 22.57     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.41              | 22.48     | < 34.77     |
|  |                 |                         | 25      | 12        | 23.41              | 22.48     | < 34.77     |
|  |                 |                         | 50      | 0         | 23.32              | 22.39     | < 34.77     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |

| Channel No.  | Frequency (MHz) | Channel Bandwidth (MHz) | RB Size | RB Offset | Output Power (dBm) | ERP (dBm) | Limit (dBm) |
|--|-----------------|-------------------------|---------|-----------|--------------------|-----------|-------------|
| QPSK   |                 |                         |         |           |                    |           |             |
| 134100   | 670.5           | 15                      | 1       | 0         | 23.80              | 22.87     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.72              | 22.79     | < 34.77     |
|  |                 |                         | 36      | 18        | 23.62              | 22.69     | < 34.77     |
|  |                 |                         | 75      | 0         | 23.63              | 22.70     | < 34.77     |
| 136100   | 680.5           | 15                      | 1       | 0         | 23.47              | 22.54     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.46              | 22.53     | < 34.77     |
|  |                 |                         | 36      | 18        | 23.45              | 22.52     | < 34.77     |
|  |                 |                         | 75      | 0         | 23.50              | 22.57     | < 34.77     |
| 138100   | 690.5           | 15                      | 1       | 0         | 23.51              | 22.58     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.43              | 22.50     | < 34.77     |
|  |                 |                         | 36      | 18        | 23.38              | 22.45     | < 34.77     |
|  |                 |                         | 75      | 0         | 23.39              | 22.46     | < 34.77     |
| 134600   | 673.0           | 20                      | 1       | 0         | 23.79              | 22.86     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.76              | 22.83     | < 34.77     |
|  |                 |                         | 50      | 25        | 23.66              | 22.73     | < 34.77     |
|  |                 |                         | 100     | 0         | 23.64              | 22.71     | < 34.77     |
| 136100   | 680.5           | 20                      | 1       | 0         | 23.74              | 22.81     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.57              | 22.64     | < 34.77     |
|  |                 |                         | 50      | 25        | 23.57              | 22.64     | < 34.77     |
|  |                 |                         | 100     | 0         | 23.44              | 22.51     | < 34.77     |
| 137600   | 688.0           | 20                      | 1       | 0         | 23.48              | 22.55     | < 34.77     |
|  |                 |                         | 1       | 1         | 23.47              | 22.54     | < 34.77     |
|  |                 |                         | 50      | 25        | 23.35              | 22.42     | < 34.77     |
|  |                 |                         | 100     | 0         | 23.36              | 22.43     | < 34.77     |
| Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15 |                 |                         |         |           |                    |           |             |