


1.4MHz Channel Bandwidth


Channel 23017 (699.7MHz)



Channel 23095 (707.5MHz)




Channel 23173 (715.3MHz)




3MHz Channel Bandwidth


Channel 23025 (700.5MHz)



Channel 23095 (707.5MHz)




Channel 23165 (714.5MHz)




5MHz Channel Bandwidth


Channel 23035 (701.5MHz)



Channel 23095 (707.5MHz)




Channel 23165 (714.5MHz)




10MHz Channel Bandwidth


Channel 23060 (704.0MHz)



Channel 23095 (707.5MHz)



Channel 23130 (711.0MHz)




Product	LTE Module	Test Site	WZ-SR6
Test Engineer	Eric Xu	Test Date	2021/12/10 ~ 2021/12/15
Test Band	LTE Band 13_1RB_QPSK		

Channel	Frequency (MHz)	Channel Bandwidth (MHz)	Frequency Range (MHz)	Max Spurious Emissions (dBm)	Limit (dBm)	Result
23205	779.5	5	30 ~ 10000	-31.60	≤ -13.00	Pass
23230	782.0	5	30 ~ 10000	-30.99	≤ -13.00	Pass
23255	784.5	5	30 ~ 10000	-31.25	≤ -13.00	Pass
23230	782.0	10	30 ~ 10000	-31.70	≤ -13.00	Pass

Note: Spurious emissions within 9kHz ~ 30MHz were found more than 20dB below limit line.

5MHz Channel Bandwidth


Channel 23205 (779.5MHz)



Channel 23230 (782MHz)




Channel 23255 (784.5MHz)



10MHz Channel Bandwidth

Channel 23230 (782.0MHz)




Product	LTE Module	Test Site	WZ-SR6
Test Engineer	Eric Xu	Test Date	2021/12/27
Test Band	LTE Band 14_1RB_QPSK		

Channel	Frequency (MHz)	Channel Bandwidth (MHz)	Frequency Range (MHz)	Max Spurious Emissions (dBm)	Limit (dBm)	Result
5305	760.5	5	30 ~ 8000	-35.67	≤ -13.00	Pass
5330	763.0	5	30 ~ 8000	-39.72	≤ -13.00	Pass
5355	765.5	5	30 ~ 8000	-38.94	≤ -13.00	Pass
5330	763.0	10	30 ~ 8000	-37.49	≤ -13.00	Pass


Note: Spurious emissions within 9kHz ~ 30MHz were found more than 20dB below limit line.

5MHz Channel Bandwidth


Low Channel



Middle Channel




High Channel



10MHz Channel Bandwidth

Middle Channel




Product	LTE Module	Test Site	WZ-SR6
Test Engineer	Eric Xu	Test Date	2021/12/10 ~ 2021/12/15
Test Band	LTE Band 71_1RB_QPSK		

Channel	Frequency (MHz)	Channel Bandwidth (MHz)	Frequency Range (MHz)	Max Spurious Emissions (dBm)	Limit (dBm)	Result
133147	665.5	5	30 ~ 10000	-32.05	≤ -13.00	Pass
133297	680.5	5	30 ~ 10000	-31.74	≤ -13.00	Pass
133447	695.5	5	30 ~ 10000	-32.24	≤ -13.00	Pass
133172	668.0	10	30 ~ 10000	-32.29	≤ -13.00	Pass
133297	680.5	10	30 ~ 10000	-31.60	≤ -13.00	Pass
133422	693.0	10	30 ~ 10000	-31.90	≤ -13.00	Pass
133197	670.5	15	30 ~ 10000	-32.14	≤ -13.00	Pass
133297	680.5	15	30 ~ 10000	-31.55	≤ -13.00	Pass
133397	690.5	15	30 ~ 10000	-32.00	≤ -13.00	Pass
133222	673.0	20	30 ~ 10000	-32.61	≤ -13.00	Pass
133322	683.0	20	30 ~ 10000	-32.12	≤ -13.00	Pass
133372	688.0	20	30 ~ 10000	-31.74	≤ -13.00	Pass


Note: Spurious emissions within 9kHz ~ 30MHz were found more than 20dB below limit line.

5MHz Channel Bandwidth


Channel 133147 (665.5MHz)



Channel 133297 (680.5MHz)




Channel 133447 (695.5MHz)




10MHz Channel Bandwidth


Channel 133172 (668.0MHz)



Channel 133297 (680.5MHz)




Channel 133422 (693MHz)




15MHz Channel Bandwidth


Channel 133197 (670.5MHz)



Channel 133297 (680.5MHz)




Channel 133397 (690.5MHz)




20MHz Channel Bandwidth


Channel 133222 (673.0MHz)



Channel 133322 (683.0MHz)



Channel 133372 (688.0MHz)



4.4. Radiated Spurious Emission Measurement

4.4.1. Test Limit

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB. The emission limit equal to -13dBm.

For LTE Band 13, 14, For operations in the 746-758 MHz, 775-788 MHz, and 805-806 MHz bands, emissions in the band 1559-1610 MHz shall be limited to -70 dBW/MHz (-40dBm/MHz) equivalent isotropically radiated power (EIRP) for wideband signals, and -80 dBW (-50dBm) EIRP for discrete emissions of less than 700 Hz bandwidth.

E (dB μ V/m) = EIRP (dBm) - 20 log D + 104.8; where D is the measurement distance in meters. The emission limit equal to 82.3dB μ V/m or 70.3dB μ V/m.

4.4.2. Test Procedure


ANSI C63.26-2015 - Section 5.2.7 & 5.5

4.4.3. Test Setting


1. RBW = 1MHz
2. VBW \geq 3*RBW
3. Sweep time \geq 10 \times (number of points in sweep) \times (transmission symbol period)
4. Detector = Peak
5. Trace mode = max hold
6. The trace was allowed to stabilize

4.4.4. Test Setup

Below 1GHz Test Setup:



Above 1GHz Test Setup:



4.4.5. Test Result

Product	LTE Module	Test Site	WZ-AC2
Test Engineer	Bob Zhang	Test Date	2021/12/10 ~ 2021/12/15
Test Band	LTE Band 2_1RB_QPSK		

Frequency (MHz)	Reading Level (dB μ V)	Factor (dB)	Measure Level(dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Polarization
Low Channel							
153.68	21.01	15.45	36.46	82.30	-45.84	PK	Horizontal
868.08	3.73	31.43	35.16	82.30	-47.14	PK	Horizontal
42.13	14.77	20.01	34.78	82.30	-47.52	PK	Vertical
145.43	20.38	15.19	35.57	82.30	-46.73	PK	Vertical
3703.00	47.36	-0.10	47.26	82.30	-35.04	PK	Horizontal
7502.50	34.05	11.71	45.76	82.30	-36.54	PK	Horizontal
3703.00	41.94	-0.10	41.84	82.30	-40.46	PK	Vertical
5547.50	46.11	4.23	50.34	82.30	-31.96	PK	Vertical
Middle Channel							
148.83	22.22	15.23	37.45	82.30	-44.85	PK	Horizontal
473.29	7.51	24.62	32.13	82.30	-50.17	PK	Horizontal
41.16	15.51	19.75	35.26	82.30	-47.04	PK	Vertical
165.80	19.67	16.12	35.79	82.30	-46.51	PK	Vertical
3762.50	46.06	0.03	46.09	82.30	-36.21	PK	Horizontal
5641.00	40.03	4.69	44.72	82.30	-37.58	PK	Horizontal
3762.50	43.27	0.03	43.30	82.30	-39.00	PK	Vertical
5641.00	44.65	4.69	49.34	82.30	-32.96	PK	Vertical
High Channel							
147.86	22.86	15.21	38.07	82.30	-44.23	PK	Horizontal
474.26	7.78	24.63	32.41	82.30	-49.89	PK	Horizontal
143.49	21.11	15.18	36.29	82.30	-46.01	PK	Vertical
503.36	6.94	25.24	32.18	82.30	-50.12	PK	Vertical
3822.00	44.37	0.20	44.57	82.30	-37.73	PK	Horizontal
5726.00	39.30	5.39	44.69	82.30	-37.61	PK	Horizontal
3822.00	45.92	0.20	46.12	82.30	-36.18	PK	Vertical
5726.00	46.97	5.39	52.36	82.30	-29.94	PK	Vertical

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB).

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

Product	LTE Module	Test Site	WZ-AC2
Test Engineer	Bob Zhang	Test Date	2021/12/10 ~ 2021/12/15
Test Band	LTE Band 4/66_1RB_QPSK		

Frequency (MHz)	Reading Level (dB μ V)	Factor (dB)	Measure Level(dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Polarization
Low Channel							
150.28	23.81	15.29	39.10	82.30	-43.20	PK	Horizontal
475.23	7.34	24.64	31.98	82.30	-50.32	PK	Horizontal
41.16	16.01	19.75	35.76	82.30	-46.54	PK	Vertical
165.80	20.53	16.12	36.65	82.30	-45.65	PK	Vertical
3422.50	43.57	-1.19	42.38	82.30	-39.92	PK	Horizontal
8548.00	35.50	12.62	48.12	82.30	-34.18	PK	Horizontal
8548.00	39.74	12.62	52.36	82.30	-29.94	PK	Vertical
13682.00	34.50	19.67	54.17	82.30	-28.13	PK	Vertical
Middle Channel							
148.83	23.67	15.23	38.90	82.30	-43.40	PK	Horizontal
706.58	5.85	28.98	34.83	82.30	-47.47	PK	Horizontal
148.83	23.67	15.23	38.90	82.30	-43.40	PK	Vertical
472.81	7.90	24.61	32.51	82.30	-49.79	PK	Vertical
8726.50	40.82	13.19	54.01	82.30	-28.29	PK	Horizontal
14200.50	33.59	20.24	53.83	82.30	-28.47	PK	Horizontal
8726.50	45.81	13.19	59.00	82.30	-23.30	PK	Vertical
13954.00	35.42	19.76	55.18	82.30	-27.12	PK	Vertical
High Channel							
146.89	22.82	15.20	38.02	82.30	-44.28	PK	Horizontal
470.87	7.24	24.58	31.82	82.30	-50.48	PK	Horizontal
40.19	16.62	19.49	36.11	82.30	-46.19	PK	Vertical
146.40	20.14	15.20	35.34	82.30	-46.96	PK	Vertical
3558.50	45.70	-0.36	45.34	82.30	-36.96	PK	Horizontal
8896.50	37.73	13.34	51.07	82.30	-31.23	PK	Horizontal
3558.50	50.38	-0.36	50.02	82.30	-32.28	PK	Vertical
8896.50	40.98	13.34	54.32	82.30	-27.98	PK	Vertical

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB).

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

Product	LTE Module	Test Site	WZ-AC2
Test Engineer	Bob Zhang	Test Date	2021/12/10 ~ 2021/12/15
Test Band	LTE Band 5_1RB_QPSK		

Frequency (MHz)	Reading Level (dBμV)	Factor (dB)	Measure Level(dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
Low Channel							
146.40	23.47	15.20	38.67	82.30	-43.63	PK	Horizontal
869.54	4.41	31.43	35.84	82.30	-46.46	PK	Horizontal
145.43	21.60	15.19	36.79	82.30	-45.51	PK	Vertical
976.72	4.77	32.05	36.82	82.30	-45.48	PK	Vertical
1646.00	50.71	-5.13	45.58	82.30	-36.72	PK	Horizontal
2470.50	53.71	-2.14	51.57	82.30	-30.73	PK	Horizontal
1646.00	49.16	-5.13	44.03	82.30	-38.27	PK	Vertical
2470.50	55.00	-2.14	52.86	82.30	-29.44	PK	Vertical
Middle Channel							
147.86	23.78	15.21	38.99	82.30	-43.31	PK	Horizontal
472.81	9.39	24.61	34.00	82.30	-48.30	PK	Horizontal
145.43	20.01	15.19	35.20	82.30	-47.10	PK	Vertical
478.14	5.86	24.73	30.59	82.30	-51.71	PK	Vertical
1671.50	51.87	-5.20	46.67	82.30	-35.63	PK	Horizontal
2504.50	57.90	-2.16	55.74	82.30	-26.56	PK	Horizontal
1671.50	52.01	-5.20	46.81	82.30	-35.49	PK	Vertical
2504.50	57.27	-2.16	55.11	82.30	-27.19	PK	Vertical
High Channel							
148.34	24.89	15.21	40.10	82.30	-42.20	PK	Horizontal
470.87	9.56	24.58	34.14	82.30	-48.16	PK	Horizontal
146.40	20.20	15.20	35.40	82.30	-46.90	PK	Vertical
500.94	6.04	25.25	31.29	82.30	-51.01	PK	Vertical
1697.00	47.06	-5.09	41.97	82.30	-40.33	PK	Horizontal
2547.00	63.87	-2.24	61.63	82.30	-20.67	PK	Horizontal
1697.00	47.45	-5.09	42.36	82.30	-39.94	PK	Vertical
2547.00	58.26	-2.24	56.02	82.30	-26.28	PK	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB).

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

Product	LTE Module	Test Site	WZ-AC2
Test Engineer	Bob Zhang	Test Date	2021/12/10 ~ 2021/12/15
Test Band	LTE Band 12, 1RB, QPSK		

Frequency (MHz)	Reading Level (dBμV)	Factor (dB)	Measure Level(dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
Low Channel							
147.86	23.63	15.21	38.84	82.30	-43.46	PK	Horizontal
473.78	8.87	24.62	33.49	82.30	-48.81	PK	Horizontal
164.35	19.95	16.07	36.02	82.30	-46.28	PK	Vertical
495.12	5.08	25.25	30.33	82.30	-51.97	PK	Vertical
1399.50	40.94	-4.54	36.40	82.30	-45.90	PK	Horizontal
2759.50	38.70	-1.88	36.82	82.30	-45.48	PK	Horizontal
1399.50	40.86	-4.54	36.32	82.30	-45.98	PK	Vertical
2819.00	38.18	-2.05	36.13	82.30	-46.17	PK	Vertical
Middle Channel							
147.86	22.62	15.21	37.83	82.30	-44.47	PK	Horizontal
470.87	7.93	24.58	32.51	82.30	-49.79	PK	Horizontal
42.61	13.68	20.14	33.82	82.30	-48.48	PK	Vertical
145.43	17.29	15.19	32.48	82.30	-49.82	PK	Vertical
1527.00	38.90	-4.96	33.94	82.30	-48.36	PK	Horizontal
2751.00	37.87	-1.90	35.97	82.30	-46.33	PK	Horizontal
2122.00	38.84	-2.35	36.49	82.30	-45.81	PK	Vertical
3108.00	38.22	-1.80	36.42	82.30	-45.88	PK	Vertical
High Channel							
146.40	23.39	15.20	38.59	82.30	-43.71	PK	Horizontal
473.78	8.18	24.62	32.80	82.30	-49.50	PK	Horizontal
146.40	20.25	15.20	35.45	82.30	-46.85	PK	Vertical
472.32	6.19	24.60	30.79	82.30	-51.51	PK	Vertical
1433.50	44.60	-4.49	40.11	82.30	-42.19	PK	Horizontal
2827.50	37.30	-2.05	35.25	82.30	-47.05	PK	Horizontal
1433.50	49.17	-4.49	44.68	82.30	-37.62	PK	Vertical
2861.50	38.41	-2.01	36.40	82.30	-45.90	PK	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB).

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

Product	LTE Module	Test Site	WZ-AC2
Test Engineer	Bob Zhang	Test Date	2021/12/10 ~ 2021/12/15
Test Band	LTE Band 13, 1RB, QPSK		

Frequency (MHz)	Reading Level (dB μ V)	Factor (dB)	Measure Level(dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Detector	Polarization
Low Channel							
148.83	24.11	15.23	39.34	82.30	-42.96	PK	Horizontal
474.26	8.37	24.63	33.00	82.30	-49.30	PK	Horizontal
41.16	15.91	19.75	35.66	82.30	-46.64	PK	Vertical
163.38	19.96	16.03	35.99	82.30	-46.31	PK	Vertical
1552.50	44.07	-4.97	39.10	82.30	-43.20	PK	Horizontal
1586.50	35.73	-4.90	30.83	55.30	-24.47	PK	Horizontal
1586.50	35.89	-4.90	30.99	55.30	-24.31	PK	Vertical
3873.00	37.55	0.24	37.79	82.30	-44.51	PK	Vertical
Middle Channel							
147.86	23.41	15.21	38.62	82.30	-43.68	PK	Horizontal
469.41	7.62	24.56	32.18	82.30	-50.12	PK	Horizontal
39.70	15.08	19.36	34.44	82.30	-47.86	PK	Vertical
163.38	19.13	16.03	35.16	82.30	-47.14	PK	Vertical
1561.00	43.16	-4.95	38.21	55.30	-17.09	PK	Horizontal
2343.00	39.98	-1.62	38.36	82.30	-43.94	PK	Horizontal
1595.00	36.34	-4.92	31.42	55.30	-23.88	PK	Vertical
2343.00	39.18	-1.62	37.56	82.30	-44.74	PK	Vertical
High Channel							
146.40	23.64	15.20	38.84	82.30	-43.46	PK	Horizontal
476.20	9.08	24.66	33.74	82.30	-48.56	PK	Horizontal
40.67	15.28	19.62	34.90	82.30	-47.40	PK	Vertical
165.80	19.51	16.12	35.63	82.30	-46.67	PK	Vertical
1569.50	44.10	-4.92	39.18	55.30	-16.12	PK	Horizontal
4791.00	32.33	4.02	36.35	82.30	-45.95	PK	Horizontal
1569.50	39.50	-4.92	34.58	55.30	-20.72	PK	Vertical
2360.00	41.56	-1.69	39.87	82.30	-42.43	PK	Vertical

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB).

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

Product	LTE Module	Test Site	WZ-AC2
Test Engineer	Bob Zhang	Test Date	2021/12/28
Test Band	LTE Band 14, 1RB, QPSK		

Frequency (MHz)	Reading Level (dBμV)	Factor (dB)	Measure Level(dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
Low Channel							
163.38	23.92	16.03	39.95	82.30	-42.35	PK	Horizontal
475.72	6.38	24.65	31.03	82.30	-51.27	PK	Horizontal
145.43	15.39	15.19	30.58	82.30	-51.72	PK	Vertical
164.83	15.47	16.08	31.55	82.30	-50.75	PK	Vertical
1586.50	36.17	-4.90	31.27	55.30	-24.03	PK	Horizontal
4077.00	35.58	1.04	36.62	82.30	-45.68	PK	Horizontal
1578.00	37.31	-4.88	32.43	55.30	-22.87	PK	Vertical
5547.50	35.94	4.23	40.17	82.30	-42.13	PK	Vertical
Middle Channel							
162.41	22.87	16.00	38.87	82.30	-43.43	PK	Horizontal
614.91	4.18	27.61	31.79	82.30	-50.51	PK	Horizontal
145.43	14.91	15.19	30.10	82.30	-52.20	PK	Vertical
164.83	15.23	16.08	31.31	82.30	-50.99	PK	Vertical
1586.50	36.84	-4.90	31.94	55.30	-23.36	PK	Horizontal
4859.00	32.74	3.82	36.56	82.30	-45.74	PK	Horizontal
1578.00	37.82	-4.88	32.94	55.30	-22.36	PK	Vertical
5148.00	35.11	4.21	39.32	82.30	-42.98	PK	Vertical
High Channel							
163.86	22.62	16.05	38.67	82.30	-43.63	PK	Horizontal
531.98	5.70	25.68	31.38	82.30	-50.92	PK	Horizontal
42.13	8.35	20.01	28.36	82.30	-53.94	PK	Vertical
163.86	14.35	16.05	30.40	82.30	-51.90	PK	Vertical
1578.00	36.88	-4.88	32.00	55.30	-23.30	PK	Horizontal
5122.50	34.68	4.01	38.69	82.30	-43.61	PK	Horizontal
1586.50	35.73	-4.90	30.83	55.30	-24.47	PK	Vertical
4043.00	35.87	0.77	36.64	82.30	-45.66	PK	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB).

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

Product	LTE Module	Test Site	WZ-AC2
Test Engineer	Bob Zhang	Test Date	2021/12/10 ~ 2021/12/15
Test Band	LTE Band 71, 1RB, QPSK		

Frequency (MHz)	Reading Level (dBμV)	Factor (dB)	Measure Level(dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
Low Channel							
148.83	24.35	15.23	39.58	82.30	-42.72	PK	Horizontal
865.17	3.39	31.43	34.82	82.30	-47.48	PK	Horizontal
41.16	15.49	19.75	35.24	82.30	-47.06	PK	Vertical
128.94	17.97	15.94	33.91	82.30	-48.39	PK	Vertical
1323.00	47.17	-4.49	42.68	82.30	-39.62	PK	Horizontal
4689.00	32.63	3.61	36.24	82.30	-46.06	PK	Horizontal
1323.00	52.13	-4.49	47.64	82.30	-34.66	PK	Vertical
1986.00	47.52	-3.87	43.65	82.30	-38.65	PK	Vertical
Middle Channel							
147.86	22.29	15.21	37.50	82.30	-44.80	PK	Horizontal
466.50	7.01	24.45	31.46	82.30	-50.84	PK	Horizontal
148.83	16.85	15.23	32.08	82.30	-50.22	PK	Vertical
678.45	5.90	28.65	34.55	82.30	-47.75	PK	Vertical
1357.00	42.18	-4.44	37.74	82.30	-44.56	PK	Horizontal
3150.50	36.94	-1.69	35.25	82.30	-47.05	PK	Horizontal
1357.00	45.66	-4.44	41.22	82.30	-41.08	PK	Vertical
3201.50	38.20	-1.71	36.49	82.30	-45.81	PK	Vertical
Top CH 23825 (713.5MHz)							
146.89	21.78	15.20	36.98	82.30	-45.32	PK	Horizontal
474.26	5.94	24.63	30.57	82.30	-51.73	PK	Horizontal
40.67	15.29	19.62	34.91	82.30	-47.39	PK	Vertical
147.86	18.46	15.21	33.67	82.30	-48.63	PK	Vertical
1399.50	39.03	-4.54	34.49	82.30	-47.81	PK	Horizontal
3133.50	38.73	-1.68	37.05	82.30	-45.25	PK	Horizontal
1391.00	41.07	-4.52	36.55	82.30	-45.75	PK	Vertical
3822.00	37.00	0.20	37.20	82.30	-45.10	PK	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB).

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

Appendix A - Test Setup Photograph

Refer to "2112RSU017-UT" file.

Appendix B - EUT Photograph

Refer to "2112RSU017-UE" file.