

Report No.: SEWA2203000005RG02

Rev.: 01 Page: 1 of 7

TEST REPORT

Application No.: SEWA2203000005RG

Applicant: Quectel Wireless Solutions Co., Ltd.

Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Address of Applicant:

Road, Minhang District, Shanghai, China 200233

Manufacturer: Quectel Wireless Solutions Co., Ltd.

Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Address of Manufacturer:

Road, Minhang District, Shanghai, China 200233

EUT Description: LTE-A Module Model No.: EG065K-NA

Trade Mark: Quectel

FCC ID: XMR2022EG065KNA 47 CFR Part 2.1091

Standards: FCC KDB 447498 D01 v06

Date of Receipt: 2022/3/18 Date of Issue: 2022/6/13

Test Result: PASS*

Authorized Signature:

Panta Sun Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

In the configuration tested, the EUT complied with the standards specified above.



Report No.: SEWA2203000005RG02

Rev.: 01 2 of 7 Page:

Version

Revision Record								
Version	Chapter	Date	Date Modifier					
01		2022/6/13		Original				

Prepared By	weller lin				
	(Weller Liu) / Test Supervisor				
Checked By	men mei				
	(Well Wei) / Reviewer				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Decument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its internition only and within the limits of Client's instructions, if any. The Company's osle responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company; Any unautionized alteration, forgery, or latelistication of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND_Doccheck@sg.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的0号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980



Report No.: SEWA2203000005RG02

Rev.: 01 Page: 3 of 7

Contents

1	Ver	rsion	2
2	Gei	neral Information	4
	2.1	Client Information	4
	2.2	Test Facility	4
	2.3	General Description of EUT	5
	2.4	Description of Support Units	
3	RF	Exposure Evaluation	6
	3.1	RF Exposure Compliance Requirement	6
	3.1	.1 Limits	6
	3.1	.2 Test Procedure	7
	3.1	.3 EUT RF Exposure Evaluation	7



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Decument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its internition only and within the limits of Client's instructions, if any. The Company's osle responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company; Any unautionized alteration, forgery, or latelistication of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND_Doccheck@sg.com

South of No. De Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Pikot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜裔1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 t (86–512) 62992980 www.sgsgroup.com.cr sgs.china@sgs.com



Report No.: SEWA2203000005RG02

Rev.: 01 Page: 4 of 7

2 General Information

2.1 Client Information

Applicant:	Quectel Wireless Solutions Co., Ltd.		
Address of Applicant:	Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District, Shanghai, China 200233		
Manufacturer:	Quectel Wireless Solutions Co., Ltd.		
Address of Manufacturer:	Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District, Shanghai, China 200233		

2.2 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

• Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

• FCC –Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an

accredited testing laboratory. Designation Number: CN1312.

Test Firm Registration Number: 717327





Report No.: SEWA2203000005RG02

Rev.: 01 Page: 5 of 7

2.3 General Description of EUT

EUT Description:	LTE-A Module							
Model No.:	EG065K-NA	EG065K-NA						
Trade Mark:	Quectel	Quectel						
Hardware Version:	R1.0							
Software Version:	EG065KNAVAR0	EG065KNAVAR01A06M2G_AXON						
Antenna Type:	⊠External, □Int	⊠External,						
	⊠Provided by client							
	LTE Band 2:	1.38dBi (Ant0)	LTE Band 4:	1.38dBi (Ant0)				
	LTE Band 5:	-0.01dBi (Ant0)	LTE Band 7:	-5.90dBi (Ant1)				
Antenna Gain*:	LTE Band 12:	-0.01dBi (Ant0)	LTE Band 13:	-0.01dBi (Ant0)				
	LTE Band 14:	-0.01dBi (Ant0)	LTE Band 25:	1.38dBi (Ant0)				
	LTE Band 26:	-0.01dBi (Ant0)	LTE Band 30:	-5.70dBi (Ant1)				
	LTE Band 66:	1.38dBi (Ant0)						

Note: *Since the above data and/or information is provided by the client relevant results or conclusions of this report are only made for these data and/or information, SGS is not responsible for the authenticity, integrity and results of the data and information and/or the validity of the conclusion.

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

2.4 Description of Support Units

Description	Manufacturer	Model No.					
Fixture	Quectel	EG065K-NA-TE-A					
Power Board	Quectel	UMTS<E-EVB					
Adapter STH P12F050200							
Remark: all above the information of table are provided by client.							



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Fleetcronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Con

South of No. 6 Plant, No. 1, Runshang Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.co t (86–512) 62992980 sgs.china@sgs.cc



Report No.: SEWA2203000005RG02

Rev.: 01 Page: 6 of 7

3 RF Exposure Evaluation

3.1 RF Exposure Compliance Requirement

3.1.1 Limits

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm2)	Averaging time (minutes)						
(A) Limits for Occupational/Controlled Exposures										
0.3-3.0 614 1.63 *(100) 6										
3.0-30	1842/f	4.89/f	*(900/f2)	6						
30-300 61.4		0.163	1.0	6						
300-1500 /		1	f/300	6						
1500-100,000	1	1	5	6						
	(B) Limits for General Population/Uncontrolled Exposure									
0.3-1.34	614	1.63	*(100)	30						
1.34-30 824/f		2.19/f	*(180/f2)	30						
30-300	27.5	0.073	0.2	30						
300-1500	1	1	f/1500	30						
1500-100,000	/	1	1.0	30						

F=frequency in MHz

RF exposure compliance will need to be determined with respect to 1.1307(c) and (d) of the FCC rules. The emissions should be within the limits at 300kHz in Table 1 of 1.1310(use the 300kHz limits for 150kHz:614V/m,1.63A/m).

Friis Formula

Friis transmission formula: Pd = (Pout*G)/(4* Pi * R 2)

Where

Pd = power density in mW/cm2

Pout = output power to antenna in mW

G = gain of antenna in linear scale

Pi = 3.1416

R = distance between observation point and center of the radiator in cm

Pd id the limit of MPE, 1 mW/cm2. If we know the maximum gain of the antenna and the total power input to the antenna, through the calculation, we will know the distance r where the MPE limit is reached.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Terms-and-Conditions.frems-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervient only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document control to reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runshang Road, Suchou Industrial Park, Suzhou Area, China (Liangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgrou t (86–512) 62992980 sgs.china@s

^{*=}Plane-wave equivalent power density



Report No.: SEWA2203000005RG02

Rev.: 01 Page: 7 of 7

3.1.2 Test Procedure

Software provided by client enabled the EUT to transmit data at lowest, middle and highest channel individually

3.1.3 EUT RF Exposure Evaluation

Antenna Gain: The maximum Gain measured in fully anechoic chamber is 2.0 / 2.0 in linear scale.

Output Power Into Antenna & RF Exposure Evaluation Distance:

This confirmed that the device comply with MPE limit.

Operating Band	Frequenc y (MHz)	Antenna Gain (dBi)	Max Conducte d Average Output Power (dBm)	Output Power to Antenna (dBm)	EIRP(ERP) Limit (dBm)	Output Power to Antenna (mw)	Power Density at R = 20 cm (mW/cm2	Limit (mW/cm 2)	I to FIRP I	Gain according to Pd (dBi)	Max Gain Allowed (dBi)	conclusio n
LTE B2	1880	1.38	25.50	26.88	33.00	354.8134	0.0970	1.0000	7.50	11.51	7.50	Pass
LTE B4	1710.7	1.38	25.50	26.88	30.00	354.8134	0.0970	1.0000	4.50	11.51	4.50	Pass
LTE B5	824.70	-0.01	25.50	23.34	38.47	354.8134	0.0704	0.5498	15.12	8.91	8.91	Pass
LTE B7	2502.50	-5.90	25.50	19.60	33.00	354.8134	0.0181	1.0000	7.50	11.51	7.50	Pass
LTE B12	699.70	-0.01	25.50	23.34	34.77	354.8134	0.0704	0.4665	11.42	8.20	8.20	Pass
LTE B13	779.50	-0.01	25.50	23.34	34.77	354.8134	0.0704	0.5197	11.42	8.66	8.66	Pass
LTE B14	790.5	-0.01	25.50	23.34	34.77	354.8134	0.0704	0.5270	11.42	8.73	8.73	Pass
LTE B25	1850.7	1.38	25.50	26.88	33.00	354.8134	0.0970	1.0000	7.50	11.51	7.50	Pass
LTE B26(814- 824)	814.7	-0.01	25.50	23.34	50.00	354.8134	0.0704	0.5431	26.65	8.86	8.86	Pass
LTE B26(824- 849)	824.7	-0.01	25.50	23.34	38.45	354.8134	0.0704	0.5498	15.10	8.91	8.91	Pass
LTE B30	2307.5	-5.70	24.30	18.60	23.98	269.1535	0.0144	1.0000	-0.32	12.71	-0.32	Pass
LTE B66	1710.7	1.38	25.50	26.88	30.00	354.8134	0.0970	1.0000	4.50	11.51	4.50	Pass

The End



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Terms-and-Conditions/T