


99% Bandwidth - QPSK

5MHz Channel Bandwidth




10MHz Channel Bandwidth




99% Bandwidth - 16QAM

5MHz Channel Bandwidth




10MHz Channel Bandwidth




99% Bandwidth - 64QAM

5MHz Channel Bandwidth



10MHz Channel Bandwidth




Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/04/02	Test Band	LTE Band 38/41


Frequency (MHz)	Bandwidth (MHz)	99% Bandwidth (MHz)
QPSK		
2593.0	5	4.47
	10	8.93
	15	13.38
	20	17.82
16QAM		
2593.0	5	4.47
	10	8.91
	15	13.39
	20	17.82
64QAM		
2593.0	5	4.48
	10	8.92
	15	13.36
	20	17.84

99% Bandwidth - QPSK


5MHz Channel Bandwidth




10MHz Channel Bandwidth



15MHz Channel Bandwidth




20MHz Channel Bandwidth




99% Bandwidth - 16QAM


5MHz Channel Bandwidth




10MHz Channel Bandwidth



15MHz Channel Bandwidth




20MHz Channel Bandwidth




99% Bandwidth - 64QAM

5MHz Channel Bandwidth




10MHz Channel Bandwidth



15MHz Channel Bandwidth



20MHz Channel Bandwidth




Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/04/02	Test Band	LTE Band 71


Frequency (MHz)	Bandwidth (MHz)	99% Bandwidth (MHz)
QPSK		
680.5	5	4.47
	10	8.92
	15	13.35
	20	17.80
16QAM		
680.5	5	4.47
	10	8.90
	15	13.35
	20	17.82
64QAM		
680.5	5	4.47
	10	8.92
	15	13.35
	20	17.81

99% Bandwidth - QPSK


5MHz Channel Bandwidth




10MHz Channel Bandwidth



15MHz Channel Bandwidth




20MHz Channel Bandwidth




99% Bandwidth - 16QAM


5MHz Channel Bandwidth




10MHz Channel Bandwidth



15MHz Channel Bandwidth




20MHz Channel Bandwidth




99% Bandwidth - 64QAM


5MHz Channel Bandwidth



10MHz Channel Bandwidth



15MHz Channel Bandwidth



20MHz Channel Bandwidth




Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/04/01	Test Band	Intra-Band CA_7C


Modulation	Frequency (MHz)	Bandwidth (MHz)	99% Bandwidth (MHz)
QPSK	2525.6 + 2540.0	10+20	27.65
	2530.1 + 2542.1	15+10	23.07
	2527.5 + 2542.5	15+15	28.21
	2525.3 + 2542.4	15+20	32.59
	2530.1 + 2544.5	20+10	27.68
	2527.6 + 2544.7	20+15	32.49
	2525.1 + 2544.9	20+20	37.46
16QAM	2525.6 + 2540.0	10+20	27.57
	2530.1 + 2542.1	15+10	23.05
	2527.5 + 2542.5	15+15	28.28
	2525.3 + 2542.4	15+20	32.51
	2530.1 + 2544.5	20+10	27.63
	2527.6 + 2544.7	20+15	32.51
	2525.1 + 2544.9	20+20	37.44
64QAM	2525.6 + 2540.0	10+20	27.50
	2530.1 + 2542.1	15+10	23.07
	2527.5 + 2542.5	15+15	28.19
	2525.3 + 2542.4	15+20	32.42
	2530.1 + 2544.5	20+10	27.70
	2527.6 + 2544.7	20+15	32.61
	2525.1 + 2544.9	20+20	37.44

99% Bandwidth - QPSK


10+20MHz Channel Bandwidth




15+10MHz Channel Bandwidth




15+15MHz Channel Bandwidth




15+20MHz Channel Bandwidth




20+10MHz Channel Bandwidth



20+15MHz Channel Bandwidth




20+20MHz Channel Bandwidth




99% Bandwidth - 16QAM


10+20MHz Channel Bandwidth




15+10MHz Channel Bandwidth




15+15MHz Channel Bandwidth




15+20MHz Channel Bandwidth




20+10MHz Channel Bandwidth



20+15MHz Channel Bandwidth




20+20MHz Channel Bandwidth



99% Bandwidth - 64QAM


10+20MHz Channel Bandwidth




15+10MHz Channel Bandwidth




15+15MHz Channel Bandwidth




15+20MHz Channel Bandwidth




20+10MHz Channel Bandwidth



20+15MHz Channel Bandwidth



20+20MHz Channel Bandwidth




Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/04/01	Test Band	Intra-Band CA_41C

Modulation	Frequency (MHz)	Bandwidth (MHz)	99% Bandwidth (MHz)
QPSK	2583.8 + 2595.5	5+20	22.53
	2585.9 + 2597.9	10+15	22.87
	2583.6 + 2598.0	10+20	27.43
	2588.1 + 2600.1	15+10	22.96
	2585.5 + 2600.5	15+15	28.12
	2583.3 + 2600.4	15+20	32.34
	2590.5 + 2602.2	20+5	22.72
	2588.1 + 2602.5	20+10	27.61
	2585.6 + 2602.7	20+15	32.31
	2583.1 + 2602.9	20+20	37.20
16QAM	2583.8 + 2595.5	5+20	22.53
	2585.9 + 2597.9	10+15	22.88
	2583.6 + 2598.0	10+20	27.34
	2588.1 + 2600.1	15+10	22.94
	2585.5 + 2600.5	15+15	28.11
	2583.3 + 2600.4	15+20	32.36
	2590.5 + 2602.2	20+5	22.78
	2588.1 + 2602.5	20+10	27.57
	2585.6 + 2602.7	20+15	32.35
	2583.1 + 2602.9	20+20	37.20
64QAM	2583.8 + 2595.5	5+20	22.54
	2585.9 + 2597.9	10+15	22.90
	2583.6 + 2598.0	10+20	27.55
	2588.1 + 2600.1	15+10	22.98
	2585.5 + 2600.5	15+15	28.11
	2583.3 + 2600.4	15+20	32.26
	2590.5 + 2602.2	20+5	22.78
	2588.1 + 2602.5	20+10	27.51
	2585.6 + 2602.7	20+15	32.37
	2583.1 + 2602.9	20+20	37.19

99% Bandwidth - QPSK


5+20MHz Channel Bandwidth




10+15MHz Channel Bandwidth




10+20MHz Channel Bandwidth




15+10MHz Channel Bandwidth




15+15MHz Channel Bandwidth




15+20MHz Channel Bandwidth




20+5MHz Channel Bandwidth




20+10MHz Channel Bandwidth






99% Bandwidth - 16QAM


5+20MHz Channel Bandwidth




10+15MHz Channel Bandwidth




10+20MHz Channel Bandwidth




15+10MHz Channel Bandwidth




15+15MHz Channel Bandwidth




15+20MHz Channel Bandwidth




20+5MHz Channel Bandwidth




20+10MHz Channel Bandwidth






99% Bandwidth - 64QAM


5+20MHz Channel Bandwidth




10+15MHz Channel Bandwidth




10+20MHz Channel Bandwidth




15+10MHz Channel Bandwidth




15+15MHz Channel Bandwidth




15+20MHz Channel Bandwidth




20+5MHz Channel Bandwidth



20+10MHz Channel Bandwidth





A.2 Frequency Stability Test Result

Test Site	WZ-TR3	Test Engineer	Cloud Guo
Test Date	2022/04/11 ~ 2022/04/13	Test Band	LTE Band 2/25

Power (VDC)	Temp (°C)	Frequency Tolerance (ppm)
3.7	- 30	-0.0056
	- 20	-0.0046
	- 10	-0.0049
	0	0.0008
	+ 10	-0.0036
	+ 20	-0.0032
	+ 30	-0.0081
	+ 40	-0.0020
	+ 50	-0.0022
4.4	+ 20	-0.0081
3.135	+ 20	-0.0014

Test Site	WZ-TR3	Test Engineer	Cloud Guo
Test Date	2022/04/11 ~ 2022/04/13	Test Band	LTE Band 4/66

Power (VDC)	Temp (°C)	Frequency Tolerance (ppm)
3.7	- 30	0.0054
	- 20	0.0039
	- 10	0.0037
	0	0.0049
	+ 10	-0.0024
	+ 20	-0.0011
	+ 30	0.0053
	+ 40	-0.0048
	+ 50	-0.0031
4.4	+ 20	0.0054
3.135	+ 20	-0.0008

Test Site	WZ-TR3	Test Engineer	Cloud Guo
Test Date	2022/04/11 ~ 2022/04/13	Test Band	LTE Band 5/26

Power (VDC)	Temp (°C)	Frequency Tolerance (ppm)
3.7	- 30	-0.0037
	- 20	-0.0057
	- 10	-0.0082
	0	-0.0014
	+ 10	-0.0057
	+ 20	-0.0031
	+ 30	-0.0012
	+ 40	-0.0065
	+ 50	-0.0036
4.4	+ 20	0.0007
3.135	+ 20	-0.0012

Test Site	WZ-TR3	Test Engineer	Cloud Guo
Test Date	2022/04/11 ~ 2022/04/13	Test Band	LTE Band 7

Power (VDC)	Temp (°C)	Frequency Tolerance (ppm)
3.7	- 30	-0.0016
	- 20	-0.0028
	- 10	0.0057
	0	0.0036
	+ 10	0.0033
	+ 20	0.0034
	+ 30	0.0033
	+ 40	0.0032
	+ 50	-0.0014
4.4	+ 20	0.0055
3.135	+ 20	-0.0017

Test Site	WZ-TR3	Test Engineer	Cloud Guo
Test Date	2022/04/11 ~ 2022/04/13	Test Band	LTE Band 12/17

Power (VDC)	Temp (°C)	Frequency Tolerance (ppm)
3.7	- 30	0.0092
	- 20	0.0086
	- 10	0.0051
	0	0.0065
	+ 10	0.0008
	+ 20	0.0055
	+ 30	0.0057
	+ 40	0.0078
	+ 50	0.0107
4.4	+ 20	0.0099
3.135	+ 20	0.0130

Test Site	WZ-TR3	Test Engineer	Cloud Guo
Test Date	2022/04/11 ~ 2022/04/13	Test Band	LTE Band 13

Power (VDC)	Temp (°C)	Frequency Tolerance (ppm)
3.7	- 30	-0.0042
	- 20	-0.0017
	- 10	0.0017
	0	-0.0074
	+ 10	-0.0096
	+ 20	-0.0074
	+ 30	0.0026
	+ 40	-0.0077
	+ 50	0.0008
4.4	+ 20	-0.0074
3.135	+ 20	0.0041

Test Site	WZ-TR3	Test Engineer	Cloud Guo
Test Date	2022/04/11 ~ 2022/04/13	Test Band	LTE Band 38/41

Power (VDC)	Temp (°C)	Frequency Tolerance (ppm)
3.7	- 30	0.0018
	- 20	0.0024
	- 10	0.0011
	0	-0.0014
	+ 10	0.0031
	+ 20	0.0049
	+ 30	-0.0018
	+ 40	0.0019
	+ 50	0.0049
4.4	+ 20	-0.0011
3.135	+ 20	0.0052

Test Site	WZ-TR3	Test Engineer	Cloud Guo
Test Date	2022/04/11 ~ 2022/04/13	Test Band	LTE Band 71

Power (VDC)	Temp (°C)	Frequency Tolerance (ppm)
3.7	- 30	0.0040
	- 20	0.0044
	- 10	-0.0010
	0	0.0019
	+ 10	0.0013
	+ 20	-0.0040
	+ 30	0.0023
	+ 40	-0.0010
	+ 50	0.0020
4.4	+ 20	-0.0048
3.135	+ 20	0.0013

A.3 Equivalent Isotropically Radited Power Test Result

Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/03/21 ~ 2022/04/07	Test Band	LTE Band 2/25

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
1850.70	1.4	1	0	23.02	23.27	< 33.01
1882.50				23.27	23.52	< 33.01
1914.30				22.99	23.24	< 33.01
1850.70	1.4	1	2	23.14	23.39	< 33.01
1882.50				23.32	23.57	< 33.01
1914.30				23.08	23.33	< 33.01
1850.70	1.4	1	6	23.12	23.37	< 33.01
1882.50				23.16	23.41	< 33.01
1914.30				23.04	23.29	< 33.01
1850.70	1.4	6	0	22.09	22.34	< 33.01
1882.50				22.32	22.57	< 33.01
1914.30				22.04	22.29	< 33.01
1851.50	3	1	0	23.22	23.47	< 33.01
1882.50				23.31	23.56	< 33.01
1913.50				23.15	23.40	< 33.01
1851.50	3	1	7	23.26	23.51	< 33.01
1882.50				23.42	23.67	< 33.01
1913.50				23.25	23.50	< 33.01
1851.50	3	1	14	23.19	23.44	< 33.01
1882.50				23.31	23.56	< 33.01
1913.50				23.07	23.32	< 33.01
1851.50	3	15	0	22.23	22.48	< 33.01
1882.50				22.37	22.62	< 33.01
1913.50				22.19	22.44	< 33.01

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
1852.50	5	1	0	23.17	23.42	< 33.01
1882.50				23.34	23.59	< 33.01
1912.50				23.17	23.42	< 33.01
1852.50	5	1	12	23.16	23.41	< 33.01
1882.50				23.34	23.59	< 33.01
1912.50				23.13	23.38	< 33.01
1852.50	5	1	24	23.19	23.44	< 33.01
1882.50				23.33	23.58	< 33.01
1912.50				23.07	23.32	< 33.01
1852.50	5	25	0	22.19	22.44	< 33.01
1882.50				22.36	22.61	< 33.01
1912.50				22.17	22.42	< 33.01
1855.00	10	1	0	23.17	23.42	< 33.01
1882.50				23.37	23.62	< 33.01
1910.00				23.28	23.53	< 33.01
1855.00	10	1	24	23.15	23.40	< 33.01
1882.50				23.28	23.53	< 33.01
1910.00				23.22	23.47	< 33.01
1855.00	10	1	49	23.20	23.45	< 33.01
1882.50				23.22	23.47	< 33.01
1910.00				23.15	23.40	< 33.01
1855.00	10	50	0	22.25	22.50	< 33.01
1882.50				22.39	22.64	< 33.01
1910.00				22.30	22.55	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
1857.50	15	1	0	23.11	23.36	< 33.01
1882.50				23.37	23.62	< 33.01
1907.50				23.32	23.57	< 33.01
1857.50	15	1	37	23.26	23.51	< 33.01
1882.50				23.40	23.65	< 33.01
1907.50				23.31	23.56	< 33.01
1857.50	15	1	74	23.34	23.59	< 33.01
1882.50				23.39	23.64	< 33.01
1907.50				23.22	23.47	< 33.01
1857.50	15	75	0	22.22	22.47	< 33.01
1882.50				22.44	22.69	< 33.01
1907.50				22.35	22.60	< 33.01
1860.00	20	1	0	23.21	23.46	< 33.01
1882.50				23.38	23.63	< 33.01
1905.00				23.28	23.53	< 33.01
1860.00	20	1	49	23.30	23.55	< 33.01
1882.50				23.32	23.57	< 33.01
1905.00				23.25	23.50	< 33.01
1860.00	20	1	99	23.24	23.49	< 33.01
1882.50				23.39	23.64	< 33.01
1905.00				23.18	23.43	< 33.01
1860.00	20	100	0	22.31	22.56	< 33.01
1882.50				22.48	22.73	< 33.01
1905.00				22.29	22.54	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
1850.70	1.4	1	0	22.14	22.39	< 33.01
1882.50				22.44	22.69	< 33.01
1914.30				22.22	22.47	< 33.01
1850.70	1.4	1	2	22.39	22.64	< 33.01
1882.50				22.56	22.81	< 33.01
1914.30				22.28	22.53	< 33.01
1850.70	1.4	1	6	22.20	22.45	< 33.01
1882.50				22.31	22.56	< 33.01
1914.30				22.17	22.42	< 33.01
1850.70	1.4	6	0	21.15	21.40	< 33.01
1882.50				21.33	21.58	< 33.01
1914.30				21.25	21.50	< 33.01
1851.50	3	1	0	22.42	22.67	< 33.01
1882.50				22.55	22.80	< 33.01
1913.50				22.44	22.69	< 33.01
1851.50	3	1	7	22.65	22.90	< 33.01
1882.50				22.69	22.94	< 33.01
1913.50				22.48	22.73	< 33.01
1851.50	3	1	14	22.58	22.83	< 33.01
1882.50				22.48	22.73	< 33.01
1913.50				22.37	22.62	< 33.01
1851.50	3	15	0	21.21	21.46	< 33.01
1882.50				21.39	21.64	< 33.01
1913.50				21.20	21.45	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
1852.50	5	1	0	22.32	22.57	< 33.01
1882.50				22.68	22.93	< 33.01
1912.50				22.51	22.76	< 33.01
1852.50	5	1	12	22.40	22.65	< 33.01
1882.50				22.66	22.91	< 33.01
1912.50				22.68	22.93	< 33.01
1852.50	5	1	24	22.60	22.85	< 33.01
1882.50				22.69	22.94	< 33.01
1912.50				22.50	22.75	< 33.01
1852.50	5	25	0	21.21	21.46	< 33.01
1882.50				21.46	21.71	< 33.01
1912.50				21.29	21.54	< 33.01
1855.00	10	1	0	22.34	22.59	< 33.01
1882.50				22.53	22.78	< 33.01
1910.00				22.38	22.63	< 33.01
1855.00	10	1	24	22.46	22.71	< 33.01
1882.50				22.57	22.82	< 33.01
1910.00				22.33	22.58	< 33.01
1855.00	10	1	49	22.41	22.66	< 33.01
1882.50				22.44	22.69	< 33.01
1910.00				22.31	22.56	< 33.01
1855.00	10	50	0	21.24	21.49	< 33.01
1882.50				21.39	21.64	< 33.01
1910.00				21.38	21.63	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
1857.50	15	1	0	22.48	22.73	< 33.01
1882.50				22.69	22.94	< 33.01
1907.50				22.57	22.82	< 33.01
1857.50	15	1	37	22.54	22.79	< 33.01
1882.50				22.50	22.75	< 33.01
1907.50				22.54	22.79	< 33.01
1857.50	15	1	74	22.61	22.86	< 33.01
1882.50				22.68	22.93	< 33.01
1907.50				22.40	22.65	< 33.01
1857.50	15	75	0	21.30	21.55	< 33.01
1882.50				21.48	21.73	< 33.01
1907.50				21.33	21.58	< 33.01
1860.00	20	1	0	22.43	22.68	< 33.01
1882.50				22.64	22.89	< 33.01
1905.00				22.65	22.90	< 33.01
1860.00	20	1	49	22.45	22.70	< 33.01
1882.50				22.67	22.92	< 33.01
1905.00				22.61	22.86	< 33.01
1860.00	20	1	99	22.59	22.84	< 33.01
1882.50				22.67	22.92	< 33.01
1905.00				22.50	22.75	< 33.01
1860.00	20	100	0	21.30	21.55	< 33.01
1882.50				21.49	21.74	< 33.01
1905.00				21.26	21.51	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM						
1850.70	1.4	1	0	21.31	21.56	< 33.01
1882.50				21.44	21.69	< 33.01
1914.30				21.39	21.64	< 33.01
1850.70	1.4	1	2	21.45	21.70	< 33.01
1882.50				21.43	21.68	< 33.01
1914.30				21.50	21.75	< 33.01
1850.70	1.4	1	6	21.38	21.63	< 33.01
1882.50				21.44	21.69	< 33.01
1914.30				21.29	21.54	< 33.01
1850.70	1.4	6	0	20.15	20.40	< 33.01
1882.50				20.32	20.57	< 33.01
1914.30				20.21	20.46	< 33.01
1851.50	3	1	0	21.37	21.62	< 33.01
1882.50				21.59	21.84	< 33.01
1913.50				21.45	21.70	< 33.01
1851.50	3	1	7	21.51	21.76	< 33.01
1882.50				21.72	21.97	< 33.01
1913.50				21.58	21.83	< 33.01
1851.50	3	1	14	21.48	21.73	< 33.01
1882.50				21.63	21.88	< 33.01
1913.50				21.35	21.60	< 33.01
1851.50	3	15	0	20.15	20.40	< 33.01
1882.50				20.39	20.64	< 33.01
1913.50				20.18	20.43	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM						
1852.50	5	1	0	21.26	21.51	< 33.01
1882.50				21.65	21.90	< 33.01
1912.50				21.45	21.70	< 33.01
1852.50	5	1	12	21.45	21.70	< 33.01
1882.50				21.59	21.84	< 33.01
1912.50				21.58	21.83	< 33.01
1852.50	5	1	24	21.37	21.62	< 33.01
1882.50				21.67	21.92	< 33.01
1912.50				21.40	21.65	< 33.01
1852.50	5	25	0	20.22	20.47	< 33.01
1882.50				20.39	20.64	< 33.01
1912.50				20.20	20.45	< 33.01
1855.00	10	1	0	21.46	21.71	< 33.01
1882.50				21.59	21.84	< 33.01
1910.00				21.50	21.75	< 33.01
1855.00	10	1	24	21.43	21.68	< 33.01
1882.50				21.63	21.88	< 33.01
1910.00				21.43	21.68	< 33.01
1855.00	10	1	49	21.51	21.76	< 33.01
1882.50				21.42	21.67	< 33.01
1910.00				21.50	21.75	< 33.01
1855.00	10	50	0	20.28	20.53	< 33.01
1882.50				20.47	20.72	< 33.01
1910.00				20.30	20.55	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM						
1857.50	15	1	0	21.36	21.61	< 33.01
1882.50				21.61	21.86	< 33.01
1907.50				21.52	21.77	< 33.01
1857.50	15	1	37	21.37	21.62	< 33.01
1882.50				21.60	21.85	< 33.01
1907.50				21.51	21.76	< 33.01
1857.50	15	1	74	21.53	21.78	< 33.01
1882.50				21.61	21.86	< 33.01
1907.50				21.46	21.71	< 33.01
1857.50	15	75	0	20.26	20.51	< 33.01
1882.50				20.41	20.66	< 33.01
1907.50				20.35	20.60	< 33.01
1860.00	20	1	0	21.23	21.48	< 33.01
1882.50				21.69	21.94	< 33.01
1905.00				21.55	21.80	< 33.01
1860.00	20	1	49	21.46	21.71	< 33.01
1882.50				21.69	21.94	< 33.01
1905.00				21.53	21.78	< 33.01
1860.00	20	1	99	21.57	21.82	< 33.01
1882.50				21.60	21.85	< 33.01
1905.00				21.45	21.70	< 33.01
1860.00	20	100	0	20.31	20.56	< 33.01
1882.50				20.51	20.76	< 33.01
1905.00				20.28	20.53	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/03/21 ~ 2022/04/07	Test Band	LTE Band 4/66

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
1710.70	1.4	1	0	22.93	24.40	< 30.00
1745.00				23.00	24.47	< 30.00
1779.30				22.94	24.41	< 30.00
1710.70	1.4	1	2	22.96	24.43	< 30.00
1745.00				23.11	24.58	< 30.00
1779.30				22.98	24.45	< 30.00
1710.70	1.4	1	6	22.91	24.38	< 30.00
1745.00				23.04	24.51	< 30.00
1779.30				22.92	24.39	< 30.00
1710.70	1.4	6	0	22.01	23.48	< 30.00
1745.00				22.13	23.60	< 30.00
1779.30				21.98	23.45	< 30.00
1711.50	3	1	0	22.99	24.46	< 30.00
1745.00				23.04	24.51	< 30.00
1778.50				23.00	24.47	< 30.00
1711.50	3	1	7	23.06	24.53	< 30.00
1745.00				23.18	24.65	< 30.00
1778.50				23.18	24.65	< 30.00
1711.50	3	1	14	23.05	24.52	< 30.00
1745.00				23.04	24.51	< 30.00
1778.50				23.03	24.50	< 30.00
1711.50	3	15	0	22.00	23.47	< 30.00
1745.00				22.18	23.65	< 30.00
1778.50				22.10	23.57	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
1712.50	5	1	0	22.97	24.44	< 30.00
1745.00				23.00	24.47	< 30.00
1777.50				22.93	24.40	< 30.00
1712.50	5	1	12	22.95	24.42	< 30.00
1745.00				22.98	24.45	< 30.00
1777.50				22.98	24.45	< 30.00
1712.50	5	1	24	22.97	24.44	< 30.00
1745.00				23.03	24.50	< 30.00
1777.50				22.99	24.46	< 30.00
1712.50	5	25	0	22.08	23.55	< 30.00
1745.00				22.14	23.61	< 30.00
1777.50				22.09	23.56	< 30.00
1715.00	10	1	0	23.00	24.47	< 30.00
1745.00				23.08	24.55	< 30.00
1775.00				22.89	24.36	< 30.00
1715.00	10	1	24	23.06	24.53	< 30.00
1745.00				23.07	24.54	< 30.00
1775.00				23.05	24.52	< 30.00
1715.00	10	1	49	23.10	24.57	< 30.00
1745.00				23.11	24.58	< 30.00
1775.00				22.97	24.44	< 30.00
1715.00	10	50	0	22.09	23.56	< 30.00
1745.00				22.14	23.61	< 30.00
1775.00				22.11	23.58	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
1717.50	15	1	0	22.94	24.41	< 30.00
1745.00				23.02	24.49	< 30.00
1772.50				22.92	24.39	< 30.00
1717.50	15	1	37	23.03	24.50	< 30.00
1745.00				23.03	24.50	< 30.00
1772.50				22.91	24.38	< 30.00
1717.50	15	1	74	23.14	24.61	< 30.00
1745.00				23.13	24.60	< 30.00
1772.50				23.00	24.47	< 30.00
1717.50	15	75	0	22.10	23.57	< 30.00
1745.00				22.15	23.62	< 30.00
1772.50				22.20	23.67	< 30.00
1720.00	20	1	0	22.95	24.42	< 30.00
1745.00				23.02	24.49	< 30.00
1770.00				22.95	24.42	< 30.00
1720.00	20	1	49	23.13	24.60	< 30.00
1745.00				23.08	24.55	< 30.00
1770.00				22.92	24.39	< 30.00
1720.00	20	1	99	23.12	24.59	< 30.00
1745.00				23.02	24.49	< 30.00
1770.00				22.96	24.43	< 30.00
1720.00	20	100	0	22.13	23.60	< 30.00
1745.00				22.17	23.64	< 30.00
1770.00				22.11	23.58	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
1710.70	1.4	1	0	22.04	23.51	< 30.00
1745.00				22.13	23.60	< 30.00
1779.30				22.09	23.56	< 30.00
1710.70	1.4	1	2	22.10	23.57	< 30.00
1745.00				22.22	23.69	< 30.00
1779.30				22.03	23.50	< 30.00
1710.70	1.4	1	6	22.06	23.53	< 30.00
1745.00				22.11	23.58	< 30.00
1779.30				21.99	23.46	< 30.00
1710.70	1.4	6	0	21.05	22.52	< 30.00
1745.00				21.13	22.60	< 30.00
1779.30				20.99	22.46	< 30.00
1711.50	3	1	0	22.25	23.72	< 30.00
1745.00				22.37	23.84	< 30.00
1778.50				22.20	23.67	< 30.00
1711.50	3	1	7	22.33	23.80	< 30.00
1745.00				22.27	23.74	< 30.00
1778.50				22.36	23.83	< 30.00
1711.50	3	1	14	22.34	23.81	< 30.00
1745.00				22.23	23.70	< 30.00
1778.50				22.27	23.74	< 30.00
1711.50	3	15	0	21.13	22.60	< 30.00
1745.00				21.10	22.57	< 30.00
1778.50				21.06	22.53	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
1712.50	5	1	0	22.34	23.81	< 30.00
1745.00				22.22	23.69	< 30.00
1777.50				22.13	23.60	< 30.00
1712.50	5	1	12	22.19	23.66	< 30.00
1745.00				22.18	23.65	< 30.00
1777.50				22.23	23.70	< 30.00
1712.50	5	1	24	22.28	23.75	< 30.00
1745.00				22.33	23.80	< 30.00
1777.50				22.07	23.54	< 30.00
1712.50	5	25	0	21.09	22.56	< 30.00
1745.00				21.13	22.60	< 30.00
1777.50				21.06	22.53	< 30.00
1715.00	10	1	0	22.11	23.58	< 30.00
1745.00				22.18	23.65	< 30.00
1775.00				22.02	23.49	< 30.00
1715.00	10	1	24	22.27	23.74	< 30.00
1745.00				22.30	23.77	< 30.00
1775.00				22.12	23.59	< 30.00
1715.00	10	1	49	22.30	23.77	< 30.00
1745.00				22.17	23.64	< 30.00
1775.00				22.04	23.51	< 30.00
1715.00	10	50	0	21.09	22.56	< 30.00
1745.00				21.16	22.63	< 30.00
1775.00				21.06	22.53	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
1717.50	15	1	0	22.23	23.70	< 30.00
1745.00				22.35	23.82	< 30.00
1772.50				22.15	23.62	< 30.00
1717.50	15	1	37	22.38	23.85	< 30.00
1745.00				22.29	23.76	< 30.00
1772.50				22.19	23.66	< 30.00
1717.50	15	1	74	22.42	23.89	< 30.00
1745.00				22.28	23.75	< 30.00
1772.50				22.25	23.72	< 30.00
1717.50	15	75	0	21.15	22.62	< 30.00
1745.00				21.18	22.65	< 30.00
1772.50				21.10	22.57	< 30.00
1720.00	20	1	0	22.23	23.70	< 30.00
1745.00				22.34	23.81	< 30.00
1770.00				22.20	23.67	< 30.00
1720.00	20	1	49	22.34	23.81	< 30.00
1745.00				22.22	23.69	< 30.00
1770.00				22.33	23.80	< 30.00
1720.00	20	1	99	22.44	23.91	< 30.00
1745.00				22.33	23.80	< 30.00
1770.00				22.24	23.71	< 30.00
1720.00	20	100	0	21.13	22.60	< 30.00
1745.00				21.18	22.65	< 30.00
1770.00				21.09	22.56	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM						
1710.70	1.4	1	0	21.12	22.59	< 30.00
1745.00				21.21	22.68	< 30.00
1779.30				21.16	22.63	< 30.00
1710.70	1.4	1	2	21.16	22.63	< 30.00
1745.00				21.33	22.80	< 30.00
1779.30				21.24	22.71	< 30.00
1710.70	1.4	1	6	21.15	22.62	< 30.00
1745.00				21.22	22.69	< 30.00
1779.30				21.04	22.51	< 30.00
1710.70	1.4	6	0	20.07	21.54	< 30.00
1745.00				20.05	21.52	< 30.00
1779.30				20.05	21.52	< 30.00
1711.50	3	1	0	21.17	22.64	< 30.00
1745.00				21.25	22.72	< 30.00
1778.50				21.06	22.53	< 30.00
1711.50	3	1	7	21.33	22.80	< 30.00
1745.00				21.33	22.80	< 30.00
1778.50				21.25	22.72	< 30.00
1711.50	3	1	14	21.24	22.71	< 30.00
1745.00				21.18	22.65	< 30.00
1778.50				21.23	22.70	< 30.00
1711.50	3	15	0	20.09	21.56	< 30.00
1745.00				20.15	21.62	< 30.00
1778.50				20.05	21.52	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM						
1712.50	5	1	0	21.16	22.63	< 30.00
1745.00				21.23	22.70	< 30.00
1777.50				21.12	22.59	< 30.00
1712.50	5	1	12	21.15	22.62	< 30.00
1745.00				21.31	22.78	< 30.00
1777.50				21.04	22.51	< 30.00
1712.50	5	1	24	21.20	22.67	< 30.00
1745.00				21.25	22.72	< 30.00
1777.50				21.12	22.59	< 30.00
1712.50	5	25	0	20.07	21.54	< 30.00
1745.00				20.18	21.65	< 30.00
1777.50				20.03	21.50	< 30.00
1715.00	10	1	0	21.20	22.67	< 30.00
1745.00				21.27	22.74	< 30.00
1775.00				21.01	22.48	< 30.00
1715.00	10	1	24	21.24	22.71	< 30.00
1745.00				21.36	22.83	< 30.00
1775.00				21.25	22.72	< 30.00
1715.00	10	1	49	21.33	22.80	< 30.00
1745.00				21.28	22.75	< 30.00
1775.00				21.17	22.64	< 30.00
1715.00	10	50	0	20.11	21.58	< 30.00
1745.00				20.19	21.66	< 30.00
1775.00				20.08	21.55	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM						
1717.50	15	1	0	21.25	22.72	< 30.00
1745.00				21.21	22.68	< 30.00
1772.50				21.17	22.64	< 30.00
1717.50	15	1	37	21.35	22.82	< 30.00
1745.00				21.22	22.69	< 30.00
1772.50				21.12	22.59	< 30.00
1717.50	15	1	74	21.37	22.84	< 30.00
1745.00				21.34	22.81	< 30.00
1772.50				21.14	22.61	< 30.00
1717.50	15	75	0	20.06	21.53	< 30.00
1745.00				20.12	21.59	< 30.00
1772.50				20.14	21.61	< 30.00
1720.00	20	1	0	21.22	22.69	< 30.00
1745.00				21.27	22.74	< 30.00
1770.00				21.03	22.50	< 30.00
1720.00	20	1	49	21.17	22.64	< 30.00
1745.00				21.21	22.68	< 30.00
1770.00				21.17	22.64	< 30.00
1720.00	20	1	99	21.32	22.79	< 30.00
1745.00				21.29	22.76	< 30.00
1770.00				21.16	22.63	< 30.00
1720.00	20	100	0	20.14	21.61	< 30.00
1745.00				20.14	21.61	< 30.00
1770.00				20.18	21.65	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

est Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/03/21 ~ 2022/04/07	Test Band	LTE Band 5/26

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK						
824.70	1.4	1	0	22.90	23.43	< 38.45
836.50				22.70	23.23	< 38.45
848.30				22.89	23.42	< 38.45
824.70	1.4	1	2	22.93	23.46	< 38.45
836.50				22.83	23.36	< 38.45
848.30				22.78	23.31	< 38.45
824.70	1.4	1	6	22.88	23.41	< 38.45
836.50				22.75	23.28	< 38.45
848.30				22.75	23.28	< 38.45
824.70	1.4	6	0	21.92	22.45	< 38.45
836.50				21.91	22.44	< 38.45
848.30				22.00	22.53	< 38.45
825.50	3	1	0	22.94	23.47	< 38.45
836.50				22.80	23.33	< 38.45
846.50				22.81	23.34	< 38.45
825.50	3	1	7	23.05	23.58	< 38.45
836.50				23.00	23.53	< 38.45
846.50				23.03	23.56	< 38.45
825.50	3	1	14	22.93	23.46	< 38.45
836.50				22.77	23.30	< 38.45
846.50				22.83	23.36	< 38.45
825.50	3	15	0	22.02	22.55	< 38.45
836.50				21.94	22.47	< 38.45
846.50				22.02	22.55	< 38.45

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK						
826.50	5	1	0	22.87	23.40	< 38.45
836.50				22.77	23.30	< 38.45
846.50				22.97	23.50	< 38.45
826.50	5	1	12	22.90	23.43	< 38.45
836.50				22.90	23.43	< 38.45
846.50				22.83	23.36	< 38.45
826.50	5	1	24	22.84	23.37	< 38.45
836.50				22.83	23.36	< 38.45
846.50				22.84	23.37	< 38.45
826.50	5	25	0	21.94	22.47	< 38.45
836.50				21.95	22.48	< 38.45
846.50				22.00	22.53	< 38.45
829.00	10	1	0	22.87	23.40	< 38.45
836.50				22.94	23.47	< 38.45
844.00				22.92	23.45	< 38.45
829.00	10	1	24	22.89	23.42	< 38.45
836.50				22.86	23.39	< 38.45
844.00				22.97	23.50	< 38.45
829.00	10	1	49	22.82	23.35	< 38.45
836.50				22.76	23.29	< 38.45
844.00				22.86	23.39	< 38.45
829.00	10	50	0	21.98	22.51	< 38.45
836.50				21.96	22.49	< 38.45
844.00				22.06	22.59	< 38.45

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK						
821.50	15	1	0	23.03	23.56	< 38.45
836.50				23.05	23.58	< 38.45
841.50				23.00	23.53	< 38.45
821.50	15	1	37	22.93	23.46	< 38.45
836.50				22.86	23.39	< 38.45
841.50				22.88	23.41	< 38.45
821.50	15	1	74	22.89	23.42	< 38.45
836.50				22.84	23.37	< 38.45
841.50				22.68	23.21	< 38.45
821.50	15	75	0	22.03	22.56	< 38.45
836.50				21.98	22.51	< 38.45
841.50				21.95	22.48	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM						
824.70	1.4	1	0	22.02	22.55	< 38.45
836.50				21.99	22.52	< 38.45
848.30				21.98	22.51	< 38.45
824.70	1.4	1	2	22.14	22.67	< 38.45
836.50				21.97	22.50	< 38.45
848.30				21.98	22.51	< 38.45
824.70	1.4	1	6	21.97	22.50	< 38.45
836.50				21.89	22.42	< 38.45
848.30				21.92	22.45	< 38.45
824.70	1.4	6	0	20.95	21.48	< 38.45
836.50				20.80	21.33	< 38.45
848.30				20.89	21.42	< 38.45
825.50	3	1	0	22.18	22.71	< 38.45
836.50				22.11	22.64	< 38.45
846.50				22.28	22.81	< 38.45
825.50	3	1	7	22.34	22.87	< 38.45
836.50				22.24	22.77	< 38.45
846.50				22.22	22.75	< 38.45
825.50	3	1	14	22.02	22.55	< 38.45
836.50				22.14	22.67	< 38.45
846.50				22.06	22.59	< 38.45
825.50	3	15	0	20.96	21.49	< 38.45
836.50				20.98	21.51	< 38.45
846.50				21.03	21.56	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM						
826.50	5	1	0	22.32	22.85	< 38.45
836.50				22.23	22.76	< 38.45
846.50				22.31	22.84	< 38.45
826.50	5	1	12	22.29	22.82	< 38.45
836.50				22.10	22.63	< 38.45
846.50				22.34	22.87	< 38.45
826.50	5	1	24	22.34	22.87	< 38.45
836.50				22.22	22.75	< 38.45
846.50				21.99	22.52	< 38.45
826.50	5	25	0	21.03	21.56	< 38.45
836.50				20.96	21.49	< 38.45
846.50				20.98	21.51	< 38.45
829.00	10	1	0	22.03	22.56	< 38.45
836.50				22.13	22.66	< 38.45
844.00				22.01	22.54	< 38.45
829.00	10	1	24	22.02	22.55	< 38.45
836.50				21.95	22.48	< 38.45
844.00				22.21	22.74	< 38.45
829.00	10	1	49	22.10	22.63	< 38.45
836.50				22.01	22.54	< 38.45
844.00				21.95	22.48	< 38.45
829.00	10	50	0	20.97	21.50	< 38.45
836.50				20.98	21.51	< 38.45
844.00				21.07	21.60	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM						
821.50	15	1	0	22.31	22.84	< 38.45
836.50				22.23	22.76	< 38.45
841.50				22.25	22.78	< 38.45
821.50	15	1	37	22.00	22.53	< 38.45
836.50				22.27	22.80	< 38.45
841.50				22.20	22.73	< 38.45
821.50	15	1	74	22.04	22.57	< 38.45
836.50				22.11	22.64	< 38.45
841.50				21.96	22.49	< 38.45
821.50	15	75	0	21.03	21.56	< 38.45
836.50				21.00	21.53	< 38.45
841.50				20.99	21.52	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
64QAM						
824.70	1.4	1	0	21.14	21.67	< 38.45
836.50				20.95	21.48	< 38.45
848.30				21.00	21.53	< 38.45
824.70	1.4	1	2	21.17	21.70	< 38.45
836.50				21.08	21.61	< 38.45
848.30				21.08	21.61	< 38.45
824.70	1.4	1	6	21.09	21.62	< 38.45
836.50				21.00	21.53	< 38.45
848.30				20.99	21.52	< 38.45
824.70	1.4	6	0	19.98	20.51	< 38.45
836.50				19.90	20.43	< 38.45
848.30				19.92	20.45	< 38.45
825.50	3	1	0	21.17	21.70	< 38.45
836.50				21.05	21.58	< 38.45
846.50				21.12	21.65	< 38.45
825.50	3	1	7	21.34	21.87	< 38.45
836.50				21.22	21.75	< 38.45
846.50				21.23	21.76	< 38.45
825.50	3	1	14	21.16	21.69	< 38.45
836.50				21.05	21.58	< 38.45
846.50				21.13	21.66	< 38.45
825.50	3	15	0	19.98	20.51	< 38.45
836.50				19.95	20.48	< 38.45
846.50				19.98	20.51	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
64QAM						
826.50	5	1	0	21.16	21.69	< 38.45
836.50				21.10	21.63	< 38.45
846.50				21.17	21.70	< 38.45
826.50	5	1	12	21.11	21.64	< 38.45
836.50				21.05	21.58	< 38.45
846.50				21.12	21.65	< 38.45
826.50	5	1	24	21.17	21.70	< 38.45
836.50				20.94	21.47	< 38.45
846.50				20.91	21.44	< 38.45
826.50	5	25	0	19.99	20.52	< 38.45
836.50				19.89	20.42	< 38.45
846.50				19.99	20.52	< 38.45
829.00	10	1	0	21.24	21.77	< 38.45
836.50				21.12	21.65	< 38.45
844.00				21.13	21.66	< 38.45
829.00	10	1	24	21.17	21.70	< 38.45
836.50				21.15	21.68	< 38.45
844.00				21.26	21.79	< 38.45
829.00	10	1	49	21.11	21.64	< 38.45
836.50				21.03	21.56	< 38.45
844.00				21.01	21.54	< 38.45
829.00	10	50	0	19.98	20.51	< 38.45
836.50				20.02	20.55	< 38.45
844.00				20.09	20.62	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
64QAM						
821.50	15	1	0	21.35	21.88	< 38.45
836.50				21.17	21.70	< 38.45
841.50				21.21	21.74	< 38.45
821.50	15	1	37	21.18	21.71	< 38.45
836.50				21.13	21.66	< 38.45
841.50				21.05	21.58	< 38.45
821.50	15	1	74	20.96	21.49	< 38.45
836.50				20.99	21.52	< 38.45
841.50				20.94	21.47	< 38.45
821.50	15	75	0	20.05	20.58	< 38.45
836.50				19.99	20.52	< 38.45
841.50				19.97	20.50	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/03/21 ~ 2022/04/07	Test Band	LTE Band 7

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
2502.50	5	1	0	22.85	23.40	< 33.01
2535.00				23.09	23.64	< 33.01
2567.50				23.00	23.55	< 33.01
2502.50	5	1	12	22.76	23.31	< 33.01
2535.00				23.11	23.66	< 33.01
2567.50				23.04	23.59	< 33.01
2502.50	5	1	24	22.82	23.37	< 33.01
2535.00				23.07	23.62	< 33.01
2567.50				22.94	23.49	< 33.01
2502.50	5	25	0	21.92	22.47	< 33.01
2535.00				22.13	22.68	< 33.01
2567.50				22.01	22.56	< 33.01
2505.00	10	1	0	23.02	23.57	< 33.01
2535.00				23.19	23.74	< 33.01
2565.00				22.96	23.51	< 33.01
2505.00	10	1	24	22.93	23.48	< 33.01
2535.00				23.12	23.67	< 33.01
2565.00				22.97	23.52	< 33.01
2505.00	10	1	49	23.17	23.72	< 33.01
2535.00				23.05	23.60	< 33.01
2565.00				23.02	23.57	< 33.01
2505.00	10	50	0	22.08	22.63	< 33.01
2535.00				22.19	22.74	< 33.01
2565.00				22.00	22.55	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
2507.50	15	1	0	23.00	23.55	< 33.01
2535.00				23.13	23.68	< 33.01
2562.50				23.03	23.58	< 33.01
2507.50	15	1	37	22.99	23.54	< 33.01
2535.00				23.22	23.77	< 33.01
2562.50				22.94	23.49	< 33.01
2507.50	15	1	74	23.07	23.62	< 33.01
2535.00				23.14	23.69	< 33.01
2562.50				22.99	23.54	< 33.01
2507.50	15	75	0	22.08	22.63	< 33.01
2535.00				22.20	22.75	< 33.01
2562.50				22.04	22.59	< 33.01
2510.00	20	1	0	22.85	23.40	< 33.01
2535.00				23.21	23.76	< 33.01
2560.00				23.07	23.62	< 33.01
2510.00	20	1	49	22.95	23.50	< 33.01
2535.00				23.04	23.59	< 33.01
2560.00				22.95	23.50	< 33.01
2510.00	20	1	99	23.03	23.58	< 33.01
2535.00				23.05	23.60	< 33.01
2560.00				22.97	23.52	< 33.01
2510.00	20	100	0	21.87	22.42	< 33.01
2535.00				22.20	22.75	< 33.01
2560.00				21.97	22.52	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
2502.50	5	1	0	22.07	22.62	< 33.01
2535.00				22.52	23.07	< 33.01
2567.50				22.31	22.86	< 33.01
2502.50	5	1	12	22.10	22.65	< 33.01
2535.00				22.41	22.96	< 33.01
2567.50				22.16	22.71	< 33.01
2502.50	5	1	24	22.15	22.70	< 33.01
2535.00				22.36	22.91	< 33.01
2567.50				22.02	22.57	< 33.01
2502.50	5	25	0	20.87	21.42	< 33.01
2535.00				21.12	21.67	< 33.01
2567.50				20.98	21.53	< 33.01
2505.00	10	1	0	22.08	22.63	< 33.01
2535.00				22.18	22.73	< 33.01
2565.00				22.01	22.56	< 33.01
2505.00	10	1	24	22.04	22.59	< 33.01
2535.00				22.14	22.69	< 33.01
2565.00				22.05	22.60	< 33.01
2505.00	10	1	49	22.12	22.67	< 33.01
2535.00				22.16	22.71	< 33.01
2565.00				22.12	22.67	< 33.01
2505.00	10	50	0	21.02	21.57	< 33.01
2535.00				21.11	21.66	< 33.01
2565.00				20.97	21.52	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
2507.50	15	1	0	22.14	22.69	< 33.01
2535.00				22.37	22.92	< 33.01
2562.50				22.21	22.76	< 33.01
2507.50	15	1	37	22.18	22.73	< 33.01
2535.00				22.20	22.75	< 33.01
2562.50				22.07	22.62	< 33.01
2507.50	15	1	74	22.21	22.76	< 33.01
2535.00				22.37	22.92	< 33.01
2562.50				22.24	22.79	< 33.01
2507.50	15	75	0	21.06	21.61	< 33.01
2535.00				21.12	21.67	< 33.01
2562.50				20.91	21.46	< 33.01
2510.00	20	1	0	22.17	22.72	< 33.01
2535.00				22.52	23.07	< 33.01
2560.00				22.29	22.84	< 33.01
2510.00	20	1	49	22.18	22.73	< 33.01
2535.00				22.51	23.06	< 33.01
2560.00				22.01	22.56	< 33.01
2510.00	20	1	99	22.17	22.72	< 33.01
2535.00				22.17	22.72	< 33.01
2560.00				22.34	22.89	< 33.01
2510.00	20	100	0	20.95	21.50	< 33.01
2535.00				21.15	21.70	< 33.01
2560.00				20.95	21.50	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM						
2502.50	5	1	0	20.97	21.52	< 33.01
2535.00				21.27	21.82	< 33.01
2567.50				21.05	21.60	< 33.01
2502.50	5	1	12	20.98	21.53	< 33.01
2535.00				21.17	21.72	< 33.01
2567.50				21.04	21.59	< 33.01
2502.50	5	1	24	20.92	21.47	< 33.01
2535.00				21.24	21.79	< 33.01
2567.50				21.15	21.70	< 33.01
2502.50	5	25	0	19.91	20.46	< 33.01
2535.00				20.17	20.72	< 33.01
2567.50				20.01	20.56	< 33.01
2505.00	10	1	0	21.07	21.62	< 33.01
2535.00				21.32	21.87	< 33.01
2565.00				21.10	21.65	< 33.01
2505.00	10	1	24	21.09	21.64	< 33.01
2535.00				21.23	21.78	< 33.01
2565.00				21.03	21.58	< 33.01
2505.00	10	1	49	21.13	21.68	< 33.01
2535.00				21.21	21.76	< 33.01
2565.00				21.19	21.74	< 33.01
2505.00	10	50	0	20.02	20.57	< 33.01
2535.00				20.19	20.74	< 33.01
2565.00				20.04	20.59	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM						
2507.50	15	1	0	21.19	21.74	< 33.01
2535.00				21.28	21.83	< 33.01
2562.50				21.10	21.65	< 33.01
2507.50	15	1	37	21.11	21.66	< 33.01
2535.00				21.19	21.74	< 33.01
2562.50				21.03	21.58	< 33.01
2507.50	15	1	74	21.14	21.69	< 33.01
2535.00				21.25	21.80	< 33.01
2562.50				21.08	21.63	< 33.01
2507.50	15	75	0	20.11	20.66	< 33.01
2535.00				20.19	20.74	< 33.01
2562.50				20.01	20.56	< 33.01
2510.00	20	1	0	21.05	21.60	< 33.01
2535.00				21.24	21.79	< 33.01
2560.00				21.22	21.77	< 33.01
2510.00	20	1	49	20.97	21.52	< 33.01
2535.00				21.23	21.78	< 33.01
2560.00				21.04	21.59	< 33.01
2510.00	20	1	99	21.05	21.60	< 33.01
2535.00				21.16	21.71	< 33.01
2560.00				21.06	21.61	< 33.01
2510.00	20	100	0	19.87	20.42	< 33.01
2535.00				20.21	20.76	< 33.01
2560.00				20.04	20.59	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/03/21 ~ 2022/04/07	Test Band	LTE Band 12/17

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK						
699.7	1.4	1	0	22.86	20.51	< 34.77
707.5				22.81	20.46	< 34.77
715.3				22.71	20.36	< 34.77
699.7	1.4	1	2	22.88	20.53	< 34.77
707.5				22.90	20.55	< 34.77
715.3				22.79	20.44	< 34.77
699.7	1.4	1	6	22.81	20.46	< 34.77
707.5				22.80	20.45	< 34.77
715.3				22.65	20.30	< 34.77
699.7	1.4	6	0	21.82	19.47	< 34.77
707.5				21.91	19.56	< 34.77
715.3				21.84	19.49	< 34.77
700.5	3	1	0	22.88	20.53	< 34.77
707.5				22.88	20.53	< 34.77
714.5				22.76	20.41	< 34.77
700.5	3	1	7	22.96	20.61	< 34.77
707.5				22.98	20.63	< 34.77
714.5				22.92	20.57	< 34.77
700.5	3	1	14	22.82	20.47	< 34.77
707.5				22.84	20.49	< 34.77
714.5				22.78	20.43	< 34.77
700.5	3	15	0	21.90	19.55	< 34.77
707.5				21.95	19.60	< 34.77
714.5				21.80	19.45	< 34.77

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK						
701.5	5	1	0	22.88	20.53	< 34.77
707.5				22.84	20.49	< 34.77
713.5				22.79	20.44	< 34.77
701.5	5	1	12	22.83	20.48	< 34.77
707.5				22.85	20.50	< 34.77
713.5				22.81	20.46	< 34.77
701.5	5	1	24	22.84	20.49	< 34.77
707.5				22.79	20.44	< 34.77
713.5				22.65	20.30	< 34.77
701.5	5	25	0	22.02	19.67	< 34.77
707.5				21.90	19.55	< 34.77
713.5				21.85	19.50	< 34.77
704.0	10	1	0	22.77	20.42	< 34.77
707.5				22.87	20.52	< 34.77
711.0				22.85	20.50	< 34.77
704.0	10	1	24	22.84	20.49	< 34.77
707.5				22.88	20.53	< 34.77
711.0				22.84	20.49	< 34.77
704.0	10	1	49	22.85	20.50	< 34.77
707.5				22.74	20.39	< 34.77
711.0				22.71	20.36	< 34.77
704.0	10	50	0	22.00	19.65	< 34.77
707.5				21.97	19.62	< 34.77
711.0				21.90	19.55	< 34.77

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM						
699.7	1.4	1	0	22.03	19.68	< 34.77
707.5				21.93	19.58	< 34.77
715.3				21.84	19.49	< 34.77
699.7	1.4	1	2	22.03	19.68	< 34.77
707.5				21.98	19.63	< 34.77
715.3				21.86	19.51	< 34.77
699.7	1.4	1	6	21.81	19.46	< 34.77
707.5				21.94	19.59	< 34.77
715.3				21.81	19.46	< 34.77
699.7	1.4	6	0	20.84	18.49	< 34.77
707.5				20.95	18.60	< 34.77
715.3				20.75	18.40	< 34.77
700.5	3	1	0	22.10	19.75	< 34.77
707.5				22.05	19.70	< 34.77
714.5				22.12	19.77	< 34.77
700.5	3	1	7	22.18	19.83	< 34.77
707.5				22.29	19.94	< 34.77
714.5				22.20	19.85	< 34.77
700.5	3	1	14	22.07	19.72	< 34.77
707.5				22.10	19.75	< 34.77
714.5				21.93	19.58	< 34.77
700.5	3	15	0	20.92	18.57	< 34.77
707.5				20.91	18.56	< 34.77
714.5				20.85	18.50	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM						
701.5	5	1	0	22.19	19.84	< 34.77
707.5				22.01	19.66	< 34.77
713.5				22.22	19.87	< 34.77
701.5	5	1	12	22.18	19.83	< 34.77
707.5				22.23	19.88	< 34.77
713.5				22.10	19.75	< 34.77
701.5	5	1	24	22.15	19.80	< 34.77
707.5				21.99	19.64	< 34.77
713.5				21.82	19.47	< 34.77
701.5	5	25	0	20.95	18.60	< 34.77
707.5				20.95	18.60	< 34.77
713.5				20.86	18.51	< 34.77
704.0	10	1	0	22.09	19.74	< 34.77
707.5				21.98	19.63	< 34.77
711.0				22.15	19.80	< 34.77
704.0	10	1	24	22.09	19.74	< 34.77
707.5				22.15	19.80	< 34.77
711.0				21.92	19.57	< 34.77
704.0	10	1	49	21.82	19.47	< 34.77
707.5				22.00	19.65	< 34.77
711.0				21.87	19.52	< 34.77
704.0	10	50	0	21.01	18.66	< 34.77
707.5				20.98	18.63	< 34.77
711.0				20.91	18.56	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
64QAM						
699.7	1.4	1	0	21.08	18.73	< 34.77
707.5				21.07	18.72	< 34.77
715.3				20.98	18.63	< 34.77
699.7	1.4	1	2	21.03	18.68	< 34.77
707.5				21.16	18.81	< 34.77
715.3				21.00	18.65	< 34.77
699.7	1.4	1	6	20.93	18.58	< 34.77
707.5				20.95	18.60	< 34.77
715.3				20.89	18.54	< 34.77
699.7	1.4	6	0	19.87	17.52	< 34.77
707.5				19.88	17.53	< 34.77
715.3				19.76	17.41	< 34.77
700.5	3	1	0	21.07	18.72	< 34.77
707.5				21.09	18.74	< 34.77
714.5				20.95	18.60	< 34.77
700.5	3	1	7	21.20	18.85	< 34.77
707.5				21.18	18.83	< 34.77
714.5				21.12	18.77	< 34.77
700.5	3	1	14	21.10	18.75	< 34.77
707.5				21.12	18.77	< 34.77
714.5				21.04	18.69	< 34.77
700.5	3	15	0	19.87	17.52	< 34.77
707.5				19.93	17.58	< 34.77
714.5				19.84	17.49	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
64QAM						
701.5	5	1	0	21.03	18.68	< 34.77
707.5				21.04	18.69	< 34.77
713.5				21.00	18.65	< 34.77
701.5	5	1	12	21.12	18.77	< 34.77
707.5				21.04	18.69	< 34.77
713.5				21.02	18.67	< 34.77
701.5	5	1	24	21.04	18.69	< 34.77
707.5				20.96	18.61	< 34.77
713.5				20.93	18.58	< 34.77
701.5	5	25	0	20.01	17.66	< 34.77
707.5				19.93	17.58	< 34.77
713.5				19.86	17.51	< 34.77
704.0	10	1	0	21.17	18.82	< 34.77
707.5				21.12	18.77	< 34.77
711.0				21.21	18.86	< 34.77
704.0	10	1	24	21.11	18.76	< 34.77
707.5				21.16	18.81	< 34.77
711.0				21.03	18.68	< 34.77
704.0	10	1	49	21.04	18.69	< 34.77
707.5				20.98	18.63	< 34.77
711.0				20.95	18.60	< 34.77
704.0	10	50	0	20.00	17.65	< 34.77
707.5				19.99	17.64	< 34.77
711.0				19.95	17.60	< 34.77

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/03/21 ~ 2022/04/07	Test Band	LTE Band 13

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK						
779.5	5	1	0	22.71	22.10	< 34.77
782.0				22.71	22.10	< 34.77
784.5				22.76	22.15	< 34.77
779.5	5	1	12	22.77	22.16	< 34.77
782.0				22.82	22.21	< 34.77
784.5				22.91	22.30	< 34.77
779.5	5	1	24	22.69	22.08	< 34.77
782.0				22.86	22.25	< 34.77
784.5				22.90	22.29	< 34.77
779.5	5	25	0	21.96	21.35	< 34.77
782.0				21.86	21.25	< 34.77
784.5				21.86	21.25	< 34.77
782.0	10	1	0	22.70	22.09	< 34.77
782.0		1	24	22.80	22.19	< 34.77
782.0		1	49	22.83	22.22	< 34.77
782.0		50	0	21.95	21.34	< 34.77

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM						
779.5	5	1	0	21.94	21.33	< 34.77
782.0				22.21	21.60	< 34.77
784.5				22.25	21.64	< 34.77
779.5	5	1	12	22.16	21.55	< 34.77
782.0				22.17	21.56	< 34.77
784.5				22.35	21.74	< 34.77
779.5	5	1	24	22.15	21.54	< 34.77
782.0				22.21	21.60	< 34.77
784.5				22.13	21.52	< 34.77
779.5	5	25	0	20.87	20.26	< 34.77
782.0				20.85	20.24	< 34.77
784.5				20.87	20.26	< 34.77
782.0	10	1	0	21.78	21.17	< 34.77
782.0		1	24	22.07	21.46	< 34.77
782.0		1	49	22.06	21.45	< 34.77
782.0		50	0	20.94	20.33	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
64QAM						
779.5	5	1	0	20.83	20.22	< 34.77
782.0				20.96	20.35	< 34.77
784.5				21.08	20.47	< 34.77
779.5	5	1	12	20.97	20.36	< 34.77
782.0				21.12	20.51	< 34.77
784.5				21.10	20.49	< 34.77
779.5	5	1	24	20.97	20.36	< 34.77
782.0				21.09	20.48	< 34.77
784.5				21.09	20.48	< 34.77
779.5	5	25	0	19.89	19.28	< 34.77
782.0				19.90	19.29	< 34.77
784.5				19.83	19.22	< 34.77
782.0	10	1	0	20.85	20.24	< 34.77
782.0		1	24	21.11	20.50	< 34.77
782.0		1	49	21.17	20.56	< 34.77
782.0		50	0	19.93	19.32	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/03/21 ~ 2022/04/07	Test Band	LTE Band 38/41

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
2498.50	5	1	0	22.85	23.63	< 33.01
2593.00				23.32	24.10	< 33.01
2687.50				23.20	23.98	< 33.01
2498.50	5	1	12	22.87	23.65	< 33.01
2593.00				23.30	24.08	< 33.01
2687.50				23.30	24.08	< 33.01
2498.50	5	1	24	22.84	23.62	< 33.01
2593.00				23.34	24.12	< 33.01
2687.50				23.25	24.03	< 33.01
2498.50	5	25	0	21.91	22.69	< 33.01
2593.00				22.27	23.05	< 33.01
2687.50				22.26	23.04	< 33.01
2501.00	10	1	0	22.76	23.54	< 33.01
2593.00				23.24	24.02	< 33.01
2685.00				23.16	23.94	< 33.01
2501.00	10	1	24	22.76	23.54	< 33.01
2593.00				23.18	23.96	< 33.01
2685.00				23.12	23.90	< 33.01
2501.00	10	1	49	22.83	23.61	< 33.01
2593.00				23.26	24.04	< 33.01
2685.00				23.19	23.97	< 33.01
2501.00	10	50	0	21.95	22.73	< 33.01
2593.00				22.26	23.04	< 33.01
2685.00				22.27	23.05	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
2503.50	15	1	0	22.96	23.74	< 33.01
2593.00				23.38	24.16	< 33.01
2682.50				23.25	24.03	< 33.01
2503.50	15	1	37	22.89	23.67	< 33.01
2593.00				23.35	24.13	< 33.01
2682.50				23.27	24.05	< 33.01
2503.50	15	1	74	22.99	23.77	< 33.01
2593.00				23.39	24.17	< 33.01
2682.50				23.29	24.07	< 33.01
2503.50	15	75	0	21.97	22.75	< 33.01
2593.00				22.30	23.08	< 33.01
2682.50				22.22	23.00	< 33.01
2506.00	20	1	0	22.88	23.66	< 33.01
2593.00				23.37	24.15	< 33.01
2680.00				23.31	24.09	< 33.01
2506.00	20	1	49	22.87	23.65	< 33.01
2593.00				23.28	24.06	< 33.01
2680.00				23.11	23.89	< 33.01
2506.00	20	1	99	22.90	23.68	< 33.01
2593.00				23.23	24.01	< 33.01
2680.00				23.20	23.98	< 33.01
2506.00	20	100	0	22.05	22.83	< 33.01
2593.00				22.27	23.05	< 33.01
2680.00				22.21	22.99	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
2498.50	5	1	0	22.04	22.82	< 33.01
2593.00				22.62	23.40	< 33.01
2687.50				22.48	23.26	< 33.01
2498.50	5	1	12	22.03	22.81	< 33.01
2593.00				22.53	23.31	< 33.01
2687.50				22.57	23.35	< 33.01
2498.50	5	1	24	22.01	22.79	< 33.01
2593.00				22.58	23.36	< 33.01
2687.50				22.57	23.35	< 33.01
2498.50	5	25	0	20.90	21.68	< 33.01
2593.00				21.38	22.16	< 33.01
2687.50				21.35	22.13	< 33.01
2501.00	10	1	0	21.94	22.72	< 33.01
2593.00				22.39	23.17	< 33.01
2685.00				22.41	23.19	< 33.01
2501.00	10	1	24	21.89	22.67	< 33.01
2593.00				22.32	23.10	< 33.01
2685.00				22.26	23.04	< 33.01
2501.00	10	1	49	21.94	22.72	< 33.01
2593.00				22.35	23.13	< 33.01
2685.00				22.38	23.16	< 33.01
2501.00	10	50	0	20.86	21.64	< 33.01
2593.00				21.29	22.07	< 33.01
2685.00				21.25	22.03	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
2503.50	15	1	0	22.17	22.95	< 33.01
2593.00				22.64	23.42	< 33.01
2682.50				22.62	23.40	< 33.01
2503.50	15	1	37	22.10	22.88	< 33.01
2593.00				22.67	23.45	< 33.01
2682.50				22.60	23.38	< 33.01
2503.50	15	1	74	22.22	23.00	< 33.01
2593.00				22.68	23.46	< 33.01
2682.50				22.65	23.43	< 33.01
2503.50	15	75	0	20.92	21.70	< 33.01
2593.00				21.35	22.13	< 33.01
2682.50				21.37	22.15	< 33.01
2506.00	20	1	0	22.11	22.89	< 33.01
2593.00				22.64	23.42	< 33.01
2680.00				22.58	23.36	< 33.01
2506.00	20	1	49	22.04	22.82	< 33.01
2593.00				22.61	23.39	< 33.01
2680.00				22.51	23.29	< 33.01
2506.00	20	1	99	22.15	22.93	< 33.01
2593.00				22.53	23.31	< 33.01
2680.00				22.47	23.25	< 33.01
2506.00	20	100	0	21.01	21.79	< 33.01
2593.00				21.42	22.20	< 33.01
2680.00				21.33	22.11	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM						
2498.50	5	1	0	20.97	21.75	< 33.01
2593.00				21.56	22.34	< 33.01
2687.50				21.52	22.30	< 33.01
2498.50	5	1	12	21.03	21.81	< 33.01
2593.00				21.56	22.34	< 33.01
2687.50				21.60	22.38	< 33.01
2498.50	5	1	24	21.01	21.79	< 33.01
2593.00				21.55	22.33	< 33.01
2687.50				21.56	22.34	< 33.01
2498.50	5	25	0	19.96	20.74	< 33.01
2593.00				20.38	21.16	< 33.01
2687.50				20.38	21.16	< 33.01
2501.00	10	1	0	21.00	21.78	< 33.01
2593.00				21.54	22.32	< 33.01
2685.00				21.56	22.34	< 33.01
2501.00	10	1	24	21.04	21.82	< 33.01
2593.00				21.57	22.35	< 33.01
2685.00				21.50	22.28	< 33.01
2501.00	10	1	49	21.03	21.81	< 33.01
2593.00				21.49	22.27	< 33.01
2685.00				21.55	22.33	< 33.01
2501.00	10	50	0	19.95	20.73	< 33.01
2593.00				20.37	21.15	< 33.01
2685.00				20.34	21.12	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM						
2503.50	15	1	0	21.09	21.87	< 33.01
2593.00				21.61	22.39	< 33.01
2682.50				21.53	22.31	< 33.01
2503.50	15	1	37	21.02	21.80	< 33.01
2593.00				21.60	22.38	< 33.01
2682.50				21.50	22.28	< 33.01
2503.50	15	1	74	21.08	21.86	< 33.01
2593.00				21.60	22.38	< 33.01
2682.50				21.55	22.33	< 33.01
2503.50	15	75	0	19.99	20.77	< 33.01
2593.00				20.39	21.17	< 33.01
2682.50				20.40	21.18	< 33.01
2506.00	20	1	0	21.09	21.87	< 33.01
2593.00				21.54	22.32	< 33.01
2680.00				21.60	22.38	< 33.01
2506.00	20	1	49	21.04	21.82	< 33.01
2593.00				21.51	22.29	< 33.01
2680.00				21.53	22.31	< 33.01
2506.00	20	1	99	21.10	21.88	< 33.01
2593.00				21.50	22.28	< 33.01
2680.00				21.47	22.25	< 33.01
2506.00	20	100	0	19.93	20.71	< 33.01
2593.00				20.37	21.15	< 33.01
2680.00				20.33	21.11	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/03/21 ~ 2022/04/07	Test Band	LTE Band 71

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK						
665.5	5	1	0	22.64	21.71	< 34.77
680.5				22.92	21.99	< 34.77
695.5				22.97	22.04	< 34.77
665.5	5	1	12	22.69	21.76	< 34.77
680.5				22.92	21.99	< 34.77
695.5				22.90	21.97	< 34.77
665.5	5	1	24	22.59	21.66	< 34.77
680.5				22.84	21.91	< 34.77
695.5				22.84	21.91	< 34.77
665.5	5	25	0	21.75	20.82	< 34.77
680.5				21.91	20.98	< 34.77
695.5				21.92	20.99	< 34.77
668.0	10	1	0	22.65	21.72	< 34.77
680.5				22.85	21.92	< 34.77
693.0				22.97	22.04	< 34.77
668.0	10	1	24	22.77	21.84	< 34.77
680.5				22.92	21.99	< 34.77
693.0				22.85	21.92	< 34.77
668.0	10	1	49	22.71	21.78	< 34.77
680.5				22.78	21.85	< 34.77
693.0				22.79	21.86	< 34.77
668.0	10	50	0	21.85	20.92	< 34.77
680.5				21.99	21.06	< 34.77
693.0				22.02	21.09	< 34.77

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK						
670.5	15	1	0	22.72	21.79	< 34.77
680.5				22.89	21.96	< 34.77
690.5				22.96	22.03	< 34.77
670.5	15	1	37	22.70	21.77	< 34.77
680.5				22.95	22.02	< 34.77
690.5				22.95	22.02	< 34.77
670.5	15	1	74	22.85	21.92	< 34.77
680.5				22.83	21.90	< 34.77
690.5				22.84	21.91	< 34.77
670.5	15	75	0	21.93	21.00	< 34.77
680.5				21.95	21.02	< 34.77
690.5				21.91	20.98	< 34.77
673.0	20	1	0	22.78	21.85	< 34.77
683.0				22.95	22.02	< 34.77
688.0				22.98	22.05	< 34.77
673.0	20	1	49	22.88	21.95	< 34.77
683.0				22.79	21.86	< 34.77
688.0				23.01	22.08	< 34.77
673.0	20	1	99	22.78	21.85	< 34.77
683.0				22.93	22.00	< 34.77
688.0				22.81	21.88	< 34.77
673.0	20	100	0	21.89	20.96	< 34.77
683.0				21.96	21.03	< 34.77
688.0				21.97	21.04	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM						
665.5	5	1	0	22.06	21.13	< 34.77
680.5				22.34	21.41	< 34.77
695.5				22.39	21.46	< 34.77
665.5	5	1	12	21.87	20.94	< 34.77
680.5				22.34	21.41	< 34.77
695.5				22.17	21.24	< 34.77
665.5	5	1	24	21.79	20.86	< 34.77
680.5				22.12	21.19	< 34.77
695.5				22.07	21.14	< 34.77
665.5	5	25	0	20.74	19.81	< 34.77
680.5				20.91	19.98	< 34.77
695.5				20.97	20.04	< 34.77
668.0	10	1	0	21.79	20.86	< 34.77
680.5				22.16	21.23	< 34.77
693.0				22.22	21.29	< 34.77
668.0	10	1	24	21.79	20.86	< 34.77
680.5				22.09	21.16	< 34.77
693.0				22.07	21.14	< 34.77
668.0	10	1	49	21.91	20.98	< 34.77
680.5				21.98	21.05	< 34.77
693.0				22.05	21.12	< 34.77
668.0	10	50	0	20.78	19.85	< 34.77
680.5				21.01	20.08	< 34.77
693.0				20.98	20.05	< 34.77

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM						
670.5	15	1	0	21.88	20.95	< 34.77
680.5				22.28	21.35	< 34.77
690.5				22.12	21.19	< 34.77
670.5	15	1	37	22.06	21.13	< 34.77
680.5				22.16	21.23	< 34.77
690.5				22.29	21.36	< 34.77
670.5	15	1	74	22.11	21.18	< 34.77
680.5				22.12	21.19	< 34.77
690.5				22.07	21.14	< 34.77
670.5	15	75	0	20.93	20.00	< 34.77
680.5				20.96	20.03	< 34.77
690.5				20.94	20.01	< 34.77
673.0	20	1	0	22.06	21.13	< 34.77
683.0				22.40	21.47	< 34.77
688.0				22.27	21.34	< 34.77
673.0	20	1	49	22.06	21.13	< 34.77
683.0				22.10	21.17	< 34.77
688.0				22.42	21.49	< 34.77
673.0	20	1	99	22.08	21.15	< 34.77
683.0				22.29	21.36	< 34.77
688.0				22.24	21.31	< 34.77
673.0	20	100	0	20.91	19.98	< 34.77
683.0				20.97	20.04	< 34.77
688.0				20.89	19.96	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
64QAM						
665.5	5	1	0	20.89	19.96	< 34.77
680.5				21.13	20.20	< 34.77
695.5				21.07	20.14	< 34.77
665.5	5	1	12	20.93	20.00	< 34.77
680.5				21.12	20.19	< 34.77
695.5				21.17	20.24	< 34.77
665.5	5	1	24	20.73	19.80	< 34.77
680.5				20.98	20.05	< 34.77
695.5				21.06	20.13	< 34.77
665.5	5	25	0	19.73	18.80	< 34.77
680.5				19.91	18.98	< 34.77
695.5				19.92	18.99	< 34.77
668.0	10	1	0	20.87	19.94	< 34.77
680.5				21.02	20.09	< 34.77
693.0				21.19	20.26	< 34.77
668.0	10	1	24	20.93	20.00	< 34.77
680.5				21.12	20.19	< 34.77
693.0				21.20	20.27	< 34.77
668.0	10	1	49	20.91	19.98	< 34.77
680.5				21.04	20.11	< 34.77
693.0				21.03	20.10	< 34.77
668.0	10	50	0	19.80	18.87	< 34.77
680.5				20.03	19.10	< 34.77
693.0				19.97	19.04	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
64QAM						
670.5	15	1	0	21.05	20.12	< 34.77
680.5				21.23	20.30	< 34.77
690.5				21.15	20.22	< 34.77
670.5	15	1	37	20.90	19.97	< 34.77
680.5				21.16	20.23	< 34.77
690.5				21.24	20.31	< 34.77
670.5	15	1	74	21.12	20.19	< 34.77
680.5				21.01	20.08	< 34.77
690.5				21.12	20.19	< 34.77
670.5	15	75	0	19.94	19.01	< 34.77
680.5				19.97	19.04	< 34.77
690.5				19.93	19.00	< 34.77
673.0	20	1	0	21.00	20.07	< 34.77
683.0				21.10	20.17	< 34.77
688.0				21.28	20.35	< 34.77
673.0	20	1	49	21.06	20.13	< 34.77
683.0				21.13	20.20	< 34.77
688.0				21.17	20.24	< 34.77
673.0	20	1	99	21.07	20.14	< 34.77
683.0				21.12	20.19	< 34.77
688.0				21.11	20.18	< 34.77
673.0	20	100	0	19.89	18.96	< 34.77
683.0				19.98	19.05	< 34.77
688.0				19.90	18.97	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/03/21 ~ 2022/04/07	Test Band	Intra-Band CA_7C

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
2510.0	2529.8	20+20	P_1@0	S_1@99	21.84	22.39	< 33.01
2525.1	2544.9				21.96	22.51	< 33.01
2540.2	2560.0				21.71	22.26	< 33.01
2510.0	2529.8		P_1@49	S_0@0	21.79	22.34	< 33.01
2525.1	2544.9				21.81	22.36	< 33.01
2540.2	2560.0				21.73	22.28	< 33.01
2510.0	2529.8		P_1@99	S_1@0	21.75	22.30	< 33.01
2525.1	2544.9				21.81	22.36	< 33.01
2540.2	2560.0				21.79	22.34	< 33.01
2510.0	2529.8		P_100@0	S_100@0	20.66	21.21	< 33.01
2525.1	2544.9				20.86	21.41	< 33.01
2540.2	2560.0				20.77	21.32	< 33.01
2510.0	2527.1	20+15	P_1@0	S_1@74	21.87	22.42	< 33.01
2527.6	2544.7				21.82	22.37	< 33.01
2545.1	2562.2				21.81	22.36	< 33.01
2510.0	2527.1		P_1@49	S_0@0	21.79	22.34	< 33.01
2527.6	2544.7				21.65	22.20	< 33.01
2545.1	2562.2				21.71	22.26	< 33.01
2510.0	2527.1		P_1@99	S_1@0	21.84	22.39	< 33.01
2527.6	2544.7				21.70	22.25	< 33.01
2545.1	2562.2				21.82	22.37	< 33.01
2510.0	2527.1		P_100@0	S_75@0	20.75	21.30	< 33.01
2527.6	2544.7				20.74	21.29	< 33.01
2545.1	2562.2				20.73	21.28	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
2507.8	2524.9	15+20	P_1@0	S_1@99	22.08	22.63	< 33.01
2525.3	2542.4				21.89	22.44	< 33.01
2542.9	2560.0				21.85	22.40	< 33.01
2507.8	2524.9		P_1@18	S_0@0	21.94	22.49	< 33.01
2525.3	2542.4				21.85	22.40	< 33.01
2542.9	2560.0				21.76	22.31	< 33.01
2507.8	2524.9		P_1@74	S_1@0	22.02	22.57	< 33.01
2525.3	2542.4				21.87	22.42	< 33.01
2542.9	2560.0				21.83	22.38	< 33.01
2507.8	2524.9		P_75@0	S_100@0	22.02	22.57	< 33.01
2525.3	2542.4				21.84	22.39	< 33.01
2542.9	2560.0				21.81	22.36	< 33.01
2507.5	2564.7	15+15	P_1@0	S_1@74	22.08	22.63	< 33.01
2527.5	2522.5				21.84	22.39	< 33.01
2547.5	2542.5				21.82	22.37	< 33.01
2507.5	2562.5		P_1@18	S_0@0	21.94	22.49	< 33.01
2527.5	2522.5				21.65	22.20	< 33.01
2547.5	2542.5				21.69	22.24	< 33.01
2507.5	2562.5		P_1@74	S_1@0	22.06	22.61	< 33.01
2527.5	2522.5				21.76	22.31	< 33.01
2547.5	2542.5				21.76	22.31	< 33.01
2507.5	2562.5		P_75@0	S_75@0	20.88	21.43	< 33.01
2527.5	2522.5				20.75	21.30	< 33.01
2547.5	2542.5				20.69	21.24	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
2505.5	2519.9	10+20	P_1@0	S_1@99	22.02	22.57	< 33.01
2525.6	2540.0				21.88	22.43	< 33.01
2545.6	2560.0				21.86	22.41	< 33.01
2505.5	2519.9		P_1@25	S_0@0	21.91	22.46	< 33.01
2525.6	2540.0				21.74	22.29	< 33.01
2545.6	2560.0				21.82	22.37	< 33.01
2505.5	2519.9		P_1@49	S_1@0	21.95	22.50	< 33.01
2525.6	2540.0				21.76	22.31	< 33.01
2545.6	2560.0				21.81	22.36	< 33.01
2505.5	2519.9		P_50@0	S_100@0	20.88	21.43	< 33.01
2525.6	2540.0				20.78	21.33	< 33.01
2545.6	2560.0				20.72	21.27	< 33.01
2510.0	2524.4	20+10	P_1@0	S_1@49	21.87	22.42	< 33.01
2530.1	2544.5				21.78	22.33	< 33.01
2550.1	2564.5				21.79	22.34	< 33.01
2510.0	2524.4		P_1@49	S_0@0	21.87	22.42	< 33.01
2530.1	2544.5				21.71	22.26	< 33.01
2550.1	2564.5				21.71	22.26	< 33.01
2510.0	2524.4		P_1@99	S_1@0	21.74	22.29	< 33.01
2530.1	2544.5				21.71	22.26	< 33.01
2550.1	2564.5				21.77	22.32	< 33.01
2510.0	2524.4		P_100@0	S_50@0	20.71	21.26	< 33.01
2530.1	2544.5				20.75	21.30	< 33.01
2550.1	2564.5				20.76	21.31	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
2507.5	2519.5	15+10	P_1@0	S_1@49	22.03	22.58	< 33.01
2530.1	2542.1				21.74	22.29	< 33.01
2552.7	2564.7				21.77	22.32	< 33.01
2507.5	2519.5		P_1@38	S_0@0	22.03	22.58	< 33.01
2530.1	2542.1				21.68	22.23	< 33.01
2552.7	2564.7				21.73	22.28	< 33.01
2507.5	2519.5		P_1@74	S_1@0	22.07	22.62	< 33.01
2530.1	2542.1				21.76	22.31	< 33.01
2552.7	2564.7				21.79	22.34	< 33.01
2507.5	2519.5		P_75@0	S_50@0	20.87	21.42	< 33.01
2530.1	2542.1				20.77	21.32	< 33.01
2552.7	2564.7				20.78	21.33	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
16QAM							
2510.0	2529.8	20+20	P_1@0	S_1@99	21.05	21.60	< 33.01
2525.1	2544.9				21.13	21.68	< 33.01
2540.2	2560.0				21.03	21.58	< 33.01
2510.0	2529.8		P_1@49	S_0@0	20.99	21.54	< 33.01
2525.1	2544.9				20.96	21.51	< 33.01
2540.2	2560.0				20.91	21.46	< 33.01
2510.0	2529.8		P_1@99	S_1@0	20.97	21.52	< 33.01
2525.1	2544.9				21.07	21.62	< 33.01
2540.2	2560.0				21.01	21.56	< 33.01
2510.0	2529.8		P_100@0	S_100@0	19.78	20.33	< 33.01
2525.1	2544.9				19.80	20.35	< 33.01
2540.2	2560.0				19.84	20.39	< 33.01
2510.0	2527.1	20+15	P_1@0	S_1@74	21.10	21.65	< 33.01
2527.6	2544.7				20.99	21.54	< 33.01
2545.1	2562.2				21.05	21.60	< 33.01
2510.0	2527.1		P_1@49	S_0@0	20.97	21.52	< 33.01
2527.6	2544.7				20.84	21.39	< 33.01
2545.1	2562.2				20.98	21.53	< 33.01
2510.0	2527.1		P_1@99	S_1@0	20.96	21.51	< 33.01
2527.6	2544.7				20.97	21.52	< 33.01
2545.1	2562.2				21.04	21.59	< 33.01
2510.0	2527.1		P_100@0	S_75@0	19.73	20.28	< 33.01
2527.6	2544.7				19.69	20.24	< 33.01
2545.1	2562.2				19.78	20.33	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
16QAM							
2507.8	2524.9	15+20	P_1@0	S_1@99	21.12	21.67	< 33.01
2525.3	2542.4				21.06	21.61	< 33.01
2542.9	2560.0				20.96	21.51	< 33.01
2507.8	2524.9		P_1@18	S_0@0	21.06	21.61	< 33.01
2525.3	2542.4				21.03	21.58	< 33.01
2542.9	2560.0				20.87	21.42	< 33.01
2507.8	2524.9		P_1@74	S_1@0	21.07	21.62	< 33.01
2525.3	2542.4				21.08	21.63	< 33.01
2542.9	2560.0				20.97	21.52	< 33.01
2507.8	2524.9		P_75@0	S_100@0	21.10	21.65	< 33.01
2525.3	2542.4				21.12	21.67	< 33.01
2542.9	2560.0				20.96	21.51	< 33.01
2507.5	2564.7	15+15	P_1@0	S_1@74	21.11	21.66	< 33.01
2527.5	2522.5				20.99	21.54	< 33.01
2547.5	2542.5				20.95	21.50	< 33.01
2507.5	2562.5		P_1@18	S_0@0	21.05	21.60	< 33.01
2527.5	2522.5				20.92	21.47	< 33.01
2547.5	2542.5				20.83	21.38	< 33.01
2507.5	2562.5		P_1@74	S_1@0	21.11	21.66	< 33.01
2527.5	2522.5				21.07	21.62	< 33.01
2547.5	2542.5				20.98	21.53	< 33.01
2507.5	2562.5		P_75@0	S_75@0	19.82	20.37	< 33.01
2527.5	2522.5				19.71	20.26	< 33.01
2547.5	2542.5				19.66	20.21	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
16QAM							
2505.5	2519.9	10+20	P_1@0	S_1@99	20.82	21.37	< 33.01
2525.6	2540.0				20.97	21.52	< 33.01
2545.6	2560.0				20.99	21.54	< 33.01
2505.5	2519.9		P_1@25	S_0@0	20.77	21.32	< 33.01
2525.6	2540.0				20.92	21.47	< 33.01
2545.6	2560.0				20.95	21.50	< 33.01
2505.5	2519.9		P_1@49	S_1@0	20.79	21.34	< 33.01
2525.6	2540.0				20.94	21.49	< 33.01
2545.6	2560.0				20.97	21.52	< 33.01
2505.5	2519.9		P_50@0	S_100@0	19.91	20.46	< 33.01
2525.6	2540.0				19.75	20.30	< 33.01
2545.6	2560.0				19.77	20.32	< 33.01
2510.0	2524.4	20+10	P_1@0	S_1@49	21.10	21.65	< 33.01
2530.1	2544.5				20.96	21.51	< 33.01
2550.1	2564.5				21.11	21.66	< 33.01
2510.0	2524.4		P_1@49	S_0@0	21.01	21.56	< 33.01
2530.1	2544.5				20.90	21.45	< 33.01
2550.1	2564.5				20.94	21.49	< 33.01
2510.0	2524.4		P_1@99	S_1@0	20.91	21.46	< 33.01
2530.1	2544.5				20.98	21.53	< 33.01
2550.1	2564.5				21.07	21.62	< 33.01
2510.0	2524.4		P_100@0	S_50@0	19.69	20.24	< 33.01
2530.1	2544.5				19.72	20.27	< 33.01
2550.1	2564.5				19.83	20.38	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
16QAM							
2507.5	2519.5	15+10	P_1@0	S_1@49	21.07	21.62	< 33.01
2530.1	2542.1				20.98	21.53	< 33.01
2552.7	2564.7				20.98	21.53	< 33.01
2507.5	2519.5		P_1@38	S_0@0	21.05	21.60	< 33.01
2530.1	2542.1				20.96	21.51	< 33.01
2552.7	2564.7				20.91	21.46	< 33.01
2507.5	2519.5		P_1@74	S_1@0	21.12	21.67	< 33.01
2530.1	2542.1				21.05	21.60	< 33.01
2552.7	2564.7				21.03	21.58	< 33.01
2507.5	2519.5		P_75@0	S_50@0	19.87	20.42	< 33.01
2530.1	2542.1				19.72	20.27	< 33.01
2552.7	2564.7				19.73	20.28	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
64QAM							
2510.0	2529.8	20+20	P_1@0	S_1@99	20.79	21.34	< 33.01
2525.1	2544.9				20.23	20.78	< 33.01
2540.2	2560.0				20.35	20.90	< 33.01
2510.0	2529.8		P_1@49	S_0@0	20.7	21.25	< 33.01
2525.1	2544.9				20.01	20.56	< 33.01
2540.2	2560.0				20.23	20.78	< 33.01
2510.0	2529.8		P_1@99	S_1@0	20.66	21.21	< 33.01
2525.1	2544.9				20.16	20.71	< 33.01
2540.2	2560.0				20.35	20.90	< 33.01
2510.0	2529.8		P_100@0	S_100@0	19.41	19.96	< 33.01
2525.1	2544.9				19.42	19.97	< 33.01
2540.2	2560.0				19.37	19.92	< 33.01
2510.0	2527.1	20+15	P_1@0	S_1@74	20.73	21.28	< 33.01
2527.6	2544.7				20.19	20.74	< 33.01
2545.1	2562.2				20.35	20.90	< 33.01
2510.0	2527.1		P_1@49	S_0@0	20.54	21.09	< 33.01
2527.6	2544.7				19.98	20.53	< 33.01
2545.1	2562.2				20.22	20.77	< 33.01
2510.0	2527.1		P_1@99	S_1@0	20.57	21.12	< 33.01
2527.6	2544.7				20.18	20.73	< 33.01
2545.1	2562.2				20.35	20.90	< 33.01
2510.0	2527.1		P_100@0	S_75@0	19.34	19.89	< 33.01
2527.6	2544.7				19.38	19.93	< 33.01
2545.1	2562.2				19.44	19.99	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
64QAM							
2507.8	2524.9	15+20	P_1@0	S_1@99	20.56	21.11	< 33.01
2525.3	2542.4				20.47	21.02	< 33.01
2542.9	2560.0				20.34	20.89	< 33.01
2507.8	2524.9		P_1@18	S_0@0	20.45	21.00	< 33.01
2525.3	2542.4				20.38	20.93	< 33.01
2542.9	2560.0				20.41	20.96	< 33.01
2507.8	2524.9		P_1@74	S_1@0	20.46	21.01	< 33.01
2525.3	2542.4				20.44	20.99	< 33.01
2542.9	2560.0				20.03	20.58	< 33.01
2507.8	2524.9		P_75@0	S_100@0	20.03	20.58	< 33.01
2525.3	2542.4				19.99	20.54	< 33.01
2542.9	2560.0				20.56	21.11	< 33.01
2507.5	2564.7	15+15	P_1@0	S_1@74	20.43	20.98	< 33.01
2527.5	2522.5				20.52	21.07	< 33.01
2547.5	2542.5				20.49	21.04	< 33.01
2507.5	2562.5		P_1@18	S_0@0	20.32	20.87	< 33.01
2527.5	2522.5				20.37	20.92	< 33.01
2547.5	2542.5				20.33	20.88	< 33.01
2507.5	2562.5		P_1@74	S_1@0	20.4	20.95	< 33.01
2527.5	2522.5				20.5	21.05	< 33.01
2547.5	2542.5				20.44	20.99	< 33.01
2507.5	2562.5		P_75@0	S_75@0	19.39	19.94	< 33.01
2527.5	2522.5				19.37	19.92	< 33.01
2547.5	2542.5				19.43	19.98	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
64QAM							
2505.5	2519.9	10+20	P_1@0	S_1@99	20.32	20.87	< 33.01
2525.6	2540.0				20.29	20.84	< 33.01
2545.6	2560.0				20.28	20.83	< 33.01
2505.5	2519.9		P_1@25	S_0@0	20.17	20.72	< 33.01
2525.6	2540.0				20.06	20.61	< 33.01
2545.6	2560.0				20.24	20.79	< 33.01
2505.5	2519.9		P_1@49	S_1@0	20.18	20.73	< 33.01
2525.6	2540.0				20.21	20.76	< 33.01
2545.6	2560.0				20.29	20.84	< 33.01
2505.5	2519.9		P_50@0	S_100@0	19.41	19.96	< 33.01
2525.6	2540.0				19.39	19.94	< 33.01
2545.6	2560.0				19.43	19.98	< 33.01
2510.0	2524.4	20+10	P_1@0	S_1@49	20.24	20.79	< 33.01
2530.1	2544.5				20.58	21.13	< 33.01
2550.1	2564.5				20.18	20.73	< 33.01
2510.0	2524.4		P_1@49	S_0@0	20.25	20.80	< 33.01
2530.1	2544.5				20.47	21.02	< 33.01
2550.1	2564.5				20.02	20.57	< 33.01
2510.0	2524.4		P_1@99	S_1@0	20.16	20.71	< 33.01
2530.1	2544.5				20.64	21.19	< 33.01
2550.1	2564.5				20.23	20.78	< 33.01
2510.0	2524.4		P_100@0	S_50@0	19.35	19.90	< 33.01
2530.1	2544.5				19.36	19.91	< 33.01
2550.1	2564.5				19.45	20.00	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
64QAM							
2507.5	2519.5	15+10	P_1@0	S_1@49	19.99	20.54	< 33.01
2530.1	2542.1				20.61	21.16	< 33.01
2552.7	2564.7				20.39	20.94	< 33.01
2507.5	2519.5		P_1@38	S_0@0	20.52	21.07	< 33.01
2530.1	2542.1				20.47	21.02	< 33.01
2552.7	2564.7				20.53	21.08	< 33.01
2507.5	2519.5		P_1@74	S_1@0	20.36	20.91	< 33.01
2530.1	2542.1				20.63	21.18	< 33.01
2552.7	2564.7				20.42	20.97	< 33.01
2507.5	2519.5		P_75@0	S_50@0	19.31	19.86	< 33.01
2530.1	2542.1				19.42	19.97	< 33.01
2552.7	2564.7				19.46	20.01	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/03/21 ~ 2022/04/07	Test Band	Intra-Band CA_41C

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
2506.00	2525.80	20+20	P_1@0	S_1@99	21.90	22.68	< 33.01
2583.10	2602.90				21.82	22.60	< 33.01
2660.20	2680.00				21.89	22.67	< 33.01
2506.00	2525.80		P_1@49	S_0@0	21.91	22.69	< 33.01
2583.10	2602.90				21.89	22.67	< 33.01
2660.20	2680.00				22.02	22.80	< 33.01
2506.00	2525.80		P_1@99	S_1@0	22.01	22.79	< 33.01
2583.10	2602.90				21.86	22.64	< 33.01
2660.20	2680.00				21.93	22.71	< 33.01
2506.00	2525.80		P_100@0	S_100@0	20.87	21.65	< 33.01
2583.10	2602.90				20.94	21.72	< 33.01
2660.20	2680.00				21.01	21.79	< 33.01
2506.00	2523.10	20+15	P_1@0	S_1@74	22.01	22.79	< 33.01
2585.60	2602.70				21.96	22.74	< 33.01
2665.10	2682.20				21.93	22.71	< 33.01
2506.00	2523.10		P_1@49	S_0@0	21.90	22.68	< 33.01
2585.60	2602.70				21.86	22.64	< 33.01
2665.10	2682.20				21.82	22.60	< 33.01
2506.00	2523.10		P_1@99	S_1@0	22.00	22.78	< 33.01
2585.60	2602.70				21.85	22.63	< 33.01
2665.10	2682.20				21.91	22.69	< 33.01
2506.00	2523.10		P_100@0	S_75@0	20.83	21.61	< 33.01
2585.60	2602.70				20.92	21.70	< 33.01
2665.10	2682.20				21.02	21.80	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
2503.80	2520.90	15+20	P_1@0	S_1@99	21.97	22.75	< 33.01
2593.30	2600.40				21.99	22.77	< 33.01
2662.90	2680.00				22.05	22.83	< 33.01
2503.80	2520.90		P_1@38	S_0@0	21.93	22.71	< 33.01
2593.30	2600.40				21.81	22.59	< 33.01
2662.90	2680.00				21.85	22.63	< 33.01
2503.80	2520.90		P_1@74	S_1@0	22.02	22.80	< 33.01
2593.30	2600.40				21.93	22.71	< 33.01
2662.90	2680.00				21.96	22.74	< 33.01
2503.80	2520.90		P_75@0	S_100@0	20.86	21.64	< 33.01
2593.30	2600.40				20.82	21.60	< 33.01
2662.90	2680.00				20.89	21.67	< 33.01
2506.00	2520.40	20+10	P_1@0	S_1@49	22.01	22.79	< 33.01
2588.10	2602.50				22.03	22.81	< 33.01
2670.10	2684.50				21.96	22.74	< 33.01
2506.00	2520.40		P_1@49	S_0@0	21.92	22.70	< 33.01
2588.10	2602.50				21.99	22.77	< 33.01
2670.10	2684.50				21.84	22.62	< 33.01
2506.00	2520.40		P_1@99	S_1@0	22.00	22.78	< 33.01
2588.10	2602.50				22.08	22.86	< 33.01
2670.10	2684.50				21.91	22.69	< 33.01
2506.00	2520.40		P_100@0	S_50@0	20.85	21.63	< 33.01
2588.10	2602.50				21.02	21.80	< 33.01
2670.10	2684.50				20.93	21.71	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
2501.50	2515.90	10+20	P_1@0	S_1@99	21.83	22.61	< 33.01
2583.60	2598.00				22.08	22.86	< 33.01
2665.60	2680.00				22.04	22.82	< 33.01
2501.50	2515.90		P_1@25	S_0@0	21.81	22.59	< 33.01
2583.60	2598.00				22.09	22.87	< 33.01
2665.60	2680.00				22.01	22.79	< 33.01
2501.50	2515.90		P_1@49	S_1@0	21.86	22.64	< 33.01
2583.60	2598.00				22.01	22.79	< 33.01
2665.60	2680.00				21.91	22.69	< 33.01
2501.50	2515.90		P_50@0	S_100@0	20.82	21.60	< 33.01
2583.60	2598.00				20.88	21.66	< 33.01
2665.60	2680.00				20.92	21.70	< 33.01
2506.00	2517.70	20+5	P_1@0	S_1@24	21.84	22.62	< 33.01
2590.50	2602.20				21.92	22.70	< 33.01
2675.00	2686.70				22.00	22.78	< 33.01
2506.00	2517.70		P_1@49	S_0@0	21.94	22.72	< 33.01
2590.50	2602.20				21.42	22.20	< 33.01
2675.00	2686.70				21.79	22.57	< 33.01
2506.00	2517.70		P_1@99	S_1@0	21.88	22.66	< 33.01
2590.50	2602.20				21.93	22.71	< 33.01
2675.00	2686.70				21.92	22.70	< 33.01
2506.00	2517.70		P_100@	S_25@0	20.00	20.78	< 33.01
2590.50	2602.20				20.32	21.10	< 33.01
2675.00	2686.70				20.56	21.34	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
2499.30	2511.00	5+20	P_1@0	S_1@99	21.89	22.67	< 33.01
2583.80	2595.50				21.78	22.56	< 33.01
2668.30	2680.00				21.97	22.75	< 33.01
2499.30	2511.00		P_1@13	S_0@0	21.82	22.60	< 33.01
2583.80	2595.50				21.63	22.41	< 33.01
2668.30	2680.00				21.87	22.65	< 33.01
2499.30	2511.00		P_1@24	S_1@0	21.69	22.47	< 33.01
2583.80	2595.50				21.59	22.37	< 33.01
2668.30	2680.00				21.85	22.63	< 33.01
2499.30	2511.00		P_25@0	S_100@0	20.43	21.21	< 33.01
2583.80	2595.50				20.54	21.32	< 33.01
2668.30	2680.00				20.51	21.29	< 33.01
2503.50	2518.50	15+15	P_1@0	S_1@74	21.78	22.56	< 33.01
2585.50	2600.50				21.79	22.57	< 33.01
2667.50	2682.50				21.78	22.56	< 33.01
2503.50	2518.50		P_1@38	S_1@0	21.64	22.42	< 33.01
2585.50	2600.50				21.67	22.45	< 33.01
2667.50	2682.50				21.66	22.44	< 33.01
2503.50	2518.50		P_1@74	S_0@0	21.71	22.49	< 33.01
2585.50	2600.50				21.72	22.50	< 33.01
2667.50	2682.50				21.75	22.53	< 33.01
2503.50	2518.50		P_75@0	S_75@0	20.41	21.19	< 33.01
2585.50	2600.50				20.45	21.23	< 33.01
2667.50	2682.50				20.56	21.34	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
2501.30	2513.30	10+15	P_1@0	S_1@74	21.96	22.74	< 33.01
2585.90	2597.90				21.78	22.56	< 33.01
2670.50	2682.50				21.75	22.53	< 33.01
2501.30	2513.30		P_1@25	S_0@0	21.84	22.62	< 33.01
2585.90	2597.90				21.69	22.47	< 33.01
2670.50	2682.50				21.72	22.50	< 33.01
2501.30	2513.30		P_1@49	S_1@0	21.93	22.71	< 33.01
2585.90	2597.90				21.71	22.49	< 33.01
2670.50	2682.50				21.85	22.63	< 33.01
2501.30	2513.30		P_50@0	S_75@0	20.49	21.27	< 33.01
2585.90	2597.90				20.58	21.36	< 33.01
2670.50	2682.50				20.59	21.37	< 33.01
2503.50	2515.50	15+10	P_1@0	S_1@49	21.67	22.45	< 33.01
2588.10	2600.10				21.78	22.56	< 33.01
2672.70	2684.70				21.75	22.53	< 33.01
2503.50	2515.50		P_1@38	S_0@0	21.86	22.64	< 33.01
2588.10	2600.10				21.59	22.37	< 33.01
2672.70	2684.70				21.18	21.96	< 33.01
2503.50	2515.50		P_1@74	S_1@0	21.79	22.57	< 33.01
2588.10	2600.10				21.77	22.55	< 33.01
2672.70	2684.70				21.79	22.57	< 33.01
2503.50	2515.50		P_75@0	S_50@0	21.06	21.84	< 33.01
2588.10	2600.10				20.34	21.12	< 33.01
2672.70	2684.70				20.69	21.47	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
16QAM							
2506.00	2525.80	20+20	P_1@0	S_1@99	21.16	21.94	< 33.01
2583.10	2602.90				21.18	21.96	< 33.01
2660.20	2680.00				21.07	21.85	< 33.01
2506.00	2525.80		P_1@49	S_0@0	20.91	21.69	< 33.01
2583.10	2602.90				21.24	22.02	< 33.01
2660.20	2680.00				21.06	21.84	< 33.01
2506.00	2525.80		P_1@99	S_1@0	21.15	21.93	< 33.01
2583.10	2602.90				21.21	21.99	< 33.01
2660.20	2680.00				21.07	21.85	< 33.01
2506.00	2525.80		P_100@0	S_100@0	19.92	20.70	< 33.01
2583.10	2602.90				19.97	20.75	< 33.01
2660.20	2680.00				20.04	20.82	< 33.01
2506.00	2523.10	20+15	P_1@0	S_1@74	21.19	21.97	< 33.01
2585.60	2602.70				21.24	22.02	< 33.01
2665.10	2682.20				21.35	22.13	< 33.01
2506.00	2523.10		P_1@49	S_0@0	21.08	21.86	< 33.01
2585.60	2602.70				21.21	21.99	< 33.01
2665.10	2682.20				21.22	22.00	< 33.01
2506.00	2523.10		P_1@99	S_1@0	21.16	21.94	< 33.01
2585.60	2602.70				21.24	22.02	< 33.01
2665.10	2682.20				21.02	21.80	< 33.01
2506.00	2523.10		P_100@0	S_75@0	19.91	20.69	< 33.01
2585.60	2602.70				19.98	20.76	< 33.01
2665.10	2682.20				20.06	20.84	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
16QAM							
2503.80	2520.90	15+20	P_1@0	S_1@99	21.11	21.89	< 33.01
2593.30	2600.40				21.18	21.96	< 33.01
2662.90	2680.00				21.20	21.98	< 33.01
2503.80	2520.90		P_1@38	S_0@0	20.91	21.69	< 33.01
2593.30	2600.40				21.09	21.87	< 33.01
2662.90	2680.00				21.16	21.94	< 33.01
2503.80	2520.90		P_1@74	S_1@0	21.08	21.86	< 33.01
2593.30	2600.40				21.26	22.04	< 33.01
2662.90	2680.00				21.12	21.90	< 33.01
2503.80	2520.90		P_75@0	S_100@0	19.89	20.67	< 33.01
2593.30	2600.40				19.84	20.62	< 33.01
2662.90	2680.00				19.93	20.71	< 33.01
2506.00	2520.40	20+10	P_1@0	S_1@49	21.17	21.95	< 33.01
2588.10	2602.50				21.34	22.12	< 33.01
2670.10	2684.50				20.98	21.76	< 33.01
2506.00	2520.40		P_1@49	S_0@0	21.10	21.88	< 33.01
2588.10	2602.50				21.35	22.13	< 33.01
2670.10	2684.50				21.23	22.01	< 33.01
2506.00	2520.40		P_1@99	S_1@0	21.15	21.93	< 33.01
2588.10	2602.50				21.40	22.18	< 33.01
2670.10	2684.50				21.07	21.85	< 33.01
2506.00	2520.40		P_100@0	S_50@0	19.91	20.69	< 33.01
2588.10	2602.50				20.11	20.89	< 33.01
2670.10	2684.50				20.07	20.85	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
16QAM							
2501.50	2515.90	10+20	P_1@0	S_1@99	20.98	21.76	< 33.01
2583.60	2598.00				21.19	21.97	< 33.01
2665.60	2680.00				21.03	21.81	< 33.01
2501.50	2515.90		P_1@25	S_0@0	20.94	21.72	< 33.01
2583.60	2598.00				21.22	22.00	< 33.01
2665.60	2680.00				20.99	21.77	< 33.01
2501.50	2515.90		P_1@49	S_1@0	20.98	21.76	< 33.01
2583.60	2598.00				21.21	21.99	< 33.01
2665.60	2680.00				20.93	21.71	< 33.01
2501.50	2515.90		P_50@0	S_100@0	19.88	20.66	< 33.01
2583.60	2598.00				20.01	20.79	< 33.01
2665.60	2680.00				20.00	20.78	< 33.01
2506.00	2517.70	20+5	P_1@0	S_1@24	20.53	21.31	< 33.01
2590.50	2602.20				20.89	21.67	< 33.01
2675.00	2686.70				21.19	21.97	< 33.01
2506.00	2517.70		P_1@49	S_0@0	20.80	21.58	< 33.01
2590.50	2602.20				20.43	21.21	< 33.01
2675.00	2686.70				21.07	21.85	< 33.01
2506.00	2517.70		P_1@99	S_1@0	20.54	21.32	< 33.01
2590.50	2602.20				20.97	21.75	< 33.01
2675.00	2686.70				21.06	21.84	< 33.01
2506.00	2517.70		P_100@	S_25@0	19.04	19.82	< 33.01
2590.50	2602.20				19.71	20.49	< 33.01
2675.00	2686.70				19.57	20.35	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
16QAM							
2499.30	2511.00	5+20	P_1@0	S_1@99	20.71	21.49	< 33.01
2583.80	2595.50				21.21	21.99	< 33.01
2668.30	2680.00				21.25	22.03	< 33.01
2499.30	2511.00		P_1@13	S_0@0	20.72	21.50	< 33.01
2583.80	2595.50				21.23	22.01	< 33.01
2668.30	2680.00				21.12	21.90	< 33.01
2499.30	2511.00		P_1@24	S_1@0	20.63	21.41	< 33.01
2583.80	2595.50				21.14	21.92	< 33.01
2668.30	2680.00				21.06	21.84	< 33.01
2499.30	2511.00		P_25@0	S_100@0	19.50	20.28	< 33.01
2583.80	2595.50				19.58	20.36	< 33.01
2668.30	2680.00				19.66	20.44	< 33.01
2503.50	2518.50	15+15	P_1@0	S_1@74	20.99	21.77	< 33.01
2585.50	2600.50				21.18	21.96	< 33.01
2667.50	2682.50				21.08	21.86	< 33.01
2503.50	2518.50		P_1@38	S_0@0	21.01	21.79	< 33.01
2585.50	2600.50				21.06	21.84	< 33.01
2667.50	2682.50				21.02	21.80	< 33.01
2503.50	2518.50		P_1@74	S_1@0	21.11	21.89	< 33.01
2585.50	2600.50				21.18	21.96	< 33.01
2667.50	2682.50				21.08	21.86	< 33.01
2503.50	2518.50		P_75@0	S_75@0	19.41	20.19	< 33.01
2585.50	2600.50				19.56	20.34	< 33.01
2667.50	2682.50				19.59	20.37	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
16QAM							
2501.30	2513.30	10+15	P_1@0	S_1@74	20.61	21.39	< 33.01
2585.90	2597.90				21.14	21.92	< 33.01
2670.50	2682.50				21.11	21.89	< 33.01
2501.30	2513.30		P_1@25	S_0@0	20.51	21.29	< 33.01
2585.90	2597.90				21.02	21.80	< 33.01
2670.50	2682.50				20.98	21.76	< 33.01
2501.30	2513.30		P_1@49	S_1@0	20.62	21.40	< 33.01
2585.90	2597.90				21.13	21.91	< 33.01
2670.50	2682.50				21.19	21.97	< 33.01
2501.30	2513.30		P_50@0	S_75@0	19.45	20.23	< 33.01
2585.90	2597.90				19.58	20.36	< 33.01
2670.50	2682.50				19.61	20.39	< 33.01
2503.50	2515.50	15+10	P_1@0	S_1@49	21.01	21.79	< 33.01
2588.10	2600.10				20.94	21.72	< 33.01
2672.70	2684.70				21.08	21.86	< 33.01
2503.50	2515.50		P_1@38	S_0@0	21.22	22.00	< 33.01
2588.10	2600.10				20.79	21.57	< 33.01
2672.70	2684.70				20.64	21.42	< 33.01
2503.50	2515.50		P_1@74	S_1@0	21.08	21.86	< 33.01
2588.10	2600.10				21.09	21.87	< 33.01
2672.70	2684.70				21.17	21.95	< 33.01
2503.50	2515.50		P_75@0	S_50@0	20.15	20.93	< 33.01
2588.10	2600.10				19.76	20.54	< 33.01
2672.70	2684.70				19.71	20.49	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
64QAM							
2506.00	2525.80	20+20	P_1@0	S_1@99	20.23	21.01	< 33.01
2583.10	2602.90				20.41	21.19	< 33.01
2660.20	2680.00				20.11	20.89	< 33.01
2506.00	2525.80		P_1@49	S_0@0	20.09	20.87	< 33.01
2583.10	2602.90				19.82	20.60	< 33.01
2660.20	2680.00				20.36	21.14	< 33.01
2506.00	2525.80		P_1@99	S_1@0	20.15	20.93	< 33.01
2583.10	2602.90				19.94	20.72	< 33.01
2660.20	2680.00				20.37	21.15	< 33.01
2506.00	2525.80		P_100@0	S_100@0	19.52	20.30	< 33.01
2583.10	2602.90				19.62	20.40	< 33.01
2660.20	2680.00				19.77	20.55	< 33.01
2506.00	2523.10	20+15	P_1@0	S_1@74	20.21	20.99	< 33.01
2585.60	2602.70				20.41	21.19	< 33.01
2665.10	2682.20				20.12	20.90	< 33.01
2506.00	2523.10		P_1@49	S_0@0	20.09	20.87	< 33.01
2585.60	2602.70				20.25	21.03	< 33.01
2665.10	2682.20				19.98	20.76	< 33.01
2506.00	2523.10		P_1@99	S_1@0	20.15	20.93	< 33.01
2585.60	2602.70				20.43	21.21	< 33.01
2665.10	2682.20				20.01	20.79	< 33.01
2506.00	2523.10		P_100@0	S_75@0	19.52	20.30	< 33.01
2585.60	2602.70				19.68	20.46	< 33.01
2665.10	2682.20				19.72	20.50	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
64QAM							
2503.80	2520.90	15+20	P_1@0	S_1@99	20.07	20.85	< 33.01
2593.30	2600.40				20.21	20.99	< 33.01
2662.90	2680.00				20.24	21.02	< 33.01
2503.80	2520.90		P_1@38	S_0@0	19.96	20.74	< 33.01
2593.30	2600.40				20.21	20.99	< 33.01
2662.90	2680.00				20.19	20.97	< 33.01
2503.80	2520.90		P_1@74	S_1@0	20.03	20.81	< 33.01
2593.30	2600.40				20.08	20.86	< 33.01
2662.90	2680.00				20.16	20.94	< 33.01
2503.80	2520.90		P_75@0	S_100@0	19.54	20.32	< 33.01
2593.30	2600.40				19.61	20.39	< 33.01
2662.90	2680.00				19.63	20.41	< 33.01
2506.00	2520.40	20+10	P_1@0	S_1@49	20.36	21.14	< 33.01
2588.10	2602.50				19.97	20.75	< 33.01
2670.10	2684.50				20.57	21.35	< 33.01
2506.00	2520.40		P_1@49	S_0@0	20.07	20.85	< 33.01
2588.10	2602.50				20.41	21.19	< 33.01
2670.10	2684.50				19.89	20.67	< 33.01
2506.00	2520.40		P_1@99	S_1@0	20.09	20.87	< 33.01
2588.10	2602.50				20.52	21.30	< 33.01
2670.10	2684.50				20.13	20.91	< 33.01
2506.00	2520.40		P_100@0	S_50@0	19.42	20.20	< 33.01
2588.10	2602.50				19.64	20.42	< 33.01
2670.10	2684.50				19.68	20.46	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
64QAM							
2501.50	2515.90	10+20	P_1@0	S_1@99	19.89	20.67	< 33.01
2583.60	2598.00				20.17	20.95	< 33.01
2665.60	2680.00				20.41	21.19	< 33.01
2501.50	2515.90		P_1@25	S_0@0	19.67	20.45	< 33.01
2583.60	2598.00				20.21	20.99	< 33.01
2665.60	2680.00				20.13	20.91	< 33.01
2501.50	2515.90		P_1@49	S_1@0	19.92	20.70	< 33.01
2583.60	2598.00				19.97	20.75	< 33.01
2665.60	2680.00				20.15	20.93	< 33.01
2501.50	2515.90		P_50@0	S_100@0	19.43	20.21	< 33.01
2583.60	2598.00				19.63	20.41	< 33.01
2665.60	2680.00				19.73	20.51	< 33.01
2506.00	2517.70	20+5	P_1@0	S_1@24	20.35	21.13	< 33.01
2590.50	2602.20				20.03	20.81	< 33.01
2675.00	2686.70				20.53	21.31	< 33.01
2506.00	2517.70		P_1@49	S_0@0	20.29	21.07	< 33.01
2590.50	2602.20				20.64	21.42	< 33.01
2675.00	2686.70				20.21	20.99	< 33.01
2506.00	2517.70		P_1@99	S_1@0	19.83	20.61	< 33.01
2590.50	2602.20				20.48	21.26	< 33.01
2675.00	2686.70				20.55	21.33	< 33.01
2506.00	2517.70		P_100@	S_25@0	19.10	19.88	< 33.01
2590.50	2602.20				19.54	20.32	< 33.01
2675.00	2686.70				19.37	20.15	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
64QAM							
2499.30	2511.00	5+20	P_1@0	S_1@99	20.19	20.97	< 33.01
2583.80	2595.50				19.98	20.76	< 33.01
2668.30	2680.00				20.54	21.32	< 33.01
2499.30	2511.00		P_1@13	S_0@0	20.36	21.14	< 33.01
2583.80	2595.50				19.89	20.67	< 33.01
2668.30	2680.00				20.56	21.34	< 33.01
2499.30	2511.00		P_1@24	S_1@0	20.34	21.12	< 33.01
2583.80	2595.50				20.42	21.20	< 33.01
2668.30	2680.00				20.54	21.32	< 33.01
2499.30	2511.00		P_25@0	S_100@0	19.45	20.23	< 33.01
2583.80	2595.50				19.56	20.34	< 33.01
2668.30	2680.00				19.58	20.36	< 33.01
2503.50	2518.50	15+15	P_1@0	S_1@74	20.02	20.80	< 33.01
2585.50	2600.50				20.22	21.00	< 33.01
2667.50	2682.50				20.38	21.16	< 33.01
2503.50	2518.50		P_1@38	S_0@0	19.92	20.70	< 33.01
2585.50	2600.50				20.05	20.83	< 33.01
2667.50	2682.50				20.13	20.91	< 33.01
2503.50	2518.50		P_1@74	S_1@0	19.89	20.67	< 33.01
2585.50	2600.50				20.32	21.10	< 33.01
2667.50	2682.50				20.19	20.97	< 33.01
2503.50	2518.50		P_75@0	S_75@0	19.34	20.12	< 33.01
2585.50	2600.50				19.54	20.32	< 33.01
2667.50	2682.50				19.66	20.44	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
64QAM							
2501.30	2513.30	10+15	P_1@0	S_1@74	20.08	20.86	< 33.01
2585.90	2597.90				20.16	20.94	< 33.01
2670.50	2682.50				19.51	20.29	< 33.01
2501.30	2513.30		P_1@25	S_0@0	19.95	20.73	< 33.01
2585.90	2597.90				20.15	20.93	< 33.01
2670.50	2682.50				19.91	20.69	< 33.01
2501.30	2513.30		P_1@49	S_1@0	19.92	20.70	< 33.01
2585.90	2597.90				20.02	20.80	< 33.01
2670.50	2682.50				20.34	21.12	< 33.01
2501.30	2513.30		P_50@0	S_75@0	19.46	20.24	< 33.01
2585.90	2597.90				19.62	20.40	< 33.01
2670.50	2682.50				19.71	20.49	< 33.01
2503.50	2515.50	15+10	P_1@0	S_1@49	19.83	20.61	< 33.01
2588.10	2600.10				20.12	20.90	< 33.01
2672.70	2684.70				20.25	21.03	< 33.01
2503.50	2515.50		P_1@38	S_0@0	20.23	21.01	< 33.01
2588.10	2600.10				20.24	21.02	< 33.01
2672.70	2684.70				20.18	20.96	< 33.01
2503.50	2515.50		P_1@74	S_1@0	19.89	20.67	< 33.01
2588.10	2600.10				20.19	20.97	< 33.01
2672.70	2684.70				20.25	21.03	< 33.01
2503.50	2515.50		P_75@0	S_50@0	19.55	20.33	< 33.01
2588.10	2600.10				20.16	20.94	< 33.01
2672.70	2684.70				19.37	20.15	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							