

Report No.: SEWA2204000008RG01

Rev.: 01

Page: 1 of 37

Appendix B.7

LTE Band 13



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Contactions of the content of the con

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

000 t (86–512) 62992980 000 t (86–512) 62992980



Report No.: SEWA2204000008RG01

Rev.: 01 Page: 2 of 37

Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	ERP(dBm)	Limit(dBm)	Verdict
Band13	5MHz	QPSK	23205	1RB#0	24.51	23.9	34.77	PASS
Band13	5MHz	QPSK	23205	1RB#12	24.43	23.82	34.77	PASS
Band13	5MHz	QPSK	23205	1RB#24	24.36	23.75	34.77	PASS
Band13	5MHz	QPSK	23205	25RB#0	24.07	23.46	34.77	PASS
Band13	5MHz	QPSK	23230	1RB#0	24.36	23.75	34.77	PASS
Band13	5MHz	QPSK	23230	1RB#12	24.48	23.87	34.77	PASS
Band13	5MHz	QPSK	23230	1RB#24	24.51	23.9	34.77	PASS
Band13	5MHz	QPSK	23230	25RB#0	24.04	23.43	34.77	PASS
Band13	5MHz	QPSK	23255	1RB#0	24.25	23.64	34.77	PASS
Band13	5MHz	QPSK	23255	1RB#12	24.61	24	34.77	PASS
Band13	5MHz	QPSK	23255	1RB#24	24.43	23.82	34.77	PASS
Band13	5MHz	QPSK	23255	25RB#0	23.93	23.32	34.77	PASS
Band13	5MHz	16QAM	23205	1RB#0	24.15	23.54	34.77	PASS
Band13	5MHz	16QAM	23205	1RB#12	24.11	23.5	34.77	PASS
Band13	5MHz	16QAM	23205	1RB#24	24.03	23.42	34.77	PASS
Band13	5MHz	16QAM	23205	25RB#0	23.1	22.49	34.77	PASS
Band13	5MHz	16QAM	23230	1RB#0	24.17	23.56	34.77	PASS
Band13	5MHz	16QAM	23230	1RB#12	24.06	23.45	34.77	PASS
Band13	5MHz	16QAM	23230	1RB#24	24.11	23.5	34.77	PASS
Band13	5MHz	16QAM	23230	25RB#0	23.09	22.48	34.77	PASS
Band13	5MHz	16QAM	23255	1RB#0	24.16	23.55	34.77	PASS
Band13	5MHz	16QAM	23255	1RB#12	24.23	23.62	34.77	PASS
Band13	5MHz	16QAM	23255	1RB#24	24.19	23.58	34.77	PASS
Band13	5MHz	16QAM	23255	25RB#0	22.96	22.35	34.77	PASS
Band13	5MHz	64QAM	23205	1RB#0	23.39	22.78	34.77	PASS
Band13	5MHz	64QAM	23205	1RB#12	23.21	22.6	34.77	PASS
Band13	5MHz	64QAM	23205	1RB#24	23.14	22.53	34.77	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000008RG01

Rev.: 01 3 of 37 Page:

i 					Page:	3 01 3	37	
Band13	5MHz	64QAM	23205	25RB#0	22.06	21.45	34.77	PASS
Band13	5MHz	64QAM	23230	1RB#0	23.32	22.71	34.77	PASS
Band13	5MHz	64QAM	23230	1RB#12	23.14	22.53	34.77	PASS
Band13	5MHz	64QAM	23230	1RB#24	23.11	22.5	34.77	PASS
Band13	5MHz	64QAM	23230	25RB#0	22.06	21.45	34.77	PASS
Band13	5MHz	64QAM	23255	1RB#0	23.32	22.71	34.77	PASS
Band13	5MHz	64QAM	23255	1RB#12	23.06	22.45	34.77	PASS
Band13	5MHz	64QAM	23255	1RB#24	23.29	22.68	34.77	PASS
Band13	5MHz	64QAM	23255	25RB#0	21.95	21.34	34.77	PASS
Band13	5MHz	256QAM	23205	1RB#0	19.88	19.27	34.77	PASS
Band13	5MHz	256QAM	23205	1RB#12	20.28	19.67	34.77	PASS
Band13	5MHz	256QAM	23205	1RB#24	19.97	19.36	34.77	PASS
Band13	5MHz	256QAM	23205	25RB#0	20.12	19.51	34.77	PASS
Band13	5MHz	256QAM	23230	1RB#0	20.05	19.44	34.77	PASS
Band13	5MHz	256QAM	23230	1RB#12	20.11	19.5	34.77	PASS
Band13	5MHz	256QAM	23230	1RB#24	20.04	19.43	34.77	PASS
Band13	5MHz	256QAM	23230	25RB#0	20.06	19.45	34.77	PASS
Band13	5MHz	256QAM	23255	1RB#0	20	19.39	34.77	PASS
Band13	5MHz	256QAM	23255	1RB#12	20.1	19.49	34.77	PASS
Band13	5MHz	256QAM	23255	1RB#24	20.03	19.42	34.77	PASS
Band13	5MHz	256QAM	23255	25RB#0	19.83	19.22	34.77	PASS
Band13	10MHz	QPSK	23230	1RB#0	24.36	23.75	34.77	PASS
Band13	10MHz	QPSK	23230	1RB#24	24.52	23.91	34.77	PASS
Band13	10MHz	QPSK	23230	1RB#49	24.33	23.72	34.77	PASS
Band13	10MHz	QPSK	23230	50RB#0	24.13	23.52	34.77	PASS
Band13	10MHz	16QAM	23230	1RB#0	24.12	23.51	34.77	PASS
Band13	10MHz	16QAM	23230	1RB#24	24.11	23.5	34.77	PASS
Band13	10MHz	16QAM	23230	1RB#49	24.18	23.57	34.77	PASS
Band13	10MHz	16QAM	23230	50RB#0	23.19	22.58	34.77	PASS
Band13	10MHz	64QAM	23230	1RB#0	23.13	22.52	34.77	PASS
Band13	10MHz	64QAM	23230	1RB#24	23.28	22.67	34.77	PASS
Band13	10MHz	64QAM	23230	1RB#49	23.15	22.54	34.77	PASS
Band13	10MHz	64QAM	23230	50RB#0	22.11	21.5	34.77	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CPD Descheck@esc.com.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Band13

10MHz

256QAM

23230

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

20.1

Report No.: SEWA2204000008RG01

34.77

PASS

Rev.: 01 Page: 4 of 37

19.49

Band13 10MHz 256QAM 23230 1RB#0 **PASS** 20.03 19.42 34.77 Band13 20.11 19.5 10MHz 256QAM 23230 1RB#24 34.77 **PASS** Band13 10MHz 256QAM 23230 1RB#49 20.17 19.56 34.77 **PASS**

50RB#0



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2204000008RG01

Rev.: 01

5 of 37 Page:

Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band13	10MHz	QPSK	23230	50RB#0	5.50	13	PASS
Band13	10MHz	16QAM	23230	50RB#0	6.06	13	PASS
Band13	10MHz	64QAM	23230	50RB#0	5.96	13	PASS
Band13	10MHz	256QAM	23230	50RB#0	6.72	13	PASS






Report No.: SEWA2204000008RG01

Rev.: 01 Page: 6 of 37

Test Graphs






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Co

or email: CN.Doccheck@sgs.com Sound r/No Flant, No.1, Runsheng Nost, Jobou Industrial Park, Sunbou Avea, China (Jángsu) Plot Free Trade Zone 215000 中国 - 苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2204000008RG01

Rev.: 01 Page: 7 of 37





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industral Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国 (江苏) 自由贸易试验区苏州片区苏州工业园区润胜路1号的6月厂房南部 邮编: 215000

t (86–512) 62992980 w t (86–512) 62992980 s



Report No.: SEWA2204000008RG01

Rev.: 01

8 of 37 Page:

Modulation Characteristics

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result	Verdict
Band13	10MHz	QPSK	23230	50RB#0	PASS	PASS
Band13	10MHz	16QAM	23230	50RB#0	PASS	PASS
Band13	10MHz	64QAM	23230	50RB#0	PASS	PASS
Band13	10MHz	256QAM	23230	50RB#0	PASS	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate**.



Report No.: SEWA2204000008RG01

Rev.: 01

Page: 9 of 37

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sqs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test entained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate,




Report No.: SEWA2204000008RG01


Rev.: 01

Page: 10 of 37

Band13-10MHz-64QAM-23230-50RB#0



Band13-10MHz-256QAM-23230-50RB#0





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Co



Report No.: SEWA2204000008RG01

Rev.: 01

Page: 11 of 37

26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band13	5MHz	QPSK	23205	25RB#0	4.472	5.00	PASS
Band13	5MHz	QPSK	23230	25RB#0	4.484	5.04	PASS
Band13	5MHz	QPSK	23255	25RB#0	4.482	5.00	PASS
Band13	5MHz	16QAM	23205	25RB#0	4.469	5.04	PASS
Band13	5MHz	16QAM	23230	25RB#0	4.485	4.99	PASS
Band13	5MHz	16QAM	23255	25RB#0	4.477	4.99	PASS
Band13	5MHz	64QAM	23205	25RB#0	4.468	4.97	PASS
Band13	5MHz	64QAM	23230	25RB#0	4.476	5.04	PASS
Band13	5MHz	64QAM	23255	25RB#0	4.478	5.01	PASS
Band13	5MHz	256QAM	23205	25RB#0	4.473	5.06	PASS
Band13	5MHz	256QAM	23230	25RB#0	4.487	5.06	PASS
Band13	5MHz	256QAM	23255	25RB#0	4.476	5.01	PASS
Band13	10MHz	QPSK	23230	50RB#0	8.922	9.84	PASS
Band13	10MHz	16QAM	23230	50RB#0	8.928	9.80	PASS
Band13	10MHz	64QAM	23230	50RB#0	8.923	9.90	PASS
Band13	10MHz	256QAM	23230	50RB#0	8.920	9.72	PASS






Report No.: SEWA2204000008RG01

Rev.: 01

Page: 12 of 37

Test Graphs






or email: CN. <u>Doccheck@sgs.com</u> | Sound rNo. Fibru. N. Funsherg Post, Jozhou Judash Park, Subou Avea, China (Jángsu) Plot Free Trade Zone |中国・苏州・中国(江苏)自由贸易试验区苏州 | 上の国区河胜路 | 号的号 | 房南部 - 邮第: 215000



Report No.: SEWA2204000008RG01

Rev.: 01

Page: 13 of 37





or email: <u>CNLOCENECK@SGS.COM</u> South of No. Fibrat, No.1, Runsheng Rood, Jozbu Industrial Park, Suchou Avea, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州上区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000


t (86–512) 62992980 www t (86–512) 62992980 sgs.d



Report No.: SEWA2204000008RG01

Rev.: 01

Page: 14 of 37






Sound rNo.6 Plant, No.1, Runsheng Road, Suzhou Industral Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国 (江苏) 自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 即编: 215000



Report No.: SEWA2204000008RG01

Rev.: 01

Page: 15 of 37






or email: CR. Doccheck@sgs.com Subdn dNo.6 Plant, No.1, Runsheng Read, Subdn unkostal Park, Subou Area, China (Jangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国 (江苏) 自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 鄭第: 215000



Report No.: SEWA2204000008RG01

Rev.: 01

Page: 16 of 37





South of No. Florat, No. 1, Runsherg Road, Suchou Industrial Park, Suzhou Area, Chine (Jiangsu) Pikol Fee Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 鄭錦: 215000


t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWA2204000008RG01

Rev.: 01

Page: 17 of 37





South of No. Briant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000


t (86–512) 62992980 v t (86–512) 62992980 s



Report No.: SEWA2204000008RG01

Rev.: 01

Page: 18 of 37






or email: CN_Doceneck@sgs_com Submithlo Fibrat, No.1, Runsheng Rost, Joban Industrial Park, Subou Area, China (Jangsu) Pilot Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区河胜路1号的6号厂房南部 邮第: 215000



Report No.: SEWA2204000008RG01

Rev.: 01

Page: 19 of 37





or email: CR. Doccheck@sgs.com Subdn dNo.6 Plant, No.1, Runsheng Read, Subdn unkostal Park, Subou Area, China (Jangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国 (江苏) 自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 鄭第: 215000




Report No.: SEWA2204000008RG01

Rev.: 01

Page: 20 of 37

Band Edge

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Co


or email: CN_Doceneck@sgs_com Submithlo Fibrat, No.1, Runsheng Rost, Joban Industrial Park, Subou Area, China (Jangsu) Pilot Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区河胜路1号的6号厂房南部 邮第: 215000



Report No.: SEWA2204000008RG01

Rev.: 01

Page: 21 of 37





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Co

South Of No. Figurity Road, Suzhou Industrial Park, Suzhou Area, China (Jangsu) Pitot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区阅胜路1号的6号厂房南部 邮编: 215000


t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000008RG01

Rev.: 01

Page: 22 of 37





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Co


t (86–512) 62992980 v t (86–512) 62992980 s



Report No.: SEWA2204000008RG01

Rev.:

Page: 23 of 37








Report No.: SEWA2204000008RG01

Rev.: 01

Page: 24 of 37

Conducted Spurious Emission

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cerciali CAP Descherible And Part (140 Part (1



Report No.: SEWA2204000008RG01

Rev.: 01

Page: 25 of 37





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cerciali CAP Descherible And Part (140 Part (1

South of No.6 Flant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6月厂房南部 鄉第: 215000


t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000008RG01

Rev.: 01

Page: 26 of 37





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2204000008RG01

Rev.: 01

Page: 27 of 37

Field Strength of Spurious Radiation

Test Band = LTE Band 13 BW 10M_ TM1
Test Channel = Mid Channel

Final	Final Data List											
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Polarity			
140.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Foldfilly			
1	1555.18	62.13	-118.21	-56.08	-13.00	43.08	263	208	Horizontal			
2	2332.77	60.72	-115.31	-54.59	-13.00	41.59	241	145	Horizontal			
3	3110.36	51.13	-112.21	-61.08	-13.00	48.08	176	176	Horizontal			
4	3887.95	50.83	-110.47	-59.64	-13.00	46.64	254	62	Horizontal			
5	4665.54	50.11	-108.04	-57.93	-13.00	44.93	186	62	Horizontal			
6	5443.13	52.65	-106.49	-53.84	-13.00	40.84	264	239	Horizontal			

Final	Final Data List											
NO	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority			
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity			
1	1555.18	54.53	-118.21	-63.68	-13.00	50.68	163	31	Vertical			
2	2432	65.52	-114.81	-49.29	-13.00	36.29	251	113	Vertical			
3	3110.36	52.18	-112.21	-60.03	-13.00	47.03	175	300	Vertical			
4	3887.95	52.47	-110.47	-58.00	-13.00	45.00	265	289	Vertical			
5	4665.54	51.05	-108.04	-56.99	-13.00	43.99	185	8	Vertical			
6	5443.13	52.54	-106.49	-53.95	-13.00	40.95	147	194	Vertical			





Report No.: SEWA2204000008RG01

Rev.: 01

Page: 28 of 37

Test Band = LTE Band 13 BW 5M_ TM1 Test Channel = Low Channel

Final	Final Data List											
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority			
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity			
1	1554.68	58.65	-118.21	-59.56	-13.00	46.56	263	71	Horizontal			
2	2332	62.39	-115.31	-52.92	-13.00	39.92	251	136	Horizontal			
3	3109.36	51.72	-112.22	-60.50	-13.00	47.50	174	166	Horizontal			
4	3886.7	51.18	-110.47	-59.29	-13.00	46.29	163	71	Horizontal			
5	4664.04	50.05	-108.04	-57.99	-13.00	44.99	254	156	Horizontal			
6	5441.38	51.48	-106.49	-55.01	-13.00	42.01	147	187	Horizontal			

Final	Final Data List											
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority			
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity			
1	1554.68	53.35	-118.21	-64.86	-13.00	51.86	263	18	Vertical			
2	2332.02	52.49	-115.31	-62.82	-13.00	49.82	251	174	Vertical			
3	3109.36	51.95	-112.22	-60.27	-13.00	47.27	176	3	Vertical			
4	3886.7	49.63	-110.47	-60.84	-13.00	47.84	241	298	Vertical			
5	4664.04	50.01	-108.04	-58.03	-13.00	45.03	177	80	Vertical			
6	5441.38	51.72	-106.49	-54.77	-13.00	41.77	185	236	Vertical			





Report No.: SEWA2204000008RG01

Rev.: 01

29 of 37 Page:

Test Band = LTE Band 13 BW 5M_ TM1 Test Channel = Mid Channel

Final	Final Data List											
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority			
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity			
1	1559.68	60.75	-118.21	-57.46	-40.00	17.46	263	61	Horizontal			
2	2339.52	63.82	-115.29	-51.47	-13.00	38.47	251	135	Horizontal			
3	3119.36	51.80	-112.19	-60.39	-13.00	47.39	176	217	Horizontal			
4	3899.2	50.54	-110.43	-59.89	-13.00	46.89	254	197	Horizontal			
5	4679.04	50.57	-107.99	-57.42	-13.00	44.42	177	360	Horizontal			
6	5458.88	51.55	-106.48	-54.93	-13.00	41.93	185	357	Horizontal			

Final	Final Data List											
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority			
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity			
1	1559.68	55.42	-118.21	-62.79	-40.00	22.79	263	174	Vertical			
2	2339.52	54.07	-115.29	-61.22	-13.00	48.22	251	268	Vertical			
3	3119.36	52.58	-112.19	-59.61	-13.00	46.61	176	20	Vertical			
4	3899.2	50.45	-110.43	-59.98	-13.00	46.98	241	124	Vertical			
5	4679.04	50.12	-107.99	-57.87	-13.00	44.87	178	124	Vertical			
6	5458.88	51.49	-106.48	-54.99	-13.00	41.99	264	92	Vertical			





Report No.: SEWA2204000008RG01

Rev.: 01

Page: 30 of 37

Test Band = LTE Band 13 BW 5M_ TM1 **Test Channel = High Channel**

Final	Final Data List											
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Polarity			
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Foldfilly			
1	1564	62.86	-118.21	-55.35	-40.00	15.35	263	206	Horizontal			
2	2347.02	65.32	-115.27	-49.95	-13.00	36.95	251	144	Horizontal			
3	3129.36	51.32	-112.17	-60.85	-13.00	47.85	176	71	Horizontal			
4	3911.7	51.02	-110.40	-59.38	-13.00	46.38	241	30	Horizontal			
5	4694.04	50.26	-107.94	-57.68	-13.00	44.68	185	352	Horizontal			
6	5476.38	51.39	-106.46	-55.07	-13.00	42.07	264	289	Horizontal			

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	1564	57.42	-118.21	-60.79	-40.00	20.79	263	239	Vertical				
2	2347.02	55.79	-115.27	-59.48	-13.00	46.48	241	12	Vertical				
3	3129.36	52.00	-112.17	-60.17	-13.00	47.17	176	7	Vertical				
4	3911.7	50.69	-110.40	-59.71	-13.00	46.71	241	85	Vertical				
5	4694.04	49.92	-107.94	-58.02	-13.00	45.02	178	65	Vertical				
6	5476.38	52.04	-106.46	-54.42	-13.00	41.42	264	133	Vertical				





Report No.: SEWA2204000008RG01

Rev.: 01

Page: 31 of 37

Test Band = UL CA Band 2A-13A_ TM1 Test Channel = Low Channel

Final	Final Data List												
NO	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Delevite				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	1554.68	40.77	-95.18	-54.41	-13.00	41.41	263	11	Horizontal				
2	2332.02	40.56	-92.24	-51.68	-13.00	38.68	251	37	Horizontal				
3	3109.36	52.50	-111.62	-59.12	-13.00	46.12	174	296	Horizontal				
4	3702.18	51.33	-111.07	-59.74	-13.00	46.74	162	198	Horizontal				
5	5553.27	49.47	-106.36	-56.89	-13.00	43.89	284	344	Horizontal				
6	7404.36	48.02	-100.78	-52.76	-13.00	39.76	176	230	Horizontal				

Final	Data List								
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1554.68	40.68	-95.18	-54.50	-13.00	41.50	263	350	Vertical
2	2332.02	40.37	-92.24	-51.87	-13.00	38.87	241	204	Vertical
3	3109.36	51.41	-111.62	-60.21	-13.00	47.21	176	4	Vertical
4	3702.18	49.47	-111.07	-61.60	-13.00	48.60	254	49	Vertical
5	5553.27	49.20	-106.36	-57.16	-13.00	44.16	177	49	Vertical
6	7404.36	48.72	-100.78	-52.06	-13.00	39.06	264	49	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755)



Report No.: SEWA2204000008RG01

Rev.:

Page: 32 of 37

Test Band = UL CA Band 2A-13A_ TM1 **Test Channel = Mid Channel**

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Polarity				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	1559.68	40.25	-95.17	-54.92	-13.00	41.92	263	69	Horizontal				
2	2339.52	40.95	-92.21	-51.26	-13.00	38.26	241	89	Horizontal				
3	3119.36	51.04	-111.58	-60.54	-13.00	47.54	176	309	Horizontal				
4	3742.18	52.92	-110.86	-57.94	-13.00	44.94	284	3	Horizontal				
5	5613.27	51.31	-106.14	-54.83	-13.00	41.83	188	98	Horizontal				
6	7484.36	47.22	-100.43	-53.21	-13.00	40.21	264	32	Horizontal				

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	1559.68	41.25	-95.17	-53.92	-13.00	40.92	263	0	Vertical				
2	2339.52	40.40	-92.21	-51.81	-13.00	38.81	241	1	Vertical				
3	3119.36	51.67	-111.58	-59.91	-13.00	46.91	176	66	Vertical				
4	3742.18	50.50	-110.86	-60.36	-13.00	47.36	281	162	Vertical				
5	5613.27	51.58	-106.14	-54.56	-13.00	41.56	178	81	Vertical				
6	7484.36	50.33	-100.43	-50.10	-13.00	37.10	264	178	Vertical				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Contactions of the content of the con



Report No.: SEWA2204000008RG01

Rev.: 01

Page: 33 of 37

Test Band = UL CA Band 2A-13A_ TM1 Test Channel = High Channel

Final	Data List								
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Delevity
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1564.68	41.86	-95.16	-53.30	-13.00	40.30	152	192	Horizontal
2	2347.02	40.97	-92.18	-51.21	-13.00	38.21	263	286	Horizontal
3	3129.36	50.65	-111.55	-60.90	-13.00	47.90	262	360	Horizontal
4	3782.18	53.58	-110.66	-57.08	-13.00	44.08	142	360	Horizontal
5	5673.27	48.46	-105.88	-57.42	-13.00	44.42	284	3	Horizontal
6	7564.36	49.02	-100.01	-50.99	-13.00	37.99	162	38	Horizontal

Final	Data List								
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1564.68	40.66	-95.16	-54.50	-13.00	41.50	263	10	Vertical
2	2347.02	40.78	-92.18	-51.40	-13.00	38.40	251	1	Vertical
3	3129.36	51.56	-111.55	-59.99	-13.00	46.99	144	28	Vertical
4	3782.18	52.46	-110.66	-58.20	-13.00	45.20	265	194	Vertical
5	5673.27	51.03	-105.88	-54.85	-13.00	41.85	284	278	Vertical
6	7564.36	52.42	-100.01	-47.59	-13.00	34.59	375	47	Vertical





Report No.: SEWA2204000008RG01

Rev.:

Page: 34 of 37

Test Band = UL CA Band 4A-13A_ TM1 **Test Channel = Low Channel**

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	1554.68	40.60	-95.18	-54.58	-13.00	41.58	263	224	Horizontal				
2	2332.02	40.89	-92.24	-51.35	-13.00	38.35	251	276	Horizontal				
3	3109.36	50.32	-111.62	-61.30	-13.00	48.30	174	82	Horizontal				
4	3422.18	50.02	-111.71	-61.69	-13.00	48.69	185	49	Horizontal				
5	5133.27	49.31	-106.90	-57.59	-13.00	44.59	265	113	Horizontal				
6	6844.36	51.17	-101.87	-50.70	-13.00	37.70	284	212	Horizontal				

Final	Final Data List												
NO	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	1554.68	40.36	-95.18	-54.82	-13.00	41.82	256	297	Vertical				
2	2332.02	40.43	-92.24	-51.81	-13.00	38.81	263	78	Vertical				
3	3109.36	51.91	-111.62	-59.71	-13.00	46.71	262	47	Vertical				
4	3422.18	49.98	-111.71	-61.73	-13.00	48.73	251	64	Vertical				
5	5133.27	50.48	-106.90	-56.42	-13.00	43.42	174	32	Vertical				
6	6844.36	48.59	-101.87	-53.28	-13.00	40.28	265	112	Vertical				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Contactions of the content of the con



Report No.: SEWA2204000008RG01

Rev.: 01

Page: 35 of 37

Test Band = UL CA Band 4A-13A_ TM1 **Test Channel = Mid Channel**

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Polarity				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	1559.68	40.96	-95.17	-54.21	-13.00	41.21	263	98	Horizontal				
2	2339.52	40.56	-92.21	-51.65	-13.00	38.65	251	17	Horizontal				
3	3119.36	50.99	-111.58	-60.59	-13.00	47.59	174	82	Horizontal				
4	3447.18	51.05	-111.65	-60.60	-13.00	47.60	162	3	Horizontal				
5	5170.77	48.38	-106.85	-58.47	-13.00	45.47	284	181	Horizontal				
6	6894.36	48.38	-101.71	-53.33	-13.00	40.33	177	360	Horizontal				

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Polarity				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	1559.68	40.73	-95.17	-54.44	-13.00	41.44	263	38	Vertical				
2	2339.52	40.37	-92.21	-51.84	-13.00	38.84	251	215	Vertical				
3	3119.36	50.63	-111.58	-60.95	-13.00	47.95	142	246	Vertical				
4	3447.18	50.52	-111.65	-61.13	-13.00	48.13	265	130	Vertical				
5	5170.77	48.87	-106.85	-57.98	-13.00	44.98	255	180	Vertical				
6	6894.36	48.73	-101.71	-52.98	-13.00	39.98	148	229	Vertical				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Contactions of the content of the con



Report No.: SEWA2204000008RG01

Rev.: 01

Page: 36 of 37

Test Band = UL CA Band 4A-13A_ TM1 Test Channel = High Channel

Final	Data List								
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1564.68	41.25	-95.16	-53.91	-13.00	40.91	251	357	Horizontal
2	2347.02	40.10	-92.18	-52.08	-13.00	39.08	142	266	Horizontal
3	3129.36	50.51	-111.55	-61.04	-13.00	48.04	263	227	Horizontal
4	3472.18	53.13	-111.61	-58.48	-13.00	45.48	251	193	Horizontal
5	5208.27	49.63	-106.80	-57.17	-13.00	44.17	172	275	Horizontal
6	6944.36	47.64	-101.67	-54.03	-13.00	41.03	262	350	Horizontal

Final Data List									
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority
	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1564.68	40.67	-95.16	-54.49	-13.00	41.49	296	138	Vertical
2	2347.02	40.55	-92.18	-51.63	-13.00	38.63	362	1	Vertical
3	3129.36	52.66	-111.55	-58.89	-13.00	45.89	284	32	Vertical
4	3472.18	53.81	-111.61	-57.80	-13.00	44.80	175	3	Vertical
5	5208.27	49.17	-106.80	-57.63	-13.00	44.63	265	3	Vertical
6	6944.36	46.68	-101.67	-54.99	-13.00	41.99	247	243	Vertical





Report No.: SEWA2204000008RG01

Rev.: 01

Page: 37 of 37

Frequency Stability

Test Result

Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°ℂ)	Deviation (Hz)	Deviation (ppm)	Verdict
Band13	10MHz	QPSK	23230	50RB#0	VL	NT	1.60	0.002046	PASS
Band13	10MHz	QPSK	23230	50RB#0	VN	NT	1.10	0.001407	PASS
Band13	10MHz	QPSK	23230	50RB#0	VH	NT	1.80	0.002302	PASS

Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°ℂ)	Deviation (Hz)	Deviation (ppm)	Verdict
Band13	10MHz	QPSK	23230	50RB#0	NV	-30	1.20	0.001535	PASS
Band13	10MHz	QPSK	23230	50RB#0	NV	-20	-0.20	-0.000256	PASS
Band13	10MHz	QPSK	23230	50RB#0	NV	-10	1.50	0.001918	PASS
Band13	10MHz	QPSK	23230	50RB#0	NV	0	-2.30	-0.002941	PASS
Band13	10MHz	QPSK	23230	50RB#0	NV	10	-0.30	-0.000384	PASS
Band13	10MHz	QPSK	23230	50RB#0	NV	20	0.60	0.000767	PASS
Band13	10MHz	QPSK	23230	50RB#0	NV	30	0.60	0.000767	PASS
Band13	10MHz	QPSK	23230	50RB#0	NV	40	-0.50	-0.000639	PASS
Band13	10MHz	QPSK	23230	50RB#0	NV	50	1.30	0.001662	PASS

The End



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Contactions of the content of the con