


Report No.: SEWA2210000060RG05

Rev.: 01

Page: 185 of 334

802.11a_Channel 124



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7521.5833	48.69	36.54	-41.20	44.03	74.00	29.97	263	345	Horizontal				
2	11240	42.06	39.36	-34.68	46.74	74.00	27.26	265	3	Horizontal				
3	16860	38.73	38.50	-32.40	44.84	68.30	23.46	241	153	Horizontal				
4	7623.1667	40.08	36.75	-41.16	35.67	54.00	18.33	102	66	Horizontal				
5	11202.5417	33.86	39.40	-34.15	39.11	54.00	14.89	285	345	Horizontal				
6	15879.6875	33.93	38.06	-33.51	38.47	54.00	15.53	233	23	Horizontal				






Report No.: SEWA2210000060RG05

Rev.: 01

Page: 186 of 334

802.11a_Channel 124



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7552.7292	49.77	36.61	-41.22	45.16	74.00	28.84	322	360	Vertical				
2	11240	42.02	39.36	-34.68	46.70	74.00	27.30	265	218	Vertical				
3	16860	39.02	38.50	-32.40	45.13	68.30	23.17	201	303	Vertical				
4	7549.375	40.24	36.60	-41.21	35.62	54.00	18.38	102	173	Vertical				
5	11210.2083	34.03	39.39	-34.25	39.16	54.00	14.84	241	173	Vertical				
6	15851.8958	33.71	38.09	-33.60	38.20	54.00	15.80	156	238	Vertical				






Report No.: SEWA2210000060RG05

Rev.: 01

Page: 187 of 334

802.11a_Channel 128



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7643.7708	49.85	36.79	-41.09	45.55	74.00	28.45	163	242	Horizontal				
2	11280	42.16	39.32	-35.25	46.23	74.00	27.77	265	263	Horizontal				
3	16920	39.55	38.54	-32.26	45.84	68.30	22.46	284	46	Horizontal				
4	7648.5625	40.84	36.80	-41.07	36.57	54.00	17.43	145	348	Horizontal				
5	11245.1875	33.63	39.35	-34.75	38.23	54.00	15.77	252	90	Horizontal				
6	15760.375	33.50	38.21	-33.89	37.82	54.00	16.18	296	285	Horizontal				






Report No.: SEWA2210000060RG05

Rev.: 01

Page: 188 of 334

802.11a_Channel 128



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7558.9583	50.05	36.62	-41.22	45.45	74.00	28.55	296	242	Vertical				
2	11280	41.03	39.32	-35.25	45.10	74.00	28.90	265	195	Vertical				
3	16920	39.66	38.54	-32.26	45.95	68.30	22.35	241	45	Vertical				
4	7535.9583	40.72	36.57	-41.21	36.08	54.00	17.92	122	3	Vertical				
5	11220.2708	34.27	39.38	-34.40	39.25	54.00	14.75	255	328	Vertical				
6	15870.5833	33.63	38.07	-33.54	38.16	54.00	15.84	286	130	Vertical				






Report No.: SEWA2210000060RG05

Rev.: 01

Page: 189 of 334

802.11a_Channel 149



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7538.3542	49.27	36.58	-41.21	44.64	74.00	29.36	263	285	Horizontal				
2	11490	40.77	39.11	-34.59	45.29	74.00	28.71	265	46	Horizontal				
3	17235	38.36	39.54	-31.46	46.44	68.30	21.86	285	88	Horizontal				
4	7548.8958	40.07	36.60	-41.21	35.45	54.00	18.55	241	218	Horizontal				
5	11469.4375	32.97	39.13	-34.70	37.40	54.00	16.60	142	197	Horizontal				
6	15872.5	34.05	38.07	-33.54	38.58	54.00	15.42	255	23	Horizontal				






Report No.: SEWA2210000060RG05

Rev.: 01

Page: 190 of 334

802.11a_Channel 149



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7541.7083	49.49	36.58	-41.21	44.86	74.00	29.14	196	110	Vertical				
2	11490	40.06	39.11	-34.59	44.58	74.00	29.42	265	284	Vertical				
3	17235	38.96	39.54	-31.46	47.04	68.30	21.26	233	200	Vertical				
4	7644.25	40.18	36.79	-41.09	35.88	54.00	18.12	201	69	Vertical				
5	11226.5	34.90	39.37	-34.49	39.79	54.00	14.21	142	24	Vertical				
6	15764.6875	33.59	38.21	-33.88	37.92	54.00	16.08	258	3	Vertical				






Report No.: SEWA2210000060RG05

Rev.: 01

Page: 191 of 334

802.11a_Channel 157



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7681.625	49.37	36.86	-40.95	45.28	74.00	28.72	263	47	Horizontal				
2	11570	39.48	39.03	-35.09	43.42	74.00	30.58	265	130	Horizontal				
3	17355	35.76	40.02	-31.34	44.44	68.30	23.86	285	45	Horizontal				
4	7537.875	40.29	36.58	-41.21	35.66	54.00	18.34	241	359	Horizontal				
5	11192	34.04	39.41	-34.21	39.24	54.00	14.76	142	91	Horizontal				
6	15873.9375	33.70	38.06	-33.53	38.23	54.00	15.77	296	24	Horizontal				






Report No.: SEWA2210000060RG05

Rev.: 01

Page: 192 of 334

802.11a_Channel 157



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7534.0417	49.77	36.57	-41.21	45.13	74.00	28.87	296	360	Vertical				
2	11570	40.61	39.03	-35.09	44.55	74.00	29.45	265	286	Vertical				
3	17355	35.60	40.02	-31.34	44.28	68.30	24.02	284	45	Vertical				
4	7533.0833	40.34	36.57	-41.21	35.70	54.00	18.30	142	360	Vertical				
5	11464.6458	32.86	39.14	-34.72	37.28	54.00	16.72	255	132	Vertical				
6	15855.7292	33.73	38.09	-33.59	38.23	54.00	15.77	145	45	Vertical				






Report No.: SEWA2210000060RG05

Rev.: 01

Page: 193 of 334

802.11a_Channel 165



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7535.9583	50.52	36.57	-41.21	45.88	74.00	28.12	296	291	Horizontal				
2	11650	40.00	38.95	-35.02	43.93	74.00	30.07	265	204	Horizontal				
3	17475	36.85	40.50	-31.62	45.73	68.30	22.57	241	73	Horizontal				
4	7537.3958	40.62	36.57	-41.21	35.99	54.00	18.01	142	0	Horizontal				
5	11473.2708	33.09	39.13	-34.68	37.54	54.00	16.46	201	57	Horizontal				
6	15766.6042	33.33	38.20	-33.87	37.66	54.00	16.34	188	0	Horizontal				






Report No.: SEWA2210000060RG05

Rev.: 01

Page: 194 of 334

802.11a_Channel 165



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7571.8958	49.71	36.64	-41.23	45.13	74.00	28.87	296	336	Vertical				
2	11650	39.31	38.95	-35.02	43.24	74.00	30.76	265	357	Vertical				
3	17475	37.21	40.50	-31.62	46.09	68.30	22.21	236	182	Vertical				
4	7527.8125	39.54	36.56	-41.20	34.89	54.00	19.11	366	336	Vertical				
5	11829.2917	33.78	38.77	-35.20	37.35	54.00	16.65	322	227	Vertical				
6	15859.5625	33.45	38.08	-33.58	37.96	54.00	16.04	241	4	Vertical				






Report No.: SEWA2210000060RG05

Rev.: 01

Page: 195 of 334

802.11n20_Channel 36



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7579.5625	50.01	36.66	-41.23	45.44	74.00	28.56	263	182	Horizontal				
2	10360	42.01	38.90	-36.43	44.48	68.30	23.82	265	31	Horizontal				
3	15540	40.11	38.50	-34.01	44.60	74.00	29.40	288	118	Horizontal				
4	7545.0625	40.84	36.59	-41.21	36.22	54.00	17.78	254	337	Horizontal				
5	11469.4375	32.90	39.13	-34.70	37.33	54.00	16.67	142	293	Horizontal				
6	15824.1042	34.11	38.13	-33.69	38.55	54.00	15.45	263	0	Horizontal				






Report No.: SEWA2210000060RG05

Rev.: 01

Page: 196 of 334

802.11n20_Channel 36



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7642.3333	49.11	36.78	-41.09	44.80	74.00	29.20	265	116	Vertical				
2	10360	41.98	38.90	-36.43	44.45	68.30	23.85	241	30	Vertical				
3	15540	39.11	38.50	-34.01	43.60	74.00	30.40	142	119	Vertical				
4	7531.1667	40.43	36.56	-41.21	35.79	54.00	18.21	296	13	Vertical				
5	11208.7708	33.69	39.39	-34.23	38.85	54.00	15.15	285	247	Vertical				
6	15763.7292	34.05	38.21	-33.88	38.37	54.00	15.63	244	116	Vertical				






Report No.: SEWA2210000060RG05

Rev.: 01

Page: 197 of 334

802.11n20_Channel 44



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7537.875	49.50	36.58	-41.21	44.87	74.00	29.13	296	0	Horizontal				
2	10440	39.44	38.98	-36.23	42.19	68.30	26.11	265	141	Horizontal				
3	15660	39.61	38.34	-33.98	43.97	74.00	30.03	253	12	Horizontal				
4	7638.5	40.04	36.78	-41.11	35.71	54.00	18.29	201	337	Horizontal				
5	11242.3125	34.49	39.36	-34.71	39.14	54.00	14.86	142	357	Horizontal				
6	15871.5417	33.78	38.07	-33.54	38.31	54.00	15.69	263	201	Horizontal				






Report No.: SEWA2210000060RG05

Rev.: 01

Page: 198 of 334

802.11n20_Channel 44



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7516.7917	49.10	36.53	-41.20	44.44	74.00	29.56	296	252	Vertical				
2	10440	41.45	38.98	-36.23	44.20	68.30	24.10	265	15	Vertical				
3	15660	40.68	38.34	-33.98	45.04	74.00	28.96	241	252	Vertical				
4	7658.1458	40.99	36.82	-41.04	36.77	54.00	17.23	142	229	Vertical				
5	11221.7083	34.30	39.38	-34.42	39.26	54.00	14.74	263	252	Vertical				
6	15844.7083	33.69	38.10	-33.62	38.17	54.00	15.83	296	0	Vertical				






Report No.: SEWA2210000060RG05

Rev.: 01

Page: 199 of 334

802.11n20_Channel 48



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7543.625	49.86	36.59	-41.21	45.24	74.00	28.76	296	317	Horizontal				
2	10480	42.09	39.03	-36.19	44.93	68.30	23.37	255	29	Horizontal				
3	15720	38.37	38.26	-34.03	42.60	74.00	31.40	241	0	Horizontal				
4	7658.625	39.94	36.82	-41.03	35.72	54.00	18.28	125	164	Horizontal				
5	11839.8333	33.71	38.76	-35.12	37.35	54.00	16.65	244	0	Horizontal				
6	15868.6667	33.58	38.07	-33.55	38.10	54.00	15.90	263	101	Horizontal				






Report No.: SEWA2210000060RG05

Rev.: 01

Page: 200 of 334

802.11n20_Channel 48



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7622.2083	48.81	36.74	-41.16	44.39	74.00	29.61	263	79	Vertical				
2	10480	41.85	39.03	-36.19	44.69	68.30	23.61	296	357	Vertical				
3	15720	38.14	38.26	-34.03	42.37	74.00	31.63	265	184	Vertical				
4	7652.875	40.25	36.81	-41.05	36.00	54.00	18.00	241	100	Vertical				
5	11204.9375	33.48	39.40	-34.18	38.69	54.00	15.31	122	34	Vertical				
6	15860.0417	33.69	38.08	-33.57	38.20	54.00	15.80	256	167	Vertical				






Report No.: SEWA2210000060RG05

Rev.: 01

Page: 201 of 334

802.11n20_Channel 52



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7555.6042	48.93	36.61	-41.22	44.32	74.00	29.68	196	73	Horizontal				
2	10520	40.70	39.07	-36.13	43.65	68.30	24.65	265	294	Horizontal				
3	15780	40.19	38.19	-33.83	44.55	74.00	29.45	241	160	Horizontal				
4	7569.5	40.16	36.64	-41.22	35.57	54.00	18.43	142	316	Horizontal				
5	11194.3958	33.28	39.41	-34.18	38.50	54.00	15.50	253	0	Horizontal				
6	15862.9167	33.43	38.08	-33.56	37.94	54.00	16.06	285	94	Horizontal				






Report No.: SEWA2210000060RG05

Rev.: 01

Page: 202 of 334

802.11n20_Channel 52



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7560.3958	48.39	36.62	-41.22	43.79	74.00	30.21	296	161	Vertical				
2	10520	41.00	39.07	-36.13	43.95	68.30	24.35	265	293	Vertical				
3	15780	39.47	38.19	-33.83	43.83	74.00	30.17	284	336	Vertical				
4	7540.75	39.73	36.58	-41.21	35.10	54.00	18.90	142	51	Vertical				
5	11824.9792	34.07	38.78	-35.23	37.61	54.00	16.39	255	250	Vertical				
6	15811.6458	33.82	38.14	-33.72	38.24	54.00	15.76	256	250	Vertical				






Report No.: SEWA2210000060RG05

Rev.: 01

Page: 203 of 334

802.11n20_Channel 60



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7452.5833	49.01	36.47	-41.51	43.97	74.00	30.03	296	356	Horizontal				
2	10600	40.89	39.16	-35.95	44.10	74.00	29.90	265	98	Horizontal				
3	15900	39.34	38.03	-33.45	43.92	74.00	30.08	284	78	Horizontal				
4	7675.3958	40.13	36.85	-40.98	36.00	54.00	18.00	142	78	Horizontal				
5	11474.2292	32.73	39.13	-34.67	37.18	54.00	16.82	255	141	Horizontal				
6	15872.5	34.01	38.07	-33.54	38.54	54.00	15.46	253	294	Horizontal				






Report No.: SEWA2210000060RG05

Rev.: 01

Page: 204 of 334

802.11n20_Channel 60



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7518.7083	49.82	36.54	-41.20	45.16	74.00	28.84	296	18	Vertical				
2	10600	41.38	39.16	-35.95	44.59	74.00	29.41	265	58	Vertical				
3	15900	40.95	38.03	-33.45	45.53	74.00	28.47	284	126	Vertical				
4	7528.7708	40.40	36.56	-41.20	35.75	54.00	18.25	144	79	Vertical				
5	11203.0208	34.14	39.40	-34.15	39.38	54.00	14.62	255	357	Vertical				
6	15852.8542	33.72	38.09	-33.60	38.22	54.00	15.78	276	191	Vertical				






Report No.: SEWA2210000060RG05

Rev.: 01

Page: 205 of 334

802.11n20_Channel 64



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7558.9583	48.97	36.62	-41.22	44.37	74.00	29.63	196	62	Horizontal				
2	10640	41.14	39.20	-35.75	44.59	74.00	29.41	265	192	Horizontal				
3	15960	39.39	37.95	-33.43	43.92	74.00	30.08	284	256	Horizontal				
4	7556.5625	40.07	36.61	-41.22	35.46	54.00	18.54	142	40	Horizontal				
5	11812.5208	33.94	38.79	-35.33	37.40	54.00	16.60	255	4	Horizontal				
6	15863.875	34.14	38.08	-33.56	38.65	54.00	15.35	223	40	Horizontal				






Report No.: SEWA2210000060RG05

Rev.: 01

Page: 206 of 334

802.11n20_Channel 64



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7553.2083	49.49	36.61	-41.22	44.88	74.00	29.12	296	138	Vertical				
2	10640	41.08	39.20	-35.75	44.53	74.00	29.47	265	181	Vertical				
3	15960	39.45	37.95	-33.43	43.98	74.00	30.02	241	204	Vertical				
4	7647.6042	40.05	36.80	-41.07	35.77	54.00	18.23	112	270	Vertical				
5	11220.2708	33.58	39.38	-34.40	38.56	54.00	15.44	233	138	Vertical				
6	15844.7083	33.58	38.10	-33.62	38.06	54.00	15.94	285	270	Vertical				






Report No.: SEWA2210000060RG05

Rev.: 01

Page: 207 of 334

802.11n20_Channel 100



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7685.4583	48.98	36.87	-40.94	44.91	74.00	29.09	196	0	Horizontal				
2	11000	40.23	39.60	-35.31	44.52	74.00	29.48	265	52	Horizontal				
3	16500	41.45	38.25	-32.34	47.36	68.30	20.94	284	140	Horizontal				
4	7659.1042	40.38	36.82	-41.03	36.17	54.00	17.83	142	1	Horizontal				
5	11207.3333	34.08	39.39	-34.21	39.26	54.00	14.74	222	225	Horizontal				
6	15854.2917	33.87	38.09	-33.59	38.37	54.00	15.63	253	74	Horizontal				






Report No.: SEWA2210000060RG05

Rev.: 01

Page: 208 of 334

802.11n20_Channel 100



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7647.6042	49.55	36.80	-41.07	45.27	74.00	28.73	296	294	Vertical				
2	11000	40.03	39.60	-35.31	44.32	74.00	29.68	265	166	Vertical				
3	16500	40.62	38.25	-32.34	46.53	68.30	21.77	284	61	Vertical				
4	7536.4375	40.60	36.57	-41.21	35.96	54.00	18.04	144	0	Vertical				
5	11223.1458	33.80	39.38	-34.44	38.74	54.00	15.26	145	316	Vertical				
6	15853.3333	33.79	38.09	-33.59	38.29	54.00	15.71	268	1	Vertical				






Report No.: SEWA2210000060RG05

Rev.: 01

Page: 209 of 334

802.11n20_Channel 140



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7547.4583	49.46	36.59	-41.21	44.84	74.00	29.16	296	15	Horizontal				
2	11400	38.48	39.20	-35.05	42.63	74.00	31.37	265	121	Horizontal				
3	17100	38.54	39.00	-32.00	45.54	68.30	22.76	284	186	Horizontal				
4	7549.375	40.07	36.60	-41.21	35.45	54.00	18.55	142	78	Horizontal				
5	11234.6458	33.87	39.37	-34.60	38.63	54.00	15.37	255	251	Horizontal				
6	15852.375	33.72	38.09	-33.60	38.21	54.00	15.79	253	230	Horizontal				






Report No.: SEWA2210000060RG05

Rev.: 01

Page: 210 of 334

802.11n20_Channel 140



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7546.0208	49.75	36.59	-41.21	45.13	74.00	28.87	196	57	Vertical				
2	11400	39.55	39.20	-35.05	43.70	74.00	30.30	265	165	Vertical				
3	17100	37.95	39.00	-32.00	44.95	68.30	23.35	284	251	Vertical				
4	7650.9583	40.45	36.80	-41.06	36.19	54.00	17.81	142	100	Vertical				
5	11841.2708	33.81	38.76	-35.10	37.46	54.00	16.54	255	100	Vertical				
6	15871.5417	34.10	38.07	-33.54	38.63	54.00	15.37	286	229	Vertical				






Report No.: SEWA2210000060RG05

Rev.: 01

Page: 211 of 334

802.11n20_Channel 116



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7565.6667	49.89	36.63	-41.22	45.30	74.00	28.70	296	357	Horizontal				
2	11160	40.35	39.44	-34.61	45.18	74.00	28.82	233	270	Horizontal				
3	16740	38.82	38.42	-32.67	44.57	68.30	23.73	254	312	Horizontal				
4	7537.875	40.38	36.58	-41.21	35.75	54.00	18.25	102	248	Horizontal				
5	11252.375	34.37	39.35	-34.85	38.86	54.00	15.14	185	13	Horizontal				
6	15869.1458	34.07	38.07	-33.55	38.59	54.00	15.41	263	0	Horizontal				






Report No.: SEWA2210000060RG05

Rev.: 01

Page: 212 of 334

802.11n20_Channel 116



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7636.5833	49.38	36.77	-41.11	45.04	74.00	28.96	286	337	Vertical				
2	11160	40.85	39.44	-34.61	45.68	74.00	28.32	265	293	Vertical				
3	16740	38.11	38.42	-32.67	43.86	68.30	24.44	241	273	Vertical				
4	7627.4792	40.46	36.75	-41.14	36.07	54.00	17.93	142	293	Vertical				
5	11216.9167	34.05	39.38	-34.35	39.08	54.00	14.92	255	102	Vertical				
6	16130.2917	33.26	37.99	-32.95	38.30	54.00	15.70	253	17	Vertical				






Report No.: SEWA2210000060RG05

Rev.: 01

Page: 213 of 334

802.11n20_Channel 120



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7554.1667	49.77	36.61	-41.22	45.16	74.00	28.84	285	142	Horizontal				
2	11200	41.88	39.40	-34.11	47.17	74.00	26.83	263	37	Horizontal				
3	16800	38.60	38.46	-32.48	44.58	68.30	23.72	265	0	Horizontal				
4	7653.3542	40.39	36.81	-41.05	36.14	54.00	17.86	241	185	Horizontal				
5	11227.9375	34.25	39.37	-34.51	39.12	54.00	14.88	112	293	Horizontal				
6	15883.5208	34.14	38.05	-33.50	38.69	54.00	15.31	254	3	Horizontal				






Report No.: SEWA2210000060RG05

Rev.: 01

Page: 214 of 334

802.11n20_Channel 120



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7317.4583	50.35	36.39	-41.60	45.14	74.00	28.86	296	188	Vertical				
2	11200	40.93	39.40	-34.11	46.22	74.00	27.78	265	315	Vertical				
3	16800	38.22	38.46	-32.48	44.20	68.30	24.10	284	99	Vertical				
4	7654.3125	40.21	36.81	-41.05	35.97	54.00	18.03	253	33	Vertical				
5	11188.1667	33.88	39.41	-34.26	39.03	54.00	14.97	201	230	Vertical				
6	16104.8958	33.46	37.97	-32.88	38.55	54.00	15.45	114	14	Vertical				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.ago; and, for electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-en-Documents, subject to Terms and Conditions [Terms-en-Document as place]. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection reports & certificate please contact us at telephone (86-755183071443.

or email: CN_DocCheck(図sgs_com) Soft of Na. Firth, to 1, Runsherg Road, Suchou Anea, Chire (Jángsu) Plot Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上立国区河胜路1号的6号厂房南部 邮第: 215000

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com




Report No.: SEWA2210000060RG05

Rev.: 01

Page: 215 of 334

802.11n20_Channel 124



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7656.2292	48.76	36.81	-41.04	44.53	74.00	29.47	296	139	Horizontal				
2	11240	40.99	39.36	-34.68	45.67	74.00	28.33	265	357	Horizontal				
3	16860	37.40	38.50	-32.40	43.51	68.30	24.79	285	0	Horizontal				
4	7650	39.94	36.80	-41.06	35.68	54.00	18.32	241	52	Horizontal				
5	11464.6458	32.70	39.14	-34.72	37.12	54.00	16.88	142	357	Horizontal				
6	15870.5833	33.60	38.07	-33.54	38.13	54.00	15.87	266	10	Horizontal				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction for or frozery or falsification of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) \$3071443,

South of No. Filtant, No. 1, Runshang Road, Surbou Industrial Park, Suzhou Area, China (Jiangsu) Pilof Free Trade Zone 215000 中国 - 苏州 - 中国 (江苏) 自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房商部 邮编: 215000

t (86–512) 62992980 w t (86–512) 62992980 sg

www.sgsgroup.com.cn sgs.china@sgs.com




Report No.: SEWA2210000060RG05

Rev.: 01

Page: 216 of 334

802.11n20_Channel 124



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7308.3542	50.10	36.39	-41.57	44.92	74.00	29.08	196	182	Vertical				
2	11240	41.92	39.36	-34.68	46.60	74.00	27.40	265	96	Vertical				
3	16860	38.83	38.50	-32.40	44.94	68.30	23.36	244	247	Vertical				
4	7656.2292	40.95	36.81	-41.04	36.72	54.00	17.28	253	0	Vertical				
5	11189.6042	33.98	39.41	-34.24	39.15	54.00	14.85	253	96	Vertical				
6	15853.8125	33.52	38.09	-33.59	38.02	54.00	15.98	225	32	Vertical				






Report No.: SEWA2210000060RG05

Rev.: 01

Page: 217 of 334

802.11n20_Channel 128



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7655.2708	49.51	36.81	-41.05	45.27	74.00	28.73	142	270	Horizontal				
2	11280	41.89	39.32	-35.25	45.96	74.00	28.04	265	203	Horizontal				
3	16920	39.62	38.54	-32.26	45.91	68.30	22.39	296	32	Horizontal				
4	7547.4583	40.40	36.59	-41.21	35.78	54.00	18.22	263	161	Horizontal				
5	12080.375	33.84	38.68	-35.09	37.43	54.00	16.57	265	161	Horizontal				
6	15868.1875	33.85	38.07	-33.55	38.37	54.00	15.63	214	75	Horizontal				






Report No.: SEWA2210000060RG05

Rev.: 01

Page: 218 of 334

802.11n20_Channel 128



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7543.1458	49.67	36.59	-41.21	45.04	74.00	28.96	142	336	Vertical				
2	11280	40.48	39.32	-35.25	44.55	74.00	29.45	265	230	Vertical				
3	16920	38.55	38.54	-32.26	44.84	68.30	23.46	284	250	Vertical				
4	7534.0417	40.37	36.57	-41.21	35.73	54.00	18.27	142	186	Vertical				
5	11468	32.88	39.13	-34.70	37.31	54.00	16.69	255	207	Vertical				
6	15865.7917	34.01	38.07	-33.56	38.53	54.00	15.47	253	3	Vertical				






Report No.: SEWA2210000060RG05

Rev.: 01

Page: 219 of 334

802.11n20_Channel 149



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7627.4792	48.59	36.75	-41.14	44.20	74.00	29.80	163	138	Horizontal				
2	11490	38.68	39.11	-34.59	43.20	74.00	30.80	296	95	Horizontal				
3	17235	38.57	39.54	-31.46	46.65	68.30	21.65	265	160	Horizontal				
4	7546.9792	40.64	36.59	-41.21	36.02	54.00	17.98	284	312	Horizontal				
5	11202.0625	33.75	39.40	-34.14	39.01	54.00	14.99	142	160	Horizontal				
6	15873.9375	33.67	38.06	-33.53	38.20	54.00	15.80	255	0	Horizontal				






Report No.: SEWA2210000060RG05

Rev.: 01

Page: 220 of 334

802.11n20_Channel 149



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7545.5417	48.65	36.59	-41.21	44.03	74.00	29.97	201	273	Vertical				
2	11490	39.71	39.11	-34.59	44.23	74.00	29.77	146	316	Vertical				
3	17235	38.40	39.54	-31.46	46.48	68.30	21.82	265	145	Vertical				
4	7539.3125	40.23	36.58	-41.21	35.60	54.00	18.40	285	0	Vertical				
5	11205.8958	33.51	39.39	-34.19	38.71	54.00	15.29	244	81	Vertical				
6	15881.125	33.37	38.05	-33.51	37.92	54.00	16.08	196	210	Vertical				






Report No.: SEWA2210000060RG05

Rev.: 01

Page: 221 of 334

802.11n20_Channel 157



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	7633.7083	49.20	36.77	-41.12	44.85	74.00	29.15	296	228	Horizontal			
2	11570	39.47	39.03	-35.09	43.41	74.00	30.59	265	102	Horizontal			
3	17355	35.71	40.02	-31.34	44.39	68.30	23.91	284	0	Horizontal			
4	7629.875	39.96	36.76	-41.14	35.58	54.00	18.42	145	122	Horizontal			
5	11933.75	32.82	38.67	-34.72	36.77	54.00	17.23	255	166	Horizontal			
6	15871.0625	33.32	38.07	-33.54	37.85	54.00	16.15	263	228	Horizontal			






Report No.: SEWA2210000060RG05

Rev.: 01

Page: 222 of 334

802.11n20_Channel 157



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	7634.1875	49.16	36.77	-41.12	44.81	74.00	29.19	296	293	Vertical			
2	11570	40.93	39.03	-35.09	44.87	74.00	29.13	265	336	Vertical			
3	17355	35.19	40.02	-31.34	43.87	68.30	24.43	284	1	Vertical			
4	7662.9375	40.20	36.83	-41.02	36.01	54.00	17.99	144	182	Vertical			
5	11465.125	33.39	39.13	-34.72	37.81	54.00	16.19	255	138	Vertical			
6	15855.25	33.22	38.09	-33.59	37.72	54.00	16.28	204	357	Vertical			






Report No.: SEWA2210000060RG05

Rev.: 01

Page: 223 of 334

802.11n20_Channel 165



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	7638.9792	48.85	36.78	-41.10	44.52	74.00	29.48	296	0	Horizontal			
2	11650	39.08	38.95	-35.02	43.01	74.00	30.99	265	316	Horizontal			
3	17475	36.62	40.50	-31.62	45.50	68.30	22.80	241	54	Horizontal			
4	7537.875	40.04	36.58	-41.21	35.41	54.00	18.59	174	54	Horizontal			
5	12428.25	33.27	39.03	-34.29	38.01	54.00	15.99	142	0	Horizontal			
6	15875.8542	34.04	38.06	-33.52	38.58	54.00	15.42	255	1	Horizontal			






Report No.: SEWA2210000060RG05

Rev.: 01

Page: 224 of 334

802.11n20_Channel 165



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	7571.4167	49.38	36.64	-41.23	44.80	74.00	29.20	253	228	Vertical			
2	11650	38.31	38.95	-35.02	42.24	74.00	31.76	296	160	Vertical			
3	17475	36.66	40.50	-31.62	45.54	68.30	22.76	265	183	Vertical			
4	7619.3333	39.90	36.74	-41.17	35.47	54.00	18.53	302	183	Vertical			
5	11171.3958	32.75	39.43	-34.47	37.71	54.00	16.29	226	10	Vertical			
6	15872.0208	33.33	38.07	-33.54	37.86	54.00	16.14	214	10	Vertical			






Report No.: SEWA2210000060RG05

Rev.: 01

Page: 225 of 334

802.11ac40_Channel 38



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	7530.2083	49.46	36.56	-41.21	44.82	74.00	29.18	296	53	Horizontal			
2	10380	41.92	38.92	-36.35	44.49	68.30	23.81	265	12	Horizontal			
3	15570	38.52	38.46	-33.91	43.07	74.00	30.93	241	356	Horizontal			
4	7556.5625	40.57	36.61	-41.22	35.96	54.00	18.04	142	208	Horizontal			
5	11203.0208	33.34	39.40	-34.15	38.58	54.00	15.42	255	2	Horizontal			
6	15864.8333	34.12	38.08	-33.56	38.64	54.00	15.36	236	336	Horizontal			






Report No.: SEWA2210000060RG05

Rev.: 01

Page: 226 of 334

802.11ac40_Channel 38



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	7546.0208	49.56	36.59	-41.21	44.94	74.00	29.06	296	164	Vertical			
2	10380	43.29	38.92	-36.35	45.86	68.30	22.44	265	100	Vertical			
3	15570	38.54	38.46	-33.91	43.09	74.00	30.91	241	100	Vertical			
4	7659.1042	40.38	36.82	-41.03	36.17	54.00	17.83	142	143	Vertical			
5	11469.4375	33.96	39.13	-34.70	38.39	54.00	15.61	255	0	Vertical			
6	15864.8333	33.55	38.08	-33.56	38.07	54.00	15.93	286	251	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.ags; and, for electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-e-Document as publications.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection reports & certificate please contact us at telephone; (86-755) 83071443.

South of No. Filtant, No. 1, Runshang Road, Sunbou Mindshial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国 (江苏) 自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房商部 邮编: 215000

t (86–512) 62992980 wv t (86–512) 62992980 sg

www.sgsgroup.com.cn sgs.china@sgs.com




Report No.: SEWA2210000060RG05

Rev.: 01

Page: 227 of 334

802.11ac40_Channel 46



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	7543.1458	50.34	36.59	-41.21	45.71	74.00	28.29	263	141	Horizontal			
2	10460	40.35	39.01	-36.21	43.15	68.30	25.15	296	186	Horizontal			
3	15690	38.81	38.30	-34.07	43.04	74.00	30.96	265	294	Horizontal			
4	7659.5833	40.31	36.82	-41.03	36.10	54.00	17.90	142	229	Horizontal			
5	11822.1042	33.61	38.78	-35.26	37.13	54.00	16.87	255	186	Horizontal			
6	15852.8542	33.75	38.09	-33.60	38.25	54.00	15.75	286	357	Horizontal			






Report No.: SEWA2210000060RG05

Rev.: 01

Page: 228 of 334

802.11ac40_Channel 46



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	7630.3542	50.37	36.76	-41.13	46.00	74.00	28.00	296	336	Vertical			
2	10460	40.64	39.01	-36.21	43.44	68.30	24.86	265	0	Vertical			
3	15690	38.83	38.30	-34.07	43.06	74.00	30.94	284	1	Vertical			
4	7630.8333	40.43	36.76	-41.13	36.06	54.00	17.94	142	336	Vertical			
5	11474.7083	33.17	39.13	-34.67	37.63	54.00	16.37	255	74	Vertical			
6	15860.5208	33.59	38.08	-33.57	38.10	54.00	15.90	253	143	Vertical			






Report No.: SEWA2210000060RG05

Rev.: 01

Page: 229 of 334

802.11ac40_Channel 54



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	7678.75	49.38	36.86	-40.96	45.27	74.00	28.73	246	74	Horizontal			
2	10540	39.56	39.09	-36.08	42.57	68.30	25.73	296	336	Horizontal			
3	15810	40.85	38.15	-33.73	45.27	74.00	28.73	265	336	Horizontal			
4	7555.125	40.23	36.61	-41.22	35.62	54.00	18.38	284	138	Horizontal			
5	11222.1875	34.06	39.38	-34.43	39.01	54.00	14.99	142	0	Horizontal			
6	15884.9583	33.79	38.05	-33.50	38.34	54.00	15.66	255	74	Horizontal			






Report No.: SEWA2210000060RG05

Rev.: 01

Page: 230 of 334

802.11ac40_Channel 54



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	7658.1458	49.00	36.82	-41.04	44.78	74.00	29.22	296	33	Vertical			
2	10540	40.84	39.09	-36.08	43.85	68.30	24.45	265	15	Vertical			
3	15810	40.99	38.15	-33.73	45.41	74.00	28.59	284	98	Vertical			
4	7549.8542	40.24	36.60	-41.21	35.62	54.00	18.38	142	141	Vertical			
5	11223.625	34.18	39.38	-34.45	39.11	54.00	14.89	255	15	Vertical			
6	15877.2917	33.73	38.06	-33.52	38.27	54.00	15.73	253	183	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction for or frozery or falsification of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) \$3071443,

or email: CN_Doccheck@sgs_com John d/Na. Fiyek, Na, Runshang Road, Suchou Indasteli Park, Suchou Area, China (Jángsa) PM Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区湾胜路1号的6号厂房南部 鄭樂: 215000

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com




Report No.: SEWA2210000060RG05

Rev.: 01

Page: 231 of 334

802.11ac40_Channel 62



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	7640.4167	49.26	36.78	-41.10	44.94	74.00	29.06	163	0	Horizontal			
2	10620	42.09	39.18	-35.85	45.42	74.00	28.58	265	141	Horizontal			
3	15930	39.25	37.99	-33.44	43.80	74.00	30.20	284	141	Horizontal			
4	7649.0417	40.24	36.80	-41.07	35.97	54.00	18.03	142	54	Horizontal			
5	11221.2292	33.69	39.38	-34.41	38.66	54.00	15.34	255	32	Horizontal			
6	15853.8125	33.95	38.09	-33.59	38.45	54.00	15.55	296	207	Horizontal			

