



Mode	55																																																																															
	Harmonic																																																																															
	U-NII-2A_5.25-5.35_802.11n_HT40_CH62_Full_5310MHz																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10620.00</td> <td>45.72</td> <td>74.00</td> <td>-28.28</td> <td>55.28</td> <td>37.77</td> <td>14.31</td> <td>61.64</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10620.00	45.72	74.00	-28.28	55.28	37.77	14.31	61.64	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10620.00</td> <td>45.86</td> <td>74.00</td> <td>-28.14</td> <td>55.42</td> <td>37.77</td> <td>14.31</td> <td>61.64</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10620.00	45.86	74.00	-28.14	55.42	37.77	14.31	61.64	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10620.00	45.72	74.00	-28.28	55.28	37.77	14.31	61.64	0.00	300	0 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10620.00	45.86	74.00	-28.14	55.42	37.77	14.31	61.64	0.00	100	0 PEAK																																																																						



		56																																																																															
Mode		Band Edge - L																																																																															
		U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																																																															
Pol.		Horizontal				Fundamental																																																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5433.04</td> <td>54.28</td> <td>74.00</td> <td>-19.72</td> <td>41.46</td> <td>34.00</td> <td>9.99</td> <td>31.97</td> <td>0.00</td> <td>102</td> <td>180</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5462.00</td> <td>54.83</td> <td>68.30</td> <td>-13.47</td> <td>41.99</td> <td>34.00</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>102</td> <td>180</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg	1	5433.04	54.28	74.00	-19.72	41.46	34.00	9.99	31.97	0.00	102	180	PEAK	2	5462.00	54.83	68.30	-13.47	41.99	34.00	10.03	31.99	0.00	102	180	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>104.40</td> <td>-----</td> <td>-----</td> <td>91.52</td> <td>34.00</td> <td>10.10</td> <td>32.02</td> <td>0.00</td> <td>102</td> <td>180</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg	1	5510.00	104.40	-----	-----	91.52	34.00	10.10	32.02	0.00	102	180	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																																								
1	5433.04	54.28	74.00	-19.72	41.46	34.00	9.99	31.97	0.00	102	180	PEAK																																																																					
2	5462.00	54.83	68.30	-13.47	41.99	34.00	10.03	31.99	0.00	102	180	PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																																								
1	5510.00	104.40	-----	-----	91.52	34.00	10.10	32.02	0.00	102	180	PEAK																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.84</td> <td>44.68</td> <td>54.00</td> <td>-9.32</td> <td>31.85</td> <td>34.00</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>102</td> <td>180</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg	1	5457.84	44.68	54.00	-9.32	31.85	34.00	10.02	31.99	0.00	102	180	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>95.31</td> <td>-----</td> <td>-----</td> <td>82.43</td> <td>34.79</td> <td>10.11</td> <td>32.02</td> <td>0.00</td> <td>102</td> <td>180</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg	1	5510.00	95.31	-----	-----	82.43	34.79	10.11	32.02	0.00	102	180	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																																								
1	5457.84	44.68	54.00	-9.32	31.85	34.00	10.02	31.99	0.00	102	180	AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																																								
1	5510.00	95.31	-----	-----	82.43	34.79	10.11	32.02	0.00	102	180	AVERAGE																																																																					



Mode	56																																										
	Band Edge - R																																										
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																										
Pol.	Horizontal	Fundamental																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5762.96</td> <td>54.68</td> <td>68.30</td> <td>-13.62</td> <td>41.73</td> <td>34.57</td> <td>10.38</td> <td>32.00</td> <td>0.00</td> <td>102</td> <td>180</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5762.96	54.68	68.30	-13.62	41.73	34.57	10.38	32.00	0.00	102	180	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																	
1 5762.96	54.68	68.30	-13.62	41.73	34.57	10.38	32.00	0.00	102	180	PEAK																																



		56																																																																																							
Mode		Band Edge - L																																																																																							
		U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																																																																							
Pol.	Vertical	Fundamental																																																																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5384.72</td> <td>54.20</td> <td>74.00</td> <td>-19.80</td> <td>41.47</td> <td>34.75</td> <td>9.93</td> <td>31.95</td> <td>0.00</td> <td>282</td> <td>271</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.68</td> <td>53.73</td> <td>68.30</td> <td>-14.57</td> <td>40.89</td> <td>34.00</td> <td>10.04</td> <td>32.00</td> <td>0.00</td> <td>282</td> <td>271</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5384.72	54.20	74.00	-19.80	41.47	34.75	9.93	31.95	0.00	282	271	PEAK	2	5469.68	53.73	68.30	-14.57	40.89	34.00	10.04	32.00	0.00	282	271	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>100.43</td> <td>-----</td> <td>-----</td> <td>87.55</td> <td>34.79</td> <td>10.11</td> <td>32.02</td> <td>0.00</td> <td>282</td> <td>271</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5510.00	100.43	-----	-----	87.55	34.79	10.11	32.02	0.00	282	271	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																		
1	5384.72	54.20	74.00	-19.80	41.47	34.75	9.93	31.95	0.00	282	271	PEAK																																																																													
2	5469.68	53.73	68.30	-14.57	40.89	34.00	10.04	32.00	0.00	282	271	PEAK																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																		
1	5510.00	100.43	-----	-----	87.55	34.79	10.11	32.02	0.00	282	271	PEAK																																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5418.00</td> <td>43.35</td> <td>54.00</td> <td>-10.65</td> <td>30.56</td> <td>34.00</td> <td>9.96</td> <td>31.97</td> <td>0.00</td> <td>282</td> <td>271</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5418.00	43.35	54.00	-10.65	30.56	34.00	9.96	31.97	0.00	282	271	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>90.78</td> <td>-----</td> <td>-----</td> <td>77.90</td> <td>34.79</td> <td>10.11</td> <td>32.02</td> <td>0.00</td> <td>282</td> <td>271</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5510.00	90.78	-----	-----	77.90	34.79	10.11	32.02	0.00	282	271	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																		
1	5418.00	43.35	54.00	-10.65	30.56	34.00	9.96	31.97	0.00	282	271	AVERAGE																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																		
1	5510.00	90.78	-----	-----	77.90	34.79	10.11	32.02	0.00	282	271	AVERAGE																																																																													



Mode	56																																										
	Band Edge - R																																										
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																										
Pol.	Vertical	Fundamental																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5749.19</td> <td>53.97</td> <td>68.30</td> <td>-14.33</td> <td>41.06</td> <td>34.56</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>282</td> <td>271</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5749.19	53.97	68.30	-14.33	41.06	34.56	10.36	32.01	0.00	282	271	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																	
1 5749.19	53.97	68.30	-14.33	41.06	34.56	10.36	32.01	0.00	282	271	PEAK																																



Mode	56																																																																																			
	Harmonic																																																																																			
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																																																																			
Pol.	Horizontal	Vertical																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11020.00</td> <td>45.56</td> <td>74.00</td> <td>-28.44</td> <td>54.68</td> <td>38.01</td> <td>14.58</td> <td>61.71</td> <td>0.00</td> <td>300</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11020.00	45.56	74.00	-28.44	54.68	38.01	14.58	61.71	0.00	300	0	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11020.00</td> <td>46.33</td> <td>74.00</td> <td>-27.67</td> <td>55.45</td> <td>38.01</td> <td>14.58</td> <td>61.71</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11020.00	46.33	74.00	-27.67	55.45	38.01	14.58	61.71	0.00	100	0	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 11020.00	45.56	74.00	-28.44	54.68	38.01	14.58	61.71	0.00	300	0	PEAK																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 11020.00	46.33	74.00	-27.67	55.45	38.01	14.58	61.71	0.00	100	0	PEAK																																																																									



57																																																																																															
Band Edge - L																																																																																															
U-NII-2C_5.47-5.725_802.11n HT40_CH110_Full_5550MHz																																																																																															
Pol.																																																																																															
	Horizontal																																																																																														
	Fundamental																																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5443.80</td> <td>53.88</td> <td>74.00</td> <td>-20.12</td> <td>41.06</td> <td>34.80</td> <td>10.00</td> <td>31.98</td> <td>0.00</td> <td>106</td> <td>182</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5460.20</td> <td>53.29</td> <td>68.30</td> <td>-15.01</td> <td>40.45</td> <td>34.80</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>106</td> <td>182</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5443.80	53.88	74.00	-20.12	41.06	34.80	10.00	31.98	0.00	106	182	PEAK	2	5460.20	53.29	68.30	-15.01	40.45	34.80	10.03	31.99	0.00	106	182	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>105.14</td> <td>-----</td> <td>-----</td> <td>92.32</td> <td>34.70</td> <td>10.17</td> <td>32.05</td> <td>0.00</td> <td>106</td> <td>182</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5550.00	105.14	-----	-----	92.32	34.70	10.17	32.05	0.00	106	182	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5443.80	53.88	74.00	-20.12	41.06	34.80	10.00	31.98	0.00	106	182	PEAK																																																																																			
2	5460.20	53.29	68.30	-15.01	40.45	34.80	10.03	31.99	0.00	106	182	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5550.00	105.14	-----	-----	92.32	34.70	10.17	32.05	0.00	106	182	PEAK																																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.80</td> <td>43.75</td> <td>54.00</td> <td>-10.25</td> <td>30.91</td> <td>34.80</td> <td>10.03</td> <td>31.99</td> <td>0.00</td> <td>106</td> <td>182</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5459.80	43.75	54.00	-10.25	30.91	34.80	10.03	31.99	0.00	106	182	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>95.17</td> <td>-----</td> <td>-----</td> <td>82.33</td> <td>34.72</td> <td>10.16</td> <td>32.04</td> <td>0.00</td> <td>106</td> <td>182</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5550.00	95.17	-----	-----	82.33	34.72	10.16	32.04	0.00	106	182	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5459.80	43.75	54.00	-10.25	30.91	34.80	10.03	31.99	0.00	106	182	AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5550.00	95.17	-----	-----	82.33	34.72	10.16	32.04	0.00	106	182	AVERAGE																																																																																			



Mode	57																																										
	Band Edge - R																																										
	U-NII-2C_5.47-5.725_802.11n HT40_CH110_Full_5550MHz																																										
Pol.	Horizontal	Fundamental																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5756.83</td> <td>55.30</td> <td>68.30</td> <td>-13.00</td> <td>42.37</td> <td>34.56</td> <td>10.37</td> <td>32.00</td> <td>0.00</td> <td>106</td> <td>182</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5756.83	55.30	68.30	-13.00	42.37	34.56	10.37	32.00	0.00	106	182	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																	
1 5756.83	55.30	68.30	-13.00	42.37	34.56	10.37	32.00	0.00	106	182	PEAK																																



		57																																																					
Mode		Band Edge - L																																																					
		U-NII-2C_5.47-5.725_802.11n HT40_CH110_Full_5550MHz																																																					
Pol.		Vertical				Fundamental																																																	
Peak	Vertical	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.40</td> <td>53.20</td> <td>74.00</td> <td>-20.80</td> <td>40.37</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>278</td> <td>273</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.80</td> <td>54.31</td> <td>68.30</td> <td>-13.99</td> <td>41.47</td> <td>34.80</td> <td>10.04</td> <td>32.00</td> <td>0.00</td> <td>278</td> <td>273</td> <td>PEAK</td> </tr> </tbody> </table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	1	5458.40	53.20	74.00	-20.80	40.37	34.80	10.02	31.99	0.00	278	273	PEAK	2	5468.80	54.31	68.30	-13.99	41.47	34.80	10.04	32.00	0.00	278	273	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																														
1	5458.40	53.20	74.00	-20.80	40.37	34.80	10.02	31.99	0.00	278	273	PEAK																																											
2	5468.80	54.31	68.30	-13.99	41.47	34.80	10.04	32.00	0.00	278	273	PEAK																																											
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>100.17</td> <td>-----</td> <td>-----</td> <td>87.35</td> <td>34.70</td> <td>10.17</td> <td>32.05</td> <td>0.00</td> <td>278</td> <td>273</td> <td>PEAK</td> </tr> </tbody> </table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	1	5550.00	100.17	-----	-----	87.35	34.70	10.17	32.05	0.00	278	273	PEAK														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																														
1	5550.00	100.17	-----	-----	87.35	34.70	10.17	32.05	0.00	278	273	PEAK																																											
Avg	Vertical	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5434.80</td> <td>43.36</td> <td>54.00</td> <td>-10.64</td> <td>30.55</td> <td>34.80</td> <td>9.99</td> <td>31.98</td> <td>0.00</td> <td>278</td> <td>273</td> <td>AVERAGE</td> </tr> </tbody> </table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	1	5434.80	43.36	54.00	-10.64	30.55	34.80	9.99	31.98	0.00	278	273	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																														
1	5434.80	43.36	54.00	-10.64	30.55	34.80	9.99	31.98	0.00	278	273	AVERAGE																																											
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>91.50</td> <td>-----</td> <td>-----</td> <td>78.68</td> <td>34.70</td> <td>10.17</td> <td>32.05</td> <td>0.00</td> <td>278</td> <td>273</td> <td>AVERAGE</td> </tr> </tbody> </table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	1	5550.00	91.50	-----	-----	78.68	34.70	10.17	32.05	0.00	278	273	AVERAGE														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																														
1	5550.00	91.50	-----	-----	78.68	34.70	10.17	32.05	0.00	278	273	AVERAGE																																											



Mode	57																																										
	Band Edge - R																																										
	U-NII-2C_5.47-5.725_802.11n HT40_CH110_Full_5550MHz																																										
Pol.	Vertical	Fundamental																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5742.86</td> <td>54.37</td> <td>68.30</td> <td>-13.93</td> <td>41.48</td> <td>34.55</td> <td>10.36</td> <td>32.02</td> <td>0.00</td> <td>278</td> <td>273</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5742.86	54.37	68.30	-13.93	41.48	34.55	10.36	32.02	0.00	278	273	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																	
1 5742.86	54.37	68.30	-13.93	41.48	34.55	10.36	32.02	0.00	278	273	PEAK																																



Mode	57																																																																															
	Harmonic																																																																															
	U-NII-2C_5.47-5.725_802.11n HT40_CH110_Full_5550MHz																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11100.00</td> <td>46.33</td> <td>74.00</td> <td>-27.67</td> <td>55.31</td> <td>38.06</td> <td>14.63</td> <td>61.67</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11100.00	46.33	74.00	-27.67	55.31	38.06	14.63	61.67	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11100.00</td> <td>47.17</td> <td>74.00</td> <td>-26.83</td> <td>56.15</td> <td>38.06</td> <td>14.63</td> <td>61.67</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11100.00	47.17	74.00	-26.83	56.15	38.06	14.63	61.67	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11100.00	46.33	74.00	-27.67	55.31	38.06	14.63	61.67	0.00	300	0 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11100.00	47.17	74.00	-26.83	56.15	38.06	14.63	61.67	0.00	100	0 PEAK																																																																						



		58																																																											
Mode		Band Edge - L																																																											
		U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz																																																											
Pol.		Horizontal				Fundamental																																																							
Peak	Horizontal	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5387.12</td> <td>52.83</td> <td>74.00</td> <td>-21.17</td> <td>40.10</td> <td>34.75</td> <td>9.93</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>159</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.68</td> <td>51.98</td> <td>68.30</td> <td>-16.32</td> <td>39.14</td> <td>34.00</td> <td>10.04</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>159</td> <td>PEAK</td> </tr> </tbody> </table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5387.12	52.83	74.00	-21.17	40.10	34.75	9.93	31.95	0.00	100	159	PEAK	2	5469.68	51.98	68.30	-16.32	39.14	34.00	10.04	32.00	0.00	100	159	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																				
1	5387.12	52.83	74.00	-21.17	40.10	34.75	9.93	31.95	0.00	100	159	PEAK																																																	
2	5469.68	51.98	68.30	-16.32	39.14	34.00	10.04	32.00	0.00	100	159	PEAK																																																	
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>103.74</td> <td>-----</td> <td>-----</td> <td>90.99</td> <td>34.52</td> <td>10.30</td> <td>32.07</td> <td>0.00</td> <td>100</td> <td>159</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	103.74	-----	-----	90.99	34.52	10.30	32.07	0.00	100	159	PEAK																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																				
1	5670.00	103.74	-----	-----	90.99	34.52	10.30	32.07	0.00	100	159	PEAK																																																	
Avg	Horizontal	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.60</td> <td>43.19</td> <td>54.00</td> <td>-10.81</td> <td>30.36</td> <td>34.00</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>159</td> <td>AVERAGE</td> </tr> </tbody> </table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.60	43.19	54.00	-10.81	30.36	34.00	10.02	31.99	0.00	100	159	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																				
1	5455.60	43.19	54.00	-10.81	30.36	34.00	10.02	31.99	0.00	100	159	AVERAGE																																																	
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>94.52</td> <td>-----</td> <td>-----</td> <td>81.77</td> <td>34.53</td> <td>10.30</td> <td>32.08</td> <td>0.00</td> <td>100</td> <td>159</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	94.52	-----	-----	81.77	34.53	10.30	32.08	0.00	100	159	AVERAGE																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																				
1	5670.00	94.52	-----	-----	81.77	34.53	10.30	32.08	0.00	100	159	AVERAGE																																																	



Mode	58																																										
	Band Edge - R																																										
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz																																										
Pol.	Horizontal	Fundamental																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5734.41</td> <td>56.62</td> <td>68.30</td> <td>-11.68</td> <td>43.75</td> <td>34.54</td> <td>10.35</td> <td>32.02</td> <td>0.00</td> <td>100</td> <td>159</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5734.41	56.62	68.30	-11.68	43.75	34.54	10.35	32.02	0.00	100	159	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																	
1 5734.41	56.62	68.30	-11.68	43.75	34.54	10.35	32.02	0.00	100	159	PEAK																																



		58																																																																																																					
Mode	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz																																																																																																						
Pol.	Vertical	Fundamental																																																																																																					
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5452.08</td> <td>53.70</td> <td>74.00</td> <td>-20.30</td> <td>40.88</td> <td>34.80</td> <td>10.01</td> <td>31.99</td> <td>0.00</td> <td>251</td> <td>268</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.04</td> <td>52.84</td> <td>68.30</td> <td>-15.46</td> <td>40.00</td> <td>34.00</td> <td>10.04</td> <td>32.00</td> <td>0.00</td> <td>251</td> <td>268</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.08	53.70	74.00	-20.30	40.88	34.80	10.01	31.99	0.00	251	268	PEAK	2	5469.04	52.84	68.30	-15.46	40.00	34.00	10.04	32.00	0.00	251	268	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>100.00</td> <td>-----</td> <td>-----</td> <td>87.33</td> <td>34.52</td> <td>10.30</td> <td>32.07</td> <td>0.00</td> <td>251</td> <td>268</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	100.00	-----	-----	87.33	34.52	10.30	32.07	0.00	251	268	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5452.08	53.70	74.00	-20.30	40.88	34.80	10.01	31.99	0.00	251	268	PEAK																																																																																											
2	5469.04	52.84	68.30	-15.46	40.00	34.00	10.04	32.00	0.00	251	268	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5670.00	100.00	-----	-----	87.33	34.52	10.30	32.07	0.00	251	268	PEAK																																																																																											
Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.20</td> <td>43.12</td> <td>54.00</td> <td>-10.88</td> <td>30.29</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>251</td> <td>268</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.20	43.12	54.00	-10.88	30.29	34.80	10.02	31.99	0.00	251	268	AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>89.83</td> <td>-----</td> <td>-----</td> <td>77.08</td> <td>34.52</td> <td>10.30</td> <td>32.07</td> <td>0.00</td> <td>251</td> <td>268</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	89.83	-----	-----	77.08	34.52	10.30	32.07	0.00	251	268	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5457.20	43.12	54.00	-10.88	30.29	34.80	10.02	31.99	0.00	251	268	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5670.00	89.83	-----	-----	77.08	34.52	10.30	32.07	0.00	251	268	AVERAGE																																																																																											



Mode	58																																										
	Band Edge - R																																										
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz																																										
Pol.	Vertical	Fundamental																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5727.76</td> <td>55.06</td> <td>68.30</td> <td>-13.24</td> <td>42.20</td> <td>34.54</td> <td>10.35</td> <td>32.03</td> <td>0.00</td> <td>251</td> <td>268</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5727.76	55.06	68.30	-13.24	42.20	34.54	10.35	32.03	0.00	251	268	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																	
1 5727.76	55.06	68.30	-13.24	42.20	34.54	10.35	32.03	0.00	251	268	PEAK																																



Mode	58																																																																															
	Harmonic																																																																															
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11340.00</td> <td>47.50</td> <td>74.00</td> <td>-26.50</td> <td>56.08</td> <td>38.20</td> <td>14.80</td> <td>61.58</td> <td>0.00</td> <td>300</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11340.00	47.50	74.00	-26.50	56.08	38.20	14.80	61.58	0.00	300	0	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11340.00</td> <td>46.95</td> <td>74.00</td> <td>-27.05</td> <td>55.53</td> <td>38.20</td> <td>14.80</td> <td>61.58</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11340.00	46.95	74.00	-27.05	55.53	38.20	14.80	61.58	0.00	100	0	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1 11340.00	47.50	74.00	-26.50	56.08	38.20	14.80	61.58	0.00	300	0	PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1 11340.00	46.95	74.00	-27.05	55.53	38.20	14.80	61.58	0.00	100	0	PEAK																																																																					



		59																																																																																																									
Mode		Band Edge																																																																																																									
		U-NII-3_5.725-5.85_802.11n HT20_CH149_Full_5745MHz																																																																																																									
Pol.		Horizontal					Fundamental																																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5638.57</td> <td>54.12</td> <td>68.30</td> <td>-14.18</td> <td>41.38</td> <td>34.56</td> <td>10.28</td> <td>32.10</td> <td>0.00</td> <td>100</td> <td>120</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5658.90</td> <td>52.46</td> <td>68.97</td> <td>-16.51</td> <td>39.71</td> <td>34.55</td> <td>10.29</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>120</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5701.21</td> <td>53.39</td> <td>105.64</td> <td>-52.25</td> <td>40.60</td> <td>34.51</td> <td>10.33</td> <td>32.05</td> <td>0.00</td> <td>100</td> <td>120</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5728.35</td> <td>53.08</td> <td>111.70</td> <td>-58.62</td> <td>40.24</td> <td>34.53</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>120</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	1	5638.57	54.12	68.30	-14.18	41.38	34.56	10.28	32.10	0.00	100	120	PEAK	2	5658.90	52.46	68.97	-16.51	39.71	34.55	10.29	32.09	0.00	100	120	PEAK	3	5701.21	53.39	105.64	-52.25	40.60	34.51	10.33	32.05	0.00	100	120	PEAK	4	5728.35	53.08	111.70	-58.62	40.24	34.53	10.34	32.03	0.00	100	120	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>107.05</td> <td>-----</td> <td>-----</td> <td>94.15</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>120</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	1	5745.00	107.05	-----	-----	94.15	34.55	10.36	32.01	0.00	100	120	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																																																		
1	5638.57	54.12	68.30	-14.18	41.38	34.56	10.28	32.10	0.00	100	120	PEAK																																																																																															
2	5658.90	52.46	68.97	-16.51	39.71	34.55	10.29	32.09	0.00	100	120	PEAK																																																																																															
3	5701.21	53.39	105.64	-52.25	40.60	34.51	10.33	32.05	0.00	100	120	PEAK																																																																																															
4	5728.35	53.08	111.70	-58.62	40.24	34.53	10.34	32.03	0.00	100	120	PEAK																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																																																		
1	5745.00	107.05	-----	-----	94.15	34.55	10.36	32.01	0.00	100	120	PEAK																																																																																															
Avg	<p style="text-align: center;">Blank</p>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>97.34</td> <td>-----</td> <td>-----</td> <td>84.44</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>120</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	1	5745.00	97.34	-----	-----	84.44	34.55	10.36	32.01	0.00	100	120	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																																																		
1	5745.00	97.34	-----	-----	84.44	34.55	10.36	32.01	0.00	100	120	AVERAGE																																																																																															



		59																																																																																	
Mode		Band Edge																																																																																	
		U-NII-3_5.725-5.85_802.11n HT20_CH149_Full_5745MHz																																																																																	
Pol.		Vertical					Fundamental																																																																												
Peak	Vertical	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5688.27</td> <td>53.89</td> <td>68.30</td> <td>-14.41</td> <td>41.12</td> <td>34.60</td> <td>10.25</td> <td>32.08</td> <td>0.00</td> <td>300</td> <td>91</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5652.06</td> <td>53.10</td> <td>69.83</td> <td>-16.73</td> <td>40.35</td> <td>34.55</td> <td>10.29</td> <td>32.09</td> <td>0.00</td> <td>300</td> <td>91</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.49</td> <td>53.36</td> <td>105.44</td> <td>-52.08</td> <td>40.58</td> <td>34.51</td> <td>10.32</td> <td>32.05</td> <td>0.00</td> <td>300</td> <td>91</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.35</td> <td>53.60</td> <td>111.70</td> <td>-58.10</td> <td>40.76</td> <td>34.53</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>300</td> <td>91</td> <td>PEAK</td> </tr> </tbody> </table>										Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg		1	5688.27	53.89	68.30	-14.41	41.12	34.60	10.25	32.08	0.00	300	91	PEAK	2	5652.06	53.10	69.83	-16.73	40.35	34.55	10.29	32.09	0.00	300	91	PEAK	3	5700.49	53.36	105.44	-52.08	40.58	34.51	10.32	32.05	0.00	300	91	PEAK	4	5720.35	53.60	111.70	-58.10	40.76	34.53	10.34	32.03	0.00	300	91	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg																																																																											
1	5688.27	53.89	68.30	-14.41	41.12	34.60	10.25	32.08	0.00	300	91	PEAK																																																																							
2	5652.06	53.10	69.83	-16.73	40.35	34.55	10.29	32.09	0.00	300	91	PEAK																																																																							
3	5700.49	53.36	105.44	-52.08	40.58	34.51	10.32	32.05	0.00	300	91	PEAK																																																																							
4	5720.35	53.60	111.70	-58.10	40.76	34.53	10.34	32.03	0.00	300	91	PEAK																																																																							
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>105.21</td> <td>-----</td> <td>-----</td> <td>92.31</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>300</td> <td>91</td> <td>PEAK</td> </tr> </tbody> </table>										Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg		1	5745.00	105.21	-----	-----	92.31	34.55	10.36	32.01	0.00	300	91	PEAK																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg																																																																											
1	5745.00	105.21	-----	-----	92.31	34.55	10.36	32.01	0.00	300	91	PEAK																																																																							
Avg	Vertical	Blank																																																																																	
	Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>95.91</td> <td>-----</td> <td>-----</td> <td>83.01</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>300</td> <td>91</td> <td>AVERAGE</td> </tr> </tbody> </table>										Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg		1	5745.00	95.91	-----	-----	83.01	34.55	10.36	32.01	0.00	300	91	AVERAGE																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg																																																																											
1	5745.00	95.91	-----	-----	83.01	34.55	10.36	32.01	0.00	300	91	AVERAGE																																																																							



Mode	59																																																																															
	Harmonic																																																																															
	U-NII-3_5.725-5.85_802.11n HT20_CH149_Full_5745MHz																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>46.35</td> <td>74.00</td> <td>-27.65</td> <td>54.67</td> <td>38.29</td> <td>14.91</td> <td>61.52</td> <td>0.00</td> <td>300</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11490.00	46.35	74.00	-27.65	54.67	38.29	14.91	61.52	0.00	300	0	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>45.81</td> <td>74.00</td> <td>-28.19</td> <td>54.13</td> <td>38.29</td> <td>14.91</td> <td>61.52</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11490.00	45.81	74.00	-28.19	54.13	38.29	14.91	61.52	0.00	100	0	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1 11490.00	46.35	74.00	-27.65	54.67	38.29	14.91	61.52	0.00	300	0	PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1 11490.00	45.81	74.00	-28.19	54.13	38.29	14.91	61.52	0.00	100	0	PEAK																																																																					






Mode	60																																																																															
	Harmonic																																																																															
	U-NII-3_5.725-5.85_802.11n HT20_CH157_Full_5785MHz																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>46.65</td> <td>74.00</td> <td>-27.35</td> <td>54.81</td> <td>38.36</td> <td>14.97</td> <td>61.49</td> <td>0.00</td> <td>300</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11570.00	46.65	74.00	-27.35	54.81	38.36	14.97	61.49	0.00	300	0	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>46.25</td> <td>74.00</td> <td>-27.75</td> <td>54.41</td> <td>38.36</td> <td>14.97</td> <td>61.49</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11570.00	46.25	74.00	-27.75	54.41	38.36	14.97	61.49	0.00	100	0	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1 11570.00	46.65	74.00	-27.35	54.81	38.36	14.97	61.49	0.00	300	0	PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1 11570.00	46.25	74.00	-27.75	54.41	38.36	14.97	61.49	0.00	100	0	PEAK																																																																					



		61																																																																																																																									
Mode		Band Edge																																																																																																																									
		U-NII-3_5.725-5.85_802.11n HT20_CH165_Full_5825MHz																																																																																																																									
Pol.		Horizontal					Fundamental																																																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.38</td> <td>56.35</td> <td>112.32</td> <td>-55.97</td> <td>43.00</td> <td>34.84</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>111</td> <td>128</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.50</td> <td>55.48</td> <td>105.44</td> <td>-49.96</td> <td>42.04</td> <td>34.92</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>111</td> <td>128</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.00</td> <td>54.70</td> <td>69.04</td> <td>-14.34</td> <td>41.07</td> <td>35.11</td> <td>10.51</td> <td>31.99</td> <td>0.00</td> <td>111</td> <td>128</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5929.00</td> <td>56.41</td> <td>68.30</td> <td>-11.89</td> <td>42.75</td> <td>35.13</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>111</td> <td>128</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.38	56.35	112.32	-55.97	43.00	34.84	10.45	31.94	0.00	111	128	PEAK	2	5874.50	55.48	105.44	-49.96	42.04	34.92	10.47	31.95	0.00	111	128	PEAK	3	5924.00	54.70	69.04	-14.34	41.07	35.11	10.51	31.99	0.00	111	128	PEAK	4	5929.00	56.41	68.30	-11.89	42.75	35.13	10.52	31.99	0.00	111	128	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>107.58</td> <td>-----</td> <td>-----</td> <td>94.38</td> <td>34.72</td> <td>10.43</td> <td>31.95</td> <td>0.00</td> <td>111</td> <td>128</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	107.58	-----	-----	94.38	34.72	10.43	31.95	0.00	111	128	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5854.38	56.35	112.32	-55.97	43.00	34.84	10.45	31.94	0.00	111	128	PEAK																																																																																																															
2	5874.50	55.48	105.44	-49.96	42.04	34.92	10.47	31.95	0.00	111	128	PEAK																																																																																																															
3	5924.00	54.70	69.04	-14.34	41.07	35.11	10.51	31.99	0.00	111	128	PEAK																																																																																																															
4	5929.00	56.41	68.30	-11.89	42.75	35.13	10.52	31.99	0.00	111	128	PEAK																																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5825.00	107.58	-----	-----	94.38	34.72	10.43	31.95	0.00	111	128	PEAK																																																																																																															
Avg	<p style="text-align: center;">Blank</p>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>98.27</td> <td>-----</td> <td>-----</td> <td>85.07</td> <td>34.72</td> <td>10.43</td> <td>31.95</td> <td>0.00</td> <td>111</td> <td>128</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	98.27	-----	-----	85.07	34.72	10.43	31.95	0.00	111	128	AVERAGE																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5825.00	98.27	-----	-----	85.07	34.72	10.43	31.95	0.00	111	128	AVERAGE																																																																																																															



		61																																																																																																																																									
Mode		Band Edge																																																																																																																																									
		U-NII-3_5.725-5.85_802.11n HT20_CH165_Full_5825MHz																																																																																																																																									
Pol.		Vertical					Fundamental																																																																																																																																				
Peak	Vertical	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a red limit line and a blue read line. The read line shows a peak at 5825 MHz. The limit line is labeled '5G BAND4'.</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5853.75</td> <td>54.30</td> <td>113.75</td> <td>-59.45</td> <td>40.96</td> <td>34.83</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>310</td> <td>92</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5872.75</td> <td>54.93</td> <td>105.93</td> <td>-51.00</td> <td>41.50</td> <td>34.91</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>310</td> <td>92</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5925.00</td> <td>54.40</td> <td>68.30</td> <td>-13.90</td> <td>40.76</td> <td>35.11</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>310</td> <td>92</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5941.38</td> <td>54.54</td> <td>68.30</td> <td>-13.76</td> <td>40.83</td> <td>35.18</td> <td>10.53</td> <td>32.00</td> <td>0.00</td> <td>310</td> <td>92</td> <td>PEAK</td> </tr> </tbody> </table>										Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5853.75	54.30	113.75	-59.45	40.96	34.83	10.45	31.94	0.00	310	92	PEAK	2	5872.75	54.93	105.93	-51.00	41.50	34.91	10.47	31.95	0.00	310	92	PEAK	3	5925.00	54.40	68.30	-13.90	40.76	35.11	10.52	31.99	0.00	310	92	PEAK	4	5941.38	54.54	68.30	-13.76	40.83	35.18	10.53	32.00	0.00	310	92	PEAK	Fundamental	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a red limit line and a blue read line. The read line shows a sharp peak at 5825 MHz. The limit line is labeled '5G BAND4'.</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>106.00</td> <td>-----</td> <td>-----</td> <td>92.77</td> <td>34.74</td> <td>10.43</td> <td>31.94</td> <td>0.00</td> <td>310</td> <td>92</td> <td>PEAK</td> </tr> </tbody> </table>										Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	106.00	-----	-----	92.77	34.74	10.43	31.94	0.00	310	92	PEAK
	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5853.75	54.30	113.75	-59.45	40.96	34.83	10.45	31.94	0.00	310	92	PEAK																																																																																																																															
2	5872.75	54.93	105.93	-51.00	41.50	34.91	10.47	31.95	0.00	310	92	PEAK																																																																																																																															
3	5925.00	54.40	68.30	-13.90	40.76	35.11	10.52	31.99	0.00	310	92	PEAK																																																																																																																															
4	5941.38	54.54	68.30	-13.76	40.83	35.18	10.53	32.00	0.00	310	92	PEAK																																																																																																																															
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	106.00	-----	-----	92.77	34.74	10.43	31.94	0.00	310	92	PEAK																																																																																																																															
Avg	Vertical	Blank										Fundamental	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a red limit line and a blue read line. The read line shows a sharp peak at 5825 MHz. The limit line is labeled '5G BAND4 (AVG)'.</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>96.28</td> <td>-----</td> <td>-----</td> <td>83.08</td> <td>34.72</td> <td>10.43</td> <td>31.95</td> <td>0.00</td> <td>310</td> <td>92</td> <td>AVERAGE</td> </tr> </tbody> </table>										Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	96.28	-----	-----	83.08	34.72	10.43	31.95	0.00	310	92	AVERAGE																																																																														
	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	96.28	-----	-----	83.08	34.72	10.43	31.95	0.00	310	92	AVERAGE																																																																																																																															



Mode	61																																																																															
	Harmonic																																																																															
	U-NII-3_5.725-5.85_802.11n HT20_CH165_Full_5825MHz																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>46.25</td> <td>74.00</td> <td>-27.75</td> <td>54.25</td> <td>38.45</td> <td>15.02</td> <td>61.47</td> <td>0.00</td> <td>300</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11650.00	46.25	74.00	-27.75	54.25	38.45	15.02	61.47	0.00	300	0	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>46.64</td> <td>74.00</td> <td>-27.36</td> <td>54.64</td> <td>38.45</td> <td>15.02</td> <td>61.47</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11650.00	46.64	74.00	-27.36	54.64	38.45	15.02	61.47	0.00	100	0	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1 11650.00	46.25	74.00	-27.75	54.25	38.45	15.02	61.47	0.00	300	0	PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1 11650.00	46.64	74.00	-27.36	54.64	38.45	15.02	61.47	0.00	100	0	PEAK																																																																					



		62																																																																																																									
Mode		Band Edge - L																																																																																																									
		U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																																									
Pol.		Horizontal					Fundamental																																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5637.20</td> <td>54.00</td> <td>68.30</td> <td>-14.30</td> <td>41.27</td> <td>34.56</td> <td>10.27</td> <td>32.10</td> <td>0.00</td> <td>100</td> <td>118</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.31</td> <td>52.83</td> <td>69.27</td> <td>-16.44</td> <td>40.08</td> <td>34.55</td> <td>10.29</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>118</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.60</td> <td>52.75</td> <td>105.47</td> <td>-52.72</td> <td>39.96</td> <td>34.51</td> <td>10.33</td> <td>32.05</td> <td>0.00</td> <td>100</td> <td>118</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.44</td> <td>54.30</td> <td>111.89</td> <td>-57.59</td> <td>41.46</td> <td>34.53</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>118</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	1	5637.20	54.00	68.30	-14.30	41.27	34.56	10.27	32.10	0.00	100	118	PEAK	2	5651.31	52.83	69.27	-16.44	40.08	34.55	10.29	32.09	0.00	100	118	PEAK	3	5700.60	52.75	105.47	-52.72	39.96	34.51	10.33	32.05	0.00	100	118	PEAK	4	5720.44	54.30	111.89	-57.59	41.46	34.53	10.34	32.03	0.00	100	118	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>104.04</td> <td>-----</td> <td>-----</td> <td>91.12</td> <td>34.56</td> <td>10.37</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>118</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	1	5755.00	104.04	-----	-----	91.12	34.56	10.37	32.01	0.00	100	118	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																																																		
1	5637.20	54.00	68.30	-14.30	41.27	34.56	10.27	32.10	0.00	100	118	PEAK																																																																																															
2	5651.31	52.83	69.27	-16.44	40.08	34.55	10.29	32.09	0.00	100	118	PEAK																																																																																															
3	5700.60	52.75	105.47	-52.72	39.96	34.51	10.33	32.05	0.00	100	118	PEAK																																																																																															
4	5720.44	54.30	111.89	-57.59	41.46	34.53	10.34	32.03	0.00	100	118	PEAK																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																																																		
1	5755.00	104.04	-----	-----	91.12	34.56	10.37	32.01	0.00	100	118	PEAK																																																																																															
Avg	<p style="text-align: center;">Blank</p>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>94.48</td> <td>-----</td> <td>-----</td> <td>81.56</td> <td>34.56</td> <td>10.37</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>118</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	1	5755.00	94.48	-----	-----	81.56	34.56	10.37	32.01	0.00	100	118	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																																																		
1	5755.00	94.48	-----	-----	81.56	34.56	10.37	32.01	0.00	100	118	AVERAGE																																																																																															



Mode	62																																																																																
	Band Edge - R																																																																																
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																
Pol.	Horizontal	Fundamental																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.84</td> <td>52.33</td> <td>111.26</td> <td>-58.93</td> <td>38.98</td> <td>34.84</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>118</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5872.39</td> <td>54.63</td> <td>106.03</td> <td>-51.40</td> <td>41.20</td> <td>34.91</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>118</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.65</td> <td>53.37</td> <td>68.56</td> <td>-15.19</td> <td>39.73</td> <td>35.11</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>118</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5937.13</td> <td>54.91</td> <td>68.30</td> <td>-13.39</td> <td>41.22</td> <td>35.16</td> <td>10.53</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>118</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5854.84	52.33	111.26	-58.93	38.98	34.84	10.45	31.94	0.00	100	118	PEAK	2	5872.39	54.63	106.03	-51.40	41.20	34.91	10.47	31.95	0.00	100	118	PEAK	3	5924.65	53.37	68.56	-15.19	39.73	35.11	10.52	31.99	0.00	100	118	PEAK	4	5937.13	54.91	68.30	-13.39	41.22	35.16	10.53	32.00	0.00	100	118	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																									
1	5854.84	52.33	111.26	-58.93	38.98	34.84	10.45	31.94	0.00	100	118	PEAK																																																																					
2	5872.39	54.63	106.03	-51.40	41.20	34.91	10.47	31.95	0.00	100	118	PEAK																																																																					
3	5924.65	53.37	68.56	-15.19	39.73	35.11	10.52	31.99	0.00	100	118	PEAK																																																																					
4	5937.13	54.91	68.30	-13.39	41.22	35.16	10.53	32.00	0.00	100	118	PEAK																																																																					



		62																																																																																																									
Mode		Band Edge - L																																																																																																									
		U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																																									
Pol.		Vertical					Fundamental																																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5627.59</td> <td>53.53</td> <td>68.30</td> <td>-14.77</td> <td>40.77</td> <td>34.58</td> <td>10.27</td> <td>32.09</td> <td>0.00</td> <td>300</td> <td>92</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5658.07</td> <td>51.38</td> <td>68.35</td> <td>-16.97</td> <td>38.64</td> <td>34.55</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>300</td> <td>92</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.13</td> <td>52.49</td> <td>105.34</td> <td>-52.85</td> <td>39.71</td> <td>34.51</td> <td>10.32</td> <td>32.05</td> <td>0.00</td> <td>300</td> <td>92</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.13</td> <td>54.09</td> <td>111.19</td> <td>-57.10</td> <td>41.25</td> <td>34.53</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>300</td> <td>92</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	1	5627.59	53.53	68.30	-14.77	40.77	34.58	10.27	32.09	0.00	300	92	PEAK	2	5658.07	51.38	68.35	-16.97	38.64	34.55	10.28	32.09	0.00	300	92	PEAK	3	5700.13	52.49	105.34	-52.85	39.71	34.51	10.32	32.05	0.00	300	92	PEAK	4	5720.13	54.09	111.19	-57.10	41.25	34.53	10.34	32.03	0.00	300	92	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>102.54</td> <td>-----</td> <td>-----</td> <td>89.62</td> <td>34.56</td> <td>10.37</td> <td>32.01</td> <td>0.00</td> <td>300</td> <td>92</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	1	5755.00	102.54	-----	-----	89.62	34.56	10.37	32.01	0.00	300	92	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																																																		
1	5627.59	53.53	68.30	-14.77	40.77	34.58	10.27	32.09	0.00	300	92	PEAK																																																																																															
2	5658.07	51.38	68.35	-16.97	38.64	34.55	10.28	32.09	0.00	300	92	PEAK																																																																																															
3	5700.13	52.49	105.34	-52.85	39.71	34.51	10.32	32.05	0.00	300	92	PEAK																																																																																															
4	5720.13	54.09	111.19	-57.10	41.25	34.53	10.34	32.03	0.00	300	92	PEAK																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																																																		
1	5755.00	102.54	-----	-----	89.62	34.56	10.37	32.01	0.00	300	92	PEAK																																																																																															
Avg	<p style="text-align: center;">Blank</p>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>93.20</td> <td>-----</td> <td>-----</td> <td>80.27</td> <td>34.56</td> <td>10.37</td> <td>32.00</td> <td>0.00</td> <td>300</td> <td>92</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	1	5755.00	93.20	-----	-----	80.27	34.56	10.37	32.00	0.00	300	92	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																																																		
1	5755.00	93.20	-----	-----	80.27	34.56	10.37	32.00	0.00	300	92	AVERAGE																																																																																															



Mode	62																																																																																
	Band Edge - R																																																																																
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																
Pol.	Vertical	Fundamental																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.45</td> <td>52.01</td> <td>112.15</td> <td>-60.14</td> <td>38.66</td> <td>34.84</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>300</td> <td>92</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.15</td> <td>53.35</td> <td>105.54</td> <td>-52.19</td> <td>39.92</td> <td>34.91</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>300</td> <td>92</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5922.51</td> <td>55.53</td> <td>70.14</td> <td>-14.61</td> <td>41.91</td> <td>35.10</td> <td>10.51</td> <td>31.99</td> <td>0.00</td> <td>300</td> <td>92</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5930.50</td> <td>53.92</td> <td>68.30</td> <td>-14.38</td> <td>40.26</td> <td>35.14</td> <td>10.52</td> <td>32.00</td> <td>0.00</td> <td>300</td> <td>92</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5854.45	52.01	112.15	-60.14	38.66	34.84	10.45	31.94	0.00	300	92	PEAK	2	5874.15	53.35	105.54	-52.19	39.92	34.91	10.47	31.95	0.00	300	92	PEAK	3	5922.51	55.53	70.14	-14.61	41.91	35.10	10.51	31.99	0.00	300	92	PEAK	4	5930.50	53.92	68.30	-14.38	40.26	35.14	10.52	32.00	0.00	300	92	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																									
1	5854.45	52.01	112.15	-60.14	38.66	34.84	10.45	31.94	0.00	300	92	PEAK																																																																					
2	5874.15	53.35	105.54	-52.19	39.92	34.91	10.47	31.95	0.00	300	92	PEAK																																																																					
3	5922.51	55.53	70.14	-14.61	41.91	35.10	10.51	31.99	0.00	300	92	PEAK																																																																					
4	5930.50	53.92	68.30	-14.38	40.26	35.14	10.52	32.00	0.00	300	92	PEAK																																																																					



Mode	62																																																																															
	Harmonic																																																																															
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11510.00</td> <td>47.02</td> <td>74.00</td> <td>-26.98</td> <td>55.31</td> <td>38.30</td> <td>14.92</td> <td>61.51</td> <td>0.00</td> <td>300</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11510.00	47.02	74.00	-26.98	55.31	38.30	14.92	61.51	0.00	300	0	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11510.00</td> <td>46.24</td> <td>74.00</td> <td>-27.76</td> <td>54.53</td> <td>38.30</td> <td>14.92</td> <td>61.51</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11510.00	46.24	74.00	-27.76	54.53	38.30	14.92	61.51	0.00	100	0	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1 11510.00	47.02	74.00	-26.98	55.31	38.30	14.92	61.51	0.00	300	0	PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1 11510.00	46.24	74.00	-27.76	54.53	38.30	14.92	61.51	0.00	100	0	PEAK																																																																					



		63																																																																																																									
Mode		Band Edge - L																																																																																																									
		U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																																																									
Pol.		Horizontal					Fundamental																																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5633.54</td> <td>54.54</td> <td>68.30</td> <td>-13.76</td> <td>41.80</td> <td>34.57</td> <td>10.27</td> <td>32.10</td> <td>0.00</td> <td>100</td> <td>126</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.12</td> <td>52.43</td> <td>68.39</td> <td>-15.96</td> <td>39.69</td> <td>34.55</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>126</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.82</td> <td>52.89</td> <td>105.53</td> <td>-52.64</td> <td>40.10</td> <td>34.51</td> <td>10.33</td> <td>32.05</td> <td>0.00</td> <td>100</td> <td>126</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.12</td> <td>51.44</td> <td>111.17</td> <td>-59.73</td> <td>38.60</td> <td>34.53</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>126</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	1	5633.54	54.54	68.30	-13.76	41.80	34.57	10.27	32.10	0.00	100	126	PEAK	2	5650.12	52.43	68.39	-15.96	39.69	34.55	10.28	32.09	0.00	100	126	PEAK	3	5700.82	52.89	105.53	-52.64	40.10	34.51	10.33	32.05	0.00	100	126	PEAK	4	5720.12	51.44	111.17	-59.73	38.60	34.53	10.34	32.03	0.00	100	126	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>103.72</td> <td>-----</td> <td>-----</td> <td>90.69</td> <td>34.60</td> <td>10.40</td> <td>31.97</td> <td>0.00</td> <td>100</td> <td>126</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	1	5795.00	103.72	-----	-----	90.69	34.60	10.40	31.97	0.00	100	126	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																																																		
1	5633.54	54.54	68.30	-13.76	41.80	34.57	10.27	32.10	0.00	100	126	PEAK																																																																																															
2	5650.12	52.43	68.39	-15.96	39.69	34.55	10.28	32.09	0.00	100	126	PEAK																																																																																															
3	5700.82	52.89	105.53	-52.64	40.10	34.51	10.33	32.05	0.00	100	126	PEAK																																																																																															
4	5720.12	51.44	111.17	-59.73	38.60	34.53	10.34	32.03	0.00	100	126	PEAK																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																																																		
1	5795.00	103.72	-----	-----	90.69	34.60	10.40	31.97	0.00	100	126	PEAK																																																																																															
Avg	<p style="text-align: center;">Blank</p>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>94.94</td> <td>-----</td> <td>-----</td> <td>81.91</td> <td>34.60</td> <td>10.40</td> <td>31.97</td> <td>0.00</td> <td>100</td> <td>126</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	1	5795.00	94.94	-----	-----	81.91	34.60	10.40	31.97	0.00	100	126	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																																																		
1	5795.00	94.94	-----	-----	81.91	34.60	10.40	31.97	0.00	100	126	AVERAGE																																																																																															



Mode	63																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5853.59</td> <td>55.59</td> <td>114.11</td> <td>-58.52</td> <td>42.25</td> <td>34.83</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>126</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.21</td> <td>54.87</td> <td>105.52</td> <td>-50.65</td> <td>41.44</td> <td>34.91</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>126</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.96</td> <td>54.00</td> <td>69.07</td> <td>-15.07</td> <td>40.37</td> <td>35.11</td> <td>10.51</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>126</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5941.32</td> <td>55.84</td> <td>68.30</td> <td>-12.46</td> <td>42.13</td> <td>35.18</td> <td>10.53</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>126</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5853.59	55.59	114.11	-58.52	42.25	34.83	10.45	31.94	0.00	100	126	PEAK	2	5874.21	54.87	105.52	-50.65	41.44	34.91	10.47	31.95	0.00	100	126	PEAK	3	5923.96	54.00	69.07	-15.07	40.37	35.11	10.51	31.99	0.00	100	126	PEAK	4	5941.32	55.84	68.30	-12.46	42.13	35.18	10.53	32.00	0.00	100	126	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5853.59	55.59	114.11	-58.52	42.25	34.83	10.45	31.94	0.00	100	126	PEAK																																																														
2	5874.21	54.87	105.52	-50.65	41.44	34.91	10.47	31.95	0.00	100	126	PEAK																																																														
3	5923.96	54.00	69.07	-15.07	40.37	35.11	10.51	31.99	0.00	100	126	PEAK																																																														
4	5941.32	55.84	68.30	-12.46	42.13	35.18	10.53	32.00	0.00	100	126	PEAK																																																														



		63																																																																																							
Mode		Band Edge - L																																																																																							
		U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																																							
Pol.		Vertical					Fundamental																																																																																		
Peak																																																																																									
		<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5630.23</td> <td>53.13</td> <td>68.30</td> <td>-15.17</td> <td>40.38</td> <td>34.57</td> <td>10.27</td> <td>32.09</td> <td>0.00</td> <td>300</td> <td>86 PEAK</td> </tr> <tr> <td>2</td> <td>5650.51</td> <td>52.59</td> <td>68.60</td> <td>-16.09</td> <td>39.85</td> <td>34.55</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>300</td> <td>86 PEAK</td> </tr> <tr> <td>3</td> <td>5700.23</td> <td>52.41</td> <td>105.36</td> <td>-52.95</td> <td>39.63</td> <td>34.51</td> <td>10.32</td> <td>32.05</td> <td>0.00</td> <td>300</td> <td>86 PEAK</td> </tr> <tr> <td>4</td> <td>5720.12</td> <td>50.72</td> <td>111.17</td> <td>-60.45</td> <td>37.88</td> <td>34.53</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>300</td> <td>86 PEAK</td> </tr> </tbody> </table>										Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5630.23	53.13	68.30	-15.17	40.38	34.57	10.27	32.09	0.00	300	86 PEAK	2	5650.51	52.59	68.60	-16.09	39.85	34.55	10.28	32.09	0.00	300	86 PEAK	3	5700.23	52.41	105.36	-52.95	39.63	34.51	10.32	32.05	0.00	300	86 PEAK	4	5720.12	50.72	111.17	-60.45	37.88	34.53	10.34	32.03	0.00	300
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	5630.23	53.13	68.30	-15.17	40.38	34.57	10.27	32.09	0.00	300	86 PEAK																																																																														
2	5650.51	52.59	68.60	-16.09	39.85	34.55	10.28	32.09	0.00	300	86 PEAK																																																																														
3	5700.23	52.41	105.36	-52.95	39.63	34.51	10.32	32.05	0.00	300	86 PEAK																																																																														
4	5720.12	50.72	111.17	-60.45	37.88	34.53	10.34	32.03	0.00	300	86 PEAK																																																																														
Avg																																																																																									
		<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>101.37</td> <td>-----</td> <td>-----</td> <td>88.34</td> <td>34.60</td> <td>10.40</td> <td>31.97</td> <td>0.00</td> <td>300</td> <td>86 PEAK</td> </tr> </tbody> </table>										Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	101.37	-----	-----	88.34	34.60	10.40	31.97	0.00	300	86 PEAK																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	5795.00	101.37	-----	-----	88.34	34.60	10.40	31.97	0.00	300	86 PEAK																																																																														
Avg		Blank																																																																																							
		<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>93.08</td> <td>-----</td> <td>-----</td> <td>80.02</td> <td>34.62</td> <td>10.41</td> <td>31.97</td> <td>0.00</td> <td>300</td> <td>86 AVERAGE</td> </tr> </tbody> </table>										Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	93.08	-----	-----	80.02	34.62	10.41	31.97	0.00	300	86 AVERAGE																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	5795.00	93.08	-----	-----	80.02	34.62	10.41	31.97	0.00	300	86 AVERAGE																																																																														



Mode	63																																																																		
	Band Edge - R																																																																		
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																		
Pol.	Vertical	Fundamental																																																																	
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>Aux Loss (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.99</td> <td>55.63</td> <td>110.93</td> <td>-55.30</td> <td>42.28</td> <td>34.84</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>300</td> <td>86</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5864.44</td> <td>58.22</td> <td>108.25</td> <td>-50.03</td> <td>44.83</td> <td>34.88</td> <td>10.46</td> <td>31.95</td> <td>0.00</td> <td>300</td> <td>86</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.89</td> <td>53.25</td> <td>68.38</td> <td>-15.13</td> <td>39.61</td> <td>35.11</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>300</td> <td>86</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5928.15</td> <td>54.71</td> <td>68.30</td> <td>-13.59</td> <td>41.05</td> <td>35.13</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>300</td> <td>86</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Loss (dB)	APos (cm)	TPos (deg)	Remark	1	5854.99	55.63	110.93	-55.30	42.28	34.84	10.45	31.94	0.00	300	86	PEAK	2	5864.44	58.22	108.25	-50.03	44.83	34.88	10.46	31.95	0.00	300	86	PEAK	3	5924.89	53.25	68.38	-15.13	39.61	35.11	10.52	31.99	0.00	300	86	PEAK	4	5928.15	54.71	68.30	-13.59	41.05	35.13	10.52	31.99	0.00	300	86	PEAK	Blank
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Loss (dB)	APos (cm)	TPos (deg)	Remark																																																							
1	5854.99	55.63	110.93	-55.30	42.28	34.84	10.45	31.94	0.00	300	86	PEAK																																																							
2	5864.44	58.22	108.25	-50.03	44.83	34.88	10.46	31.95	0.00	300	86	PEAK																																																							
3	5924.89	53.25	68.38	-15.13	39.61	35.11	10.52	31.99	0.00	300	86	PEAK																																																							
4	5928.15	54.71	68.30	-13.59	41.05	35.13	10.52	31.99	0.00	300	86	PEAK																																																							



Mode	63																																																																															
	Harmonic																																																																															
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11590.00</td> <td>47.29</td> <td>74.00</td> <td>-26.71</td> <td>55.41</td> <td>38.39</td> <td>14.98</td> <td>61.49</td> <td>0.00</td> <td>300</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11590.00	47.29	74.00	-26.71	55.41	38.39	14.98	61.49	0.00	300	0	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11590.00</td> <td>46.14</td> <td>74.00</td> <td>-27.86</td> <td>54.26</td> <td>38.39</td> <td>14.98</td> <td>61.49</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11590.00	46.14	74.00	-27.86	54.26	38.39	14.98	61.49	0.00	100	0	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1 11590.00	47.29	74.00	-26.71	55.41	38.39	14.98	61.49	0.00	300	0	PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1 11590.00	46.14	74.00	-27.86	54.26	38.39	14.98	61.49	0.00	100	0	PEAK																																																																					



Mode	64																																																																													
	Harmonic																																																																													
	U-NII-2C_5.47-5.85_802.11n HT20_CH144_Full_5720MHz																																																																													
Pol.	Horizontal	Vertical																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>46.09</td> <td>74.00</td> <td>-27.91</td> <td>54.50</td> <td>38.26</td> <td>14.87</td> <td>61.54</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11440.00	46.09	74.00	-27.91	54.50	38.26	14.87	61.54	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>46.16</td> <td>74.00</td> <td>-27.84</td> <td>54.57</td> <td>38.26</td> <td>14.87</td> <td>61.54</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11440.00	46.16	74.00	-27.84	54.57	38.26	14.87	61.54	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																						
1 11440.00	46.09	74.00	-27.91	54.50	38.26	14.87	61.54	0.00	300	0 PEAK																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																						
1 11440.00	46.16	74.00	-27.84	54.57	38.26	14.87	61.54	0.00	100	0 PEAK																																																																				



Mode	65																																																																													
	Harmonic																																																																													
	U-NII-2C_5.47-5.85_802.11n HT40_CH142_Full_5710MHz																																																																													
Pol.	Horizontal	Vertical																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>46.67</td> <td>74.00</td> <td>-27.33</td> <td>55.10</td> <td>38.25</td> <td>14.86</td> <td>61.54</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11420.00	46.67	74.00	-27.33	55.10	38.25	14.86	61.54	0.00	300	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>46.16</td> <td>74.00</td> <td>-27.84</td> <td>54.59</td> <td>38.25</td> <td>14.86</td> <td>61.54</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11420.00	46.16	74.00	-27.84	54.59	38.25	14.86	61.54	0.00	100	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																						
1 11420.00	46.67	74.00	-27.33	55.10	38.25	14.86	61.54	0.00	300	0 PEAK																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																						
1 11420.00	46.16	74.00	-27.84	54.59	38.25	14.86	61.54	0.00	100	0 PEAK																																																																				




		30M-1G																																																																																																																																																										
Mode		Harmonic																																																																																																																																																										
		U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full_5290MHz																																																																																																																																																										
Pol.	Horizontal	Vertical																																																																																																																																																										
Peak QP	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit Line (dBuV/m)</th> <th>ReadAntenna Level (dBuV)</th> <th>Cable Factor (dB/m)</th> <th>Preamp Loss Factor (dB)</th> <th>A/Pos (dB)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>70.74</td><td>18.80</td><td>-21.20</td><td>40.00</td><td>37.97</td><td>12.66</td><td>0.97</td><td>32.80</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>226.91</td><td>34.03</td><td>-11.97</td><td>46.00</td><td>48.76</td><td>16.04</td><td>2.03</td><td>32.80</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>302.57</td><td>39.03</td><td>-6.97</td><td>46.00</td><td>50.07</td><td>19.42</td><td>2.35</td><td>32.81</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>406.36</td><td>29.60</td><td>-16.40</td><td>46.00</td><td>37.62</td><td>22.12</td><td>2.72</td><td>32.86</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>487.84</td><td>27.90</td><td>-18.10</td><td>46.00</td><td>34.07</td><td>23.80</td><td>2.98</td><td>32.95</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>753.62</td><td>33.84</td><td>-12.16</td><td>46.00</td><td>34.64</td><td>28.28</td><td>3.71</td><td>32.79</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Cable Factor (dB/m)	Preamp Loss Factor (dB)	A/Pos (dB)	T/Pos (deg)	Remark	1	70.74	18.80	-21.20	40.00	37.97	12.66	0.97	32.80	---	Peak	2	226.91	34.03	-11.97	46.00	48.76	16.04	2.03	32.80	---	Peak	3	302.57	39.03	-6.97	46.00	50.07	19.42	2.35	32.81	---	Peak	4	406.36	29.60	-16.40	46.00	37.62	22.12	2.72	32.86	---	Peak	5	487.84	27.90	-18.10	46.00	34.07	23.80	2.98	32.95	---	Peak	6	753.62	33.84	-12.16	46.00	34.64	28.28	3.71	32.79	---	Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit Line (dBuV/m)</th> <th>ReadAntenna Level (dBuV)</th> <th>Cable Factor (dB/m)</th> <th>Preamp Loss Factor (dB)</th> <th>A/Pos (dB)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>35.82</td><td>30.40</td><td>-9.60</td><td>40.00</td><td>40.55</td><td>22.22</td><td>0.53</td><td>32.90</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>135.73</td><td>32.84</td><td>-10.66</td><td>43.50</td><td>46.42</td><td>17.71</td><td>1.55</td><td>32.84</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>159.01</td><td>30.60</td><td>-12.90</td><td>43.50</td><td>45.08</td><td>16.66</td><td>1.69</td><td>32.83</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>262.80</td><td>34.32</td><td>-11.68</td><td>46.00</td><td>45.09</td><td>19.83</td><td>2.18</td><td>32.78</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>722.58</td><td>36.53</td><td>-9.47</td><td>46.00</td><td>38.34</td><td>27.50</td><td>3.64</td><td>32.95</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>827.34</td><td>36.37</td><td>-9.63</td><td>46.00</td><td>36.07</td><td>28.96</td><td>3.88</td><td>32.54</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Cable Factor (dB/m)	Preamp Loss Factor (dB)	A/Pos (dB)	T/Pos (deg)	Remark	1	35.82	30.40	-9.60	40.00	40.55	22.22	0.53	32.90	---	Peak	2	135.73	32.84	-10.66	43.50	46.42	17.71	1.55	32.84	---	Peak	3	159.01	30.60	-12.90	43.50	45.08	16.66	1.69	32.83	---	Peak	4	262.80	34.32	-11.68	46.00	45.09	19.83	2.18	32.78	---	Peak	5	722.58	36.53	-9.47	46.00	38.34	27.50	3.64	32.95	---	Peak	6	827.34	36.37	-9.63	46.00	36.07	28.96	3.88	32.54	---	Peak
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Cable Factor (dB/m)	Preamp Loss Factor (dB)	A/Pos (dB)	T/Pos (deg)	Remark																																																																																																																																																		
1	70.74	18.80	-21.20	40.00	37.97	12.66	0.97	32.80	---	Peak																																																																																																																																																		
2	226.91	34.03	-11.97	46.00	48.76	16.04	2.03	32.80	---	Peak																																																																																																																																																		
3	302.57	39.03	-6.97	46.00	50.07	19.42	2.35	32.81	---	Peak																																																																																																																																																		
4	406.36	29.60	-16.40	46.00	37.62	22.12	2.72	32.86	---	Peak																																																																																																																																																		
5	487.84	27.90	-18.10	46.00	34.07	23.80	2.98	32.95	---	Peak																																																																																																																																																		
6	753.62	33.84	-12.16	46.00	34.64	28.28	3.71	32.79	---	Peak																																																																																																																																																		
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Cable Factor (dB/m)	Preamp Loss Factor (dB)	A/Pos (dB)	T/Pos (deg)	Remark																																																																																																																																																		
1	35.82	30.40	-9.60	40.00	40.55	22.22	0.53	32.90	---	Peak																																																																																																																																																		
2	135.73	32.84	-10.66	43.50	46.42	17.71	1.55	32.84	---	Peak																																																																																																																																																		
3	159.01	30.60	-12.90	43.50	45.08	16.66	1.69	32.83	---	Peak																																																																																																																																																		
4	262.80	34.32	-11.68	46.00	45.09	19.83	2.18	32.78	---	Peak																																																																																																																																																		
5	722.58	36.53	-9.47	46.00	38.34	27.50	3.64	32.95	---	Peak																																																																																																																																																		
6	827.34	36.37	-9.63	46.00	36.07	28.96	3.88	32.54	---	Peak																																																																																																																																																		



Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	98.28	-	-	10Hz
802.11n HT20	98.16	-	-	10Hz
802.11n HT40	96.46	0.948	1.055	1.1kHz
802.11ac VHT20	98.23	-	-	10Hz
802.11ac VHT40	96.49	0.957	1.045	1.1kHz
802.11ac VHT80	93.00	0.462	2.163	2.2KHz

802.11a






802.11n HT20




802.11n HT40






802.11ac VHT20



802.11ac VHT40





802.11ac VHT80

