



	<b>27</b>																																																																																			
<b>Mode</b>	<b>Band Edge - L</b>																																																																																			
	<b>U-NII-2A_5.25-5.35_802.11ac_VHT80_CH58_Full RU_5290MHz</b>																																																																																			
<b>ANT</b>	<b>1</b>																																																																																			
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																		
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5131.84</td> <td>49.98</td> <td>74.00</td> <td>-24.02</td> <td>42.27</td> <td>34.20</td> <td>10.59</td> <td>37.08</td> <td>0.00</td> <td>337</td> <td>104</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5131.84	49.98	74.00	-24.02	42.27	34.20	10.59	37.08	0.00	337	104	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>99.01</td> <td>68.30</td> <td>30.71</td> <td>90.62</td> <td>34.44</td> <td>10.72</td> <td>36.77</td> <td>0.00</td> <td>337</td> <td>104</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	99.01	68.30	30.71	90.62	34.44	10.72	36.77	0.00	337	104	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5131.84	49.98	74.00	-24.02	42.27	34.20	10.59	37.08	0.00	337	104	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5290.00	99.01	68.30	30.71	90.62	34.44	10.72	36.77	0.00	337	104	PEAK																																																																								
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5127.36</td> <td>39.05</td> <td>54.00</td> <td>-14.95</td> <td>31.37</td> <td>34.19</td> <td>10.58</td> <td>37.09</td> <td>0.00</td> <td>337</td> <td>104</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5127.36	39.05	54.00	-14.95	31.37	34.19	10.58	37.09	0.00	337	104	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>90.32</td> <td>68.30</td> <td>22.02</td> <td>81.93</td> <td>34.44</td> <td>10.72</td> <td>36.77</td> <td>0.00</td> <td>337</td> <td>104</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	90.32	68.30	22.02	81.93	34.44	10.72	36.77	0.00	337	104	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5127.36	39.05	54.00	-14.95	31.37	34.19	10.58	37.09	0.00	337	104	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5290.00	90.32	68.30	22.02	81.93	34.44	10.72	36.77	0.00	337	104	AVERAGE																																																																								







	<b>27</b>																																							
<b>Mode</b>	<b>Band Edge - R</b>																																							
	<b>U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full RU_5290MHz</b>																																							
<b>ANT</b>	<b>1</b>																																							
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																						
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5358.00</td> <td>59.10</td> <td>74.00</td> <td>-14.90</td> <td>50.48</td> <td>34.53</td> <td>10.75</td> <td>36.66</td> <td>0.00</td> <td>337 104 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5358.00	59.10	74.00	-14.90	50.48	34.53	10.75	36.66	0.00	337 104 PEAK	<b>Blank</b>
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5358.00	59.10	74.00	-14.90	50.48	34.53	10.75	36.66	0.00	337 104 PEAK																															
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5358.30</td> <td>44.37</td> <td>54.00</td> <td>-9.63</td> <td>35.77</td> <td>34.52</td> <td>10.75</td> <td>36.67</td> <td>0.00</td> <td>337 104 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5358.30	44.37	54.00	-9.63	35.77	34.52	10.75	36.67	0.00	337 104 AVERAGE	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5358.30	44.37	54.00	-9.63	35.77	34.52	10.75	36.67	0.00	337 104 AVERAGE																															



Mode	27																																																																															
	Harmonic																																																																															
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full RU_5290MHz																																																																															
ANT	1																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10580.00</td> <td>43.52</td> <td>68.30</td> <td>-24.78</td> <td>57.32</td> <td>37.61</td> <td>15.65</td> <td>67.06</td> <td>0.00</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10580.00	43.52	68.30	-24.78	57.32	37.61	15.65	67.06	0.00	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10580.00</td> <td>43.56</td> <td>68.30</td> <td>-24.74</td> <td>57.36</td> <td>37.61</td> <td>15.65</td> <td>67.06</td> <td>0.00</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10580.00	43.56	68.30	-24.74	57.36	37.61	15.65	67.06	0.00	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10580.00	43.52	68.30	-24.78	57.32	37.61	15.65	67.06	0.00	---	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10580.00	43.56	68.30	-24.74	57.36	37.61	15.65	67.06	0.00	---	PEAK																																																																						
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10580.00</td> <td>43.52</td> <td>68.30</td> <td>-24.78</td> <td>57.32</td> <td>37.61</td> <td>15.65</td> <td>67.06</td> <td>0.00</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10580.00	43.52	68.30	-24.78	57.32	37.61	15.65	67.06	0.00	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10580.00</td> <td>43.56</td> <td>68.30</td> <td>-24.74</td> <td>57.36</td> <td>37.61</td> <td>15.65</td> <td>67.06</td> <td>0.00</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10580.00	43.56	68.30	-24.74	57.36	37.61	15.65	67.06	0.00	---	PEAK	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10580.00	43.52	68.30	-24.78	57.32	37.61	15.65	67.06	0.00	---	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10580.00	43.56	68.30	-24.74	57.36	37.61	15.65	67.06	0.00	---	PEAK																																																																						



		28																																																																																																					
Mode	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full RU_5530MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																					
Peak	 <table border="1" data-bbox="263 1108 790 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5395.12</td> <td>49.07</td> <td>74.00</td> <td>-24.93</td> <td>40.30</td> <td>34.59</td> <td>10.77</td> <td>36.59</td> <td>0.00</td> <td>322</td> <td>320</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5465.36</td> <td>49.82</td> <td>68.30</td> <td>-18.48</td> <td>40.84</td> <td>34.58</td> <td>10.85</td> <td>36.45</td> <td>0.00</td> <td>322</td> <td>320</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5395.12	49.07	74.00	-24.93	40.30	34.59	10.77	36.59	0.00	322	320	PEAK	2	5465.36	49.82	68.30	-18.48	40.84	34.58	10.85	36.45	0.00	322	320	PEAK	 <table border="1" data-bbox="869 1108 1460 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>91.47</td> <td>68.30</td> <td>23.17</td> <td>82.31</td> <td>34.55</td> <td>10.93</td> <td>36.32</td> <td>0.00</td> <td>322</td> <td>320</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	91.47	68.30	23.17	82.31	34.55	10.93	36.32	0.00	322	320	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5395.12	49.07	74.00	-24.93	40.30	34.59	10.77	36.59	0.00	322	320	PEAK																																																																																											
2	5465.36	49.82	68.30	-18.48	40.84	34.58	10.85	36.45	0.00	322	320	PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5530.00	91.47	68.30	23.17	82.31	34.55	10.93	36.32	0.00	322	320	PEAK																																																																																											
Avg	 <table border="1" data-bbox="263 1780 790 1915"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.52</td> <td>38.05</td> <td>-15.95</td> <td>29.10</td> <td>34.58</td> <td>10.84</td> <td>36.47</td> <td>0.00</td> <td>322</td> <td>320</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5457.52	38.05	-15.95	29.10	34.58	10.84	36.47	0.00	322	320	AVERAGE	 <table border="1" data-bbox="869 1780 1460 1915"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>82.35</td> <td>68.30</td> <td>14.05</td> <td>73.19</td> <td>34.55</td> <td>10.93</td> <td>36.32</td> <td>0.00</td> <td>322</td> <td>320</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	82.35	68.30	14.05	73.19	34.55	10.93	36.32	0.00	322	320	AVERAGE														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5457.52	38.05	-15.95	29.10	34.58	10.84	36.47	0.00	322	320	AVERAGE																																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5530.00	82.35	68.30	14.05	73.19	34.55	10.93	36.32	0.00	322	320	AVERAGE																																																																																											



Mode	28																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full RU_5530MHz																																							
ANT	1																																							
Pol.	Horizontal	Fundamental																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5747.00</td> <td>48.52</td> <td>68.30</td> <td>-19.78</td> <td>40.57</td> <td>34.74</td> <td>11.21</td> <td>38.00</td> <td>0.00</td> <td>322 320 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5747.00	48.52	68.30	-19.78	40.57	34.74	11.21	38.00	0.00	322 320 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5747.00	48.52	68.30	-19.78	40.57	34.74	11.21	38.00	0.00	322 320 PEAK																															



Mode	28																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full RU_5530MHz																																																																																																
ANT	1																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.52</td> <td>52.06</td> <td>74.00</td> <td>-21.94</td> <td>43.11</td> <td>34.58</td> <td>10.84</td> <td>36.47</td> <td>0.00</td> <td>285</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.40</td> <td>54.66</td> <td>68.30</td> <td>-13.64</td> <td>45.69</td> <td>34.57</td> <td>10.85</td> <td>36.45</td> <td>0.00</td> <td>285</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.52	52.06	74.00	-21.94	43.11	34.58	10.84	36.47	0.00	285	0	PEAK	2	5468.40	54.66	68.30	-13.64	45.69	34.57	10.85	36.45	0.00	285	0	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>100.11</td> <td>68.30</td> <td>31.81</td> <td>90.95</td> <td>34.55</td> <td>10.93</td> <td>36.32</td> <td>0.00</td> <td>285</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	100.11	68.30	31.81	90.95	34.55	10.93	36.32	0.00	285	0	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5457.52	52.06	74.00	-21.94	43.11	34.58	10.84	36.47	0.00	285	0	PEAK																																																																																					
2	5468.40	54.66	68.30	-13.64	45.69	34.57	10.85	36.45	0.00	285	0	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5530.00	100.11	68.30	31.81	90.95	34.55	10.93	36.32	0.00	285	0	PEAK																																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.48</td> <td>40.50</td> <td>-13.50</td> <td>31.55</td> <td>34.58</td> <td>10.84</td> <td>36.47</td> <td>0.00</td> <td>285</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.48	40.50	-13.50	31.55	34.58	10.84	36.47	0.00	285	0	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>90.94</td> <td>68.30</td> <td>22.64</td> <td>81.78</td> <td>34.55</td> <td>10.93</td> <td>36.32</td> <td>0.00</td> <td>285</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	90.94	68.30	22.64	81.78	34.55	10.93	36.32	0.00	285	0	AVERAGE														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5458.48	40.50	-13.50	31.55	34.58	10.84	36.47	0.00	285	0	AVERAGE																																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5530.00	90.94	68.30	22.64	81.78	34.55	10.93	36.32	0.00	285	0	AVERAGE																																																																																					



Mode	28																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full RU_5530MHz																																								
ANT	1																																								
Pol.	Vertical	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5760.52</td> <td>50.71</td> <td>68.30</td> <td>-17.59</td> <td>42.96</td> <td>34.77</td> <td>11.23</td> <td>38.25</td> <td>0.00</td> <td>285</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5760.52	50.71	68.30	-17.59	42.96	34.77	11.23	38.25	0.00	285	0 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5760.52	50.71	68.30	-17.59	42.96	34.77	11.23	38.25	0.00	285	0 PEAK																															



Mode	28																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full RU_5530MHz																																																																																																																																	
ANT	1																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11060.00</td> <td>44.31</td> <td>74.00</td> <td>-29.69</td> <td>57.17</td> <td>37.95</td> <td>16.00</td> <td>66.89</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td></td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11060.00	44.31	74.00	-29.69	57.17	37.95	16.00	66.89						0.00		---								deg								---								PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11060.00</td> <td>43.67</td> <td>74.00</td> <td>-30.33</td> <td>56.53</td> <td>37.95</td> <td>16.00</td> <td>66.89</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td></td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11060.00	43.67	74.00	-30.33	56.53	37.95	16.00	66.89						0.00		---								deg								---								PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																											
1 11060.00	44.31	74.00	-29.69	57.17	37.95	16.00	66.89																																																																																																																											
					0.00		---																																																																																																																											
							deg																																																																																																																											
							---																																																																																																																											
							PEAK																																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																											
1 11060.00	43.67	74.00	-30.33	56.53	37.95	16.00	66.89																																																																																																																											
					0.00		---																																																																																																																											
							deg																																																																																																																											
							---																																																																																																																											
							PEAK																																																																																																																											





		29																																																																																																					
Mode	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_Full RU_5610MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																					
Peak	<p>Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue signal line with two peaks labeled '1' and '2'. A red limit line is labeled '5G BAND 1---3'. The x-axis ranges from 5350 to 5510 MHz, and the y-axis ranges from 0 to 130 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5412.88</td> <td>47.94</td> <td>74.00</td> <td>-26.06</td> <td>39.10</td> <td>34.60</td> <td>10.79</td> <td>36.55</td> <td>0.00</td> <td>297</td> <td>331</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5465.36</td> <td>47.60</td> <td>68.30</td> <td>-20.70</td> <td>38.62</td> <td>34.58</td> <td>10.85</td> <td>36.45</td> <td>0.00</td> <td>297</td> <td>331</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5412.88	47.94	74.00	-26.06	39.10	34.60	10.79	36.55	0.00	297	331	PEAK	2	5465.36	47.60	68.30	-20.70	38.62	34.58	10.85	36.45	0.00	297	331	PEAK	<p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a blue signal line with a prominent peak labeled '1'. A red limit line is labeled '5G BAND 1---3'. The x-axis ranges from 1000 to 7000 MHz, and the y-axis ranges from 0 to 130 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>92.38</td> <td>68.30</td> <td>24.08</td> <td>83.03</td> <td>34.52</td> <td>11.01</td> <td>36.18</td> <td>0.00</td> <td>297</td> <td>331</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	92.38	68.30	24.08	83.03	34.52	11.01	36.18	0.00	297	331	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5412.88	47.94	74.00	-26.06	39.10	34.60	10.79	36.55	0.00	297	331	PEAK																																																																																											
2	5465.36	47.60	68.30	-20.70	38.62	34.58	10.85	36.45	0.00	297	331	PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5610.00	92.38	68.30	24.08	83.03	34.52	11.01	36.18	0.00	297	331	PEAK																																																																																											
Avg	<p>Level (dBuV/m) vs Frequency (MHz) for Average Horizontal polarization. The plot shows a blue signal line with a peak labeled '1'. A red limit line is labeled '5G BAND 1---3 (AVG)'. The x-axis ranges from 5350 to 5510 MHz, and the y-axis ranges from 0 to 130 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5445.04</td> <td>37.66</td> <td>54.00</td> <td>-16.34</td> <td>28.75</td> <td>34.58</td> <td>10.82</td> <td>36.49</td> <td>0.00</td> <td>297</td> <td>331</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5445.04	37.66	54.00	-16.34	28.75	34.58	10.82	36.49	0.00	297	331	AVERAGE	<p>Level (dBuV/m) vs Frequency (MHz) for Average Fundamental polarization. The plot shows a blue signal line with a peak labeled '1'. A red limit line is labeled '5G BAND 1---3 (AVG)'. The x-axis ranges from 1000 to 7000 MHz, and the y-axis ranges from 0 to 130 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>83.23</td> <td>68.30</td> <td>14.93</td> <td>73.86</td> <td>34.52</td> <td>11.02</td> <td>36.17</td> <td>0.00</td> <td>297</td> <td>331</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	83.23	68.30	14.93	73.86	34.52	11.02	36.17	0.00	297	331	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5445.04	37.66	54.00	-16.34	28.75	34.58	10.82	36.49	0.00	297	331	AVERAGE																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5610.00	83.23	68.30	14.93	73.86	34.52	11.02	36.17	0.00	297	331	AVERAGE																																																																																											



Mode	29																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_Full RU_5610MHz																																							
ANT	1																																							
Pol.	Horizontal	Fundamental																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5741.40</td> <td>49.04</td> <td>68.30</td> <td>-19.26</td> <td>41.03</td> <td>34.72</td> <td>11.20</td> <td>37.91</td> <td>0.00</td> <td>297 331 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5741.40	49.04	68.30	-19.26	41.03	34.72	11.20	37.91	0.00	297 331 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5741.40	49.04	68.30	-19.26	41.03	34.72	11.20	37.91	0.00	297 331 PEAK																															



		29																																																																																																		
Mode	Band Edge - L																																																																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_Full RU_5610MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical	Fundamental																																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5421.04</td> <td>48.42</td> <td>74.00</td> <td>-25.58</td> <td>39.57</td> <td>34.59</td> <td>10.80</td> <td>36.54</td> <td>0.00</td> <td>294</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>5463.60</td> <td>47.74</td> <td>68.30</td> <td>-20.56</td> <td>38.78</td> <td>34.58</td> <td>10.84</td> <td>36.46</td> <td>0.00</td> <td>294</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5421.04	48.42	74.00	-25.58	39.57	34.59	10.80	36.54	0.00	294	0 PEAK	2	5463.60	47.74	68.30	-20.56	38.78	34.58	10.84	36.46	0.00	294	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>101.38</td> <td>68.30</td> <td>33.08</td> <td>91.98</td> <td>34.51</td> <td>11.04</td> <td>36.15</td> <td>0.00</td> <td>294</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	101.38	68.30	33.08	91.98	34.51	11.04	36.15	0.00	294	0 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5421.04	48.42	74.00	-25.58	39.57	34.59	10.80	36.54	0.00	294	0 PEAK																																																																																									
2	5463.60	47.74	68.30	-20.56	38.78	34.58	10.84	36.46	0.00	294	0 PEAK																																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5610.00	101.38	68.30	33.08	91.98	34.51	11.04	36.15	0.00	294	0 PEAK																																																																																									
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5452.72</td> <td>38.44</td> <td>54.00</td> <td>-15.56</td> <td>29.51</td> <td>34.58</td> <td>10.83</td> <td>36.48</td> <td>0.00</td> <td>294</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5452.72	38.44	54.00	-15.56	29.51	34.58	10.83	36.48	0.00	294	0 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>92.74</td> <td>68.30</td> <td>24.44</td> <td>83.37</td> <td>34.52</td> <td>11.02</td> <td>36.17</td> <td>0.00</td> <td>294</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	92.74	68.30	24.44	83.37	34.52	11.02	36.17	0.00	294	0 AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5452.72	38.44	54.00	-15.56	29.51	34.58	10.83	36.48	0.00	294	0 AVERAGE																																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5610.00	92.74	68.30	24.44	83.37	34.52	11.02	36.17	0.00	294	0 AVERAGE																																																																																									



Mode	29																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_Full RU_5610MHz																																								
ANT	1																																								
Pol.	Vertical	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5740.52</td> <td>52.24</td> <td>68.30</td> <td>-16.06</td> <td>44.21</td> <td>34.72</td> <td>11.20</td> <td>37.89</td> <td>0.00</td> <td>294</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5740.52	52.24	68.30	-16.06	44.21	34.72	11.20	37.89	0.00	294	0 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5740.52	52.24	68.30	-16.06	44.21	34.72	11.20	37.89	0.00	294	0 PEAK																															



Mode	29																																																																																																																	
	Harmonic																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_Full RU_5610MHz																																																																																																																	
ANT	1																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11220.00</td> <td>45.56</td> <td>74.00</td> <td>-28.44</td> <td>58.13</td> <td>38.08</td> <td>16.18</td> <td>66.83</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11220.00	45.56	74.00	-28.44	58.13	38.08	16.18	66.83							0.00	---								deg								--- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11220.00</td> <td>44.67</td> <td>74.00</td> <td>-29.33</td> <td>57.24</td> <td>38.08</td> <td>16.18</td> <td>66.83</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11220.00	44.67	74.00	-29.33	57.24	38.08	16.18	66.83							0.00	---								deg								--- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 11220.00	45.56	74.00	-28.44	58.13	38.08	16.18	66.83																																																																																																											
						0.00	---																																																																																																											
							deg																																																																																																											
							--- PEAK																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 11220.00	44.67	74.00	-29.33	57.24	38.08	16.18	66.83																																																																																																											
						0.00	---																																																																																																											
							deg																																																																																																											
							--- PEAK																																																																																																											



Mode	39																																																																															
	Harmonic																																																																															
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																															
ANT	1																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>44.49</td> <td>74.00</td> <td>-29.51</td> <td>56.67</td> <td>38.25</td> <td>16.32</td> <td>66.75</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11440.00	44.49	74.00	-29.51	56.67	38.25	16.32	66.75	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>44.89</td> <td>74.00</td> <td>-29.11</td> <td>57.07</td> <td>38.25</td> <td>16.32</td> <td>66.75</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11440.00	44.89	74.00	-29.11	57.07	38.25	16.32	66.75	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1 11440.00	44.49	74.00	-29.51	56.67	38.25	16.32	66.75	0.00	---	---	PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1 11440.00	44.89	74.00	-29.11	57.07	38.25	16.32	66.75	0.00	---	---	PEAK																																																																					



Mode	40																																																																																
	Harmonic																																																																																
	U-NII-2C_5.47-5.85_802.11ac VHT20_CH144_Full RU_5720MHz																																																																																
ANT	1																																																																																
Pol.	Horizontal	Vertical																																																																															
Peak Avg																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>44.79</td> <td>74.00</td> <td>-29.21</td> <td>56.97</td> <td>38.25</td> <td>16.32</td> <td>66.75</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11440.00	44.79	74.00	-29.21	56.97	38.25	16.32	66.75	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>43.59</td> <td>74.00</td> <td>-30.41</td> <td>55.77</td> <td>38.25</td> <td>16.32</td> <td>66.75</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11440.00	43.59	74.00	-30.41	55.77	38.25	16.32	66.75	0.00	---	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1 11440.00	44.79	74.00	-29.21	56.97	38.25	16.32	66.75	0.00	---	---	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1 11440.00	43.59	74.00	-30.41	55.77	38.25	16.32	66.75	0.00	---	---	PEAK																																																																						



Mode	41																																																																									
	Harmonic																																																																									
	U-NII-2C_5.47-5.85_802.11ac VHT40_CH142_Full RU_5710MHz																																																																									
ANT	1																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>43.88</td> <td>74.00</td> <td>-30.12</td> <td>56.09</td> <td>38.24</td> <td>16.31</td> <td>66.76</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11420.00	43.88	74.00	-30.12	56.09	38.24	16.31	66.76	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>43.68</td> <td>74.00</td> <td>-30.32</td> <td>55.09</td> <td>38.24</td> <td>16.31</td> <td>66.76</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11420.00	43.68	74.00	-30.32	55.09	38.24	16.31	66.76	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 11420.00	43.88	74.00	-30.12	56.09	38.24	16.31	66.76	0.00	---	---	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 11420.00	43.68	74.00	-30.32	55.09	38.24	16.31	66.76	0.00	---	---	PEAK																																																															





Mode	42																																																																																																																	
	Harmonic																																																																																																																	
	U-NII-2C_5.47-5.85_802.11ac VHT80_CH138_Full RU_5690MHz																																																																																																																	
ANT	1																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11300.00</td> <td>43.47</td> <td>74.00</td> <td>-30.53</td> <td>55.74</td> <td>38.21</td> <td>16.29</td> <td>66.77</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11300.00	43.47	74.00	-30.53	55.74	38.21	16.29	66.77							0.00	---								deg								PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11300.00</td> <td>43.87</td> <td>74.00</td> <td>-30.13</td> <td>56.14</td> <td>38.21</td> <td>16.29</td> <td>66.77</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11300.00	43.87	74.00	-30.13	56.14	38.21	16.29	66.77							0.00	---								deg								PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 11300.00	43.47	74.00	-30.53	55.74	38.21	16.29	66.77																																																																																																											
						0.00	---																																																																																																											
							deg																																																																																																											
							PEAK																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 11300.00	43.87	74.00	-30.13	56.14	38.21	16.29	66.77																																																																																																											
						0.00	---																																																																																																											
							deg																																																																																																											
							PEAK																																																																																																											



Mode	43																																																																																																																																																																									
	LF																																																																																																																																																																									
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full RU_5290MHz																																																																																																																																																																									
ANT	1																																																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																																																								
QP/ Peak	<p>Site : 03CH05-KS Condition : 5G BAND 1----3 3m CBL6111D SN23188 HORIZONTAL FEW:100.000KHz YEW:300.000KHz SWT:Auto Project : 2D2302 mode : 43 IMEI : #3</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit (dBuV/m)</th> <th>ReadAntenna (dBuV)</th> <th>Cable Preamp (dB/m)</th> <th>Loss Factor (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr><td>1</td><td>109.54</td><td>17.85</td><td>-25.65</td><td>43.50</td><td>32.19</td><td>16.94</td><td>1.58</td><td>32.86</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr> <tr><td>2</td><td>144.46</td><td>23.20</td><td>-20.30</td><td>43.50</td><td>37.72</td><td>16.49</td><td>1.82</td><td>32.83</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr> <tr><td>3</td><td>191.02</td><td>22.54</td><td>-20.96</td><td>43.50</td><td>37.69</td><td>15.59</td><td>2.10</td><td>32.84</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr> <tr><td>4</td><td>260.86</td><td>22.51</td><td>-23.49</td><td>46.00</td><td>34.21</td><td>18.61</td><td>2.47</td><td>32.78</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr> <tr><td>5</td><td>364.65</td><td>20.59</td><td>-25.41</td><td>46.00</td><td>29.79</td><td>20.79</td><td>2.91</td><td>32.90</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr> <tr><td>6</td><td>493.66</td><td>23.99</td><td>-22.01</td><td>46.00</td><td>30.07</td><td>23.46</td><td>3.40</td><td>32.94</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna (dBuV)	Cable Preamp (dB/m)	Loss Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark	Pol/Phas	1	109.54	17.85	-25.65	43.50	32.19	16.94	1.58	32.86	---	---	Peak HORIZONTAL	2	144.46	23.20	-20.30	43.50	37.72	16.49	1.82	32.83	---	---	Peak HORIZONTAL	3	191.02	22.54	-20.96	43.50	37.69	15.59	2.10	32.84	---	---	Peak HORIZONTAL	4	260.86	22.51	-23.49	46.00	34.21	18.61	2.47	32.78	---	---	Peak HORIZONTAL	5	364.65	20.59	-25.41	46.00	29.79	20.79	2.91	32.90	---	---	Peak HORIZONTAL	6	493.66	23.99	-22.01	46.00	30.07	23.46	3.40	32.94	---	---	Peak HORIZONTAL	<p>Data: 8 Site : 03CH05-KS Condition : 5G BAND 1----3 3m CBL6111D SN23188 VERTICAL FEW:100.000KHz YEW:300.000KHz SWT:Auto Project : 2D2302 mode : 43 IMEI : #3</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit (dBuV/m)</th> <th>ReadAntenna (dBuV)</th> <th>Cable Preamp (dB/m)</th> <th>Loss Factor (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr><td>1</td><td>48.43</td><td>30.20</td><td>-9.80</td><td>40.00</td><td>47.04</td><td>15.04</td><td>1.05</td><td>32.93</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr> <tr><td>2</td><td>70.74</td><td>22.82</td><td>-17.18</td><td>40.00</td><td>42.00</td><td>12.35</td><td>1.27</td><td>32.80</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr> <tr><td>3</td><td>145.43</td><td>23.96</td><td>-19.54</td><td>43.50</td><td>38.47</td><td>16.48</td><td>1.83</td><td>32.82</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr> <tr><td>4</td><td>191.02</td><td>20.90</td><td>-22.60</td><td>43.50</td><td>36.05</td><td>15.59</td><td>2.10</td><td>32.84</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr> <tr><td>5</td><td>607.15</td><td>26.98</td><td>-19.02</td><td>46.00</td><td>31.30</td><td>24.98</td><td>3.76</td><td>33.06</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr> <tr><td>6</td><td>828.31</td><td>29.99</td><td>-16.01</td><td>46.00</td><td>31.69</td><td>26.45</td><td>4.39</td><td>32.54</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna (dBuV)	Cable Preamp (dB/m)	Loss Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark	Pol/Phas	1	48.43	30.20	-9.80	40.00	47.04	15.04	1.05	32.93	---	---	Peak VERTICAL	2	70.74	22.82	-17.18	40.00	42.00	12.35	1.27	32.80	---	---	Peak VERTICAL	3	145.43	23.96	-19.54	43.50	38.47	16.48	1.83	32.82	---	---	Peak VERTICAL	4	191.02	20.90	-22.60	43.50	36.05	15.59	2.10	32.84	---	---	Peak VERTICAL	5	607.15	26.98	-19.02	46.00	31.30	24.98	3.76	33.06	---	---	Peak VERTICAL	6	828.31	29.99	-16.01	46.00	31.69	26.45	4.39	32.54	---	---	Peak VERTICAL
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna (dBuV)	Cable Preamp (dB/m)	Loss Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark	Pol/Phas																																																																																																																																																															
1	109.54	17.85	-25.65	43.50	32.19	16.94	1.58	32.86	---	---	Peak HORIZONTAL																																																																																																																																																															
2	144.46	23.20	-20.30	43.50	37.72	16.49	1.82	32.83	---	---	Peak HORIZONTAL																																																																																																																																																															
3	191.02	22.54	-20.96	43.50	37.69	15.59	2.10	32.84	---	---	Peak HORIZONTAL																																																																																																																																																															
4	260.86	22.51	-23.49	46.00	34.21	18.61	2.47	32.78	---	---	Peak HORIZONTAL																																																																																																																																																															
5	364.65	20.59	-25.41	46.00	29.79	20.79	2.91	32.90	---	---	Peak HORIZONTAL																																																																																																																																																															
6	493.66	23.99	-22.01	46.00	30.07	23.46	3.40	32.94	---	---	Peak HORIZONTAL																																																																																																																																																															
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna (dBuV)	Cable Preamp (dB/m)	Loss Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark	Pol/Phas																																																																																																																																																															
1	48.43	30.20	-9.80	40.00	47.04	15.04	1.05	32.93	---	---	Peak VERTICAL																																																																																																																																																															
2	70.74	22.82	-17.18	40.00	42.00	12.35	1.27	32.80	---	---	Peak VERTICAL																																																																																																																																																															
3	145.43	23.96	-19.54	43.50	38.47	16.48	1.83	32.82	---	---	Peak VERTICAL																																																																																																																																																															
4	191.02	20.90	-22.60	43.50	36.05	15.59	2.10	32.84	---	---	Peak VERTICAL																																																																																																																																																															
5	607.15	26.98	-19.02	46.00	31.30	24.98	3.76	33.06	---	---	Peak VERTICAL																																																																																																																																																															
6	828.31	29.99	-16.01	46.00	31.69	26.45	4.39	32.54	---	---	Peak VERTICAL																																																																																																																																																															



### Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 30	U-NII-3	5.725-5.85	1	802.11a	149	5745	6Mbps	-	-
Mode 31	U-NII-3	5.725-5.85	1	802.11a	157	5785	6Mbps	-	-
Mode 32	U-NII-3	5.725-5.85	1	802.11a	165	5825	6Mbps	-	-
Mode 33	U-NII-3	5.725-5.85	1	802.11ac VHT20	149	5745	MCS0	-	-
Mode 34	U-NII-3	5.725-5.85	1	802.11ac VHT20	157	5785	MCS0	-	-
Mode 35	U-NII-3	5.725-5.85	1	802.11ac VHT20	165	5825	MCS0	-	-
Mode 36	U-NII-3	5.725-5.85	1	802.11ac VHT40	151	5755	MCS0	-	-
Mode 37	U-NII-3	5.725-5.85	1	802.11ac VHT40	159	5795	MCS0	-	-
Mode 38	U-NII-3	5.725-5.85	1	802.11ac VHT80	155	5775	MCS0	-	-
Mode44	U-NII-3	5.725-5.85	1	802.11ac VHT20	149	5745	MCS0	-	LF



### Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
30	802.11a	149	5648-	50.43-	68.30	-17.88-	H	PEAK	Pass	Band Edge
	802.11a	149	11490.00	44.63	74.00	-29.37	H	PEAK	Pass	Harmonic
31	802.11a	157	-	-	-	-	-	-	-	Band Edge
	802.11a	157	11570.00	44.46	74.00	-29.54	V	PEAK	Pass	Harmonic
32	802.11a	165	5999.60	48.73	68.30	-19.57	V	PEAK	Pass	Band Edge
	802.11a	165	11650.00	45.06	74.00	-28.94	H	PEAK	Pass	Harmonic
33	802.11ac VHT20	149	5635.20	50.62	68.30	-17.68	V	PEAK	Pass	Band Edge
	802.11ac VHT20	149	11490.00	44.14	74.00	-29.86	H	PEAK	Pass	Harmonic
34	802.11ac VHT20	157	-	-	-	-	-	-	-	Band Edge
34	802.11ac VHT20	157	11570.00	44.82	74.00	-29.18	V	PEAK	Pass	Harmonic
35	802.11ac VHT20	165	5970.80	48.51	68.30	-19.79	V	PEAK	Pass	Band Edge






### Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
35	802.11ac VHT20	165	11650.00	45.84	74.00	-28.16	H	PEAK	Pass	Harmonic
36	802.11ac VHT40	151	5650.84	50.87	68.92	-18.05	V	PEAK	Pass	Band Edge
	802.11ac VHT40	151	11510.00	45.02	74.00	-28.98	H	PEAK	Pass	Harmonic
37	802.11ac VHT40	159	5650.12	49.89	68.39	-18.50	V	PEAK	Pass	Band Edge
	802.11ac VHT40	159	11590.00	43.77	74.00	-30.23	H	PEAK	Pass	Harmonic
38	802.11ac VHT80	155	5642.40	49.78	68.30	-18.52	V	PEAK	Pass	Band Edge
	802.11ac VHT80	155	11550.00	43.57	74.00	-30.43	V	PEAK	Pass	Harmonic
44	802.11ac VHT20	149	47.46	29.11	40	-10.89	V	PEAK	Pass	LF



Mode	30																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5648.00</td> <td>50.42</td> <td>68.30</td> <td>-17.88</td> <td>41.09</td> <td>34.50</td> <td>11.07</td> <td>36.24</td> <td>0.00</td> <td>359</td> <td>313</td> <td>PEAK</td> </tr> <tr> <td>2 5683.20</td> <td>48.95</td> <td>92.90</td> <td>-43.95</td> <td>40.13</td> <td>34.57</td> <td>11.12</td> <td>36.87</td> <td>0.00</td> <td>359</td> <td>313</td> <td>PEAK</td> </tr> <tr> <td>3 5716.00</td> <td>50.04</td> <td>110.01</td> <td>-59.97</td> <td>41.69</td> <td>34.66</td> <td>11.16</td> <td>37.47</td> <td>0.00</td> <td>359</td> <td>313</td> <td>PEAK</td> </tr> <tr> <td>4 5722.80</td> <td>47.83</td> <td>117.28</td> <td>-69.45</td> <td>39.56</td> <td>34.67</td> <td>11.17</td> <td>37.57</td> <td>0.00</td> <td>359</td> <td>313</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5648.00	50.42	68.30	-17.88	41.09	34.50	11.07	36.24	0.00	359	313	PEAK	2 5683.20	48.95	92.90	-43.95	40.13	34.57	11.12	36.87	0.00	359	313	PEAK	3 5716.00	50.04	110.01	-59.97	41.69	34.66	11.16	37.47	0.00	359	313	PEAK	4 5722.80	47.83	117.28	-69.45	39.56	34.67	11.17	37.57	0.00	359	313	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5745.00</td> <td>101.48</td> <td>122.30</td> <td>-20.82</td> <td>93.52</td> <td>34.73</td> <td>11.20</td> <td>37.97</td> <td>0.00</td> <td>359</td> <td>313</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	101.48	122.30	-20.82	93.52	34.73	11.20	37.97	0.00	359	313	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1 5648.00	50.42	68.30	-17.88	41.09	34.50	11.07	36.24	0.00	359	313	PEAK																																																																																																												
2 5683.20	48.95	92.90	-43.95	40.13	34.57	11.12	36.87	0.00	359	313	PEAK																																																																																																												
3 5716.00	50.04	110.01	-59.97	41.69	34.66	11.16	37.47	0.00	359	313	PEAK																																																																																																												
4 5722.80	47.83	117.28	-69.45	39.56	34.67	11.17	37.57	0.00	359	313	PEAK																																																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1 5745.00	101.48	122.30	-20.82	93.52	34.73	11.20	37.97	0.00	359	313	PEAK																																																																																																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5745.00</td> <td>91.59</td> <td>122.30</td> <td>-30.71</td> <td>83.63</td> <td>34.73</td> <td>11.20</td> <td>37.97</td> <td>0.00</td> <td>359</td> <td>313</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	91.59	122.30	-30.71	83.63	34.73	11.20	37.97	0.00	359	313	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5745.00</td> <td>91.59</td> <td>122.30</td> <td>-30.71</td> <td>83.63</td> <td>34.73</td> <td>11.20</td> <td>37.97</td> <td>0.00</td> <td>359</td> <td>313</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	91.59	122.30	-30.71	83.63	34.73	11.20	37.97	0.00	359	313	AVERAGE																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1 5745.00	91.59	122.30	-30.71	83.63	34.73	11.20	37.97	0.00	359	313	AVERAGE																																																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1 5745.00	91.59	122.30	-30.71	83.63	34.73	11.20	37.97	0.00	359	313	AVERAGE																																																																																																												



Mode	30																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Vertical	Fundamental																																																																																																																					
Peak	 <table border="1" data-bbox="263 1108 790 1288"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5643.20</td> <td>49.55</td> <td>68.30</td> <td>-18.75</td> <td>40.14</td> <td>34.51</td> <td>11.06</td> <td>36.16</td> <td>0.00</td> <td>278</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5697.60</td> <td>52.00</td> <td>103.53</td> <td>-51.45</td> <td>43.46</td> <td>34.61</td> <td>11.14</td> <td>37.13</td> <td>0.00</td> <td>278</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5713.20</td> <td>58.39</td> <td>109.00</td> <td>-50.61</td> <td>49.98</td> <td>34.65</td> <td>11.16</td> <td>37.40</td> <td>0.00</td> <td>278</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5724.80</td> <td>56.43</td> <td>121.84</td> <td>-65.41</td> <td>48.18</td> <td>34.68</td> <td>11.18</td> <td>37.61</td> <td>0.00</td> <td>278</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5643.20	49.55	68.30	-18.75	40.14	34.51	11.06	36.16	0.00	278	0	PEAK	2	5697.60	52.00	103.53	-51.45	43.46	34.61	11.14	37.13	0.00	278	0	PEAK	3	5713.20	58.39	109.00	-50.61	49.98	34.65	11.16	37.40	0.00	278	0	PEAK	4	5724.80	56.43	121.84	-65.41	48.18	34.68	11.18	37.61	0.00	278	0	PEAK	 <table border="1" data-bbox="917 1131 1444 1265"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>108.16</td> <td>122.30</td> <td>-14.14</td> <td>100.20</td> <td>34.73</td> <td>11.20</td> <td>37.97</td> <td>0.00</td> <td>278</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5745.00	108.16	122.30	-14.14	100.20	34.73	11.20	37.97	0.00	278	0	PEAK
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																											
1	5643.20	49.55	68.30	-18.75	40.14	34.51	11.06	36.16	0.00	278	0	PEAK																																																																																																											
2	5697.60	52.00	103.53	-51.45	43.46	34.61	11.14	37.13	0.00	278	0	PEAK																																																																																																											
3	5713.20	58.39	109.00	-50.61	49.98	34.65	11.16	37.40	0.00	278	0	PEAK																																																																																																											
4	5724.80	56.43	121.84	-65.41	48.18	34.68	11.18	37.61	0.00	278	0	PEAK																																																																																																											
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																											
1	5745.00	108.16	122.30	-14.14	100.20	34.73	11.20	37.97	0.00	278	0	PEAK																																																																																																											
Avg		 <table border="1" data-bbox="917 1803 1444 1960"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>99.02</td> <td>122.30</td> <td>-23.28</td> <td>91.06</td> <td>34.73</td> <td>11.20</td> <td>37.97</td> <td>0.00</td> <td>278</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5745.00	99.02	122.30	-23.28	91.06	34.73	11.20	37.97	0.00	278	0	AVERAGE																																																																														
Peak	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																											
1	5745.00	99.02	122.30	-23.28	91.06	34.73	11.20	37.97	0.00	278	0	AVERAGE																																																																																																											



Mode	30																																																																											
	Harmonic																																																																											
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																											
ANT	1																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>44.63</td> <td>74.00</td> <td>-29.37</td> <td>56.72</td> <td>38.29</td> <td>16.36</td> <td>66.74</td> <td>0.00</td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11490.00	44.63	74.00	-29.37	56.72	38.29	16.36	66.74	0.00	--- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>44.35</td> <td>74.00</td> <td>-29.65</td> <td>56.44</td> <td>38.29</td> <td>16.36</td> <td>66.74</td> <td>0.00</td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11490.00	44.35	74.00	-29.65	56.44	38.29	16.36	66.74	0.00	--- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11490.00	44.63	74.00	-29.37	56.72	38.29	16.36	66.74	0.00	--- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11490.00	44.35	74.00	-29.65	56.44	38.29	16.36	66.74	0.00	--- PEAK																																																																			





Mode	31																																																																															
	Harmonic																																																																															
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																															
ANT	1																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>44.34</td> <td>74.00</td> <td>-29.66</td> <td>56.22</td> <td>38.36</td> <td>16.41</td> <td>66.65</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11570.00	44.34	74.00	-29.66	56.22	38.36	16.41	66.65	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>44.46</td> <td>74.00</td> <td>-29.54</td> <td>56.34</td> <td>38.36</td> <td>16.41</td> <td>66.65</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11570.00	44.46	74.00	-29.54	56.34	38.36	16.41	66.65	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1 11570.00	44.34	74.00	-29.66	56.22	38.36	16.41	66.65	0.00	---	---	PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1 11570.00	44.46	74.00	-29.54	56.34	38.36	16.41	66.65	0.00	---	---	PEAK																																																																					



	32																																																																																																																										
Mode	Band Edge																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHZ																																																																																																																										
ANT	1																																																																																																																										
Pol.	Horizontal	Fundamental																																																																																																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>47.21</td> <td>111.36</td> <td>-64.15</td> <td>40.77</td> <td>35.02</td> <td>11.34</td> <td>39.92</td> <td>0.00</td> <td>305</td> <td>316</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.60</td> <td>47.34</td> <td>105.69</td> <td>-58.35</td> <td>40.96</td> <td>35.05</td> <td>11.35</td> <td>40.02</td> <td>0.00</td> <td>305</td> <td>316</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.40</td> <td>47.57</td> <td>68.74</td> <td>-21.17</td> <td>40.93</td> <td>35.13</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> <td>305</td> <td>316</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5945.20</td> <td>47.71</td> <td>68.30</td> <td>-20.59</td> <td>40.96</td> <td>35.17</td> <td>11.42</td> <td>39.84</td> <td>0.00</td> <td>305</td> <td>316</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	47.21	111.36	-64.15	40.77	35.02	11.34	39.92	0.00	305	316	PEAK	2	5873.60	47.34	105.69	-58.35	40.96	35.05	11.35	40.02	0.00	305	316	PEAK	3	5924.40	47.57	68.74	-21.17	40.93	35.13	11.40	39.89	0.00	305	316	PEAK	4	5945.20	47.71	68.30	-20.59	40.96	35.17	11.42	39.84	0.00	305	316	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>100.92</td> <td>122.30</td> <td>-21.38</td> <td>94.04</td> <td>34.94</td> <td>11.31</td> <td>39.37</td> <td>0.00</td> <td>305</td> <td>316</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	100.92	122.30	-21.38	94.04	34.94	11.31	39.37	0.00	305	316	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5854.80	47.21	111.36	-64.15	40.77	35.02	11.34	39.92	0.00	305	316	PEAK																																																																																																															
2	5873.60	47.34	105.69	-58.35	40.96	35.05	11.35	40.02	0.00	305	316	PEAK																																																																																																															
3	5924.40	47.57	68.74	-21.17	40.93	35.13	11.40	39.89	0.00	305	316	PEAK																																																																																																															
4	5945.20	47.71	68.30	-20.59	40.96	35.17	11.42	39.84	0.00	305	316	PEAK																																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5825.00	100.92	122.30	-21.38	94.04	34.94	11.31	39.37	0.00	305	316	PEAK																																																																																																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>92.07</td> <td>122.30</td> <td>-30.23</td> <td>85.19</td> <td>34.94</td> <td>11.31</td> <td>39.37</td> <td>0.00</td> <td>305</td> <td>316</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	92.07	122.30	-30.23	85.19	34.94	11.31	39.37	0.00	305	316	AVERAGE																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5825.00	92.07	122.30	-30.23	85.19	34.94	11.31	39.37	0.00	305	316	AVERAGE																																																																																																															



<b>32</b>																																																																															
<b>Mode</b>	<b>Band Edge</b>																																																																														
	<b>U-NII-3_5.725-5.85_802.11a_CH165_5825MHz</b>																																																																														
<b>ANT</b>	<b>1</b>																																																																														
<b>Pol.</b>	<b>Vertical</b>																																																																														
<b>Peak</b>																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.40</td> <td>50.64</td> <td>112.27</td> <td>-61.63</td> <td>44.20</td> <td>35.02</td> <td>11.33</td> <td>39.91</td> <td>0.00</td> <td>252</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>5874.40</td> <td>51.19</td> <td>105.47</td> <td>-54.28</td> <td>44.81</td> <td>35.05</td> <td>11.35</td> <td>40.02</td> <td>0.00</td> <td>252</td> <td>0 PEAK</td> </tr> <tr> <td>3</td> <td>5924.00</td> <td>46.65</td> <td>69.04</td> <td>-22.39</td> <td>40.01</td> <td>35.13</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> <td>252</td> <td>0 PEAK</td> </tr> <tr> <td>4</td> <td>5999.60</td> <td>48.73</td> <td>68.30</td> <td>-19.57</td> <td>41.70</td> <td>35.26</td> <td>11.47</td> <td>39.70</td> <td>0.00</td> <td>252</td> <td>0 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	50.64	112.27	-61.63	44.20	35.02	11.33	39.91	0.00	252	0 PEAK	2	5874.40	51.19	105.47	-54.28	44.81	35.05	11.35	40.02	0.00	252	0 PEAK	3	5924.00	46.65	69.04	-22.39	40.01	35.13	11.40	39.89	0.00	252	0 PEAK	4	5999.60	48.73	68.30	-19.57	41.70	35.26	11.47	39.70	0.00	252
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.40	50.64	112.27	-61.63	44.20	35.02	11.33	39.91	0.00	252	0 PEAK																																																																				
2	5874.40	51.19	105.47	-54.28	44.81	35.05	11.35	40.02	0.00	252	0 PEAK																																																																				
3	5924.00	46.65	69.04	-22.39	40.01	35.13	11.40	39.89	0.00	252	0 PEAK																																																																				
4	5999.60	48.73	68.30	-19.57	41.70	35.26	11.47	39.70	0.00	252	0 PEAK																																																																				
<b>Fundamental</b>																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>106.60</td> <td>-----</td> <td>-----</td> <td>99.80</td> <td>34.94</td> <td>11.31</td> <td>39.37</td> <td>0.00</td> <td>252</td> <td>0 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	106.60	-----	-----	99.80	34.94	11.31	39.37	0.00	252	0 PEAK																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5825.00	106.60	-----	-----	99.80	34.94	11.31	39.37	0.00	252	0 PEAK																																																																				
<b>Avg</b>	<b>Blank</b>																																																																														
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>97.34</td> <td>122.30</td> <td>-24.96</td> <td>90.46</td> <td>34.94</td> <td>11.31</td> <td>39.37</td> <td>0.00</td> <td>252</td> <td>0 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	97.34	122.30	-24.96	90.46	34.94	11.31	39.37	0.00	252	0 AVERAGE																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5825.00	97.34	122.30	-24.96	90.46	34.94	11.31	39.37	0.00	252	0 AVERAGE																																																																				



Mode	32																																																																									
	Harmonic																																																																									
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																									
ANT	1																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>45.06</td> <td>74.00</td> <td>-28.94</td> <td>56.74</td> <td>38.42</td> <td>16.46</td> <td>66.56</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11650.00	45.06	74.00	-28.94	56.74	38.42	16.46	66.56	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>44.56</td> <td>74.00</td> <td>-29.44</td> <td>56.24</td> <td>38.42</td> <td>16.46</td> <td>66.56</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11650.00	44.56	74.00	-29.44	56.24	38.42	16.46	66.56	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 11650.00	45.06	74.00	-28.94	56.74	38.42	16.46	66.56	0.00	---	---	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 11650.00	44.56	74.00	-29.44	56.24	38.42	16.46	66.56	0.00	---	---	PEAK																																																															



Mode	33																																																																																																																																
	Band Edge																																																																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_Full RU_5745MHz																																																																																																																																
ANT	1																																																																																																																																
Pol.	Horizontal	Fundamental																																																																																																																															
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5600.40</td> <td>48.47</td> <td>68.30</td> <td>-19.83</td> <td>39.15</td> <td>34.52</td> <td>11.00</td> <td>36.20</td> <td>0.00</td> <td>308</td> <td>317</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5652.80</td> <td>48.04</td> <td>70.38</td> <td>-22.34</td> <td>38.79</td> <td>34.50</td> <td>11.00</td> <td>36.33</td> <td>0.00</td> <td>308</td> <td>317</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.80</td> <td>47.10</td> <td>105.52</td> <td>-58.42</td> <td>38.53</td> <td>34.61</td> <td>11.14</td> <td>37.18</td> <td>0.00</td> <td>308</td> <td>317</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>45.62</td> <td>110.90</td> <td>-65.28</td> <td>37.30</td> <td>34.67</td> <td>11.17</td> <td>37.52</td> <td>0.00</td> <td>308</td> <td>317</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5600.40	48.47	68.30	-19.83	39.15	34.52	11.00	36.20	0.00	308	317	PEAK	2	5652.80	48.04	70.38	-22.34	38.79	34.50	11.00	36.33	0.00	308	317	PEAK	3	5700.80	47.10	105.52	-58.42	38.53	34.61	11.14	37.18	0.00	308	317	PEAK	4	5720.00	45.62	110.90	-65.28	37.30	34.67	11.17	37.52	0.00	308	317	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>98.15</td> <td>122.30</td> <td>-24.15</td> <td>90.19</td> <td>34.74</td> <td>11.21</td> <td>37.99</td> <td>0.00</td> <td>308</td> <td>317</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	98.15	122.30	-24.15	90.19	34.74	11.21	37.99	0.00	308	317	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5600.40	48.47	68.30	-19.83	39.15	34.52	11.00	36.20	0.00	308	317	PEAK																																																																																																																					
2	5652.80	48.04	70.38	-22.34	38.79	34.50	11.00	36.33	0.00	308	317	PEAK																																																																																																																					
3	5700.80	47.10	105.52	-58.42	38.53	34.61	11.14	37.18	0.00	308	317	PEAK																																																																																																																					
4	5720.00	45.62	110.90	-65.28	37.30	34.67	11.17	37.52	0.00	308	317	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5745.00	98.15	122.30	-24.15	90.19	34.74	11.21	37.99	0.00	308	317	PEAK																																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>89.21</td> <td>122.30</td> <td>-33.09</td> <td>81.25</td> <td>34.74</td> <td>11.21</td> <td>37.99</td> <td>0.00</td> <td>308</td> <td>317</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	89.21	122.30	-33.09	81.25	34.74	11.21	37.99	0.00	308	317	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5745.00	89.21	122.30	-33.09	81.25	34.74	11.21	37.99	0.00	308	317	AVERAGE																																																																																																																					



	<b>33</b>																																																																																																																											
<b>Mode</b>	<b>Band Edge</b>																																																																																																																											
	<b>U-NII-3_5.725-5.85_802.11ac VHT20_CH149_Full RU_5745MHz</b>																																																																																																																											
<b>ANT</b>	<b>1</b>																																																																																																																											
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																																																										
<b>Peak</b>	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5635.20</td> <td>50.62</td> <td>68.30</td> <td>-17.68</td> <td>41.19</td> <td>34.51</td> <td>11.05</td> <td>36.13</td> <td>0.00</td> <td>272</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>5650.40</td> <td>48.81</td> <td>68.60</td> <td>-19.79</td> <td>39.53</td> <td>34.50</td> <td>11.07</td> <td>36.29</td> <td>0.00</td> <td>272</td> <td>0 PEAK</td> </tr> <tr> <td>3</td> <td>5704.00</td> <td>52.93</td> <td>106.42</td> <td>-53.49</td> <td>44.40</td> <td>34.62</td> <td>11.15</td> <td>37.24</td> <td>0.00</td> <td>272</td> <td>0 PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>48.96</td> <td>110.90</td> <td>-61.94</td> <td>40.64</td> <td>34.67</td> <td>11.17</td> <td>37.52</td> <td>0.00</td> <td>272</td> <td>0 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5635.20	50.62	68.30	-17.68	41.19	34.51	11.05	36.13	0.00	272	0 PEAK	2	5650.40	48.81	68.60	-19.79	39.53	34.50	11.07	36.29	0.00	272	0 PEAK	3	5704.00	52.93	106.42	-53.49	44.40	34.62	11.15	37.24	0.00	272	0 PEAK	4	5720.00	48.96	110.90	-61.94	40.64	34.67	11.17	37.52	0.00	272	0 PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>105.88</td> <td>122.30</td> <td>-16.42</td> <td>97.92</td> <td>34.74</td> <td>11.21</td> <td>37.99</td> <td>0.00</td> <td>272</td> <td>0 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	105.88	122.30	-16.42	97.92	34.74	11.21	37.99	0.00	272	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5635.20	50.62	68.30	-17.68	41.19	34.51	11.05	36.13	0.00	272	0 PEAK																																																																																																																	
2	5650.40	48.81	68.60	-19.79	39.53	34.50	11.07	36.29	0.00	272	0 PEAK																																																																																																																	
3	5704.00	52.93	106.42	-53.49	44.40	34.62	11.15	37.24	0.00	272	0 PEAK																																																																																																																	
4	5720.00	48.96	110.90	-61.94	40.64	34.67	11.17	37.52	0.00	272	0 PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5745.00	105.88	122.30	-16.42	97.92	34.74	11.21	37.99	0.00	272	0 PEAK																																																																																																																	
<b>Avg</b>	<b>Blank</b>	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>96.20</td> <td>122.30</td> <td>-26.10</td> <td>88.24</td> <td>34.74</td> <td>11.21</td> <td>37.99</td> <td>0.00</td> <td>272</td> <td>0 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	96.20	122.30	-26.10	88.24	34.74	11.21	37.99	0.00	272	0 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5745.00	96.20	122.30	-26.10	88.24	34.74	11.21	37.99	0.00	272	0 AVERAGE																																																																																																																	



Mode	33																																																																																	
	Harmonic																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_Full RU_5745MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>44.14</td> <td>74.00</td> <td>-29.86</td> <td>56.23</td> <td>38.29</td> <td>16.36</td> <td>66.74</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11490.00	44.14	74.00	-29.86	56.23	38.29	16.36	66.74	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>43.96</td> <td>74.00</td> <td>-30.04</td> <td>56.05</td> <td>38.29</td> <td>16.36</td> <td>66.74</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11490.00	43.96	74.00	-30.04	56.05	38.29	16.36	66.74	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11490.00	44.14	74.00	-29.86	56.23	38.29	16.36	66.74	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11490.00	43.96	74.00	-30.04	56.05	38.29	16.36	66.74	0.00	---	---	PEAK																																																																							






Mode	34																																																																											
	Harmonic																																																																											
	U-NII-3_5.725-5.85_802.11ac VHT20_CH157_Full RU_5785MHz																																																																											
ANT	1																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>44.45</td> <td>74.00</td> <td>-29.55</td> <td>56.33</td> <td>38.36</td> <td>16.41</td> <td>66.65</td> <td>0.00</td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11570.00	44.45	74.00	-29.55	56.33	38.36	16.41	66.65	0.00	--- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>44.82</td> <td>74.00</td> <td>-29.18</td> <td>56.70</td> <td>38.36</td> <td>16.41</td> <td>66.65</td> <td>0.00</td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11570.00	44.82	74.00	-29.18	56.70	38.36	16.41	66.65	0.00	--- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11570.00	44.45	74.00	-29.55	56.33	38.36	16.41	66.65	0.00	--- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11570.00	44.82	74.00	-29.18	56.70	38.36	16.41	66.65	0.00	--- PEAK																																																																			





Mode	35																																																																																																																					
	Band Edge																																																																																																																					
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_Full RU_5825MHz																																																																																																																					
ANT	1																																																																																																																					
Pol.	Horizontal	Fundamental																																																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5854.00</td> <td>47.43</td> <td>111.36</td> <td>-63.93</td> <td>40.99</td> <td>35.02</td> <td>11.34</td> <td>39.92</td> <td>0.00</td> <td>305</td> <td>317</td> <td>PEAK</td> </tr> <tr> <td>2 5872.00</td> <td>47.16</td> <td>106.14</td> <td>-58.98</td> <td>40.78</td> <td>35.05</td> <td>11.35</td> <td>40.02</td> <td>0.00</td> <td>305</td> <td>317</td> <td>PEAK</td> </tr> <tr> <td>3 5924.40</td> <td>45.90</td> <td>68.74</td> <td>-22.84</td> <td>39.26</td> <td>35.13</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> <td>305</td> <td>317</td> <td>PEAK</td> </tr> <tr> <td>4 5942.00</td> <td>47.30</td> <td>68.30</td> <td>-21.00</td> <td>40.56</td> <td>35.16</td> <td>11.42</td> <td>39.84</td> <td>0.00</td> <td>305</td> <td>317</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5854.00	47.43	111.36	-63.93	40.99	35.02	11.34	39.92	0.00	305	317	PEAK	2 5872.00	47.16	106.14	-58.98	40.78	35.05	11.35	40.02	0.00	305	317	PEAK	3 5924.40	45.90	68.74	-22.84	39.26	35.13	11.40	39.89	0.00	305	317	PEAK	4 5942.00	47.30	68.30	-21.00	40.56	35.16	11.42	39.84	0.00	305	317	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5825.00</td> <td>97.26</td> <td>122.30</td> <td>-25.04</td> <td>90.38</td> <td>34.94</td> <td>11.31</td> <td>39.37</td> <td>0.00</td> <td>305</td> <td>317</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5825.00	97.26	122.30	-25.04	90.38	34.94	11.31	39.37	0.00	305	317	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1 5854.00	47.43	111.36	-63.93	40.99	35.02	11.34	39.92	0.00	305	317	PEAK																																																																																																											
2 5872.00	47.16	106.14	-58.98	40.78	35.05	11.35	40.02	0.00	305	317	PEAK																																																																																																											
3 5924.40	45.90	68.74	-22.84	39.26	35.13	11.40	39.89	0.00	305	317	PEAK																																																																																																											
4 5942.00	47.30	68.30	-21.00	40.56	35.16	11.42	39.84	0.00	305	317	PEAK																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1 5825.00	97.26	122.30	-25.04	90.38	34.94	11.31	39.37	0.00	305	317	PEAK																																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5825.00</td> <td>88.87</td> <td>122.30</td> <td>-33.43</td> <td>81.99</td> <td>34.94</td> <td>11.31</td> <td>39.37</td> <td>0.00</td> <td>305</td> <td>317</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5825.00	88.87	122.30	-33.43	81.99	34.94	11.31	39.37	0.00	305	317	AVERAGE																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1 5825.00	88.87	122.30	-33.43	81.99	34.94	11.31	39.37	0.00	305	317	AVERAGE																																																																																																											



Mode	35																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ac_VHT20_CH165_Full RU_5825MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Vertical	Fundamental																																																																																																																					
Peak	 <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5854.00</td> <td>48.53</td> <td>111.36</td> <td>-62.83</td> <td>42.09</td> <td>35.02</td> <td>11.34</td> <td>39.92</td> <td>0.00</td> <td>253</td> <td>0 PEAK</td> </tr> <tr> <td>2 5873.20</td> <td>48.76</td> <td>105.80</td> <td>-57.04</td> <td>42.38</td> <td>35.05</td> <td>11.35</td> <td>40.02</td> <td>0.00</td> <td>253</td> <td>0 PEAK</td> </tr> <tr> <td>3 5923.60</td> <td>48.38</td> <td>69.33</td> <td>-20.95</td> <td>41.74</td> <td>35.13</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> <td>253</td> <td>0 PEAK</td> </tr> <tr> <td>4 5970.00</td> <td>48.51</td> <td>68.30</td> <td>-19.79</td> <td>41.62</td> <td>35.21</td> <td>11.45</td> <td>39.77</td> <td>0.00</td> <td>253</td> <td>0 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	48.53	111.36	-62.83	42.09	35.02	11.34	39.92	0.00	253	0 PEAK	2 5873.20	48.76	105.80	-57.04	42.38	35.05	11.35	40.02	0.00	253	0 PEAK	3 5923.60	48.38	69.33	-20.95	41.74	35.13	11.40	39.89	0.00	253	0 PEAK	4 5970.00	48.51	68.30	-19.79	41.62	35.21	11.45	39.77	0.00	253	0 PEAK	 <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5825.00</td> <td>104.52</td> <td>122.30</td> <td>-17.78</td> <td>97.64</td> <td>34.94</td> <td>11.31</td> <td>39.37</td> <td>0.00</td> <td>253</td> <td>0 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	104.52	122.30	-17.78	97.64	34.94	11.31	39.37	0.00	253	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1 5854.00	48.53	111.36	-62.83	42.09	35.02	11.34	39.92	0.00	253	0 PEAK																																																																																																													
2 5873.20	48.76	105.80	-57.04	42.38	35.05	11.35	40.02	0.00	253	0 PEAK																																																																																																													
3 5923.60	48.38	69.33	-20.95	41.74	35.13	11.40	39.89	0.00	253	0 PEAK																																																																																																													
4 5970.00	48.51	68.30	-19.79	41.62	35.21	11.45	39.77	0.00	253	0 PEAK																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1 5825.00	104.52	122.30	-17.78	97.64	34.94	11.31	39.37	0.00	253	0 PEAK																																																																																																													
Avg	Blank	 <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5825.00</td> <td>95.42</td> <td>122.30</td> <td>-26.88</td> <td>88.54</td> <td>34.94</td> <td>11.31</td> <td>39.37</td> <td>0.00</td> <td>253</td> <td>0 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	95.42	122.30	-26.88	88.54	34.94	11.31	39.37	0.00	253	0 AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1 5825.00	95.42	122.30	-26.88	88.54	34.94	11.31	39.37	0.00	253	0 AVERAGE																																																																																																													



Mode	35																																																																															
	Harmonic																																																																															
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_Full RU_5825MHz																																																																															
ANT	1																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>45.84</td> <td>74.00</td> <td>-28.16</td> <td>57.52</td> <td>38.42</td> <td>16.46</td> <td>66.56</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11650.00	45.84	74.00	-28.16	57.52	38.42	16.46	66.56	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>45.33</td> <td>74.00</td> <td>-28.67</td> <td>57.01</td> <td>38.42</td> <td>16.46</td> <td>66.56</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11650.00	45.33	74.00	-28.67	57.01	38.42	16.46	66.56	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1 11650.00	45.84	74.00	-28.16	57.52	38.42	16.46	66.56	0.00	---	---	PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1 11650.00	45.33	74.00	-28.67	57.01	38.42	16.46	66.56	0.00	---	---	PEAK																																																																					



Mode	36																																																																																																																					
	Band Edge - L																																																																																																																					
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_Full RU_5755MHz																																																																																																																					
ANT	1																																																																																																																					
Pol.	Horizontal	Fundamental																																																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5619.07</td> <td>49.61</td> <td>68.30</td> <td>-18.69</td> <td>40.22</td> <td>34.52</td> <td>11.03</td> <td>36.16</td> <td>0.00</td> <td>307</td> <td>316 PEAK</td> </tr> <tr> <td>2</td> <td>5650.69</td> <td>48.26</td> <td>68.81</td> <td>-20.55</td> <td>38.98</td> <td>34.50</td> <td>11.07</td> <td>36.29</td> <td>0.00</td> <td>307</td> <td>316 PEAK</td> </tr> <tr> <td>3</td> <td>5703.23</td> <td>49.05</td> <td>106.21</td> <td>-57.16</td> <td>40.51</td> <td>34.62</td> <td>11.15</td> <td>37.23</td> <td>0.00</td> <td>307</td> <td>316 PEAK</td> </tr> <tr> <td>4</td> <td>5720.28</td> <td>48.09</td> <td>111.54</td> <td>-63.45</td> <td>39.78</td> <td>34.67</td> <td>11.17</td> <td>37.53</td> <td>0.00</td> <td>307</td> <td>316 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5619.07	49.61	68.30	-18.69	40.22	34.52	11.03	36.16	0.00	307	316 PEAK	2	5650.69	48.26	68.81	-20.55	38.98	34.50	11.07	36.29	0.00	307	316 PEAK	3	5703.23	49.05	106.21	-57.16	40.51	34.62	11.15	37.23	0.00	307	316 PEAK	4	5720.28	48.09	111.54	-63.45	39.78	34.67	11.17	37.53	0.00	307	316 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>95.98</td> <td>122.30</td> <td>-26.32</td> <td>88.02</td> <td>34.74</td> <td>11.21</td> <td>37.99</td> <td>0.00</td> <td>307</td> <td>316 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	95.98	122.30	-26.32	88.02	34.74	11.21	37.99	0.00	307	316 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5619.07	49.61	68.30	-18.69	40.22	34.52	11.03	36.16	0.00	307	316 PEAK																																																																																																											
2	5650.69	48.26	68.81	-20.55	38.98	34.50	11.07	36.29	0.00	307	316 PEAK																																																																																																											
3	5703.23	49.05	106.21	-57.16	40.51	34.62	11.15	37.23	0.00	307	316 PEAK																																																																																																											
4	5720.28	48.09	111.54	-63.45	39.78	34.67	11.17	37.53	0.00	307	316 PEAK																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5755.00	95.98	122.30	-26.32	88.02	34.74	11.21	37.99	0.00	307	316 PEAK																																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>86.29</td> <td>122.30</td> <td>-36.01</td> <td>78.42</td> <td>34.75</td> <td>11.21</td> <td>38.09</td> <td>0.00</td> <td>307</td> <td>316 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	86.29	122.30	-36.01	78.42	34.75	11.21	38.09	0.00	307	316 AVERAGE																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5755.00	86.29	122.30	-36.01	78.42	34.75	11.21	38.09	0.00	307	316 AVERAGE																																																																																																											



Mode	36																																																																																
	Band Edge - R																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_Full RU_5755MHz																																																																																
ANT	1																																																																																
Pol.	Horizontal	Fundamental																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.65</td> <td>47.11</td> <td>111.71</td> <td>-64.60</td> <td>40.67</td> <td>35.02</td> <td>11.34</td> <td>39.92</td> <td>0.00</td> <td>307</td> <td>316</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.93</td> <td>46.55</td> <td>105.32</td> <td>-58.77</td> <td>40.17</td> <td>35.05</td> <td>11.35</td> <td>40.02</td> <td>0.00</td> <td>307</td> <td>316</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5922.90</td> <td>48.48</td> <td>69.85</td> <td>-21.37</td> <td>41.84</td> <td>35.13</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> <td>307</td> <td>316</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5925.43</td> <td>46.89</td> <td>68.30</td> <td>-21.41</td> <td>40.24</td> <td>35.14</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> <td>307</td> <td>316</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5854.65	47.11	111.71	-64.60	40.67	35.02	11.34	39.92	0.00	307	316	PEAK	2	5874.93	46.55	105.32	-58.77	40.17	35.05	11.35	40.02	0.00	307	316	PEAK	3	5922.90	48.48	69.85	-21.37	41.84	35.13	11.40	39.89	0.00	307	316	PEAK	4	5925.43	46.89	68.30	-21.41	40.24	35.14	11.40	39.89	0.00	307	316	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																									
1	5854.65	47.11	111.71	-64.60	40.67	35.02	11.34	39.92	0.00	307	316	PEAK																																																																					
2	5874.93	46.55	105.32	-58.77	40.17	35.05	11.35	40.02	0.00	307	316	PEAK																																																																					
3	5922.90	48.48	69.85	-21.37	41.84	35.13	11.40	39.89	0.00	307	316	PEAK																																																																					
4	5925.43	46.89	68.30	-21.41	40.24	35.14	11.40	39.89	0.00	307	316	PEAK																																																																					



	<b>36</b>																																																																																																																											
<b>Mode</b>	<b>Band Edge - L</b>																																																																																																																											
	<b>U-NII-3_5.725-5.85_802.11ac VHT40_CH151_Full RU_5755MHz</b>																																																																																																																											
<b>ANT</b>	<b>1</b>																																																																																																																											
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																																																										
<b>Peak</b>	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5635.50</td> <td>50.10</td> <td>68.30</td> <td>-18.20</td> <td>40.67</td> <td>34.51</td> <td>11.05</td> <td>36.13</td> <td>0.00</td> <td>280</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>5650.84</td> <td>50.87</td> <td>68.92</td> <td>-18.05</td> <td>41.59</td> <td>34.50</td> <td>11.07</td> <td>36.29</td> <td>0.00</td> <td>280</td> <td>0 PEAK</td> </tr> <tr> <td>3</td> <td>5703.39</td> <td>53.27</td> <td>106.25</td> <td>-52.98</td> <td>44.73</td> <td>34.62</td> <td>11.15</td> <td>37.23</td> <td>0.00</td> <td>280</td> <td>0 PEAK</td> </tr> <tr> <td>4</td> <td>5720.28</td> <td>53.86</td> <td>111.54</td> <td>-57.68</td> <td>45.55</td> <td>34.67</td> <td>11.17</td> <td>37.53</td> <td>0.00</td> <td>280</td> <td>0 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5635.50	50.10	68.30	-18.20	40.67	34.51	11.05	36.13	0.00	280	0 PEAK	2	5650.84	50.87	68.92	-18.05	41.59	34.50	11.07	36.29	0.00	280	0 PEAK	3	5703.39	53.27	106.25	-52.98	44.73	34.62	11.15	37.23	0.00	280	0 PEAK	4	5720.28	53.86	111.54	-57.68	45.55	34.67	11.17	37.53	0.00	280	0 PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>103.19</td> <td>122.30</td> <td>-19.11</td> <td>95.32</td> <td>34.75</td> <td>11.21</td> <td>38.09</td> <td>0.00</td> <td>280</td> <td>0 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	103.19	122.30	-19.11	95.32	34.75	11.21	38.09	0.00	280	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5635.50	50.10	68.30	-18.20	40.67	34.51	11.05	36.13	0.00	280	0 PEAK																																																																																																																	
2	5650.84	50.87	68.92	-18.05	41.59	34.50	11.07	36.29	0.00	280	0 PEAK																																																																																																																	
3	5703.39	53.27	106.25	-52.98	44.73	34.62	11.15	37.23	0.00	280	0 PEAK																																																																																																																	
4	5720.28	53.86	111.54	-57.68	45.55	34.67	11.17	37.53	0.00	280	0 PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5755.00	103.19	122.30	-19.11	95.32	34.75	11.21	38.09	0.00	280	0 PEAK																																																																																																																	
<b>Avg</b>	<b>Blank</b>	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>93.94</td> <td>122.30</td> <td>-28.36</td> <td>86.15</td> <td>34.77</td> <td>11.22</td> <td>38.20</td> <td>0.00</td> <td>280</td> <td>0 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	93.94	122.30	-28.36	86.15	34.77	11.22	38.20	0.00	280	0 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5755.00	93.94	122.30	-28.36	86.15	34.77	11.22	38.20	0.00	280	0 AVERAGE																																																																																																																	



Mode	36																																																																																
	Band Edge - R																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_Full RU_5755MHz																																																																																
ANT	1																																																																																
Pol.	Vertical	Fundamental																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.26</td> <td>49.50</td> <td>112.60</td> <td>-63.10</td> <td>43.06</td> <td>35.02</td> <td>11.33</td> <td>39.91</td> <td>0.00</td> <td>280</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5870.64</td> <td>48.22</td> <td>106.52</td> <td>-58.30</td> <td>41.86</td> <td>35.04</td> <td>11.35</td> <td>40.03</td> <td>0.00</td> <td>280</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.65</td> <td>45.71</td> <td>68.56</td> <td>-22.85</td> <td>39.07</td> <td>35.13</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> <td>280</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5929.92</td> <td>49.13</td> <td>68.30</td> <td>-19.17</td> <td>42.46</td> <td>35.14</td> <td>11.41</td> <td>39.88</td> <td>0.00</td> <td>280</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5854.26	49.50	112.60	-63.10	43.06	35.02	11.33	39.91	0.00	280	0	PEAK	2	5870.64	48.22	106.52	-58.30	41.86	35.04	11.35	40.03	0.00	280	0	PEAK	3	5924.65	45.71	68.56	-22.85	39.07	35.13	11.40	39.89	0.00	280	0	PEAK	4	5929.92	49.13	68.30	-19.17	42.46	35.14	11.41	39.88	0.00	280	0	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																									
1	5854.26	49.50	112.60	-63.10	43.06	35.02	11.33	39.91	0.00	280	0	PEAK																																																																					
2	5870.64	48.22	106.52	-58.30	41.86	35.04	11.35	40.03	0.00	280	0	PEAK																																																																					
3	5924.65	45.71	68.56	-22.85	39.07	35.13	11.40	39.89	0.00	280	0	PEAK																																																																					
4	5929.92	49.13	68.30	-19.17	42.46	35.14	11.41	39.88	0.00	280	0	PEAK																																																																					



Mode	36																																																																																	
	Harmonic																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_Full RU_5755MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11510.00</td> <td>45.02</td> <td>74.00</td> <td>-28.98</td> <td>57.07</td> <td>38.31</td> <td>16.37</td> <td>66.73</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11510.00	45.02	74.00	-28.98	57.07	38.31	16.37	66.73	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11510.00</td> <td>44.02</td> <td>74.00</td> <td>-29.98</td> <td>56.07</td> <td>38.31</td> <td>16.37</td> <td>66.73</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11510.00	44.02	74.00	-29.98	56.07	38.31	16.37	66.73	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11510.00	45.02	74.00	-28.98	57.07	38.31	16.37	66.73	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11510.00	44.02	74.00	-29.98	56.07	38.31	16.37	66.73	0.00	---	---	PEAK																																																																							





Mode	37																																																																																																																								
	Band Edge - L																																																																																																																								
	U-NII-3_5.725-5.85_802.11ac_VHT40_CH159_Full RU_5795MHz																																																																																																																								
ANT	1																																																																																																																								
Pol.	Horizontal	Fundamental																																																																																																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5640.56</td> <td>49.24</td> <td>68.30</td> <td>-19.06</td> <td>39.79</td> <td>34.51</td> <td>11.06</td> <td>36.12</td> <td>0.00</td> <td>337</td> <td>317</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.09</td> <td>48.30</td> <td>69.11</td> <td>-20.81</td> <td>39.03</td> <td>34.50</td> <td>11.07</td> <td>36.30</td> <td>0.00</td> <td>337</td> <td>317</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.04</td> <td>46.75</td> <td>105.31</td> <td>-58.56</td> <td>38.17</td> <td>34.61</td> <td>11.14</td> <td>37.17</td> <td>0.00</td> <td>337</td> <td>317</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.12</td> <td>48.33</td> <td>111.17</td> <td>-62.84</td> <td>40.02</td> <td>34.67</td> <td>11.17</td> <td>37.53</td> <td>0.00</td> <td>337</td> <td>317</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5640.56	49.24	68.30	-19.06	39.79	34.51	11.06	36.12	0.00	337	317	PEAK	2	5651.09	48.30	69.11	-20.81	39.03	34.50	11.07	36.30	0.00	337	317	PEAK	3	5700.04	46.75	105.31	-58.56	38.17	34.61	11.14	37.17	0.00	337	317	PEAK	4	5720.12	48.33	111.17	-62.84	40.02	34.67	11.17	37.53	0.00	337	317	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>96.46</td> <td>122.30</td> <td>-25.84</td> <td>89.25</td> <td>34.80</td> <td>11.28</td> <td>38.95</td> <td>0.00</td> <td>337</td> <td>317</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5795.00	96.46	122.30	-25.84	89.25	34.80	11.28	38.95	0.00	337	317	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5640.56	49.24	68.30	-19.06	39.79	34.51	11.06	36.12	0.00	337	317	PEAK																																																																																																													
2	5651.09	48.30	69.11	-20.81	39.03	34.50	11.07	36.30	0.00	337	317	PEAK																																																																																																													
3	5700.04	46.75	105.31	-58.56	38.17	34.61	11.14	37.17	0.00	337	317	PEAK																																																																																																													
4	5720.12	48.33	111.17	-62.84	40.02	34.67	11.17	37.53	0.00	337	317	PEAK																																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5795.00	96.46	122.30	-25.84	89.25	34.80	11.28	38.95	0.00	337	317	PEAK																																																																																																													
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>87.21</td> <td>122.30</td> <td>-35.09</td> <td>79.92</td> <td>34.86</td> <td>11.27</td> <td>38.84</td> <td>0.00</td> <td>337</td> <td>317</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5795.00	87.21	122.30	-35.09	79.92	34.86	11.27	38.84	0.00	337	317	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5795.00	87.21	122.30	-35.09	79.92	34.86	11.27	38.84	0.00	337	317	AVERAGE																																																																																																													



Mode	37																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ac_VHT40_CH159_Full RU_5795MHz																																																																									
ANT	1																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.83</td> <td>46.89</td> <td>111.29</td> <td>-64.40</td> <td>40.45</td> <td>35.02</td> <td>11.34</td> <td>39.92</td> <td>0.00</td> <td>337</td> <td>317</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.21</td> <td>47.18</td> <td>105.52</td> <td>-58.34</td> <td>40.80</td> <td>35.05</td> <td>11.35</td> <td>40.02</td> <td>0.00</td> <td>337</td> <td>317</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.65</td> <td>46.18</td> <td>69.29</td> <td>-23.11</td> <td>39.54</td> <td>35.13</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> <td>337</td> <td>317</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5943.80</td> <td>47.50</td> <td>68.30</td> <td>-20.80</td> <td>40.75</td> <td>35.17</td> <td>11.42</td> <td>39.84</td> <td>0.00</td> <td>337</td> <td>317</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.83	46.89	111.29	-64.40	40.45	35.02	11.34	39.92	0.00	337	317	PEAK	2	5874.21	47.18	105.52	-58.34	40.80	35.05	11.35	40.02	0.00	337	317	PEAK	3	5923.65	46.18	69.29	-23.11	39.54	35.13	11.40	39.89	0.00	337	317	PEAK	4	5943.80	47.50	68.30	-20.80	40.75	35.17	11.42	39.84	0.00	337	317	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5854.83	46.89	111.29	-64.40	40.45	35.02	11.34	39.92	0.00	337	317	PEAK																																																														
2	5874.21	47.18	105.52	-58.34	40.80	35.05	11.35	40.02	0.00	337	317	PEAK																																																														
3	5923.65	46.18	69.29	-23.11	39.54	35.13	11.40	39.89	0.00	337	317	PEAK																																																														
4	5943.80	47.50	68.30	-20.80	40.75	35.17	11.42	39.84	0.00	337	317	PEAK																																																														



	<b>37</b>																																																																																																																											
<b>Mode</b>	<b>Band Edge - L</b>																																																																																																																											
	<b>U-NII-3_5.725-5.85_802.11ac VHT40_CH159_Full RU_5795MHz</b>																																																																																																																											
<b>ANT</b>	<b>1</b>																																																																																																																											
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																																																										
<b>Peak</b>	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5637.25</td> <td>48.96</td> <td>68.30</td> <td>-19.34</td> <td>39.53</td> <td>34.51</td> <td>11.05</td> <td>36.13</td> <td>0.00</td> <td>279</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>5650.12</td> <td>49.89</td> <td>68.39</td> <td>-18.50</td> <td>40.60</td> <td>34.50</td> <td>11.07</td> <td>36.28</td> <td>0.00</td> <td>279</td> <td>0 PEAK</td> </tr> <tr> <td>3</td> <td>5700.43</td> <td>49.36</td> <td>105.42</td> <td>-56.06</td> <td>40.79</td> <td>34.61</td> <td>11.14</td> <td>37.18</td> <td>0.00</td> <td>279</td> <td>0 PEAK</td> </tr> <tr> <td>4</td> <td>5720.12</td> <td>49.21</td> <td>111.17</td> <td>-61.96</td> <td>40.90</td> <td>34.67</td> <td>11.17</td> <td>37.53</td> <td>0.00</td> <td>279</td> <td>0 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5637.25	48.96	68.30	-19.34	39.53	34.51	11.05	36.13	0.00	279	0 PEAK	2	5650.12	49.89	68.39	-18.50	40.60	34.50	11.07	36.28	0.00	279	0 PEAK	3	5700.43	49.36	105.42	-56.06	40.79	34.61	11.14	37.18	0.00	279	0 PEAK	4	5720.12	49.21	111.17	-61.96	40.90	34.67	11.17	37.53	0.00	279	0 PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>103.54</td> <td>122.30</td> <td>-18.76</td> <td>96.33</td> <td>34.80</td> <td>11.28</td> <td>38.95</td> <td>0.00</td> <td>279</td> <td>0 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	103.54	122.30	-18.76	96.33	34.80	11.28	38.95	0.00	279	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5637.25	48.96	68.30	-19.34	39.53	34.51	11.05	36.13	0.00	279	0 PEAK																																																																																																																	
2	5650.12	49.89	68.39	-18.50	40.60	34.50	11.07	36.28	0.00	279	0 PEAK																																																																																																																	
3	5700.43	49.36	105.42	-56.06	40.79	34.61	11.14	37.18	0.00	279	0 PEAK																																																																																																																	
4	5720.12	49.21	111.17	-61.96	40.90	34.67	11.17	37.53	0.00	279	0 PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5795.00	103.54	122.30	-18.76	96.33	34.80	11.28	38.95	0.00	279	0 PEAK																																																																																																																	
<b>Avg</b>	<b>Blank</b>	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>93.65</td> <td>122.30</td> <td>-28.65</td> <td>86.36</td> <td>34.86</td> <td>11.27</td> <td>38.84</td> <td>0.00</td> <td>279</td> <td>0 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	93.65	122.30	-28.65	86.36	34.86	11.27	38.84	0.00	279	0 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5795.00	93.65	122.30	-28.65	86.36	34.86	11.27	38.84	0.00	279	0 AVERAGE																																																																																																																	



Mode	37																																																																		
	Band Edge - R																																																																		
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_Full RU_5795MHz																																																																		
ANT	1																																																																		
Pol.	Vertical	Fundamental																																																																	
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>Aux Loss (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.68</td> <td>49.80</td> <td>111.64</td> <td>-61.84</td> <td>43.36</td> <td>35.02</td> <td>11.34</td> <td>39.92</td> <td>0.00</td> <td>279</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5868.57</td> <td>54.61</td> <td>109.34</td> <td>-54.73</td> <td>48.26</td> <td>35.03</td> <td>11.34</td> <td>40.02</td> <td>0.00</td> <td>279</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.65</td> <td>48.40</td> <td>69.29</td> <td>-20.89</td> <td>41.76</td> <td>35.13</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> <td>279</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5935.74</td> <td>47.87</td> <td>68.30</td> <td>-20.43</td> <td>41.17</td> <td>35.15</td> <td>11.41</td> <td>39.86</td> <td>0.00</td> <td>279</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Loss (dB)	APos (cm)	TPos (deg)	Remark	1	5854.68	49.80	111.64	-61.84	43.36	35.02	11.34	39.92	0.00	279	0	PEAK	2	5868.57	54.61	109.34	-54.73	48.26	35.03	11.34	40.02	0.00	279	0	PEAK	3	5923.65	48.40	69.29	-20.89	41.76	35.13	11.40	39.89	0.00	279	0	PEAK	4	5935.74	47.87	68.30	-20.43	41.17	35.15	11.41	39.86	0.00	279	0	PEAK	Blank
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Loss (dB)	APos (cm)	TPos (deg)	Remark																																																							
1	5854.68	49.80	111.64	-61.84	43.36	35.02	11.34	39.92	0.00	279	0	PEAK																																																							
2	5868.57	54.61	109.34	-54.73	48.26	35.03	11.34	40.02	0.00	279	0	PEAK																																																							
3	5923.65	48.40	69.29	-20.89	41.76	35.13	11.40	39.89	0.00	279	0	PEAK																																																							
4	5935.74	47.87	68.30	-20.43	41.17	35.15	11.41	39.86	0.00	279	0	PEAK																																																							



Mode	37																																																																																	
	Harmonic																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_Full RU_5795MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11590.00</td> <td>43.77</td> <td>74.00</td> <td>-30.23</td> <td>55.61</td> <td>38.37</td> <td>16.42</td> <td>66.63</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11590.00	43.77	74.00	-30.23	55.61	38.37	16.42	66.63	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11590.00</td> <td>43.75</td> <td>74.00</td> <td>-30.25</td> <td>55.59</td> <td>38.37</td> <td>16.42</td> <td>66.63</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11590.00	43.75	74.00	-30.25	55.59	38.37	16.42	66.63	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11590.00	43.77	74.00	-30.23	55.61	38.37	16.42	66.63	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11590.00	43.75	74.00	-30.25	55.59	38.37	16.42	66.63	0.00	---	---	PEAK																																																																							



Mode	38																																																																																																																											
	Band Edge - L																																																																																																																											
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full RU_5775MHz																																																																																																																											
ANT	1																																																																																																																											
Pol.	Horizontal	Fundamental																																																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5644.40</td> <td>48.95</td> <td>68.30</td> <td>-19.35</td> <td>39.56</td> <td>34.51</td> <td>11.06</td> <td>36.18</td> <td>0.00</td> <td>295</td> <td>317</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.40</td> <td>48.05</td> <td>68.60</td> <td>-20.55</td> <td>38.77</td> <td>34.50</td> <td>11.07</td> <td>36.29</td> <td>0.00</td> <td>295</td> <td>317</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.40</td> <td>48.43</td> <td>105.41</td> <td>-56.98</td> <td>39.86</td> <td>34.61</td> <td>11.14</td> <td>37.18</td> <td>0.00</td> <td>295</td> <td>317</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5721.60</td> <td>52.52</td> <td>114.55</td> <td>-62.03</td> <td>44.23</td> <td>34.67</td> <td>11.17</td> <td>37.55</td> <td>0.00</td> <td>295</td> <td>317</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5644.40	48.95	68.30	-19.35	39.56	34.51	11.06	36.18	0.00	295	317	PEAK	2	5650.40	48.05	68.60	-20.55	38.77	34.50	11.07	36.29	0.00	295	317	PEAK	3	5700.40	48.43	105.41	-56.98	39.86	34.61	11.14	37.18	0.00	295	317	PEAK	4	5721.60	52.52	114.55	-62.03	44.23	34.67	11.17	37.55	0.00	295	317	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>93.22</td> <td>122.30</td> <td>-29.08</td> <td>85.76</td> <td>34.83</td> <td>11.26</td> <td>38.63</td> <td>0.00</td> <td>295</td> <td>317</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	93.22	122.30	-29.08	85.76	34.83	11.26	38.63	0.00	295	317	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5644.40	48.95	68.30	-19.35	39.56	34.51	11.06	36.18	0.00	295	317	PEAK																																																																																																																
2	5650.40	48.05	68.60	-20.55	38.77	34.50	11.07	36.29	0.00	295	317	PEAK																																																																																																																
3	5700.40	48.43	105.41	-56.98	39.86	34.61	11.14	37.18	0.00	295	317	PEAK																																																																																																																
4	5721.60	52.52	114.55	-62.03	44.23	34.67	11.17	37.55	0.00	295	317	PEAK																																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5775.00	93.22	122.30	-29.08	85.76	34.83	11.26	38.63	0.00	295	317	PEAK																																																																																																																
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>83.59</td> <td>122.30</td> <td>-38.71</td> <td>76.13</td> <td>34.83</td> <td>11.26</td> <td>38.63</td> <td>0.00</td> <td>295</td> <td>317</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	83.59	122.30	-38.71	76.13	34.83	11.26	38.63	0.00	295	317	AVERAGE																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5775.00	83.59	122.30	-38.71	76.13	34.83	11.26	38.63	0.00	295	317	AVERAGE																																																																																																																



Mode	38																																																																																	
	Band Edge - R																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full RU_5775MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>45.59</td> <td>111.36</td> <td>-65.77</td> <td>39.15</td> <td>35.02</td> <td>11.34</td> <td>39.92</td> <td>0.00</td> <td>295</td> <td>317</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5878.80</td> <td>48.80</td> <td>106.47</td> <td>-57.67</td> <td>42.44</td> <td>35.04</td> <td>11.35</td> <td>40.03</td> <td>0.00</td> <td>295</td> <td>317</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.00</td> <td>45.36</td> <td>69.04</td> <td>-23.68</td> <td>38.72</td> <td>35.13</td> <td>11.40</td> <td>39.89</td> <td>0.00</td> <td>295</td> <td>317</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5938.40</td> <td>47.64</td> <td>68.30</td> <td>-20.66</td> <td>40.92</td> <td>35.16</td> <td>11.41</td> <td>39.85</td> <td>0.00</td> <td>295</td> <td>317</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	45.59	111.36	-65.77	39.15	35.02	11.34	39.92	0.00	295	317	PEAK	2	5878.80	48.80	106.47	-57.67	42.44	35.04	11.35	40.03	0.00	295	317	PEAK	3	5924.00	45.36	69.04	-23.68	38.72	35.13	11.40	39.89	0.00	295	317	PEAK	4	5938.40	47.64	68.30	-20.66	40.92	35.16	11.41	39.85	0.00	295	317	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.80	45.59	111.36	-65.77	39.15	35.02	11.34	39.92	0.00	295	317	PEAK																																																																						
2	5878.80	48.80	106.47	-57.67	42.44	35.04	11.35	40.03	0.00	295	317	PEAK																																																																						
3	5924.00	45.36	69.04	-23.68	38.72	35.13	11.40	39.89	0.00	295	317	PEAK																																																																						
4	5938.40	47.64	68.30	-20.66	40.92	35.16	11.41	39.85	0.00	295	317	PEAK																																																																						



Mode	38																																																																																																																											
	Band Edge - L																																																																																																																											
	U-NII-3_5.725-5.85_802.11ac_VHT80_CH155_Full_RU_5775MHz																																																																																																																											
ANT	1																																																																																																																											
Pol.	Vertical	Fundamental																																																																																																																										
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5642.40</td> <td>49.78</td> <td>68.30</td> <td>-18.52</td> <td>40.35</td> <td>34.51</td> <td>11.06</td> <td>36.14</td> <td>0.00</td> <td>293</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>5650.00</td> <td>48.94</td> <td>68.30</td> <td>-19.36</td> <td>39.65</td> <td>34.50</td> <td>11.07</td> <td>36.28</td> <td>0.00</td> <td>293</td> <td>0 PEAK</td> </tr> <tr> <td>3</td> <td>5719.60</td> <td>60.38</td> <td>110.79</td> <td>-50.41</td> <td>52.07</td> <td>34.66</td> <td>11.17</td> <td>37.52</td> <td>0.00</td> <td>293</td> <td>0 PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>55.05</td> <td>110.90</td> <td>-55.85</td> <td>46.73</td> <td>34.67</td> <td>11.17</td> <td>37.52</td> <td>0.00</td> <td>293</td> <td>0 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5642.40	49.78	68.30	-18.52	40.35	34.51	11.06	36.14	0.00	293	0 PEAK	2	5650.00	48.94	68.30	-19.36	39.65	34.50	11.07	36.28	0.00	293	0 PEAK	3	5719.60	60.38	110.79	-50.41	52.07	34.66	11.17	37.52	0.00	293	0 PEAK	4	5720.00	55.05	110.90	-55.85	46.73	34.67	11.17	37.52	0.00	293	0 PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>99.61</td> <td>122.30</td> <td>-22.69</td> <td>92.15</td> <td>34.83</td> <td>11.26</td> <td>38.63</td> <td>0.00</td> <td>293</td> <td>0 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	99.61	122.30	-22.69	92.15	34.83	11.26	38.63	0.00	293	0 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5642.40	49.78	68.30	-18.52	40.35	34.51	11.06	36.14	0.00	293	0 PEAK																																																																																																																	
2	5650.00	48.94	68.30	-19.36	39.65	34.50	11.07	36.28	0.00	293	0 PEAK																																																																																																																	
3	5719.60	60.38	110.79	-50.41	52.07	34.66	11.17	37.52	0.00	293	0 PEAK																																																																																																																	
4	5720.00	55.05	110.90	-55.85	46.73	34.67	11.17	37.52	0.00	293	0 PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5775.00	99.61	122.30	-22.69	92.15	34.83	11.26	38.63	0.00	293	0 PEAK																																																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>90.76</td> <td>122.30</td> <td>-31.54</td> <td>83.30</td> <td>34.83</td> <td>11.26</td> <td>38.63</td> <td>0.00</td> <td>293</td> <td>0 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	90.76	122.30	-31.54	83.30	34.83	11.26	38.63	0.00	293	0 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5775.00	90.76	122.30	-31.54	83.30	34.83	11.26	38.63	0.00	293	0 AVERAGE																																																																																																																	






Mode	38																																																																
	Band Edge - R																																																																
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full RU_5775MHz																																																																
ANT	1																																																																
Pol.	Vertical	Fundamental																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.00</td> <td>54.25</td> <td>113.18</td> <td>-58.93</td> <td>47.81</td> <td>35.02</td> <td>11.33</td> <td>39.91 0.00 293 0 PEAK</td> </tr> <tr> <td>2</td> <td>5873.60</td> <td>50.56</td> <td>105.69</td> <td>-55.13</td> <td>44.18</td> <td>35.05</td> <td>11.35</td> <td>40.02 0.00 293 0 PEAK</td> </tr> <tr> <td>3</td> <td>5924.40</td> <td>46.58</td> <td>68.74</td> <td>-22.16</td> <td>39.94</td> <td>35.13</td> <td>11.40</td> <td>39.89 0.00 293 0 PEAK</td> </tr> <tr> <td>4</td> <td>5934.40</td> <td>47.04</td> <td>68.30</td> <td>-21.26</td> <td>40.34</td> <td>35.15</td> <td>11.41</td> <td>39.86 0.00 293 0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	5854.00	54.25	113.18	-58.93	47.81	35.02	11.33	39.91 0.00 293 0 PEAK	2	5873.60	50.56	105.69	-55.13	44.18	35.05	11.35	40.02 0.00 293 0 PEAK	3	5924.40	46.58	68.74	-22.16	39.94	35.13	11.40	39.89 0.00 293 0 PEAK	4	5934.40	47.04	68.30	-21.26	40.34	35.15	11.41	39.86 0.00 293 0 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																									
1	5854.00	54.25	113.18	-58.93	47.81	35.02	11.33	39.91 0.00 293 0 PEAK																																																									
2	5873.60	50.56	105.69	-55.13	44.18	35.05	11.35	40.02 0.00 293 0 PEAK																																																									
3	5924.40	46.58	68.74	-22.16	39.94	35.13	11.40	39.89 0.00 293 0 PEAK																																																									
4	5934.40	47.04	68.30	-21.26	40.34	35.15	11.41	39.86 0.00 293 0 PEAK																																																									



Mode	38																																																																																	
	Harmonic																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full RU_5775MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11550.00</td> <td>43.51</td> <td>74.00</td> <td>-30.49</td> <td>55.46</td> <td>38.34</td> <td>16.39</td> <td>66.68</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11550.00	43.51	74.00	-30.49	55.46	38.34	16.39	66.68	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11550.00</td> <td>43.57</td> <td>74.00</td> <td>-30.43</td> <td>55.52</td> <td>38.34</td> <td>16.39</td> <td>66.68</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11550.00	43.57	74.00	-30.43	55.52	38.34	16.39	66.68	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11550.00	43.51	74.00	-30.49	55.46	38.34	16.39	66.68	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11550.00	43.57	74.00	-30.43	55.52	38.34	16.39	66.68	0.00	---	---	PEAK																																																																							





Mode	44																																																																																																																																																																																	
	LF																																																																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ac_VHT20_CH149_Full RU_5745MHz																																																																																																																																																																																	
ANT	1																																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																																
QP/ Peak	<p>Data: 10</p> <p>Site : 03CH02-KS Condition : 5G BAND4 3m CBL6111D SN23188 HORIZONTAL : RBW:100.000KHz VBW:300.000KHz SWT:Auto Project : 2D2302 mode : 5 IMEI : #5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr><td>1</td><td>189.54</td><td>18.41</td><td>-25.09</td><td>43.50</td><td>32.75</td><td>16.94</td><td>1.58</td><td>32.86</td><td>---</td><td>Peak HORIZONTAL</td></tr> <tr><td>2</td><td>139.61</td><td>23.05</td><td>-20.45</td><td>43.50</td><td>37.52</td><td>16.56</td><td>1.80</td><td>32.83</td><td>---</td><td>Peak HORIZONTAL</td></tr> <tr><td>3</td><td>191.99</td><td>22.15</td><td>-21.35</td><td>43.50</td><td>37.31</td><td>15.57</td><td>2.11</td><td>32.84</td><td>---</td><td>Peak HORIZONTAL</td></tr> <tr><td>4</td><td>259.89</td><td>23.05</td><td>-22.95</td><td>46.00</td><td>34.77</td><td>18.60</td><td>2.46</td><td>32.78</td><td>---</td><td>Peak HORIZONTAL</td></tr> <tr><td>5</td><td>349.13</td><td>21.31</td><td>-24.69</td><td>46.00</td><td>30.98</td><td>20.41</td><td>2.85</td><td>32.93</td><td>---</td><td>Peak HORIZONTAL</td></tr> <tr><td>6</td><td>661.47</td><td>27.33</td><td>-18.67</td><td>46.00</td><td>31.15</td><td>25.22</td><td>3.93</td><td>32.97</td><td>---</td><td>Peak HORIZONTAL</td></tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	189.54	18.41	-25.09	43.50	32.75	16.94	1.58	32.86	---	Peak HORIZONTAL	2	139.61	23.05	-20.45	43.50	37.52	16.56	1.80	32.83	---	Peak HORIZONTAL	3	191.99	22.15	-21.35	43.50	37.31	15.57	2.11	32.84	---	Peak HORIZONTAL	4	259.89	23.05	-22.95	46.00	34.77	18.60	2.46	32.78	---	Peak HORIZONTAL	5	349.13	21.31	-24.69	46.00	30.98	20.41	2.85	32.93	---	Peak HORIZONTAL	6	661.47	27.33	-18.67	46.00	31.15	25.22	3.93	32.97	---	Peak HORIZONTAL	<p>Data: 9</p> <p>Site : 03CH02-KS Condition : 5G BAND4 3m CBL6111D SN23188 VERTICAL : RBW:100.000KHz VBW:300.000KHz SWT:Auto Project : 2D2302 mode : 5 IMEI : #5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr><td>1</td><td>47.46</td><td>29.11</td><td>-10.89</td><td>40.00</td><td>45.61</td><td>15.40</td><td>1.04</td><td>32.94</td><td>---</td><td>Peak VERTICAL</td></tr> <tr><td>2</td><td>145.43</td><td>24.93</td><td>-18.57</td><td>43.50</td><td>39.44</td><td>16.48</td><td>1.83</td><td>32.82</td><td>---</td><td>Peak VERTICAL</td></tr> <tr><td>3</td><td>191.99</td><td>21.26</td><td>-22.24</td><td>43.50</td><td>36.42</td><td>15.57</td><td>2.11</td><td>32.84</td><td>---</td><td>Peak VERTICAL</td></tr> <tr><td>4</td><td>263.77</td><td>20.95</td><td>-25.05</td><td>46.00</td><td>32.58</td><td>18.67</td><td>2.48</td><td>32.78</td><td>---</td><td>Peak VERTICAL</td></tr> <tr><td>5</td><td>478.38</td><td>23.08</td><td>-22.92</td><td>46.00</td><td>29.80</td><td>22.97</td><td>3.31</td><td>33.00</td><td>---</td><td>Peak VERTICAL</td></tr> <tr><td>6</td><td>607.15</td><td>27.25</td><td>-18.75</td><td>46.00</td><td>31.57</td><td>24.98</td><td>3.76</td><td>33.06</td><td>---</td><td>Peak VERTICAL</td></tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	47.46	29.11	-10.89	40.00	45.61	15.40	1.04	32.94	---	Peak VERTICAL	2	145.43	24.93	-18.57	43.50	39.44	16.48	1.83	32.82	---	Peak VERTICAL	3	191.99	21.26	-22.24	43.50	36.42	15.57	2.11	32.84	---	Peak VERTICAL	4	263.77	20.95	-25.05	46.00	32.58	18.67	2.48	32.78	---	Peak VERTICAL	5	478.38	23.08	-22.92	46.00	29.80	22.97	3.31	33.00	---	Peak VERTICAL	6	607.15	27.25	-18.75	46.00	31.57	24.98	3.76	33.06	---	Peak VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																									
1	189.54	18.41	-25.09	43.50	32.75	16.94	1.58	32.86	---	Peak HORIZONTAL																																																																																																																																																																								
2	139.61	23.05	-20.45	43.50	37.52	16.56	1.80	32.83	---	Peak HORIZONTAL																																																																																																																																																																								
3	191.99	22.15	-21.35	43.50	37.31	15.57	2.11	32.84	---	Peak HORIZONTAL																																																																																																																																																																								
4	259.89	23.05	-22.95	46.00	34.77	18.60	2.46	32.78	---	Peak HORIZONTAL																																																																																																																																																																								
5	349.13	21.31	-24.69	46.00	30.98	20.41	2.85	32.93	---	Peak HORIZONTAL																																																																																																																																																																								
6	661.47	27.33	-18.67	46.00	31.15	25.22	3.93	32.97	---	Peak HORIZONTAL																																																																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																									
1	47.46	29.11	-10.89	40.00	45.61	15.40	1.04	32.94	---	Peak VERTICAL																																																																																																																																																																								
2	145.43	24.93	-18.57	43.50	39.44	16.48	1.83	32.82	---	Peak VERTICAL																																																																																																																																																																								
3	191.99	21.26	-22.24	43.50	36.42	15.57	2.11	32.84	---	Peak VERTICAL																																																																																																																																																																								
4	263.77	20.95	-25.05	46.00	32.58	18.67	2.48	32.78	---	Peak VERTICAL																																																																																																																																																																								
5	478.38	23.08	-22.92	46.00	29.80	22.97	3.31	33.00	---	Peak VERTICAL																																																																																																																																																																								
6	607.15	27.25	-18.75	46.00	31.57	24.98	3.76	33.06	---	Peak VERTICAL																																																																																																																																																																								



<Simultaneous transmission>

### Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 45	U-NII-2A	5.25-5.35	1	802.11ac VHT80	58	5290	MCS0	-	-
Mode 45	LTE Band 14- BW 5M								



### Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
45	802.11ac VHT80	58	5350.40	48.72	54.00	-5.28	V	AVERAGE	Pass	Band Edge
	802.11ac VHT80	58	7052.80	48.98	68.30	-19.32	V	Peak	Pass	Harmonic



Mode	45																																																															
	Band Edge - L																																																															
	U-NII-2A_5.25-5.35_802.11ac_VHT80_CH58_Full RU_5290MHz																																																															
ANT	1																																																															
Pol.	Horizontal	Fundamental																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5133.28</td> <td>49.92</td> <td>74.00</td> <td>-24.08</td> <td>42.21</td> <td>34.20</td> <td>10.59</td> <td>37.08</td> <td>0.00</td> <td>100</td> <td>43 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	5133.28	49.92	74.00	-24.08	42.21	34.20	10.59	37.08	0.00	100	43 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>87.06</td> <td>68.30</td> <td>18.76</td> <td>78.81</td> <td>34.39</td> <td>10.70</td> <td>36.84</td> <td>0.00</td> <td>100</td> <td>43 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	5290.00	87.06	68.30	18.76	78.81	34.39	10.70	36.84	0.00	100	43 PEAK
	Limit	Read	Ant	Cable	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																					
1	5133.28	49.92	74.00	-24.08	42.21	34.20	10.59	37.08	0.00	100	43 PEAK																																																					
Limit	Read	Ant	Cable	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																					
1	5290.00	87.06	68.30	18.76	78.81	34.39	10.70	36.84	0.00	100	43 PEAK																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5115.04</td> <td>38.85</td> <td>54.00</td> <td>-15.15</td> <td>31.22</td> <td>34.18</td> <td>10.57</td> <td>37.12</td> <td>0.00</td> <td>100</td> <td>43 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	5115.04	38.85	54.00	-15.15	31.22	34.18	10.57	37.12	0.00	100	43 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>77.96</td> <td>68.30</td> <td>9.66</td> <td>69.60</td> <td>34.43</td> <td>10.71</td> <td>36.78</td> <td>0.00</td> <td>100</td> <td>43 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	5290.00	77.96	68.30	9.66	69.60	34.43	10.71	36.78	0.00	100	43 AVERAGE
Limit	Read	Ant	Cable	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																					
1	5115.04	38.85	54.00	-15.15	31.22	34.18	10.57	37.12	0.00	100	43 AVERAGE																																																					
Limit	Read	Ant	Cable	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																					
1	5290.00	77.96	68.30	9.66	69.60	34.43	10.71	36.78	0.00	100	43 AVERAGE																																																					



Mode	45																																																	
	Band Edge - R																																																	
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full RU_5290MHz																																																	
ANT	1																																																	
Pol.	Horizontal	Fundamental																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5370.70</td> <td>49.88</td> <td>74.00</td> <td>-24.12</td> <td>41.20</td> <td>34.55</td> <td>10.76</td> <td>36.63</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>43 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5370.70	49.88	74.00	-24.12	41.20	34.55	10.76	36.63							0.00	100								43 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																											
1 5370.70	49.88	74.00	-24.12	41.20	34.55	10.76	36.63																																											
						0.00	100																																											
							43 PEAK																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5360.20</td> <td>39.76</td> <td>54.00</td> <td>-14.24</td> <td>31.12</td> <td>34.54</td> <td>10.75</td> <td>36.65</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>43 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5360.20	39.76	54.00	-14.24	31.12	34.54	10.75	36.65							0.00	100								43 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																											
1 5360.20	39.76	54.00	-14.24	31.12	34.54	10.75	36.65																																											
						0.00	100																																											
							43 AVERAGE																																											





Mode	45																																																																																			
	Band Edge - L																																																																																			
	U-NII-2A_5.25-5.35_802.11ac_VHT80_CH58_Full_RU_5290MHz																																																																																			
ANT	1																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5111.84</td> <td>49.34</td> <td>74.00</td> <td>-24.66</td> <td>41.72</td> <td>34.17</td> <td>10.57</td> <td>37.12</td> <td>0.00</td> <td>323</td> <td>109</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5111.84	49.34	74.00	-24.66	41.72	34.17	10.57	37.12	0.00	323	109	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>100.18</td> <td>68.30</td> <td>31.88</td> <td>91.82</td> <td>34.43</td> <td>10.71</td> <td>36.78</td> <td>0.00</td> <td>323</td> <td>109</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	100.18	68.30	31.88	91.82	34.43	10.71	36.78	0.00	323	109	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5111.84	49.34	74.00	-24.66	41.72	34.17	10.57	37.12	0.00	323	109	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5290.00	100.18	68.30	31.88	91.82	34.43	10.71	36.78	0.00	323	109	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5130.72</td> <td>39.30</td> <td>54.00</td> <td>-14.70</td> <td>31.60</td> <td>34.20</td> <td>10.59</td> <td>37.09</td> <td>0.00</td> <td>323</td> <td>109</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5130.72	39.30	54.00	-14.70	31.60	34.20	10.59	37.09	0.00	323	109	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>90.75</td> <td>68.30</td> <td>22.45</td> <td>82.36</td> <td>34.44</td> <td>10.72</td> <td>36.77</td> <td>0.00</td> <td>323</td> <td>109</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	90.75	68.30	22.45	82.36	34.44	10.72	36.77	0.00	323	109	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5130.72	39.30	54.00	-14.70	31.60	34.20	10.59	37.09	0.00	323	109	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5290.00	90.75	68.30	22.45	82.36	34.44	10.72	36.77	0.00	323	109	AVERAGE																																																																								



Mode	45																																														
	Band Edge - R																																														
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full RU_5290MHz																																														
ANT	1																																														
Pol.	Vertical	Fundamental																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5351.10</td> <td>57.84</td> <td>74.00</td> <td>-16.16</td> <td>49.24</td> <td>34.52</td> <td>10.75</td> <td>36.67</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>323 109 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5351.10	57.84	74.00	-16.16	49.24	34.52	10.75	36.67	0.00									323 109 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 5351.10	57.84	74.00	-16.16	49.24	34.52	10.75	36.67	0.00																																							
								323 109 PEAK																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5350.40</td> <td>48.72</td> <td>54.00</td> <td>-5.28</td> <td>40.12</td> <td>34.52</td> <td>10.75</td> <td>36.67</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>323 109 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5350.40	48.72	54.00	-5.28	40.12	34.52	10.75	36.67	0.00									323 109 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 5350.40	48.72	54.00	-5.28	40.12	34.52	10.75	36.67	0.00																																							
								323 109 AVERAGE																																							




Mode	45																																																																																										
	Harmonic																																																																																										
	U-NII-2A_5.25-5.35_802.11ac_VHT80_CH58_Full_RU_5290MHz																																																																																										
ANT	1																																																																																										
Pol.	Horizontal	Vertical																																																																																									
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10500.00</td> <td>44.29</td> <td>68.30</td> <td>-24.01</td> <td>58.09</td> <td>37.61</td> <td>15.65</td> <td>67.06</td> <td>0.00</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10500.00	44.29	68.30	-24.01	58.09	37.61	15.65	67.06	0.00	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 7052.00</td> <td>48.98</td> <td>68.30</td> <td>-19.32</td> <td>66.57</td> <td>35.71</td> <td>12.52</td> <td>65.82</td> <td>0.00</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 10500.00</td> <td>43.26</td> <td>68.30</td> <td>-25.04</td> <td>57.06</td> <td>37.61</td> <td>15.65</td> <td>67.06</td> <td>0.00</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7052.00	48.98	68.30	-19.32	66.57	35.71	12.52	65.82	0.00	---	Peak	2 10500.00	43.26	68.30	-25.04	57.06	37.61	15.65	67.06	0.00	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 10500.00	44.29	68.30	-24.01	58.09	37.61	15.65	67.06	0.00	---	PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 7052.00	48.98	68.30	-19.32	66.57	35.71	12.52	65.82	0.00	---	Peak																																																																																	
2 10500.00	43.26	68.30	-25.04	57.06	37.61	15.65	67.06	0.00	---	PEAK																																																																																	



## Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	0.96	4.137	0.242	0.27KHz
802.11ac VHT20	0.94	3.874	0.258	0.27KHz
802.11ac VHT40	0.91	1.902	0.526	0.56KHz
802.11ac VHT80	0.85	0.927	1.079	1.1KHz

### 802.11a






802.11ac VHT20



802.11ac VHT40





802.11ac VHT80

