



28																																																						
Band Edge - L																																																						
U-NII-2C_5.47-5.725_802.11ac_VHT80_CH106_5530MHz																																																						
Pol.	Horizontal																																																					
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5444.86</td> <td>63.37</td> <td>74.00</td> <td>-10.63</td> <td>50.55</td> <td>34.80</td> <td>10.00</td> <td>31.98</td> <td>0.00</td> <td>100</td> <td>224</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5467.72</td> <td>61.26</td> <td>68.30</td> <td>-7.04</td> <td>48.42</td> <td>34.80</td> <td>10.04</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>224</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5444.86	63.37	74.00	-10.63	50.55	34.80	10.00	31.98	0.00	100	224	PEAK	2	5467.72	61.26	68.30	-7.04	48.42	34.80	10.04	32.00	0.00	100	224	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																														
1	5444.86	63.37	74.00	-10.63	50.55	34.80	10.00	31.98	0.00	100	224	PEAK																																										
2	5467.72	61.26	68.30	-7.04	48.42	34.80	10.04	32.00	0.00	100	224	PEAK																																										
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>102.16</td> <td>-----</td> <td>-----</td> <td>89.32</td> <td>34.72</td> <td>10.16</td> <td>32.04</td> <td>0.00</td> <td>100</td> <td>224</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5530.00	102.16	-----	-----	89.32	34.72	10.16	32.04	0.00	100	224	PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																														
1	5530.00	102.16	-----	-----	89.32	34.72	10.16	32.04	0.00	100	224	PEAK																																										
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.54</td> <td>49.40</td> <td>54.00</td> <td>-4.60</td> <td>36.57</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>224</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5458.54	49.40	54.00	-4.60	36.57	34.80	10.02	31.99	0.00	100	224	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																														
1	5458.54	49.40	54.00	-4.60	36.57	34.80	10.02	31.99	0.00	100	224	AVERAGE																																										
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>93.96</td> <td>-----</td> <td>-----</td> <td>81.12</td> <td>34.74</td> <td>10.14</td> <td>32.04</td> <td>0.00</td> <td>100</td> <td>224</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5530.00	93.96	-----	-----	81.12	34.74	10.14	32.04	0.00	100	224	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																														
1	5530.00	93.96	-----	-----	81.12	34.74	10.14	32.04	0.00	100	224	AVERAGE																																										





Note: The higher Signals which are no mark are within frequency band can be ignored.



Mode	28																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5745.03</td> <td>54.58</td> <td>68.30</td> <td>-13.72</td> <td>41.68</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>224 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5745.03	54.58	68.30	-13.72	41.68	34.55	10.36	32.01	0.00	100	224 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5745.03	54.58	68.30	-13.72	41.68	34.55	10.36	32.01	0.00	100	224 PEAK																															

Note: The higher Signals which are no mark are within frequency band can be ignored.



		28																																																																																																					
Mode	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11ac_VHT80_CH106_5530MHz																																																																																																						
Pol.	Vertical	Fundamental																																																																																																					
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5450.44</td> <td>57.74</td> <td>74.00</td> <td>-16.26</td> <td>44.91</td> <td>34.80</td> <td>10.01</td> <td>31.98</td> <td>0.00</td> <td>353</td> <td>243</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5467.00</td> <td>59.19</td> <td>68.30</td> <td>-9.11</td> <td>46.34</td> <td>34.80</td> <td>10.04</td> <td>31.99</td> <td>0.00</td> <td>353</td> <td>243</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5450.44	57.74	74.00	-16.26	44.91	34.80	10.01	31.98	0.00	353	243	PEAK	2	5467.00	59.19	68.30	-9.11	46.34	34.80	10.04	31.99	0.00	353	243	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>97.36</td> <td>-----</td> <td>-----</td> <td>84.51</td> <td>34.77</td> <td>10.11</td> <td>32.03</td> <td>0.00</td> <td>353</td> <td>243</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	97.36	-----	-----	84.51	34.77	10.11	32.03	0.00	353	243	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5450.44	57.74	74.00	-16.26	44.91	34.80	10.01	31.98	0.00	353	243	PEAK																																																																																											
2	5467.00	59.19	68.30	-9.11	46.34	34.80	10.04	31.99	0.00	353	243	PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5530.00	97.36	-----	-----	84.51	34.77	10.11	32.03	0.00	353	243	PEAK																																																																																											
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.90</td> <td>45.36</td> <td>54.00</td> <td>-8.64</td> <td>32.53</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>353</td> <td>243</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.90	45.36	54.00	-8.64	32.53	34.80	10.02	31.99	0.00	353	243	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>87.95</td> <td>-----</td> <td>-----</td> <td>75.11</td> <td>34.74</td> <td>10.14</td> <td>32.04</td> <td>0.00</td> <td>353</td> <td>243</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	87.95	-----	-----	75.11	34.74	10.14	32.04	0.00	353	243	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5458.90	45.36	54.00	-8.64	32.53	34.80	10.02	31.99	0.00	353	243	AVERAGE																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5530.00	87.95	-----	-----	75.11	34.74	10.14	32.04	0.00	353	243	AVERAGE																																																																																											

Note: The higher Signals which are no mark are within frequency band can be ignored.



Mode	28																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																							
Pol.	Vertical	Fundamental																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5751.37</td> <td>54.06</td> <td>68.30</td> <td>-14.24</td> <td>41.14</td> <td>34.56</td> <td>10.37</td> <td>32.01</td> <td>0.00</td> <td>353 243</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5751.37	54.06	68.30	-14.24	41.14	34.56	10.37	32.01	0.00	353 243	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5751.37	54.06	68.30	-14.24	41.14	34.56	10.37	32.01	0.00	353 243																															

Note: The higher Signals which are no mark are within frequency band can be ignored.



Mode	28																																																																											
	Harmonic																																																																											
	U-NII-2C_5.47-5.725_802.11ac_VHT80_CH106_5530MHz																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11060.00</td> <td>46.81</td> <td>74.00</td> <td>-27.19</td> <td>55.85</td> <td>38.04</td> <td>14.61</td> <td>61.69</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11060.00	46.81	74.00	-27.19	55.85	38.04	14.61	61.69	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11060.00</td> <td>45.61</td> <td>74.00</td> <td>-28.39</td> <td>54.65</td> <td>38.04</td> <td>14.61</td> <td>61.69</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11060.00	45.61	74.00	-28.39	54.65	38.04	14.61	61.69	0.00	--- --- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11060.00	46.81	74.00	-27.19	55.85	38.04	14.61	61.69	0.00	--- --- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11060.00	45.61	74.00	-28.39	54.65	38.04	14.61	61.69	0.00	--- --- PEAK																																																																			



29

Mode

Band Edge - L


U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz

Pol.


Horizontal

Fundamental

Peak




Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			
									Freq	Level	Line Margin
5364.04	54.78	74.00	-19.22	42.10	34.69	9.92	31.93	0.00	100	227	PEAK
5464.30	54.73	68.30	-13.57	41.89	34.80	10.03	31.99	0.00	100	227	PEAK




Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	
									Freq
5610.00	102.82	90.05	34.61	10.24	32.08	0.00	100	227	PEAK

Avg



Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			
									Freq	Level	Line Margin
5459.80	44.31	54.00	-9.69	31.47	34.80	10.03	31.99	0.00	100	227	AVERAGE







Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	
									Freq
5610.00	94.14	81.37	34.59	10.26	32.08	0.00	100	227	AVERAGE



Mode	29																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																									
Pol.	Horizontal	Fundamental																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5729.28</td> <td>54.49</td> <td>68.30</td> <td>-13.81</td> <td>41.63</td> <td>34.54</td> <td>10.35</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>227</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5729.28	54.49	68.30	-13.81	41.63	34.54	10.35	32.03	0.00	100	227	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5729.28	54.49	68.30	-13.81	41.63	34.54	10.35	32.03	0.00	100	227	PEAK																															



		29																																																																																															
Mode	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11ac_VHT80_CH122_5610MHz																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5442.34</td> <td>54.17</td> <td>74.00</td> <td>-19.83</td> <td>41.35</td> <td>34.80</td> <td>10.00</td> <td>31.98</td> <td>0.00</td> <td>342</td> <td>261</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.16</td> <td>53.17</td> <td>68.30</td> <td>-15.13</td> <td>40.33</td> <td>34.80</td> <td>10.04</td> <td>32.00</td> <td>0.00</td> <td>342</td> <td>261</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5442.34	54.17	74.00	-19.83	41.35	34.80	10.00	31.98	0.00	342	261	PEAK	2	5469.16	53.17	68.30	-15.13	40.33	34.80	10.04	32.00	0.00	342	261	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>97.46</td> <td>-----</td> <td>-----</td> <td>84.69</td> <td>34.60</td> <td>10.25</td> <td>32.00</td> <td>0.00</td> <td>342</td> <td>261</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	97.46	-----	-----	84.69	34.60	10.25	32.00	0.00	342	261	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5442.34	54.17	74.00	-19.83	41.35	34.80	10.00	31.98	0.00	342	261	PEAK																																																																																					
2	5469.16	53.17	68.30	-15.13	40.33	34.80	10.04	32.00	0.00	342	261	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5610.00	97.46	-----	-----	84.69	34.60	10.25	32.00	0.00	342	261	PEAK																																																																																					
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5454.94</td> <td>43.62</td> <td>54.00</td> <td>-10.38</td> <td>30.79</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>0.00</td> <td>342</td> <td>261</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.94	43.62	54.00	-10.38	30.79	34.80	10.02	31.99	0.00	342	261	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>80.99</td> <td>-----</td> <td>-----</td> <td>76.22</td> <td>34.61</td> <td>10.24</td> <td>32.00</td> <td>0.00</td> <td>342</td> <td>261</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	80.99	-----	-----	76.22	34.61	10.24	32.00	0.00	342	261	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5454.94	43.62	54.00	-10.38	30.79	34.80	10.02	31.99	0.00	342	261	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5610.00	80.99	-----	-----	76.22	34.61	10.24	32.00	0.00	342	261	AVERAGE																																																																																					



Mode	29																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																								
Pol.	Vertical	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5730.93</td> <td>56.08</td> <td>68.30</td> <td>-12.22</td> <td>43.22</td> <td>34.54</td> <td>10.35</td> <td>32.03</td> <td>0.00</td> <td>342 261</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5730.93	56.08	68.30	-12.22	43.22	34.54	10.35	32.03	0.00	342 261	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5730.93	56.08	68.30	-12.22	43.22	34.54	10.35	32.03	0.00	342 261	PEAK																															



Mode	29																																																																											
	Harmonic																																																																											
	U-NII-2C_5.47-5.725_802.11ac_VHT80_CH122_5610MHz																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11220.00</td> <td>46.12</td> <td>74.00</td> <td>-27.88</td> <td>54.90</td> <td>38.13</td> <td>14.72</td> <td>61.63</td> <td>0.00</td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11220.00	46.12	74.00	-27.88	54.90	38.13	14.72	61.63	0.00	--- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11220.00</td> <td>46.25</td> <td>74.00</td> <td>-27.75</td> <td>55.03</td> <td>38.13</td> <td>14.72</td> <td>61.63</td> <td>0.00</td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11220.00	46.25	74.00	-27.75	55.03	38.13	14.72	61.63	0.00	--- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11220.00	46.12	74.00	-27.88	54.90	38.13	14.72	61.63	0.00	--- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11220.00	46.25	74.00	-27.75	55.03	38.13	14.72	61.63	0.00	--- PEAK																																																																			



		30																																																																																																																					
Mode		Band Edge																																																																																																																					
		U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																					
Pol.		Horizontal	Fundamental																																																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5619.72</td> <td>53.51</td> <td>68.30</td> <td>-14.79</td> <td>40.75</td> <td>34.59</td> <td>10.26</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>179</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.61</td> <td>52.07</td> <td>68.75</td> <td>-15.08</td> <td>40.13</td> <td>34.55</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>179</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5703.68</td> <td>55.34</td> <td>106.33</td> <td>-50.99</td> <td>42.55</td> <td>34.51</td> <td>10.33</td> <td>32.05</td> <td>0.00</td> <td>100</td> <td>179</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.79</td> <td>58.00</td> <td>112.69</td> <td>-54.69</td> <td>45.16</td> <td>34.53</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>179</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5619.72	53.51	68.30	-14.79	40.75	34.59	10.26	32.09	0.00	100	179	PEAK	2	5650.61	52.07	68.75	-15.08	40.13	34.55	10.28	32.09	0.00	100	179	PEAK	3	5703.68	55.34	106.33	-50.99	42.55	34.51	10.33	32.05	0.00	100	179	PEAK	4	5720.79	58.00	112.69	-54.69	45.16	34.53	10.34	32.03	0.00	100	179	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>107.80</td> <td>-----</td> <td>-----</td> <td>94.88</td> <td>34.56</td> <td>10.37</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>179</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	107.80	-----	-----	94.88	34.56	10.37	32.01	0.00	100	179	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	5619.72	53.51	68.30	-14.79	40.75	34.59	10.26	32.09	0.00	100	179	PEAK																																																																																																											
2	5650.61	52.07	68.75	-15.08	40.13	34.55	10.28	32.09	0.00	100	179	PEAK																																																																																																											
3	5703.68	55.34	106.33	-50.99	42.55	34.51	10.33	32.05	0.00	100	179	PEAK																																																																																																											
4	5720.79	58.00	112.69	-54.69	45.16	34.53	10.34	32.03	0.00	100	179	PEAK																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	5745.00	107.80	-----	-----	94.88	34.56	10.37	32.01	0.00	100	179	PEAK																																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>101.13</td> <td>-----</td> <td>-----</td> <td>88.23</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>179</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	101.13	-----	-----	88.23	34.55	10.36	32.01	0.00	100	179	AVERAGE																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	5745.00	101.13	-----	-----	88.23	34.55	10.36	32.01	0.00	100	179	AVERAGE																																																																																																											



		30																																																																																																																														
Mode		Band Edge																																																																																																																														
		U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																														
Pol.		Vertical					Fundamental																																																																																																																									
Peak																																																																																																																																
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5604.06</td> <td>54.34</td> <td>68.30</td> <td>-13.96</td> <td>41.56</td> <td>34.61</td> <td>10.25</td> <td>32.00</td> <td>0.00</td> <td>325</td> <td>263</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.17</td> <td>53.33</td> <td>68.43</td> <td>-15.10</td> <td>40.59</td> <td>34.55</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>325</td> <td>263</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.34</td> <td>53.18</td> <td>105.40</td> <td>-52.22</td> <td>40.40</td> <td>34.51</td> <td>10.32</td> <td>32.05</td> <td>0.00</td> <td>325</td> <td>263</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.06</td> <td>53.31</td> <td>111.04</td> <td>-57.73</td> <td>40.47</td> <td>34.53</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>325</td> <td>263</td> <td>PEAK</td> </tr> </tbody> </table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			cm	deg	1	5604.06	54.34	68.30	-13.96	41.56	34.61	10.25	32.00	0.00	325	263	PEAK	2	5650.17	53.33	68.43	-15.10	40.59	34.55	10.28	32.09	0.00	325	263	PEAK	3	5700.34	53.18	105.40	-52.22	40.40	34.51	10.32	32.05	0.00	325	263	PEAK	4	5720.06	53.31	111.04	-57.73	40.47	34.53	10.34	32.03	0.00	325	263	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>104.54</td> <td>-----</td> <td>-----</td> <td>91.64</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>325</td> <td>263</td> <td>PEAK</td> </tr> </tbody> </table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			cm	deg	1	5745.00	104.54	-----	-----	91.64	34.55	10.36	32.01	0.00	325	263
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			cm	deg																																																																																																																						
1	5604.06	54.34	68.30	-13.96	41.56	34.61	10.25	32.00	0.00	325	263	PEAK																																																																																																																				
2	5650.17	53.33	68.43	-15.10	40.59	34.55	10.28	32.09	0.00	325	263	PEAK																																																																																																																				
3	5700.34	53.18	105.40	-52.22	40.40	34.51	10.32	32.05	0.00	325	263	PEAK																																																																																																																				
4	5720.06	53.31	111.04	-57.73	40.47	34.53	10.34	32.03	0.00	325	263	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			cm	deg																																																																																																																						
1	5745.00	104.54	-----	-----	91.64	34.55	10.36	32.01	0.00	325	263	PEAK																																																																																																																				
Avg	Blank																																																																																																																															
											<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>97.28</td> <td>-----</td> <td>-----</td> <td>84.38</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>325</td> <td>263</td> <td>AVERAGE</td> </tr> </tbody> </table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			cm	deg	1	5745.00	97.28	-----	-----	84.38	34.55	10.36	32.01	0.00	325	263	AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			cm	deg																																																																																																																						
1	5745.00	97.28	-----	-----	84.38	34.55	10.36	32.01	0.00	325	263	AVERAGE																																																																																																																				



Mode	30																																																																															
	Harmonic																																																																															
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak																																																																																
Avg																																																																																
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>46.16</td> <td>74.00</td> <td>-27.84</td> <td>54.48</td> <td>38.29</td> <td>14.91</td> <td>61.52</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11490.00	46.16	74.00	-27.84	54.48	38.29	14.91	61.52	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>46.03</td> <td>74.00</td> <td>-27.97</td> <td>54.35</td> <td>38.29</td> <td>14.91</td> <td>61.52</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11490.00	46.03	74.00	-27.97	54.35	38.29	14.91	61.52	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1 11490.00	46.16	74.00	-27.84	54.48	38.29	14.91	61.52	0.00	---	---	PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1 11490.00	46.03	74.00	-27.97	54.35	38.29	14.91	61.52	0.00	---	---	PEAK																																																																					



Mode	31																																																																										
	Harmonic																																																																										
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																										
Pol.	Horizontal	Vertical																																																																									
Peak Avg																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>47.08</td> <td>74.00</td> <td>-26.92</td> <td>55.24</td> <td>38.36</td> <td>14.97</td> <td>61.49</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11570.00	47.08	74.00	-26.92	55.24	38.36	14.97	61.49	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>45.94</td> <td>74.00</td> <td>-28.06</td> <td>54.10</td> <td>38.36</td> <td>14.97</td> <td>61.49</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11570.00	45.94	74.00	-28.06	54.10	38.36	14.97	61.49	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																			
1 11570.00	47.08	74.00	-26.92	55.24	38.36	14.97	61.49	0.00	--- --- PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																			
1 11570.00	45.94	74.00	-28.06	54.10	38.36	14.97	61.49	0.00	--- --- PEAK																																																																		



		32																																																																																																																										
Mode	Band Edge																																																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																											
Pol.	Horizontal	Fundamental																																																																																																																										
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>55.23</td> <td>110.90</td> <td>-55.67</td> <td>41.88</td> <td>34.84</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>177 PEAK</td> </tr> <tr> <td>2</td> <td>5873.38</td> <td>56.36</td> <td>105.75</td> <td>-49.39</td> <td>42.93</td> <td>34.91</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>177 PEAK</td> </tr> <tr> <td>3</td> <td>5924.38</td> <td>54.32</td> <td>68.76</td> <td>-14.44</td> <td>40.68</td> <td>35.11</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>177 PEAK</td> </tr> <tr> <td>4</td> <td>5928.00</td> <td>56.35</td> <td>68.30</td> <td>-11.95</td> <td>42.69</td> <td>35.13</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>177 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5855.00	55.23	110.90	-55.67	41.88	34.84	10.45	31.94	0.00	100	177 PEAK	2	5873.38	56.36	105.75	-49.39	42.93	34.91	10.47	31.95	0.00	100	177 PEAK	3	5924.38	54.32	68.76	-14.44	40.68	35.11	10.52	31.99	0.00	100	177 PEAK	4	5928.00	56.35	68.30	-11.95	42.69	35.13	10.52	31.99	0.00	100	177 PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>109.87</td> <td>-----</td> <td>-----</td> <td>96.64</td> <td>34.74</td> <td>10.43</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>177 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	109.87	-----	-----	96.64	34.74	10.43	31.94	0.00	100	177 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5855.00	55.23	110.90	-55.67	41.88	34.84	10.45	31.94	0.00	100	177 PEAK																																																																																																																	
2	5873.38	56.36	105.75	-49.39	42.93	34.91	10.47	31.95	0.00	100	177 PEAK																																																																																																																	
3	5924.38	54.32	68.76	-14.44	40.68	35.11	10.52	31.99	0.00	100	177 PEAK																																																																																																																	
4	5928.00	56.35	68.30	-11.95	42.69	35.13	10.52	31.99	0.00	100	177 PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5825.00	109.87	-----	-----	96.64	34.74	10.43	31.94	0.00	100	177 PEAK																																																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>101.91</td> <td>-----</td> <td>-----</td> <td>88.71</td> <td>34.72</td> <td>10.43</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>177 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	101.91	-----	-----	88.71	34.72	10.43	31.95	0.00	100	177 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5825.00	101.91	-----	-----	88.71	34.72	10.43	31.95	0.00	100	177 AVERAGE																																																																																																																	



		32																																																																																																																															
Mode	Band Edge																																																																																																																																
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																
Pol.	Vertical	Fundamental																																																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.63</td> <td>54.94</td> <td>111.75</td> <td>-56.81</td> <td>41.59</td> <td>34.84</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>300</td> <td>243</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.88</td> <td>55.75</td> <td>105.33</td> <td>-49.58</td> <td>42.31</td> <td>34.92</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>300</td> <td>243</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.25</td> <td>54.16</td> <td>68.85</td> <td>-14.69</td> <td>40.53</td> <td>35.11</td> <td>10.51</td> <td>31.99</td> <td>0.00</td> <td>300</td> <td>243</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5936.13</td> <td>55.74</td> <td>68.30</td> <td>-12.56</td> <td>42.05</td> <td>35.16</td> <td>10.53</td> <td>32.00</td> <td>0.00</td> <td>300</td> <td>243</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.63	54.94	111.75	-56.81	41.59	34.84	10.45	31.94	0.00	300	243	PEAK	2	5874.88	55.75	105.33	-49.58	42.31	34.92	10.47	31.95	0.00	300	243	PEAK	3	5924.25	54.16	68.85	-14.69	40.53	35.11	10.51	31.99	0.00	300	243	PEAK	4	5936.13	55.74	68.30	-12.56	42.05	35.16	10.53	32.00	0.00	300	243	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>101.97</td> <td>-----</td> <td>-----</td> <td>88.77</td> <td>34.72</td> <td>10.43</td> <td>31.95</td> <td>0.00</td> <td>300</td> <td>243</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	101.97	-----	-----	88.77	34.72	10.43	31.95	0.00	300	243	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5854.63	54.94	111.75	-56.81	41.59	34.84	10.45	31.94	0.00	300	243	PEAK																																																																																																																					
2	5874.88	55.75	105.33	-49.58	42.31	34.92	10.47	31.95	0.00	300	243	PEAK																																																																																																																					
3	5924.25	54.16	68.85	-14.69	40.53	35.11	10.51	31.99	0.00	300	243	PEAK																																																																																																																					
4	5936.13	55.74	68.30	-12.56	42.05	35.16	10.53	32.00	0.00	300	243	PEAK																																																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5825.00	101.97	-----	-----	88.77	34.72	10.43	31.95	0.00	300	243	PEAK																																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>94.26</td> <td>-----</td> <td>-----</td> <td>81.06</td> <td>34.72</td> <td>10.43</td> <td>31.95</td> <td>0.00</td> <td>300</td> <td>243</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	94.26	-----	-----	81.06	34.72	10.43	31.95	0.00	300	243	AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5825.00	94.26	-----	-----	81.06	34.72	10.43	31.95	0.00	300	243	AVERAGE																																																																																																																					



Mode	32																																																																																																				
	Harmonic																																																																																																				
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																				
Pol.	Horizontal	Vertical																																																																																																			
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>46.91</td> <td>74.00</td> <td>-27.09</td> <td>54.91</td> <td>38.45</td> <td>15.02</td> <td>61.47</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11650.00	46.91	74.00	-27.09	54.91	38.45	15.02	61.47	0.00									--- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>46.38</td> <td>74.00</td> <td>-27.62</td> <td>54.38</td> <td>38.45</td> <td>15.02</td> <td>61.47</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11650.00	46.38	74.00	-27.62	54.38	38.45	15.02	61.47	0.00																		--- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																													
1 11650.00	46.91	74.00	-27.09	54.91	38.45	15.02	61.47	0.00																																																																																													
								--- PEAK																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																													
1 11650.00	46.38	74.00	-27.62	54.38	38.45	15.02	61.47	0.00																																																																																													
								--- PEAK																																																																																													



33																																																																															
Band Edge																																																																															
U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																															
Pol.	Horizontal																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5625.52</td> <td>54.47</td> <td>68.30</td> <td>-13.83</td> <td>41.72</td> <td>34.58</td> <td>10.26</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>178</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.46</td> <td>52.37</td> <td>68.64</td> <td>-16.27</td> <td>39.63</td> <td>34.55</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>178</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5702.81</td> <td>54.47</td> <td>106.09</td> <td>-51.62</td> <td>41.68</td> <td>34.51</td> <td>10.33</td> <td>32.05</td> <td>0.00</td> <td>100</td> <td>178</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5721.22</td> <td>57.98</td> <td>113.68</td> <td>-55.70</td> <td>45.14</td> <td>34.53</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>178</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5625.52	54.47	68.30	-13.83	41.72	34.58	10.26	32.09	0.00	100	178	PEAK	2	5650.46	52.37	68.64	-16.27	39.63	34.55	10.28	32.09	0.00	100	178	PEAK	3	5702.81	54.47	106.09	-51.62	41.68	34.51	10.33	32.05	0.00	100	178	PEAK	4	5721.22	57.98	113.68	-55.70	45.14	34.53	10.34	32.03	0.00	100	178	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5625.52	54.47	68.30	-13.83	41.72	34.58	10.26	32.09	0.00	100	178	PEAK																																																																			
2	5650.46	52.37	68.64	-16.27	39.63	34.55	10.28	32.09	0.00	100	178	PEAK																																																																			
3	5702.81	54.47	106.09	-51.62	41.68	34.51	10.33	32.05	0.00	100	178	PEAK																																																																			
4	5721.22	57.98	113.68	-55.70	45.14	34.53	10.34	32.03	0.00	100	178	PEAK																																																																			
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>107.66</td> <td>-----</td> <td>-----</td> <td>94.76</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>178</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	107.66	-----	-----	94.76	34.55	10.36	32.01	0.00	100	178	PEAK																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5745.00	107.66	-----	-----	94.76	34.55	10.36	32.01	0.00	100	178	PEAK																																																																			
Avg	Blank																																																																														
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>100.06</td> <td>-----</td> <td>-----</td> <td>87.16</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>178</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	100.06	-----	-----	87.16	34.55	10.36	32.01	0.00	100	178	AVERAGE																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5745.00	100.06	-----	-----	87.16	34.55	10.36	32.01	0.00	100	178	AVERAGE																																																																			



		33																																																																																																									
Mode	Band Edge																																																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																										
Pol.	Vertical	Fundamental																																																																																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.30</td> <td>54.86</td> <td>68.30</td> <td>-13.44</td> <td>42.09</td> <td>34.60</td> <td>10.25</td> <td>32.08</td> <td>0.00</td> <td>321</td> <td>253</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.46</td> <td>54.27</td> <td>68.64</td> <td>-14.37</td> <td>41.53</td> <td>34.55</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>321</td> <td>253</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5701.07</td> <td>53.52</td> <td>105.60</td> <td>-52.08</td> <td>40.73</td> <td>34.51</td> <td>10.33</td> <td>32.05</td> <td>0.00</td> <td>321</td> <td>253</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.21</td> <td>53.43</td> <td>111.37</td> <td>-57.94</td> <td>40.59</td> <td>34.53</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>321</td> <td>253</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg	1	5610.30	54.86	68.30	-13.44	42.09	34.60	10.25	32.08	0.00	321	253	PEAK	2	5650.46	54.27	68.64	-14.37	41.53	34.55	10.28	32.09	0.00	321	253	PEAK	3	5701.07	53.52	105.60	-52.08	40.73	34.51	10.33	32.05	0.00	321	253	PEAK	4	5720.21	53.43	111.37	-57.94	40.59	34.53	10.34	32.03	0.00	321	253	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>103.30</td> <td>-----</td> <td>-----</td> <td>90.40</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>321</td> <td>253</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg	1	5745.00	103.30	-----	-----	90.40	34.55	10.36	32.01	0.00	321	253	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg																																																																																																		
1	5610.30	54.86	68.30	-13.44	42.09	34.60	10.25	32.08	0.00	321	253	PEAK																																																																																															
2	5650.46	54.27	68.64	-14.37	41.53	34.55	10.28	32.09	0.00	321	253	PEAK																																																																																															
3	5701.07	53.52	105.60	-52.08	40.73	34.51	10.33	32.05	0.00	321	253	PEAK																																																																																															
4	5720.21	53.43	111.37	-57.94	40.59	34.53	10.34	32.03	0.00	321	253	PEAK																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg																																																																																																		
1	5745.00	103.30	-----	-----	90.40	34.55	10.36	32.01	0.00	321	253	PEAK																																																																																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>95.39</td> <td>-----</td> <td>-----</td> <td>82.49</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>321</td> <td>253</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg	1	5745.00	95.39	-----	-----	82.49	34.55	10.36	32.01	0.00	321	253	AVERAGE																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg																																																																																																		
1	5745.00	95.39	-----	-----	82.49	34.55	10.36	32.01	0.00	321	253	AVERAGE																																																																																															



Mode	33																																																																										
	Harmonic																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																										
Pol.	Horizontal	Vertical																																																																									
Peak Avg																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>46.69</td> <td>74.00</td> <td>-27.31</td> <td>55.01</td> <td>38.29</td> <td>14.91</td> <td>61.52</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11490.00	46.69	74.00	-27.31	55.01	38.29	14.91	61.52	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>46.16</td> <td>74.00</td> <td>-27.84</td> <td>54.48</td> <td>38.29</td> <td>14.91</td> <td>61.52</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11490.00	46.16	74.00	-27.84	54.48	38.29	14.91	61.52	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																			
1 11490.00	46.69	74.00	-27.31	55.01	38.29	14.91	61.52	0.00	--- --- PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																			
1 11490.00	46.16	74.00	-27.84	54.48	38.29	14.91	61.52	0.00	--- --- PEAK																																																																		



Mode	34																																																																										
	Harmonic																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT20_CH157_5785MHz																																																																										
Pol.	Horizontal	Vertical																																																																									
Peak Avg																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>47.01</td> <td>74.00</td> <td>-26.99</td> <td>55.17</td> <td>38.36</td> <td>14.97</td> <td>61.49</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11570.00	47.01	74.00	-26.99	55.17	38.36	14.97	61.49	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>46.21</td> <td>74.00</td> <td>-27.79</td> <td>54.37</td> <td>38.36</td> <td>14.97</td> <td>61.49</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11570.00	46.21	74.00	-27.79	54.37	38.36	14.97	61.49	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																			
1 11570.00	47.01	74.00	-26.99	55.17	38.36	14.97	61.49	0.00	--- --- PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																			
1 11570.00	46.21	74.00	-27.79	54.37	38.36	14.97	61.49	0.00	--- --- PEAK																																																																		



		35																																																																																																																												
Mode	Band Edge																																																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																													
Pol.	Horizontal		Fundamental																																																																																																																											
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.88</td> <td>55.58</td> <td>111.18</td> <td>-55.60</td> <td>42.23</td> <td>34.84</td> <td>18.45</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>179 PEAK</td> </tr> <tr> <td>2</td> <td>5868.63</td> <td>58.70</td> <td>107.00</td> <td>-48.30</td> <td>45.29</td> <td>34.89</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>179 PEAK</td> </tr> <tr> <td>3</td> <td>5924.50</td> <td>53.89</td> <td>68.67</td> <td>-14.78</td> <td>40.25</td> <td>35.11</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>179 PEAK</td> </tr> <tr> <td>4</td> <td>5933.13</td> <td>55.63</td> <td>68.30</td> <td>-12.67</td> <td>41.96</td> <td>35.15</td> <td>10.52</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>179 PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.88	55.58	111.18	-55.60	42.23	34.84	18.45	31.94	0.00	100	179 PEAK	2	5868.63	58.70	107.00	-48.30	45.29	34.89	10.47	31.95	0.00	100	179 PEAK	3	5924.50	53.89	68.67	-14.78	40.25	35.11	10.52	31.99	0.00	100	179 PEAK	4	5933.13	55.63	68.30	-12.67	41.96	35.15	10.52	32.00	0.00	100	179 PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>107.53</td> <td>-----</td> <td>-----</td> <td>94.37</td> <td>34.69</td> <td>10.42</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>179 PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	107.53	-----	-----	94.37	34.69	10.42	31.95	0.00	100	179 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5854.88	55.58	111.18	-55.60	42.23	34.84	18.45	31.94	0.00	100	179 PEAK																																																																																																																			
2	5868.63	58.70	107.00	-48.30	45.29	34.89	10.47	31.95	0.00	100	179 PEAK																																																																																																																			
3	5924.50	53.89	68.67	-14.78	40.25	35.11	10.52	31.99	0.00	100	179 PEAK																																																																																																																			
4	5933.13	55.63	68.30	-12.67	41.96	35.15	10.52	32.00	0.00	100	179 PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5825.00	107.53	-----	-----	94.37	34.69	10.42	31.95	0.00	100	179 PEAK																																																																																																																			
Avg	Blank		<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>99.29</td> <td>-----</td> <td>-----</td> <td>86.09</td> <td>34.72</td> <td>10.43</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>179 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	99.29	-----	-----	86.09	34.72	10.43	31.95	0.00	100	179 AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5825.00	99.29	-----	-----	86.09	34.72	10.43	31.95	0.00	100	179 AVERAGE																																																																																																																			



		35																																																																																																																															
Mode	Band Edge																																																																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																																
Pol.	Vertical	Fundamental																																																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.38</td> <td>55.08</td> <td>112.32</td> <td>-57.24</td> <td>41.73</td> <td>34.84</td> <td>18.45</td> <td>31.94</td> <td>0.00</td> <td>326</td> <td>245</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.88</td> <td>54.66</td> <td>105.33</td> <td>-50.67</td> <td>41.22</td> <td>34.92</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>326</td> <td>245</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.13</td> <td>54.73</td> <td>68.94</td> <td>-14.21</td> <td>41.10</td> <td>35.11</td> <td>10.51</td> <td>31.99</td> <td>0.00</td> <td>326</td> <td>245</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5930.88</td> <td>56.25</td> <td>68.30</td> <td>-12.05</td> <td>42.59</td> <td>35.14</td> <td>10.52</td> <td>32.00</td> <td>0.00</td> <td>326</td> <td>245</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.38	55.08	112.32	-57.24	41.73	34.84	18.45	31.94	0.00	326	245	PEAK	2	5874.88	54.66	105.33	-50.67	41.22	34.92	10.47	31.95	0.00	326	245	PEAK	3	5924.13	54.73	68.94	-14.21	41.10	35.11	10.51	31.99	0.00	326	245	PEAK	4	5930.88	56.25	68.30	-12.05	42.59	35.14	10.52	32.00	0.00	326	245	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>101.99</td> <td>-----</td> <td>-----</td> <td>88.79</td> <td>34.72</td> <td>10.43</td> <td>31.95</td> <td>0.00</td> <td>326</td> <td>245</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	101.99	-----	-----	88.79	34.72	10.43	31.95	0.00	326	245	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5854.38	55.08	112.32	-57.24	41.73	34.84	18.45	31.94	0.00	326	245	PEAK																																																																																																																					
2	5874.88	54.66	105.33	-50.67	41.22	34.92	10.47	31.95	0.00	326	245	PEAK																																																																																																																					
3	5924.13	54.73	68.94	-14.21	41.10	35.11	10.51	31.99	0.00	326	245	PEAK																																																																																																																					
4	5930.88	56.25	68.30	-12.05	42.59	35.14	10.52	32.00	0.00	326	245	PEAK																																																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5825.00	101.99	-----	-----	88.79	34.72	10.43	31.95	0.00	326	245	PEAK																																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>94.15</td> <td>-----</td> <td>-----</td> <td>80.95</td> <td>34.72</td> <td>10.43</td> <td>31.95</td> <td>0.00</td> <td>326</td> <td>245</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	94.15	-----	-----	80.95	34.72	10.43	31.95	0.00	326	245	AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5825.00	94.15	-----	-----	80.95	34.72	10.43	31.95	0.00	326	245	AVERAGE																																																																																																																					



Mode	35																																																																											
	Harmonic																																																																											
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>47.59</td> <td>74.00</td> <td>-26.41</td> <td>55.59</td> <td>38.45</td> <td>15.02</td> <td>61.47</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11650.00	47.59	74.00	-26.41	55.59	38.45	15.02	61.47	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>46.31</td> <td>74.00</td> <td>-27.69</td> <td>54.31</td> <td>38.45</td> <td>15.02</td> <td>61.47</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11650.00	46.31	74.00	-27.69	54.31	38.45	15.02	61.47	0.00	--- --- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11650.00	47.59	74.00	-26.41	55.59	38.45	15.02	61.47	0.00	--- --- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11650.00	46.31	74.00	-27.69	54.31	38.45	15.02	61.47	0.00	--- --- PEAK																																																																			



		36																																																																																																																															
Mode		Band Edge - L																																																																																																																															
		U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5629.61</td> <td>55.64</td> <td>68.30</td> <td>-12.66</td> <td>42.89</td> <td>34.57</td> <td>10.27</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>177</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.69</td> <td>53.47</td> <td>68.81</td> <td>-15.34</td> <td>40.72</td> <td>34.55</td> <td>10.29</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>177</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5715.01</td> <td>66.13</td> <td>109.50</td> <td>-43.37</td> <td>53.31</td> <td>34.52</td> <td>10.34</td> <td>32.04</td> <td>0.00</td> <td>100</td> <td>177</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.75</td> <td>66.76</td> <td>112.60</td> <td>-45.84</td> <td>53.92</td> <td>34.53</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>177</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5629.61	55.64	68.30	-12.66	42.89	34.57	10.27	32.09	0.00	100	177	PEAK	2	5650.69	53.47	68.81	-15.34	40.72	34.55	10.29	32.09	0.00	100	177	PEAK	3	5715.01	66.13	109.50	-43.37	53.31	34.52	10.34	32.04	0.00	100	177	PEAK	4	5720.75	66.76	112.60	-45.84	53.92	34.53	10.34	32.03	0.00	100	177	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>108.21</td> <td>-----</td> <td>-----</td> <td>95.28</td> <td>34.56</td> <td>10.37</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>177</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	108.21	-----	-----	95.28	34.56	10.37	32.00	0.00	100	177	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5629.61	55.64	68.30	-12.66	42.89	34.57	10.27	32.09	0.00	100	177	PEAK																																																																																																																					
2	5650.69	53.47	68.81	-15.34	40.72	34.55	10.29	32.09	0.00	100	177	PEAK																																																																																																																					
3	5715.01	66.13	109.50	-43.37	53.31	34.52	10.34	32.04	0.00	100	177	PEAK																																																																																																																					
4	5720.75	66.76	112.60	-45.84	53.92	34.53	10.34	32.03	0.00	100	177	PEAK																																																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5755.00	108.21	-----	-----	95.28	34.56	10.37	32.00	0.00	100	177	PEAK																																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>99.01</td> <td>-----</td> <td>-----</td> <td>86.09</td> <td>34.56</td> <td>10.37</td> <td>32.01</td> <td>0.00</td> <td>100</td> <td>177</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	99.01	-----	-----	86.09	34.56	10.37	32.01	0.00	100	177	AVERAGE																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5755.00	99.01	-----	-----	86.09	34.56	10.37	32.01	0.00	100	177	AVERAGE																																																																																																																					



Mode	36																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.84</td> <td>53.12</td> <td>111.26</td> <td>-58.14</td> <td>39.77</td> <td>34.84</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>177</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5872.39</td> <td>55.70</td> <td>106.03</td> <td>-50.33</td> <td>42.27</td> <td>34.91</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>177</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.65</td> <td>53.45</td> <td>68.56</td> <td>-15.11</td> <td>39.81</td> <td>35.11</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>177</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5927.97</td> <td>55.39</td> <td>68.30</td> <td>-12.91</td> <td>41.73</td> <td>35.13</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>177</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.84	53.12	111.26	-58.14	39.77	34.84	10.45	31.94	0.00	100	177	PEAK	2	5872.39	55.70	106.03	-50.33	42.27	34.91	10.47	31.95	0.00	100	177	PEAK	3	5924.65	53.45	68.56	-15.11	39.81	35.11	10.52	31.99	0.00	100	177	PEAK	4	5927.97	55.39	68.30	-12.91	41.73	35.13	10.52	31.99	0.00	100	177	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.84	53.12	111.26	-58.14	39.77	34.84	10.45	31.94	0.00	100	177	PEAK																																																																									
2	5872.39	55.70	106.03	-50.33	42.27	34.91	10.47	31.95	0.00	100	177	PEAK																																																																									
3	5924.65	53.45	68.56	-15.11	39.81	35.11	10.52	31.99	0.00	100	177	PEAK																																																																									
4	5927.97	55.39	68.30	-12.91	41.73	35.13	10.52	31.99	0.00	100	177	PEAK																																																																									



		36																																																																																																																															
Mode	Band Edge - L																																																																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																																
Pol.	Vertical	Fundamental																																																																																																																															
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5614.73</td> <td>55.57</td> <td>68.30</td> <td>-12.73</td> <td>42.80</td> <td>34.59</td> <td>10.26</td> <td>32.08</td> <td>0.00</td> <td>300</td> <td>281</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.22</td> <td>53.25</td> <td>68.46</td> <td>-15.21</td> <td>40.51</td> <td>34.55</td> <td>10.28</td> <td>32.09</td> <td>0.00</td> <td>300</td> <td>281</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5717.96</td> <td>61.23</td> <td>110.33</td> <td>-49.10</td> <td>48.40</td> <td>34.53</td> <td>10.34</td> <td>32.04</td> <td>0.00</td> <td>300</td> <td>281</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.59</td> <td>61.37</td> <td>112.25</td> <td>-50.88</td> <td>48.53</td> <td>34.53</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>300</td> <td>281</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5614.73	55.57	68.30	-12.73	42.80	34.59	10.26	32.08	0.00	300	281	PEAK	2	5650.22	53.25	68.46	-15.21	40.51	34.55	10.28	32.09	0.00	300	281	PEAK	3	5717.96	61.23	110.33	-49.10	48.40	34.53	10.34	32.04	0.00	300	281	PEAK	4	5720.59	61.37	112.25	-50.88	48.53	34.53	10.34	32.03	0.00	300	281	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>101.04</td> <td>-----</td> <td>-----</td> <td>88.14</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>0.00</td> <td>300</td> <td>281</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	101.04	-----	-----	88.14	34.55	10.36	32.01	0.00	300	281	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5614.73	55.57	68.30	-12.73	42.80	34.59	10.26	32.08	0.00	300	281	PEAK																																																																																																																					
2	5650.22	53.25	68.46	-15.21	40.51	34.55	10.28	32.09	0.00	300	281	PEAK																																																																																																																					
3	5717.96	61.23	110.33	-49.10	48.40	34.53	10.34	32.04	0.00	300	281	PEAK																																																																																																																					
4	5720.59	61.37	112.25	-50.88	48.53	34.53	10.34	32.03	0.00	300	281	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5755.00	101.04	-----	-----	88.14	34.55	10.36	32.01	0.00	300	281	PEAK																																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>93.31</td> <td>-----</td> <td>-----</td> <td>80.39</td> <td>34.56</td> <td>10.37</td> <td>32.01</td> <td>0.00</td> <td>300</td> <td>281</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	93.31	-----	-----	80.39	34.56	10.37	32.01	0.00	300	281	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5755.00	93.31	-----	-----	80.39	34.56	10.37	32.01	0.00	300	281	AVERAGE																																																																																																																					



Mode	36																																																									
	Band Edge - R																																																									
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																									
Pol.	Vertical	Fundamental																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.65</td> <td>53.35</td> <td>111.71</td> <td>-58.36</td> <td>40.00</td> <td>34.84</td> <td>10.45</td> </tr> <tr> <td>2</td> <td>5873.95</td> <td>54.37</td> <td>105.59</td> <td>-51.22</td> <td>40.94</td> <td>34.91</td> <td>10.47</td> </tr> <tr> <td>3</td> <td>5922.70</td> <td>54.77</td> <td>70.00</td> <td>-15.23</td> <td>41.15</td> <td>35.10</td> <td>10.51</td> </tr> <tr> <td>4</td> <td>5939.67</td> <td>55.11</td> <td>68.30</td> <td>-13.19</td> <td>41.41</td> <td>35.17</td> <td>10.53</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5854.65	53.35	111.71	-58.36	40.00	34.84	10.45	2	5873.95	54.37	105.59	-51.22	40.94	34.91	10.47	3	5922.70	54.77	70.00	-15.23	41.15	35.10	10.51	4	5939.67	55.11	68.30	-13.19	41.41	35.17	10.53	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																			
1	5854.65	53.35	111.71	-58.36	40.00	34.84	10.45																																																			
2	5873.95	54.37	105.59	-51.22	40.94	34.91	10.47																																																			
3	5922.70	54.77	70.00	-15.23	41.15	35.10	10.51																																																			
4	5939.67	55.11	68.30	-13.19	41.41	35.17	10.53																																																			



Mode	36																																																																										
	Harmonic																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																										
Pol.	Horizontal	Vertical																																																																									
Peak Avg																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11510.00</td> <td>46.41</td> <td>74.00</td> <td>-27.59</td> <td>54.70</td> <td>38.30</td> <td>14.92</td> <td>61.51</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11510.00	46.41	74.00	-27.59	54.70	38.30	14.92	61.51	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11510.00</td> <td>46.24</td> <td>74.00</td> <td>-27.76</td> <td>54.53</td> <td>38.30</td> <td>14.92</td> <td>61.51</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11510.00	46.24	74.00	-27.76	54.53	38.30	14.92	61.51	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																			
1 11510.00	46.41	74.00	-27.59	54.70	38.30	14.92	61.51	0.00	--- --- PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																			
1 11510.00	46.24	74.00	-27.76	54.53	38.30	14.92	61.51	0.00	--- --- PEAK																																																																		



Mode		37																																																																																																																																																																																			
		Band Edge - L																																																																																																																																																																																			
		U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																																																																																			
Pol.	Horizontal	Fundamental																																																																																																																																																																																			
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5642.51</td> <td>54.25</td> <td>68.30</td> <td>-14.05</td> <td>41.51</td> <td>34.56</td> <td>10.28</td> <td>32.10</td> <td>0.00</td> <td>100</td> <td>178</td> <td>PEAK</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>5650.70</td> <td>52.05</td> <td>68.82</td> <td>-16.77</td> <td>39.30</td> <td>34.55</td> <td>10.29</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>178</td> <td>PEAK</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td>5700.04</td> <td>54.43</td> <td>105.31</td> <td>-50.88</td> <td>41.65</td> <td>34.51</td> <td>10.32</td> <td>32.05</td> <td>0.00</td> <td>100</td> <td>178</td> <td>PEAK</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>4</td> <td>5720.90</td> <td>54.19</td> <td>112.95</td> <td>-58.76</td> <td>41.35</td> <td>34.53</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>178</td> <td>PEAK</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	dB	dB	dB	dB	dB	dB	cm	deg	1	5642.51	54.25	68.30	-14.05	41.51	34.56	10.28	32.10	0.00	100	178	PEAK									2	5650.70	52.05	68.82	-16.77	39.30	34.55	10.29	32.09	0.00	100	178	PEAK									3	5700.04	54.43	105.31	-50.88	41.65	34.51	10.32	32.05	0.00	100	178	PEAK									4	5720.90	54.19	112.95	-58.76	41.35	34.53	10.34	32.03	0.00	100	178	PEAK									<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>105.65</td> <td>-----</td> <td>92.62</td> <td>34.60</td> <td>10.40</td> <td>31.97</td> <td>0.00</td> <td>100</td> <td>178</td> <td>PEAK</td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	dB	1	5795.00	105.65	-----	92.62	34.60	10.40	31.97	0.00	100	178	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor																																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																		
1	5642.51	54.25	68.30	-14.05	41.51	34.56	10.28	32.10	0.00	100	178	PEAK																																																																																																																																																																									
2	5650.70	52.05	68.82	-16.77	39.30	34.55	10.29	32.09	0.00	100	178	PEAK																																																																																																																																																																									
3	5700.04	54.43	105.31	-50.88	41.65	34.51	10.32	32.05	0.00	100	178	PEAK																																																																																																																																																																									
4	5720.90	54.19	112.95	-58.76	41.35	34.53	10.34	32.03	0.00	100	178	PEAK																																																																																																																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	dB																																																																																																																																																																									
1	5795.00	105.65	-----	92.62	34.60	10.40	31.97	0.00	100	178	PEAK																																																																																																																																																																										
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>97.59</td> <td>-----</td> <td>84.53</td> <td>34.62</td> <td>10.41</td> <td>31.97</td> <td>0.00</td> <td>100</td> <td>178</td> <td>AVERAGE</td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	dB	1	5795.00	97.59	-----	84.53	34.62	10.41	31.97	0.00	100	178	AVERAGE																																																																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	dB																																																																																																																																																																									
1	5795.00	97.59	-----	84.53	34.62	10.41	31.97	0.00	100	178	AVERAGE																																																																																																																																																																										



Mode	37																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.83</td> <td>52.95</td> <td>111.29</td> <td>-58.34</td> <td>39.60</td> <td>34.84</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>178</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5871.88</td> <td>54.81</td> <td>106.17</td> <td>-51.36</td> <td>41.38</td> <td>34.91</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>178</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.43</td> <td>54.14</td> <td>68.72</td> <td>-14.58</td> <td>40.50</td> <td>35.11</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>178</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5941.79</td> <td>55.44</td> <td>68.30</td> <td>-12.86</td> <td>41.73</td> <td>35.18</td> <td>10.53</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>178</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.83	52.95	111.29	-58.34	39.60	34.84	10.45	31.94	0.00	100	178	PEAK	2	5871.88	54.81	106.17	-51.36	41.38	34.91	10.47	31.95	0.00	100	178	PEAK	3	5924.43	54.14	68.72	-14.58	40.50	35.11	10.52	31.99	0.00	100	178	PEAK	4	5941.79	55.44	68.30	-12.86	41.73	35.18	10.53	32.00	0.00	100	178	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.83	52.95	111.29	-58.34	39.60	34.84	10.45	31.94	0.00	100	178	PEAK																																																																									
2	5871.88	54.81	106.17	-51.36	41.38	34.91	10.47	31.95	0.00	100	178	PEAK																																																																									
3	5924.43	54.14	68.72	-14.58	40.50	35.11	10.52	31.99	0.00	100	178	PEAK																																																																									
4	5941.79	55.44	68.30	-12.86	41.73	35.18	10.53	32.00	0.00	100	178	PEAK																																																																									



37																																																																																																											
Band Edge - L																																																																																																											
U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																											
Pol.	Vertical																																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5631.59</td> <td>54.26</td> <td>68.30</td> <td>-14.04</td> <td>41.51</td> <td>34.57</td> <td>10.27</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>89</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5652.85</td> <td>54.33</td> <td>70.41</td> <td>-16.08</td> <td>41.50</td> <td>34.55</td> <td>10.29</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>89</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5701.21</td> <td>53.29</td> <td>105.64</td> <td>-52.35</td> <td>40.50</td> <td>34.51</td> <td>10.33</td> <td>32.05</td> <td>0.00</td> <td>100</td> <td>89</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.12</td> <td>52.12</td> <td>111.17</td> <td>-59.05</td> <td>39.28</td> <td>34.53</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>89</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	1	5631.59	54.26	68.30	-14.04	41.51	34.57	10.27	32.09	0.00	100	89	PEAK	2	5652.85	54.33	70.41	-16.08	41.50	34.55	10.29	32.09	0.00	100	89	PEAK	3	5701.21	53.29	105.64	-52.35	40.50	34.51	10.33	32.05	0.00	100	89	PEAK	4	5720.12	52.12	111.17	-59.05	39.28	34.53	10.34	32.03	0.00	100	89	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>100.50</td> <td>-----</td> <td>-----</td> <td>87.44</td> <td>34.62</td> <td>10.41</td> <td>31.97</td> <td>0.00</td> <td>100</td> <td>89</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	1	5795.00	100.50	-----	-----	87.44	34.62	10.41	31.97	0.00	100	89	PEAK
	Limit	Read	Ant	Cable	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																															
1	5631.59	54.26	68.30	-14.04	41.51	34.57	10.27	32.09	0.00	100	89	PEAK																																																																																															
2	5652.85	54.33	70.41	-16.08	41.50	34.55	10.29	32.09	0.00	100	89	PEAK																																																																																															
3	5701.21	53.29	105.64	-52.35	40.50	34.51	10.33	32.05	0.00	100	89	PEAK																																																																																															
4	5720.12	52.12	111.17	-59.05	39.28	34.53	10.34	32.03	0.00	100	89	PEAK																																																																																															
Limit	Read	Ant	Cable	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																															
1	5795.00	100.50	-----	-----	87.44	34.62	10.41	31.97	0.00	100	89	PEAK																																																																																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>92.27</td> <td>-----</td> <td>-----</td> <td>79.24</td> <td>34.60</td> <td>10.40</td> <td>31.97</td> <td>0.00</td> <td>100</td> <td>89</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	1	5795.00	92.27	-----	-----	79.24	34.60	10.40	31.97	0.00	100	89	AVERAGE																																																																								
Limit	Read	Ant	Cable	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																															
1	5795.00	92.27	-----	-----	79.24	34.60	10.40	31.97	0.00	100	89	AVERAGE																																																																																															



Mode	37																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.99</td> <td>52.17</td> <td>110.93</td> <td>-58.76</td> <td>38.82</td> <td>34.84</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>89</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5872.81</td> <td>54.72</td> <td>105.91</td> <td>-51.19</td> <td>41.29</td> <td>34.91</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>89</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.12</td> <td>53.55</td> <td>68.95</td> <td>-15.40</td> <td>39.92</td> <td>35.11</td> <td>10.51</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>89</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5933.42</td> <td>56.01</td> <td>68.30</td> <td>-12.29</td> <td>42.34</td> <td>35.15</td> <td>10.52</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>89</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.99	52.17	110.93	-58.76	38.82	34.84	10.45	31.94	0.00	100	89	PEAK	2	5872.81	54.72	105.91	-51.19	41.29	34.91	10.47	31.95	0.00	100	89	PEAK	3	5924.12	53.55	68.95	-15.40	39.92	35.11	10.51	31.99	0.00	100	89	PEAK	4	5933.42	56.01	68.30	-12.29	42.34	35.15	10.52	32.00	0.00	100	89	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.99	52.17	110.93	-58.76	38.82	34.84	10.45	31.94	0.00	100	89	PEAK																																																																									
2	5872.81	54.72	105.91	-51.19	41.29	34.91	10.47	31.95	0.00	100	89	PEAK																																																																									
3	5924.12	53.55	68.95	-15.40	39.92	35.11	10.51	31.99	0.00	100	89	PEAK																																																																									
4	5933.42	56.01	68.30	-12.29	42.34	35.15	10.52	32.00	0.00	100	89	PEAK																																																																									



Mode	37																																																																										
	Harmonic																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																										
Pol.	Horizontal	Vertical																																																																									
Peak Avg																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11590.00</td> <td>47.04</td> <td>74.00</td> <td>-26.96</td> <td>55.16</td> <td>38.39</td> <td>14.98</td> <td>61.49</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11590.00	47.04	74.00	-26.96	55.16	38.39	14.98	61.49	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11590.00</td> <td>46.46</td> <td>74.00</td> <td>-27.54</td> <td>54.58</td> <td>38.39</td> <td>14.98</td> <td>61.49</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11590.00	46.46	74.00	-27.54	54.58	38.39	14.98	61.49	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																			
1 11590.00	47.04	74.00	-26.96	55.16	38.39	14.98	61.49	0.00	--- --- PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																			
1 11590.00	46.46	74.00	-27.54	54.58	38.39	14.98	61.49	0.00	--- --- PEAK																																																																		






Mode		38																																																																																																																																			
		Band Edge - L																																																																																																																																			
		U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																			
Pol.	Horizontal					Fundamental																																																																																																																															
Peak																																																																																																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5622.05</td> <td>55.22</td> <td>68.30</td> <td>-13.08</td> <td>42.47</td> <td>34.58</td> <td>10.26</td> <td>32.09</td> <td>0.00</td> <td>105</td> <td>176 PEAK</td> </tr> <tr> <td>2</td> <td>5653.38</td> <td>56.71</td> <td>70.81</td> <td>-14.10</td> <td>43.96</td> <td>34.55</td> <td>10.29</td> <td>32.09</td> <td>0.00</td> <td>105</td> <td>176 PEAK</td> </tr> <tr> <td>3</td> <td>5700.45</td> <td>63.25</td> <td>105.43</td> <td>-42.18</td> <td>50.47</td> <td>34.51</td> <td>10.32</td> <td>32.05</td> <td>0.00</td> <td>105</td> <td>176 PEAK</td> </tr> <tr> <td>4</td> <td>5720.05</td> <td>64.54</td> <td>111.01</td> <td>-46.47</td> <td>51.70</td> <td>34.53</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>105</td> <td>176 PEAK</td> </tr> </tbody> </table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5622.05	55.22	68.30	-13.08	42.47	34.58	10.26	32.09	0.00	105	176 PEAK	2	5653.38	56.71	70.81	-14.10	43.96	34.55	10.29	32.09	0.00	105	176 PEAK	3	5700.45	63.25	105.43	-42.18	50.47	34.51	10.32	32.05	0.00	105	176 PEAK	4	5720.05	64.54	111.01	-46.47	51.70	34.53	10.34	32.03	0.00	105	176 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>103.71</td> <td>-----</td> <td>-----</td> <td>90.68</td> <td>34.60</td> <td>10.40</td> <td>31.97</td> <td>0.00</td> <td>105</td> <td>176 PEAK</td> </tr> </tbody> </table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	103.71	-----	-----	90.68	34.60	10.40	31.97	0.00	105
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5622.05	55.22	68.30	-13.08	42.47	34.58	10.26	32.09	0.00	105	176 PEAK																																																																																																																										
2	5653.38	56.71	70.81	-14.10	43.96	34.55	10.29	32.09	0.00	105	176 PEAK																																																																																																																										
3	5700.45	63.25	105.43	-42.18	50.47	34.51	10.32	32.05	0.00	105	176 PEAK																																																																																																																										
4	5720.05	64.54	111.01	-46.47	51.70	34.53	10.34	32.03	0.00	105	176 PEAK																																																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5775.00	103.71	-----	-----	90.68	34.60	10.40	31.97	0.00	105	176 PEAK																																																																																																																										
Avg	Blank																																																																																																																																				
						<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>95.27</td> <td>-----</td> <td>-----</td> <td>82.27</td> <td>34.59</td> <td>10.39</td> <td>31.98</td> <td>0.00</td> <td>105</td> <td>176 AVERAGE</td> </tr> </tbody> </table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	95.27	-----	-----	82.27	34.59	10.39	31.98	0.00	105	176 AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5775.00	95.27	-----	-----	82.27	34.59	10.39	31.98	0.00	105	176 AVERAGE																																																																																																																										



Mode	38																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.63</td> <td>61.44</td> <td>111.75</td> <td>-50.31</td> <td>48.09</td> <td>34.84</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>105</td> <td>176</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5867.23</td> <td>60.28</td> <td>107.47</td> <td>-47.19</td> <td>46.88</td> <td>34.09</td> <td>10.46</td> <td>31.95</td> <td>0.00</td> <td>105</td> <td>176</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.58</td> <td>54.77</td> <td>69.35</td> <td>-14.58</td> <td>41.14</td> <td>35.11</td> <td>10.51</td> <td>31.99</td> <td>0.00</td> <td>105</td> <td>176</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5925.33</td> <td>55.13</td> <td>68.30</td> <td>-13.17</td> <td>41.48</td> <td>35.12</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>105</td> <td>176</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.63	61.44	111.75	-50.31	48.09	34.84	10.45	31.94	0.00	105	176	PEAK	2	5867.23	60.28	107.47	-47.19	46.88	34.09	10.46	31.95	0.00	105	176	PEAK	3	5923.58	54.77	69.35	-14.58	41.14	35.11	10.51	31.99	0.00	105	176	PEAK	4	5925.33	55.13	68.30	-13.17	41.48	35.12	10.52	31.99	0.00	105	176	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.63	61.44	111.75	-50.31	48.09	34.84	10.45	31.94	0.00	105	176	PEAK																																																																									
2	5867.23	60.28	107.47	-47.19	46.88	34.09	10.46	31.95	0.00	105	176	PEAK																																																																									
3	5923.58	54.77	69.35	-14.58	41.14	35.11	10.51	31.99	0.00	105	176	PEAK																																																																									
4	5925.33	55.13	68.30	-13.17	41.48	35.12	10.52	31.99	0.00	105	176	PEAK																																																																									



Mode		38																																																																																																																				
		Band Edge - L																																																																																																																				
		U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																				
Pol.	Vertical					Fundamental																																																																																																																
Peak																																																																																																																						
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5617.15</td> <td>54.94</td> <td>68.30</td> <td>-13.36</td> <td>42.18</td> <td>34.59</td> <td>10.26</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>100</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.80</td> <td>54.21</td> <td>69.64</td> <td>-15.43</td> <td>41.46</td> <td>34.55</td> <td>10.29</td> <td>32.09</td> <td>0.00</td> <td>100</td> <td>100</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5701.33</td> <td>58.51</td> <td>105.67</td> <td>-47.16</td> <td>45.72</td> <td>34.51</td> <td>10.33</td> <td>32.05</td> <td>0.00</td> <td>100</td> <td>100</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.05</td> <td>62.00</td> <td>111.01</td> <td>-49.01</td> <td>49.16</td> <td>34.53</td> <td>10.34</td> <td>32.03</td> <td>0.00</td> <td>100</td> <td>100</td> <td>PEAK</td> </tr> </tbody> </table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			cm	deg	1	5617.15	54.94	68.30	-13.36	42.18	34.59	10.26	32.09	0.00	100	100	PEAK	2	5651.80	54.21	69.64	-15.43	41.46	34.55	10.29	32.09	0.00	100	100	PEAK	3	5701.33	58.51	105.67	-47.16	45.72	34.51	10.33	32.05	0.00	100	100	PEAK	4	5720.05	62.00	111.01	-49.01	49.16	34.53	10.34	32.03	0.00	100	100	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>97.00</td> <td>-----</td> <td>-----</td> <td>84.05</td> <td>34.57</td> <td>10.38</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>100</td> <td>PEAK</td> </tr> </tbody> </table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			cm	deg	1	5775.00	97.00	-----	-----	84.05	34.57	10.38	32.00	0.00	100	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			cm	deg																																																																																																												
1	5617.15	54.94	68.30	-13.36	42.18	34.59	10.26	32.09	0.00	100	100	PEAK																																																																																																										
2	5651.80	54.21	69.64	-15.43	41.46	34.55	10.29	32.09	0.00	100	100	PEAK																																																																																																										
3	5701.33	58.51	105.67	-47.16	45.72	34.51	10.33	32.05	0.00	100	100	PEAK																																																																																																										
4	5720.05	62.00	111.01	-49.01	49.16	34.53	10.34	32.03	0.00	100	100	PEAK																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			cm	deg																																																																																																												
1	5775.00	97.00	-----	-----	84.05	34.57	10.38	32.00	0.00	100	100	PEAK																																																																																																										
Avg	Blank																																																																																																																					
						<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>80.74</td> <td>-----</td> <td>-----</td> <td>75.77</td> <td>34.58</td> <td>10.38</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>100</td> <td>AVERAGE</td> </tr> </tbody> </table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			cm	deg	1	5775.00	80.74	-----	-----	75.77	34.58	10.38	31.99	0.00	100	100	AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			cm	deg																																																																																																												
1	5775.00	80.74	-----	-----	75.77	34.58	10.38	31.99	0.00	100	100	AVERAGE																																																																																																										







Mode	38																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>54.88</td> <td>111.36</td> <td>-56.48</td> <td>41.53</td> <td>34.84</td> <td>10.45</td> <td>31.94</td> <td>0.00</td> <td>100</td> <td>100</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5870.55</td> <td>56.35</td> <td>106.54</td> <td>-50.19</td> <td>42.93</td> <td>34.90</td> <td>10.47</td> <td>31.95</td> <td>0.00</td> <td>100</td> <td>100</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.45</td> <td>52.82</td> <td>68.71</td> <td>-15.89</td> <td>39.18</td> <td>35.11</td> <td>10.52</td> <td>31.99</td> <td>0.00</td> <td>100</td> <td>100</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5941.43</td> <td>56.60</td> <td>68.30</td> <td>-11.70</td> <td>42.89</td> <td>35.18</td> <td>10.53</td> <td>32.00</td> <td>0.00</td> <td>100</td> <td>100</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	54.88	111.36	-56.48	41.53	34.84	10.45	31.94	0.00	100	100	PEAK	2	5870.55	56.35	106.54	-50.19	42.93	34.90	10.47	31.95	0.00	100	100	PEAK	3	5924.45	52.82	68.71	-15.89	39.18	35.11	10.52	31.99	0.00	100	100	PEAK	4	5941.43	56.60	68.30	-11.70	42.89	35.18	10.53	32.00	0.00	100	100	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.80	54.88	111.36	-56.48	41.53	34.84	10.45	31.94	0.00	100	100	PEAK																																																																									
2	5870.55	56.35	106.54	-50.19	42.93	34.90	10.47	31.95	0.00	100	100	PEAK																																																																									
3	5924.45	52.82	68.71	-15.89	39.18	35.11	10.52	31.99	0.00	100	100	PEAK																																																																									
4	5941.43	56.60	68.30	-11.70	42.89	35.18	10.53	32.00	0.00	100	100	PEAK																																																																									



Mode	38																																																																											
	Harmonic																																																																											
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11550.00</td> <td>46.63</td> <td>74.00</td> <td>-27.37</td> <td>54.84</td> <td>38.34</td> <td>14.95</td> <td>61.50</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11550.00	46.63	74.00	-27.37	54.84	38.34	14.95	61.50	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11550.00</td> <td>46.67</td> <td>74.00</td> <td>-27.33</td> <td>54.88</td> <td>38.34</td> <td>14.95</td> <td>61.50</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11550.00	46.67	74.00	-27.33	54.88	38.34	14.95	61.50	0.00	--- --- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11550.00	46.63	74.00	-27.37	54.84	38.34	14.95	61.50	0.00	--- --- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11550.00	46.67	74.00	-27.33	54.88	38.34	14.95	61.50	0.00	--- --- PEAK																																																																			



Mode	38	
	Harmonic above 18GHz	
	U-NII-3_5.725-5.85_802.11ac_VHT80_CH155_5775MHz	
Pol.	Horizontal	Vertical
Peak		
Avg		



Mode	39																																																																															
	Harmonic																																																																															
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>46.14</td> <td>74.00</td> <td>-27.86</td> <td>54.55</td> <td>38.26</td> <td>14.87</td> <td>61.54</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11440.00	46.14	74.00	-27.86	54.55	38.26	14.87	61.54	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>45.79</td> <td>74.00</td> <td>-28.21</td> <td>54.20</td> <td>38.26</td> <td>14.87</td> <td>61.54</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11440.00	45.79	74.00	-28.21	54.20	38.26	14.87	61.54	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1 11440.00	46.14	74.00	-27.86	54.55	38.26	14.87	61.54	0.00	---	---	PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1 11440.00	45.79	74.00	-28.21	54.20	38.26	14.87	61.54	0.00	---	---	PEAK																																																																					




Mode	40																																																																											
	Harmonic																																																																											
	U-NII-2C_5.47-5.85_802.11ac VHT20_CH144_5720MHz																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>47.72</td> <td>74.00</td> <td>-26.28</td> <td>56.13</td> <td>38.26</td> <td>14.87</td> <td>61.54</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11440.00	47.72	74.00	-26.28	56.13	38.26	14.87	61.54	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>46.19</td> <td>74.00</td> <td>-27.81</td> <td>54.60</td> <td>38.26</td> <td>14.87</td> <td>61.54</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11440.00	46.19	74.00	-27.81	54.60	38.26	14.87	61.54	0.00	--- --- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11440.00	47.72	74.00	-26.28	56.13	38.26	14.87	61.54	0.00	--- --- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11440.00	46.19	74.00	-27.81	54.60	38.26	14.87	61.54	0.00	--- --- PEAK																																																																			



Mode	41																																																																											
	Harmonic																																																																											
	U-NII-2C_5.47-5.85_802.11ac VHT40_CH142_5710MHz																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>45.86</td> <td>74.00</td> <td>-28.14</td> <td>54.29</td> <td>38.25</td> <td>14.86</td> <td>61.54</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11420.00	45.86	74.00	-28.14	54.29	38.25	14.86	61.54	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>46.01</td> <td>74.00</td> <td>-27.99</td> <td>54.44</td> <td>38.25</td> <td>14.86</td> <td>61.54</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11420.00	46.01	74.00	-27.99	54.44	38.25	14.86	61.54	0.00	--- --- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11420.00	45.86	74.00	-28.14	54.29	38.25	14.86	61.54	0.00	--- --- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11420.00	46.01	74.00	-27.99	54.44	38.25	14.86	61.54	0.00	--- --- PEAK																																																																			



Mode	42																																																																											
	Harmonic																																																																											
	U-NII-2C_5.47-5.85_802.11ac VHT80_CH138_5690MHz																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11380.00</td> <td>46.81</td> <td>74.00</td> <td>-27.19</td> <td>55.31</td> <td>38.23</td> <td>14.83</td> <td>61.56</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11380.00	46.81	74.00	-27.19	55.31	38.23	14.83	61.56	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11380.00</td> <td>46.41</td> <td>74.00</td> <td>-27.59</td> <td>54.91</td> <td>38.23</td> <td>14.83</td> <td>61.56</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11380.00	46.41	74.00	-27.59	54.91	38.23	14.83	61.56	0.00	--- --- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11380.00	46.81	74.00	-27.19	55.31	38.23	14.83	61.56	0.00	--- --- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11380.00	46.41	74.00	-27.59	54.91	38.23	14.83	61.56	0.00	--- --- PEAK																																																																			






Appendix D. Duty Cycle Plots

Band	Delta 2 (ms)	Delta 3 (ms)	T_on time (ms)	T_on+off time (ms)	Duty Cycle(%)	1/T(KHz)	VBW Setting
11a	2.0507	2.0507	4.1014	4.2754	95.93021	0.24	0.27 KHZ
11ac20	1.9348	1.9348	3.8696	4.0145	96.39058	0.26	0.27 KHZ
11ac40	0.95652	0.94928	1.9058	2.05072	92.93321	0.52	0.56 KHZ
11ac80	0.46377	0.46377	0.92754	1.06812	86.83856	1.08	1.1 KHZ


Note: Every two TX-on + Tx-off slots consist a complete duration, thus T-on = Delta 1 (D2-M1) + Delta 2 (D4-M3), T_on+off = D5-M1.

802.11a






802.11ac VHT20



802.11ac VHT40





802.11ac VHT80

