


Report No.: SEWA2204000011RG04

Rev.: 01

Page: 79 of 119



Fina	l Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	41.3975	54.02	-36.25	13.95	31.72	40.00	8.28	165	213	Vertical
2	68.8	50.03	-36.51	11.05	24.58	40.00	15.42	251	11	Vertical
3	87.9575	44.44	-36.27	9.41	17.58	40.00	22.42	142	182	Vertical
4	100.81	43.29	-35.79	10.23	17.73	43.50	25.77	193	0	Vertical
5	119.9675	38.12	-36.15	12.24	14.21	43.50	29.29	152	328	Vertical
6	185.4425	44.13	-35.33	13.38	22.18	43.50	21.32	133	32	Vertical

#### Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Value = Reading(dB $\mu$ V) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit( $dB\mu V/m$ ) – Value( $dB\mu V/m$ )

2) All channels have been tested, but only the worst case data displayed in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.appx">http://www.sgs.com/en/Terms-and-Conditions.appx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.appx">http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.appx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law longer of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be pro

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 · 苏州 · 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com




Report No.: SEWA2204000011RG04

Rev.: 01

Page: 80 of 119

### **Transmitter emission Above 1GHz**

#### 802.11b Channel 01



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	4824.0000	47.79	32.39	-45.54	34.64	74.00	39.36	169	53	Horizontal			
2	4824.0000	39.62	32.39	-45.54	26.47	54.00	27.53	142	111	Horizontal			
3	7236.0000	37.82	36.58	-43.54	30.86	54.00	23.14	172	111	Horizontal			
4	7236.0000	45.00	36.58	-43.54	38.04	74.00	35.96	154	360	Horizontal			
5	9648.0000	38.92	38.39	-39.56	37.75	74.00	36.25	185	360	Horizontal			
6	9648.0000	31.40	38.39	-39.56	30.23	54.00	23.77	136	56	Horizontal			






Report No.: SEWA2204000011RG04

Rev.: 01

Page: 81 of 119

#### 802.11b\_Channel 01



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4824.0000	48.23	32.39	-45.54	35.08	74.00	38.92	255	28	Vertical
2	4824.0000	39.91	32.39	-45.54	26.76	54.00	27.24	177	166	Vertical
3	7236.0000	37.93	36.58	-43.54	30.97	54.00	23.03	302	167	Vertical
4	7236.0000	45.70	36.58	-43.54	38.74	74.00	35.26	129	224	Vertical
5	9648.0000	39.39	38.39	-39.56	38.22	74.00	35.78	291	354	Vertical
6	9648.0000	31.86	38.39	-39.56	30.69	54.00	23.31	188	359	Vertical






Report No.: SEWA2204000011RG04

Rev.: 01

Page: 82 of 119

#### 802.11b\_Channel 06



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4874.0000	50.03	32.53	-45.53	37.02	74.00	36.98	211	360	Horizontal
2	4874.0000	41.14	32.53	-45.53	28.13	54.00	25.87	261	196	Horizontal
3	7311.0000	38.68	36.54	-43.71	31.51	54.00	22.49	194	253	Horizontal
4	7311	47.06	36.54	-43.71	39.89	74.00	34.11	125	336	Horizontal
5	9748.0000	29.33	38.28	-39.46	28.15	54.00	25.85	122	196	Horizontal
6	9748.0000	36.78	38.28	-39.46	35.60	74.00	38.40	133	360	Horizontal






Report No.: SEWA2204000011RG04

Rev.: 01

Page: 83 of 119

#### 802.11b\_Channel 06



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4874.0000	49.47	32.53	-45.53	36.46	74.00	37.54	214	253	Vertical
2	4874.0000	40.74	32.53	-45.53	27.73	54.00	26.27	193	4	Vertical
3	7311.0000	38.51	36.54	-43.71	31.34	54.00	22.66	211	111	Vertical
4	7311.0000	45.99	36.54	-43.71	38.82	74.00	35.18	185	360	Vertical
5	9748.0000	36.38	38.28	-39.46	35.20	74.00	38.80	164	308	Vertical
6	9748.0000	28.68	38.28	-39.46	27.50	54.00	26.50	136	85	Vertical






Report No.: SEWA2204000011RG04

Rev.: 01

Page: 84 of 119

#### 802.11b\_Channel 11



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4924.0000	49.22	32.67	-45.56	36.33	74.00	37.67	154	336	Horizontal
2	4924.0000	40.79	32.67	-45.56	27.90	54.00	26.10	147	4	Horizontal
3	7386.0000	38.96	36.50	-43.46	32.00	54.00	22.00	133	4	Horizontal
4	7386.0000	45.97	36.50	-43.46	39.01	74.00	34.99	126	250	Horizontal
5	9848.0000	38.24	38.28	-39.41	37.12	74.00	36.88	281	194	Horizontal
6	9848.0000	28.96	38.28	-39.41	27.84	54.00	26.16	168	139	Horizontal






Report No.: SEWA2204000011RG04

Rev.: 01

Page: 85 of 119

#### 802.11b\_Channel 11



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4924.0000	49.69	32.67	-45.56	36.80	74.00	37.20	184	55	Vertical
2	4924.0000	41.44	32.67	-45.56	28.55	54.00	25.45	122	354	Vertical
3	7386.0000	39.21	36.50	-43.46	32.25	54.00	21.75	146	279	Vertical
4	7386.0000	46.21	36.50	-43.46	39.25	74.00	34.75	175	279	Vertical
5	9848.0000	37.32	38.28	-39.41	36.20	74.00	37.80	146	359	Vertical
6	9848.0000	28.63	38.28	-39.41	27.51	54.00	26.49	299	4	Vertical






Report No.: SEWA2204000011RG04

Rev.: 01

Page: 86 of 119

### 802.11g\_Channel 01



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4824.0000	48.17	32.39	-45.54	35.02	74.00	38.98	153	139	Horizontal
2	4824.0000	40.48	32.39	-45.54	27.33	54.00	26.67	111	360	Horizontal
3	7236.0000	45.91	36.58	-43.54	38.95	74.00	35.05	261	139	Horizontal
4	7236.0000	39.05	36.58	-43.54	32.09	54.00	21.91	123	140	Horizontal
5	9648.0000	42.72	38.39	-39.56	41.55	74.00	32.45	145	28	Horizontal
6	9648.0000	33.80	38.39	-39.56	32.63	54.00	21.37	261	360	Horizontal






Report No.: SEWA2204000011RG04

Rev.: 01

Page: 87 of 119

### 802.11g\_Channel 01



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4824.0000	48.55	32.39	-45.54	35.40	74.00	38.60	154	120	Vertical
2	4824.0000	40.49	32.39	-45.54	27.34	54.00	26.66	199	353	Vertical
3	7236.0000	46.35	36.58	-43.54	39.39	74.00	34.61	175	360	Vertical
4	7236.0000	39.45	36.58	-43.54	32.49	54.00	21.51	145	140	Vertical
5	9648.0000	43.19	38.39	-39.56	42.02	74.00	31.98	162	231	Vertical
6	9648.0000	34.03	38.39	-39.56	32.86	54.00	21.14	172	140	Vertical






Report No.: SEWA2204000011RG04

Rev.: 01

Page: 88 of 119

### 802.11g\_Channel 06



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4874.0000	48.61	32.53	-45.53	35.60	74.00	38.40	165	85	Horizontal
2	4874.0000	40.93	32.53	-45.53	27.92	54.00	26.08	191	359	Horizontal
3	7311.0000	38.57	36.54	-43.71	31.40	54.00	22.60	177	54	Horizontal
4	7311.0000	46.62	36.54	-43.71	39.45	74.00	34.55	125	141	Horizontal
5	9748.0000	38.58	38.28	-39.46	37.40	74.00	36.60	145	169	Horizontal
6	9748.0000	30.53	38.28	-39.46	29.35	54.00	24.65	135	277	Horizontal






Report No.: SEWA2204000011RG04

Rev.: 01

Page: 89 of 119

### 802.11g\_Channel 06



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4874.0000	49.09	32.53	-45.53	36.08	74.00	37.92	222	342	Vertical
2	4874.0000	41.55	32.53	-45.53	28.54	54.00	25.46	198	110	Vertical
3	7311.0000	46.88	36.54	-43.71	39.71	74.00	34.29	145	222	Vertical
4	7311.0000	38.06	36.54	-43.71	30.89	54.00	23.11	147	4	Vertical
5	9748.0000	38.75	38.28	-39.46	37.57	74.00	36.43	169	314	Vertical
6	9748.0000	30.91	38.28	-39.46	29.73	54.00	24.27	130	230	Vertical






Report No.: SEWA2204000011RG04

Rev.: 01

Page: 90 of 119

### 802.11g\_Channel 11



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	4924.0000	48.30	32.67	-45.56	35.41	74.00	38.59	175	335	Horizontal			
2	4924.0000	41.31	32.67	-45.56	28.42	54.00	25.58	184	4	Horizontal			
3	7386.0000	37.60	36.50	-43.46	30.64	54.00	23.36	126	252	Horizontal			
4	7386.0000	46.44	36.50	-43.46	39.48	74.00	34.52	145	28	Horizontal			
5	9848.0000	36.76	38.28	-39.41	35.64	74.00	38.36	198	252	Horizontal			
6	9848.0000	28.51	38.28	-39.41	27.39	54.00	26.61	166	28	Horizontal			






Report No.: SEWA2204000011RG04

Rev.: 01

Page: 91 of 119

### 802.11g\_Channel 11



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	4924.0000	48.70	32.67	-45.56	35.81	74.00	38.19	222	359	Vertical			
2	4924.0000	40.78	32.67	-45.56	27.89	54.00	26.11	169	360	Vertical			
3	7386.0000	37.62	36.50	-43.46	30.66	54.00	23.34	142	360	Vertical			
4	7386.0000	44.75	36.50	-43.46	37.79	74.00	36.21	147	28	Vertical			
5	9848.0000	35.84	38.28	-39.41	34.72	74.00	39.28	158	82	Vertical			
6	9848.0000	28.49	38.28	-39.41	27.37	54.00	26.63	134	84	Vertical			






Report No.: SEWA2204000011RG04

Rev.: 01

Page: 92 of 119

### 802.11n20\_Channel 01



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	4824.0000	48.88	32.39	-45.54	35.73	74.00	38.27	218	360	Horizontal			
2	4824.0000	39.75	32.39	-45.54	26.60	54.00	27.40	142	353	Horizontal			
3	7236.0000	37.20	36.58	-43.54	30.24	54.00	23.76	199	4	Horizontal			
4	7236.0000	45.29	36.58	-43.54	38.33	74.00	35.67	144	55	Horizontal			
5	9648.0000	38.75	38.39	-39.56	37.58	74.00	36.42	165	359	Horizontal			
6	9648.0000	31.20	38.39	-39.56	30.03	54.00	23.97	130	250	Horizontal			






Report No.: SEWA2204000011RG04

Rev.: 01

Page: 93 of 119

### 802.11n20\_Channel 01



Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	4824.0000	46.25	32.39	-45.54	33.10	74.00	40.90	245	359	Vertical		
2	4824.0000	40.16	32.39	-45.54	27.01	54.00	26.99	291	249	Vertical		
3	7236.0000	36.98	36.58	-43.54	30.02	54.00	23.98	145	140	Vertical		
4	7236.0000	44.97	36.58	-43.54	38.01	74.00	35.99	126	354	Vertical		
5	9648.0000	39.00	38.39	-39.56	37.83	74.00	36.17	263	280	Vertical		
6	9648.0000	30.26	38.39	-39.56	29.09	54.00	24.91	170	352	Vertical		






Report No.: SEWA2204000011RG04

Rev.: 01

Page: 94 of 119

### 802.11n20\_Channel 06



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	4874.0000	49.04	32.53	-45.53	36.03	74.00	37.97	165	139	Horizontal			
2	4874.0000	41.05	32.53	-45.53	28.04	54.00	25.96	195	8	Horizontal			
3	7311.0000	37.19	36.54	-43.71	30.02	54.00	23.98	142	82	Horizontal			
4	7311.0000	44.58	36.54	-43.71	37.41	74.00	36.59	251	139	Horizontal			
5	9748.0000	36.03	38.28	-39.46	34.85	74.00	39.15	145	6	Horizontal			
6	9748.0000	27.23	38.28	-39.46	26.05	54.00	27.95	133	0	Horizontal			






Report No.: SEWA2204000011RG04

Rev.: 01

Page: 95 of 119

### 802.11n20\_Channel 06



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4874.0000	49.76	32.53	-45.53	36.75	74.00	37.25	214	7	Vertical
2	4874.0000	40.97	32.53	-45.53	27.96	54.00	26.04	230	332	Vertical
3	7311.0000	37.23	36.54	-43.71	30.06	54.00	23.94	132	1	Vertical
4	7311.0000	46.07	36.54	-43.71	38.90	74.00	35.10	166	304	Vertical
5	9748.0000	35.70	38.28	-39.46	34.52	74.00	39.48	211	6	Vertical
6	9748.0000	27.43	38.28	-39.46	26.25	54.00	27.75	184	1	Vertical






Report No.: SEWA2204000011RG04

Rev.: 01

Page: 96 of 119

### 802.11n20\_Channel 11



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	4924.0000	48.09	32.67	-45.56	35.20	74.00	38.80	198	220	Horizontal			
2	4924.0000	41.10	32.67	-45.56	28.21	54.00	25.79	132	1	Horizontal			
3	7386.0000	37.58	36.50	-43.46	30.62	54.00	23.38	201	7	Horizontal			
4	7386.0000	46.20	36.50	-43.46	39.24	74.00	34.76	145	54	Horizontal			
5	9848.0000	36.50	38.28	-39.41	35.38	74.00	38.62	266	249	Horizontal			
6	9848.0000	27.49	38.28	-39.41	26.37	54.00	27.63	184	0	Horizontal			






Report No.: SEWA2204000011RG04

Rev.: 01

Page: 97 of 119

### 802.11n20\_Channel 11



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	4924.0000	49.13	32.67	-45.56	36.24	74.00	37.76	165	54	Vertical			
2	4924.0000	40.50	32.67	-45.56	27.61	54.00	26.39	261	221	Vertical			
3	7386.0000	37.29	36.50	-43.46	30.33	54.00	23.67	199	163	Vertical			
4	7386.0000	44.57	36.50	-43.46	37.61	74.00	36.39	142	303	Vertical			
5	9848.0000	36.85	38.28	-39.41	35.73	74.00	38.27	236	192	Vertical			
6	9848.0000	27.37	38.28	-39.41	26.25	54.00	27.75	145	0	Vertical			






Report No.: SEWA2204000011RG04

Rev.: 01

Page: 98 of 119

#### 802.11n40\_Channel 03



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	4844.0000	48.52	32.44	-45.54	35.43	74.00	38.57	216	354	Horizontal			
2	4844.0000	40.55	32.44	-45.54	27.46	54.00	26.54	192	166	Horizontal			
3	7266.0000	36.19	36.56	-43.64	29.12	54.00	24.88	175	26	Horizontal			
4	7266.0000	44.23	36.56	-43.64	37.16	74.00	36.84	148	360	Horizontal			
5	9688.0000	35.95	38.34	-39.47	34.83	74.00	39.17	154	360	Horizontal			
6	9688.0000	27.85	38.34	-39.47	26.73	54.00	27.27	133	111	Horizontal			






Report No.: SEWA2204000011RG04

Rev.: 01

Page: 99 of 119

#### 802.11n40\_Channel 03



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	4844.0000	48.48	32.44	-45.54	35.39	74.00	38.61	284	252	Vertical			
2	4844.0000	40.66	32.44	-45.54	27.57	54.00	26.43	124	222	Vertical			
3	7266.0000	44.10	36.56	-43.64	37.03	74.00	36.97	162	279	Vertical			
4	7266.0000	35.93	36.56	-43.64	28.86	54.00	25.14	133	169	Vertical			
5	9688.0000	35.44	38.34	-39.47	34.32	74.00	39.68	135	359	Vertical			
6	9688.0000	27.80	38.34	-39.47	26.68	54.00	27.32	261	168	Vertical			






Report No.: SEWA2204000011RG04

Rev.: 01

Page: 100 of 119

#### 802.11n40\_Channel 06



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4874.0000	49.60	32.53	-45.53	36.59	74.00	37.41	165	175	Horizontal
2	4874.0000	40.27	32.53	-45.53	27.26	54.00	26.74	148	252	Horizontal
3	7311.0000	35.65	36.54	-43.71	28.48	54.00	25.52	194	252	Horizontal
4	7311.0000	42.89	36.54	-43.71	35.72	74.00	38.28	148	335	Horizontal
5	9748.0000	36.04	38.28	-39.46	34.86	74.00	39.14	175	354	Horizontal
6	9748.0000	25.77	38.28	-39.46	24.59	54.00	29.41	130	155	Horizontal






Report No.: SEWA2204000011RG04

Rev.: 01

Page: 101 of 119

#### 802.11n40\_Channel 06



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	4874.0000	49.25	32.53	-45.53	36.24	74.00	37.76	211	85	Vertical			
2	4874.0000	40.75	32.53	-45.53	27.74	54.00	26.26	196	347	Vertical			
3	7311.0000	35.79	36.54	-43.71	28.62	54.00	25.38	213	359	Vertical			
4	7311.0000	45.71	36.54	-43.71	38.54	74.00	35.46	265	354	Vertical			
5	9748.0000	33.17	38.28	-39.46	31.99	74.00	42.01	154	167	Vertical			
6	9748.0000	26.82	38.28	-39.46	25.64	54.00	28.36	281	324	Vertical			






Report No.: SEWA2204000011RG04

Rev.: 01

Page: 102 of 119

#### 802.11n40\_Channel 09



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	4904.0000	48.74	32.61	-45.53	35.82	74.00	38.18	284	112	Horizontal			
2	4904.0000	41.03	32.61	-45.53	28.11	54.00	25.89	145	354	Horizontal			
3	7356.0000	35.95	36.51	-43.56	28.90	54.00	25.10	291	307	Horizontal			
4	7356.0000	43.48	36.51	-43.56	36.43	74.00	37.57	112	139	Horizontal			
5	9808.0000	33.93	38.23	-39.47	32.69	74.00	41.31	235	195	Horizontal			
6	9808.0000	26.45	38.23	-39.47	25.21	54.00	28.79	162	360	Horizontal			






Report No.: SEWA2204000011RG04

Rev.: 01

Page: 103 of 119

#### 802.11n40\_Channel 09



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4904.0000	49.47	32.61	-45.53	36.55	74.00	37.45	214	250	Vertical
2	4904.0000	40.92	32.61	-45.53	28.00	54.00	26.00	176	84	Vertical
3	7356.0000	43.52	36.51	-43.56	36.47	74.00	37.53	198	195	Vertical
4	7356.0000	36.05	36.51	-43.56	29.00	54.00	25.00	213	251	Vertical
5	9808.0000	35.57	38.23	-39.47	34.33	74.00	39.67	145	360	Vertical
6	9808.0000	26.66	38.23	-39.47	25.42	54.00	28.58	261	250	Vertical

#### Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Level = Reading( $dB\mu V$ ) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit( $dB\mu V/m$ ) – Level( $dB\mu V/m$ )

2) All channels have been tested, but only the worst case data displayed in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.appx">http://www.sgs.com/en/Terms-and-Conditions.appx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.appx">http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.appx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law longer of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be pro

or email: <u>LNL Docenter Kay Sas. Com</u> | South of No. Finth, No. 1, Rumsherg Road, Suzhou Industrial Park, Suzhou Area, China (Jangsu) Pilot Free Trade Zone 中国・苏州 - 中国 (江苏) 自由贸易试验区苏州 H区苏州 工 中国区 到胜路 (19から F) 房南部 ・ 即編: 215000

t (86–512) 62992980 www.sg t (86–512) 62992980 sgs.chii

www.sgsgroup.com.cn sgs.china@sgs.com




Report No.: SEWA2204000011RG04

Rev.: 01

Page: 104 of 119

# Restricted bands around fundamental frequency

### 802.11b\_Channel 01



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2379.5933	38.97	27.43	-23.57	42.83	74.00	31.17	281	226	Horizontal			
2	2381.37	27.44	27.43	-23.57	31.30	54.00	22.70	281	226	Horizontal			
3	2388.78	41.77	27.43	-23.57	45.63	74.00	28.37	281	226	Horizontal			
4	2389.2567	29.98	27.43	-23.57	33.84	54.00	20.16	281	226	Horizontal			






Report No.: SEWA2204000011RG04

Rev.: 01

Page: 105 of 119

#### 802.11b\_Channel 01



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2352.4667	39.83	27.42	-23.57	43.67	74.00	30.33	211	12	Vertical
2	2383.71	27.68	27.43	-23.57	31.54	54.00	22.46	211	12	Vertical
3	2387.22	43.97	27.43	-23.57	47.83	74.00	26.17	211	12	Vertical
4	2389.1267	28.92	27.43	-23.57	32.78	54.00	21.22	211	12	Vertical






Report No.: SEWA2204000011RG04

Rev.: 01

Page: 106 of 119

#### 802.11b\_Channel 11



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2483.6875	30.94	27.72	-23.54	35.11	54.00	18.89	216	158	Horizontal				
2	2484.13	41.63	27.72	-23.54	45.80	74.00	28.20	216	158	Horizontal				
3	2486.26	41.13	27.72	-23.54	45.31	74.00	28.69	216	158	Horizontal				
4	2486.845	31.43	27.73	-23.54	35.61	54.00	18.39	216	158	Horizontal				






Report No.: SEWA2204000011RG04

Rev.: 01

Page: 107 of 119

#### 802.11b\_Channel 11



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2483.9125	28.82	27.72	-23.54	32.99	54.00	21.01	111	346	Vertical				
2	2484.3925	41.36	27.72	-23.54	45.53	74.00	28.47	111	346	Vertical				
3	2486.35	40.29	27.72	-23.54	44.47	74.00	29.53	111	346	Vertical				
4	2488.3525	28.69	27.73	-23.54	32.88	54.00	21.12	111	346	Vertical				






Report No.: SEWA2204000011RG04

Rev.: 01

Page: 108 of 119

### 802.11g\_Channel 01



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2386.44	32.65	27.43	-23.57	36.51	54.00	17.49	265	132	Horizontal			
2	2387.6533	48.87	27.43	-23.57	52.73	74.00	21.27	265	132	Horizontal			
3	2389.6467	38.66	27.43	-23.57	42.52	54.00	11.48	265	132	Horizontal			
4	2389.69	50.04	27.43	-23.57	53.90	74.00	20.10	265	132	Horizontal			






Report No.: SEWA2204000011RG04

Rev.: 01

Page: 109 of 119

### 802.11g\_Channel 01



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2387.09	43.83	27.43	-23.57	47.69	74.00	26.31	158	92	Vertical			
2	2387.2633	32.21	27.43	-23.57	36.07	54.00	17.93	158	92	Vertical			
3	2389.1267	35.44	27.43	-23.57	39.30	54.00	14.70	158	92	Vertical			
4	2389.2567	47.81	27.43	-23.57	51.67	74.00	22.33	158	92	Vertical			






Report No.: SEWA2204000011RG04

Rev.: 01

Page: 110 of 119

### 802.11g\_Channel 11



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2484.4375	47.94	27.72	-23.54	52.11	74.00	21.89	222	157	Horizontal			
2	2484.4675	36.81	27.72	-23.54	40.98	54.00	13.02	222	157	Horizontal			
3	2485.885	35.47	27.72	-23.54	39.65	54.00	14.35	222	157	Horizontal			
4	2486.365	48.72	27.73	-23.54	52.90	74.00	21.10	222	157	Horizontal			






Report No.: SEWA2204000011RG04

Rev.: 01

Page: 111 of 119

### 802.11g\_Channel 11



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2483.7475	30.20	27.72	-23.54	34.37	54.00	19.63	166	87	Vertical			
2	2484.505	41.11	27.72	-23.54	45.28	74.00	28.72	166	87	Vertical			
3	2486.8675	40.71	27.73	-23.54	44.89	74.00	29.11	166	87	Vertical			
4	2488.0975	29.39	27.73	-23.54	33.58	54.00	20.42	166	87	Vertical			






Report No.: SEWA2204000011RG04

Rev.: 01

Page: 112 of 119

### 802.11n20\_Channel 01



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2383.6667	39.70	27.43	-23.57	43.56	74.00	30.44	145	133	Horizontal			
2	2386.2667	32.03	27.43	-23.57	35.89	54.00	18.11	145	133	Horizontal			
3	2389.6467	51.71	27.43	-23.57	55.57	74.00	18.43	145	133	Horizontal			
4	2389.7767	39.10	27.43	-23.57	42.96	54.00	11.04	145	133	Horizontal			






Report No.: SEWA2204000011RG04

Rev.: 01

Page: 113 of 119

### 802.11n20\_Channel 01



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2387.4367	49.40	27.43	-23.57	53.26	74.00	20.74	218	80	Vertical			
2	2387.7833	32.74	27.43	-23.57	36.60	54.00	17.40	218	80	Vertical			
3	2388.9533	48.72	27.43	-23.57	52.58	74.00	21.42	218	80	Vertical			
4	2389.3867	35.59	27.43	-23.57	39.45	54.00	14.55	218	80	Vertical			






Report No.: SEWA2204000011RG04

Rev.: 01

Page: 114 of 119

### 802.11n20\_Channel 11



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2483.9275	47.58	27.72	-23.54	51.75	74.00	22.25	230	146	Horizontal			
2	2483.995	34.20	27.72	-23.54	38.37	54.00	15.63	230	146	Horizontal			
3	2486.3125	47.97	27.72	-23.54	52.15	74.00	21.85	230	146	Horizontal			
4	2486.5075	32.58	27.73	-23.54	36.76	54.00	17.24	230	146	Horizontal			






Report No.: SEWA2204000011RG04

Rev.: 01

Page: 115 of 119

### 802.11n20\_Channel 11



Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	2484.055	40.44	27.72	-23.54	44.61	74.00	29.39	163	102	Vertical	
2	2484.2725	29.19	27.72	-23.54	33.36	54.00	20.64	163	102	Vertical	
3	2487.31	28.96	27.73	-23.54	33.14	54.00	20.86	163	102	Vertical	
4	2487.73	41.07	27.73	-23.54	45.26	74.00	28.74	163	102	Vertical	






Report No.: SEWA2204000011RG04

Rev.: 01

Page: 116 of 119

#### 802.11n40\_Channel 03



Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	2388.78	54.48	27.43	-23.57	58.34	74.00	15.66	215	169	Horizontal	
2	2389.69	43.03	27.43	-23.57	46.89	54.00	7.11	215	169	Horizontal	
3	2484.04	48.89	27.72	-23.54	53.06	74.00	20.94	215	169	Horizontal	
4	2484.76	32.18	27.72	-23.54	36.36	54.00	17.64	215	169	Horizontal	






Report No.: SEWA2204000011RG04

Rev.: 01

Page: 117 of 119

#### 802.11n40\_Channel 03



Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	2388.6933	48.96	27.43	-23.57	52.82	74.00	21.18	269	85	Vertical	
2	2389.17	38.16	27.43	-23.57	42.02	54.00	11.98	269	85	Vertical	
3	2484.82	29.42	27.72	-23.54	33.60	54.00	20.40	269	85	Vertical	
4	2484.88	43.20	27.72	-23.54	47.38	74.00	26.62	269	85	Vertical	






Report No.: SEWA2204000011RG04

Rev.: 01

Page: 118 of 119

#### 802.11n40\_Channel 09



Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	2387.74	40.75	27.43	-23.57	44.61	74.00	29.39	298	165	Horizontal	
2	2389.2133	29.68	27.43	-23.57	33.54	54.00	20.46	298	165	Horizontal	
3	2484.64	37.42	27.72	-23.54	41.59	54.00	12.41	298	165	Horizontal	
4	2485.48	51.27	27.72	-23.54	55.45	74.00	18.55	298	165	Horizontal	






Report No.: SEWA2204000011RG04

Rev.: 01

Page: 119 of 119

#### 802.11n40\_Channel 09



Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	2387.5667	41.51	27.43	-23.57	45.37	74.00	28.63	213	260	Vertical	
2	2388.1733	27.99	27.43	-23.57	31.85	54.00	22.15	213	260	Vertical	
3	2484.28	34.22	27.72	-23.54	38.39	54.00	15.61	213	260	Vertical	
4	2485.48	46.53	27.72	-23.54	50.71	74.00	23.29	213	260	Vertical	

#### Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Level = Reading( $dB\mu V$ ) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit( $dB\mu V/m$ ) – Level( $dB\mu V/m$ )

---End of Report---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.appx">http://www.sgs.com/en/Terms-and-Conditions.appx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.appx">http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.appx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law longer of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be pro