


Report No.: SEWA2204000011RG05

Rev.: 01

Page: 130 of 310






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-C


or email: CM_Doccheck@egs.com Sudnith& Feyn, tho. (Runsherg Read, Sudou Indasteil Park, Sudrou Area, China (Jangsu) Plot Free Trade Zone 中国・苏州・中国(江苏)自由贸易は強区苏州片区苏州工业园区园胜路1号的6号「房南部 邮集: 215000



Report No.: SEWA2204000011RG05

Rev.: 01







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-C


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2204000011RG05

Rev.: 01

Page: 132 of 310





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-C


or email: CN_Doccheck@sgs_com John d/Na. Five, hu. Flansheng Road, Suchou Indastel Park, Suchou Area, China (Jängsa) Plk/Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区湾胜路1号的6号厂房南部 鄭樂: 215000



Report No.: SEWA2204000011RG05

Rev.: 01

Page: 133 of 310





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Conditions-and-Conditions-And-C


or email: CM_Doccheck@sgs.com South of No. Forth, No. Funshery Read, Subrou Indasteil Park, Suzhou Area, China (Mangsu) Plot Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区园胜路1号からF广房南部 郵線: 215000



Report No.: SEWA2204000011RG05

Rev.: 01

Page: 134 of 310





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-C


or email: CN_Doccheck@sgs_com John d/Na. Five, hu. Flansheng Road, Suchou Indastel Park, Suchou Area, China (Jängsa) Plk/Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区湾胜路1号的6号厂房南部 鄭樂: 215000



Report No.: SEWA2204000011RG05

Rev.: 01

Page: 135 of 310





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-C


or email: CM_Doccheck@egs.com Sudnith& Feyn, tho. (Runsherg Read, Sudou Indasteil Park, Sudrou Area, China (Jangsu) Plot Free Trade Zone 中国・苏州・中国(江苏)自由贸易は強区苏州片区苏州工业园区园胜路1号的6号「房南部 邮集: 215000



Report No.: SEWA2204000011RG05

Rev.: 01

Page: 136 of 310





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-C


or email: CN_Doccheck@egs.com South of No. Fiver No. (Runshery Read, Subtou Indashie Park, Suzhou Area, Chine (Mangsu) Phol Free Trade Zone 中国・苏州・中国(江苏)自由贸易は強区苏州片区苏州工业园区园胜路1号約6号厂房南部 単編: 215000



Report No.: SEWA2204000011RG05

Rev.: 01

Page: 137 of 310






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents as the subject to Terms and Conditions [Telectronic Document as full the subject or the subject of the subject


or email: CN_Doccheck@sgs_com John d/Na. Five, hu. Flansheng Road, Suchou Indastel Park, Suchou Area, China (Jängsa) Plk/Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区湾胜路1号的6号厂房南部 鄭樂: 215000





Rev.: 01

Page: 138 of 310





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Conditions-and-Conditions-And-C


or email: CN_Doccheck@sgs_com John d/Na. Five, hu. Flansheng Road, Suchou Indastel Park, Suchou Area, China (Jängsa) Plk/Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区湾胜路1号的6号厂房南部 鄭樂: 215000



Report No.: SEWA2204000011RG05

Rev.: 01

Page: 139 of 310






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-C



Report No.: SEWA2204000011RG05

Rev.: 01

Page: 140 of 310





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-C


or email: CN_Doccheck@sgs_com John d/Na. Five, hu. Flansheng Road, Suchou Indastel Park, Suchou Area, China (Jängsa) Plk/Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区湾胜路1号的6号厂房南部 鄭樂: 215000



Report No.: SEWA2204000011RG05

Rev.: 01

Page: 141 of 310





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-C


or email: CN_Doccheck@sgs_com John d/Na. Fiyek, th. Flunsheng Road, Suchou Indastell Park, Suchou Area, China (Jángsa) Plk Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区湾胜路1号的6号厂房南部 鄭樂: 215000



Report No.: SEWA2204000011RG05

Rev.: 01

Page: 142 of 310





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Conditions-and-Conditions-And-C


or email: CM_Doccheck@sgs.com South of No. Forth, No. Funshery Read, Subrou Indasteil Park, Suzhou Area, China (Mangsu) Plot Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区园胜路1号からF广房南部 郵線: 215000



Report No.: SEWA2204000011RG05

Rev.: 01

Page: 143 of 310





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Conditions-and-Conditions-And-C


or email: CN_Doccheck@sgs.com South of No. Fleat, No. 1, Runsheng Rose, Subrub Industrial Park, Suchou Area, Clinie (Aingsu) Plot Free Trade Zone 中国・苏州・中国(江苏)自由贸易成計区苏州十旦国区润胜路1号的6号厂房南部 邮集 215000



Report No.: SEWA2204000011RG05

Rev.: 01

Page: 144 of 310





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Conditions-and-Conditions-And-C


or email: <u>CN.Doccheck@sgs.com</u> South of No. Fleat, No.1, Runsheng Rose, Subrou Industrial Park, Suchou Area, Clinie (Mangsu) Plot Free Trade Zone 中国 - 苏州・中国(江苏)自由贸易试验区苏州 F区苏州工业园区润胜路1号的6号厂房南部 邮集 215000



Report No.: SEWA2204000011RG05

Rev.: 01

Page: 145 of 310





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.apx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-75) 8307 1443,

or email: CM_Doccheck@segs.com South of No. First, No. Runsharp Read, Subtou Indastria Park, Suzhou Area, Chira (Jangsu) Plot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区园胜路1号約6号厂房南部 邮第: 215000



Report No.: SEWA2204000011RG05


Rev.: 01

Page: 146 of 310

DFS Detection Thresholds Test Result

TestMode	Frequency[dbm]	Radar Type	Result	Limit[dbm]	Verdict
11ac80SISO	5530	Type0	-62.35	-62.00	PASS

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.spa.com/en/rerms-and-Conditions.aspx.and, for electronic Documents, subject to Terms and Conditions (Terms-and-Conditions-aspx.and) for electronic Documents at Life (Jewwess-and-Conditions-Germs-acconditions-Germs-acconditions-Germs-acconditions-germs-germs-acconditions-germs-germs-acconditions-germs-germs-germs-acconditions-germs-ge




Report No.: SEWA2204000011RG05

Rev.: 01

Page: 147 of 310

Data Traffic Plot

Test Graphs






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents as the subject to Terms and Conditions [Telectronic Document as full the subject or the subject of the subject



Report No.: SEWA2204000011RG05

Rev.: 01

Page: 148 of 310





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com.

or email: CN_Doccheck@egs.com South of No. Fiver No. (Runshery Read, Subtou Indashie Park, Suzhou Area, Chine (Mangsu) Phol Free Trade Zone 中国・苏州・中国(江苏)自由贸易は強区苏州片区苏州工业园区园胜路1号約6号厂房南部 単編: 215000



Report No.: SEWA2204000011RG05


Rev.: 01

Page: 149 of 310

Channel Move Time and Channel Closing Transmission Time Test Result

TestMode	Frequency[MHz]	CCTT[ms]	Limit[ms]	CMT[ms]	Limit[ms]	Verdict
11ac80SISO	5530	200+16.9	200+60	926.6	10000	PASS

Test Graphs







Report No.: SEWA2204000011RG05

Rev.: 01


Page: 150 of 310

Non-Occupancy Period

Test Result

TestMode	Frequency[MHz]	Result	Limit[s]	Verdict
11ac80SISO	5530	see test graph	≥1800	PASS

Test Graphs







Report No.: SEWA2204000011RG05


Rev.: 01

Page: 151 of 310

Radiated Spurious Emissions

Radiated emission below 1GHz

Worst case Mode: 11ac80_Channel 58



Final	Final Data List													
NO.	Frequency [MHz]	Readin g [dBµV]	Factor [dB]	AF [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	39.7	41.26	-36.28	14.03	19.01	40.00	20.99	216	147	Horizontal				
2	62.2525	41.48	-36.43	12.32	17.37	40.00	22.63	154	116	Horizontal				
3	86.9875	50.09	-36.19	9.39	23.30	40.00	16.70	142	293	Horizontal				
4	100.81	47.14	-35.79	10.23	21.58	43.50	21.92	133	283	Horizontal				
5	123.605	43.05	-35.97	12.44	19.52	43.50	23.98	215	293	Horizontal				
6	156.1	40.03	-35.28	14.02	18.76	43.50	24.74	196	326	Horizontal				




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Adject to the first of the first o



Report No.: SEWA2204000011RG05

Rev.: 01

Page: 152 of 310



Final	Final Data List													
NO.	Frequency [MHz]	Readin g [dBµV]	Factor [dB]	AF [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	41.155	51.23	-36.25	13.97	28.95	40.00	11.05	165	160	Vertical				
2	47.945	47.13	-36.17	13.59	24.55	40.00	15.45	222	318	Vertical				
3	68.8	50.22	-36.51	11.05	24.77	40.00	15.23	148	96	Vertical				
4	92.8075	47.16	-36.24	9.64	20.56	43.50	22.94	174	139	Vertical				
5	132.335	45.20	-35.62	12.96	22.54	43.50	20.96	185	129	Vertical				
6	182.775	43.81	-35.28	14.02	22.54	43.50	20.96	139	224	Vertical				

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Value = Reading($dB\mu V$) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit($dB\mu V/m$) – Value($dB\mu V/m$)

2) All channels have been tested, but only the worst case data displayed in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law longer of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extended for 30 days only.

Attention: To check the authenticity of testing impaction reports & certificate please contact us at telephone (86-755) \$3071443.

or email: CN_DocCheck(図sgs_com | Sound vNa. Five, No. Runsheng Road, Suchou Indastell Park, Suchou Area, China (Jiangsu) Plxt Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区海胜路(号的6号) 房南部 - 邮線: 215000




Report No.: SEWA2204000011RG05

Rev.: 01

Page: 153 of 310

Transmitter emission Above 1GHz

802.11a_Channel 36



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	6906.8125	59.32	35.97	-43.84	51.45	68.30	16.85	215	147	Horizontal				
2	6907.2917	56.71	35.97	-43.83	48.85	-	-	142	147	Horizontal				
3	10360.0000	35.79	38.85	-38.82	35.82	68.30	32.48	136	359	Horizontal				
4	10360.0000	27.81	38.85	-38.82	27.84	-	-	261	354	Horizontal				
5	15540.0000	20.90	38.52	-34.81	24.61	54.00	29.39	196	171	Horizontal				
6	15540.0000	29.54	38.52	-34.81	33.25	74.00	40.75	145	219	Horizontal				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 154 of 310

802.11a_Channel 36



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	6906.3333	56.67	35.97	-43.84	48.80	68.30	19.50	265	267	Vertical			
2	6907.2917	53.47	35.97	-43.83	45.61	-	-	145	243	Vertical			
3	10360.0000	27.67	38.85	-38.82	27.70	-	-	142	48	Vertical			
4	10360.0000	35.57	38.85	-38.82	35.60	68.30	32.70	185	292	Vertical			
5	15540.0000	21.16	38.52	-34.81	24.87	54.00	29.13	136	216	Vertical			
6	15540.0000	30.73	38.52	-34.81	34.44	74.00	39.56	216	192	Vertical			






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 155 of 310

802.11a_Channel 44



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	6960	58.81	36.03	-43.35	51.49	68.30	16.81	214	23	Horizontal			
2	6960.4792	57.01	36.03	-43.35	49.69	-	-	152	169	Horizontal			
3	10400.0000	27.47	38.86	-38.72	27.61	-	-	261	340	Horizontal			
4	10400.0000	36.51	38.86	-38.72	36.65	68.30	31.65	236	340	Horizontal			
5	15600.0000	20.48	38.44	-34.37	24.55	54.00	29.45	195	121	Horizontal			
6	15600.0000	28.54	38.44	-34.37	32.61	74.00	41.39	145	292	Horizontal			






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 156 of 310

802.11a_Channel 44



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	6960	56.71	36.03	-43.35	49.39	68.30	18.91	154	244	Vertical			
2	6960.4792	54.96	36.03	-43.35	47.64	-	-	126	244	Vertical			
3	10400.0000	26.25	38.86	-38.72	26.39	-	-	145	360	Vertical			
4	10400.0000	35.92	38.86	-38.72	36.06	68.30	32.24	175	24	Vertical			
5	15600.0000	21.80	38.44	-34.37	25.87	54.00	28.13	191	359	Vertical			
6	15600.0000	29.31	38.44	-34.37	33.38	74.00	40.62	130	293	Vertical			






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 157 of 310

802.11a_Channel 48



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	6986.8333	60.47	36.06	-43.11	53.42	68.30	14.88	245	341	Horizontal			
2	6987.3125	58.38	36.06	-43.11	51.34	-	-	195	147	Horizontal			
3	10480.0000	26.98	38.94	-38.75	27.17	-	-	163	73	Horizontal			
4	10480.0000	34.59	38.94	-38.75	34.78	68.30	33.52	174	171	Horizontal			
5	15720.0000	20.78	38.30	-33.22	25.86	54.00	28.14	261	359	Horizontal			
6	15720.0000	29.84	38.30	-33.22	34.92	74.00	39.08	155	341	Horizontal			






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 158 of 310

802.11a_Channel 48



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	6986.3542	57.26	36.06	-43.11	50.21	68.30	18.09	284	98	Vertical			
2	6987.3125	54.55	36.06	-43.11	47.51	-	-	175	243	Vertical			
3	10480.0000	27.33	38.94	-38.75	27.52	-	-	166	25	Vertical			
4	10480.0000	34.93	38.94	-38.75	35.12	68.30	33.18	162	25	Vertical			
5	15720.0000	20.92	38.30	-33.22	26.00	54.00	28.00	261	354	Vertical			
6	15720.0000	28.04	38.30	-33.22	33.12	74.00	40.88	149	146	Vertical			






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 159 of 310

802.11a_Channel 52



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	7013.6667	59.65	36.12	-43.08	52.68	68.30	15.62	284	147	Horizontal			
2	7013.6667	58.31	36.12	-43.08	51.34	-	-	126	147	Horizontal			
3	10520.0000	27.06	38.98	-38.61	27.43	-	-	145	343	Horizontal			
4	10520.0000	35.05	38.98	-38.61	35.42	68.30	32.88	251	221	Horizontal			
5	15780.0000	22.02	38.22	-33.10	27.14	54.00	26.86	196	50	Horizontal			
6	15780.0000	30.15	38.22	-33.10	35.27	74.00	38.73	135	50	Horizontal			






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 160 of 310

802.11a_Channel 52



Data	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	7013.1875	56.99	36.11	-43.08	50.03	68.30	18.27	218	97	Vertical	
2	7013.6667	55.15	36.12	-43.08	48.18	-	-	142	97	Vertical	
3	10520.0000	26.59	38.98	-38.61	26.96	-	-	261	171	Vertical	
4	10520.0000	34.72	38.98	-38.61	35.09	68.30	33.21	236	354	Vertical	
5	15780.0000	21.47	38.22	-33.10	26.59	54.00	27.41	145	318	Vertical	
6	15780.0000	29.88	38.22	-33.10	35.00	74.00	39.00	199	97	Vertical	






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 161 of 310

802.11a_Channel 60



Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	7066.8542	57.68	36.25	-43.44	50.50	68.30	17.80	152	170	Horizontal		
2	7067.3333	55.09	36.26	-43.44	47.90	-	-	236	146	Horizontal		
3	10600.0000	26.93	39.06	-38.01	27.98	54.00	26.02	194	360	Horizontal		
4	10600.0000	34.37	39.06	-38.01	35.42	74.00	38.58	261	267	Horizontal		
5	15900.0000	23.18	38.03	-34.13	27.08	54.00	26.92	154	146	Horizontal		
6	15900.0000	31.17	38.03	-34.13	35.07	74.00	38.93	178	146	Horizontal		






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 162 of 310

802.11a_Channel 60



Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	7066.375	56.09	36.25	-43.43	48.91	68.30	19.39	126	104	Vertical		
2	7067.3333	53.13	36.26	-43.44	45.94	-	-	148	80	Vertical		
3	10600.0000	25.93	39.06	-38.01	26.98	54.00	27.02	136	47	Vertical		
4	10600.0000	35.10	39.06	-38.01	36.15	74.00	37.85	152	157	Vertical		
5	15900.0000	23.45	38.03	-34.13	27.35	54.00	26.65	291	347	Vertical		
6	15900.0000	31.36	38.03	-34.13	35.26	74.00	38.74	174	4	Vertical		






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 163 of 310

802.11a_Channel 64



Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	7093.2083	55.17	36.32	-43.61	47.88	68.30	20.42	241	25	Horizontal		
2	7093.6875	53.35	36.32	-43.62	46.06	-	-	186	171	Horizontal		
3	10640.0000	27.46	39.09	-37.80	28.75	54.00	25.25	122	268	Horizontal		
4	10640.0000	34.79	39.09	-37.80	36.08	74.00	37.92	145	245	Horizontal		
5	15960.0000	23.82	37.93	-34.63	27.12	54.00	26.88	231	75	Horizontal		
6	15960.0000	31.21	37.93	-34.63	34.51	74.00	39.49	199	123	Horizontal		






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 164 of 310

802.11a_Channel 64



Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	7093.2083	55.07	36.32	-43.61	47.78	68.30	20.52	154	96	Vertical		
2	7093.6875	52.08	36.32	-43.62	44.79	-	-	261	96	Vertical		
3	10640.0000	27.72	39.09	-37.80	29.01	54.00	24.99	185	146	Vertical		
4	10640.0000	36.08	39.09	-37.80	37.37	74.00	36.63	154	359	Vertical		
5	15960.0000	23.94	37.93	-34.63	27.24	54.00	26.76	194	122	Vertical		
6	15960.0000	31.44	37.93	-34.63	34.74	74.00	39.26	178	72	Vertical		






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 165 of 310

802.11a_Channel 100



Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	7332.7917	48.99	36.53	-43.15	42.36	74.00	31.64	216	50	Horizontal		
2	7333.75	42.89	36.53	-43.15	36.27	54.00	17.73	145	147	Horizontal		
3	11000.0000	34.29	39.07	-37.59	35.77	74.00	38.23	196	318	Horizontal		
4	11000.0000	25.83	39.07	-37.59	27.31	54.00	26.69	184	24	Horizontal		
5	16500.0000	33.77	37.93	-34.28	37.41	68.30	30.89	125	97	Horizontal		
6	16500.0000	26.18	37.93	-34.28	29.82	-	-	231	219	Horizontal		






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 166 of 310

802.11a_Channel 100



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	7333.75	41.35	36.53	-43.15	34.73	54.00	19.27	184	147	Vertical
2	7507.2083	48.97	36.44	-43.14	42.27	74.00	31.73	175	360	Vertical
3	11000.0000	26.56	39.07	-37.59	28.04	54.00	25.96	236	171	Vertical
4	11000.0000	35.52	39.07	-37.59	37.00	74.00	37.00	126	49	Vertical
5	16500.0000	26.23	37.93	-34.28	29.87	-	-	261	318	Vertical
6	16500.0000	33.61	37.93	-34.28	37.25	68.30	31.05	154	147	Vertical






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 167 of 310

802.11a_Channel 116



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7440.125	50.10	36.47	-42.94	43.63	74.00	30.37	215	170	Horizontal				
2	7440.6042	43.86	36.47	-42.94	37.39	54.00	16.61	184	146	Horizontal				
3	11160.0000	27.94	39.10	-37.06	29.99	54.00	24.01	146	360	Horizontal				
4	11160.0000	35.53	39.10	-37.06	37.58	74.00	36.42	179	220	Horizontal				
5	16740.0000	25.34	38.31	-34.77	28.88	-	-	213	355	Horizontal				
6	16740.0000	34.38	38.31	-34.77	37.92	68.30	30.38	231	360	Horizontal				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 168 of 310

802.11a_Channel 116



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7440.125	48.80	36.47	-42.94	42.33	74.00	31.67	254	268	Vertical				
2	7440.6042	43.52	36.47	-42.94	37.05	54.00	16.95	165	268	Vertical				
3	11160.0000	26.68	39.10	-37.06	28.73	54.00	25.27	145	196	Vertical				
4	11160.0000	34.80	39.10	-37.06	36.85	74.00	37.15	195	360	Vertical				
5	16740.0000	24.91	38.31	-34.77	28.45	-	-	182	341	Vertical				
6	16740.0000	33.18	38.31	-34.77	36.72	68.30	31.58	143	4	Vertical				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 169 of 310

802.11a_Channel 140



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7600.1667	39.41	36.39	-42.74	33.06	54.00	20.94	251	147	Horizontal				
2	7754.9375	49.22	36.69	-42.75	43.17	68.30	25.13	198	49	Horizontal				
3	11400.0000	29.20	39.11	-37.51	30.80	54.00	23.20	236	360	Horizontal				
4	11400.0000	36.86	39.11	-37.51	38.46	74.00	35.54	145	122	Horizontal				
5	17100.0000	25.68	38.56	-33.74	30.49	-	-	261	73	Horizontal				
6	17100.0000	32.29	38.56	-33.74	37.10	68.30	31.20	145	316	Horizontal				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 170 of 310

802.11a_Channel 140



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7441.0833	50.30	36.47	-42.95	43.82	74.00	30.18	156	145	Vertical				
2	7600.1667	41.05	36.39	-42.74	34.70	54.00	19.30	136	267	Vertical				
3	11400.0000	28.28	39.11	-37.51	29.88	54.00	24.12	145	360	Vertical				
4	11400.0000	38.20	39.11	-37.51	39.80	74.00	34.20	261	48	Vertical				
5	17100.0000	25.03	38.56	-33.74	29.84	-	-	191	121	Vertical				
6	17100.0000	34.10	38.56	-33.74	38.91	68.30	29.39	175	267	Vertical				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 171 of 310

802.11a_Channel 149



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7660.5417	39.62	36.51	-42.87	33.26	54.00	20.74	145	48	Horizontal				
2	8403.25	48.19	37.34	-41.38	44.14	74.00	29.86	216	195	Horizontal				
3	11490.0000	35.44	39.01	-36.61	37.84	74.00	36.16	145	340	Horizontal				
4	11490.0000	27.31	39.01	-36.61	29.71	54.00	24.29	291	48	Horizontal				
5	17235.0000	35.27	38.65	-34.96	38.97	68.30	29.33	172	295	Horizontal				
6	17235.0000	27.28	38.65	-34.96	30.98	-	-	130	340	Horizontal				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 172 of 310

802.11a_Channel 149



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7660.5417	40.84	36.51	-42.87	34.48	54.00	19.52	184	97	Vertical				
2	8013.2083	47.37	37.01	-42.03	42.36	68.30	25.94	175	121	Vertical				
3	11490.0000	35.87	39.01	-36.61	38.27	74.00	35.73	162	341	Vertical				
4	11490.0000	27.88	39.01	-36.61	30.28	54.00	23.72	142	294	Vertical				
5	17235.0000	27.44	38.65	-34.96	31.14	-	-	136	48	Vertical				
6	17235.0000	35.54	38.65	-34.96	39.24	68.30	29.06	215	354	Vertical				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 173 of 310

802.11a_Channel 157



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7444.4375	39.54	36.47	-42.96	33.05	54.00	20.95	165	173	Horizontal				
2	7642.3333	48.84	36.47	-42.83	42.48	74.00	31.52	145	4	Horizontal				
3	11570.0000	24.95	38.92	-36.84	27.03	54.00	26.97	126	51	Horizontal				
4	11570.0000	33.40	38.92	-36.84	35.48	74.00	38.52	185	246	Horizontal				
5	17355.0000	27.22	38.80	-35.00	31.02	-	-	291	147	Horizontal				
6	17355.0000	35.18	38.80	-35.00	38.98	68.30	29.32	148	75	Horizontal				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 174 of 310

802.11a_Channel 157



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7399.875	48.91	36.49	-42.79	42.61	74.00	31.39	215	3	Vertical				
2	7713.7292	40.27	36.61	-42.90	33.98	54.00	20.02	145	243	Vertical				
3	11570.0000	25.74	38.92	-36.84	27.82	54.00	26.18	185	168	Vertical				
4	11570.0000	33.36	38.92	-36.84	35.44	74.00	38.56	269	3	Vertical				
5	17355.0000	26.45	38.80	-35.00	30.25	-	-	142	291	Vertical				
6	17355.0000	35.02	38.80	-35.00	38.82	68.30	29.48	136	360	Vertical				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 175 of 310

802.11a_Channel 165



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7455.4583	48.89	36.46	-43.00	42.35	74.00	31.65	154	98	Horizontal				
2	7742.4792	38.80	36.67	-42.79	32.68	54.00	21.32	261	4	Horizontal				
3	11650.0000	25.12	38.85	-36.53	27.44	54.00	26.56	291	170	Horizontal				
4	11650.0000	32.59	38.85	-36.53	34.91	74.00	39.09	126	342	Horizontal				
5	17475.0000	24.92	39.11	-34.07	29.96	-	-	145	194	Horizontal				
6	17475.0000	34.52	39.11	-34.07	39.56	68.30	28.74	172	317	Horizontal				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 176 of 310

802.11a_Channel 165



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8042.9167	37.84	37.03	-41.79	33.07	54.00	20.93	215	268	Vertical				
2	8595.3958	47.80	37.74	-40.93	44.61	68.30	23.69	158	360	Vertical				
3	11650.0000	31.87	38.85	-36.53	34.19	74.00	39.81	146	169	Vertical				
4	11650.0000	24.41	38.85	-36.53	26.73	54.00	27.27	195	354	Vertical				
5	17475.0000	33.49	39.11	-34.07	38.53	68.30	29.77	133	97	Vertical				
6	17475.0000	24.90	39.11	-34.07	29.94	-	-	231	195	Vertical				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 177 of 310

802.11n20_Channel 36



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	6906.3333	58.45	35.97	-43.84	50.58	68.30	17.72	165	342	Horizontal				
2	6907.2917	56.44	35.97	-43.83	48.58	-	-	145	148	Horizontal				
3	10360.0000	38.27	38.85	-38.82	38.30	68.30	30.00	251	172	Horizontal				
4	10360.0000	29.76	38.85	-38.82	29.79	-	-	199	360	Horizontal				
5	15540.0000	22.41	38.52	-34.81	26.12	54.00	27.88	142	360	Horizontal				
6	15540.0000	31.65	38.52	-34.81	35.36	74.00	38.64	130	270	Horizontal				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 178 of 310

802.11n20_Channel 36



Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6906.8125	56.92	35.97	-43.84	49.05	68.30	19.25	150	269	Vertical
2	6907.2917	54.43	35.97	-43.83	46.57	-	-	150	243	Vertical
3	10360.0000	39.18	38.85	-38.82	39.21	68.30	29.09	150	96	Vertical
4	10360.0000	29.84	38.85	-38.82	29.87	-	-	150	24	Vertical
5	15540.0000	22.61	38.52	-34.81	26.32	54.00	27.68	150	4	Vertical
6	15540.0000	31.22	38.52	-34.81	34.93	74.00	39.07	150	269	Vertical






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 179 of 310

802.11n20_Channel 44



Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6960	60.08	36.03	-43.35	52.76	68.30	15.54	150	145	Horizontal
2	6960.4792	58.89	36.03	-43.35	51.57	-	-	150	145	Horizontal
3	10400.0000	28.92	38.86	-38.72	29.06	-	-	150	48	Horizontal
4	10400.0000	37.52	38.86	-38.72	37.66	68.30	30.64	150	48	Horizontal
5	15600.0000	22.81	38.44	-34.37	26.88	54.00	27.12	150	48	Horizontal
6	15600.0000	32.07	38.44	-34.37	36.14	74.00	37.86	150	48	Horizontal

