


Report No.: SEWA2204000011RG05

Rev.: 01

Page: 180 of 310

### 802.11n20\_Channel 44



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	6960	57.19	36.03	-43.35	49.87	68.30	18.43	284	267	Vertical				
2	6960.4792	55.57	36.03	-43.35	48.25	-	-	126	243	Vertical				
3	10400.0000	29.53	38.86	-38.72	29.67	-	-	269	48	Vertical				
4	10400.0000	37.71	38.86	-38.72	37.85	68.30	30.45	236	354	Vertical				
5	15600.0000	22.89	38.44	-34.37	26.96	54.00	27.04	254	120	Vertical				
6	15600.0000	31.59	38.44	-34.37	35.66	74.00	38.34	185	360	Vertical				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 181 of 310

### 802.11n20\_Channel 48



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	6986.8333	60.80	36.06	-43.11	53.75	68.30	14.55	165	147	Horizontal				
2	6987.3125	58.37	36.06	-43.11	51.33	-	-	154	343	Horizontal				
3	10480.0000	37.47	38.94	-38.75	37.66	68.30	30.64	125	122	Horizontal				
4	10480.0000	29.50	38.94	-38.75	29.69	-	-	183	355	Horizontal				
5	15720.0000	22.67	38.30	-33.22	27.75	54.00	26.25	261	245	Horizontal				
6	15720.0000	31.64	38.30	-33.22	36.72	74.00	37.28	144	48	Horizontal				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 182 of 310

### 802.11n20\_Channel 48



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	6986.3542	58.10	36.06	-43.11	51.05	68.30	17.25	214	96	Vertical				
2	6987.3125	55.30	36.06	-43.11	48.26	-	-	236	96	Vertical				
3	10480.0000	38.14	38.94	-38.75	38.33	68.30	29.97	261	148	Vertical				
4	10480.0000	29.35	38.94	-38.75	29.54	-	-	199	342	Vertical				
5	15720.0000	22.16	38.30	-33.22	27.24	54.00	26.76	145	4	Vertical				
6	15720.0000	30.45	38.30	-33.22	35.53	74.00	38.47	172	24	Vertical				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 183 of 310

### 802.11n20\_Channel 52



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7013.1875	59.51	36.11	-43.08	52.55	68.30	15.75	285	170	Horizontal				
2	7013.6667	57.61	36.12	-43.08	50.64	-	-	145	340	Horizontal				
3	10520.0000	29.41	38.98	-38.61	29.78	-	-	291	47	Horizontal				
4	10520.0000	39.32	38.98	-38.61	39.69	68.30	28.61	269	72	Horizontal				
5	15780.0000	24.46	38.22	-33.10	29.58	54.00	24.42	142	72	Horizontal				
6	15780.0000	31.35	38.22	-33.10	36.47	74.00	37.53	130	146	Horizontal				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 184 of 310

### 802.11n20\_Channel 52



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7013.6667	58.06	36.12	-43.08	51.09	68.30	17.21	150	97	Vertical				
2	7013.6667	55.59	36.12	-43.08	48.62	-	-	150	97	Vertical				
3	10520.0000	29.09	38.98	-38.61	29.46	-	-	150	359	Vertical				
4	10520.0000	37.72	38.98	-38.61	38.09	68.30	30.21	150	147	Vertical				
5	15780.0000	23.54	38.22	-33.10	28.66	54.00	25.34	150	244	Vertical				
6	15780.0000	31.00	38.22	-33.10	36.12	74.00	37.88	150	359	Vertical				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 185 of 310

### 802.11n20\_Channel 60



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7066.8542	58.82	36.25	-43.44	51.64	68.30	16.66	165	145	Horizontal				
2	7067.3333	56.17	36.26	-43.44	48.98	-	-	145	145	Horizontal				
3	10600.0000	28.76	39.06	-38.01	29.81	54.00	24.19	120	268	Horizontal				
4	10600.0000	37.55	39.06	-38.01	38.60	74.00	35.40	281	145	Horizontal				
5	15900.0000	24.65	38.03	-34.13	28.55	54.00	25.45	302	268	Horizontal				
6	15900.0000	31.81	38.03	-34.13	35.71	74.00	38.29	198	97	Horizontal				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 186 of 310

### 802.11n20\_Channel 60



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7066.375	56.75	36.25	-43.43	49.57	68.30	18.73	255	98	Vertical				
2	7067.3333	53.91	36.26	-43.44	46.72	-	-	145	72	Vertical				
3	10600.0000	29.79	39.06	-38.01	30.84	54.00	23.16	296	98	Vertical				
4	10600.0000	37.23	39.06	-38.01	38.28	74.00	35.72	261	219	Vertical				
5	15900.0000	23.85	38.03	-34.13	27.75	54.00	26.25	142	293	Vertical				
6	15900.0000	32.24	38.03	-34.13	36.14	74.00	37.86	236	4	Vertical				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 187 of 310

### 802.11n20\_Channel 64



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7093.2083	55.89	36.32	-43.61	48.60	68.30	19.70	265	171	Horizontal				
2	7093.6875	53.62	36.32	-43.62	46.33	-	-	145	146	Horizontal				
3	10640.0000	26.75	39.09	-37.80	28.04	54.00	25.96	142	243	Horizontal				
4	10640.0000	34.50	39.09	-37.80	35.79	74.00	38.21	185	48	Horizontal				
5	15960.0000	23.90	37.93	-34.63	27.20	54.00	26.80	191	73	Horizontal				
6	15960.0000	31.14	37.93	-34.63	34.44	74.00	39.56	172	268	Horizontal				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 188 of 310

### 802.11n20\_Channel 64



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7093.6875	51.65	36.32	-43.62	44.36	68.30	23.94	213	194	Vertical				
2	7093.6875	46.11	36.32	-43.62	38.82	-	-	261	194	Vertical				
3	10640.0000	26.70	39.09	-37.80	27.99	54.00	26.01	175	4	Vertical				
4	10640.0000	35.39	39.09	-37.80	36.68	74.00	37.32	154	292	Vertical				
5	15960.0000	23.72	37.93	-34.63	27.02	54.00	26.98	149	292	Vertical				
6	15960.0000	31.16	37.93	-34.63	34.46	74.00	39.54	192	24	Vertical				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 189 of 310

### 802.11n20\_Channel 100



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7333.75	41.84	36.53	-43.15	35.22	54.00	18.78	251	24	Horizontal				
2	7443.9583	47.97	36.47	-42.96	41.48	74.00	32.52	163	172	Horizontal				
3	11000.0000	24.41	39.07	-37.59	25.89	54.00	28.11	145	24	Horizontal				
4	11000.0000	32.64	39.07	-37.59	34.12	74.00	39.88	251	122	Horizontal				
5	16500.0000	25.21	37.93	-34.28	28.85	-	-	185	74	Horizontal				
6	16500.0000	32.54	37.93	-34.28	36.18	68.30	32.12	145	360	Horizontal				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 190 of 310

### 802.11n20\_Channel 100



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	7333.75	39.69	36.53	-43.15	33.07	54.00	20.93	145	359	Vertical			
2	7402.2708	47.95	36.49	-42.80	41.64	74.00	32.36	261	75	Vertical			
3	11000.0000	23.69	39.07	-37.59	25.17	54.00	28.83	142	171	Vertical			
4	11000.0000	32.23	39.07	-37.59	33.71	74.00	40.29	155	320	Vertical			
5	16500.0000	24.67	37.93	-34.28	28.31	-	-	133	360	Vertical			
6	16500.0000	33.67	37.93	-34.28	37.31	68.30	30.99	199	196	Vertical			






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 191 of 310

### 802.11n20\_Channel 116



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7021.8125	48.27	36.14	-43.14	41.27	68.30	27.03	165	317	Horizontal				
2	7440.6042	40.90	36.47	-42.94	34.43	54.00	19.57	125	122	Horizontal				
3	11160.0000	24.83	39.10	-37.06	26.88	54.00	27.12	178	354	Horizontal				
4	11160.0000	33.04	39.10	-37.06	35.09	74.00	38.91	114	293	Horizontal				
5	16740.0000	23.84	38.31	-34.77	27.38	-	-	130	360	Horizontal				
6	16740.0000	31.18	38.31	-34.77	34.72	68.30	33.58	218	360	Horizontal				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 192 of 310

### 802.11n20\_Channel 116



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	7021.8125	49.28	36.14	-43.14	42.28	68.30	26.02	248	3	Vertical			
2	7440.6042	40.06	36.47	-42.94	33.59	54.00	20.41	162	69	Vertical			
3	11160.0000	24.08	39.10	-37.06	26.13	54.00	27.87	147	360	Vertical			
4	11160.0000	33.60	39.10	-37.06	35.65	74.00	38.35	152	23	Vertical			
5	16740.0000	22.90	38.31	-34.77	26.44	-	-	123	359	Vertical			
6	16740.0000	31.73	38.31	-34.77	35.27	68.30	33.03	261	340	Vertical			






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 193 of 310

### 802.11n20\_Channel 140



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7036.1875	49.42	36.17	-43.23	42.36	68.30	25.94	165	360	Horizontal				
2	7600.6458	38.71	36.39	-42.74	32.36	54.00	21.64	142	122	Horizontal				
3	11400.0000	25.18	39.11	-37.51	26.78	54.00	27.22	236	220	Horizontal				
4	11400.0000	33.07	39.11	-37.51	34.67	74.00	39.33	196	270	Horizontal				
5	17100.0000	23.76	38.56	-33.74	28.57	-	-	251	25	Horizontal				
6	17100.0000	33.16	38.56	-33.74	37.97	68.30	30.33	148	359	Horizontal				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 194 of 310

### 802.11n20\_Channel 140



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	6806.6667	49.66	35.85	-43.60	41.91	68.30	26.39	174	317	Vertical			
2	7037.625	39.50	36.18	-43.24	32.44	-	-	185	360	Vertical			
3	11400.0000	26.11	39.11	-37.51	27.71	54.00	26.29	142	24	Vertical			
4	11400.0000	33.69	39.11	-37.51	35.29	74.00	38.71	165	360	Vertical			
5	17100.0000	22.78	38.56	-33.74	27.59	-	-	133	342	Vertical			
6	17100.0000	32.05	38.56	-33.74	36.86	68.30	31.44	291	360	Vertical			






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 195 of 310

### 802.11n20\_Channel 149



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8414.2708	46.57	37.36	-41.43	42.50	74.00	31.50	255	122	Horizontal				
2	8419.5417	37.35	37.37	-41.45	33.27	54.00	20.73	146	146	Horizontal				
3	11490.0000	23.80	39.01	-36.61	26.20	54.00	27.80	132	196	Horizontal				
4	11490.0000	32.46	39.01	-36.61	34.86	74.00	39.14	291	50	Horizontal				
5	17235.0000	25.79	38.65	-34.96	29.49	-	-	102	4	Horizontal				
6	17235.0000	33.40	38.65	-34.96	37.10	68.30	31.20	145	196	Horizontal				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 196 of 310

### 802.11n20\_Channel 149



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8415.7083	46.91	37.36	-41.44	42.84	74.00	31.16	184	4	Vertical				
2	8422.8958	36.99	37.38	-41.47	32.90	54.00	21.10	162	146	Vertical				
3	11490.0000	24.15	39.01	-36.61	26.55	54.00	27.45	222	360	Vertical				
4	11490.0000	33.66	39.01	-36.61	36.06	74.00	37.94	199	25	Vertical				
5	17235.0000	26.24	38.65	-34.96	29.94	-	-	137	170	Vertical				
6	17235.0000	33.71	38.65	-34.96	37.41	68.30	30.89	182	25	Vertical				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 197 of 310

### 802.11n20\_Channel 157



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7019.4167	48.61	36.13	-43.12	41.62	68.30	26.68	163	48	Horizontal				
2	7453.0625	38.55	36.46	-42.99	32.02	54.00	21.98	251	73	Horizontal				
3	11570.0000	30.76	38.92	-36.84	32.84	74.00	41.16	145	219	Horizontal				
4	11570.0000	22.43	38.92	-36.84	24.51	54.00	29.49	196	48	Horizontal				
5	17355.0000	24.89	38.80	-35.00	28.69	-	-	133	359	Horizontal				
6	17355.0000	33.42	38.80	-35.00	37.22	68.30	31.08	172	195	Horizontal				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 198 of 310

### 802.11n20\_Channel 157



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	7780.8125	46.99	36.74	-42.65	41.08	68.30	27.22	152	219	Vertical			
2	8409	36.89	37.35	-41.41	32.83	54.00	21.17	142	267	Vertical			
3	11570.0000	22.14	38.92	-36.84	24.22	54.00	29.78	196	360	Vertical			
4	11570.0000	31.20	38.92	-36.84	33.28	74.00	40.72	301	243	Vertical			
5	17355.0000	24.47	38.80	-35.00	28.27	-	-	145	121	Vertical			
6	17355.0000	33.17	38.80	-35.00	36.97	68.30	31.33	172	267	Vertical			






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 199 of 310

### 802.11n20\_Channel 165



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7422.875	47.72	36.48	-42.88	41.32	74.00	32.68	269	4	Horizontal				
2	7790.875	37.88	36.76	-42.61	32.03	-	-	155	98	Horizontal				
3	11650.0000	21.07	38.85	-36.53	23.39	54.00	30.61	130	360	Horizontal				
4	11650.0000	29.67	38.85	-36.53	31.99	74.00	42.01	148	340	Horizontal				
5	17475.0000	22.59	39.11	-34.07	27.63	-	-	216	98	Horizontal				
6	17475.0000	30.89	39.11	-34.07	35.93	68.30	32.37	142	195	Horizontal				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 200 of 310

### 802.11n20\_Channel 165



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	6684	50.38	35.61	-43.56	42.43	68.30	25.87	265	195	Vertical			
2	7027.0833	39.77	36.15	-43.17	32.75	-	-	158	360	Vertical			
3	11650.0000	30.06	38.85	-36.53	32.38	74.00	41.62	195	122	Vertical			
4	11650.0000	21.00	38.85	-36.53	23.32	54.00	30.68	142	245	Vertical			
5	17475.0000	23.22	39.11	-34.07	28.26	-	-	133	293	Vertical			
6	17475.0000	32.10	39.11	-34.07	37.14	68.30	31.16	172	4	Vertical			






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 201 of 310

### 802.11n40\_Channel 38



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	6920.2292	57.96	35.98	-43.72	50.23	68.30	18.07	215	339	Horizontal			
2	6920.2292	55.04	35.98	-43.72	47.31	-	-	166	339	Horizontal			
3	10380.0000	27.37	38.86	-38.77	27.46	-	-	174	244	Horizontal			
4	10380.0000	36.68	38.86	-38.77	36.77	68.30	31.53	145	360	Horizontal			
5	15570.0000	21.07	38.48	-34.59	24.96	54.00	29.04	196	24	Horizontal			
6	15570.0000	29.07	38.48	-34.59	32.96	74.00	41.04	125	292	Horizontal			






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 202 of 310

### 802.11n40\_Channel 38



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	6920.2292	53.64	35.98	-43.72	45.91	68.30	22.39	162	195	Vertical				
2	6920.2292	49.99	35.98	-43.72	42.26	-	-	145	195	Vertical				
3	10380.0000	27.17	38.86	-38.77	27.26	-	-	211	96	Vertical				
4	10380.0000	35.17	38.86	-38.77	35.26	68.30	33.04	133	96	Vertical				
5	15570.0000	20.77	38.48	-34.59	24.66	54.00	29.34	175	122	Vertical				
6	15570.0000	28.64	38.48	-34.59	32.53	74.00	41.47	194	72	Vertical				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 203 of 310

### 802.11n40\_Channel 46



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	6973.4167	58.64	36.05	-43.23	51.46	68.30	16.84	165	354	Horizontal				
2	6973.8958	56.81	36.05	-43.23	49.63	-	-	145	354	Horizontal				
3	10460.0000	25.93	38.92	-38.74	26.11	-	-	142	360	Horizontal				
4	10460.0000	35.09	38.92	-38.74	35.27	68.30	33.03	175	122	Horizontal				
5	15690.0000	21.86	38.33	-33.37	26.83	54.00	27.17	169	359	Horizontal				
6	15690.0000	29.15	38.33	-33.37	34.12	74.00	39.88	192	360	Horizontal				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 204 of 310

### 802.11n40\_Channel 46



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	6973.4167	52.44	36.05	-43.23	45.26	68.30	23.04	152	72	Vertical				
2	6973.8958	49.96	36.05	-43.23	42.78	-	-	163	72	Vertical				
3	10460.0000	26.67	38.92	-38.74	26.85	-	-	145	360	Vertical				
4	10460.0000	35.26	38.92	-38.74	35.44	68.30	32.86	211	195	Vertical				
5	15690.0000	21.47	38.33	-33.37	26.44	54.00	27.56	175	293	Vertical				
6	15690.0000	30.16	38.33	-33.37	35.13	74.00	38.87	194	96	Vertical				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 205 of 310

### 802.11n40\_Channel 54



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	7026.6042	57.95	36.15	-43.17	50.93	68.30	17.37	169	353	Horizontal
2	7027.0833	56.43	36.15	-43.17	49.41	-	-	154	359	Horizontal
3	10540.0000	27.12	39.00	-38.46	27.66	-	-	211	216	Horizontal
4	10540.0000	35.90	39.00	-38.46	36.44	68.30	31.86	174	359	Horizontal
5	15810.0000	22.74	38.18	-33.17	27.75	54.00	26.25	236	143	Horizontal
6	15810.0000	31.48	38.18	-33.17	36.49	74.00	37.51	251	3	Horizontal






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 206 of 310

### 802.11n40\_Channel 54



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7026.6042	52.70	36.15	-43.17	45.68	68.30	22.62	156	123	Vertical				
2	7027.0833	49.82	36.15	-43.17	42.80	-	-	281	196	Vertical				
3	10540.0000	27.37	39.00	-38.46	27.91	-	-	291	359	Vertical				
4	10540.0000	36.49	39.00	-38.46	37.03	68.30	31.27	145	360	Vertical				
5	15810.0000	23.86	38.18	-33.17	28.87	54.00	25.13	155	360	Vertical				
6	15810.0000	31.16	38.18	-33.17	36.17	74.00	37.83	137	268	Vertical				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 207 of 310

### 802.11n40\_Channel 62



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	7080.2708	56.36	36.29	-43.53	49.12	68.30	19.18	284	341	Horizontal
2	7080.2708	53.54	36.29	-43.53	46.30	-	-	126	73	Horizontal
3	10620.0000	27.73	39.08	-37.90	28.90	54.00	25.10	149	122	Horizontal
4	10620.0000	35.46	39.08	-37.90	36.63	74.00	37.37	251	354	Horizontal
5	15930.0000	23.96	37.98	-34.38	27.56	54.00	26.44	175	354	Horizontal
6	15930.0000	31.84	37.98	-34.38	35.44	74.00	38.56	102	24	Horizontal






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 208 of 310

### 802.11n40\_Channel 62



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	7079.7917	51.35	36.29	-43.52	44.11	68.30	24.19	254	98	Vertical
2	7080.2708	46.67	36.29	-43.53	39.43	-	-	136	49	Vertical
3	10620.0000	27.26	39.08	-37.90	28.43	54.00	25.57	162	148	Vertical
4	10620.0000	36.92	39.08	-37.90	38.09	74.00	35.91	211	4	Vertical
5	15930.0000	23.77	37.98	-34.38	27.37	54.00	26.63	170	317	Vertical
6	15930.0000	32.54	37.98	-34.38	36.14	74.00	37.86	190	196	Vertical






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 209 of 310

### 802.11n40\_Channel 102



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	7021.8125	48.91	36.14	-43.14	41.91	68.30	26.39	175	73	Horizontal
2	7347.1667	41.75	36.52	-43.08	35.19	54.00	18.81	145	122	Horizontal
3	11020.0000	24.72	39.07	-37.62	26.17	54.00	27.83	298	196	Horizontal
4	11020.0000	33.36	39.07	-37.62	34.81	74.00	39.19	266	244	Horizontal
5	16530.0000	25.43	37.99	-34.35	29.06	-	-	188	122	Horizontal
6	16530.0000	32.23	37.99	-34.35	35.86	68.30	32.44	143	122	Horizontal






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 210 of 310

### 802.11n40\_Channel 102



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7007.4375	48.79	36.10	-43.04	41.85	68.30	26.45	175	48	Vertical				
2	7347.1667	39.88	36.52	-43.08	33.32	54.00	20.68	184	360	Vertical				
3	11020.0000	25.37	39.07	-37.62	26.82	54.00	27.18	236	294	Vertical				
4	11020.0000	33.62	39.07	-37.62	35.07	74.00	38.93	162	48	Vertical				
5	16530.0000	24.44	37.99	-34.35	28.07	-	-	261	341	Vertical				
6	16530.0000	32.15	37.99	-34.35	35.78	68.30	32.52	145	360	Vertical				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 211 of 310

### 802.11n40\_Channel 110



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	6965.75	49.07	36.04	-43.30	41.81	68.30	26.49	215	280	Horizontal				
2	7400.3542	40.70	36.49	-42.79	34.40	54.00	19.60	169	61	Horizontal				
3	11100.0000	33.29	39.09	-37.75	34.63	74.00	39.37	185	232	Horizontal				
4	11100.0000	24.53	39.09	-37.75	25.87	54.00	28.13	142	360	Horizontal				
5	16650.0000	24.27	38.20	-34.68	27.78	-	-	172	305	Horizontal				
6	16650.0000	32.92	38.20	-34.68	36.43	68.30	31.87	135	256	Horizontal				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 212 of 310

### 802.11n40\_Channel 110



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7034.75	49.42	36.17	-43.22	42.37	68.30	25.93	184	123	Vertical				
2	7400.3542	40.41	36.49	-42.79	34.11	54.00	19.89	196	147	Vertical				
3	11100.0000	32.85	39.09	-37.75	34.19	74.00	39.81	144	360	Vertical				
4	11100.0000	24.85	39.09	-37.75	26.19	54.00	27.81	172	245	Vertical				
5	16650.0000	25.39	38.20	-34.68	28.90	-	-	130	171	Vertical				
6	16650.0000	33.33	38.20	-34.68	36.84	68.30	31.46	261	171	Vertical				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 213 of 310

### 802.11n40\_Channel 134



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7068.7708	49.42	36.26	-43.45	42.23	68.30	26.07	214	354	Horizontal				
2	7560.3958	42.09	36.41	-42.91	35.59	54.00	18.41	169	50	Horizontal				
3	11340.0000	26.59	39.11	-37.34	28.36	54.00	25.64	135	354	Horizontal				
4	11340.0000	34.35	39.11	-37.34	36.12	74.00	37.88	142	340	Horizontal				
5	17010.0000	23.48	38.51	-33.70	28.28	-	-	172	219	Horizontal				
6	17010.0000	31.77	38.51	-33.70	36.57	68.30	31.73	215	171	Horizontal				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 214 of 310

### 802.11n40\_Channel 134



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	6810.9792	49.81	35.85	-43.62	42.05	68.30	26.25	214	359	Vertical				
2	7162.2083	39.88	36.50	-43.63	32.75	-	-	174	289	Vertical				
3	11340.0000	26.82	39.11	-37.34	28.59	54.00	25.41	122	3	Vertical				
4	11340.0000	35.16	39.11	-37.34	36.93	74.00	37.07	196	94	Vertical				
5	17010.0000	23.76	38.51	-33.70	28.56	-	-	213	23	Vertical				
6	17010.0000	31.59	38.51	-33.70	36.39	68.30	31.91	231	194	Vertical				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 215 of 310

### 802.11n40\_Channel 151



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7389.8125	39.29	36.50	-42.85	32.94	54.00	21.06	165	269	Horizontal				
2	7477.0208	48.49	36.45	-43.08	41.86	74.00	32.14	142	4	Horizontal				
3	11510.0000	24.18	38.99	-36.56	26.61	54.00	27.39	196	342	Horizontal				
4	11510.0000	32.22	38.99	-36.56	34.65	74.00	39.35	184	122	Horizontal				
5	17265.0000	26.27	38.69	-35.11	29.85	-	-	132	196	Horizontal				
6	17265.0000	34.06	38.69	-35.11	37.64	68.30	30.66	111	196	Horizontal				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 216 of 310

### 802.11n40\_Channel 151



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	8427.6875	37.39	37.39	-41.49	33.29	54.00	20.71	154	359	Vertical			
2	8458.8333	46.04	37.45	-41.62	41.87	74.00	32.13	261	322	Vertical			
3	11510.0000	24.29	38.99	-36.56	26.72	54.00	27.28	203	98	Vertical			
4	11510.0000	31.90	38.99	-36.56	34.33	74.00	39.67	132	50	Vertical			
5	17265.0000	25.99	38.69	-35.11	29.57	-	-	133	359	Vertical			
6	17265.0000	34.27	38.69	-35.11	37.85	68.30	30.45	177	25	Vertical			






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 217 of 310

### 802.11n40\_Channel 159



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	7333.2708	47.58	36.53	-43.15	40.96	74.00	33.04	214	97	Horizontal			
2	7377.8333	38.84	36.50	-42.91	32.43	54.00	21.57	184	244	Horizontal			
3	11590.0000	24.05	38.90	-36.93	26.02	54.00	27.98	165	48	Horizontal			
4	11590.0000	33.20	38.90	-36.93	35.17	74.00	38.83	175	355	Horizontal			
5	17385.0000	25.16	38.84	-34.85	29.16	-	-	132	293	Horizontal			
6	17385.0000	34.84	38.84	-34.85	38.84	68.30	29.46	197	122	Horizontal			






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 218 of 310

### 802.11n40\_Channel 159



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	7047.2083	39.96	36.20	-43.31	32.86	-	-	284	219	Vertical			
2	7794.2292	47.13	36.77	-42.60	41.30	68.30	27.00	175	360	Vertical			
3	11590.0000	23.47	38.90	-36.93	25.44	54.00	28.56	162	316	Vertical			
4	11590.0000	31.48	38.90	-36.93	33.45	74.00	40.55	194	219	Vertical			
5	17385.0000	25.78	38.84	-34.85	29.78	-	-	132	219	Vertical			
6	17385.0000	34.27	38.84	-34.85	38.27	68.30	30.03	103	121	Vertical			






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 219 of 310

### 802.11ac80\_Channel 42



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	6946.5833	59.20	36.02	-43.48	51.74	68.30	16.56	142	339	Horizontal			
2	6947.0625	57.71	36.02	-43.47	50.25	-	-	258	339	Horizontal			
3	10420.0000	36.34	38.88	-38.73	36.49	68.30	31.81	147	48	Horizontal			
4	10420.0000	27.52	38.88	-38.73	27.67	-	-	195	3	Horizontal			
5	15630.0000	20.68	38.40	-34.04	25.05	54.00	28.95	133	243	Horizontal			
6	15630.0000	29.03	38.40	-34.04	33.40	74.00	40.60	215	192	Horizontal			






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 220 of 310

### 802.11ac80\_Channel 42



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	6946.5833	55.63	36.02	-43.48	48.17	68.30	20.13	254	192	Vertical			
2	6947.0625	53.13	36.02	-43.47	45.67	-	-	186	192	Vertical			
3	10420.0000	35.85	38.88	-38.73	36.00	68.30	32.30	136	354	Vertical			
4	10420.0000	26.98	38.88	-38.73	27.13	-	-	261	192	Vertical			
5	15630.0000	21.82	38.40	-34.04	26.19	54.00	27.81	147	23	Vertical			
6	15630.0000	28.96	38.40	-34.04	33.33	74.00	40.67	109	23	Vertical			






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 221 of 310

### 802.11ac80\_Channel 58



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	7053.4375	58.81	36.22	-43.35	51.68	68.30	16.62	245	171	Horizontal			
2	7053.9167	56.69	36.22	-43.35	49.56	-	-	261	147	Horizontal			
3	10580.0000	26.87	39.04	-38.16	27.75	-	-	211	339	Horizontal			
4	10580.0000	34.99	39.04	-38.16	35.87	68.30	32.43	236	316	Horizontal			
5	15870.0000	23.97	38.08	-33.81	28.24	54.00	25.76	175	292	Horizontal			
6	15870.0000	31.67	38.08	-33.81	35.94	74.00	38.06	194	97	Horizontal			






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 222 of 310

### 802.11ac80\_Channel 58



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	7053.4375	52.97	36.22	-43.35	45.84	68.30	22.46	245	221	Vertical			
2	7053.9167	49.73	36.22	-43.35	42.60	-	-	126	195	Vertical			
3	10580.0000	26.76	39.04	-38.16	27.64	-	-	261	359	Vertical			
4	10580.0000	36.32	39.04	-38.16	37.20	68.30	31.10	236	122	Vertical			
5	15870.0000	23.36	38.08	-33.81	27.63	54.00	26.37	184	355	Vertical			
6	15870.0000	32.07	38.08	-33.81	36.34	74.00	37.66	176	122	Vertical			






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 223 of 310

### 802.11ac80\_Channel 106



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	7373.5208	48.55	36.50	-42.93	42.12	74.00	31.88	218	74	Horizontal			
2	7374	42.21	36.50	-42.93	35.78	54.00	18.22	165	25	Horizontal			
3	11060.0000	24.65	39.08	-37.69	26.05	54.00	27.95	130	171	Horizontal			
4	11060.0000	32.87	39.08	-37.69	34.27	74.00	39.73	142	269	Horizontal			
5	16590.0000	25.50	38.11	-34.50	29.11	-	-	122	340	Horizontal			
6	16590.0000	33.18	38.11	-34.50	36.79	68.30	31.51	170	98	Horizontal			

