


Report No.: SEWA2204000011RG05

Rev.: 01

Page: 274 of 310

802.11n40_Channel 54



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	5144.7333	26.03	32.96	-19.15	39.84	54.00	14.16	296	120	Vertical			
2	5148.2667	38.10	32.96	-19.14	51.92	74.00	22.08	296	120	Vertical			
3	5355.775	38.37	32.84	-18.91	52.30	74.00	21.70	296	120	Vertical			
4	5356.7	27.68	32.84	-18.92	41.61	54.00	12.39	296	120	Vertical			






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 275 of 310

802.11n40_Channel 62



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	5146.2667	26.16	32.96	-19.15	39.97	54.00	14.03	222	142	Horizontal			
2	5148.2667	37.61	32.96	-19.14	51.43	74.00	22.57	222	142	Horizontal			
3	5351.125	29.48	32.85	-18.90	43.42	54.00	10.58	222	142	Horizontal			
4	5352.0375	39.97	32.85	-18.90	53.91	74.00	20.09	222	142	Horizontal			






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 276 of 310

802.11n40_Channel 62



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	5144.3333	38.30	32.96	-19.15	52.11	74.00	21.89	263	53	Vertical			
2	5146.8	25.96	32.96	-19.15	39.77	54.00	14.23	263	53	Vertical			
3	5351.225	28.68	32.85	-18.90	42.62	54.00	11.38	263	53	Vertical			
4	5351.3625	39.24	32.85	-18.90	53.18	74.00	20.82	263	53	Vertical			






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 277 of 310

802.11n40_Channel 102



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	5450.9467	38.19	32.86	-19.10	51.94	74.00	22.06	296	18	Horizontal			
2	5457.2	26.89	32.86	-19.11	40.64	54.00	13.36	296	18	Horizontal			
3	5463.565	39.01	32.87	-19.12	52.76	68.30	15.54	296	18	Horizontal			
4	5726.75	38.61	33.48	-18.81	53.28	68.30	15.02	296	18	Horizontal			






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 278 of 310

802.11n40_Channel 102



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	5445.6983	38.33	32.85	-19.09	52.09	74.00	21.91	122	98	Vertical			
2	5452.2867	26.78	32.86	-19.10	40.53	54.00	13.47	122	98	Vertical			
3	5467.4733	38.36	32.87	-19.13	52.11	68.30	16.19	122	98	Vertical			
4	5735.65	38.64	33.52	-18.84	53.32	68.30	14.98	122	98	Vertical			






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 279 of 310

802.11n40_Channel 134



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	5448.7133	38.01	32.85	-19.10	51.77	74.00	22.23	268	7	Horizontal			
2	5451.7283	26.56	32.86	-19.10	40.31	54.00	13.69	268	7	Horizontal			
3	5464.235	37.83	32.87	-19.12	51.58	68.30	16.72	268	7	Horizontal			
4	5743.84	41.70	33.55	-18.86	56.38	68.30	11.92	268	7	Horizontal			






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 280 of 310

802.11n40_Channel 134



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	5451.17	26.35	32.86	-19.10	40.10	54.00	13.90	105	21	Vertical			
2	5453.9617	37.86	32.86	-19.11	51.61	74.00	22.39	105	21	Vertical			
3	5464.3467	38.17	32.87	-19.12	51.92	68.30	16.38	105	21	Vertical			
4	5733.52	39.02	33.51	-18.83	53.70	68.30	14.60	105	21	Vertical			






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 281 of 310

802.11n40_Channel 151



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5643.0375	37.75	33.18	-18.72	52.20	68.30	16.10	129	43	Horizontal
2	5686.1	39.30	33.33	-18.73	53.91	95.05	41.14	129	43	Horizontal
3	5703.4875	42.91	33.40	-18.74	57.57	106.28	48.71	129	43	Horizontal
4	5723.9625	41.24	33.47	-18.80	55.91	119.94	64.03	129	43	Horizontal
5	5853.8	38.27	33.85	-18.87	53.25	113.64	60.39	129	43	Horizontal
6	5863.225	38.67	33.87	-18.85	53.69	108.59	54.90	129	43	Horizontal
7	5908.4	38.21	33.96	-18.76	53.41	80.55	27.14	129	43	Horizontal
8	5937.325	38.39	34.01	-18.82	53.58	68.30	14.72	129	43	Horizontal






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 282 of 310

802.11n40_Channel 151



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5640.4375	36.98	33.17	-18.72	51.42	68.30	16.88	216	291	Vertical
2	5676.675	37.72	33.30	-18.73	52.29	88.08	35.79	216	291	Vertical
3	5706.9	37.86	33.41	-18.75	52.52	107.23	54.71	216	291	Vertical
4	5723.3125	39.96	33.47	-18.80	54.63	118.45	63.82	216	291	Vertical
5	5852.6625	38.10	33.85	-18.88	53.07	116.23	63.16	216	291	Vertical
6	5871.025	38.10	33.88	-18.82	53.16	106.41	53.25	216	291	Vertical
7	5900.925	38.11	33.94	-18.74	53.31	86.08	32.77	216	291	Vertical
8	5944.8	38.10	34.03	-18.83	53.29	68.30	15.01	216	291	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.agxx and, for electronic Document as that the first of the conditions of Terms and Conditions (Federal Conditions). The Company is that the conditions of the comment is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend to the law less that the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing (insection report & certificities, please certained for 30 days only.




Report No.: SEWA2204000011RG05

Rev.: 01

Page: 283 of 310

802.11n40_Channel 159



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5635.4	37.49	33.15	-18.72	51.92	68.30	16.38	141	295	Horizontal
2	5674.2375	38.00	33.29	-18.73	52.56	86.28	33.72	141	295	Horizontal
3	5712.75	38.01	33.43	-18.77	52.67	108.87	56.20	141	295	Horizontal
4	5722.825	38.91	33.47	-18.80	53.58	117.34	63.76	141	295	Horizontal
5	5852.0125	39.37	33.85	-18.88	54.34	117.71	63.37	141	295	Horizontal
6	5859.1625	38.61	33.86	-18.86	53.61	109.73	56.12	141	295	Horizontal
7	5898.1625	38.37	33.94	-18.75	53.56	88.12	34.56	141	295	Horizontal
8	5935.05	38.32	34.01	-18.81	53.51	68.30	14.79	141	295	Horizontal






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 284 of 310

802.11n40_Channel 159



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5638.975	37.33	33.16	-18.72	51.77	68.30	16.53	134	222	Vertical
2	5671.475	37.23	33.28	-18.73	51.78	84.23	32.45	134	222	Vertical
3	5713.075	38.00	33.43	-18.77	52.66	108.96	56.30	134	222	Vertical
4	5722.175	37.86	33.47	-18.80	52.53	115.86	63.33	134	222	Vertical
5	5851.2	38.38	33.85	-18.88	53.35	119.56	66.21	134	222	Vertical
6	5867.45	38.07	33.88	-18.83	53.11	107.41	54.30	134	222	Vertical
7	5905.15	38.28	33.95	-18.75	53.48	82.95	29.47	134	222	Vertical
8	5936.35	38.31	34.01	-18.82	53.50	68.30	14.80	134	222	Vertical






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 285 of 310

802.11ac80_Channel 42



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	5147.84	26.93	32.96	-19.15	40.75	54.00	13.25	216	147	Horizontal			
2	5148.8533	41.16	32.96	-19.14	54.98	74.00	19.02	216	147	Horizontal			
3	5351.385	37.89	32.85	-18.90	51.83	74.00	22.17	216	147	Horizontal			
4	5352.19	27.51	32.85	-18.91	41.45	54.00	12.55	216	147	Horizontal			






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 286 of 310

802.11ac80_Channel 42



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	5145.3333	37.95	32.96	-19.15	51.76	74.00	22.24	197	29	Vertical			
2	5145.76	25.98	32.96	-19.15	39.79	54.00	14.21	197	29	Vertical			
3	5353.7825	37.79	32.84	-18.91	51.72	74.00	22.28	197	29	Vertical			
4	5355.0425	27.35	32.84	-18.91	41.28	54.00	12.72	197	29	Vertical			






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 287 of 310

802.11ac80_Channel 58



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	5146.2	37.46	32.96	-19.15	51.27	74.00	22.73	284	268	Horizontal			
2	5146.8	26.10	32.96	-19.15	39.91	54.00	14.09	284	268	Horizontal			
3	5352.925	29.57	32.84	-18.91	43.51	54.00	10.49	284	268	Horizontal			
4	5356.0125	44.92	32.84	-18.91	58.85	74.00	15.15	284	268	Horizontal			






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 288 of 310

802.11ac80_Channel 58



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	5147.2	37.46	32.96	-19.15	51.27	74.00	22.73	269	74	Vertical			
2	5148.2667	26.10	32.96	-19.14	39.92	54.00	14.08	269	74	Vertical			
3	5351.7375	41.01	32.85	-18.90	54.95	74.00	19.05	269	74	Vertical			
4	5352.9875	28.81	32.84	-18.91	42.75	54.00	11.25	269	74	Vertical			






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 289 of 310

802.11ac80_Channel 106



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	5451.505	26.86	32.86	-19.10	40.61	54.00	13.39	210	18	Horizontal			
2	5459.0983	40.13	32.87	-19.11	53.88	74.00	20.12	210	18	Horizontal			
3	5466.245	40.50	32.87	-19.13	54.25	68.30	14.05	210	18	Horizontal			
4	5733.86	38.19	33.51	-18.83	52.87	68.30	15.43	210	18	Horizontal			






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 290 of 310

802.11ac80_Channel 106



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	5454.4083	38.84	32.86	-19.11	52.59	74.00	21.41	154	26	Vertical			
2	5458.7633	26.77	32.86	-19.11	40.52	54.00	13.48	154	26	Vertical			
3	5467.6967	41.83	32.87	-19.13	55.58	68.30	12.72	154	26	Vertical			
4	5732.01	38.31	33.50	-18.83	52.99	68.30	15.31	154	26	Vertical			






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 291 of 310

802.11ac80_Channel 122



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	5450.3883	37.61	32.86	-19.10	51.36	74.00	22.64	210	153	Horizontal			
2	5452.0633	26.58	32.86	-19.10	40.33	54.00	13.67	210	153	Horizontal			
3	5465.91	38.29	32.87	-19.13	52.04	68.30	16.26	210	153	Horizontal			
4	5732.52	38.12	33.50	-18.83	52.80	68.30	15.50	210	153	Horizontal			






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 292 of 310

802.11ac80_Channel 122



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	5451.2817	38.13	32.86	-19.10	51.88	74.00	22.12	264	130	Vertical			
2	5456.4183	26.30	32.86	-19.11	40.05	54.00	13.95	264	130	Vertical			
3	5464.57	37.71	32.87	-19.12	51.46	68.30	16.84	264	130	Vertical			
4	5735.96	38.62	33.52	-18.84	53.30	68.30	15.00	264	130	Vertical			






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 293 of 310

802.11ac80_Channel 155



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5639.3	37.22	33.16	-18.72	51.66	68.30	16.64	132	10	Horizontal
2	5668.55	38.01	33.27	-18.73	52.55	82.07	29.52	132	10	Horizontal
3	5711.45	39.38	33.43	-18.76	54.04	108.51	54.47	132	10	Horizontal
4	5722.5	41.30	33.47	-18.80	55.97	116.60	60.63	132	10	Horizontal
5	5852.3375	40.04	33.85	-18.88	55.01	116.97	61.96	132	10	Horizontal
6	5873.95	39.55	33.89	-18.82	54.62	105.59	50.97	132	10	Horizontal
7	5914.25	38.61	33.97	-18.77	53.81	76.23	22.42	132	10	Horizontal
8	5942.2	37.99	34.02	-18.83	53.18	68.30	15.12	132	10	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.agsy, and, for electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-e-Document as publication. The conditions for Electronic Document and this provided in the conditions of the comment of the comment is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend to the law length of the company and the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authernicity of testing funceaction second scentificate please centering for 50 days only.




Report No.: SEWA2204000011RG05

Rev.: 01

Page: 294 of 310

802.11ac80_Channel 155



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5639.1375	37.54	33.16	-18.72	51.98	68.30	16.32	149	282	Vertical
2	5662.8625	38.20	33.25	-18.73	52.72	77.85	25.13	149	282	Vertical
3	5711.9375	37.72	33.43	-18.77	52.38	108.64	56.26	149	282	Vertical
4	5721.85	38.71	33.46	-18.80	53.38	115.12	61.74	149	282	Vertical
5	5851.3625	38.13	33.85	-18.88	53.10	119.19	66.09	149	282	Vertical
6	5868.9125	38.45	33.88	-18.83	53.50	107.00	53.50	149	282	Vertical
7	5903.3625	38.30	33.95	-18.75	53.50	84.27	30.77	149	282	Vertical
8	5935.5375	38.01	34.01	-18.81	53.20	68.30	15.10	149	282	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.agxx and, for electronic Document as that the first of the conditions of Terms and Conditions (Federal Conditions). The Company is that the conditions of the comment is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend to the law less that the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing (insection report & certificities, please certained for 30 days only.




Report No.: SEWA2204000011RG05

Rev.: 01

Page: 295 of 310

802.11a_Channel 120



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	5447.485	38.36	32.85	-19.10	52.12	74.00	21.88	236	109	Horizontal			
2	5455.3017	26.54	32.86	-19.11	40.29	54.00	13.71	236	109	Horizontal			
3	5468.255	37.93	32.88	-19.13	51.68	68.30	16.62	236	109	Horizontal			
4	5732.64	38.28	33.50	-18.83	52.96	68.30	15.34	236	109	Horizontal			






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 296 of 310

802.11a_Channel 120



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	5448.155	38.49	32.85	-19.10	52.25	74.00	21.75	263	34	Vertical			
2	5456.865	26.28	32.86	-19.11	40.03	54.00	13.97	263	34	Vertical			
3	5462.7833	38.13	32.87	-19.12	51.88	68.30	16.42	263	34	Vertical			
4	5735.64	38.38	33.52	-18.84	53.06	68.30	15.24	263	34	Vertical			






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 297 of 310

802.11a_Channel 124



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	5447.15	37.98	32.85	-19.10	51.74	74.00	22.26	215	3	Horizontal			
2	5454.9667	26.58	32.86	-19.11	40.33	54.00	13.67	215	3	Horizontal			
3	5465.4633	37.97	32.87	-19.12	51.72	68.30	16.58	215	3	Horizontal			
4	5745.67	39.17	33.55	-18.87	53.85	68.30	14.45	215	3	Horizontal			






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 298 of 310

802.11a_Channel 124



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5444.3583	38.06	32.85	-19.09	51.82	74.00	22.18	215	190	Vertical				
2	5447.5967	26.42	32.85	-19.10	40.18	54.00	13.82	215	190	Vertical				
3	5463.23	38.03	32.87	-19.12	51.78	68.30	16.52	215	190	Vertical				
4	5739.29	38.31	33.53	-18.85	52.99	68.30	15.31	215	190	Vertical				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 299 of 310

802.11a_Channel 128



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5435.3133	37.86	32.84	-19.08	51.62	74.00	22.38	289	145	Horizontal				
2	5450.835	26.48	32.86	-19.10	40.23	54.00	13.77	289	145	Horizontal				
3	5463.23	37.47	32.87	-19.12	51.22	68.30	17.08	289	145	Horizontal				
4	5729.11	38.91	33.49	-18.82	53.58	68.30	14.72	289	145	Horizontal				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 300 of 310

802.11a_Channel 128



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5449.0483	26.45	32.85	-19.10	40.21	54.00	13.79	154	96	Vertical
2	5451.2817	37.91	32.86	-19.10	51.66	74.00	22.34	154	96	Vertical
3	5467.1383	37.95	32.87	-19.13	51.70	68.30	16.60	154	96	Vertical
4	5736.95	38.72	33.52	-18.84	53.40	68.30	14.90	154	96	Vertical






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 301 of 310

802.11n20_Channel 120



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5448.3783	37.94	32.85	-19.10	51.70	74.00	22.30	230	281	Horizontal				
2	5454.7433	26.56	32.86	-19.11	40.31	54.00	13.69	230	281	Horizontal				
3	5466.58	37.87	32.87	-19.13	51.62	68.30	16.68	230	281	Horizontal				
4	5739.72	38.49	33.53	-18.85	53.17	68.30	15.13	230	281	Horizontal				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 302 of 310

802.11n20_Channel 120



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5450.2767	38.55	32.86	-19.10	52.30	74.00	21.70	278	316	Vertical
2	5452.2867	26.28	32.86	-19.10	40.03	54.00	13.97	278	316	Vertical
3	5462.3367	38.02	32.87	-19.12	51.77	68.30	16.53	278	316	Vertical
4	5752.02	38.97	33.57	-18.89	53.66	68.30	14.64	278	316	Vertical






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 303 of 310

802.11n20_Channel 124



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5449.83	26.41	32.85	-19.10	40.17	54.00	13.83	216	317	Horizontal
2	5450.0533	37.61	32.86	-19.10	51.36	74.00	22.64	216	317	Horizontal
3	5463.6767	38.55	32.87	-19.12	52.30	68.30	16.00	216	317	Horizontal
4	5737.12	38.22	33.52	-18.84	52.90	68.30	15.40	216	317	Horizontal






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 304 of 310

802.11n20_Channel 124



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5440.3383	37.49	32.84	-19.08	51.25	74.00	22.75	285	121	Vertical				
2	5457.9817	26.24	32.86	-19.11	39.99	54.00	14.01	285	121	Vertical				
3	5462.3367	37.72	32.87	-19.12	51.47	68.30	16.83	285	121	Vertical				
4	5726.95	38.75	33.48	-18.81	53.42	68.30	14.88	285	121	Vertical				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 305 of 310

802.11n20_Channel 128



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	5441.2317	38.12	32.85	-19.09	51.88	74.00	22.12	253	78	Horizontal			
2	5457.2	26.46	32.86	-19.11	40.21	54.00	13.79	253	78	Horizontal			
3	5463.6767	37.74	32.87	-19.12	51.49	68.30	16.81	253	78	Horizontal			
4	5735.19	38.24	33.51	-18.84	52.92	68.30	15.38	253	78	Horizontal			






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 306 of 310

802.11n20_Channel 128



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5448.7133	38.82	32.85	-19.10	52.58	74.00	21.42	219	162	Vertical
2	5454.855	26.28	32.86	-19.11	40.03	54.00	13.97	219	162	Vertical
3	5463.4533	37.73	32.87	-19.12	51.48	68.30	16.82	219	162	Vertical
4	5733.35	38.17	33.51	-18.83	52.85	68.30	15.45	219	162	Vertical






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 307 of 310

802.11n40_Channel 118



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5440.6733	39.71	32.84	-19.09	53.47	74.00	20.53	154	356	Horizontal
2	5454.9667	27.19	32.86	-19.11	40.94	54.00	13.06	154	356	Horizontal
3	5465.575	38.70	32.87	-19.12	52.45	68.30	15.85	154	356	Horizontal
4	5733.42	39.07	33.51	-18.83	53.75	68.30	14.55	154	356	Horizontal






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 308 of 310

802.11n40_Channel 118



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5442.5717	37.83	32.85	-19.09	51.59	74.00	22.41	178	145	Vertical				
2	5453.515	26.34	32.86	-19.11	40.09	54.00	13.91	178	145	Vertical				
3	5465.0167	37.53	32.87	-19.12	51.28	68.30	17.02	178	145	Vertical				
4	5736.09	38.33	33.52	-18.84	53.01	68.30	15.29	178	145	Vertical				






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 309 of 310

802.11n40_Channel 126



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5442.9067	38.07	32.85	-19.09	51.83	74.00	22.17	169	22	Horizontal
2	5455.0783	26.38	32.86	-19.11	40.13	54.00	13.87	169	22	Horizontal
3	5462.56	38.39	32.87	-19.12	52.14	68.30	16.16	169	22	Horizontal
4	5745.56	38.77	33.55	-18.87	53.45	68.30	14.85	169	22	Horizontal






Report No.: SEWA2204000011RG05

Rev.: 01

Page: 310 of 310

802.11n40_Channel 126



Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5446.0333	38.02	32.85	-19.09	51.78	74.00	22.22	179	280	Vertical
2	5457.87	26.33	32.86	-19.11	40.08	54.00	13.92	179	280	Vertical
3	5468.3667	37.63	32.88	-19.13	51.38	68.30	16.92	179	280	Vertical
4	5742.72	38.59	33.54	-18.86	53.27	68.30	15.03	179	280	Vertical

SS

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Level = Reading(dB μ V) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit($dB\mu V/m$) – Level($dB\mu V/m$)

---End of Report---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law longer of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be pro