

Quectel Wireless Solutions Company Limited

Declaration of the Modular Approval

Applicant / Grantee Quectel Wireless Solutions Co., Ltd.

FCC ID: XMR202303AF20

Model: AF20

The single module transmitter has been evaluated then tested meeting the requirements under Part 15C Section 212 as below:

Modular approval requirement

EUT Condition

Comply

(a) The radio elements of the modular transmitter must have their own shielding. The physical crystal and tuning capacitors may be located external to the shielded radio elements. The radio elements of the modular transmitter have their own shielding.

YES

(b) The modular transmitter must have

buffered modulation/data inputs (if such inputs are provided) to ensure that the module will comply with part 15 requirements under conditions of excessive data rates or over-modulation. The modular has buffered data inputs, it is YES integrated in chip. Please see schematic.pdf

(c)The modular transmitter must have its own powersupply regulation.

All power lines derived from the host device are regulated before energizing other circuits internal to the **AF20**. Please see schematic.pdf

YES

YES

(d) The modular transmitter must comply

with the antenna and transmission system requirements of Sections 15.203, 15.204(b) and 15.204(c). The antenna must either be permanently attached or employ a "unique" antenna coupler (at all connections between the module and the antenna, including the cable). The "professional installation" provision of Section 15.203 is not applicable to modules but can apply to limited modular approvals under paragraph (b) of this section.

A permanently attached antenna or unique antenna connector is not a requirement for unlicensed modules.

(e)The modular transmitter must be tested

in a stand-alone configuration, *i.e.*, the module must not be inside another device during testing for compliance with part 15 requirements. Unless the transmitter module will be battery powered, it must comply with the AC line conducted requirements found in Section 15.207. AC or DC power lines and data input/output lines connected to the module must not contain ferrites, unless they will be marketed with the module (see Section 15.27(a)). The length of these lines shall be the length typical of actual use or, if that

The **AF20** was tested in a stand - alone YES configuration via a PCMCIA extender.

Please see spurious set - up



YES

YES

Quectel Wireless Solutions Company Limited

length is unknown, at least 10 centimeters to insure that there is no coupling between the case of the module and supporting equipment. Any accessories, peripherals, or support equipment connected to the module during testing shall be unmodified and commercially available (see Section

15.31(i))mustnotbeinsideanotherdeviceduringtesting.

- (f)The modular transmitter must be equipped with either a permanently affixed label or must be capable of electronically displaying its FCC identification number.
- (g) The modular transmitter must comply with any specific rules or operating requirements that ordinarily apply to a complete transmitter and the manufacturer must provide adequate instructions along with the module to explain any suchrequirements. A copy of these instructions must be included in the application for equipmentauthorizationrequirements, whicharebasedonthei ntendeduse/configurations.
- (h)The modular transmitter must comply with any applicable RF exposure requirements in its final configuration.

The **AF20** is approved to comply with the YES applicable RF exposure requirement, please see the MPE evaluation with 20cm as the distance restriction.

The label position of AF20 is clearly

the host label must include the text: Contains FCC ID: **XMR202303AF20**.

Please see the label.pdf

the User Manual.

indicated. If the FCC ID of the module

cannot be seen when it is installed, then

The AF20 is compliant with all applicable

FCC rules. Detail instructions are given in

Dated 2023/05/31

By: Jean Hu

Signature

Title: Project Manager

Jean Hu

Printed