

Report No.: SEWA2301000005RG02

Rev.: 01 Page: 1 of 80

### **TEST REPORT**

Application No.: SEWA2301000005RG

Applicant: Quectel Wireless Solutions Co., Ltd.

Address of Applicant:

Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road,

Might and District Changhai China 200000

Minhang District, Shanghai, China 200233

Manufacturer: Quectel Wireless Solutions Co., Ltd.

Address of Manufacturer: Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road,

Minhang District, Shanghai, China 200233

**EUT Description:** Wi-Fi & Bluetooth Module

Model No.: AF51Y

Trade Mark: Quectel

FCC ID: XMR202303AF51Y

Standards: FCC 47 CFR Part 2, Subpart J

FCC 47 CFR Part 15, Subpart C

**Date of Receipt:** 2023/01/09

**Date of Test:** 2023/01/09 to 2023/02/23

**Date of Issue:** 2023/02/23

Test Result : PASS \*

\* In the configuration tested, the EUT detailed in this report complied with the standards specified above.

Authorized Signature:

Panta Sun Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.spx.">http://www.sgs.com/en/Terms-and-Conditions.spx.</a> And for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration from grey or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000

0 t (86–512) 62992980 0 t (86–512) 62992980



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 2 of 80

#### 1 Version

| Revision Record                      |  |            |  |          |  |
|--------------------------------------|--|------------|--|----------|--|
| Version Chapter Date Modifier Remark |  |            |  |          |  |
| 01                                   |  | 2023/02/23 |  | Original |  |

| Prepared By | (Tizzy Song) / Test Engineer |
|-------------|------------------------------|
| Checked By  | (Well Wei) / Reviewer        |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content

South of No. 6 Plant, No. 1, Runshang Road, Suchou Industria Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 3 of 80

2 Test Summary

| Test Item   | FCC Rule No.     | Test Method  | Test Result | Result |
|---|------------------|--|-------------|--------|
| Antenna Requirement   | 15.203/15.247(b) |  | Clause 4.1  | PASS   |
| AC Power Line Conducted<br>Emission                               | 15.207           | ANSI C63.10 2013<br>Section 6.2                      | Clause 4.2  | PASS   |
| Conducted Output Power  | 15.247 (b)(3)    | ANSI C63.10 2013<br>Section11.9.2.3                  | Clause 4.4  | PASS   |
| DTS (6 dB) Bandwidth & 99%<br>Occupied Bandwidth                  | 15.247 (a)(2)    | ANSI C63.10 2013<br>Section 11.8 Option 2<br>/ 6.9.3 | Clause 4.5  | PASS   |
| Power Spectral Density  | 15.247 (e)       | ANSI C63.10 2013<br>Section 11.10.2                  | Clause 4.6  | PASS   |
| Band-edge for RF<br>Conducted Emissions                           | 15.247(d)        | ANSI C63.10 2013<br>Section 11.11                    | Clause 4.7  | PASS   |
| RF Conducted Spurious<br>Emissions                                | 15.247(d)        | ANSI C63.10 2013<br>Section 11.11                    | Clause 4.8  | PASS   |
| Radiated Spurious Emissions                                       | 15.205/15.209    | ANSI C63.10 2013<br>Section 11.12                    | Clause 4.9  | PASS   |
| Restricted bands around fundamental frequency (Radiated Emission) | 15.205/15.209    | ANSI C63.10 2013<br>Section 11.12                    | Clause 4.10 | PASS   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic formard documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the contents or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 4 of 80

### **Contents**

| 1 | Versio                     | on   | 2  |  |  |  |
|---|----------------------------|--|----|--|--|--|
| 2 | Test S                     | Summary  | 3  |  |  |  |
| 3 | Gener                      | al Information                                   | 5  |  |  |  |
|   | 3.1                        | Details of Client                                | 5  |  |  |  |
|   | 3.2                        | Test Location                                    | 5  |  |  |  |
|   | 3.3                        | Test Facility                                    | 5  |  |  |  |
|   | 3.4                        | General Description of EUT                       | 6  |  |  |  |
|   | 3.5                        | Test Environment                                 | 8  |  |  |  |
|   | 3.6                        | Description of Support Units                     | 8  |  |  |  |
| 4 | Test re                    | esults and Measurement Data                      | g  |  |  |  |
|   | 4.1                        | Antenna Requirement                              | g  |  |  |  |
|   | 4.2                        | AC Power Line Conducted Emissions                | 10 |  |  |  |
|   | 4.3                        | Duty Cycle                                       | 16 |  |  |  |
|   | 4.4                        | Conducted Output Power                           | 17 |  |  |  |
|   | 4.5                        | DTS (6 dB) Bandwidth & 99% Occupied Bandwidth    | 18 |  |  |  |
|   | 4.6                        | Power Spectral Density                           | 19 |  |  |  |
|   | 4.7                        | Band-edge for RF Conducted Emissions             | 20 |  |  |  |
|   | 4.8                        | RF Conducted Spurious Emissions                  | 21 |  |  |  |
|   | 4.9                        | Radiated Spurious Emissions                      | 22 |  |  |  |
|   | 4.10                       | Restricted bands around fundamental frequency    | 25 |  |  |  |
| 5 | Measu                      | urement Uncertainty (95% confidence levels, k=2) | 27 |  |  |  |
| 6 | Equipr                     | ment List  | 28 |  |  |  |
| 7 | Photographs - Setup Photos |  |    |  |  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions.goa.">https://www.sgs.com/en/Terms-and-Conditions.goa.</a> attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document advised that Information contained hereon reflects the Company's findings at the time of its intervention only and within the limits client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) steet and such sample(s) are retained for 30 days only

South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 5 of 80

#### 3 General Information

#### 3.1 Details of Client

| Applicant:               | Quectel Wireless Solutions Co., Ltd.  |
|--------------------------|---|
| Address of Applicant:    | Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District, Shanghai, China 200233 |
| Manufacturer:            | Quectel Wireless Solutions Co., Ltd.  |
| Address of Manufacturer: | Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District, Shanghai, China 200233 |

#### 3.2 Test Location

| Company:       | SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.   |
|----------------|--|
| Address:       | South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone |
| Post code:     | 215000   |
| Test engineer: | Ives Cheng, Tizzy Song   |

#### 3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

#### • A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

#### • Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

#### • FCC -Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an

accredited testing laboratory. Designation Number: CN1312.

Test Firm Registration Number: 717327



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx.aaf">https://www.sgs.com/en/Ferms-and-Conditions.aspx.aaf</a>, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Ferms-and-Conditions/Ferms-a-Document.aspx.adtention">https://www.sgs.com/en/Ferms-and-Conditions/Ferms-a-Document.aspx.adtention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 6 of 80

### 3.4 General Description of EUT

| EUT Description:     | Wi-Fi & Bluetooth Module  |                 |  |
|----------------------|---|-----------------|--|
| Model No.:           | AF51Y   |                 |  |
| Trade Mark:          | Quectel   |                 |  |
| Hardware Version:    | R1.0  |                 |  |
| Software Version:    | NA  |                 |  |
| SN:                  | RF Conducted  | D1A22KI1A000024 |  |
| SIN.                 | RSE & AC power line   | D1A22KI19000040 |  |
| Operation Frequency: | 2400MHz~2483.5MHz<br>fc = 2402 MHz + N * 2 MHz, where:<br>-fc = "Operating Frequency" in MHz,<br>-N = "Channel Number" with the range from 0 to 39. |                 |  |
| Bluetooth version:   | Bluetooth V2.0  |                 |  |
| Modulation Type:     | GFSK  |                 |  |
| Number of Channel:   | 40  |                 |  |
| Dotoo Typo*i         | ⊠Provided by client   |                 |  |
| Rates Type*:         | 1M PHY 2M PHY   |                 |  |
| Antenna Type:        | External Antenna  |                 |  |
|                      | 3.44dBi(Ant0)   |                 |  |
| Antenna Gain:        | Note: The antenna gain are derived from the gain information report provided by the manufacturer.   |                 |  |
| RF Cable:            | 1.0dB   |                 |  |
|                      |   |                 |  |

Note: \*Since the above data and/or information is provided by the client relevant results or conclusions of this report are only made for these data and/or information , SGS is not responsible for the authenticity, integrity and results of the data and information and/or the validity of the conclusion.

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 7 of 80

|         | Operation Frequency of each channel |         |           |         |           |         |           |
|---------|-------------------------------------|---------|-----------|---------|-----------|---------|-----------|
| Channel | Frequency                           | Channel | Frequency | Channel | Frequency | Channel | Frequency |
| 0       | 2402MHz                             | 10      | 2422MHz   | 20      | 2442MHz   | 30      | 2462MHz   |
| 1       | 2404MHz                             | 11      | 2424MHz   | 21      | 2444MHz   | 31      | 2464MHz   |
| 2       | 2406MHz                             | 12      | 2426MHz   | 22      | 2446MHz   | 32      | 2466MHz   |
| 3       | 2408MHz                             | 13      | 2428MHz   | 23      | 2448MHz   | 33      | 2468MHz   |
| 4       | 2410MHz                             | 14      | 2430MHz   | 24      | 2450MHz   | 34      | 2470MHz   |
| 5       | 2412MHz                             | 15      | 2432MHz   | 25      | 2452MHz   | 35      | 2472MHz   |
| 6       | 2414MHz                             | 16      | 2434MHz   | 26      | 2454MHz   | 36      | 2474MHz   |
| 7       | 2416MHz                             | 17      | 2436MHz   | 27      | 2456MHz   | 37      | 2476MHz   |
| 8       | 2418MHz                             | 18      | 2438MHz   | 28      | 2458MHz   | 38      | 2478MHz   |
| 9       | 2420MHz                             | 19      | 2440MHz   | 29      | 2460MHz   | 39      | 2480MHz   |

#### Remark:

In section 15.31(m), regards to the operating frequency range over 10 MHz, the Lowest frequency, the middle frequency, and the highest frequency of channel were selected to perform the test, and the selected channel see below:

| Channel                   | Frequency |  |
|---------------------------|-----------|--|
| The Lowest channel(CH0)   | 2402MHz   |  |
| The Middle channel(CH19)  | 2440MHz   |  |
| The Highest channel(CH39) | 2480MHz   |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic format document subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsg t (86–512) 62992980 sgs.china(



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 8 of 80

#### 3.5 Test Environment

| Environment Parameter | 101.0 kPa Selected Values During Tests |     |  |  |
|-----------------------|--|-----|--|--|
| Relative Humidity     | 44-46 % RH Ambient                     |     |  |  |
| Value                 | Temperature(°C) Voltage(V)             |     |  |  |
| NTNV                  | 22~25                                  | 3.8 |  |  |

Remark:

NV: Normal Voltage NT: Normal Temperature

#### 3.6 Description of Support Units

| Description  | Manufacturer | Model No. |  |  |  |
|--|--------------|-----------|--|--|--|
| Motherboard  | Quectel      | NA        |  |  |  |
| Remark: all above the information of table are provided by client. |              |           |  |  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industria Park, Suzhou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 9 of 80

#### 4 Test results and Measurement Data

#### 4.1 Antenna Requirement

Standard requirement: 47 CFR Part 15C Section 15.203 /247(b)

15.203 requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement:

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

The antenna is External Antenna on the main PCB and no consideration of replacement. The best case gain of the antenna is 3.44dBi(Ant0)\*

\*Note:

The antenna gain are derived from the gain information report provided by the manufacturer. Remark:

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.





Report No.: SEWA2301000005RG02

Rev.: 01 Page: 10 of 80

#### 4.2 AC Power Line Conducted Emissions

| Test Requirement:     | 47 CFR Part 15C Section 15.207   |                               |  |  |
|-----------------------|--|-------------------------------|--|--|
| Test Method:          | ANSI C63.10: 2013 Section 6.2  |                               |  |  |
| Test Frequency Range: | 150kHz to 30MHz  |                               |  |  |
| Receiver Setup:       | RBW = 9kHz, VBW = 30kHz  |                               |  |  |
| Limit:                | Fragues as a responsibility  | BuV)                          |  |  |
|                       | Frequency range(MHz)   | Quasi-peak                    | Average  |  |
|                       | 0.15-0.5   | 66 to 56*                     | 56 to 46*  |  |
|                       | 0.5-5  | 56                            | 46   |  |
|                       | 5-30   | 60                            | 50   |  |
|                       | * Decreases with the log   | arithm of the frequency.      |  |  |
| Test Procedure:       | The mains terminal discrete room.  | sturbance voltage test was co | onducted in a shielded   |  |
|                       | <ul> <li>room.</li> <li>2) The EUT was connected to AC power source through a LISN 1 (Line Impedance Stabilization Network) which provides a 50Ω/50μH + 5Ω linear impedance. The power cables of all other units of the EUT were connected to a second LISN 2, which was bonded to the ground reference plane in the same way as the LISN 1 for the unit being measured. A multiple socket outlet strip was used to connect multiple power cables to a single LISN provided the rating of the LISN was not exceeded.</li> <li>3) The tabletop EUT was placed upon a non-metallic table 0.8m above the ground reference plane. And for floor-standing arrangement, the EUT was placed on the horizontal ground reference plane.</li> <li>4) The test was performed with a vertical ground reference plane. The rear of the EUT shall be 0.4 m from the vertical ground reference plane. The vertical ground reference plane was bonded to the horizontal ground reference plane. The LISN 1 was placed 0.8 m from the boundary of the unit under test and bonded to a ground reference plane for LISNs mounted on top of the ground reference plane. This distance was between the closest points of the LISN 1 and the EUT. All other units of the EUT and associated equipment was at least 0.8 m from the LISN 2.</li> <li>5) In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed according to ANSI C63.10: 2013 on conducted measurement.</li> </ul> |                               | a 50Ω/50µH + 5Ω linear the EUT were to the ground reference eing measured. A ultiple power cables to a pot exceeded. The table 0.8m above the tangement, the EUT was rence plane. The rear of ference plane. The horizontal ground means the boundary of the plane for LISNs is distance was between other units of the EUT in the LISN 2. |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 11 of 80





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industria Park, Suzhou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2301000005RG02


Rev.: 12 of 80 Page:

#### Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector.

Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.

#### For BLE 1M:



| Final | Final Data List    |                |                         |                       |                       |                      |                         |                       |                       |                      |         |
|-------|--------------------|----------------|-------------------------|-----------------------|-----------------------|----------------------|-------------------------|-----------------------|-----------------------|----------------------|---------|
| NO.   | Frequency<br>[MHz] | Factor<br>[dB] | QP<br>Reading<br>[dBµV] | QP<br>Value<br>[dBµV] | QP<br>Limit<br>[dBµV] | QP<br>Margin<br>[dB] | AV<br>Reading<br>[dBµV] | AV<br>Value<br>[dBµV] | AV<br>Limit<br>[dBµV] | AV<br>Margin<br>[dB] | Verdict |
| 1     | 0.1950             | 10.81          | 32.23                   | 43.04                 | 63.82                 | 20.78                | 22.71                   | 33.52                 | 53.82                 | 20.30                | PASS    |
| 2     | 0.3705             | 10.50          | 27.70                   | 38.20                 | 58.49                 | 20.29                | 18.56                   | 29.06                 | 48.49                 | 19.43                | PASS    |
| 3     | 1.5990             | 10.76          | 29.22                   | 39.98                 | 56.00                 | 16.02                | 17.40                   | 28.16                 | 46.00                 | 17.84                | PASS    |
| 4     | 2.5035             | 10.67          | 28.38                   | 39.05                 | 56.00                 | 16.95                | 15.69                   | 26.36                 | 46.00                 | 19.64                | PASS    |
| 5     | 5.1450             | 10.65          | 28.04                   | 38.69                 | 60.00                 | 21.31                | 22.08                   | 32.73                 | 50.00                 | 17.27                | PASS    |
| 6     | 8.8755             | 10.66          | 27.07                   | 37.73                 | 60.00                 | 22.27                | 20.86                   | 31.52                 | 50.00                 | 18.48                | PASS    |

#### Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[ $dB\mu V$ ] Value[ $dB\mu V$ ]




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service p overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condi

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国。苏州。中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 13 of 80



| Final | Final Data List    |                |                         |                       |                       |                      |                         |                       |                       |                      |         |
|-------|--------------------|----------------|-------------------------|-----------------------|-----------------------|----------------------|-------------------------|-----------------------|-----------------------|----------------------|---------|
| NO.   | Frequency<br>[MHz] | Factor<br>[dB] | QP<br>Reading<br>[dBµV] | QP<br>Value<br>[dBµV] | QP<br>Limit<br>[dBµV] | QP<br>Margin<br>[dB] | AV<br>Reading<br>[dBµV] | AV<br>Value<br>[dBµV] | AV<br>Limit<br>[dBµV] | AV<br>Margin<br>[dB] | Verdict |
| 1     | 0.1635             | 10.72          | 35.93                   | 46.65                 | 65.28                 | 18.63                | 24.76                   | 35.48                 | 55.28                 | 19.80                | PASS    |
| 2     | 1.5720             | 10.77          | 29.82                   | 40.59                 | 56.00                 | 15.41                | 17.45                   | 28.22                 | 46.00                 | 17.78                | PASS    |
| 3     | 2.5170             | 10.77          | 28.25                   | 39.02                 | 56.00                 | 16.98                | 15.32                   | 26.09                 | 46.00                 | 19.91                | PASS    |
| 4     | 5.1450             | 10.63          | 28.20                   | 38.83                 | 60.00                 | 21.17                | 22.23                   | 32.86                 | 50.00                 | 17.14                | PASS    |
| 5     | 8.8170             | 10.61          | 26.12                   | 36.73                 | 60.00                 | 23.27                | 20.05                   | 30.66                 | 50.00                 | 19.34                | PASS    |
| 6     | 11.2470            | 10.66          | 25.51                   | 36.17                 | 60.00                 | 23.83                | 17.05                   | 27.71                 | 50.00                 | 22.29                | PASS    |

#### Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[ $dB\mu V$ ] Value[ $dB\mu V$ ]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. advised that Information contained heleon reflects the Company's Indiangs at the time of its Intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction forcement cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


South of No. 6 Pfart, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 14 of 80

#### For BLE 2M:



| Final | Final Data List    |                |                         |                       |                       |                      |                         |                       |                       |                      |         |
|-------|--------------------|----------------|-------------------------|-----------------------|-----------------------|----------------------|-------------------------|-----------------------|-----------------------|----------------------|---------|
| NO.   | Frequency<br>[MHz] | Factor<br>[dB] | QP<br>Reading<br>[dBµV] | QP<br>Value<br>[dBµV] | QP<br>Limit<br>[dBµV] | QP<br>Margin<br>[dB] | AV<br>Reading<br>[dBµV] | AV<br>Value<br>[dBµV] | AV<br>Limit<br>[dBµV] | AV<br>Margin<br>[dB] | Verdict |
| 1     | 0.1635             | 10.69          | 37.17                   | 47.86                 | 65.28                 | 17.42                | 24.95                   | 35.64                 | 55.28                 | 19.64                | PASS    |
| 2     | 0.3840             | 10.50          | 27.34                   | 37.84                 | 58.19                 | 20.35                | 19.68                   | 30.18                 | 48.19                 | 18.01                | PASS    |
| 3     | 1.6800             | 10.75          | 29.65                   | 40.40                 | 56.00                 | 15.60                | 15.89                   | 26.64                 | 46.00                 | 19.36                | PASS    |
| 4     | 2.5035             | 10.67          | 28.67                   | 39.34                 | 56.00                 | 16.66                | 15.49                   | 26.16                 | 46.00                 | 19.84                | PASS    |
| 5     | 5.1765             | 10.65          | 27.53                   | 38.18                 | 60.00                 | 21.82                | 21.54                   | 32.19                 | 50.00                 | 17.81                | PASS    |
| 6     | 8.8710             | 10.66          | 27.12                   | 37.78                 | 60.00                 | 22.22                | 21.02                   | 31.68                 | 50.00                 | 18.32                | PASS    |

#### Remark

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[ $dB\mu V$ ] Value[ $dB\mu V$ ]




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions">http://www.sgs.com/en/Terms-and-Conditions</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-en-Document.aspx.com/en/Terms-and-Conditions/Terms-en-Document.aspx.com/en/Terms-en-Document.aspx.com/en/Terms-en-Document.aspx.com/en/Terms-en-Document.aspx.com/en/Terms-en-Document.aspx.com/en/Terms-en-Document.aspx.com/en/Terms-en-Document.aspx.com/en/Terms-en-Document.aspx.com/en/Terms-en-Document.aspx.com/en/Terms-en-Document.aspx.com/en/Terms-en-Document.aspx.com/en/Terms-en-Document.aspx.com/en/Terms-en-Docume

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 15 of 80



| Final | Final Data List    |                |                         |                       |                       |                      |                         |                       |                       |                      |         |
|-------|--------------------|----------------|-------------------------|-----------------------|-----------------------|----------------------|-------------------------|-----------------------|-----------------------|----------------------|---------|
| NO.   | Frequency<br>[MHz] | Factor<br>[dB] | QP<br>Reading<br>[dBµV] | QP<br>Value<br>[dBµV] | QP<br>Limit<br>[dBµV] | QP<br>Margin<br>[dB] | AV<br>Reading<br>[dBµV] | AV<br>Value<br>[dBµV] | AV<br>Limit<br>[dBµV] | AV<br>Margin<br>[dB] | Verdict |
| 1     | 0.1950             | 10.67          | 32.62                   | 43.29                 | 63.82                 | 20.53                | 22.82                   | 33.49                 | 53.82                 | 20.33                | PASS    |
| 2     | 1.6800             | 10.77          | 29.82                   | 40.59                 | 56.00                 | 15.41                | 16.34                   | 27.11                 | 46.00                 | 18.89                | PASS    |
| 3     | 2.5125             | 10.78          | 28.60                   | 39.38                 | 56.00                 | 16.62                | 15.38                   | 26.16                 | 46.00                 | 19.84                | PASS    |
| 4     | 5.1630             | 10.63          | 28.05                   | 38.68                 | 60.00                 | 21.32                | 22.04                   | 32.67                 | 50.00                 | 17.33                | PASS    |
| 5     | 8.8845             | 10.62          | 27.33                   | 37.95                 | 60.00                 | 22.05                | 21.26                   | 31.88                 | 50.00                 | 18.12                | PASS    |
| 6     | 11.8005            | 10.64          | 28.65                   | 39.29                 | 60.00                 | 20.71                | 23.62                   | 34.26                 | 50.00                 | 15.74                | PASS    |

#### Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[dB $\mu$ V] Value[dB $\mu$ V]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx">https://www.sgs.com/en/Ferms-and-Conditions.aspx</a> and, for electronic format documents subject to Terms and Conditions [Ferms-anDocument.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2301000005RG02

Rev.: 01

Page: 16 of 80

### 4.3 Duty Cycle

The detailed test data see: Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic formard documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the contents or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industria Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000


15000 t (86–512) 62992980 15000 t (86–512) 62992980



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 17 of 80

#### 4.4 Conducted Output Power





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic formard documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 18 of 80

#### 4.5 DTS (6 dB) Bandwidth & 99% Occupied Bandwidth





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.agpx">http://www.ags.com/en/Terms-and-Conditions.agpx</a> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-and-Condit


South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 19 of 80

#### 4.6 Power Spectral Density





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a> Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 20 of 80

### 4.7 Band-edge for RF Conducted Emissions

| Test Requirement:             | 47 CFR Part 15C Section 15.247 (d)  |  |  |  |  |
|-------------------------------|---|--|--|--|--|
| •                             | ` '   |  |  |  |  |
| Test Method:                  | ANSI C63.10: 2013 Section 11.11   |  |  |  |  |
| Test Setup:                   | PC    Spectrum Analyzer   Spectrum Analyzer |  |  |  |  |
| Instruments Used:             | Refer to section 6 for details  |  |  |  |  |
| Test Mode:                    | Transmitting with GFSK modulation.  |  |  |  |  |
| Limit:                        | In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.   |  |  |  |  |
| Test Results:                 | Pass  |  |  |  |  |
| The detailed test data see: A | ppendix   |  |  |  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic formard documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the contents or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 21 of 80

### 4.8 RF Conducted Spurious Emissions





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.agpx and, for electronic format documents subject to trems and Conditions (Terms-and-Conditions) ferms-and-Conditions (Terms-and-Conditions) ferms-and-Conditions) ferms-and-Conditions (Terms-and-Conditions) ferms-and-Conditions) ferms-and-Conditions (Terms-and-Conditions) ferms-and-Conditions) ferms-and-Conditions (Terms-and-Conditions) ferms-and-Conditions) ferms-and-Conditions ferms-and-Conditions ferms-and-Conditions ferms-and-Conditions (Terms-and-Conditions) ferms-and-Conditions ferms-and-Conditions ferms-and-Conditions) ferms-and-Conditions ferms-and-Conditions, and for elections ferms-and-Conditions ferms-an

South of No. 6 Pfart, No. 1, Runsteing Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWA2301000005RG02

Rev.: 01 Page: 22 of 80

### 4.9 Radiated Spurious Emissions

|                   | I  |                                  |                   |            |                          |  |  |
|-------------------|--|----------------------------------|-------------------|------------|--------------------------|--|--|
| Test Requirement: | 47 CFR Part 15C Section 15.209 and 15.205  |                                  |                   |            |                          |  |  |
| Test Method:      | ANSI C63.10 :2013 Sec  | tion 11.12                       |                   |            |                          |  |  |
| Test Site:        | Measurement Distance:  | 3m (Semi-Anecho                  | ic Chamber)       |            |                          |  |  |
| Test Frequency:   | 9kHz ~ 25GHz   |                                  |                   |            |                          |  |  |
| Limit:            | Frequency  | Field strength (microvolt/meter) | Limit<br>(dBuV/m) | Remark     | Measurement distance (m) |  |  |
|                   | 0.009MHz-0.490MHz  | 2400/F(kHz)                      | -                 | -          | 300                      |  |  |
|                   | 0.490MHz-1.705MHz 24000/F(kHz)   |                                  |                   | 30         |                          |  |  |
|                   | 1.705MHz-30MHz 30 30   |                                  |                   |            | 30                       |  |  |
|                   | 30MHz-88MHz  | 100                              | 40.0              | Quasi-peak | 3                        |  |  |
|                   | 88MHz-216MHz   | 150                              | 43.5              | Quasi-peak | 3                        |  |  |
|                   | 216MHz-960MHz  | 200                              | 46.0              | Quasi-peak | 3                        |  |  |
|                   | 960MHz-1GHz  | 500                              | 54.0              | Quasi-peak | 3                        |  |  |
|                   | Above 1GHz   | 500                              | 54.0              | Average    | 3                        |  |  |
|                   | Remark: 15.35(b),Unless otherwise specified, the limit on peak radio frequency emissions is 20dB above the maximum permitted average emission limit applicable to the equipment under test. This peak limit applies to the total peak emission level radiated by the device. |                                  |                   |            |                          |  |  |

#### Test Setup:






Figure 1. Below 30MHz

Figure 2. 30MHz to 1GHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 23 of 80




Figure 3. Above 1 GHz

#### Test Procedure:

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation (Distance from antenna to EUT is 1m for measurements >18GHz).
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters(for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- g. Test the EUT in the lowest channel, the middle channel ,the Highest channel.
- h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case.
- i. Repeat above procedures until all frequencies measured was complete.
- j. The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not reported
- k. The disturbance above 18GHz was very low, and the harmonics were the highest point could be found when testing, so only the harmonics had been displayed.
- I. At a measurement distance of 1 meter the limit line was increased by 20\*LOG(3/1) = 9.54 dB.

#### **Test Configuration:**

Measurements below 30MHz

- RBW = 10 kHz
- VBW = 30 kHz
- Detector = Peak & Average & Quasi-peak
- Trace mode = max hold



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-a

South of No. 6 Plant, No. 1, Runsheng Road, Sudhou Industrial Park, Sudhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州上区苏州工业园区海胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 24 of 80

| -                      | Fage. 24 01 80  |
|------------------------|---|
|                        | Measurements 30 ~ 1000MHz   |
|                        | • RBW = 120 kHz   |
|                        | • VBW = 300 kHz   |
|                        | Detector = Quasi-peak   |
|                        | Trace mode = max hold   |
|                        | Measurements Below 1000MHz  |
|                        | • RBW = 120 kHz   |
|                        | • VBW = 300 kHz   |
|                        | Detector = Quasi-peak   |
|                        | Trace mode = max hold   |
|                        | Peak Measurements Above 1000 MHz  |
|                        | • RBW = 1 MHz   |
|                        | • VBW ≥ 3 MHz   |
|                        | Detector = Peak   |
|                        | Sweep time = auto   |
|                        | Trace mode = max hold   |
|                        | Average Measurements Above 1000MHz  |
|                        | • RBW = 1 MHz   |
|                        | VBW = 10Hz, when duty cycle is no less than 98 percent.                           |
|                        | • VBW ≥ 1/T, when duty cycle is less than 98 percent where Tis the minimum        |
|                        | transmission duration over which the transmitter is on and is transmitting at its |
|                        | maximum power control level for the tested mode of operation.                     |
| Exploratory Test       | Transmitting with GFSK modulation.  |
| Mode:                  | Charge + Transmitting mode.   |
| Final Test Mode:       | Transmitting with GFSK modulation.  |
|                        | Pretest the EUT at Charge + Transmitting mode,                                    |
|                        | For below 1GHz part, through pre-scan, the worst case is the lowest channel. Only |
|                        | the worst case is recorded in the report.   |
| Instruments Used:      | Refer to section 6 for details  |
| Test Results:          | Pass  |
| The detailed test data | see: Appendix   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CAD Doccheck@sss.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980




Report No.: SEWA2301000005RG02

Rev.: Page: 25 of 80

#### 4.10 Restricted bands around fundamental frequency

| Test Requirement: | 47 CFR Part 15C Section 15.209 and 15.205 |                     |               |  |  |  |  |
|-------------------|---|---------------------|---------------|--|--|--|--|
| Test Method:      | ANSI C63.10: 2013 Section 11.12           |                     |               |  |  |  |  |
| Test Site:        | Measurement Distance: 3m                  | (Semi-Anechoic Cham | ber)          |  |  |  |  |
| Limit:            | Frequency                                 | Limit (dBuV/m)      | Remark        |  |  |  |  |
|                   | 30MHz-88MHz                               | 40.0                | Quasi-peak    |  |  |  |  |
|                   | 88MHz-216MHz                              | 43.5                | Quasi-peak    |  |  |  |  |
|                   | 216MHz-960MHz                             | 46.0                | Quasi-peak    |  |  |  |  |
|                   | 960MHz-1GHz                               | 54.0                | Quasi-peak    |  |  |  |  |
|                   | Above 4011-                               | 54.0                | Average Value |  |  |  |  |
|                   | Above 1GHz                                | 74.0                | Peak Value    |  |  |  |  |

#### Test Setup:






Figure 1. 30MHz to 1GHz

Figure 2. Above 1 GHz

#### Test Procedure:

- For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- Place a marker at the end of the restricted band closest to the transmit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-a

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 26 of 80

|                            | frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel  h. Test the EUT in the lowest channel, the Highest channel  i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case.  j. Repeat above procedures until all frequencies measured was complete.  |
|----------------------------|---|
| Test Configuration:        | <ul> <li>RBW = 120 kHz</li> <li>VBW = 300 kHz</li> <li>Detector = Quasi-peak</li> <li>Trace mode = max hold</li> <li>Peak Measurements Above 1000 MHz</li> <li>RBW = 1 MHz</li> <li>VBW ≥ 3 MHz</li> <li>Detector = Peak</li> <li>Sweep time = auto</li> <li>Trace mode = max hold</li> <li>Average Measurements Above 1000MHz</li> <li>RBW = 1 MHz</li> <li>VBW = 1 MHz</li> <li>VBW = 1 MHz</li> <li>VBW = 10Hz, when duty cycle is no less than 98 percent.</li> <li>VBW ≥ 1/T, when duty cycle is less than 98 percent where Tis the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.</li> </ul> |
| Exploratory Test Mode:     | Transmitting with GFSK modulation. Charge + Transmitting mode.  |
| Final Test Mode:           | Transmitting with GFSK modulation.  Pretest the EUT at Charge + Transmitting mode.  Only the worst case is recorded in the report.  |
| Instruments Used:          | Refer to section 6 for details  |
| Test Results:              | Pass  |
| The detailed test data see | e: Appendix   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号约6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 27 of 80

### 5 Measurement Uncertainty (95% confidence levels, k=2)

|     | 11000011011101110111111111111111111111 |                            |  |  |  |  |  |  |
|-----|--|----------------------------|--|--|--|--|--|--|
| No. | Item                                   | Measurement Uncertainty    |  |  |  |  |  |  |
| 1   | Total RF power, conducted              | ±0.54dB                    |  |  |  |  |  |  |
| 2   | RF power density, conducted            | ±1.03dB                    |  |  |  |  |  |  |
| 3   | Spurious emissions, conducted          | ±0.54dB                    |  |  |  |  |  |  |
| 4   | Radio Frequency                        | ±1.0 %                     |  |  |  |  |  |  |
| 5   | Duty Cycle                             | ±0.37%                     |  |  |  |  |  |  |
| 6   | Occupied Bandwidth                     | ±1.0 %                     |  |  |  |  |  |  |
| 7   | Conduction Emission                    | ± 2.90dB (150kHz to 30MHz) |  |  |  |  |  |  |
|     |  | ± 3.13dB (9k -30MHz)       |  |  |  |  |  |  |
| 0   | Dadiated Emission                      | ± 4.88dB (30M -1GHz)       |  |  |  |  |  |  |
| 8   | Radiated Emission                      | ± 4.75dB (1GHz to 18GHz)   |  |  |  |  |  |  |
|     |  | ± 4.77dB (Above 18GHz)     |  |  |  |  |  |  |

#### Remark:

The  $U_{lab}$  (lab Uncertainty) is less than  $U_{cispr/ETSI}$  (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;

- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format document subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a> Attention is dorawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole is client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are refunded for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 144.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 28 of 80

6 Equipment List

| •                                | RF Test Equipment |                                 |                |                           |                           |  |  |  |  |
|----------------------------------|-------------------|---------------------------------|----------------|---------------------------|---------------------------|--|--|--|--|
| Test<br>Equipment                | Manufacturer      | Model No.                       | Inventory No.  | Cal. date<br>(yyyy/mm/dd) | Cal.Due date (yyyy/mm/dd) |  |  |  |  |
| Shielding<br>Room                | Brilliant-emc     | N/A                             | SUWI-04-01-06  | 2021/05/08                | 2024/05/07                |  |  |  |  |
| Temperature and humidity         | MingGao           | TH101B                          | SUWI-01-01-07  | 2022/02/16                | 2023/02/15                |  |  |  |  |
| meter                            |                   | IIIIOID                         | 30771-01-01    | 2023/02/06                | 2024/02/05                |  |  |  |  |
| Signal Analyzer                  | ROHDE&<br>SCHWARZ | FSV3030                         | SUWI-01-02-02  | 2022/05/17                | 2023/05/16                |  |  |  |  |
| Measurement<br>Software          | Tonscend          | JS1120-3 Test<br>System V3.1.55 | SUWI-02-09-09  | NCR                       | NCR                       |  |  |  |  |
| Signal Analyzer                  | ROHDE&<br>SCHWARZ | FSW43                           | SUWI-01-02-04  | 2022/05/28                | 2023/05/27                |  |  |  |  |
| Wideband                         | DOLIDE®           |                                 |                | 2022/02/14                | 2023/02/13                |  |  |  |  |
| Radio<br>Communication<br>Tester | ROHDE&<br>SCHWARZ | CMW500                          | SUWI-01-16-05  | 2023/02/06                | 2024/02/05                |  |  |  |  |
| DC Power                         | LIVELEO           | LIVOOSED                        | CLIMI 04 40 04 | 2022/02/15                | 2023/02/14                |  |  |  |  |
| Supply                           | HYELEC            | HY3005B                         | SUWI-01-18-01  | 2023/02/06                | 2024/02/05                |  |  |  |  |
| Power meter                      | Anritsu           | ML2495A                         | SUWI-01-31-01  | 2022/11/23                | 2023/11/22                |  |  |  |  |
| Pulse power sensor               | Anritsu           | MA2411B                         | SUWI-01-32-01  | 2022/11/23                | 2023/11/22                |  |  |  |  |
| MXG Vector                       | KEYSIGHT          | N5182B                          | SUWI-01-38-01  | 2022/02/14                | 2023/02/13                |  |  |  |  |
| signal genitor                   | RETSIGITI         | N3102B                          | 30771-01-36-01 | 2023/02/06                | 2024/02/05                |  |  |  |  |
| Temperature                      |                   | 011.040                         | 01,04,40,04    | 2022/02/15                | 2023/02/14                |  |  |  |  |
| Chamber                          | ESPEC             | SU-242                          | SUWI-01-13-01  | 2023/02/06                | 2024/02/05                |  |  |  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic formard documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the contents or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Punsteing Rosal, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜裔(号的6号厂房南部 邮编: 215000

15000 t (86–512) 62992980 15000 t (86–512) 62992980



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 29 of 80

| CE Test System          |                 |                    |                   |                           |                           |  |  |  |  |
|-------------------------|-----------------|--------------------|-------------------|---------------------------|---------------------------|--|--|--|--|
| Test Equipment          | Manufacturer    | Model No.          | Inventory No.     | Cal. date<br>(yyyy/mm/dd) | Cal.Due date (yyyy/mm/dd) |  |  |  |  |
| Shielding Room          | Brilliant-emc   | N/A                | SUWI-04-03-01     | 2021/05/08                | 2024/05/07                |  |  |  |  |
| Toot receiver           | DOUDE & COUMADA | ECD7               | SUWI-01-10-01     | 2022/02/19                | 2023/02/18                |  |  |  |  |
| Test receiver           | ROHDE&SCHWARZ   | ESR7               | 30001-01-10-01    | 2023/02/08                | 2024/02/07                |  |  |  |  |
| Temperature and         | MinaCoo         | TH101B             | SUWI-01-01-06     | 2022/02/16                | 2023/02/15                |  |  |  |  |
| humidity meter          | MingGao         |                    |                   | 2023/02/07                | 2024/02/06                |  |  |  |  |
| Artificial network      | ROHDE&SCHWARZ   | ENIVO40            | CL IVA/I 04 40 04 | 2022/02/19                | 2023/02/18                |  |  |  |  |
| Artificial fletwork     | KONDEASCHWAKZ   | ENV216             | SUWI-01-19-01     | 2023/02/08                | 2024/02/07                |  |  |  |  |
| Artificial potucorle    | DOUDE & COUMADA | ENIV/246           | SUMI 04 40 02     | 2022/02/19                | 2023/02/18                |  |  |  |  |
| Artificial network      | ROHDE&SCHWARZ   | ENV216             | SUWI-01-19-02     | 2023/02/08                | 2024/02/07                |  |  |  |  |
| Measurement<br>Software | Tonscend        | JS32-CE<br>4.0.0.2 | SUWI-02-09-05     | NCR                       | NCR                       |  |  |  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx.aaf">https://www.sgs.com/en/Ferms-and-Conditions.aspx.aaf</a>, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Ferms-and-Conditions/Ferms-a-Document.aspx.adtention">https://www.sgs.com/en/Ferms-and-Conditions/Ferms-a-Document.aspx.adtention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. F Plant, No. 1, Purasheng Tosad, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜商1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www t (86–512) 62992980 sgs.



Report No.: SEWA2301000005RG02

Rev.: Page: 30 of 80

| RSE Test System                       |                                   |                     |               |                           |                              |  |  |  |  |  |
|---------------------------------------|-----------------------------------|---------------------|---------------|---------------------------|------------------------------|--|--|--|--|--|
| Test<br>Equipment                     | Manufacturer                      | Model No.           | Inventory No. | Cal. date<br>(yyyy/mm/dd) | Cal.Due date<br>(yyyy/mm/dd) |  |  |  |  |  |
| Semi-Anechoic<br>Chamber              | Brilliant-emc                     | N/A                 | SUWI-04-02-02 | 2021/11/25                | 2024/11/24                   |  |  |  |  |  |
| Temperature<br>and humidity<br>meter* | MingGao                           | TH101B              | SUWI-01-01-13 | 2023/02/07                | 2024/02/06                   |  |  |  |  |  |
| Signal Analyzer                       | ROHDE&SCHWARZ                     | FSW43               | SUWI-01-02-04 | 2022/05/28                | 2023/05/27                   |  |  |  |  |  |
| Signal Analyzer                       | KEYSIGHT                          | N9020A              | SUWI-01-02-06 | 2022/11/23                | 2023/11/22                   |  |  |  |  |  |
| Test receiver                         | ROHDE&SCHWARZ                     | ESR7                | SUWI-01-10-01 | 2022/02/19                | 2023/02/18                   |  |  |  |  |  |
|                                       |                                   |                     |               | 2023/02/08                | 2024/02/07                   |  |  |  |  |  |
| Receiving antenna                     | SCHWRZBECK<br>MESS-<br>ELEKTRONIK | VULB 9163           | SUWI-01-11-04 | 2021/12/05                | 2023/12/04                   |  |  |  |  |  |
| Receiving antenna                     | SCHWRZBECK<br>MESS-<br>ELEKTRONIK | BBHA 9120D          | SUWI-01-11-05 | 2021/12/05                | 2023/12/04                   |  |  |  |  |  |
| Receiving antenna                     | SCHWRZBECK<br>MESS-<br>ELEKTRONIK | BBHA 9170           | SUWI-01-11-03 | 2021/05/14                | 2023/05/13                   |  |  |  |  |  |
| Active Loop<br>Antenna                | SCHWRZBECK<br>MESS-<br>ELEKTRONIK | FMZB 1519B          | SUWI-01-21-01 | 2021/06/10                | 2023/06/09                   |  |  |  |  |  |
| Amplifier                             | Tonscend                          | TAP9K3G32           | SUWI-01-14-06 | 2022/11/23                | 2023/11/22                   |  |  |  |  |  |
| Amplifier                             | Tonscend                          | TAP01018050         | SUWI-01-14-04 | 2022/11/23                | 2023/11/22                   |  |  |  |  |  |
| Amplifier                             | Tonscend                          | TAP30M7G30          | SUWI-01-14-05 | 2022/11/23                | 2023/11/22                   |  |  |  |  |  |
| Measurement<br>Software               | Tonscend                          | JS32-RE<br>V4.0.0.0 | SUWI-02-09-04 | NCR                       | NCR                          |  |  |  |  |  |

\*Note: This equipment is not used for testing before 2023/02/07.



South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2301000005RG02

Rev.: 01

Page: 31 of 80

### 7 Photographs - Setup Photos

Refer to Appendix A.2 WLAN Setup Photos.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic formard documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runshang Road, Suchou Industria Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2301000005RG02

Rev.: 01

Page: 32 of 80

# **Appendix**



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic formard documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2301000005RG02

Rev.: 01

Page: 33 of 80

#### DTS Bandwidth Test Result

| TestMode | Antenna | Frequency[MHz] | DTS BW [MHz] | FL[MHz] | FH[MHz] | Limit[MHz] | Verdict |
|----------|---------|----------------|--------------|---------|---------|------------|---------|
| BLE_1M   | Ant0    | 2402           | 0.68         | 2401.66 | 2402.35 | ≥0.5       | PASS    |
|          |         | 2440           | 0.68         | 2439.66 | 2440.34 | ≥0.5       | PASS    |
|          |         | 2480           | 0.68         | 2479.66 | 2480.34 | ≥0.5       | PASS    |
| BLE_2M   | Ant0    | 2402           | 1.16         | 2401.43 | 2402.59 | ≥0.5       | PASS    |
|          |         | 2440           | 1.16         | 2439.44 | 2440.59 | ≥0.5       | PASS    |
|          |         | 2480           | 1.16         | 2479.44 | 2480.59 | ≥0.5       | PASS    |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Ferms-and-Conditions.aspx.and">http://www.sgs.com/en/Ferms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-And-Ferms-and-Conditions/Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-and-Ferms-and-Con

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Liangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWA2301000005RG02

Rev.: 01

Page: 34 of 80

#### **Test Graphs**





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Terms-and-Conditions/Terms-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditio

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 v t (86–512) 62992980 s



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 35 of 80





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Terms-and-Conditions/Terms-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000





Rev.: 01 Page: 36 of 80





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Terms-and-Conditions/Terms-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industria Park, Suzhou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2301000005RG02

Rev.: 01

Page: 37 of 80

# Occupied Channel Bandwidth Test Result

| TestMode | Antenna | Frequency[MHz] | OCB [MHz] | FL[MHz]  | FH[MHz]  | Verdict   |
|----------|---------|----------------|-----------|----------|----------|-----------|
|          |         | 2402           | 1.019     | 2401.505 | 2402.524 |           |
| BLE_1M   | Ant0    | 2440           | 1.019     | 2439.504 | 2440.523 | ]         |
|          |         | 2480           | 1.017     | 2479.503 | 2480.520 | Reporting |
|          |         | 2402           | 2.008     | 2401.019 | 2403.027 | only      |
| BLE_2M   | Ant0    | 2440           | 2.006     | 2439.020 | 2441.026 |           |
|          |         | 2480           | 2.003     | 2479.019 | 2481.022 |           |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Ferms-and-Conditions.aspx.and">http://www.sgs.com/en/Ferms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-And-Ferms-and-Conditions/Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-and-Ferms-and-Con

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2301000005RG02

Rev.: 01

Page: 38 of 80

#### **Test Graphs**





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Terms-and-Conditions/Terms-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 39 of 80






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Terms-and-Conditions/Terms-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 40 of 80





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Terms-and-Conditions/Terms-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2301000005RG02

Rev.: 01

Page: 41 of 80

#### Maximum conducted output power Test Result Peak

| TestMode | Antenna | Frequency[MHz] | Conducted Peak<br>Power[dBm] | Conducted<br>Limit[dBm] | Verdict |
|----------|---------|----------------|------------------------------|-------------------------|---------|
|          |         | 2402           | 6.84                         | ≤30                     | PASS    |
| BLE_1M   | Ant0    | 2440           | 6.26                         | ≤30                     | PASS    |
|          |         | 2480           | 6.64                         | ≤30                     | PASS    |
|          |         | 2402           | 6.98                         | ≤30                     | PASS    |
| BLE_2M   | Ant0    | 2440           | 6.46                         | ≤30                     | PASS    |
|          |         | 2480           | 6.65                         | ≤30                     | PASS    |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2301000005RG02

Rev.: 01

Page: 42 of 80

#### Maximum power spectral density Test Result

| TestMode | Antenna | Frequency[MHz] | Result[dBm/3kHz] | Limit[dBm/3kHz] | Verdict |
|----------|---------|----------------|------------------|-----------------|---------|
|          |         | 2402           | -9.07            | ≤8.00           | PASS    |
| BLE_1M   | Ant0    | 2440           | -9.87            | ≤8.00           | PASS    |
| _        |         | 2480           | -9.34            | ≤8.00           | PASS    |
|          |         | 2402           | -11.85           | ≤8.00           | PASS    |
| BLE_2M   | Ant0    | 2440           | -12.58           | ≤8.00           | PASS    |
|          |         | 2480           | -12.06           | ≤8.00           | PASS    |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 43 of 80

#### **Test Graphs**





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Terms-and-Conditions/Terms-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditio


South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com





Rev.: 01 44 of 80 Page:





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980

sgs.china@sgs.com





Rev.: 01 Page: 45 of 80





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content

South of No. 6 Pfart, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2301000005RG02

Rev.: 01

Page: 46 of 80

#### Band edge measurements Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Terms-and-Conditions/Terms-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditio

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 47 of 80





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Terms-and-Conditions/Terms-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWA2301000005RG02

Rev.: 01

Page: 48 of 80

# **Conducted Spurious Emission Test Graphs**






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Terms-and-Conditions/Terms-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜裔(号的6号厂房南部 邮编: 215000



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 49 of 80






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Terms-and-Conditions/Terms-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditio

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 50 of 80






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Terms-and-Conditions/Terms-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditio

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 51 of 80






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Terms-and-Conditions/Terms-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (liangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜廊1号的6号厂房南部 邮编: 215000



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 52 of 80






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Terms-and-Conditions/Terms-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditio

South of No. 6 Pfart, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 53 of 80






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Terms-and-Conditions/Terms-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditio



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 54 of 80






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Terms-and-Conditions/Terms-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 55 of 80






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Terms-and-Conditions/Terms-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 56 of 80





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Terms-and-Conditions/Terms-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (liangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜鹿(号的6号厂房南部 邮编: 215000



Report No.: SEWA2301000005RG02

Rev.: 01

Page: 57 of 80

#### **Duty Cycle** Test Result

| TestMode | Antenna | Frequency[MHz] | ON Time<br>[ms] | Period<br>[ms] | Duty Cycle<br>[%] | Duty Cycle<br>Factor[dB] |
|----------|---------|----------------|-----------------|----------------|-------------------|--------------------------|
| BLE_1M   | Ant0    | 2402           | 0.39            | 0.63           | 61.90             | 2.08                     |
| BLE_2M   | Ant0    | 2402           | 0.20            | 0.62           | 32.26             | 4.91                     |

#### Note:

Radiated Emission Average VBW = 1 / T

| TestMode | T[ms] | Period[ms] | Duty Cycle[%] | 1/T[kHz] | VBW Setting |
|----------|-------|------------|---------------|----------|-------------|
| BLE_1M   | 0.39  | 0.63       | 61.90         | 2.56410  | 3kHz        |
| BLE 2M   | 0.20  | 0.62       | 32.26         | 5.00000  | 10kHz       |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWA2301000005RG02

Rev.: 01

Page: 58 of 80

#### **Test Graphs**





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Terms-and-Conditions/Terms-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditio

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWA2301000005RG02

Rev.: 01 Page: 59 of 80

# Radiated Spurious Emissions Radiated emission below 1GHz

Worst case Mode: BLE 1M\_Channel 00



| Fina | Final Data List    |                   |                |              |                      |                      |                   |                |              |            |  |  |  |
|------|--------------------|-------------------|----------------|--------------|----------------------|----------------------|-------------------|----------------|--------------|------------|--|--|--|
| NO.  | Frequency<br>[MHz] | Reading<br>[dBµV] | Factor<br>[dB] | AF<br>[dB/m] | QP Value<br>[dBµV/m] | QP Limit<br>[dBµV/m] | QP Margin<br>[dB] | Height<br>[cm] | Angle<br>[°] | Polarity   |  |  |  |
| 1    | 35.82              | 41.25             | -36.45         | 13.50        | 18.30                | 40.00                | 21.70             | 245            | 197          | Horizontal |  |  |  |
| 2    | 41.8825            | 40.22             | -36.25         | 13.91        | 17.89                | 40.00                | 22.11             | 165            | 176          | Horizontal |  |  |  |
| 3    | 58.8575            | 44.29             | -36.37         | 12.84        | 20.76                | 40.00                | 19.24             | 192            | 156          | Horizontal |  |  |  |
| 4    | 62.98              | 46.19             | -36.44         | 12.17        | 21.93                | 40.00                | 18.07             | 175            | 279          | Horizontal |  |  |  |
| 5    | 115.36             | 47.23             | -36.15         | 11.72        | 22.80                | 43.50                | 20.70             | 148            | 115          | Horizontal |  |  |  |
| 6    | 188.8375           | 44.18             | -35.40         | 12.57        | 21.35                | 43.50                | 22.15             | 183            | 269          | Horizontal |  |  |  |




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx">https://www.sgs.com/en/Ferms-and-Conditions.aspx</a> and, for electronic format documents subject to Terms and Conditions [Ferms-anDocument.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 60 of 80



| Fina | Final Data List    |                   |                |              |                      |                      |                   |                |              |          |  |  |  |
|------|--------------------|-------------------|----------------|--------------|----------------------|----------------------|-------------------|----------------|--------------|----------|--|--|--|
| NO.  | Frequency<br>[MHz] | Reading<br>[dBµV] | Factor<br>[dB] | AF<br>[dB/m] | QP Value<br>[dBµV/m] | QP Limit<br>[dBµV/m] | QP Margin<br>[dB] | Height<br>[cm] | Angle<br>[°] | Polarity |  |  |  |
| 1    | 35.82              | 51.42             | -36.45         | 13.50        | 28.47                | 40.00                | 11.53             | 175            | 356          | Vertical |  |  |  |
| 2    | 38.4875            | 52.23             | -36.34         | 13.86        | 29.76                | 40.00                | 10.24             | 125            | 249          | Vertical |  |  |  |
| 3    | 58.13              | 52.45             | -36.35         | 12.90        | 29.00                | 40.00                | 11.00             | 199            | 249          | Vertical |  |  |  |
| 4    | 76.56              | 47.33             | -35.94         | 9.82         | 21.21                | 40.00                | 18.79             | 146            | 22           | Vertical |  |  |  |
| 5    | 114.1475           | 53.42             | -36.15         | 11.59        | 28.86                | 43.50                | 14.64             | 235            | 126          | Vertical |  |  |  |
| 6    | 199.9925           | 50.46             | -35.16         | 9.90         | 25.20                | 43.50                | 18.30             | 182            | 207          | Vertical |  |  |  |

#### Remark

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain.

The basic equation with a sample calculation is as follows:

Value = Reading( $dB\mu V$ ) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit( $dB\mu V/m$ ) – Value( $dB\mu V/m$ )

2) All channels have been tested, but only the worst case data displayed in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions.aspx.and">https://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic format documents subject to Terms and Conditions for Electronic Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document comment cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com




Report No.: SEWA2301000005RG02

Rev.: 01 Page: 61 of 80

#### **Transmitter emission Above 1GHz**

#### BLE 1M\_Channel 00



| Data | Data List          |                   |              |                |                   |                   |                |                |              |            |  |  |
|------|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|----------------|--------------|------------|--|--|
| NO.  | Frequency<br>[MHz] | Reading<br>[dBµV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBµV/m] | Limit<br>[dBµV/m] | Margin<br>[dB] | Height<br>[cm] | Angle<br>[°] | Polarity   |  |  |
| 1    | 4804.0000          | 39.48             | 32.33        | -45.54         | 26.27             | 54.00             | 27.73          | 148            | 251          | Horizontal |  |  |
| 2    | 4804.0000          | 47.45             | 32.33        | -45.54         | 34.24             | 74.00             | 39.76          | 156            | 331          | Horizontal |  |  |
| 3    | 7206.0000          | 45.51             | 36.60        | -43.44         | 38.67             | 74.00             | 35.33          | 135            | 134          | Horizontal |  |  |
| 4    | 7206.0000          | 39.42             | 36.60        | -43.44         | 32.58             | 54.00             | 21.42          | 195            | 52           | Horizontal |  |  |
| 5    | 9608.0000          | 35.57             | 38.43        | -39.65         | 34.35             | 54.00             | 19.65          | 174            | 302          | Horizontal |  |  |
| 6    | 9608.0000          | 43.72             | 38.43        | -39.65         | 42.50             | 74.00             | 31.50          | 199            | 23           | Horizontal |  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration from great parties to a transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443,


South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 62 of 80

#### BLE 1M\_Channel 00



| Data | Data List          |                   |              |                |                   |                   |                |                |              |          |  |  |
|------|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|----------------|--------------|----------|--|--|
| NO.  | Frequency<br>[MHz] | Reading<br>[dBµV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBµV/m] | Limit<br>[dBµV/m] | Margin<br>[dB] | Height<br>[cm] | Angle<br>[°] | Polarity |  |  |
| 1    | 4804.0000          | 39.40             | 32.33        | -45.54         | 26.19             | 54.00             | 27.81          | 248            | 26           | Vertical |  |  |
| 2    | 4804.0000          | 48.16             | 32.33        | -45.54         | 34.95             | 74.00             | 39.05          | 142            | 306          | Vertical |  |  |
| 3    | 7206.0000          | 46.55             | 36.60        | -43.44         | 39.71             | 74.00             | 34.29          | 175            | 164          | Vertical |  |  |
| 4    | 7206.0000          | 38.11             | 36.60        | -43.44         | 31.27             | 54.00             | 22.73          | 159            | 357          | Vertical |  |  |
| 5    | 9608.0000          | 34.86             | 38.43        | -39.65         | 33.64             | 54.00             | 20.36          | 186            | 221          | Vertical |  |  |
| 6    | 9608.0000          | 44.31             | 38.43        | -39.65         | 43.09             | 74.00             | 30.91          | 143            | 83           | Vertical |  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and


South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 63 of 80

#### **BLE 1M\_Channel 19**



| Data | Data List          |                   |              |                |                   |                   |                |                |              |            |  |  |
|------|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|----------------|--------------|------------|--|--|
| NO.  | Frequency<br>[MHz] | Reading<br>[dBµV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBµV/m] | Limit<br>[dBµV/m] | Margin<br>[dB] | Height<br>[cm] | Angle<br>[°] | Polarity   |  |  |
| 1    | 4880.0000          | 40.55             | 32.54        | -45.53         | 27.56             | 54.00             | 26.44          | 247            | 193          | Horizontal |  |  |
| 2    | 4880.0000          | 48.92             | 32.54        | -45.53         | 35.93             | 74.00             | 38.07          | 156            | 211          | Horizontal |  |  |
| 3    | 7320.0000          | 45.98             | 36.53        | -43.68         | 38.83             | 74.00             | 35.17          | 183            | 126          | Horizontal |  |  |
| 4    | 7320.0000          | 37.89             | 36.53        | -43.68         | 30.74             | 54.00             | 23.26          | 148            | 52           | Horizontal |  |  |
| 5    | 9760.0000          | 32.31             | 38.26        | -39.46         | 31.11             | 54.00             | 22.89          | 195            | 135          | Horizontal |  |  |
| 6    | 9760.0000          | 39.65             | 38.26        | -39.46         | 38.45             | 74.00             | 35.55          | 261            | 52           | Horizontal |  |  |






Report No.: SEWA2301000005RG02

Rev.: 01 Page: 64 of 80

#### **BLE 1M\_Channel 19**



| Data | Data List          |                   |              |                |                   |                   |                |                |              |          |  |  |
|------|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|----------------|--------------|----------|--|--|
| NO.  | Frequency<br>[MHz] | Reading<br>[dBµV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBµV/m] | Limit<br>[dBµV/m] | Margin<br>[dB] | Height<br>[cm] | Angle<br>[°] | Polarity |  |  |
| 1    | 4880.0000          | 41.73             | 32.54        | -45.53         | 28.74             | 54.00             | 25.26          | 142            | 1            | Vertical |  |  |
| 2    | 4880.0000          | 48.96             | 32.54        | -45.53         | 35.97             | 74.00             | 38.03          | 195            | 304          | Vertical |  |  |
| 3    | 7320.0000          | 45.60             | 36.53        | -43.68         | 38.45             | 74.00             | 35.55          | 255            | 219          | Vertical |  |  |
| 4    | 7320.0000          | 37.96             | 36.53        | -43.68         | 30.81             | 54.00             | 23.19          | 258            | 331          | Vertical |  |  |
| 5    | 9760.0000          | 32.18             | 38.26        | -39.46         | 30.98             | 54.00             | 23.02          | 174            | 356          | Vertical |  |  |
| 6    | 9760.0000          | 39.93             | 38.26        | -39.46         | 38.73             | 74.00             | 35.27          | 165            | 78           | Vertical |  |  |






Report No.: SEWA2301000005RG02

Rev.: 01 Page: 65 of 80

#### **BLE 1M\_Channel 39**



| Data | Data List          |                   |              |                |                   |                   |                |                |              |            |  |  |
|------|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|----------------|--------------|------------|--|--|
| NO.  | Frequency<br>[MHz] | Reading<br>[dBµV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBµV/m] | Limit<br>[dBµV/m] | Margin<br>[dB] | Height<br>[cm] | Angle<br>[°] | Polarity   |  |  |
| 1    | 4960.0000          | 47.65             | 32.77        | -45.60         | 34.82             | 74.00             | 39.18          | 178            | 245          | Horizontal |  |  |
| 2    | 4960.0000          | 40.43             | 32.77        | -45.60         | 27.60             | 54.00             | 26.40          | 185            | 139          | Horizontal |  |  |
| 3    | 7440.0000          | 46.16             | 36.47        | -43.30         | 39.33             | 74.00             | 34.67          | 158            | 304          | Horizontal |  |  |
| 4    | 7440.0000          | 39.17             | 36.47        | -43.30         | 32.34             | 54.00             | 21.66          | 146            | 356          | Horizontal |  |  |
| 5    | 9920.0000          | 42.04             | 38.38        | -39.31         | 41.11             | 74.00             | 32.89          | 196            | 331          | Horizontal |  |  |
| 6    | 9920.0000          | 33.67             | 38.38        | -39.31         | 32.74             | 54.00             | 21.26          | 255            | 0            | Horizontal |  |  |






Report No.: SEWA2301000005RG02

Rev.: 01 Page: 66 of 80

#### **BLE 1M\_Channel 39**



| Data List |                    |                   |              |                |                   |                   |                |                |              |          |  |  |
|-----------|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|----------------|--------------|----------|--|--|
| NO.       | Frequency<br>[MHz] | Reading<br>[dBµV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBµV/m] | Limit<br>[dBµV/m] | Margin<br>[dB] | Height<br>[cm] | Angle<br>[°] | Polarity |  |  |
| 1         | 4960.0000          | 48.17             | 32.77        | -45.60         | 35.34             | 74.00             | 38.66          | 291            | 332          | Vertical |  |  |
| 2         | 5000.5             | 47.31             | 32.88        | -45.64         | 34.55             | 54.00             | 19.45          | 145            | 109          | Vertical |  |  |
| 3         | 7440.0000          | 39.14             | 36.47        | -43.30         | 32.31             | 54.00             | 21.69          | 185            | 304          | Vertical |  |  |
| 4         | 7440.0000          | 46.51             | 36.47        | -43.30         | 39.68             | 74.00             | 34.32          | 174            | 15           | Vertical |  |  |
| 5         | 9920.0000          | 33.11             | 38.38        | -39.31         | 32.18             | 54.00             | 21.82          | 146            | 249          | Vertical |  |  |
| 6         | 9920.0000          | 40.42             | 38.38        | -39.31         | 39.49             | 74.00             | 34.51          | 153            | 126          | Vertical |  |  |






Report No.: SEWA2301000005RG02

Rev.: 01 Page: 67 of 80

#### BLE 2M\_Channel 00



| Data List |                    |                   |              |                |                   |                   |                |                |              |            |  |  |
|-----------|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|----------------|--------------|------------|--|--|
| NO.       | Frequency<br>[MHz] | Reading<br>[dBµV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBµV/m] | Limit<br>[dBµV/m] | Margin<br>[dB] | Height<br>[cm] | Angle<br>[°] | Polarity   |  |  |
| 1         | 4804.0000          | 47.42             | 32.33        | -45.54         | 34.21             | 74.00             | 39.79          | 187            | 7            | Horizontal |  |  |
| 2         | 4804.0000          | 39.71             | 32.33        | -45.54         | 26.50             | 54.00             | 27.50          | 156            | 249          | Horizontal |  |  |
| 3         | 7206.0000          | 37.77             | 36.60        | -43.44         | 30.93             | 54.00             | 23.07          | 291            | 261          | Horizontal |  |  |
| 4         | 7206.0000          | 45.23             | 36.60        | -43.44         | 38.39             | 74.00             | 35.61          | 145            | 356          | Horizontal |  |  |
| 5         | 9608.0000          | 42.92             | 38.43        | -39.65         | 41.70             | 74.00             | 32.30          | 251            | 145          | Horizontal |  |  |
| 6         | 9608.0000          | 35.11             | 38.43        | -39.65         | 33.89             | 54.00             | 20.11          | 143            | 332          | Horizontal |  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980


www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 68 of 80

#### BLE 2M\_Channel 00



| Data List |                    |                   |              |                |                   |                   |                |                |              |          |  |  |
|-----------|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|----------------|--------------|----------|--|--|
| NO.       | Frequency<br>[MHz] | Reading<br>[dBµV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBµV/m] | Limit<br>[dBµV/m] | Margin<br>[dB] | Height<br>[cm] | Angle<br>[°] | Polarity |  |  |
| 1         | 4804.0000          | 46.77             | 32.33        | -45.54         | 33.56             | 74.00             | 40.44          | 178            | 52           | Vertical |  |  |
| 2         | 4804.0000          | 39.20             | 32.33        | -45.54         | 25.99             | 54.00             | 28.01          | 156            | 145          | Vertical |  |  |
| 3         | 7206.0000          | 37.68             | 36.60        | -43.44         | 30.84             | 54.00             | 23.16          | 251            | 306          | Vertical |  |  |
| 4         | 7206.0000          | 45.70             | 36.60        | -43.44         | 38.86             | 74.00             | 35.14          | 145            | 109          | Vertical |  |  |
| 5         | 9608.0000          | 42.77             | 38.43        | -39.65         | 41.55             | 74.00             | 32.45          | 195            | 332          | Vertical |  |  |
| 6         | 9608.0000          | 34.92             | 38.43        | -39.65         | 33.70             | 54.00             | 20.30          | 159            | 166          | Vertical |  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980


www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 69 of 80

#### **BLE 2M\_Channel 19**



| Data List |                    |                   |              |                |                   |                   |                |                |              |            |  |  |
|-----------|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|----------------|--------------|------------|--|--|
| NO.       | Frequency<br>[MHz] | Reading<br>[dBµV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBµV/m] | Limit<br>[dBµV/m] | Margin<br>[dB] | Height<br>[cm] | Angle<br>[°] | Polarity   |  |  |
| 1         | 4880.0000          | 49.60             | 32.54        | -45.53         | 36.61             | 74.00             | 37.39          | 174            | 1            | Horizontal |  |  |
| 2         | 4880.0000          | 41.11             | 32.54        | -45.53         | 28.12             | 54.00             | 25.88          | 192            | 332          | Horizontal |  |  |
| 3         | 7320.0000          | 38.97             | 36.53        | -43.68         | 31.82             | 54.00             | 22.18          | 144            | 356          | Horizontal |  |  |
| 4         | 7320.0000          | 46.99             | 36.53        | -43.68         | 39.84             | 74.00             | 34.16          | 158            | 23           | Horizontal |  |  |
| 5         | 9760.0000          | 39.50             | 38.26        | -39.46         | 38.30             | 74.00             | 35.70          | 169            | 191          | Horizontal |  |  |
| 6         | 9760.0000          | 32.29             | 38.26        | -39.46         | 31.09             | 54.00             | 22.91          | 135            | 125          | Horizontal |  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and


South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2301000005RG02

Rev.: Page: 70 of 80

#### **BLE 2M\_Channel 19**



| Data | List               |                   |              |                |                   |                   |                |                |              |          |
|------|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|----------------|--------------|----------|
| NO.  | Frequency<br>[MHz] | Reading<br>[dBµV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBµV/m] | Limit<br>[dBµV/m] | Margin<br>[dB] | Height<br>[cm] | Angle<br>[°] | Polarity |
| 1    | 4880.0000          | 48.65             | 32.54        | -45.53         | 35.66             | 74.00             | 38.34          | 245            | 23           | Vertical |
| 2    | 4880.0000          | 41.15             | 32.54        | -45.53         | 28.16             | 54.00             | 25.84          | 169            | 23           | Vertical |
| 3    | 7320.0000          | 38.60             | 36.53        | -43.68         | 31.45             | 54.00             | 22.55          | 192            | 163          | Vertical |
| 4    | 7320.0000          | 45.66             | 36.53        | -43.68         | 38.51             | 74.00             | 35.49          | 185            | 249          | Vertical |
| 5    | 9760.0000          | 40.68             | 38.26        | -39.46         | 39.48             | 74.00             | 34.52          | 147            | 276          | Vertical |
| 6    | 9760.0000          | 33.21             | 38.26        | -39.46         | 32.01             | 54.00             | 21.99          | 145            | 276          | Vertical |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980


www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 71 of 80

#### **BLE 2M\_Channel 39**



| Data List |                    |                   |              |                |                   |                   |                |                |              |            |  |  |
|-----------|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|----------------|--------------|------------|--|--|
| NO.       | Frequency<br>[MHz] | Reading<br>[dBµV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBµV/m] | Limit<br>[dBµV/m] | Margin<br>[dB] | Height<br>[cm] | Angle<br>[°] | Polarity   |  |  |
| 1         | 4960.0000          | 47.67             | 32.77        | -45.60         | 34.84             | 74.00             | 39.16          | 245            | 250          | Horizontal |  |  |
| 2         | 4960.0000          | 39.87             | 32.77        | -45.60         | 27.04             | 54.00             | 26.96          | 261            | 26           | Horizontal |  |  |
| 3         | 7440.0000          | 48.34             | 36.47        | -43.30         | 41.51             | 74.00             | 32.49          | 198            | 1            | Horizontal |  |  |
| 4         | 7440.0000          | 39.55             | 36.47        | -43.30         | 32.72             | 54.00             | 21.28          | 174            | 165          | Horizontal |  |  |
| 5         | 9920.0000          | 42.11             | 38.38        | -39.31         | 41.18             | 74.00             | 32.82          | 122            | 110          | Horizontal |  |  |
| 6         | 9920.0000          | 34.85             | 38.38        | -39.31         | 33.92             | 54.00             | 20.08          | 156            | 221          | Horizontal |  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and


South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 72 of 80

#### **BLE 2M\_Channel 39**



| Data | List               |                   |              |                |                   |                   |                |                |              |          |
|------|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|----------------|--------------|----------|
| NO.  | Frequency<br>[MHz] | Reading<br>[dBµV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBµV/m] | Limit<br>[dBµV/m] | Margin<br>[dB] | Height<br>[cm] | Angle<br>[°] | Polarity |
| 1    | 4960.0000          | 48.24             | 32.77        | -45.60         | 35.41             | 74.00             | 38.59          | 154            | 164          | Vertical |
| 2    | 4960.0000          | 40.24             | 32.77        | -45.60         | 27.41             | 54.00             | 26.59          | 126            | 304          | Vertical |
| 3    | 7440.0000          | 39.58             | 36.47        | -43.30         | 32.75             | 54.00             | 21.25          | 153            | 6            | Vertical |
| 4    | 7440.0000          | 47.30             | 36.47        | -43.30         | 40.47             | 74.00             | 33.53          | 174            | 80           | Vertical |
| 5    | 9920.0000          | 42.24             | 38.38        | -39.31         | 41.31             | 74.00             | 32.69          | 159            | 304          | Vertical |
| 6    | 9920.0000          | 34.47             | 38.38        | -39.31         | 33.54             | 54.00             | 20.46          | 255            | 164          | Vertical |

#### Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain.

The basic equation with a sample calculation is as follows:

Level = Reading( $dB\mu V$ ) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit( $dB\mu V/m$ ) – Level( $dB\mu V/m$ )

2) All channels have been tested, but only the worst case data displayed in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.apx.and">http://www.sgs.com/en/Terms-and-Conditions.apx.and</a>, conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.attention">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.attention</a> is drawn to the limitation of liability, indemification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration (orgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000

215000 t (86–512) 62992980 215000 t (86–512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com




Report No.: SEWA2301000005RG02

Rev.: 01 Page: 73 of 80

### Restricted bands around fundamental frequency

#### BLE 1M\_Channel 00



| Data List |                    |                   |              |                |                   |                   |                |                |              |            |  |  |
|-----------|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|----------------|--------------|------------|--|--|
| NO.       | Frequency<br>[MHz] | Reading<br>[dBµV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBµV/m] | Limit<br>[dBµV/m] | Margin<br>[dB] | Height<br>[cm] | Angle<br>[°] | Polarity   |  |  |
| 1         | 2369.8433          | 39.73             | 27.42        | -23.57         | 43.58             | 74.00             | 30.42          | 126            | 88           | Horizontal |  |  |
| 2         | 2374.7833          | 27.99             | 27.43        | -23.57         | 31.84             | 54.00             | 22.16          | 126            | 88           | Horizontal |  |  |
| 3         | 2385.53            | 40.42             | 27.43        | -23.57         | 44.28             | 74.00             | 29.72          | 126            | 88           | Horizontal |  |  |
| 4         | 2386.0933          | 28.01             | 27.43        | -23.57         | 31.87             | 54.00             | 22.13          | 126            | 88           | Horizontal |  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and


South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 74 of 80

#### **BLE 1M\_Channel 00**



| Data | Data List          |                   |              |                |                   |                   |                |                |              |          |  |  |  |
|------|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|----------------|--------------|----------|--|--|--|
| NO.  | Frequency<br>[MHz] | Reading<br>[dBµV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBµV/m] | Limit<br>[dBµV/m] | Margin<br>[dB] | Height<br>[cm] | Angle<br>[°] | Polarity |  |  |  |
| 1    | 2374.3067          | 28.22             | 27.43        | -23.57         | 32.07             | 54.00             | 21.93          | 169            | 350          | Vertical |  |  |  |
| 2    | 2375.3033          | 41.38             | 27.43        | -23.57         | 45.24             | 74.00             | 28.76          | 169            | 350          | Vertical |  |  |  |
| 3    | 2387.09            | 40.57             | 27.43        | -23.57         | 44.43             | 74.00             | 29.57          | 169            | 350          | Vertical |  |  |  |
| 4    | 2387.1333          | 28.50             | 27.43        | -23.57         | 32.36             | 54.00             | 21.64          | 169            | 350          | Vertical |  |  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Ferms-and-Conditions.aspx">http://www.sgs.com/en/Ferms-and-Conditions.aspx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions/Ferms-en-Document.aspx">http://www.sgs.com/en/Ferms-and-Conditions/Ferms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Liness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 75 of 80

#### **BLE 1M\_Channel 39**



| Data | Data List          |                   |              |                |                   |                   |                |                |              |            |  |  |  |
|------|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|----------------|--------------|------------|--|--|--|
| NO.  | Frequency<br>[MHz] | Reading<br>[dBµV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBµV/m] | Limit<br>[dBµV/m] | Margin<br>[dB] | Height<br>[cm] | Angle<br>[°] | Polarity   |  |  |  |
| 1    | 2483.725           | 43.10             | 27.72        | -23.54         | 47.27             | 74.00             | 26.73          | 166            | 213          | Horizontal |  |  |  |
| 2    | 2483.8525          | 32.34             | 27.72        | -23.54         | 36.51             | 54.00             | 17.49          | 166            | 213          | Horizontal |  |  |  |
| 3    | 2484.55            | 42.28             | 27.72        | -23.54         | 46.45             | 74.00             | 27.55          | 166            | 213          | Horizontal |  |  |  |
| 4    | 2485.225           | 30.77             | 27.72        | -23.54         | 34.95             | 54.00             | 19.05          | 166            | 213          | Horizontal |  |  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Ferms-and-Conditions.aspx">http://www.sgs.com/en/Ferms-and-Conditions.aspx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions/Ferms-en-Document.aspx">http://www.sgs.com/en/Ferms-and-Conditions/Ferms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Liness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,


South of No. 6 Part, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 76 of 80

#### **BLE 1M\_Channel 39**



| Data | Data List          |                   |              |                |                   |                   |                |                |              |          |  |  |  |
|------|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|----------------|--------------|----------|--|--|--|
| NO.  | Frequency<br>[MHz] | Reading<br>[dBµV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBµV/m] | Limit<br>[dBµV/m] | Margin<br>[dB] | Height<br>[cm] | Angle<br>[°] | Polarity |  |  |  |
| 1    | 2483.5375          | 43.56             | 27.72        | -23.54         | 47.73             | 74.00             | 26.27          | 188            | 177          | Vertical |  |  |  |
| 2    | 2483.605           | 32.04             | 27.72        | -23.54         | 36.21             | 54.00             | 17.79          | 188            | 177          | Vertical |  |  |  |
| 3    | 2484.5875          | 41.33             | 27.72        | -23.54         | 45.50             | 74.00             | 28.50          | 188            | 177          | Vertical |  |  |  |
| 4    | 2485.33            | 30.11             | 27.72        | -23.54         | 34.29             | 54.00             | 19.71          | 188            | 177          | Vertical |  |  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Ferms-and-Conditions.aspx">http://www.sgs.com/en/Ferms-and-Conditions.aspx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions/Ferms-en-Document.aspx">http://www.sgs.com/en/Ferms-and-Conditions/Ferms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Liness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,


South of No. 6 Part, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 77 of 80

#### BLE 2M\_Channel 00



| Data | Data List          |                   |              |                |                   |                   |                |                |              |            |  |  |  |
|------|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|----------------|--------------|------------|--|--|--|
| NO.  | Frequency<br>[MHz] | Reading<br>[dBµV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBµV/m] | Limit<br>[dBµV/m] | Margin<br>[dB] | Height<br>[cm] | Angle<br>[°] | Polarity   |  |  |  |
| 1    | 2376.69            | 27.95             | 27.43        | -23.57         | 31.81             | 54.00             | 22.19          | 155            | 89           | Horizontal |  |  |  |
| 2    | 2377.7733          | 39.42             | 27.43        | -23.57         | 43.28             | 74.00             | 30.72          | 155            | 89           | Horizontal |  |  |  |
| 3    | 2386.3967          | 28.09             | 27.43        | -23.57         | 31.95             | 54.00             | 22.05          | 155            | 89           | Horizontal |  |  |  |
| 4    | 2387.6967          | 39.62             | 27.43        | -23.57         | 43.48             | 74.00             | 30.52          | 155            | 89           | Horizontal |  |  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Ferms-and-Conditions.aspx">http://www.sgs.com/en/Ferms-and-Conditions.aspx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions/Ferms-en-Document.aspx">http://www.sgs.com/en/Ferms-and-Conditions/Ferms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Liness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 78 of 80

#### BLE 2M\_Channel 00



| Data List |                    |                   |              |                |                   |                   |                |                |              |          |
|-----------|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|----------------|--------------|----------|
| NO.       | Frequency<br>[MHz] | Reading<br>[dBµV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBµV/m] | Limit<br>[dBµV/m] | Margin<br>[dB] | Height<br>[cm] | Angle<br>[°] | Polarity |
| 1         | 2379.7667          | 40.49             | 27.43        | -23.57         | 44.35             | 74.00             | 29.65          | 284            | 270          | Vertical |
| 2         | 2382.02            | 27.76             | 27.43        | -23.57         | 31.62             | 54.00             | 22.38          | 284            | 270          | Vertical |
| 3         | 2386.7433          | 27.85             | 27.43        | -23.57         | 31.71             | 54.00             | 22.29          | 284            | 270          | Vertical |
| 4         | 2389.0833          | 39.48             | 27.43        | -23.57         | 43.34             | 74.00             | 30.66          | 284            | 270          | Vertical |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Ferms-and-Conditions.aspx">http://www.sgs.com/en/Ferms-and-Conditions.aspx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions/Ferms-en-Document.aspx">http://www.sgs.com/en/Ferms-and-Conditions/Ferms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Liness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.: SEWA2301000005RG02

Rev.: 01 Page: 79 of 80

#### **BLE 2M\_Channel 39**



| Data List |                    |                   |              |                |                   |                   |                |                |              |            |
|-----------|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|----------------|--------------|------------|
| NO.       | Frequency<br>[MHz] | Reading<br>[dBµV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBµV/m] | Limit<br>[dBµV/m] | Margin<br>[dB] | Height<br>[cm] | Angle<br>[°] | Polarity   |
| 1         | 2483.7475          | 43.65             | 27.72        | -23.54         | 47.82             | 74.00             | 26.18          | 255            | 197          | Horizontal |
| 2         | 2483.845           | 33.41             | 27.72        | -23.54         | 37.58             | 54.00             | 16.42          | 255            | 197          | Horizontal |
| 3         | 2485.93            | 30.03             | 27.72        | -23.54         | 34.21             | 54.00             | 19.79          | 255            | 197          | Horizontal |
| 4         | 2486.32            | 41.56             | 27.72        | -23.54         | 45.74             | 74.00             | 28.26          | 255            | 197          | Horizontal |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Ferms-and-Conditions.aspx">http://www.sgs.com/en/Ferms-and-Conditions.aspx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions/Ferms-en-Document.aspx">http://www.sgs.com/en/Ferms-and-Conditions/Ferms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Liness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,


South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2301000005RG02

Rev.: 01 80 of 80 Page:

#### **BLE 2M\_Channel 39**



| Data List |                    |                   |              |                |                   |                   |                |                |              |          |
|-----------|--------------------|-------------------|--------------|----------------|-------------------|-------------------|----------------|----------------|--------------|----------|
| NO.       | Frequency<br>[MHz] | Reading<br>[dBµV] | AF<br>[dB/m] | Factor<br>[dB] | Level<br>[dBµV/m] | Limit<br>[dBµV/m] | Margin<br>[dB] | Height<br>[cm] | Angle<br>[°] | Polarity |
| 1         | 2483.695           | 32.06             | 27.72        | -23.54         | 36.23             | 54.00             | 17.77          | 245            | 190          | Vertical |
| 2         | 2483.7775          | 42.47             | 27.72        | -23.54         | 46.64             | 74.00             | 27.36          | 245            | 190          | Vertical |
| 3         | 2484.82            | 41.55             | 27.72        | -23.54         | 45.73             | 74.00             | 28.27          | 245            | 190          | Vertical |
| 4         | 2484.9325          | 30.22             | 27.72        | -23.54         | 34.40             | 54.00             | 19.60          | 245            | 190          | Vertical |

#### Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain.

The basic equation with a sample calculation is as follows:

Level = Reading( $dB\mu V$ ) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit( $dB\mu V/m$ ) – Level( $dB\mu V/m$ )

---End of Report---



South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国。苏州。中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com