



### 1.4MHz Channel Bandwidth


#### Low Channel



#### Middle Channel




#### High Channel




### 3MHz Channel Bandwidth


#### Low Channel



#### Middle Channel




#### High Channel




### 5MHz Channel Bandwidth


#### Low Channel



#### Middle Channel




#### High Channel




### 10MHz Channel Bandwidth


#### Low Channel



#### Middle Channel



#### High Channel




Test Site	WZ-SR6	Test Engineer	Larry Yan
Test Date	2022-08-10	Test Band	LTE Band 13 1RB, QPSK


Channel Bandwidth (MHz)	Frequency (MHz)	Frequency Range (MHz)	Max Spurious Emissions (dBm)	Limit (dBm)	Result
5	779.50	30 ~ 10000	-39.89	≤ -13.00	Pass
5	782.00	30 ~ 10000	-33.28	≤ -13.00	Pass
5	784.50	30 ~ 10000	-39.62	≤ -13.00	Pass
10	782.00	30 ~ 10000	-39.74	≤ -13.00	Pass

### 5MHz Channel Bandwidth


#### Low Channel



#### Middle Channel




#### High Channel



### 10MHz Channel Bandwidth

#### Middle Channel




Test Site	WZ-SR6	Test Engineer	Larry Yan
Test Date	2022-08-09	Test Band	LTE Band 71 1RB, QPSK


Channel Bandwidth (MHz)	Frequency (MHz)	Frequency Range (MHz)	Max Spurious Emissions (dBm)	Limit (dBm)	Result
5	665.50	30 ~ 10000	-39.19	≤ -13.00	Pass
5	680.50	30 ~ 10000	-34.69	≤ -13.00	Pass
5	695.50	30 ~ 10000	-39.56	≤ -13.00	Pass
10	668.00	30 ~ 10000	-30.71	≤ -13.00	Pass
10	680.50	30 ~ 10000	-28.00	≤ -13.00	Pass
10	693.00	30 ~ 10000	-24.40	≤ -13.00	Pass
15	670.50	30 ~ 10000	-24.09	≤ -13.00	Pass
15	680.50	30 ~ 10000	-20.90	≤ -13.00	Pass
15	690.50	30 ~ 10000	-38.57	≤ -13.00	Pass
20	673.00	30 ~ 10000	-39.52	≤ -13.00	Pass
20	680.50	30 ~ 10000	-36.92	≤ -13.00	Pass
20	688.00	30 ~ 10000	-39.87	≤ -13.00	Pass

### 5MHz Channel Bandwidth


#### Low Channel



#### Middle Channel




#### High Channel




### 10MHz Channel Bandwidth


#### Low Channel



#### Middle Channel




#### High Channel




### 15MHz Channel Bandwidth


#### Low Channel



#### Middle Channel




#### High Channel




### 20MHz Channel Bandwidth


#### Low Channel



#### Middle Channel



#### High Channel



**A.7 Radiated Spurious Emissions Test Result**

Test Site	WZ-AC1	Test Engineer	Carl Jiang
Test Date	2023-08-12 ~ 2023-08-14	Test Band	LTE Band 2, 1RB, QPSK

Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
<b>Low Channel</b>							
140.580	8.1	17.8	25.9	82.3	-56.4	Quasi-peak	Horizontal
482.990	7.1	23.0	30.1	82.3	-52.2	Quasi-peak	Horizontal
57.645	6.2	18.2	24.4	82.3	-57.9	Quasi-peak	Vertical
142.520	11.2	17.9	29.1	82.3	-53.2	Quasi-peak	Vertical
3703.000	59.7	0.2	59.9	82.3	-22.4	Peak	Horizontal
14149.500	39.4	14.5	53.9	82.3	-28.4	Peak	Horizontal
3703.000	61.0	0.2	61.2	82.3	-21.1	Peak	Vertical
14234.500	38.3	14.8	53.1	82.3	-29.2	Peak	Vertical
<b>Middle Channel</b>							
141.550	5.0	17.9	22.9	82.3	-59.4	Quasi-peak	Horizontal
466.015	5.1	22.7	27.8	82.3	-54.5	Quasi-peak	Horizontal
159.995	18.3	18.3	36.6	82.3	-45.7	Quasi-peak	Vertical
468.925	5.6	22.8	28.4	82.3	-53.9	Quasi-peak	Vertical
3762.500	54.2	0.3	54.5	82.3	-27.8	Peak	Horizontal
13877.500	35.9	14.2	50.1	82.3	-32.2	Peak	Horizontal
3762.500	56.9	0.3	57.2	82.3	-25.1	Peak	Vertical
10571.000	36.3	13.9	50.2	82.3	-32.1	Peak	Vertical
<b>High Channel</b>							
159.980	5.7	18.3	24.0	82.3	-58.3	Quasi-peak	Horizontal
467.955	4.3	22.8	27.1	82.3	-55.2	Quasi-peak	Horizontal
138.640	11.3	17.6	28.9	82.3	-53.4	Quasi-peak	Vertical
159.980	19.6	18.3	37.9	82.3	-44.4	Quasi-peak	Vertical
3822.000	60.6	0.4	61.0	82.3	-21.3	Peak	Horizontal
10775.000	35.5	13.6	49.1	82.3	-33.2	Peak	Horizontal
3822.000	59.5	0.4	59.9	82.3	-22.4	Peak	Vertical
11081.000	36.8	13.5	50.3	82.3	-32.0	Peak	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).



Test Site	WZ-AC1	Test Engineer	Carl Jiang
Test Date	2023-08-12 ~ 2023-08-14	Test Band	LTE Band 4/66, 1RB, QPSK

Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
<b>Low Channel</b>							
141.550	8.7	17.9	26.6	82.3	-55.7	Quasi-peak	Horizontal
483.475	7.1	23.0	30.1	82.3	-52.2	Quasi-peak	Horizontal
56.675	7.1	18.3	25.4	82.3	-56.9	Quasi-peak	Vertical
140.580	11.4	17.8	29.2	82.3	-53.1	Quasi-peak	Vertical
3422.500	47.5	-1.0	46.5	82.3	-35.8	Peak	Horizontal
10962.000	36.5	13.6	50.1	82.3	-32.2	Peak	Horizontal
3422.500	51.9	-1.0	50.9	82.3	-31.4	Peak	Vertical
5131.000	43.0	3.8	46.8	82.3	-35.5	Peak	Vertical
<b>Middle Channel</b>							
159.980	5.4	18.3	23.7	82.3	-58.6	Quasi-peak	Horizontal
467.470	3.2	22.7	25.9	82.3	-56.4	Quasi-peak	Horizontal
159.980	12.3	18.3	30.6	82.3	-51.7	Quasi-peak	Vertical
467.955	4.3	22.8	27.1	82.3	-55.2	Quasi-peak	Vertical
3490.500	44.6	-0.5	44.1	82.3	-38.2	Peak	Horizontal
12339.000	37.5	12.2	49.7	82.3	-32.6	Peak	Horizontal
3490.500	50.3	-0.5	49.8	82.3	-32.5	Peak	Vertical
5233.000	42.3	3.6	45.9	82.3	-36.4	Peak	Vertical
<b>High Channel</b>							
159.980	7.4	18.3	25.7	82.3	-56.6	Quasi-peak	Horizontal
468.925	5.3	22.8	28.1	82.3	-54.2	Quasi-peak	Horizontal
159.980	5.6	18.3	23.9	82.3	-58.4	Quasi-peak	Vertical
479.595	2.3	22.9	25.2	82.3	-57.1	Quasi-peak	Vertical
3558.500	48.8	-0.3	48.5	82.3	-33.8	Peak	Horizontal
10681.500	35.0	13.8	48.8	82.3	-33.5	Peak	Horizontal
3558.500	52.8	-0.3	52.5	82.3	-29.8	Peak	Vertical
14047.500	36.9	14.2	51.1	82.3	-31.2	Peak	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Test Site	WZ-AC1	Test Engineer	Carl Jiang
Test Date	2023-08-12 ~ 2023-08-14	Test Band	LTE Band 5, 1RB, QPSK

Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
<b>Low Channel</b>							
140.580	8.2	17.8	26.0	82.3	-56.3	Quasi-peak	Horizontal
479.595	8.6	22.9	31.5	82.3	-50.8	Quasi-peak	Horizontal
59.585	4.3	18.0	22.3	82.3	-60.0	Quasi-peak	Vertical
141.550	10.2	17.9	28.1	82.3	-54.2	Quasi-peak	Vertical
2470.500	53.4	-3.1	50.3	82.3	-32.0	Peak	Horizontal
10477.500	35.7	13.9	49.6	82.3	-32.7	Peak	Horizontal
2470.500	55.8	-3.1	52.7	82.3	-29.6	Peak	Vertical
11047.000	36.5	13.8	50.3	82.3	-32.0	Peak	Vertical
<b>Middle Channel</b>							
154.160	10.6	18.2	28.8	82.3	-53.5	Quasi-peak	Horizontal
543.100	11.4	24.1	35.5	82.3	-46.8	Quasi-peak	Horizontal
159.980	10.1	18.3	28.4	82.3	-53.9	Quasi-peak	Vertical
604.725	9.5	25.8	35.3	82.3	-47.0	Quasi-peak	Vertical
2504.500	49.5	-3.2	46.3	82.3	-36.0	Peak	Horizontal
10579.500	34.7	13.9	48.6	82.3	-33.7	Peak	Horizontal
1671.500	53.7	-6.3	47.4	82.3	-34.9	Peak	Vertical
2504.500	51.7	-3.2	48.5	82.3	-33.8	Peak	Vertical
<b>High Channel</b>							
544.585	8.4	24.1	32.5	82.3	-49.8	Quasi-peak	Horizontal
702.511	4.4	26.8	31.2	82.3	-51.1	Quasi-peak	Horizontal
159.980	18.0	18.3	36.3	82.3	-46.0	Quasi-peak	Vertical
521.305	11.1	23.7	34.8	82.3	-47.5	Quasi-peak	Vertical
2547.000	49.7	-3.0	46.7	82.3	-35.6	Peak	Horizontal
14379.000	37.6	15.0	52.6	82.3	-29.7	Peak	Horizontal
1697.000	52.1	-6.4	45.7	82.3	-36.6	Peak	Vertical
2547.000	51.3	-3.0	48.3	82.3	-34.0	Peak	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Test Site	WZ-AC1	Test Engineer	Carl Jiang
Test Date	2023-08-12 ~ 2023-08-14	Test Band	LTE Band 12, 1RB, QPSK

Frequency (MHz)	Reading Level (dB $\mu$ V)	Factor (dB/m)	Measure Level (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Detector	Polarization
<b>Low Channel</b>							
158.040	7.3	18.3	25.6	82.3	-56.7	Quasi-peak	Horizontal
484.930	7.8	23.0	30.8	82.3	-51.5	Quasi-peak	Horizontal
57.160	6.3	18.3	24.6	82.3	-57.7	Quasi-peak	Vertical
141.550	10.5	17.9	28.4	82.3	-53.9	Quasi-peak	Vertical
1399.500	54.6	-5.5	49.1	82.3	-33.2	Peak	Horizontal
2096.500	49.1	-4.0	45.1	82.3	-37.2	Peak	Horizontal
1399.500	57.8	-5.5	52.3	82.3	-30.0	Peak	Vertical
2096.500	54.1	-4.0	50.1	82.3	-32.2	Peak	Vertical
<b>Middle Channel</b>							
165.800	8.6	18.1	26.7	82.3	-55.6	Quasi-peak	Horizontal
588.720	8.1	25.2	33.3	82.3	-49.0	Quasi-peak	Horizontal
159.980	7.6	18.3	25.9	82.3	-56.4	Quasi-peak	Vertical
542.160	8.6	24.1	32.7	82.3	-49.6	Quasi-peak	Vertical
1416.500	50.7	-5.5	45.2	82.3	-37.1	Peak	Horizontal
2122.000	46.2	-3.8	42.4	82.3	-39.9	Peak	Horizontal
1416.500	53.5	-5.5	48.0	82.3	-34.3	Peak	Vertical
14532.000	36.3	15.1	51.4	82.3	-30.9	Peak	Vertical
<b>High Channel</b>							
156.100	8.4	18.3	26.7	82.3	-55.6	Quasi-peak	Horizontal
609.575	8.1	26.0	34.1	82.3	-48.2	Quasi-peak	Horizontal
159.980	8.1	18.3	26.4	82.3	-55.9	Quasi-peak	Vertical
590.175	8.4	25.2	33.6	82.3	-48.7	Quasi-peak	Vertical
1433.500	49.5	-5.6	43.9	82.3	-38.4	Peak	Horizontal
2861.500	44.8	-1.8	43.0	82.3	-39.3	Peak	Horizontal
1756.500	57.7	-6.1	51.6	82.3	-30.7	Peak	Vertical
2147.500	52.6	-3.4	49.2	82.3	-33.1	Peak	Vertical

Note: Measure Level (dB $\mu$ V/m) = Reading Level (dB $\mu$ V) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Test Site	WZ-AC1	Test Engineer	Carl Jiang
Test Date	2023-08-12 ~ 2023-08-14	Test Band	LTE Band 13, 1RB, QPSK

Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
<b>Low Channel</b>							
140.580	8.3	17.8	26.1	82.3	-56.2	Quasi-peak	Horizontal
481.535	8.1	23.0	31.1	82.3	-51.2	Quasi-peak	Horizontal
58.130	7.3	18.2	25.5	82.3	-56.8	Quasi-peak	Vertical
140.580	11.6	17.8	29.4	82.3	-52.9	Quasi-peak	Vertical
1586.500	42.7	-6.0	36.7	55.3	-18.6	Peak	Horizontal
2334.500	57.9	-2.9	55.0	82.3	-27.3	Peak	Horizontal
1595.000	41.1	-6.0	35.1	55.3	-20.2	Peak	Vertical
2334.500	61.4	-2.9	58.5	82.3	-23.8	Peak	Vertical
<b>Middle Channel</b>							
159.980	8.4	18.3	26.7	82.3	-55.6	Quasi-peak	Horizontal
470.380	10.2	22.8	33.0	82.3	-49.3	Quasi-peak	Horizontal
159.980	8.3	18.3	26.6	82.3	-55.7	Quasi-peak	Vertical
490.750	3.6	23.1	26.7	82.3	-55.6	Quasi-peak	Vertical
1561.000	49.4	-6.1	43.3	55.3	-12.0	Peak	Horizontal
2343.000	54.2	-3.0	51.2	82.3	-31.1	Peak	Horizontal
1561.000	48.7	-6.1	42.6	55.3	-12.7	Peak	Vertical
2343.000	55.2	-3.0	52.2	82.3	-30.1	Peak	Vertical
<b>High Channel</b>							
159.980	5.4	18.3	23.7	82.3	-58.6	Quasi-peak	Horizontal
468.440	8.3	22.8	31.1	82.3	-51.2	Quasi-peak	Horizontal
159.980	4.7	18.3	23.0	82.3	-59.3	Quasi-peak	Vertical
462.135	4.1	22.6	26.7	82.3	-55.6	Quasi-peak	Vertical
1569.500	47.6	-6.0	41.6	55.3	-13.7	Peak	Horizontal
2360.000	52.5	-3.1	49.4	82.3	-32.9	Peak	Horizontal
1569.500	47.8	-6.0	41.8	55.3	-13.5	Peak	Vertical
2360.000	55.2	-3.1	52.1	82.3	-30.2	Peak	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Test Site	WZ-AC1	Test Engineer	Carl Jiang
Test Date	2023-08-12 ~ 2023-08-14	Test Band	LTE Band 71, 1RB, QPSK

Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
<b>Low Channel</b>							
141.550	10.3	17.9	28.2	82.3	-54.1	Quasi-peak	Horizontal
484.445	7.9	23.0	30.9	82.3	-51.4	Quasi-peak	Horizontal
56.675	8.1	18.3	26.4	82.3	-55.9	Quasi-peak	Vertical
142.520	12.4	17.9	30.3	82.3	-52.0	Quasi-peak	Vertical
1323.000	55.5	-5.7	49.8	82.3	-32.5	Peak	Horizontal
1986.000	55.4	-5.1	50.3	82.3	-32.0	Peak	Horizontal
1323.000	57.2	-5.7	51.5	82.3	-30.8	Peak	Vertical
1986.000	57.3	-5.1	52.2	82.3	-30.1	Peak	Vertical
<b>Middle Channel</b>							
159.980	4.3	18.3	22.6	82.3	-59.7	Quasi-peak	Horizontal
471.350	10.3	22.8	33.1	82.3	-49.2	Quasi-peak	Horizontal
159.980	8.7	18.3	27.0	82.3	-55.3	Quasi-peak	Vertical
469.410	2.3	22.8	25.1	82.3	-57.2	Quasi-peak	Vertical
1357.000	53.1	-5.6	47.5	82.3	-34.8	Peak	Horizontal
2037.000	49.3	-4.6	44.7	82.3	-37.6	Peak	Horizontal
1357.000	54.5	-5.6	48.9	82.3	-33.4	Peak	Vertical
2037.000	54.5	-4.6	49.9	82.3	-32.4	Peak	Vertical
<b>High Channel</b>							
159.980	6.3	18.3	24.6	82.3	-57.7	Quasi-peak	Horizontal
469.410	8.3	22.8	31.1	82.3	-51.2	Quasi-peak	Horizontal
159.980	12.3	18.3	30.6	82.3	-51.7	Quasi-peak	Vertical
465.045	2.3	22.7	25.0	82.3	-57.3	Quasi-peak	Vertical
1357.000	47.9	-5.6	42.3	82.3	-40.0	Peak	Horizontal
2037.000	43.8	-4.6	39.2	82.3	-43.1	Peak	Horizontal
1365.500	47.9	-5.5	42.4	82.3	-39.9	Peak	Vertical
2045.500	47.6	-4.6	43.0	82.3	-39.3	Peak	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

## Appendix B - Test Setup Photograph

Refer to "2308RSU011-UT" file.

## Appendix C - EUT Photograph

Refer to "2308RSU011-UE" file.