



Report No.: SEWM2304000133RG10

Rev.: 01 Page: 1 of 7

Appendix B.7

LTE Band 13



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic Documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issued sefined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州 | 下区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2304000133RG10

Rev.: 01 Page: 2 of 7

Effective (Isotropic) Radiated Power Output Data

Test Result

| Band | Bandwidth | Modulation | Channel | RB Configuration | Result(dBm) | ERP(dBm) | Limit(dBm) | Verdict |
|--------|-----------|------------|---------|---------------------|-------------|----------|------------|---------|
| Band13 | 5MHz | QPSK | 23205 | 1RB#0 | 23.61 | 23.00 | 34.77 | PASS |
| Band13 | 5MHz | QPSK | 23205 | 1RB#12 | 23.57 | 22.96 | 34.77 | PASS |
| Band13 | 5MHz | QPSK | 23205 | 1RB#24 | 23.63 | 23.02 | 34.77 | PASS |
| Band13 | 5MHz | QPSK | 23205 | 25RB#0 | 22.79 | 22.18 | 34.77 | PASS |
| Band13 | 5MHz | QPSK | 23230 | 1RB#0 | 23.63 | 23.02 | 34.77 | PASS |
| Band13 | 5MHz | QPSK | 23230 | 1RB#12 | 23.69 | 23.08 | 34.77 | PASS |
| Band13 | 5MHz | QPSK | 23230 | 1RB#24 | 23.64 | 23.03 | 34.77 | PASS |
| Band13 | 5MHz | QPSK | 23230 | 25RB#0 | 22.72 | 22.11 | 34.77 | PASS |
| Band13 | 5MHz | QPSK | 23255 | 1RB#0 | 23.69 | 23.08 | 34.77 | PASS |
| Band13 | 5MHz | QPSK | 23255 | 1RB#12 | 23.67 | 23.06 | 34.77 | PASS |
| Band13 | 5MHz | QPSK | 23255 | 1RB#24 | 23.63 | 23.02 | 34.77 | PASS |
| Band13 | 5MHz | QPSK | 23255 | 25RB#0 | 22.76 | 22.15 | 34.77 | PASS |
| Band13 | 5MHz | 16QAM | 23205 | 1RB#0 | 22.84 | 22.23 | 34.77 | PASS |
| Band13 | 5MHz | 16QAM | 23205 | 1RB#12 | 22.84 | 22.23 | 34.77 | PASS |
| Band13 | 5MHz | 16QAM | 23205 | 1RB#24 | 22.93 | 22.32 | 34.77 | PASS |
| Band13 | 5MHz | 16QAM | 23205 | 25RB#0 | 21.81 | 21.20 | 34.77 | PASS |
| Band13 | 5MHz | 16QAM | 23230 | 1RB#0 | 22.88 | 22.27 | 34.77 | PASS |
| Band13 | 5MHz | 16QAM | 23230 | 1RB#12 | 22.97 | 22.36 | 34.77 | PASS |
| Band13 | 5MHz | 16QAM | 23230 | 1RB#24 | 22.95 | 22.34 | 34.77 | PASS |
| Band13 | 5MHz | 16QAM | 23230 | 25RB#0 | 21.78 | 21.17 | 34.77 | PASS |
| Band13 | 5MHz | 16QAM | 23255 | 1RB#0 | 22.98 | 22.37 | 34.77 | PASS |
| Band13 | 5MHz | 16QAM | 23255 | 1RB#12 | 22.93 | 22.32 | 34.77 | PASS |
| Band13 | 5MHz | 16QAM | 23255 | 1RB#24 | 22.86 | 22.25 | 34.77 | PASS |
| Band13 | 5MHz | 16QAM | 23255 | 25RB#0 | 21.76 | 21.15 | 34.77 | PASS |
| Band13 | 10MHz | QPSK | 23230 | 1RB#0 | 23.63 | 23.02 | 34.77 | PASS |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980

t (86–512) 62992980 www.sgsgroup.com.cn + (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2304000133RG10

Rev.: 01 Page: 3 of 7

| Band13 | 10MHz | QPSK | 23230 | 1RB#24 | 23.72 | 23.11 | 34.77 | PASS |
|--------|-------|-------|-------|--------|-------|-------|-------|------|
| Band13 | 10MHz | QPSK | 23230 | 1RB#49 | 23.61 | 23.00 | 34.77 | PASS |
| Band13 | 10MHz | QPSK | 23230 | 50RB#0 | 22.79 | 22.18 | 34.77 | PASS |
| Band13 | 10MHz | 16QAM | 23230 | 1RB#0 | 22.80 | 22.19 | 34.77 | PASS |
| Band13 | 10MHz | 16QAM | 23230 | 1RB#24 | 22.96 | 22.35 | 34.77 | PASS |
| Band13 | 10MHz | 16QAM | 23230 | 1RB#49 | 22.91 | 22.30 | 34.77 | PASS |
| Band13 | 10MHz | 16QAM | 23230 | 50RB#0 | 21.84 | 21.23 | 34.77 | PASS |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-



Report No.: SEWM2304000133RG10

Rev.: 01 Page: 4 of 7

Field Strength of Spurious Radiation

Test Band = LTE_13_5M _TM1
Test Channel = LCH

| Final D | Final Data List | | | | | | | | | | | |
|---------|-----------------|---------|--------|--------|--------|--------|--------|--------|-------|------------|--|--|
| NO | Freq. | Reading | Factor | AF | Level | Limit | Margin | Height | Angle | 6 | | |
| NO. | [MHz] | [dBµV] | [dB] | [dB/m] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | | |
| 1 | 1554.5693 | 27.13 | -19.23 | 25.89 | -61.47 | -13.00 | 48.47 | 347 | 344 | Horizontal | | |
| 2 | 2303.913 | 24.33 | -17.92 | 27.62 | -61.23 | -13.00 | 48.23 | 237 | 250 | Horizontal | | |
| 3 | 3898.4949 | 51.96 | -49.05 | 30.59 | -61.76 | -13.00 | 48.76 | 236 | 354 | Horizontal | | |
| 4 | 5245.7123 | 51.11 | -46.47 | 33.31 | -57.31 | -13.00 | 44.31 | 221 | 237 | Horizontal | | |
| 5 | 7500.175 | 49.79 | -43.17 | 36.60 | -52.04 | -13.00 | 39.04 | 142 | 2 | Horizontal | | |
| 6 | 9034.3017 | 48.77 | -41.80 | 38.73 | -49.56 | -13.00 | 36.56 | 273 | 138 | Horizontal | | |

| Final D | Final Data List | | | | | | | | | | | |
|---------|-----------------|-------------------|----------------|--------------|----------------|----------------|----------------|----------------|-----------|----------|--|--|
| NO. | Freq. [MHz] | Reading [dBµV] | Factor [dB] | AF [dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Height [cm] | Angle [°] | Polarity | | |
| 1 | 1554.8194 | 25.22 | -19.23 | 25.89 | -63.38 | -13.00 | 50.38 | 304 | 210 | Vertical | | |
| 2 | 2413.6767 | 25.46 | -17.54 | 27.83 | -59.51 | -13.00 | 46.51 | 322 | 261 | Vertical | | |
| 3 | 3978.999 | 52.33 | -49.08 | 31.02 | -60.99 | -13.00 | 47.99 | 259 | 300 | Vertical | | |
| 4 | 5441.7221 | 51.43 | -45.61 | 33.35 | -56.09 | -13.00 | 43.09 | 265 | 163 | Vertical | | |
| 5 | 7114.1057 | 49.25 | -43.87 | 36.96 | -52.92 | -13.00 | 39.92 | 211 | 281 | Vertical | | |
| 6 | 9051.1026 | 48.68 | -41.88 | 38.70 | -49.76 | -13.00 | 36.76 | 171 | 25 | Vertical | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and



Report No.: SEWM2304000133RG10

Rev.: 01 Page: 5 of 7

Test Band = LTE_13_5M _TM1 Test Channel = MCH

| Final D | Final Data List | | | | | | | | | | | |
|---------|-----------------|---------|--------|--------|--------|--------|--------|--------|-------|------------|--|--|
| NO | Freq. | Reading | Factor | AF | Level | Limit | Margin | Height | Angle | Delegite | | |
| NO. | [MHz] | [dBµV] | [dB] | [dB/m] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | | |
| 1 | 1559.5699 | 28.28 | -19.24 | 25.88 | -60.34 | -40.00 | 20.34 | 142 | 2 | Horizontal | | |
| 2 | 2525.4407 | 24.75 | -17.85 | 28.15 | -60.21 | -13.00 | 47.21 | 216 | 102 | Horizontal | | |
| 3 | 3647.5324 | 52.72 | -49.16 | 30.39 | -61.31 | -13.00 | 48.31 | 211 | 236 | Horizontal | | |
| 4 | 5269.5135 | 51.25 | -46.56 | 33.32 | -57.25 | -13.00 | 44.25 | 273 | 90 | Horizontal | | |
| 5 | 7459.573 | 49.78 | -43.47 | 36.68 | -52.27 | -13.00 | 39.27 | 195 | 296 | Horizontal | | |
| 6 | 8413.7207 | 50.38 | -43.08 | 37.71 | -50.25 | -13.00 | 37.25 | 192 | 252 | Horizontal | | |

| Final D | Final Data List | | | | | | | | | | | |
|---------|-----------------|---------|--------|--------|--------|--------|--------|--------|-------|----------|--|--|
| NO. | Freq. | Reading | Factor | AF | Level | Limit | Margin | Height | Angle | Polarity | | |
| NO. | [MHz] | [dBµV] | [dB] | [dB/m] | [dBm] | [dBm] | [dB] | [cm] | [°] | Folality | | |
| 1 | 1559.5699 | 26.19 | -19.24 | 25.88 | -62.43 | -40.00 | 22.43 | 310 | 240 | Vertical | | |
| 2 | 2411.4264 | 24.81 | -17.53 | 27.82 | -60.16 | -13.00 | 47.16 | 211 | 44 | Vertical | | |
| 3 | 3507.8754 | 52.81 | -49.14 | 29.85 | -61.74 | -13.00 | 48.74 | 210 | 280 | Vertical | | |
| 4 | 5494.2247 | 51.03 | -45.47 | 33.13 | -56.57 | -13.00 | 43.57 | 259 | 207 | Vertical | | |
| 5 | 7479.874 | 49.85 | -43.32 | 36.64 | -52.09 | -13.00 | 39.09 | 171 | 358 | Vertical | | |
| 6 | 9031.1516 | 48.45 | -41.79 | 38.74 | -49.86 | -13.00 | 36.86 | 304 | 295 | Vertical | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and



Report No.: SEWM2304000133RG10

Rev.: 01 Page: 6 of 7

Test Band = LTE_13_5M _TM1 Test Channel = HCH

| Final D | Final Data List | | | | | | | | | | | |
|---------|-----------------|---------|--------|--------|--------|--------|--------|--------|-------|------------|--|--|
| NO | Freq. | Reading | Factor | AF | Level | Limit | Margin | Height | Angle | Delegite | | |
| NO. | [MHz] | [dBµV] | [dB] | [dB/m] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | | |
| 1 | 1564.8206 | 29.56 | -19.25 | 25.87 | -59.08 | -40.00 | 19.08 | 216 | 347 | Horizontal | | |
| 2 | 2441.4302 | 26.28 | -17.67 | 27.88 | -58.77 | -13.00 | 45.77 | 223 | 44 | Horizontal | | |
| 3 | 3892.8946 | 52.13 | -49.13 | 30.57 | -61.69 | -13.00 | 48.69 | 316 | 325 | Horizontal | | |
| 4 | 5247.1124 | 51.06 | -46.48 | 33.34 | -57.34 | -13.00 | 44.34 | 195 | 45 | Horizontal | | |
| 5 | 7141.4071 | 49.38 | -44.03 | 37.07 | -52.84 | -13.00 | 39.84 | 205 | 241 | Horizontal | | |
| 6 | 8548.8274 | 48.55 | -42.27 | 39.07 | -49.91 | -13.00 | 36.91 | 192 | 295 | Horizontal | | |

| Final D | Final Data List | | | | | | | | | | | |
|---------|-----------------|---------|--------|--------|--------|--------|--------|--------|-------|----------|--|--|
| NO. | Freq. | Reading | Factor | AF | Level | Limit | Margin | Height | Angle | Dolority | | |
| NO. | [MHz] | [dBµV] | [dB] | [dB/m] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | | |
| 1 | 1564.5706 | 26.03 | -19.25 | 25.87 | -62.61 | -40.00 | 22.61 | 216 | 81 | Vertical | | |
| 2 | 2208.9011 | 24.22 | -17.90 | 27.66 | -61.28 | -13.00 | 48.28 | 193 | 164 | Vertical | | |
| 3 | 3900.945 | 52.11 | -49.03 | 30.61 | -61.57 | -13.00 | 48.57 | 203 | 167 | Vertical | | |
| 4 | 5476.3738 | 51.03 | -45.50 | 33.24 | -56.49 | -13.00 | 43.49 | 171 | 65 | Vertical | | |
| 5 | 7479.874 | 49.87 | -43.32 | 36.64 | -52.07 | -13.00 | 39.07 | 259 | 310 | Vertical | | |
| 6 | 9038.8519 | 48.63 | -41.82 | 38.72 | -49.73 | -13.00 | 36.73 | 304 | 25 | Vertical | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and



Report No.: SEWM2304000133RG10

Rev.: 01 Page: 7 of 7

Test Band = LTE_13_10M _TM1 Test Channel = MCH

| Final D | Final Data List | | | | | | | | | | | |
|---------|-----------------|---------|--------|--------|--------|--------|--------|--------|-------|------------|--|--|
| NO | Freq. | Reading | Factor | AF | Level | Limit | Margin | Height | Angle | Delegite | | |
| NO. | [MHz] | [dBµV] | [dB] | [dB/m] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | | |
| 1 | 1555.0694 | 27.69 | -19.23 | 25.89 | -60.91 | -13.00 | 47.91 | 323 | 304 | Horizontal | | |
| 2 | 1588.8236 | 23.31 | -19.30 | 25.82 | -65.43 | -40.00 | 25.43 | 192 | 128 | Horizontal | | |
| 3 | 3947.8474 | 52.19 | -49.10 | 30.89 | -61.28 | -13.00 | 48.28 | 273 | 2 | Horizontal | | |
| 4 | 5318.1659 | 51.74 | -46.48 | 33.20 | -56.80 | -13.00 | 43.80 | 211 | 251 | Horizontal | | |
| 5 | 7107.8054 | 49.50 | -43.84 | 36.93 | -52.67 | -13.00 | 39.67 | 236 | 345 | Horizontal | | |
| 6 | 9038.5019 | 48.36 | -41.82 | 38.72 | -50.00 | -13.00 | 37.00 | 142 | 172 | Horizontal | | |

| Final D | Final Data List | | | | | | | | | | | |
|---------|-----------------|---------|--------|--------|--------|--------|--------|--------|-------|----------|--|--|
| NO | Freq. | Reading | Factor | AF | Level | Limit | Margin | Height | Angle | | | |
| NO. | [MHz] | [dBµV] | [dB] | [dB/m] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | | |
| 1 | 1555.3194 | 25.57 | -19.23 | 25.89 | -63.03 | -13.00 | 50.03 | 304 | 207 | Vertical | | |
| 2 | 1580.3225 | 23.58 | -19.28 | 25.84 | -65.12 | -40.00 | 25.12 | 304 | 2 | Vertical | | |
| 3 | 2558.1948 | 25.01 | -17.67 | 28.32 | -59.60 | -13.00 | 46.60 | 188 | 244 | Vertical | | |
| 4 | 4224.0112 | 52.54 | -48.52 | 31.79 | -59.45 | -13.00 | 46.45 | 265 | 172 | Vertical | | |
| 5 | 5452.9226 | 51.02 | -45.54 | 33.38 | -56.40 | -13.00 | 43.40 | 171 | 315 | Vertical | | |
| 6 | 7501.5751 | 49.82 | -43.20 | 36.61 | -52.03 | -13.00 | 39.03 | 259 | 1 | Vertical | | |

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit - Level

---End of Attachment---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-en-Document-Terms-en-Document-Terms-en-Document-Terms-en-Document-Terms-en-Document-Terms-en-Document-Terms-en-Document-Terms-en-Document-Terms-en-Document-Terms-en-Document-Terms-en-Document-Terms-en-Document-Terms-en-Term

South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州 | 上四国区河胜路(日的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com