





11G\_Ant1\_2462\_30~1000




11G\_Ant1\_2462\_1000~26500






11G\_Ant2\_2462\_30~1000




11G\_Ant2\_2462\_1000~26500






11N20MIMO\_Ant1\_2412\_30~1000



Date: 21 DEC. 2023 09:37:42


11N20MIMO\_Ant1\_2412\_1000~26500



Date: 21 DEC. 2023 09:37:58




11N20MIMO\_Ant2\_2412\_30~1000



Date: 21 DEC.2023 09:39:00


11N20MIMO\_Ant2\_2412\_1000~26500



Date: 21 DEC.2023 09:39:16




11N20MIMO\_Ant1\_2437\_30~1000



Date: 21 DEC.2023 09:40:30


11N20MIMO\_Ant1\_2437\_1000~26500



Date: 21 DEC.2023 09:40:45




11N20MIMO\_Ant2\_2437\_30~1000





Date: 21 DEC. 2023 09:41:45

11N20MIMO\_Ant2\_2437\_1000~26500




Date: 21 DEC. 2023 09:42:00






11N20MIMO\_Ant2\_2462\_30~1000



Date: 21 DEC. 2023 09:45:55

11N20MIMO\_Ant2\_2462\_1000~26500




Date: 21 DEC. 2023 09:46:56






11N40MIMO\_Ant1\_2422\_30~1000



Date: 21 DEC. 2023 09:48:38


11N40MIMO\_Ant1\_2422\_1000~26500



Date: 21 DEC. 2023 09:48:53




11N40MIMO\_Ant2\_2422\_30~1000





Date: 21 DEC. 2023 09:50:06

11N40MIMO\_Ant2\_2422\_1000~26500




Date: 21 DEC. 2023 09:50:22






11N40MIMO\_Ant2\_2437\_30~1000



Date: 21 DEC. 2023 09:54:55


11N40MIMO\_Ant2\_2437\_1000~26500



Date: 21 DEC. 2023 09:55:10




11N40MIMO\_Ant1\_2452\_30~1000



Date: 21 DEC. 2023 09:56:40


11N40MIMO\_Ant1\_2452\_1000~26500



Date: 21 DEC. 2023 09:56:55




11N40MIMO\_Ant2\_2452\_30~1000



Date: 21 DEC. 2023 09:59:00


11N40MIMO\_Ant2\_2452\_1000~26500



Date: 21 DEC. 2023 10:00:26




11AX20MIMO\_Ant1\_2412\_30~1000



Date: 16.DEC.2023 08:29:27


11AX20MIMO\_Ant1\_2412\_1000~26500



Date: 16.DEC.2023 08:29:43




11AX20MIMO\_Ant2\_2412\_30~1000





Date: 16.DEC.2023 08:31:39

11AX20MIMO\_Ant2\_2412\_1000~26500




Date: 16.DEC.2023 08:31:55








11AX20MIMO\_Ant2\_2437\_30~1000



Date: 16.DEC.2023 08:34:42


11AX20MIMO\_Ant2\_2437\_1000~26500



Date: 16.DEC.2023 08:34:58




11AX20MIMO\_Ant1\_2462\_30~1000



Date: 16.DEC.2023 08:36:23


11AX20MIMO\_Ant1\_2462\_1000~26500




Date: 16.DEC.2023 08:36:39



11AX20MIMO\_Ant2\_2462\_30~1000




11AX20MIMO\_Ant2\_2462\_1000~26500






11AX40MIMO\_Ant1\_2422\_30~1000



Date: 16.DEC.2023 08:40:06


11AX40MIMO\_Ant1\_2422\_1000~26500




Date: 16.DEC.2023 08:40:22



11AX40MIMO\_Ant2\_2422\_30~1000




11AX40MIMO\_Ant2\_2422\_1000~26500






11AX40MIMO\_Ant1\_2437\_30~1000



Date: 16.DEC.2023 08:43:24


11AX40MIMO\_Ant1\_2437\_1000~26500



Date: 16.DEC.2023 08:43:40




11AX40MIMO\_Ant2\_2437\_30~1000



Date: 16.DEC.2023 08:44:47

11AX40MIMO\_Ant2\_2437\_1000~26500




Date: 16.DEC.2023 08:45:03






11AX40MIMO\_Ant1\_2452\_30~1000




11AX40MIMO\_Ant1\_2452\_1000~26500






11AX40MIMO\_Ant2\_2452\_30~1000




11AX40MIMO\_Ant2\_2452\_1000~26500





## Appendix B. AC Conducted Emission Test Results

|                 |   |                     |             |
|-----------------|---|---------------------|-------------|
| Test Engineer : | Amos  | Temperature :       | 25.3~26.2°C |
|                 |   | Relative Humidity : | 38~40%      |
| Test Voltage :  | 120Vac / 60Hz   | Phase :             | Line        |
| Remark :        | All emissions not reported here are more than 10 dB below the prescribed limit. |                     |             |




Site : CO01-KS  
 Condition : 15C RSS247-QP LISN-060105-L 2023 LINE

|      | Freq  | Level | Over Limit | Limit Line | Read Level | LISN Factor | Cable Loss | Remark  |
|------|-------|-------|------------|------------|------------|-------------|------------|---------|
|      | MHz   | dBuV  | dB         | dBuV       | dBuV       | dB          | dB         |         |
| 1    | 0.152 | 49.18 | -16.73     | 65.91      | 38.70      | 0.05        | 10.43      | QP      |
| 2    | 0.152 | 32.08 | -23.83     | 55.91      | 21.60      | 0.05        | 10.43      | Average |
| 3    | 0.166 | 46.57 | -18.59     | 65.16      | 36.10      | 0.04        | 10.43      | QP      |
| 4    | 0.166 | 29.27 | -25.89     | 55.16      | 18.80      | 0.04        | 10.43      | Average |
| 5    | 0.187 | 41.76 | -22.39     | 64.15      | 31.31      | 0.03        | 10.42      | QP      |
| 6    | 0.187 | 25.56 | -28.59     | 54.15      | 15.11      | 0.03        | 10.42      | Average |
| 7    | 0.206 | 38.55 | -24.81     | 63.36      | 28.11      | 0.03        | 10.41      | QP      |
| 8    | 0.206 | 22.95 | -30.41     | 53.36      | 12.51      | 0.03        | 10.41      | Average |
| 9    | 0.435 | 38.55 | -18.60     | 57.15      | 28.29      | -0.01       | 10.27      | QP      |
| 10 * | 0.435 | 36.95 | -10.20     | 47.15      | 26.69      | -0.01       | 10.27      | Average |
| 11   | 4.797 | 27.12 | -28.88     | 56.00      | 17.20      | -0.14       | 10.06      | QP      |
| 12   | 4.797 | 20.82 | -25.18     | 46.00      | 10.90      | -0.14       | 10.06      | Average |



|                 |   |                     |             |
|-----------------|---|---------------------|-------------|
| Test Engineer : | Amos  | Temperature :       | 25.3~26.2°C |
|                 |   | Relative Humidity : | 38~40%      |
| Test Voltage :  | 120Vac / 60Hz   | Phase :             | Neutral     |
| Remark :        | All emissions not reported here are more than 10 dB below the prescribed limit. |                     |             |



Site : CO01-KS  
 Condition : 15C RSS247-QP LISN-060105-N 2023 NEUTRAL

|      | Freq  | Level | Over   | Limit | Read  | LISN   | Cable |         |
|------|-------|-------|--------|-------|-------|--------|-------|---------|
|      | MHz   | dBuV  | Limit  | Line  | Level | Factor | Loss  | Remark  |
|      |       |       | dB     | dBuV  | dBuV  | dB     | dB    |         |
| 1    | 0.152 | 48.27 | -17.64 | 65.91 | 37.80 | 0.04   | 10.43 | QP      |
| 2    | 0.152 | 31.77 | -24.14 | 55.91 | 21.30 | 0.04   | 10.43 | Average |
| 3    | 0.174 | 44.07 | -20.70 | 64.77 | 33.60 | 0.05   | 10.42 | QP      |
| 4    | 0.174 | 27.37 | -27.40 | 54.77 | 16.90 | 0.05   | 10.42 | Average |
| 5    | 0.191 | 41.67 | -22.31 | 63.98 | 31.20 | 0.05   | 10.42 | QP      |
| 6    | 0.191 | 25.97 | -28.01 | 53.98 | 15.50 | 0.05   | 10.42 | Average |
| 7    | 0.207 | 38.95 | -24.37 | 63.32 | 28.50 | 0.04   | 10.41 | QP      |
| 8    | 0.207 | 24.05 | -29.27 | 53.32 | 13.60 | 0.04   | 10.41 | Average |
| 9    | 0.435 | 37.10 | -20.05 | 57.15 | 26.89 | -0.06  | 10.27 | QP      |
| 10 * | 0.435 | 35.60 | -11.55 | 47.15 | 25.39 | -0.06  | 10.27 | Average |
| 11   | 4.772 | 28.13 | -27.87 | 56.00 | 18.20 | -0.13  | 10.06 | QP      |
| 12   | 4.772 | 20.23 | -25.77 | 46.00 | 10.30 | -0.13  | 10.06 | Average |

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



## Appendix C. Radiated Spurious Emission Test Data

|                 |          |                     |         |
|-----------------|----------|---------------------|---------|
| Test Engineer : | Jerry Xu | Relative Humidity : | 41~42%  |
|                 |          | Temperature :       | 22~23°C |

### Radiated Spurious Emission Test Modes

| Mode    | Band (MHz)  | Antenna | Modulation    | Channel | Frequency | Data Rate | RU       | Remark |
|---------|-------------|---------|---------------|---------|-----------|-----------|----------|--------|
| Mode 1  | 2400-2483.5 | 0       | 802.11b       | 01      | 2412      | 1Mbps     | -        | -      |
| Mode 2  | 2400-2483.5 | 0       | 802.11b       | 06      | 2437      | 1Mbps     | -        | -      |
| Mode 3  | 2400-2483.5 | 0       | 802.11b       | 11      | 2462      | 1Mbps     | -        | -      |
| Mode 4  | 2400-2483.5 | 0       | 802.11g       | 01      | 2412      | 6Mbps     | -        | -      |
| Mode 5  | 2400-2483.5 | 0       | 802.11g       | 06      | 2437      | 6Mbps     | -        | -      |
| Mode 6  | 2400-2483.5 | 0       | 802.11g       | 11      | 2462      | 6Mbps     | -        | -      |
| Mode 7  | 2400-2483.5 | 1       | 802.11b       | 01      | 2412      | 1Mbps     | -        | -      |
| Mode 8  | 2400-2483.5 | 1       | 802.11b       | 06      | 2437      | 1Mbps     | -        | -      |
| Mode 9  | 2400-2483.5 | 1       | 802.11b       | 11      | 2462      | 1Mbps     | -        | -      |
| Mode 10 | 2400-2483.5 | 1       | 802.11g       | 01      | 2412      | 6Mbps     | -        | -      |
| Mode 11 | 2400-2483.5 | 1       | 802.11g       | 06      | 2437      | 6Mbps     | -        | -      |
| Mode 12 | 2400-2483.5 | 1       | 802.11g       | 11      | 2462      | 6Mbps     | -        | -      |
| Mode 13 | 2400-2483.5 | CDD 0+1 | 802.11ax HE20 | 01      | 2412      | MCS0      | Full     | -      |
| Mode 14 | 2400-2483.5 | CDD 0+1 | 802.11ax HE20 | 06      | 2437      | MCS0      | Full     | -      |
| Mode 15 | 2400-2483.5 | CDD 0+1 | 802.11ax HE20 | 11      | 2462      | MCS0      | Full     | -      |
| Mode 16 | 2400-2483.5 | CDD 0+1 | 802.11ax HE20 | 01      | 2412      | MCS0      | RU26/0   | -      |
| Mode 17 | 2400-2483.5 | CDD 0+1 | 802.11ax HE20 | 01      | 2412      | MCS0      | RU52/37  | -      |
| Mode 18 | 2400-2483.5 | CDD 0+1 | 802.11ax HE20 | 01      | 2412      | MCS0      | RU106/53 | -      |
| Mode 19 | 2400-2483.5 | CDD 0+1 | 802.11ax HE20 | 11      | 2462      | MCS0      | RU26/8   | -      |
| Mode 20 | 2400-2483.5 | CDD 0+1 | 802.11ax HE20 | 11      | 2462      | MCS0      | RU52/40  | -      |
| Mode 21 | 2400-2483.5 | CDD 0+1 | 802.11ax HE20 | 11      | 2462      | MCS0      | RU106/54 | -      |
| Mode 22 | 2400-2483.5 | CDD 0+1 | 802.11ax HE40 | 03      | 2422      | MCS0      | Full     | -      |
| Mode 23 | 2400-2483.5 | CDD 0+1 | 802.11ax HE40 | 06      | 2437      | MCS0      | Full     | -      |
| Mode 24 | 2400-2483.5 | CDD 0+1 | 802.11ax HE40 | 09      | 2452      | MCS0      | Full     | -      |
| Mode 25 | 2400-2483.5 | 1       | Bluetooth-LE  | 39      | 2480      | 2Mbps     | -        | -      |
|         | 2400-2483.5 | 0       | 802.11b       | 11      | 2462      | 1Mbps     | -        | -      |



Summary of each worse mode

| Mode | Modulation    | Ch. | Freq. (MHz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Pol. | Peak Avg. | Result | Remark    |
|------|---------------|-----|-------------|----------------|----------------|-------------|------|-----------|--------|-----------|
| 1    | 802.11b       | 01  | 2386.70     | 47.69          | 54.00          | -6.31       | V    | AVERAGE   | Pass   | Band Edge |
| 1    | 802.11b       | 01  | 14472.00    | 46.20          | 54.00          | -7.80       | V    | Average   | Pass   | Harmonic  |
| 2    | 802.11b       | 06  | -           | -              | -              | -           | -    | -         | -      | Band Edge |
| 2    | 802.11b       | 06  | 7311.00     | 49.00          | 54.00          | -5.00       | V    | AVERAGE   | Pass   | Harmonic  |
| 3    | 802.11b       | 11  | 2487.46     | 50.79          | 54.00          | -3.21       | H    | AVERAGE   | Pass   | Band Edge |
| 3    | 802.11b       | 11  | 7386.00     | 49.03          | 54.00          | -4.97       | H    | AVERAGE   | Pass   | Harmonic  |
| 4    | 802.11g       | 01  | 2385.66     | 50.55          | 54.00          | -3.45       | H    | AVERAGE   | Pass   | Band Edge |
| 4    | 802.11g       | 01  | 4824.00     | 42.35          | 74.00          | -31.65      | H    | PEAK      | Pass   | Harmonic  |
| 5    | 802.11g       | 06  | -           | -              | -              | -           | -    | -         | -      | Band Edge |
| 5    | 802.11g       | 06  | 7311.00     | 42.31          | 54.00          | -11.69      | V    | AVERAGE   | Pass   | Harmonic  |
| 6    | 802.11g       | 11  | 2484.52     | 50.56          | 54.00          | -3.44       | V    | AVERAGE   | Pass   | Band Edge |
| 6    | 802.11g       | 11  | 7386.00     | 41.19          | 74.00          | -32.81      | H    | PEAK      | Pass   | Harmonic  |
| 7    | 802.11b       | 01  | 2329.89     | 46.55          | 54.00          | -7.45       | H    | AVERAGE   | Pass   | Band Edge |
| 7    | 802.11b       | 01  | 4824.00     | 48.40          | 74.00          | -25.60      | H    | PEAK      | Pass   | Harmonic  |
| 8    | 802.11b       | 06  | -           | -              | -              | -           | -    | -         | -      | Band Edge |
| 8    | 802.11b       | 06  | 7311.00     | 50.93          | 54.00          | -3.07       | V    | AVERAGE   | Pass   | Harmonic  |
| 9    | 802.11b       | 11  | 2485.18     | 48.76          | 54.00          | -5.24       | H    | AVERAGE   | Pass   | Band Edge |
| 9    | 802.11b       | 11  | 7386.00     | 50.96          | 54.00          | -3.04       | V    | AVERAGE   | Pass   | Harmonic  |
| 10   | 802.11g       | 01  | 2389.69     | 50.11          | 54.00          | -3.89       | H    | AVERAGE   | Pass   | Band Edge |
| 10   | 802.11g       | 01  | 7237.50     | 57.23          | 83.34          | -26.11      | V    | Peak      | Pass   | Harmonic  |
| 11   | 802.11g       | 06  | -           | -              | -              | -           | -    | -         | -      | Band Edge |
| 11   | 802.11g       | 06  | 7311.00     | 50.69          | 54.00          | -3.31       | V    | AVERAGE   | Pass   | Harmonic  |
| 12   | 802.11g       | 11  | 2484.28     | 50.74          | 54.00          | -3.26       | H    | AVERAGE   | Pass   | Band Edge |
| 12   | 802.11g       | 11  | 7386.00     | 43.42          | 54.00          | -10.58      | H    | AVERAGE   | Pass   | Harmonic  |
| 13   | 802.11ax HE20 | 01  | 2389.95     | 50.04          | 54.00          | -3.96       | H    | AVERAGE   | Pass   | Band Edge |
| 13   | 802.11ax HE20 | 01  | 4824.00     | 40.44          | 74.00          | -33.56      | H    | PEAK      | Pass   | Harmonic  |
| 14   | 802.11ax HE20 | 06  | -           | -              | -              | -           | -    | -         | -      | Band Edge |
| 14   | 802.11ax HE20 | 06  | 7311.00     | 49.11          | 54.00          | -4.89       | V    | AVERAGE   | Pass   | Harmonic  |
| 15   | 802.11ax HE20 | 11  | 2483.56     | 50.08          | 54.00          | -3.92       | H    | AVERAGE   | Pass   | Band Edge |
| 15   | 802.11ax HE20 | 11  | 7386.00     | 42.44          | 74.00          | -31.56      | V    | PEAK      | Pass   | Harmonic  |
| 16   | 802.11ax HE20 | 01  | 2323.78     | 39.38          | 54.00          | -14.62      | H    | AVERAGE   | Pass   | Band Edge |
| 16   | 802.11ax HE20 | 01  | -           | -              | -              | -           | -    | -         | -      | Harmonic  |
| 17   | 802.11ax HE20 | 01  | 2325.34     | 39.83          | 54.00          | -14.17      | H    | AVERAGE   | Pass   | Band Edge |
| 17   | 802.11ax HE20 | 01  | -           | -              | -              | -           | -    | -         | -      | Harmonic  |
| 18   | 802.11ax HE20 | 01  | 2387.61     | 40.76          | 54.00          | -13.24      | H    | AVERAGE   | Pass   | Band Edge |
| 18   | 802.11ax HE20 | 01  | -           | -              | -              | -           | -    | -         | -      | Harmonic  |
| 19   | 802.11ax HE20 | 11  | 2487.22     | 40.12          | 54.00          | -13.88      | H    | AVERAGE   | Pass   | Band Edge |
| 19   | 802.11ax HE20 | 11  | -           | -              | -              | -           | -    | -         | -      | Harmonic  |
| 20   | 802.11ax HE20 | 11  | 2483.68     | 42.95          | 54.00          | -11.05      | H    | AVERAGE   | Pass   | Band Edge |
| 20   | 802.11ax HE20 | 11  | -           | -              | -              | -           | -    | -         | -      | Harmonic  |
| 21   | 802.11ax HE20 | 11  | 2483.50     | 44.02          | 54.00          | -9.98       | H    | AVERAGE   | Pass   | Band Edge |
| 21   | 802.11ax HE20 | 11  | -           | -              | -              | -           | -    | -         | -      | Harmonic  |
| 22   | 802.11ax HE40 | 03  | 2384.49     | 50.17          | 54.00          | -3.83       | H    | AVERAGE   | Pass   | Band Edge |
| 22   | 802.11ax HE40 | 03  | 7266.00     | 42.75          | 74.00          | -31.25      | H    | PEAK      | Pass   | Harmonic  |
| 23   | 802.11ax HE40 | 06  | 2389.95     | 50.57          | 54.00          | -3.43       | H    | AVERAGE   | Pass   | Band Edge |
| 23   | 802.11ax HE40 | 06  | 7311.00     | 43.96          | 74.00          | -30.04      | H    | PEAK      | Pass   | Harmonic  |
| 24   | 802.11ax HE40 | 09  | 2483.62     | 48.81          | 54.00          | -5.19       | H    | AVERAGE   | Pass   | Band Edge |
| 24   | 802.11ax HE40 | 09  | 7356.00     | 42.40          | 74.00          | -31.60      | H    | PEAK      | Pass   | Harmonic  |
| 25   | Bluetooth-LE  | 39  | 2483.50     | 50.71          | 54.00          | -3.29       | H    | AVERAGE   | Pass   | Band Edge |
| 25   | Bluetooth-LE  | 39  | 7386.00     | 50.88          | 54.00          | -3.12       | V    | Average   | Pass   | Harmonic  |
| 25   | 802.11b       | 11  | 2487.76     | 50.91          | 54.00          | -3.09       | H    | AVERAGE   | Pass   | Band Edge |
| 25   | 802.11b       | 11  | 7386.00     | 50.88          | 54.00          | -3.12       | V    | Average   | Pass   | Harmonic  |



| Mode  | 1   |             |              |             |        |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |     |         |
|-------|---|-------------|--------------|-------------|--------|--------|------|--------|--------|--------|------|---------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|---------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|--------|-------|-------|--------|-------|------|-------|------|-----|-----|---------|
|       | Band Edge   |             |              |             |        |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |     |         |
|       | 2400-2483.5_802.11b_CH01_2412MHz  |             |              |             |        |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |     |         |
| ANT   | 0   |             |              |             |        |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Pol.  | Horizontal  | Fundamental |              |             |        |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2385.53</td> <td>56.43</td> <td>74.00</td> <td>-17.57</td> <td>48.57</td> <td>31.68</td> <td>7.10</td> <td>36.92</td> <td>6.00</td> <td>256</td> <td>176</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit       | Read         | Ant         | Cable  | Preamp | Aux  | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2385.53 | 56.43 | 74.00 | -17.57 | 48.57 | 31.68 | 7.10 | 36.92 | 6.00 | 256 | 176 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>110.29</td> <td>-----</td> <td>-----</td> <td>102.28</td> <td>31.80</td> <td>7.14</td> <td>36.93</td> <td>6.00</td> <td>256</td> <td>176</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2412.00 | 110.29 | ----- | ----- | 102.28 | 31.80 | 7.14 | 36.93 | 6.00 | 256 | 176 | PEAK    |
|       | Limit   | Read        | Ant          | Cable       | Preamp | Aux    | APos | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB   | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |     |         |
| 1     | 2385.53   | 56.43       | 74.00        | -17.57      | 48.57  | 31.68  | 7.10 | 36.92  | 6.00   | 256    | 176  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Limit | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB   | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |     |         |
| 1     | 2412.00   | 110.29      | -----        | -----       | 102.28 | 31.80  | 7.14 | 36.93  | 6.00   | 256    | 176  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2386.05</td> <td>46.68</td> <td>54.00</td> <td>-7.32</td> <td>38.81</td> <td>31.69</td> <td>7.10</td> <td>36.92</td> <td>6.00</td> <td>256</td> <td>176</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux  | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2386.05 | 46.68 | 54.00 | -7.32  | 38.81 | 31.69 | 7.10 | 36.92 | 6.00 | 256 | 176 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>105.89</td> <td>-----</td> <td>-----</td> <td>97.88</td> <td>31.80</td> <td>7.14</td> <td>36.93</td> <td>6.00</td> <td>256</td> <td>176</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2412.00 | 105.89 | ----- | ----- | 97.88  | 31.80 | 7.14 | 36.93 | 6.00 | 256 | 176 | AVERAGE |
| Limit | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB   | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |     |         |
| 1     | 2386.05   | 46.68       | 54.00        | -7.32       | 38.81  | 31.69  | 7.10 | 36.92  | 6.00   | 256    | 176  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Limit | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB   | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |     |         |
| 1     | 2412.00   | 105.89      | -----        | -----       | 97.88  | 31.80  | 7.14 | 36.93  | 6.00   | 256    | 176  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |     |         |



| Mode  | 1  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |    |         |
|-------|--|-------------|--------|--------|--------|--------|--------|--------|--------|--------|------|---------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|--------|-------|-------|--------|-------|------|-------|------|-----|----|---------|
|       | Band Edge  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |    |         |
|       | 2400-2483.5_802.11b_CH01_2412MHz   |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |    |         |
| ANT   | 0  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |    |         |
| Pol.  | Vertical   | Fundamental |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |    |         |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2386.44</td> <td>55.87</td> <td>74.00</td> <td>-18.13</td> <td>48.00</td> <td>31.69</td> <td>7.10</td> <td>36.92</td> <td>6.00</td> <td>290</td> <td>82</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2386.44 | 55.87 | 74.00 | -18.13 | 48.00 | 31.69 | 7.10 | 36.92 | 6.00 | 290 | 82 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>109.47</td> <td>-----</td> <td>-----</td> <td>101.46</td> <td>31.80</td> <td>7.14</td> <td>36.93</td> <td>6.00</td> <td>290</td> <td>82</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2412.00 | 109.47 | ----- | ----- | 101.46 | 31.80 | 7.14 | 36.93 | 6.00 | 290 | 82 | PEAK    |
|       | Limit  | Read        | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |    |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |    |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |    |         |
| 1     | 2386.44  | 55.87       | 74.00  | -18.13 | 48.00  | 31.69  | 7.10   | 36.92  | 6.00   | 290    | 82   | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |    |         |
| Limit | Read   | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |    |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |    |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |    |         |
| 1     | 2412.00  | 109.47      | -----  | -----  | 101.46 | 31.80  | 7.14   | 36.93  | 6.00   | 290    | 82   | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |    |         |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2386.70</td> <td>47.69</td> <td>54.00</td> <td>-6.31</td> <td>39.82</td> <td>31.69</td> <td>7.10</td> <td>36.92</td> <td>6.00</td> <td>290</td> <td>82</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2386.70 | 47.69 | 54.00 | -6.31  | 39.82 | 31.69 | 7.10 | 36.92 | 6.00 | 290 | 82 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>101.35</td> <td>-----</td> <td>-----</td> <td>93.34</td> <td>31.80</td> <td>7.14</td> <td>36.93</td> <td>6.00</td> <td>290</td> <td>82</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2412.00 | 101.35 | ----- | ----- | 93.34  | 31.80 | 7.14 | 36.93 | 6.00 | 290 | 82 | AVERAGE |
| Limit | Read   | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |    |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |    |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |    |         |
| 1     | 2386.70  | 47.69       | 54.00  | -6.31  | 39.82  | 31.69  | 7.10   | 36.92  | 6.00   | 290    | 82   | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |    |         |
| Limit | Read   | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |    |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |    |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |    |         |
| 1     | 2412.00  | 101.35      | -----  | -----  | 93.34  | 31.80  | 7.14   | 36.93  | 6.00   | 290    | 82   | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |    |         |









| Mode      | 1   |          |       |        |        |        |        |        |      |        |      |          |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |   |       |      |         |        |        |       |       |       |        |       |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |          |   |          |       |       |       |       |       |       |       |      |     |     |         |
|-----------|---|----------|-------|--------|--------|--------|--------|--------|------|--------|------|----------|------|-------|--------|------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|---|---------|--------|-------|--------|--------|-------|------|-------|------|-----|-----|------|--|---------|-------|-------|--------|--------|-------|-------|-------|--------|------|-------|------|-------|---------|-------|--------|--------|-------|-------|--------|--------|------|------|------|------|---|-------|------|---------|--------|--------|-------|-------|-------|--------|-------|-------|------|-------|--------|------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|----------|---|----------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
|           | Harmonic  |          |       |        |        |        |        |        |      |        |      |          |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |   |       |      |         |        |        |       |       |       |        |       |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |          |   |          |       |       |       |       |       |       |       |      |     |     |         |
|           | 2400-2483.5_802.11b_CH01_2412MHz  |          |       |        |        |        |        |        |      |        |      |          |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |   |       |      |         |        |        |       |       |       |        |       |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |          |   |          |       |       |       |       |       |       |       |      |     |     |         |
| ANT       | 0   |          |       |        |        |        |        |        |      |        |      |          |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |   |       |      |         |        |        |       |       |       |        |       |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |          |   |          |       |       |       |       |       |       |       |      |     |     |         |
| Pol.      | Horizontal  | Vertical |       |        |        |        |        |        |      |        |      |          |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |   |       |      |         |        |        |       |       |       |        |       |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |          |   |          |       |       |       |       |       |       |       |      |     |     |         |
| 100K Ref. | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>111.31</td> <td>74.00</td> <td>37.31</td> <td>102.66</td> <td>32.16</td> <td>7.14</td> <td>36.85</td> <td>6.00</td> <td>266</td> <td>369</td> <td>PEAK</td> </tr> </tbody> </table>  | Limit    | Read  | Ant    | Cable  | Preamp | Aux    | APos   | TPos | Remark | Freq | Level    | Line | Level | Factor | Loss | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | 1 | 2412.00 | 111.31 | 74.00 | 37.31  | 102.66 | 32.16 | 7.14 | 36.85 | 6.00 | 266 | 369 | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>105.86</td> <td>74.00</td> <td>31.86</td> <td>97.41</td> <td>32.16</td> <td>7.14</td> <td>36.85</td> <td>6.00</td> <td>300</td> <td>73</td> <td>PEAK</td> </tr> </tbody> </table> | Limit   | Read  | Ant   | Cable  | Preamp | Aux   | APos  | TPos  | Remark | Freq | Level | Line | Level | Factor  | Loss  | Factor | Factor |       | MHz   | dBuV/m | dBuV/m | dB   | dBuV | dB/m | dB   | dB  | cm    | 1    | 2412.00 | 105.86 | 74.00  | 31.86 | 97.41 | 32.16 | 7.14   | 36.85 | 6.00  | 300  | 73    | PEAK   |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |          |   |          |       |       |       |       |       |       |       |      |     |     |         |
| Limit     | Read  | Ant      | Cable | Preamp | Aux    | APos   | TPos   | Remark |      |        |      |          |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |   |       |      |         |        |        |       |       |       |        |       |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |          |   |          |       |       |       |       |       |       |       |      |     |     |         |
| Freq      | Level   | Line     | Level | Factor | Loss   | Factor | Factor |        |      |        |      |          |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |   |       |      |         |        |        |       |       |       |        |       |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |          |   |          |       |       |       |       |       |       |       |      |     |     |         |
| MHz       | dBuV/m  | dBuV/m   | dB    | dBuV   | dB/m   | dB     | dB     | cm     |      |        |      |          |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |   |       |      |         |        |        |       |       |       |        |       |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |          |   |          |       |       |       |       |       |       |       |      |     |     |         |
| 1         | 2412.00   | 111.31   | 74.00 | 37.31  | 102.66 | 32.16  | 7.14   | 36.85  | 6.00 | 266    | 369  | PEAK     |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |   |       |      |         |        |        |       |       |       |        |       |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |          |   |          |       |       |       |       |       |       |       |      |     |     |         |
| Limit     | Read  | Ant      | Cable | Preamp | Aux    | APos   | TPos   | Remark |      |        |      |          |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |   |       |      |         |        |        |       |       |       |        |       |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |          |   |          |       |       |       |       |       |       |       |      |     |     |         |
| Freq      | Level   | Line     | Level | Factor | Loss   | Factor | Factor |        |      |        |      |          |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |   |       |      |         |        |        |       |       |       |        |       |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |          |   |          |       |       |       |       |       |       |       |      |     |     |         |
| MHz       | dBuV/m  | dBuV/m   | dB    | dBuV   | dB/m   | dB     | dB     | cm     |      |        |      |          |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |   |       |      |         |        |        |       |       |       |        |       |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |          |   |          |       |       |       |       |       |       |       |      |     |     |         |
| 1         | 2412.00   | 105.86   | 74.00 | 31.86  | 97.41  | 32.16  | 7.14   | 36.85  | 6.00 | 300    | 73   | PEAK     |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |   |       |      |         |        |        |       |       |       |        |       |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |          |   |          |       |       |       |       |       |       |       |      |     |     |         |
| Peak Avg  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3216.00</td> <td>47.49</td> <td>91.31</td> <td>-43.82</td> <td>71.85</td> <td>32.77</td> <td>8.31</td> <td>65.44</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4824.00</td> <td>47.61</td> <td>74.00</td> <td>-26.39</td> <td>68.83</td> <td>33.80</td> <td>10.23</td> <td>65.25</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7237.50</td> <td>53.80</td> <td>91.31</td> <td>-37.51</td> <td>71.83</td> <td>35.50</td> <td>12.71</td> <td>66.24</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit    | Read  | Ant    | Cable  | Preamp | Aux    | APos   | TPos | Remark | Freq | Level    | Line | Level | Factor | Loss | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | 1 | 3216.00 | 47.49  | 91.31 | -43.82 | 71.85  | 32.77 | 8.31 | 65.44 | 0.00 | --  | --  | Peak | 2  | 4824.00 | 47.61 | 74.00 | -26.39 | 68.83  | 33.80 | 10.23 | 65.25 | 0.00   | --   | --    | PEAK | 3     | 7237.50 | 53.80 | 91.31  | -37.51 | 71.83 | 35.50 | 12.71  | 66.24  | 0.00 | --   | --   | Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3963.00</td> <td>43.79</td> <td>74.00</td> <td>-30.21</td> <td>67.23</td> <td>33.40</td> <td>9.25</td> <td>66.09</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4824.00</td> <td>47.25</td> <td>74.00</td> <td>-26.75</td> <td>68.47</td> <td>33.80</td> <td>10.23</td> <td>65.25</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>6601.50</td> <td>47.19</td> <td>85.86</td> <td>-38.67</td> <td>65.56</td> <td>35.40</td> <td>12.10</td> <td>65.87</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>7237.50</td> <td>53.28</td> <td>85.86</td> <td>-32.58</td> <td>71.31</td> <td>35.50</td> <td>12.71</td> <td>66.24</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>9241.50</td> <td>47.09</td> <td>85.86</td> <td>-38.77</td> <td>63.13</td> <td>36.40</td> <td>14.49</td> <td>66.93</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>14472.00</td> <td>50.73</td> <td>74.00</td> <td>-23.27</td> <td>58.00</td> <td>38.87</td> <td>18.35</td> <td>64.49</td> <td>0.00</td> <td>100</td> <td>100</td> <td>254 Peak</td> </tr> <tr> <td>7</td> <td>14472.00</td> <td>46.20</td> <td>54.00</td> <td>-7.80</td> <td>53.47</td> <td>38.87</td> <td>18.35</td> <td>64.49</td> <td>0.00</td> <td>100</td> <td>254</td> <td>Average</td> </tr> </tbody> </table> | Limit | Read | Ant     | Cable  | Preamp | Aux   | APos  | TPos  | Remark | Freq  | Level | Line | Level | Factor | Loss | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | 1 | 3963.00 | 43.79 | 74.00 | -30.21 | 67.23 | 33.40 | 9.25 | 66.09 | 0.00 | -- | -- | Peak | 2 | 4824.00 | 47.25 | 74.00 | -26.75 | 68.47 | 33.80 | 10.23 | 65.25 | 0.00 | -- | -- | PEAK | 3 | 6601.50 | 47.19 | 85.86 | -38.67 | 65.56 | 35.40 | 12.10 | 65.87 | 0.00 | -- | -- | Peak | 4 | 7237.50 | 53.28 | 85.86 | -32.58 | 71.31 | 35.50 | 12.71 | 66.24 | 0.00 | -- | -- | Peak | 5 | 9241.50 | 47.09 | 85.86 | -38.77 | 63.13 | 36.40 | 14.49 | 66.93 | 0.00 | -- | -- | Peak | 6 | 14472.00 | 50.73 | 74.00 | -23.27 | 58.00 | 38.87 | 18.35 | 64.49 | 0.00 | 100 | 100 | 254 Peak | 7 | 14472.00 | 46.20 | 54.00 | -7.80 | 53.47 | 38.87 | 18.35 | 64.49 | 0.00 | 100 | 254 | Average |
| Limit     | Read  | Ant      | Cable | Preamp | Aux    | APos   | TPos   | Remark |      |        |      |          |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |   |       |      |         |        |        |       |       |       |        |       |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |          |   |          |       |       |       |       |       |       |       |      |     |     |         |
| Freq      | Level   | Line     | Level | Factor | Loss   | Factor | Factor |        |      |        |      |          |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |   |       |      |         |        |        |       |       |       |        |       |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |          |   |          |       |       |       |       |       |       |       |      |     |     |         |
| MHz       | dBuV/m  | dBuV/m   | dB    | dBuV   | dB/m   | dB     | dB     | cm     |      |        |      |          |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |   |       |      |         |        |        |       |       |       |        |       |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |          |   |          |       |       |       |       |       |       |       |      |     |     |         |
| 1         | 3216.00   | 47.49    | 91.31 | -43.82 | 71.85  | 32.77  | 8.31   | 65.44  | 0.00 | --     | --   | Peak     |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |   |       |      |         |        |        |       |       |       |        |       |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |          |   |          |       |       |       |       |       |       |       |      |     |     |         |
| 2         | 4824.00   | 47.61    | 74.00 | -26.39 | 68.83  | 33.80  | 10.23  | 65.25  | 0.00 | --     | --   | PEAK     |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |   |       |      |         |        |        |       |       |       |        |       |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |          |   |          |       |       |       |       |       |       |       |      |     |     |         |
| 3         | 7237.50   | 53.80    | 91.31 | -37.51 | 71.83  | 35.50  | 12.71  | 66.24  | 0.00 | --     | --   | Peak     |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |   |       |      |         |        |        |       |       |       |        |       |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |          |   |          |       |       |       |       |       |       |       |      |     |     |         |
| Limit     | Read  | Ant      | Cable | Preamp | Aux    | APos   | TPos   | Remark |      |        |      |          |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |   |       |      |         |        |        |       |       |       |        |       |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |          |   |          |       |       |       |       |       |       |       |      |     |     |         |
| Freq      | Level   | Line     | Level | Factor | Loss   | Factor | Factor |        |      |        |      |          |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |   |       |      |         |        |        |       |       |       |        |       |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |          |   |          |       |       |       |       |       |       |       |      |     |     |         |
| MHz       | dBuV/m  | dBuV/m   | dB    | dBuV   | dB/m   | dB     | dB     | cm     |      |        |      |          |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |   |       |      |         |        |        |       |       |       |        |       |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |          |   |          |       |       |       |       |       |       |       |      |     |     |         |
| 1         | 3963.00   | 43.79    | 74.00 | -30.21 | 67.23  | 33.40  | 9.25   | 66.09  | 0.00 | --     | --   | Peak     |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |   |       |      |         |        |        |       |       |       |        |       |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |          |   |          |       |       |       |       |       |       |       |      |     |     |         |
| 2         | 4824.00   | 47.25    | 74.00 | -26.75 | 68.47  | 33.80  | 10.23  | 65.25  | 0.00 | --     | --   | PEAK     |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |   |       |      |         |        |        |       |       |       |        |       |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |          |   |          |       |       |       |       |       |       |       |      |     |     |         |
| 3         | 6601.50   | 47.19    | 85.86 | -38.67 | 65.56  | 35.40  | 12.10  | 65.87  | 0.00 | --     | --   | Peak     |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |   |       |      |         |        |        |       |       |       |        |       |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |          |   |          |       |       |       |       |       |       |       |      |     |     |         |
| 4         | 7237.50   | 53.28    | 85.86 | -32.58 | 71.31  | 35.50  | 12.71  | 66.24  | 0.00 | --     | --   | Peak     |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |   |       |      |         |        |        |       |       |       |        |       |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |          |   |          |       |       |       |       |       |       |       |      |     |     |         |
| 5         | 9241.50   | 47.09    | 85.86 | -38.77 | 63.13  | 36.40  | 14.49  | 66.93  | 0.00 | --     | --   | Peak     |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |   |       |      |         |        |        |       |       |       |        |       |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |          |   |          |       |       |       |       |       |       |       |      |     |     |         |
| 6         | 14472.00  | 50.73    | 74.00 | -23.27 | 58.00  | 38.87  | 18.35  | 64.49  | 0.00 | 100    | 100  | 254 Peak |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |   |       |      |         |        |        |       |       |       |        |       |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |          |   |          |       |       |       |       |       |       |       |      |     |     |         |
| 7         | 14472.00  | 46.20    | 54.00 | -7.80  | 53.47  | 38.87  | 18.35  | 64.49  | 0.00 | 100    | 254  | Average  |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |   |       |      |         |        |        |       |       |       |        |       |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |          |       |       |        |       |       |       |       |      |     |     |          |   |          |       |       |       |       |       |       |       |      |     |     |         |



| Mode      | 2  |          |        |        |        |        |        |        |      |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |   |         |       |       |        |        |       |      |       |        |      |       |      |        |         |        |       |        |        |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |      |     |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
|-----------|--|----------|--------|--------|--------|--------|--------|--------|------|--------|------|---------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|--------|-------|--------|--------|-------|------|-------|------|-----|-----|------|---|---------|-------|-------|--------|--------|-------|------|-------|--------|------|-------|------|--------|---------|--------|-------|--------|--------|-------|--------|--------|------|------|------|------|----|---------|-------|-------|---------|--------|-------|-------|-------|-------|------|-------|------|-----|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|----|------|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|----|---------|---|----------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|
|           | Harmonic   |          |        |        |        |        |        |        |      |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |   |         |       |       |        |        |       |      |       |        |      |       |      |        |         |        |       |        |        |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |      |     |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
|           | 2400-2483.5_802.11b_CH06_2437MHz   |          |        |        |        |        |        |        |      |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |   |         |       |       |        |        |       |      |       |        |      |       |      |        |         |        |       |        |        |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |      |     |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| ANT       | 0  |          |        |        |        |        |        |        |      |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |   |         |       |       |        |        |       |      |       |        |      |       |      |        |         |        |       |        |        |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |      |     |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| Pol.      | Horizontal   | Vertical |        |        |        |        |        |        |      |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |   |         |       |       |        |        |       |      |       |        |      |       |      |        |         |        |       |        |        |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |      |     |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 100K Ref. | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>113.31</td> <td>74.00</td> <td>39.31</td> <td>104.76</td> <td>32.29</td> <td>7.18</td> <td>36.92</td> <td>6.00</td> <td>298</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>  | Limit    | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2437.00 | 113.31 | 74.00 | 39.31  | 104.76 | 32.29 | 7.18 | 36.92 | 6.00 | 298 | 360 | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>104.31</td> <td>74.00</td> <td>30.31</td> <td>95.76</td> <td>32.28</td> <td>7.18</td> <td>36.91</td> <td>6.00</td> <td>300</td> <td>94</td> <td>PEAK</td> </tr> </tbody> </table> | Limit   | Read  | Ant   | Cable  | Preamp | Aux   | APos | TPos  | Remark | Freq | Level | Line | Margin | Level   | Factor | Loss  | Factor | Factor | MHz   | dBuV/m | dBuV/m | dB   | dBuV | dB/m | dB   | dB | cm      | deg   | 1     | 2437.00 | 104.31 | 74.00 | 30.31 | 95.76 | 32.28 | 7.18 | 36.91 | 6.00 | 300 | 94      | PEAK  |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| Limit     | Read   | Ant      | Cable  | Preamp | Aux    | APos   | TPos   | Remark |      |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |   |         |       |       |        |        |       |      |       |        |      |       |      |        |         |        |       |        |        |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |      |     |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| Freq      | Level  | Line     | Margin | Level  | Factor | Loss   | Factor | Factor |      |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |   |         |       |       |        |        |       |      |       |        |      |       |      |        |         |        |       |        |        |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |      |     |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| MHz       | dBuV/m   | dBuV/m   | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg  |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |   |         |       |       |        |        |       |      |       |        |      |       |      |        |         |        |       |        |        |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |      |     |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 1         | 2437.00  | 113.31   | 74.00  | 39.31  | 104.76 | 32.29  | 7.18   | 36.92  | 6.00 | 298    | 360  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |   |         |       |       |        |        |       |      |       |        |      |       |      |        |         |        |       |        |        |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |      |     |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| Limit     | Read   | Ant      | Cable  | Preamp | Aux    | APos   | TPos   | Remark |      |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |   |         |       |       |        |        |       |      |       |        |      |       |      |        |         |        |       |        |        |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |      |     |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| Freq      | Level  | Line     | Margin | Level  | Factor | Loss   | Factor | Factor |      |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |   |         |       |       |        |        |       |      |       |        |      |       |      |        |         |        |       |        |        |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |      |     |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| MHz       | dBuV/m   | dBuV/m   | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg  |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |   |         |       |       |        |        |       |      |       |        |      |       |      |        |         |        |       |        |        |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |      |     |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 1         | 2437.00  | 104.31   | 74.00  | 30.31  | 95.76  | 32.28  | 7.18   | 36.91  | 6.00 | 300    | 94   | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |   |         |       |       |        |        |       |      |       |        |      |       |      |        |         |        |       |        |        |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |      |     |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| Peak Avg  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3249.00</td> <td>47.32</td> <td>93.31</td> <td>-45.99</td> <td>71.76</td> <td>32.70</td> <td>8.35</td> <td>65.49</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>3961.50</td> <td>42.29</td> <td>74.00</td> <td>-31.71</td> <td>65.73</td> <td>33.40</td> <td>9.25</td> <td>66.09</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>4873.50</td> <td>44.61</td> <td>74.00</td> <td>-29.39</td> <td>65.79</td> <td>33.80</td> <td>10.29</td> <td>65.27</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>6598.50</td> <td>44.89</td> <td>93.31</td> <td>-48.42</td> <td>63.27</td> <td>35.40</td> <td>12.09</td> <td>65.87</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>7309.50</td> <td>53.41</td> <td>74.00</td> <td>-20.59</td> <td>71.63</td> <td>35.50</td> <td>12.72</td> <td>66.44</td> <td>0.00</td> <td>100</td> <td>328</td> <td>PEAK</td> </tr> <tr> <td>6</td> <td>7309.50</td> <td>48.80</td> <td>54.00</td> <td>-5.20</td> <td>67.02</td> <td>35.50</td> <td>12.72</td> <td>66.44</td> <td>0.00</td> <td>100</td> <td>328</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit    | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 3249.00 | 47.32  | 93.31 | -45.99 | 71.76  | 32.70 | 8.35 | 65.49 | 0.00 | --  | --  | Peak | 2   | 3961.50 | 42.29 | 74.00 | -31.71 | 65.73  | 33.40 | 9.25 | 66.09 | 0.00   | --   | --    | Peak | 3      | 4873.50 | 44.61  | 74.00 | -29.39 | 65.79  | 33.80 | 10.29  | 65.27  | 0.00 | --   | --   | PEAK | 4  | 6598.50 | 44.89 | 93.31 | -48.42  | 63.27  | 35.40 | 12.09 | 65.87 | 0.00  | --   | --    | Peak | 5   | 7309.50 | 53.41 | 74.00 | -20.59 | 71.63 | 35.50 | 12.72 | 66.44 | 0.00 | 100 | 328 | PEAK | 6 | 7309.50 | 48.80 | 54.00 | -5.20 | 67.02 | 35.50 | 12.72 | 66.44 | 0.00 | 100 | 328 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3249.00</td> <td>43.64</td> <td>84.31</td> <td>-40.67</td> <td>68.08</td> <td>32.70</td> <td>8.35</td> <td>65.49</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>3961.50</td> <td>42.59</td> <td>74.00</td> <td>-31.41</td> <td>66.03</td> <td>33.40</td> <td>9.25</td> <td>66.09</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>4873.50</td> <td>44.48</td> <td>74.00</td> <td>-29.52</td> <td>65.66</td> <td>33.80</td> <td>10.29</td> <td>65.27</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>6000.00</td> <td>46.83</td> <td>84.31</td> <td>-37.48</td> <td>65.20</td> <td>35.40</td> <td>12.10</td> <td>65.87</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>7311.00</td> <td>53.12</td> <td>74.00</td> <td>-20.88</td> <td>71.35</td> <td>35.50</td> <td>12.72</td> <td>66.45</td> <td>0.00</td> <td>302</td> <td>19</td> <td>PEAK</td> </tr> <tr> <td>6</td> <td>7311.00</td> <td>49.00</td> <td>54.00</td> <td>-5.00</td> <td>67.23</td> <td>35.50</td> <td>12.72</td> <td>66.45</td> <td>0.00</td> <td>302</td> <td>19</td> <td>AVERAGE</td> </tr> <tr> <td>7</td> <td>14622.00</td> <td>50.77</td> <td>84.31</td> <td>-33.54</td> <td>57.70</td> <td>39.07</td> <td>18.44</td> <td>64.44</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 3249.00 | 43.64 | 84.31 | -40.67 | 68.08 | 32.70 | 8.35 | 65.49 | 0.00 | -- | -- | Peak | 2 | 3961.50 | 42.59 | 74.00 | -31.41 | 66.03 | 33.40 | 9.25 | 66.09 | 0.00 | -- | -- | Peak | 3 | 4873.50 | 44.48 | 74.00 | -29.52 | 65.66 | 33.80 | 10.29 | 65.27 | 0.00 | -- | -- | PEAK | 4 | 6000.00 | 46.83 | 84.31 | -37.48 | 65.20 | 35.40 | 12.10 | 65.87 | 0.00 | -- | -- | Peak | 5 | 7311.00 | 53.12 | 74.00 | -20.88 | 71.35 | 35.50 | 12.72 | 66.45 | 0.00 | 302 | 19 | PEAK | 6 | 7311.00 | 49.00 | 54.00 | -5.00 | 67.23 | 35.50 | 12.72 | 66.45 | 0.00 | 302 | 19 | AVERAGE | 7 | 14622.00 | 50.77 | 84.31 | -33.54 | 57.70 | 39.07 | 18.44 | 64.44 | 0.00 | -- | -- | Peak |
| Limit     | Read   | Ant      | Cable  | Preamp | Aux    | APos   | TPos   | Remark |      |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |   |         |       |       |        |        |       |      |       |        |      |       |      |        |         |        |       |        |        |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |      |     |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| Freq      | Level  | Line     | Margin | Level  | Factor | Loss   | Factor | Factor |      |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |   |         |       |       |        |        |       |      |       |        |      |       |      |        |         |        |       |        |        |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |      |     |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| MHz       | dBuV/m   | dBuV/m   | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg  |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |   |         |       |       |        |        |       |      |       |        |      |       |      |        |         |        |       |        |        |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |      |     |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 1         | 3249.00  | 47.32    | 93.31  | -45.99 | 71.76  | 32.70  | 8.35   | 65.49  | 0.00 | --     | --   | Peak    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |   |         |       |       |        |        |       |      |       |        |      |       |      |        |         |        |       |        |        |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |      |     |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 2         | 3961.50  | 42.29    | 74.00  | -31.71 | 65.73  | 33.40  | 9.25   | 66.09  | 0.00 | --     | --   | Peak    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |   |         |       |       |        |        |       |      |       |        |      |       |      |        |         |        |       |        |        |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |      |     |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 3         | 4873.50  | 44.61    | 74.00  | -29.39 | 65.79  | 33.80  | 10.29  | 65.27  | 0.00 | --     | --   | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |   |         |       |       |        |        |       |      |       |        |      |       |      |        |         |        |       |        |        |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |      |     |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 4         | 6598.50  | 44.89    | 93.31  | -48.42 | 63.27  | 35.40  | 12.09  | 65.87  | 0.00 | --     | --   | Peak    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |   |         |       |       |        |        |       |      |       |        |      |       |      |        |         |        |       |        |        |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |      |     |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 5         | 7309.50  | 53.41    | 74.00  | -20.59 | 71.63  | 35.50  | 12.72  | 66.44  | 0.00 | 100    | 328  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |   |         |       |       |        |        |       |      |       |        |      |       |      |        |         |        |       |        |        |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |      |     |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 6         | 7309.50  | 48.80    | 54.00  | -5.20  | 67.02  | 35.50  | 12.72  | 66.44  | 0.00 | 100    | 328  | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |   |         |       |       |        |        |       |      |       |        |      |       |      |        |         |        |       |        |        |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |      |     |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| Limit     | Read   | Ant      | Cable  | Preamp | Aux    | APos   | TPos   | Remark |      |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |   |         |       |       |        |        |       |      |       |        |      |       |      |        |         |        |       |        |        |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |      |     |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| Freq      | Level  | Line     | Margin | Level  | Factor | Loss   | Factor | Factor |      |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |   |         |       |       |        |        |       |      |       |        |      |       |      |        |         |        |       |        |        |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |      |     |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| MHz       | dBuV/m   | dBuV/m   | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg  |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |   |         |       |       |        |        |       |      |       |        |      |       |      |        |         |        |       |        |        |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |      |     |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 1         | 3249.00  | 43.64    | 84.31  | -40.67 | 68.08  | 32.70  | 8.35   | 65.49  | 0.00 | --     | --   | Peak    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |   |         |       |       |        |        |       |      |       |        |      |       |      |        |         |        |       |        |        |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |      |     |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 2         | 3961.50  | 42.59    | 74.00  | -31.41 | 66.03  | 33.40  | 9.25   | 66.09  | 0.00 | --     | --   | Peak    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |   |         |       |       |        |        |       |      |       |        |      |       |      |        |         |        |       |        |        |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |      |     |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 3         | 4873.50  | 44.48    | 74.00  | -29.52 | 65.66  | 33.80  | 10.29  | 65.27  | 0.00 | --     | --   | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |   |         |       |       |        |        |       |      |       |        |      |       |      |        |         |        |       |        |        |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |      |     |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 4         | 6000.00  | 46.83    | 84.31  | -37.48 | 65.20  | 35.40  | 12.10  | 65.87  | 0.00 | --     | --   | Peak    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |   |         |       |       |        |        |       |      |       |        |      |       |      |        |         |        |       |        |        |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |      |     |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 5         | 7311.00  | 53.12    | 74.00  | -20.88 | 71.35  | 35.50  | 12.72  | 66.45  | 0.00 | 302    | 19   | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |   |         |       |       |        |        |       |      |       |        |      |       |      |        |         |        |       |        |        |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |      |     |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 6         | 7311.00  | 49.00    | 54.00  | -5.00  | 67.23  | 35.50  | 12.72  | 66.45  | 0.00 | 302    | 19   | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |   |         |       |       |        |        |       |      |       |        |      |       |      |        |         |        |       |        |        |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |      |     |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |
| 7         | 14622.00   | 50.77    | 84.31  | -33.54 | 57.70  | 39.07  | 18.44  | 64.44  | 0.00 | --     | --   | Peak    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |   |         |       |       |        |        |       |      |       |        |      |       |      |        |         |        |       |        |        |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |      |     |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |          |       |       |        |       |       |       |       |      |    |    |      |



| Mode  | 3  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
|-------|--|-------------|--------|--------|--------|--------|--------|--------|--------|--------|------|---------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|--------|-------|-------|--------|-------|------|-------|------|-----|-----|---------|
|       | Band Edge  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
|       | 2400-2483.5_802.11b_CH11_2462MHz   |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| ANT   | 0  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Pol.  | Horizontal   | Fundamental |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Peak  |  <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a broad signal between 2440 and 2500 MHz. A red horizontal line indicates the FCC PART 15C limit at approximately 74 dBuV/m. A peak is observed at 2462 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.80</td> <td>57.79</td> <td>74.00</td> <td>-16.21</td> <td>48.98</td> <td>32.53</td> <td>7.26</td> <td>36.98</td> <td>6.00</td> <td>100</td> <td>116</td> <td>PEAK</td> </tr> </tbody> </table>                    | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2486.80 | 57.79 | 74.00 | -16.21 | 48.98 | 32.53 | 7.26 | 36.98 | 6.00 | 100 | 116 | PEAK    |  <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a narrow signal centered at 2462 MHz. A red horizontal line indicates the FCC PART 15C limit at approximately 74 dBuV/m. A sharp peak is observed at 2462 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>110.90</td> <td>-----</td> <td>-----</td> <td>102.23</td> <td>32.41</td> <td>7.22</td> <td>36.96</td> <td>6.00</td> <td>100</td> <td>116</td> <td>PEAK</td> </tr> </tbody> </table>                    | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2462.00 | 110.90 | ----- | ----- | 102.23 | 32.41 | 7.22 | 36.96 | 6.00 | 100 | 116 | PEAK    |
|       | Limit  | Read        | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| 1     | 2486.80  | 57.79       | 74.00  | -16.21 | 48.98  | 32.53  | 7.26   | 36.98  | 6.00   | 100    | 116  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Limit | Read   | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| 1     | 2462.00  | 110.90      | -----  | -----  | 102.23 | 32.41  | 7.22   | 36.96  | 6.00   | 100    | 116  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Avg   |  <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization, averaged. The plot shows a broad signal between 2440 and 2500 MHz. A red horizontal line indicates the FCC PART 15C (AVG) limit at approximately 54 dBuV/m. A peak is observed at 2462 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2487.46</td> <td>50.79</td> <td>54.00</td> <td>-3.21</td> <td>41.97</td> <td>32.54</td> <td>7.26</td> <td>36.98</td> <td>6.00</td> <td>100</td> <td>116</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2487.46 | 50.79 | 54.00 | -3.21  | 41.97 | 32.54 | 7.26 | 36.98 | 6.00 | 100 | 116 | AVERAGE |  <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization, averaged. The plot shows a narrow signal centered at 2462 MHz. A red horizontal line indicates the FCC PART 15C (AVG) limit at approximately 54 dBuV/m. A sharp peak is observed at 2462 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>106.03</td> <td>-----</td> <td>-----</td> <td>97.36</td> <td>32.41</td> <td>7.22</td> <td>36.96</td> <td>6.00</td> <td>100</td> <td>116</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2462.00 | 106.03 | ----- | ----- | 97.36  | 32.41 | 7.22 | 36.96 | 6.00 | 100 | 116 | AVERAGE |
| Limit | Read   | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| 1     | 2487.46  | 50.79       | 54.00  | -3.21  | 41.97  | 32.54  | 7.26   | 36.98  | 6.00   | 100    | 116  | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Limit | Read   | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| 1     | 2462.00  | 106.03      | -----  | -----  | 97.36  | 32.41  | 7.22   | 36.96  | 6.00   | 100    | 116  | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |



| Mode  | 3  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |    |         |
|-------|--|-------------|--------|--------|--------|--------|--------|--------|--------|--------|------|---------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|--------|-------|-------|--------|-------|------|-------|------|-----|----|---------|
|       | Band Edge  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |    |         |
|       | 2400-2483.5_802.11b_CH11_2462MHz   |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |    |         |
| ANT   | 0  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |    |         |
| Pol.  | Vertical   | Fundamental |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |    |         |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2487.58</td> <td>57.01</td> <td>74.00</td> <td>-16.99</td> <td>48.19</td> <td>32.54</td> <td>7.26</td> <td>36.98</td> <td>6.00</td> <td>350</td> <td>99</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2487.58 | 57.01 | 74.00 | -16.99 | 48.19 | 32.54 | 7.26 | 36.98 | 6.00 | 350 | 99 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>111.04</td> <td>-----</td> <td>-----</td> <td>102.37</td> <td>32.41</td> <td>7.22</td> <td>36.96</td> <td>6.00</td> <td>350</td> <td>99</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2462.00 | 111.04 | ----- | ----- | 102.37 | 32.41 | 7.22 | 36.96 | 6.00 | 350 | 99 | PEAK    |
|       | Limit  | Read        | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |    |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |    |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |    |         |
| 1     | 2487.58  | 57.01       | 74.00  | -16.99 | 48.19  | 32.54  | 7.26   | 36.98  | 6.00   | 350    | 99   | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |    |         |
| Limit | Read   | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |    |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |    |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |    |         |
| 1     | 2462.00  | 111.04      | -----  | -----  | 102.37 | 32.41  | 7.22   | 36.96  | 6.00   | 350    | 99   | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |    |         |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.68</td> <td>49.30</td> <td>54.00</td> <td>-4.70</td> <td>40.49</td> <td>32.53</td> <td>7.26</td> <td>36.98</td> <td>6.00</td> <td>350</td> <td>99</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2486.68 | 49.30 | 54.00 | -4.70  | 40.49 | 32.53 | 7.26 | 36.98 | 6.00 | 350 | 99 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>106.45</td> <td>-----</td> <td>-----</td> <td>97.78</td> <td>32.41</td> <td>7.22</td> <td>36.96</td> <td>6.00</td> <td>350</td> <td>99</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2462.00 | 106.45 | ----- | ----- | 97.78  | 32.41 | 7.22 | 36.96 | 6.00 | 350 | 99 | AVERAGE |
| Limit | Read   | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |    |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |    |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |    |         |
| 1     | 2486.68  | 49.30       | 54.00  | -4.70  | 40.49  | 32.53  | 7.26   | 36.98  | 6.00   | 350    | 99   | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |    |         |
| Limit | Read   | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |    |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |    |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |    |         |
| 1     | 2462.00  | 106.45      | -----  | -----  | 97.78  | 32.41  | 7.22   | 36.96  | 6.00   | 350    | 99   | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |    |         |



| Mode      | 3   |          |       |        |        |        |        |        |        |        |      |         |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |   |       |      |     |       |        |     |      |      |        |      |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |
|-----------|---|----------|-------|--------|--------|--------|--------|--------|--------|--------|------|---------|------|-------|--------|------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|--------|-------|--------|--------|-------|------|-------|------|-----|-----|------|--|---------|-------|-------|--------|--------|-------|-------|-------|--------|------|-------|------|-------|---------|-------|--------|--------|-------|-------|--------|--------|------|------|------|------|----|---------|-------|-------|---------|--------|-------|-------|-------|-------|------|-------|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|-------|--------|------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|----|------|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|----|---------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|
|           | Harmonic  |          |       |        |        |        |        |        |        |        |      |         |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |   |       |      |     |       |        |     |      |      |        |      |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |
|           | 2400-2483.5_802.11b_CH11_2462MHz  |          |       |        |        |        |        |        |        |        |      |         |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |   |       |      |     |       |        |     |      |      |        |      |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |
| ANT       | 0   |          |       |        |        |        |        |        |        |        |      |         |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |   |       |      |     |       |        |     |      |      |        |      |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |
| Pol.      | Horizontal  | Vertical |       |        |        |        |        |        |        |        |      |         |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |   |       |      |     |       |        |     |      |      |        |      |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 100K Ref. | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>111.89</td> <td>74.00</td> <td>37.89</td> <td>103.22</td> <td>32.41</td> <td>7.22</td> <td>36.96</td> <td>6.00</td> <td>292</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit    | Read  | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Level | Factor | Loss | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2462.00 | 111.89 | 74.00 | 37.89  | 103.22 | 32.41 | 7.22 | 36.96 | 6.00 | 292 | 360 | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>104.97</td> <td>74.00</td> <td>30.97</td> <td>96.30</td> <td>32.41</td> <td>7.22</td> <td>36.96</td> <td>6.00</td> <td>300</td> <td>118</td> <td>PEAK</td> </tr> </tbody> </table> | Limit   | Read  | Ant   | Cable  | Preamp | Aux   | APos  | TPos  | Remark | Freq | Level | Line | Level | Factor  | Loss  | Factor | Factor |       | MHz   | dBuV/m | dBuV/m | dB   | dBuV | dB/m | dB   | dB | cm      | deg   | 1     | 2462.00 | 104.97 | 74.00 | 30.97 | 96.30 | 32.41 | 7.22 | 36.96 | 6.00    | 300   | 118   | PEAK |     |       |        |     |      |      |        |      |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |
|           | Limit   | Read     | Ant   | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |   |       |      |     |       |        |     |      |      |        |      |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |
| Freq      | Level   | Line     | Level | Factor | Loss   | Factor | Factor |        |        |        |      |         |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |   |       |      |     |       |        |     |      |      |        |      |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |
| MHz       | dBuV/m  | dBuV/m   | dB    | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |      |         |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |   |       |      |     |       |        |     |      |      |        |      |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 1         | 2462.00   | 111.89   | 74.00 | 37.89  | 103.22 | 32.41  | 7.22   | 36.96  | 6.00   | 292    | 360  | PEAK    |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |   |       |      |     |       |        |     |      |      |        |      |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |
| Limit     | Read  | Ant      | Cable | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |   |       |      |     |       |        |     |      |      |        |      |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |
| Freq      | Level   | Line     | Level | Factor | Loss   | Factor | Factor |        |        |        |      |         |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |   |       |      |     |       |        |     |      |      |        |      |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |
| MHz       | dBuV/m  | dBuV/m   | dB    | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |      |         |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |   |       |      |     |       |        |     |      |      |        |      |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 1         | 2462.00   | 104.97   | 74.00 | 30.97  | 96.30  | 32.41  | 7.22   | 36.96  | 6.00   | 300    | 118  | PEAK    |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |   |       |      |     |       |        |     |      |      |        |      |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |
| Peak Avg  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3283.50</td> <td>44.86</td> <td>91.89</td> <td>-47.03</td> <td>69.38</td> <td>32.63</td> <td>8.39</td> <td>65.54</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4924.50</td> <td>45.28</td> <td>74.00</td> <td>-28.72</td> <td>66.42</td> <td>33.80</td> <td>10.35</td> <td>65.29</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7386.00</td> <td>54.87</td> <td>74.00</td> <td>-19.13</td> <td>73.23</td> <td>35.57</td> <td>12.73</td> <td>66.66</td> <td>0.00</td> <td>100</td> <td>326</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>7386.00</td> <td>49.03</td> <td>54.00</td> <td>-4.97</td> <td>67.39</td> <td>35.57</td> <td>12.73</td> <td>66.66</td> <td>0.00</td> <td>100</td> <td>332</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit    | Read  | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Level | Factor | Loss | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 3283.50 | 44.86  | 91.89 | -47.03 | 69.38  | 32.63 | 8.39 | 65.54 | 0.00 | --  | --  | Peak | 2  | 4924.50 | 45.28 | 74.00 | -28.72 | 66.42  | 33.80 | 10.35 | 65.29 | 0.00   | --   | --    | PEAK | 3     | 7386.00 | 54.87 | 74.00  | -19.13 | 73.23 | 35.57 | 12.73  | 66.66  | 0.00 | 100  | 326  | PEAK | 4  | 7386.00 | 49.03 | 54.00 | -4.97   | 67.39  | 35.57 | 12.73 | 66.66 | 0.00  | 100  | 332   | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3961.50</td> <td>41.77</td> <td>74.00</td> <td>-32.23</td> <td>65.21</td> <td>33.40</td> <td>9.25</td> <td>66.09</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4924.00</td> <td>43.48</td> <td>74.00</td> <td>-30.52</td> <td>64.62</td> <td>33.80</td> <td>10.35</td> <td>65.29</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>6600.00</td> <td>46.08</td> <td>84.97</td> <td>-38.89</td> <td>64.45</td> <td>35.40</td> <td>12.10</td> <td>65.87</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>7386.00</td> <td>53.55</td> <td>74.00</td> <td>-20.45</td> <td>71.91</td> <td>35.57</td> <td>12.73</td> <td>66.66</td> <td>0.00</td> <td>251</td> <td>91</td> <td>PEAK</td> </tr> <tr> <td>5</td> <td>7386.00</td> <td>47.98</td> <td>54.00</td> <td>-6.02</td> <td>66.34</td> <td>35.57</td> <td>12.73</td> <td>66.66</td> <td>0.00</td> <td>251</td> <td>91</td> <td>AVERAGE</td> </tr> <tr> <td>6</td> <td>9241.50</td> <td>46.14</td> <td>84.97</td> <td>-38.83</td> <td>62.18</td> <td>36.40</td> <td>14.49</td> <td>66.93</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 3961.50 | 41.77 | 74.00 | -32.23 | 65.21 | 33.40 | 9.25 | 66.09 | 0.00 | -- | -- | Peak | 2 | 4924.00 | 43.48 | 74.00 | -30.52 | 64.62 | 33.80 | 10.35 | 65.29 | 0.00 | -- | -- | PEAK | 3 | 6600.00 | 46.08 | 84.97 | -38.89 | 64.45 | 35.40 | 12.10 | 65.87 | 0.00 | -- | -- | Peak | 4 | 7386.00 | 53.55 | 74.00 | -20.45 | 71.91 | 35.57 | 12.73 | 66.66 | 0.00 | 251 | 91 | PEAK | 5 | 7386.00 | 47.98 | 54.00 | -6.02 | 66.34 | 35.57 | 12.73 | 66.66 | 0.00 | 251 | 91 | AVERAGE | 6 | 9241.50 | 46.14 | 84.97 | -38.83 | 62.18 | 36.40 | 14.49 | 66.93 | 0.00 | -- | -- | Peak |
|           | Limit   | Read     | Ant   | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |   |       |      |     |       |        |     |      |      |        |      |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |
| Freq      | Level   | Line     | Level | Factor | Loss   | Factor | Factor |        |        |        |      |         |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |   |       |      |     |       |        |     |      |      |        |      |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |
| MHz       | dBuV/m  | dBuV/m   | dB    | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |      |         |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |   |       |      |     |       |        |     |      |      |        |      |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 1         | 3283.50   | 44.86    | 91.89 | -47.03 | 69.38  | 32.63  | 8.39   | 65.54  | 0.00   | --     | --   | Peak    |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |   |       |      |     |       |        |     |      |      |        |      |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 2         | 4924.50   | 45.28    | 74.00 | -28.72 | 66.42  | 33.80  | 10.35  | 65.29  | 0.00   | --     | --   | PEAK    |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |   |       |      |     |       |        |     |      |      |        |      |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 3         | 7386.00   | 54.87    | 74.00 | -19.13 | 73.23  | 35.57  | 12.73  | 66.66  | 0.00   | 100    | 326  | PEAK    |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |   |       |      |     |       |        |     |      |      |        |      |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 4         | 7386.00   | 49.03    | 54.00 | -4.97  | 67.39  | 35.57  | 12.73  | 66.66  | 0.00   | 100    | 332  | AVERAGE |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |   |       |      |     |       |        |     |      |      |        |      |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |
| Limit     | Read  | Ant      | Cable | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |   |       |      |     |       |        |     |      |      |        |      |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |
| Freq      | Level   | Line     | Level | Factor | Loss   | Factor | Factor |        |        |        |      |         |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |   |       |      |     |       |        |     |      |      |        |      |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |
| MHz       | dBuV/m  | dBuV/m   | dB    | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |      |         |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |   |       |      |     |       |        |     |      |      |        |      |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 1         | 3961.50   | 41.77    | 74.00 | -32.23 | 65.21  | 33.40  | 9.25   | 66.09  | 0.00   | --     | --   | Peak    |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |   |       |      |     |       |        |     |      |      |        |      |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 2         | 4924.00   | 43.48    | 74.00 | -30.52 | 64.62  | 33.80  | 10.35  | 65.29  | 0.00   | --     | --   | PEAK    |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |   |       |      |     |       |        |     |      |      |        |      |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 3         | 6600.00   | 46.08    | 84.97 | -38.89 | 64.45  | 35.40  | 12.10  | 65.87  | 0.00   | --     | --   | Peak    |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |   |       |      |     |       |        |     |      |      |        |      |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 4         | 7386.00   | 53.55    | 74.00 | -20.45 | 71.91  | 35.57  | 12.73  | 66.66  | 0.00   | 251    | 91   | PEAK    |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |   |       |      |     |       |        |     |      |      |        |      |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 5         | 7386.00   | 47.98    | 54.00 | -6.02  | 66.34  | 35.57  | 12.73  | 66.66  | 0.00   | 251    | 91   | AVERAGE |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |   |       |      |     |       |        |     |      |      |        |      |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 6         | 9241.50   | 46.14    | 84.97 | -38.83 | 62.18  | 36.40  | 14.49  | 66.93  | 0.00   | --     | --   | Peak    |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |     |      |  |         |       |       |        |        |       |       |       |        |      |       |      |       |         |       |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |   |       |      |     |       |        |     |      |      |        |      |       |      |       |        |      |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |       |       |       |       |       |      |     |    |         |   |         |       |       |        |       |       |       |       |      |    |    |      |



| Mode  | 4   |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
|-------|---|-------------|--------|--------|--------|--------|--------|--------|--------|--------|------|---------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|--------|-------|-------|--------|-------|------|-------|------|-----|-----|---------|
|       | Band Edge   |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
|       | 2400-2483.5_802.11g_CH01_2412MHz  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| ANT   | 0   |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Pol.  | Horizontal  | Fundamental |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.26</td> <td>60.54</td> <td>74.00</td> <td>-13.46</td> <td>52.30</td> <td>32.06</td> <td>7.10</td> <td>36.92</td> <td>6.00</td> <td>378</td> <td>181</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2388.26 | 60.54 | 74.00 | -13.46 | 52.30 | 32.06 | 7.10 | 36.92 | 6.00 | 378 | 181 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>109.01</td> <td>-----</td> <td>-----</td> <td>100.64</td> <td>32.15</td> <td>7.14</td> <td>36.92</td> <td>6.00</td> <td>378</td> <td>181</td> <td>PEAK</td> </tr> </tbody> </table>  | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2412.00 | 109.01 | ----- | ----- | 100.64 | 32.15 | 7.14 | 36.92 | 6.00 | 378 | 181 | PEAK    |
|       | Limit   | Read        | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| 1     | 2388.26   | 60.54       | 74.00  | -13.46 | 52.30  | 32.06  | 7.10   | 36.92  | 6.00   | 378    | 181  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Limit | Read  | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| 1     | 2412.00   | 109.01      | -----  | -----  | 100.64 | 32.15  | 7.14   | 36.92  | 6.00   | 378    | 181  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2385.66</td> <td>50.55</td> <td>54.00</td> <td>-3.45</td> <td>42.31</td> <td>32.06</td> <td>7.10</td> <td>36.92</td> <td>6.00</td> <td>378</td> <td>181</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2385.66 | 50.55 | 54.00 | -3.45  | 42.31 | 32.06 | 7.10 | 36.92 | 6.00 | 378 | 181 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>99.53</td> <td>-----</td> <td>-----</td> <td>91.15</td> <td>32.17</td> <td>7.14</td> <td>36.93</td> <td>6.00</td> <td>378</td> <td>181</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2412.00 | 99.53  | ----- | ----- | 91.15  | 32.17 | 7.14 | 36.93 | 6.00 | 378 | 181 | AVERAGE |
| Limit | Read  | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| 1     | 2385.66   | 50.55       | 54.00  | -3.45  | 42.31  | 32.06  | 7.10   | 36.92  | 6.00   | 378    | 181  | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Limit | Read  | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| 1     | 2412.00   | 99.53       | -----  | -----  | 91.15  | 32.17  | 7.14   | 36.93  | 6.00   | 378    | 181  | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |



| Mode  | 4   |             |              |             |        |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
|-------|---|-------------|--------------|-------------|--------|--------|------|--------|--------|--------|------|---------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|--------|-------|-------|-------|-------|------|-------|------|-----|-----|---------|
|       | Band Edge   |             |              |             |        |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
|       | 2400-2483.5_802.11g_CH01_2412MHz  |             |              |             |        |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| ANT   | 0   |             |              |             |        |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Pol.  | Vertical  | Fundamental |              |             |        |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2386.57</td> <td>57.06</td> <td>74.00</td> <td>-16.94</td> <td>48.82</td> <td>32.06</td> <td>7.10</td> <td>36.92</td> <td>6.00</td> <td>328</td> <td>103</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit       | Read         | Ant         | Cable  | Preamp | Aux  | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2386.57 | 57.06 | 74.00 | -16.94 | 48.82 | 32.06 | 7.10 | 36.92 | 6.00 | 328 | 103 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>103.85</td> <td>-----</td> <td>-----</td> <td>95.48</td> <td>32.15</td> <td>7.14</td> <td>36.92</td> <td>6.00</td> <td>328</td> <td>103</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2412.00 | 103.85 | ----- | ----- | 95.48 | 32.15 | 7.14 | 36.92 | 6.00 | 328 | 103 | PEAK    |
|       | Limit   | Read        | Ant          | Cable       | Preamp | Aux    | APos | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB   | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2386.57   | 57.06       | 74.00        | -16.94      | 48.82  | 32.06  | 7.10 | 36.92  | 6.00   | 328    | 103  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Limit | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB   | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2412.00   | 103.85      | -----        | -----       | 95.48  | 32.15  | 7.14 | 36.92  | 6.00   | 328    | 103  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.82</td> <td>46.55</td> <td>54.00</td> <td>-7.45</td> <td>38.29</td> <td>32.07</td> <td>7.11</td> <td>36.92</td> <td>6.00</td> <td>328</td> <td>103</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux  | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2389.82 | 46.55 | 54.00 | -7.45  | 38.29 | 32.07 | 7.11 | 36.92 | 6.00 | 328 | 103 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>94.59</td> <td>-----</td> <td>-----</td> <td>86.22</td> <td>32.15</td> <td>7.14</td> <td>36.92</td> <td>6.00</td> <td>328</td> <td>103</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2412.00 | 94.59  | ----- | ----- | 86.22 | 32.15 | 7.14 | 36.92 | 6.00 | 328 | 103 | AVERAGE |
| Limit | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB   | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2389.82   | 46.55       | 54.00        | -7.45       | 38.29  | 32.07  | 7.11 | 36.92  | 6.00   | 328    | 103  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Limit | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB   | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2412.00   | 94.59       | -----        | -----       | 86.22  | 32.15  | 7.14 | 36.92  | 6.00   | 328    | 103  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |







| Mode     | 4  |             |              |             |        |        |        |       |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |
|----------|--|-------------|--------------|-------------|--------|--------|--------|-------|------|------|-------|-------------|--------------|-------------|--------|--|--------|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|------|--|-------|------|-----|-------|--------|-----|------|------|------|-------|-------------|--------------|-------------|--------|--|--------|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|------|
|          | Harmonic   |             |              |             |        |        |        |       |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |
|          | 2400-2483.5_802.11g_CH01_2412MHz   |             |              |             |        |        |        |       |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |
| ANT      | 0  |             |              |             |        |        |        |       |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |
| Pol.     | Horizontal   | Vertical    |              |             |        |        |        |       |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>42.35</td> <td>74.00</td> <td>-31.65</td> <td>63.47</td> <td>33.90</td> <td>10.23</td> <td>65.25</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux    | APos  | TPos | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 4824.00 | 42.35 | 74.00 | -31.65 | 63.47 | 33.90 | 10.23 | 65.25 | 0.00 | -- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>40.09</td> <td>74.00</td> <td>-33.91</td> <td>61.21</td> <td>33.90</td> <td>10.23</td> <td>65.25</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 4824.00 | 40.09 | 74.00 | -33.91 | 61.21 | 33.90 | 10.23 | 65.25 | 0.00 | -- | PEAK |
| Limit    | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos   |       |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |
| Freq     | Level  | Line Margin | Level Factor | Loss Factor | Factor |        | Remark |       |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |
| MHz      | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB     | cm    | deg  |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |
| 1        | 4824.00  | 42.35       | 74.00        | -31.65      | 63.47  | 33.90  | 10.23  | 65.25 | 0.00 | --   | PEAK  |             |              |             |        |  |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |
| Limit    | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos   |       |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |
| Freq     | Level  | Line Margin | Level Factor | Loss Factor | Factor |        | Remark |       |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |
| MHz      | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB     | cm    | deg  |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |
| 1        | 4824.00  | 40.09       | 74.00        | -33.91      | 61.21  | 33.90  | 10.23  | 65.25 | 0.00 | --   | PEAK  |             |              |             |        |  |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |      |





| Mode     | 5   |             |              |             |        |        |       |        |      |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |
|----------|---|-------------|--------------|-------------|--------|--------|-------|--------|------|--------|------|---------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|
|          | Harmonic  |             |              |             |        |        |       |        |      |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |
|          | 2400-2483.5_802.11g_CH06_2437MHz  |             |              |             |        |        |       |        |      |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |
| ANT      | 0   |             |              |             |        |        |       |        |      |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |
| Pol.     | Horizontal  | Vertical    |              |             |        |        |       |        |      |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>43.50</td> <td>74.00</td> <td>-30.50</td> <td>64.58</td> <td>33.90</td> <td>10.29</td> <td>65.27</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>53.87</td> <td>74.00</td> <td>-20.13</td> <td>71.90</td> <td>35.70</td> <td>12.72</td> <td>66.45</td> <td>0.00</td> <td>100</td> <td>27</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>38.66</td> <td>54.00</td> <td>-15.34</td> <td>56.70</td> <td>35.70</td> <td>12.72</td> <td>66.46</td> <td>0.00</td> <td>100</td> <td>27</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 4874.00 | 43.50 | 74.00 | -30.50 | 64.58 | 33.90 | 10.29 | 65.27 | 0.00 | -- | -- | PEAK | 2 | 7311.00 | 53.87 | 74.00 | -20.13 | 71.90 | 35.70 | 12.72 | 66.45 | 0.00 | 100 | 27 | PEAK | 3 | 7311.00 | 38.66 | 54.00 | -15.34 | 56.70 | 35.70 | 12.72 | 66.46 | 0.00 | 100 | 27 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>40.96</td> <td>74.00</td> <td>-33.04</td> <td>62.04</td> <td>33.90</td> <td>10.29</td> <td>65.27</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>58.03</td> <td>74.00</td> <td>-15.97</td> <td>76.06</td> <td>35.70</td> <td>12.72</td> <td>66.45</td> <td>0.00</td> <td>374</td> <td>113</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>42.31</td> <td>54.00</td> <td>-11.69</td> <td>60.35</td> <td>35.70</td> <td>12.72</td> <td>66.46</td> <td>0.00</td> <td>374</td> <td>113</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 4874.00 | 40.96 | 74.00 | -33.04 | 62.04 | 33.90 | 10.29 | 65.27 | 0.00 | -- | -- | PEAK | 2 | 7311.00 | 58.03 | 74.00 | -15.97 | 76.06 | 35.70 | 12.72 | 66.45 | 0.00 | 374 | 113 | PEAK | 3 | 7311.00 | 42.31 | 54.00 | -11.69 | 60.35 | 35.70 | 12.72 | 66.46 | 0.00 | 374 | 113 | AVERAGE |
| Limit    | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |
| Freq     | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |
| MHz      | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |
| 1        | 4874.00   | 43.50       | 74.00        | -30.50      | 64.58  | 33.90  | 10.29 | 65.27  | 0.00 | --     | --   | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |
| 2        | 7311.00   | 53.87       | 74.00        | -20.13      | 71.90  | 35.70  | 12.72 | 66.45  | 0.00 | 100    | 27   | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |
| 3        | 7311.00   | 38.66       | 54.00        | -15.34      | 56.70  | 35.70  | 12.72 | 66.46  | 0.00 | 100    | 27   | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |
| Limit    | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |
| Freq     | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |
| MHz      | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |
| 1        | 4874.00   | 40.96       | 74.00        | -33.04      | 62.04  | 33.90  | 10.29 | 65.27  | 0.00 | --     | --   | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |
| 2        | 7311.00   | 58.03       | 74.00        | -15.97      | 76.06  | 35.70  | 12.72 | 66.45  | 0.00 | 374    | 113  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |
| 3        | 7311.00   | 42.31       | 54.00        | -11.69      | 60.35  | 35.70  | 12.72 | 66.46  | 0.00 | 374    | 113  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |    |      |   |         |       |       |        |       |       |       |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |



| Mode                        | 6  |             |             |        |        |         |      |        |        |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                             |             |            |      |     |    |         |  |  |  |       |      |     |       |        |     |      |      |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                    |             |            |      |     |    |         |  |  |
|-----------------------------|--|-------------|-------------|--------|--------|---------|------|--------|--------|--------|------------------------|--------------|-------------|-------------|--------|--|--|--|--|----------------------|--------------|----|----|----|----|----|-----|--|-----------------------------|-------------|------------|------|-----|----|---------|--|--|--|-------|------|-----|-------|--------|-----|------|------|--------|------------------------|--------------|-------------|-------------|--------|--|--|--|--|----------------------|--------------|----|----|----|----|----|-----|--|--------------------|-------------|------------|------|-----|----|---------|--|--|
|                             | Band Edge  |             |             |        |        |         |      |        |        |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                             |             |            |      |     |    |         |  |  |  |       |      |     |       |        |     |      |      |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                    |             |            |      |     |    |         |  |  |
|                             | 2400-2483.5_802.11g_CH11_2462MHz   |             |             |        |        |         |      |        |        |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                             |             |            |      |     |    |         |  |  |  |       |      |     |       |        |     |      |      |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                    |             |            |      |     |    |         |  |  |
| ANT                         | 0  |             |             |        |        |         |      |        |        |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                             |             |            |      |     |    |         |  |  |  |       |      |     |       |        |     |      |      |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                    |             |            |      |     |    |         |  |  |
| Pol.                        | Horizontal   | Fundamental |             |        |        |         |      |        |        |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                             |             |            |      |     |    |         |  |  |  |       |      |     |       |        |     |      |      |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                    |             |            |      |     |    |         |  |  |
| Peak                        |  <table border="1" data-bbox="263 1131 774 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2484.70 65.83 74.00 -8.17</td> <td>57.01 32.52</td> <td>7.26 36.96</td> <td>6.00</td> <td>101</td> <td>29</td> <td>PEAK</td> <td></td> <td></td> </tr> </tbody> </table>     | Limit       | Read        | Ant    | Cable  | Preamp  | Aux  | APos   | TPos   | Remark | Freq Level Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |  |  |  |  | MHz dBuV/m dBuV/m dB | dBuV dB/m dB | dB | dB | dB | dB | cm | deg |  | 1 2484.70 65.83 74.00 -8.17 | 57.01 32.52 | 7.26 36.96 | 6.00 | 101 | 29 | PEAK    |  |  |  <table border="1" data-bbox="901 1131 1412 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2462.00 107.76 -</td> <td>99.11 32.39</td> <td>7.21 36.95</td> <td>6.00</td> <td>101</td> <td>29</td> <td>PEAK</td> <td></td> <td></td> </tr> </tbody> </table>    | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq Level Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |  |  |  |  | MHz dBuV/m dBuV/m dB | dBuV dB/m dB | dB | dB | dB | dB | cm | deg |  | 1 2462.00 107.76 - | 99.11 32.39 | 7.21 36.95 | 6.00 | 101 | 29 | PEAK    |  |  |
|                             | Limit  | Read        | Ant         | Cable  | Preamp | Aux     | APos | TPos   | Remark |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                             |             |            |      |     |    |         |  |  |  |       |      |     |       |        |     |      |      |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                    |             |            |      |     |    |         |  |  |
| Freq Level Line Margin      | Level Factor   | Loss Factor | Loss Factor | Factor |        |         |      |        |        |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                             |             |            |      |     |    |         |  |  |  |       |      |     |       |        |     |      |      |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                    |             |            |      |     |    |         |  |  |
| MHz dBuV/m dBuV/m dB        | dBuV dB/m dB   | dB          | dB          | dB     | dB     | cm      | deg  |        |        |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                             |             |            |      |     |    |         |  |  |  |       |      |     |       |        |     |      |      |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                    |             |            |      |     |    |         |  |  |
| 1 2484.70 65.83 74.00 -8.17 | 57.01 32.52  | 7.26 36.96  | 6.00        | 101    | 29     | PEAK    |      |        |        |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                             |             |            |      |     |    |         |  |  |  |       |      |     |       |        |     |      |      |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                    |             |            |      |     |    |         |  |  |
| Limit                       | Read   | Ant         | Cable       | Preamp | Aux    | APos    | TPos | Remark |        |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                             |             |            |      |     |    |         |  |  |  |       |      |     |       |        |     |      |      |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                    |             |            |      |     |    |         |  |  |
| Freq Level Line Margin      | Level Factor   | Loss Factor | Loss Factor | Factor |        |         |      |        |        |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                             |             |            |      |     |    |         |  |  |  |       |      |     |       |        |     |      |      |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                    |             |            |      |     |    |         |  |  |
| MHz dBuV/m dBuV/m dB        | dBuV dB/m dB   | dB          | dB          | dB     | dB     | cm      | deg  |        |        |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                             |             |            |      |     |    |         |  |  |  |       |      |     |       |        |     |      |      |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                    |             |            |      |     |    |         |  |  |
| 1 2462.00 107.76 -          | 99.11 32.39  | 7.21 36.95  | 6.00        | 101    | 29     | PEAK    |      |        |        |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                             |             |            |      |     |    |         |  |  |  |       |      |     |       |        |     |      |      |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                    |             |            |      |     |    |         |  |  |
| Avg                         |  <table border="1" data-bbox="263 1814 774 1937"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2484.10 50.25 54.00 -3.75</td> <td>41.43 32.52</td> <td>7.26 36.96</td> <td>6.00</td> <td>101</td> <td>29</td> <td>AVERAGE</td> <td></td> <td></td> </tr> </tbody> </table> | Limit       | Read        | Ant    | Cable  | Preamp  | Aux  | APos   | TPos   | Remark | Freq Level Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |  |  |  |  | MHz dBuV/m dBuV/m dB | dBuV dB/m dB | dB | dB | dB | dB | cm | deg |  | 1 2484.10 50.25 54.00 -3.75 | 41.43 32.52 | 7.26 36.96 | 6.00 | 101 | 29 | AVERAGE |  |  |  <table border="1" data-bbox="901 1814 1412 1937"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2462.00 99.51 -</td> <td>90.84 32.40</td> <td>7.22 36.95</td> <td>6.00</td> <td>101</td> <td>29</td> <td>AVERAGE</td> <td></td> <td></td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq Level Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |  |  |  |  | MHz dBuV/m dBuV/m dB | dBuV dB/m dB | dB | dB | dB | dB | cm | deg |  | 1 2462.00 99.51 -  | 90.84 32.40 | 7.22 36.95 | 6.00 | 101 | 29 | AVERAGE |  |  |
|                             | Limit  | Read        | Ant         | Cable  | Preamp | Aux     | APos | TPos   | Remark |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                             |             |            |      |     |    |         |  |  |  |       |      |     |       |        |     |      |      |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                    |             |            |      |     |    |         |  |  |
| Freq Level Line Margin      | Level Factor   | Loss Factor | Loss Factor | Factor |        |         |      |        |        |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                             |             |            |      |     |    |         |  |  |  |       |      |     |       |        |     |      |      |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                    |             |            |      |     |    |         |  |  |
| MHz dBuV/m dBuV/m dB        | dBuV dB/m dB   | dB          | dB          | dB     | dB     | cm      | deg  |        |        |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                             |             |            |      |     |    |         |  |  |  |       |      |     |       |        |     |      |      |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                    |             |            |      |     |    |         |  |  |
| 1 2484.10 50.25 54.00 -3.75 | 41.43 32.52  | 7.26 36.96  | 6.00        | 101    | 29     | AVERAGE |      |        |        |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                             |             |            |      |     |    |         |  |  |  |       |      |     |       |        |     |      |      |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                    |             |            |      |     |    |         |  |  |
| Limit                       | Read   | Ant         | Cable       | Preamp | Aux    | APos    | TPos | Remark |        |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                             |             |            |      |     |    |         |  |  |  |       |      |     |       |        |     |      |      |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                    |             |            |      |     |    |         |  |  |
| Freq Level Line Margin      | Level Factor   | Loss Factor | Loss Factor | Factor |        |         |      |        |        |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                             |             |            |      |     |    |         |  |  |  |       |      |     |       |        |     |      |      |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                    |             |            |      |     |    |         |  |  |
| MHz dBuV/m dBuV/m dB        | dBuV dB/m dB   | dB          | dB          | dB     | dB     | cm      | deg  |        |        |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                             |             |            |      |     |    |         |  |  |  |       |      |     |       |        |     |      |      |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                    |             |            |      |     |    |         |  |  |
| 1 2462.00 99.51 -           | 90.84 32.40  | 7.22 36.95  | 6.00        | 101    | 29     | AVERAGE |      |        |        |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                             |             |            |      |     |    |         |  |  |  |       |      |     |       |        |     |      |      |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                    |             |            |      |     |    |         |  |  |







| Mode  | 6   |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
|-------|---|-------------|--------|--------|--------|--------|--------|--------|--------|--------|------|---------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|--------|-------|-------|-------|-------|------|-------|------|-----|-----|---------|
|       | Band Edge   |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
|       | 2400-2483.5_802.11g_CH11_2462MHz  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| ANT   | 0   |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Pol.  | Vertical  | Fundamental |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.44</td> <td>62.13</td> <td>74.00</td> <td>-11.87</td> <td>53.30</td> <td>32.53</td> <td>7.26</td> <td>36.96</td> <td>6.00</td> <td>398</td> <td>100</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2486.44 | 62.13 | 74.00 | -11.87 | 53.30 | 32.53 | 7.26 | 36.96 | 6.00 | 398 | 100 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>105.02</td> <td>-----</td> <td>-----</td> <td>96.34</td> <td>32.41</td> <td>7.22</td> <td>36.95</td> <td>6.00</td> <td>398</td> <td>100</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2462.00 | 105.02 | ----- | ----- | 96.34 | 32.41 | 7.22 | 36.95 | 6.00 | 398 | 100 | PEAK    |
|       | Limit   | Read        | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2486.44   | 62.13       | 74.00  | -11.87 | 53.30  | 32.53  | 7.26   | 36.96  | 6.00   | 398    | 100  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Limit | Read  | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2462.00   | 105.02      | -----  | -----  | 96.34  | 32.41  | 7.22   | 36.95  | 6.00   | 398    | 100  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.52</td> <td>50.56</td> <td>54.00</td> <td>-3.44</td> <td>41.74</td> <td>32.52</td> <td>7.26</td> <td>36.96</td> <td>6.00</td> <td>398</td> <td>100</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2484.52 | 50.56 | 54.00 | -3.44  | 41.74 | 32.52 | 7.26 | 36.96 | 6.00 | 398 | 100 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>96.46</td> <td>-----</td> <td>-----</td> <td>87.77</td> <td>32.42</td> <td>7.22</td> <td>36.95</td> <td>6.00</td> <td>398</td> <td>100</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2462.00 | 96.46  | ----- | ----- | 87.77 | 32.42 | 7.22 | 36.95 | 6.00 | 398 | 100 | AVERAGE |
| Limit | Read  | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2484.52   | 50.56       | 54.00  | -3.44  | 41.74  | 32.52  | 7.26   | 36.96  | 6.00   | 398    | 100  | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Limit | Read  | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2462.00   | 96.46       | -----  | -----  | 87.77  | 32.42  | 7.22   | 36.95  | 6.00   | 398    | 100  | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |



| Mode     | 6   |          |        |        |        |        |        |        |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
|----------|---|----------|--------|--------|--------|--------|--------|--------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|
|          | Harmonic  |          |        |        |        |        |        |        |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
|          | 2400-2483.5_802.11g_CH11_2462MHz  |          |        |        |        |        |        |        |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| ANT      | 0   |          |        |        |        |        |        |        |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| Pol.     | Horizontal  | Vertical |        |        |        |        |        |        |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>40.75</td> <td>74.00</td> <td>-33.25</td> <td>61.74</td> <td>33.95</td> <td>10.35</td> <td>65.29</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>41.19</td> <td>74.00</td> <td>-32.81</td> <td>59.42</td> <td>35.70</td> <td>12.73</td> <td>66.66</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit    | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 4924.00 | 40.75 | 74.00 | -33.25 | 61.74 | 33.95 | 10.35 | 65.29 | 0.00 | -- | -- | PEAK | 2 | 7386.00 | 41.19 | 74.00 | -32.81 | 59.42 | 35.70 | 12.73 | 66.66 | 0.00 | -- | -- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>40.17</td> <td>74.00</td> <td>-33.83</td> <td>61.16</td> <td>33.95</td> <td>10.35</td> <td>65.29</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>41.13</td> <td>74.00</td> <td>-32.87</td> <td>59.36</td> <td>35.70</td> <td>12.73</td> <td>66.66</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 4924.00 | 40.17 | 74.00 | -33.83 | 61.16 | 33.95 | 10.35 | 65.29 | 0.00 | -- | -- | PEAK | 2 | 7386.00 | 41.13 | 74.00 | -32.87 | 59.36 | 35.70 | 12.73 | 66.66 | 0.00 | -- | -- | PEAK |
| Limit    | Read  | Ant      | Cable  | Preamp | Aux    | APos   | TPos   | Remark |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| Freq     | Level   | Line     | Margin | Level  | Factor | Loss   | Factor | Factor |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| MHz      | dBuV/m  | dBuV/m   | dB     | dBuV   | dB/m   | dB     | dB     | dB     |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 1        | 4924.00   | 40.75    | 74.00  | -33.25 | 61.74  | 33.95  | 10.35  | 65.29  | 0.00 | --     | --   | PEAK  |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 2        | 7386.00   | 41.19    | 74.00  | -32.81 | 59.42  | 35.70  | 12.73  | 66.66  | 0.00 | --     | --   | PEAK  |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| Limit    | Read  | Ant      | Cable  | Preamp | Aux    | APos   | TPos   | Remark |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| Freq     | Level   | Line     | Margin | Level  | Factor | Loss   | Factor | Factor |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| MHz      | dBuV/m  | dBuV/m   | dB     | dBuV   | dB/m   | dB     | dB     | dB     |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 1        | 4924.00   | 40.17    | 74.00  | -33.83 | 61.16  | 33.95  | 10.35  | 65.29  | 0.00 | --     | --   | PEAK  |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 2        | 7386.00   | 41.13    | 74.00  | -32.87 | 59.36  | 35.70  | 12.73  | 66.66  | 0.00 | --     | --   | PEAK  |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |



| Mode  | 7  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
|-------|--|-------------|--------|--------|--------|--------|--------|--------|--------|--------|------|---------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|---------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|--------|-------|-------|--------|-------|------|-------|------|-----|-----|---------|
|       | Band Edge  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
|       | 2400-2483.5_802.11b_CH01_2412MHz   |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| ANT   | 1  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Pol.  | Horizontal   | Fundamental |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Peak  |  <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2381.11</td> <td>56.03</td> <td>74.00</td> <td>-17.97</td> <td>48.20</td> <td>31.65</td> <td>7.09</td> <td>36.91</td> <td>6.00</td> <td>100</td> <td>186</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2381.11 | 56.03 | 74.00 | -17.97 | 48.20 | 31.65 | 7.09 | 36.91 | 6.00 | 100 | 186 | PEAK    |  <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>112.79</td> <td>-----</td> <td>-----</td> <td>104.78</td> <td>31.80</td> <td>7.14</td> <td>36.93</td> <td>6.00</td> <td>100</td> <td>186</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2412.00 | 112.79 | ----- | ----- | 104.78 | 31.80 | 7.14 | 36.93 | 6.00 | 100 | 186 | PEAK    |
|       | Limit  | Read        | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| 1     | 2381.11  | 56.03       | 74.00  | -17.97 | 48.20  | 31.65  | 7.09   | 36.91  | 6.00   | 100    | 186  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Limit | Read   | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| 1     | 2412.00  | 112.79      | -----  | -----  | 104.78 | 31.80  | 7.14   | 36.93  | 6.00   | 100    | 186  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Avg   |  <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2329.89</td> <td>46.55</td> <td>54.00</td> <td>-7.45</td> <td>39.00</td> <td>31.44</td> <td>7.01</td> <td>36.90</td> <td>6.00</td> <td>100</td> <td>186</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2329.89 | 46.55 | 54.00 | -7.45  | 39.00 | 31.44 | 7.01 | 36.90 | 6.00 | 100 | 186 | AVERAGE |  <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>107.85</td> <td>-----</td> <td>-----</td> <td>99.84</td> <td>31.80</td> <td>7.14</td> <td>36.93</td> <td>6.00</td> <td>100</td> <td>186</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2412.00 | 107.85 | ----- | ----- | 99.84  | 31.80 | 7.14 | 36.93 | 6.00 | 100 | 186 | AVERAGE |
| Limit | Read   | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| 1     | 2329.89  | 46.55       | 54.00  | -7.45  | 39.00  | 31.44  | 7.01   | 36.90  | 6.00   | 100    | 186  | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Limit | Read   | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |
| 1     | 2412.00  | 107.85      | -----  | -----  | 99.84  | 31.80  | 7.14   | 36.93  | 6.00   | 100    | 186  | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |        |       |      |       |      |     |     |         |



| Mode  | 7  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
|-------|--|-------------|--------|--------|--------|--------|--------|--------|--------|--------|------|---------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|--------|-------|-------|-------|-------|------|-------|------|-----|-----|---------|
|       | Band Edge  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
|       | 2400-2483.5_802.11b_CH01_2412MHz   |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| ANT   | 1  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Pol.  | Vertical   | Fundamental |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2386.96</td> <td>53.60</td> <td>74.00</td> <td>-20.40</td> <td>45.72</td> <td>31.70</td> <td>7.10</td> <td>36.92</td> <td>6.00</td> <td>386</td> <td>253</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2386.96 | 53.60 | 74.00 | -20.40 | 45.72 | 31.70 | 7.10 | 36.92 | 6.00 | 386 | 253 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>106.93</td> <td>-----</td> <td>-----</td> <td>98.92</td> <td>31.80</td> <td>7.14</td> <td>36.93</td> <td>6.00</td> <td>386</td> <td>253</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2412.00 | 106.93 | ----- | ----- | 98.92 | 31.80 | 7.14 | 36.93 | 6.00 | 386 | 253 | PEAK    |
|       | Limit  | Read        | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2386.96  | 53.60       | 74.00  | -20.40 | 45.72  | 31.70  | 7.10   | 36.92  | 6.00   | 386    | 253  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Limit | Read   | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2412.00  | 106.93      | -----  | -----  | 98.92  | 31.80  | 7.14   | 36.93  | 6.00   | 386    | 253  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2387.09</td> <td>44.82</td> <td>54.00</td> <td>-9.18</td> <td>36.94</td> <td>31.70</td> <td>7.10</td> <td>36.92</td> <td>6.00</td> <td>386</td> <td>253</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2387.09 | 44.82 | 54.00 | -9.18  | 36.94 | 31.70 | 7.10 | 36.92 | 6.00 | 386 | 253 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>101.97</td> <td>-----</td> <td>-----</td> <td>93.95</td> <td>31.80</td> <td>7.14</td> <td>36.92</td> <td>6.00</td> <td>386</td> <td>253</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2412.00 | 101.97 | ----- | ----- | 93.95 | 31.80 | 7.14 | 36.92 | 6.00 | 386 | 253 | AVERAGE |
| Limit | Read   | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2387.09  | 44.82       | 54.00  | -9.18  | 36.94  | 31.70  | 7.10   | 36.92  | 6.00   | 386    | 253  | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Limit | Read   | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2412.00  | 101.97      | -----  | -----  | 93.95  | 31.80  | 7.14   | 36.92  | 6.00   | 386    | 253  | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |







| Mode      | 7  |          |             |             |        |             |        |        |       |        |             |        |      |        |        |     |        |        |        |      |        |        |    |      |      |     |    |    |         |        |       |       |         |       |       |        |       |       |      |       |  |    |      |       |       |             |       |       |        |        |       |      |       |        |    |     |        |        |         |       |       |        |       |       |       |       |      |    |         |        |       |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |  |   |   |   |   |   |   |   |      |       |       |             |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
|-----------|--|----------|-------------|-------------|--------|-------------|--------|--------|-------|--------|-------------|--------|------|--------|--------|-----|--------|--------|--------|------|--------|--------|----|------|------|-----|----|----|---------|--------|-------|-------|---------|-------|-------|--------|-------|-------|------|-------|--|----|------|-------|-------|-------------|-------|-------|--------|--------|-------|------|-------|--------|----|-----|--------|--------|---------|-------|-------|--------|-------|-------|-------|-------|------|----|---------|--------|-------|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|--|---|---|---|---|---|---|---|------|-------|-------|-------------|------|-----|-------|--------|-----|------|------|--------|-----|--------|--------|----|------|------|----|----|----|----|-----|--|---|---------|-------|-------|--------|-------|-------|------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|
|           | Harmonic   |          |             |             |        |             |        |        |       |        |             |        |      |        |        |     |        |        |        |      |        |        |    |      |      |     |    |    |         |        |       |       |         |       |       |        |       |       |      |       |  |    |      |       |       |             |       |       |        |        |       |      |       |        |    |     |        |        |         |       |       |        |       |       |       |       |      |    |         |        |       |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |  |   |   |   |   |   |   |   |      |       |       |             |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
|           | 2400-2483.5_802.11b_CH01_2412MHz   |          |             |             |        |             |        |        |       |        |             |        |      |        |        |     |        |        |        |      |        |        |    |      |      |     |    |    |         |        |       |       |         |       |       |        |       |       |      |       |  |    |      |       |       |             |       |       |        |        |       |      |       |        |    |     |        |        |         |       |       |        |       |       |       |       |      |    |         |        |       |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |  |   |   |   |   |   |   |   |      |       |       |             |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| ANT       | 1  |          |             |             |        |             |        |        |       |        |             |        |      |        |        |     |        |        |        |      |        |        |    |      |      |     |    |    |         |        |       |       |         |       |       |        |       |       |      |       |  |    |      |       |       |             |       |       |        |        |       |      |       |        |    |     |        |        |         |       |       |        |       |       |       |       |      |    |         |        |       |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |  |   |   |   |   |   |   |   |      |       |       |             |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| Pol.      | Horizontal   | Vertical |             |             |        |             |        |        |       |        |             |        |      |        |        |     |        |        |        |      |        |        |    |      |      |     |    |    |         |        |       |       |         |       |       |        |       |       |      |       |  |    |      |       |       |             |       |       |        |        |       |      |       |        |    |     |        |        |         |       |       |        |       |       |       |       |      |    |         |        |       |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |  |   |   |   |   |   |   |   |      |       |       |             |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 100K Ref. | <table border="1"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>112.17</td> <td>74.00</td> <td>38.17</td> <td>103.72</td> <td>32.17</td> <td>7.14</td> <td>36.86</td> <td>6.00</td> <td>100</td> <td>187</td> <td>PEAK</td> </tr> </tbody> </table>  | 1        | Freq        | Level       | Limit  | Line Margin | Read   | Ant    | Cable | Preamp | Aux         | APos   | TPos | Remark |        | MHz | dBuV/m | dBuV/m | dB     | dBuV | dB/m   | dB     | dB | dB   | cm   | deg |    | 1  | 2412.00 | 112.17 | 74.00 | 38.17 | 103.72  | 32.17 | 7.14  | 36.86  | 6.00  | 100   | 187  | PEAK  | <table border="1"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>105.53</td> <td>74.00</td> <td>31.53</td> <td>97.09</td> <td>32.15</td> <td>7.14</td> <td>36.85</td> <td>6.00</td> <td>300</td> <td>104</td> <td>PEAK</td> </tr> </tbody> </table> | 1  | Freq | Level | Limit | Line Margin | Read  | Ant   | Cable  | Preamp | Aux   | APos | TPos  | Remark |    | MHz | dBuV/m | dBuV/m | dB      | dBuV  | dB/m  | dB     | dB    | dB    | cm    | deg   |      | 1  | 2412.00 | 105.53 | 74.00 | 31.53   | 97.09 | 32.15 | 7.14   | 36.85 | 6.00  | 300   | 104   | PEAK |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |  |   |   |   |   |   |   |   |      |       |       |             |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 1         | Freq   | Level    | Limit       | Line Margin | Read   | Ant         | Cable  | Preamp | Aux   | APos   | TPos        | Remark |      |        |        |     |        |        |        |      |        |        |    |      |      |     |    |    |         |        |       |       |         |       |       |        |       |       |      |       |  |    |      |       |       |             |       |       |        |        |       |      |       |        |    |     |        |        |         |       |       |        |       |       |       |       |      |    |         |        |       |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |  |   |   |   |   |   |   |   |      |       |       |             |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
|           | MHz  | dBuV/m   | dBuV/m      | dB          | dBuV   | dB/m        | dB     | dB     | dB    | cm     | deg         |        |      |        |        |     |        |        |        |      |        |        |    |      |      |     |    |    |         |        |       |       |         |       |       |        |       |       |      |       |  |    |      |       |       |             |       |       |        |        |       |      |       |        |    |     |        |        |         |       |       |        |       |       |       |       |      |    |         |        |       |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |  |   |   |   |   |   |   |   |      |       |       |             |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 1         | 2412.00  | 112.17   | 74.00       | 38.17       | 103.72 | 32.17       | 7.14   | 36.86  | 6.00  | 100    | 187         | PEAK   |      |        |        |     |        |        |        |      |        |        |    |      |      |     |    |    |         |        |       |       |         |       |       |        |       |       |      |       |  |    |      |       |       |             |       |       |        |        |       |      |       |        |    |     |        |        |         |       |       |        |       |       |       |       |      |    |         |        |       |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |  |   |   |   |   |   |   |   |      |       |       |             |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 1         | Freq   | Level    | Limit       | Line Margin | Read   | Ant         | Cable  | Preamp | Aux   | APos   | TPos        | Remark |      |        |        |     |        |        |        |      |        |        |    |      |      |     |    |    |         |        |       |       |         |       |       |        |       |       |      |       |  |    |      |       |       |             |       |       |        |        |       |      |       |        |    |     |        |        |         |       |       |        |       |       |       |       |      |    |         |        |       |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |  |   |   |   |   |   |   |   |      |       |       |             |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
|           | MHz  | dBuV/m   | dBuV/m      | dB          | dBuV   | dB/m        | dB     | dB     | dB    | cm     | deg         |        |      |        |        |     |        |        |        |      |        |        |    |      |      |     |    |    |         |        |       |       |         |       |       |        |       |       |      |       |  |    |      |       |       |             |       |       |        |        |       |      |       |        |    |     |        |        |         |       |       |        |       |       |       |       |      |    |         |        |       |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |  |   |   |   |   |   |   |   |      |       |       |             |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 1         | 2412.00  | 105.53   | 74.00       | 31.53       | 97.09  | 32.15       | 7.14   | 36.85  | 6.00  | 300    | 104         | PEAK   |      |        |        |     |        |        |        |      |        |        |    |      |      |     |    |    |         |        |       |       |         |       |       |        |       |       |      |       |  |    |      |       |       |             |       |       |        |        |       |      |       |        |    |     |        |        |         |       |       |        |       |       |       |       |      |    |         |        |       |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |  |   |   |   |   |   |   |   |      |       |       |             |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| Peak Avg  | <table border="1"> <thead> <tr> <th>1</th> <th>2</th> <th>3</th> <th>4</th> <th>5</th> <th>6</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3216.00</td> <td>49.55</td> <td>92.17</td> <td>-42.62</td> <td>73.91</td> <td>32.77</td> <td>8.31</td> <td>65.44</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>3950.50</td> <td>42.83</td> <td>74.00</td> <td>-31.17</td> <td>66.27</td> <td>33.40</td> <td>9.25</td> <td>66.09</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>4824.00</td> <td>48.40</td> <td>74.00</td> <td>-25.60</td> <td>69.62</td> <td>33.00</td> <td>10.23</td> <td>65.25</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>6681.50</td> <td>44.00</td> <td>92.17</td> <td>-47.37</td> <td>63.17</td> <td>35.40</td> <td>12.10</td> <td>65.87</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>7234.50</td> <td>60.38</td> <td>92.17</td> <td>-31.79</td> <td>78.40</td> <td>35.50</td> <td>12.71</td> <td>66.23</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>6</td> <td>9648.00</td> <td>47.03</td> <td>92.17</td> <td>-45.14</td> <td>62.24</td> <td>36.70</td> <td>14.94</td> <td>66.85</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | 1        | 2           | 3           | 4      | 5           | 6      | Freq   | Level | Limit  | Line Margin | Read   | Ant  | Cable  | Preamp | Aux | APos   | TPos   | Remark | MHz  | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB  | dB | dB | cm      | deg    |       | 1     | 3216.00 | 49.55 | 92.17 | -42.62 | 73.91 | 32.77 | 8.31 | 65.44 | 0.00   | -- | --   | PEAK  | 2     | 3950.50     | 42.83 | 74.00 | -31.17 | 66.27  | 33.40 | 9.25 | 66.09 | 0.00   | -- | --  | Peak   | 3      | 4824.00 | 48.40 | 74.00 | -25.60 | 69.62 | 33.00 | 10.23 | 65.25 | 0.00 | -- | --      | PEAK   | 4     | 6681.50 | 44.00 | 92.17 | -47.37 | 63.17 | 35.40 | 12.10 | 65.87 | 0.00 | -- | -- | Peak | 5 | 7234.50 | 60.38 | 92.17 | -31.79 | 78.40 | 35.50 | 12.71 | 66.23 | 0.00 | -- | -- | PEAK | 6 | 9648.00 | 47.03 | 92.17 | -45.14 | 62.24 | 36.70 | 14.94 | 66.85 | 0.00 | -- | -- | Peak | <table border="1"> <thead> <tr> <th>1</th> <th>2</th> <th>3</th> <th>4</th> <th>5</th> <th>6</th> <th>7</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3216.00</td> <td>45.86</td> <td>85.53</td> <td>-39.67</td> <td>70.22</td> <td>32.77</td> <td>8.31</td> <td>65.44</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>3960.00</td> <td>41.92</td> <td>74.00</td> <td>-32.08</td> <td>65.36</td> <td>33.40</td> <td>9.25</td> <td>66.09</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>4824.00</td> <td>43.44</td> <td>74.00</td> <td>-30.56</td> <td>64.66</td> <td>33.00</td> <td>10.23</td> <td>65.25</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>6597.00</td> <td>47.18</td> <td>85.53</td> <td>-38.35</td> <td>65.56</td> <td>35.39</td> <td>12.09</td> <td>65.86</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>7234.50</td> <td>57.59</td> <td>85.53</td> <td>-27.94</td> <td>75.61</td> <td>35.50</td> <td>12.71</td> <td>66.23</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>6</td> <td>9238.50</td> <td>46.83</td> <td>85.53</td> <td>-38.70</td> <td>62.87</td> <td>36.40</td> <td>14.49</td> <td>66.93</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>7</td> <td>9648.00</td> <td>48.01</td> <td>85.53</td> <td>-37.52</td> <td>63.22</td> <td>36.70</td> <td>14.94</td> <td>66.85</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | 1 | 2 | 3 | 4 | 5 | 6 | 7 | Freq | Level | Limit | Line Margin | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg |  | 1 | 3216.00 | 45.86 | 85.53 | -39.67 | 70.22 | 32.77 | 8.31 | 65.44 | 0.00 | -- | -- | PEAK | 2 | 3960.00 | 41.92 | 74.00 | -32.08 | 65.36 | 33.40 | 9.25 | 66.09 | 0.00 | -- | -- | Peak | 3 | 4824.00 | 43.44 | 74.00 | -30.56 | 64.66 | 33.00 | 10.23 | 65.25 | 0.00 | -- | -- | PEAK | 4 | 6597.00 | 47.18 | 85.53 | -38.35 | 65.56 | 35.39 | 12.09 | 65.86 | 0.00 | -- | -- | Peak | 5 | 7234.50 | 57.59 | 85.53 | -27.94 | 75.61 | 35.50 | 12.71 | 66.23 | 0.00 | -- | -- | PEAK | 6 | 9238.50 | 46.83 | 85.53 | -38.70 | 62.87 | 36.40 | 14.49 | 66.93 | 0.00 | -- | -- | Peak | 7 | 9648.00 | 48.01 | 85.53 | -37.52 | 63.22 | 36.70 | 14.94 | 66.85 | 0.00 | -- | -- | Peak |
| 1         | 2  | 3        | 4           | 5           | 6      |             |        |        |       |        |             |        |      |        |        |     |        |        |        |      |        |        |    |      |      |     |    |    |         |        |       |       |         |       |       |        |       |       |      |       |  |    |      |       |       |             |       |       |        |        |       |      |       |        |    |     |        |        |         |       |       |        |       |       |       |       |      |    |         |        |       |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |  |   |   |   |   |   |   |   |      |       |       |             |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| Freq      | Level  | Limit    | Line Margin | Read        | Ant    | Cable       | Preamp | Aux    | APos  | TPos   | Remark      |        |      |        |        |     |        |        |        |      |        |        |    |      |      |     |    |    |         |        |       |       |         |       |       |        |       |       |      |       |  |    |      |       |       |             |       |       |        |        |       |      |       |        |    |     |        |        |         |       |       |        |       |       |       |       |      |    |         |        |       |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |  |   |   |   |   |   |   |   |      |       |       |             |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| MHz       | dBuV/m   | dBuV/m   | dB          | dBuV        | dB/m   | dB          | dB     | dB     | cm    | deg    |             |        |      |        |        |     |        |        |        |      |        |        |    |      |      |     |    |    |         |        |       |       |         |       |       |        |       |       |      |       |  |    |      |       |       |             |       |       |        |        |       |      |       |        |    |     |        |        |         |       |       |        |       |       |       |       |      |    |         |        |       |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |  |   |   |   |   |   |   |   |      |       |       |             |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 1         | 3216.00  | 49.55    | 92.17       | -42.62      | 73.91  | 32.77       | 8.31   | 65.44  | 0.00  | --     | --          | PEAK   |      |        |        |     |        |        |        |      |        |        |    |      |      |     |    |    |         |        |       |       |         |       |       |        |       |       |      |       |  |    |      |       |       |             |       |       |        |        |       |      |       |        |    |     |        |        |         |       |       |        |       |       |       |       |      |    |         |        |       |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |  |   |   |   |   |   |   |   |      |       |       |             |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 2         | 3950.50  | 42.83    | 74.00       | -31.17      | 66.27  | 33.40       | 9.25   | 66.09  | 0.00  | --     | --          | Peak   |      |        |        |     |        |        |        |      |        |        |    |      |      |     |    |    |         |        |       |       |         |       |       |        |       |       |      |       |  |    |      |       |       |             |       |       |        |        |       |      |       |        |    |     |        |        |         |       |       |        |       |       |       |       |      |    |         |        |       |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |  |   |   |   |   |   |   |   |      |       |       |             |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 3         | 4824.00  | 48.40    | 74.00       | -25.60      | 69.62  | 33.00       | 10.23  | 65.25  | 0.00  | --     | --          | PEAK   |      |        |        |     |        |        |        |      |        |        |    |      |      |     |    |    |         |        |       |       |         |       |       |        |       |       |      |       |  |    |      |       |       |             |       |       |        |        |       |      |       |        |    |     |        |        |         |       |       |        |       |       |       |       |      |    |         |        |       |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |  |   |   |   |   |   |   |   |      |       |       |             |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 4         | 6681.50  | 44.00    | 92.17       | -47.37      | 63.17  | 35.40       | 12.10  | 65.87  | 0.00  | --     | --          | Peak   |      |        |        |     |        |        |        |      |        |        |    |      |      |     |    |    |         |        |       |       |         |       |       |        |       |       |      |       |  |    |      |       |       |             |       |       |        |        |       |      |       |        |    |     |        |        |         |       |       |        |       |       |       |       |      |    |         |        |       |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |  |   |   |   |   |   |   |   |      |       |       |             |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 5         | 7234.50  | 60.38    | 92.17       | -31.79      | 78.40  | 35.50       | 12.71  | 66.23  | 0.00  | --     | --          | PEAK   |      |        |        |     |        |        |        |      |        |        |    |      |      |     |    |    |         |        |       |       |         |       |       |        |       |       |      |       |  |    |      |       |       |             |       |       |        |        |       |      |       |        |    |     |        |        |         |       |       |        |       |       |       |       |      |    |         |        |       |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |  |   |   |   |   |   |   |   |      |       |       |             |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 6         | 9648.00  | 47.03    | 92.17       | -45.14      | 62.24  | 36.70       | 14.94  | 66.85  | 0.00  | --     | --          | Peak   |      |        |        |     |        |        |        |      |        |        |    |      |      |     |    |    |         |        |       |       |         |       |       |        |       |       |      |       |  |    |      |       |       |             |       |       |        |        |       |      |       |        |    |     |        |        |         |       |       |        |       |       |       |       |      |    |         |        |       |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |  |   |   |   |   |   |   |   |      |       |       |             |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 1         | 2  | 3        | 4           | 5           | 6      | 7           |        |        |       |        |             |        |      |        |        |     |        |        |        |      |        |        |    |      |      |     |    |    |         |        |       |       |         |       |       |        |       |       |      |       |  |    |      |       |       |             |       |       |        |        |       |      |       |        |    |     |        |        |         |       |       |        |       |       |       |       |      |    |         |        |       |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |  |   |   |   |   |   |   |   |      |       |       |             |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| Freq      | Level  | Limit    | Line Margin | Read        | Ant    | Cable       | Preamp | Aux    | APos  | TPos   | Remark      |        |      |        |        |     |        |        |        |      |        |        |    |      |      |     |    |    |         |        |       |       |         |       |       |        |       |       |      |       |  |    |      |       |       |             |       |       |        |        |       |      |       |        |    |     |        |        |         |       |       |        |       |       |       |       |      |    |         |        |       |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |  |   |   |   |   |   |   |   |      |       |       |             |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| MHz       | dBuV/m   | dBuV/m   | dB          | dBuV        | dB/m   | dB          | dB     | dB     | cm    | deg    |             |        |      |        |        |     |        |        |        |      |        |        |    |      |      |     |    |    |         |        |       |       |         |       |       |        |       |       |      |       |  |    |      |       |       |             |       |       |        |        |       |      |       |        |    |     |        |        |         |       |       |        |       |       |       |       |      |    |         |        |       |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |  |   |   |   |   |   |   |   |      |       |       |             |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 1         | 3216.00  | 45.86    | 85.53       | -39.67      | 70.22  | 32.77       | 8.31   | 65.44  | 0.00  | --     | --          | PEAK   |      |        |        |     |        |        |        |      |        |        |    |      |      |     |    |    |         |        |       |       |         |       |       |        |       |       |      |       |  |    |      |       |       |             |       |       |        |        |       |      |       |        |    |     |        |        |         |       |       |        |       |       |       |       |      |    |         |        |       |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |  |   |   |   |   |   |   |   |      |       |       |             |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 2         | 3960.00  | 41.92    | 74.00       | -32.08      | 65.36  | 33.40       | 9.25   | 66.09  | 0.00  | --     | --          | Peak   |      |        |        |     |        |        |        |      |        |        |    |      |      |     |    |    |         |        |       |       |         |       |       |        |       |       |      |       |  |    |      |       |       |             |       |       |        |        |       |      |       |        |    |     |        |        |         |       |       |        |       |       |       |       |      |    |         |        |       |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |  |   |   |   |   |   |   |   |      |       |       |             |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 3         | 4824.00  | 43.44    | 74.00       | -30.56      | 64.66  | 33.00       | 10.23  | 65.25  | 0.00  | --     | --          | PEAK   |      |        |        |     |        |        |        |      |        |        |    |      |      |     |    |    |         |        |       |       |         |       |       |        |       |       |      |       |  |    |      |       |       |             |       |       |        |        |       |      |       |        |    |     |        |        |         |       |       |        |       |       |       |       |      |    |         |        |       |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |  |   |   |   |   |   |   |   |      |       |       |             |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 4         | 6597.00  | 47.18    | 85.53       | -38.35      | 65.56  | 35.39       | 12.09  | 65.86  | 0.00  | --     | --          | Peak   |      |        |        |     |        |        |        |      |        |        |    |      |      |     |    |    |         |        |       |       |         |       |       |        |       |       |      |       |  |    |      |       |       |             |       |       |        |        |       |      |       |        |    |     |        |        |         |       |       |        |       |       |       |       |      |    |         |        |       |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |  |   |   |   |   |   |   |   |      |       |       |             |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 5         | 7234.50  | 57.59    | 85.53       | -27.94      | 75.61  | 35.50       | 12.71  | 66.23  | 0.00  | --     | --          | PEAK   |      |        |        |     |        |        |        |      |        |        |    |      |      |     |    |    |         |        |       |       |         |       |       |        |       |       |      |       |  |    |      |       |       |             |       |       |        |        |       |      |       |        |    |     |        |        |         |       |       |        |       |       |       |       |      |    |         |        |       |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |  |   |   |   |   |   |   |   |      |       |       |             |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 6         | 9238.50  | 46.83    | 85.53       | -38.70      | 62.87  | 36.40       | 14.49  | 66.93  | 0.00  | --     | --          | Peak   |      |        |        |     |        |        |        |      |        |        |    |      |      |     |    |    |         |        |       |       |         |       |       |        |       |       |      |       |  |    |      |       |       |             |       |       |        |        |       |      |       |        |    |     |        |        |         |       |       |        |       |       |       |       |      |    |         |        |       |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |  |   |   |   |   |   |   |   |      |       |       |             |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 7         | 9648.00  | 48.01    | 85.53       | -37.52      | 63.22  | 36.70       | 14.94  | 66.85  | 0.00  | --     | --          | Peak   |      |        |        |     |        |        |        |      |        |        |    |      |      |     |    |    |         |        |       |       |         |       |       |        |       |       |      |       |  |    |      |       |       |             |       |       |        |        |       |      |       |        |    |     |        |        |         |       |       |        |       |       |       |       |      |    |         |        |       |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |  |   |   |   |   |   |   |   |      |       |       |             |      |     |       |        |     |      |      |        |     |        |        |    |      |      |    |    |    |    |     |  |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |



| Mode      | 8  |             |              |             |        |        |        |        |      |        |      |         |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |       |       |      |       |      |     |    |      |   |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
|-----------|--|-------------|--------------|-------------|--------|--------|--------|--------|------|--------|------|---------|-------------|--------------|-------------|--------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|--------|-------|--------|-------|-------|------|-------|------|-----|----|------|---|---------|-------|-------|--------|--------|-------|-------|-------|--------|------|-------|-------------|--------------|-------------|--------|--------|--------|-------|-------|--------|--------|------|------|------|------|----|---------|-------|-------|---------|--------|-------|-------|-------|-------|------|-------|---------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
|           | Harmonic   |             |              |             |        |        |        |        |      |        |      |         |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |       |       |      |       |      |     |    |      |   |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
|           | 2400-2483.5_802.11b_CH06_2437MHz   |             |              |             |        |        |        |        |      |        |      |         |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |       |       |      |       |      |     |    |      |   |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| ANT       | 1  |             |              |             |        |        |        |        |      |        |      |         |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |       |       |      |       |      |     |    |      |   |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Pol.      | Horizontal   | Vertical    |              |             |        |        |        |        |      |        |      |         |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |       |       |      |       |      |     |    |      |   |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 100K Ref. | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>108.36</td> <td>74.00</td> <td>34.36</td> <td>99.81</td> <td>32.28</td> <td>7.18</td> <td>36.91</td> <td>6.00</td> <td>300</td> <td>3</td> <td>PEAK</td> </tr> </tbody> </table>  | Limit       | Read         | Ant         | Cable  | Preamp | Aux    | APos   | TPos | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2437.00 | 108.36 | 74.00 | 34.36  | 99.81 | 32.28 | 7.18 | 36.91 | 6.00 | 300 | 3  | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>103.42</td> <td>74.00</td> <td>29.42</td> <td>94.87</td> <td>32.29</td> <td>7.18</td> <td>36.92</td> <td>6.00</td> <td>300</td> <td>269</td> <td>PEAK</td> </tr> </tbody> </table> | Limit   | Read  | Ant   | Cable  | Preamp | Aux   | APos  | TPos  | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | Factor |       | MHz   | dBuV/m | dBuV/m | dB   | dBuV | dB/m | dB   | dB | cm      | deg   | 1     | 2437.00 | 103.42 | 74.00 | 29.42 | 94.87 | 32.29 | 7.18 | 36.92 | 6.00    | 300  | 269   | PEAK |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit     | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos   | Remark |      |        |      |         |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |       |       |      |       |      |     |    |      |   |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq      | Level  | Line Margin | Level Factor | Loss Factor | Factor | Factor | Factor |        |      |        |      |         |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |       |       |      |       |      |     |    |      |   |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz       | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB     | cm     | deg  |        |      |         |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |       |       |      |       |      |     |    |      |   |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1         | 2437.00  | 108.36      | 74.00        | 34.36       | 99.81  | 32.28  | 7.18   | 36.91  | 6.00 | 300    | 3    | PEAK    |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |       |       |      |       |      |     |    |      |   |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit     | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos   | Remark |      |        |      |         |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |       |       |      |       |      |     |    |      |   |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq      | Level  | Line Margin | Level Factor | Loss Factor | Factor | Factor | Factor |        |      |        |      |         |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |       |       |      |       |      |     |    |      |   |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz       | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB     | cm     | deg  |        |      |         |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |       |       |      |       |      |     |    |      |   |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1         | 2437.00  | 103.42      | 74.00        | 29.42       | 94.87  | 32.29  | 7.18   | 36.92  | 6.00 | 300    | 269  | PEAK    |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |       |       |      |       |      |     |    |      |   |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Peak Avg  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3249.00</td> <td>44.43</td> <td>88.36</td> <td>-43.93</td> <td>68.82</td> <td>32.75</td> <td>8.35</td> <td>65.49</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4873.50</td> <td>41.92</td> <td>74.00</td> <td>-32.08</td> <td>63.00</td> <td>33.90</td> <td>10.29</td> <td>65.27</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>53.81</td> <td>74.00</td> <td>-20.19</td> <td>71.84</td> <td>35.70</td> <td>12.72</td> <td>66.45</td> <td>0.00</td> <td>313</td> <td>155</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>7311.00</td> <td>49.73</td> <td>54.00</td> <td>-4.27</td> <td>67.76</td> <td>35.70</td> <td>12.72</td> <td>66.45</td> <td>0.00</td> <td>313</td> <td>155</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux    | APos   | TPos | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 3249.00 | 44.43  | 88.36 | -43.93 | 68.82 | 32.75 | 8.35 | 65.49 | 0.00 | --  | -- | PEAK | 2   | 4873.50 | 41.92 | 74.00 | -32.08 | 63.00  | 33.90 | 10.29 | 65.27 | 0.00   | --   | --    | PEAK        | 3            | 7311.00     | 53.81  | 74.00  | -20.19 | 71.84 | 35.70 | 12.72  | 66.45  | 0.00 | 313  | 155  | PEAK | 4  | 7311.00 | 49.73 | 54.00 | -4.27   | 67.76  | 35.70 | 12.72 | 66.45 | 0.00  | 313  | 155   | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3463.50</td> <td>41.66</td> <td>83.42</td> <td>-41.76</td> <td>66.02</td> <td>32.60</td> <td>8.60</td> <td>65.56</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4873.50</td> <td>41.24</td> <td>74.00</td> <td>-32.76</td> <td>62.32</td> <td>33.90</td> <td>10.29</td> <td>65.27</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>55.15</td> <td>74.00</td> <td>-18.85</td> <td>73.18</td> <td>35.70</td> <td>12.72</td> <td>66.45</td> <td>0.00</td> <td>302</td> <td>124</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>7311.00</td> <td>50.93</td> <td>54.00</td> <td>-3.07</td> <td>68.96</td> <td>35.70</td> <td>12.72</td> <td>66.45</td> <td>0.00</td> <td>302</td> <td>124</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 3463.50 | 41.66 | 83.42 | -41.76 | 66.02 | 32.60 | 8.60 | 65.56 | 0.00 | -- | -- | PEAK | 2 | 4873.50 | 41.24 | 74.00 | -32.76 | 62.32 | 33.90 | 10.29 | 65.27 | 0.00 | -- | -- | PEAK | 3 | 7311.00 | 55.15 | 74.00 | -18.85 | 73.18 | 35.70 | 12.72 | 66.45 | 0.00 | 302 | 124 | PEAK | 4 | 7311.00 | 50.93 | 54.00 | -3.07 | 68.96 | 35.70 | 12.72 | 66.45 | 0.00 | 302 | 124 | AVERAGE |
| Limit     | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos   | Remark |      |        |      |         |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |       |       |      |       |      |     |    |      |   |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq      | Level  | Line Margin | Level Factor | Loss Factor | Factor | Factor | Factor |        |      |        |      |         |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |       |       |      |       |      |     |    |      |   |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz       | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB     | cm     | deg  |        |      |         |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |       |       |      |       |      |     |    |      |   |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1         | 3249.00  | 44.43       | 88.36        | -43.93      | 68.82  | 32.75  | 8.35   | 65.49  | 0.00 | --     | --   | PEAK    |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |       |       |      |       |      |     |    |      |   |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 2         | 4873.50  | 41.92       | 74.00        | -32.08      | 63.00  | 33.90  | 10.29  | 65.27  | 0.00 | --     | --   | PEAK    |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |       |       |      |       |      |     |    |      |   |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 3         | 7311.00  | 53.81       | 74.00        | -20.19      | 71.84  | 35.70  | 12.72  | 66.45  | 0.00 | 313    | 155  | PEAK    |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |       |       |      |       |      |     |    |      |   |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 4         | 7311.00  | 49.73       | 54.00        | -4.27       | 67.76  | 35.70  | 12.72  | 66.45  | 0.00 | 313    | 155  | AVERAGE |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |       |       |      |       |      |     |    |      |   |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit     | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos   | Remark |      |        |      |         |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |       |       |      |       |      |     |    |      |   |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq      | Level  | Line Margin | Level Factor | Loss Factor | Factor | Factor | Factor |        |      |        |      |         |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |       |       |      |       |      |     |    |      |   |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz       | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB     | cm     | deg  |        |      |         |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |       |       |      |       |      |     |    |      |   |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1         | 3463.50  | 41.66       | 83.42        | -41.76      | 66.02  | 32.60  | 8.60   | 65.56  | 0.00 | --     | --   | PEAK    |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |       |       |      |       |      |     |    |      |   |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 2         | 4873.50  | 41.24       | 74.00        | -32.76      | 62.32  | 33.90  | 10.29  | 65.27  | 0.00 | --     | --   | PEAK    |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |       |       |      |       |      |     |    |      |   |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 3         | 7311.00  | 55.15       | 74.00        | -18.85      | 73.18  | 35.70  | 12.72  | 66.45  | 0.00 | 302    | 124  | PEAK    |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |       |       |      |       |      |     |    |      |   |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 4         | 7311.00  | 50.93       | 54.00        | -3.07       | 68.96  | 35.70  | 12.72  | 66.45  | 0.00 | 302    | 124  | AVERAGE |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |       |       |      |       |      |     |    |      |   |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |        |        |       |       |        |        |      |      |      |      |    |         |       |       |         |        |       |       |       |       |      |       |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |





| Mode  | 9  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
|-------|--|-------------|--------|--------|--------|--------|--------|--------|--------|--------|------|---------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|--------|-------|-------|-------|-------|------|-------|------|-----|-----|---------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|--------|-------|-------|-------|-------|------|-------|------|-----|-----|---------|
|       | Band Edge  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
|       | 2400-2483.5_802.11b_CH11_2462MHz   |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| ANT   | 1  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Pol.  | Horizontal   | Fundamental |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Peak  |  <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a broad signal between 2440 and 2500 MHz. A red horizontal line indicates the FCC PART 15C limit at approximately 74.00 dBuV/m. A peak is observed at 2462.00 MHz with a level of 106.99 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>106.99</td> <td>-----</td> <td>-----</td> <td>98.32</td> <td>32.41</td> <td>7.22</td> <td>36.96</td> <td>6.00</td> <td>164</td> <td>227</td> <td>PEAK</td> </tr> </tbody> </table>                              | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2462.00 | 106.99 | ----- | ----- | 98.32 | 32.41 | 7.22 | 36.96 | 6.00 | 164 | 227 | PEAK    |  <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a narrow signal centered at 2462 MHz. A red horizontal line indicates the FCC PART 15C limit at approximately 74.00 dBuV/m. A sharp peak is observed at 2462.00 MHz with a level of 106.99 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>106.99</td> <td>-----</td> <td>-----</td> <td>98.32</td> <td>32.41</td> <td>7.22</td> <td>36.96</td> <td>6.00</td> <td>164</td> <td>227</td> <td>PEAK</td> </tr> </tbody> </table>                              | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2462.00 | 106.99 | ----- | ----- | 98.32 | 32.41 | 7.22 | 36.96 | 6.00 | 164 | 227 | PEAK    |
|       | Limit  | Read        | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2462.00  | 106.99      | -----  | -----  | 98.32  | 32.41  | 7.22   | 36.96  | 6.00   | 164    | 227  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Limit | Read   | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2462.00  | 106.99      | -----  | -----  | 98.32  | 32.41  | 7.22   | 36.96  | 6.00   | 164    | 227  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Avg   |  <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization (Average). The plot shows a broad signal between 2440 and 2500 MHz. A red horizontal line indicates the FCC PART 15C (AVG) limit at approximately 54.00 dBuV/m. A peak is observed at 2462.00 MHz with an average level of 102.00 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>102.00</td> <td>-----</td> <td>-----</td> <td>93.41</td> <td>32.41</td> <td>7.22</td> <td>36.96</td> <td>6.00</td> <td>164</td> <td>227</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2462.00 | 102.00 | ----- | ----- | 93.41 | 32.41 | 7.22 | 36.96 | 6.00 | 164 | 227 | AVERAGE |  <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization (Average). The plot shows a narrow signal centered at 2462 MHz. A red horizontal line indicates the FCC PART 15C (AVG) limit at approximately 54.00 dBuV/m. A sharp peak is observed at 2462.00 MHz with an average level of 102.00 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>102.00</td> <td>-----</td> <td>-----</td> <td>93.41</td> <td>32.41</td> <td>7.22</td> <td>36.96</td> <td>6.00</td> <td>164</td> <td>227</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2462.00 | 102.00 | ----- | ----- | 93.41 | 32.41 | 7.22 | 36.96 | 6.00 | 164 | 227 | AVERAGE |
|       | Limit  | Read        | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2462.00  | 102.00      | -----  | -----  | 93.41  | 32.41  | 7.22   | 36.96  | 6.00   | 164    | 227  | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Limit | Read   | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2462.00  | 102.00      | -----  | -----  | 93.41  | 32.41  | 7.22   | 36.96  | 6.00   | 164    | 227  | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |







| Mode  | 9  |             |              |             |             |        |      |        |        |        |      |         |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
|-------|--|-------------|--------------|-------------|-------------|--------|------|--------|--------|--------|------|---------|-------------|--------------|-------------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|---|---------|--------|-------|-------|-------|-------|------|-------|------|-----|-----|---------|
|       | Band Edge  |             |              |             |             |        |      |        |        |        |      |         |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
|       | 2400-2483.5_802.11b_CH11_2462MHz   |             |              |             |             |        |      |        |        |        |      |         |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| ANT   | 1  |             |              |             |             |        |      |        |        |        |      |         |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Pol.  | Vertical   | Fundamental |              |             |             |        |      |        |        |        |      |         |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2494.66</td> <td>53.96</td> <td>74.00</td> <td>-20.04</td> <td>45.11</td> <td>32.57</td> <td>7.27</td> <td>36.99</td> <td>6.00</td> <td>370</td> <td>242</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit       | Read         | Ant         | Cable       | Preamp | Aux  | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2494.66 | 53.96 | 74.00 | -20.04 | 45.11 | 32.57 | 7.27 | 36.99 | 6.00 | 370 | 242 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>103.64</td> <td>-----</td> <td>-----</td> <td>94.97</td> <td>32.41</td> <td>7.22</td> <td>36.96</td> <td>6.00</td> <td>370</td> <td>242</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2462.00 | 103.64 | ----- | ----- | 94.97 | 32.41 | 7.22 | 36.96 | 6.00 | 370 | 242 | PEAK    |
|       | Limit  | Read        | Ant          | Cable       | Preamp      | Aux    | APos | TPos   | Remark |        |      |         |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |      |        |        |        |      |         |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m        | dB     | dB   | dB     |        |        |      |         |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2494.66  | 53.96       | 74.00        | -20.04      | 45.11       | 32.57  | 7.27 | 36.99  | 6.00   | 370    | 242  | PEAK    |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Limit | Read   | Ant         | Cable        | Preamp      | Aux         | APos   | TPos | Remark |        |        |      |         |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |      |        |        |        |      |         |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m        | dB     | dB   | dB     |        |        |      |         |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2462.00  | 103.64      | -----        | -----       | 94.97       | 32.41  | 7.22 | 36.96  | 6.00   | 370    | 242  | PEAK    |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.12</td> <td>44.00</td> <td>54.00</td> <td>-10.00</td> <td>35.19</td> <td>32.53</td> <td>7.26</td> <td>36.98</td> <td>6.00</td> <td>370</td> <td>242</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable       | Preamp | Aux  | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2485.12 | 44.00 | 54.00 | -10.00 | 35.19 | 32.53 | 7.26 | 36.98 | 6.00 | 370 | 242 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>98.72</td> <td>-----</td> <td>-----</td> <td>90.05</td> <td>32.41</td> <td>7.22</td> <td>36.96</td> <td>6.00</td> <td>370</td> <td>242</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2462.00 | 98.72  | ----- | ----- | 90.05 | 32.41 | 7.22 | 36.96 | 6.00 | 370 | 242 | AVERAGE |
| Limit | Read   | Ant         | Cable        | Preamp      | Aux         | APos   | TPos | Remark |        |        |      |         |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |      |        |        |        |      |         |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m        | dB     | dB   | dB     |        |        |      |         |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2485.12  | 44.00       | 54.00        | -10.00      | 35.19       | 32.53  | 7.26 | 36.98  | 6.00   | 370    | 242  | AVERAGE |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Limit | Read   | Ant         | Cable        | Preamp      | Aux         | APos   | TPos | Remark |        |        |      |         |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |      |        |        |        |      |         |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m        | dB     | dB   | dB     |        |        |      |         |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2462.00  | 98.72       | -----        | -----       | 90.05       | 32.41  | 7.22 | 36.96  | 6.00   | 370    | 242  | AVERAGE |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |



| Mode     | 9   |          |        |        |        |        |        |        |      |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
|----------|---|----------|--------|--------|--------|--------|--------|--------|------|--------|------|---------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
|          | Harmonic  |          |        |        |        |        |        |        |      |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
|          | 2400-2483.5_802.11b_CH11_2462MHz  |          |        |        |        |        |        |        |      |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| ANT      | 1   |          |        |        |        |        |        |        |      |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Pol.     | Horizontal  | Vertical |        |        |        |        |        |        |      |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>39.26</td> <td>74.00</td> <td>-34.74</td> <td>60.25</td> <td>33.95</td> <td>10.35</td> <td>65.29</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>54.36</td> <td>74.00</td> <td>-19.64</td> <td>72.59</td> <td>35.70</td> <td>12.73</td> <td>66.66</td> <td>0.00</td> <td>100</td> <td>158</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7386.00</td> <td>50.39</td> <td>54.00</td> <td>-3.61</td> <td>68.62</td> <td>35.70</td> <td>12.73</td> <td>66.66</td> <td>0.00</td> <td>100</td> <td>158</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit    | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 4924.00 | 39.26 | 74.00 | -34.74 | 60.25 | 33.95 | 10.35 | 65.29 | 0.00 | --- | --- | PEAK | 2 | 7386.00 | 54.36 | 74.00 | -19.64 | 72.59 | 35.70 | 12.73 | 66.66 | 0.00 | 100 | 158 | PEAK | 3 | 7386.00 | 50.39 | 54.00 | -3.61 | 68.62 | 35.70 | 12.73 | 66.66 | 0.00 | 100 | 158 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>40.86</td> <td>74.00</td> <td>-33.14</td> <td>61.85</td> <td>33.95</td> <td>10.35</td> <td>65.29</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>54.90</td> <td>74.00</td> <td>-19.10</td> <td>73.13</td> <td>35.70</td> <td>12.73</td> <td>66.66</td> <td>0.00</td> <td>347</td> <td>117</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7386.00</td> <td>50.96</td> <td>54.00</td> <td>-3.04</td> <td>69.19</td> <td>35.70</td> <td>12.73</td> <td>66.66</td> <td>0.00</td> <td>347</td> <td>117</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 4924.00 | 40.86 | 74.00 | -33.14 | 61.85 | 33.95 | 10.35 | 65.29 | 0.00 | --- | --- | PEAK | 2 | 7386.00 | 54.90 | 74.00 | -19.10 | 73.13 | 35.70 | 12.73 | 66.66 | 0.00 | 347 | 117 | PEAK | 3 | 7386.00 | 50.96 | 54.00 | -3.04 | 69.19 | 35.70 | 12.73 | 66.66 | 0.00 | 347 | 117 | AVERAGE |
| Limit    | Read  | Ant      | Cable  | Preamp | Aux    | APos   | TPos   | Remark |      |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq     | Level   | Line     | Margin | Level  | Factor | Loss   | Factor | Factor |      |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz      | dBuV/m  | dBuV/m   | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg  |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1        | 4924.00   | 39.26    | 74.00  | -34.74 | 60.25  | 33.95  | 10.35  | 65.29  | 0.00 | ---    | ---  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 2        | 7386.00   | 54.36    | 74.00  | -19.64 | 72.59  | 35.70  | 12.73  | 66.66  | 0.00 | 100    | 158  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 3        | 7386.00   | 50.39    | 54.00  | -3.61  | 68.62  | 35.70  | 12.73  | 66.66  | 0.00 | 100    | 158  | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit    | Read  | Ant      | Cable  | Preamp | Aux    | APos   | TPos   | Remark |      |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq     | Level   | Line     | Margin | Level  | Factor | Loss   | Factor | Factor |      |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz      | dBuV/m  | dBuV/m   | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg  |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1        | 4924.00   | 40.86    | 74.00  | -33.14 | 61.85  | 33.95  | 10.35  | 65.29  | 0.00 | ---    | ---  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 2        | 7386.00   | 54.90    | 74.00  | -19.10 | 73.13  | 35.70  | 12.73  | 66.66  | 0.00 | 347    | 117  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 3        | 7386.00   | 50.96    | 54.00  | -3.04  | 69.19  | 35.70  | 12.73  | 66.66  | 0.00 | 347    | 117  | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |



| Mode  | 10   |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |     |         |
|-------|--|-------------|--------|--------|--------|--------|--------|--------|--------|--------|------|---------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|------|-------|------|-----|-----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|--------|-------|-------|--------|-------|------|-------|------|-----|-----|---------|
|       | Band Edge  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |     |         |
|       | 2400-2483.5_802.11g_CH01_2412MHz   |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |     |         |
| ANT   | 1  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Pol.  | Horizontal   | Fundamental |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Peak  |  <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.39</td> <td>68.53</td> <td>74.00</td> <td>-5.47</td> <td>60.28</td> <td>32.07</td> <td>7.10</td> <td>36.92</td> <td>6.00</td> <td>100</td> <td>224</td> <td>PEAK</td> </tr> </tbody> </table>     | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2388.39 | 68.53 | 74.00 | -5.47 | 60.28 | 32.07 | 7.10 | 36.92 | 6.00 | 100 | 224 | PEAK    |  <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>110.39</td> <td>-----</td> <td>-----</td> <td>102.04</td> <td>32.14</td> <td>7.13</td> <td>36.92</td> <td>6.00</td> <td>100</td> <td>224</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2412.00 | 110.39 | ----- | ----- | 102.04 | 32.14 | 7.13 | 36.92 | 6.00 | 100 | 224 | PEAK    |
|       | Limit  | Read        | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |     |         |
| 1     | 2388.39  | 68.53       | 74.00  | -5.47  | 60.28  | 32.07  | 7.10   | 36.92  | 6.00   | 100    | 224  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Limit | Read   | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |     |         |
| 1     | 2412.00  | 110.39      | -----  | -----  | 102.04 | 32.14  | 7.13   | 36.92  | 6.00   | 100    | 224  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Avg   |  <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.69</td> <td>50.11</td> <td>54.00</td> <td>-3.89</td> <td>41.85</td> <td>32.07</td> <td>7.11</td> <td>36.92</td> <td>6.00</td> <td>100</td> <td>224</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2389.69 | 50.11 | 54.00 | -3.89 | 41.85 | 32.07 | 7.11 | 36.92 | 6.00 | 100 | 224 | AVERAGE |  <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>99.00</td> <td>-----</td> <td>-----</td> <td>91.43</td> <td>32.15</td> <td>7.14</td> <td>36.92</td> <td>6.00</td> <td>100</td> <td>224</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2412.00 | 99.00  | ----- | ----- | 91.43  | 32.15 | 7.14 | 36.92 | 6.00 | 100 | 224 | AVERAGE |
| Limit | Read   | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |     |         |
| 1     | 2389.69  | 50.11       | 54.00  | -3.89  | 41.85  | 32.07  | 7.11   | 36.92  | 6.00   | 100    | 224  | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Limit | Read   | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |     |         |
| 1     | 2412.00  | 99.00       | -----  | -----  | 91.43  | 32.15  | 7.14   | 36.92  | 6.00   | 100    | 224  | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |     |         |



| Mode  | 10  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |    |         |
|-------|---|-------------|--------|--------|--------|--------|--------|--------|--------|--------|------|---------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|------|-------|------|-----|----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|--------|-------|-------|--------|-------|------|-------|------|-----|----|---------|
|       | Band Edge   |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |    |         |
|       | 2400-2483.5_802.11g_CH01_2412MHz  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |    |         |
| ANT   | 1   |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |    |         |
| Pol.  | Vertical  | Fundamental |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |    |         |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2387.61</td> <td>64.64</td> <td>74.00</td> <td>-9.36</td> <td>56.40</td> <td>32.06</td> <td>7.10</td> <td>36.92</td> <td>6.00</td> <td>374</td> <td>84</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2387.61 | 64.64 | 74.00 | -9.36 | 56.40 | 32.06 | 7.10 | 36.92 | 6.00 | 374 | 84 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>108.41</td> <td>-----</td> <td>-----</td> <td>100.04</td> <td>32.15</td> <td>7.14</td> <td>36.92</td> <td>6.00</td> <td>374</td> <td>84</td> <td>PEAK</td> </tr> </tbody> </table>  | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2412.00 | 108.41 | ----- | ----- | 100.04 | 32.15 | 7.14 | 36.92 | 6.00 | 374 | 84 | PEAK    |
|       | Limit   | Read        | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |    |         |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |    |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |    |         |
| 1     | 2387.61   | 64.64       | 74.00  | -9.36  | 56.40  | 32.06  | 7.10   | 36.92  | 6.00   | 374    | 84   | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |    |         |
| Limit | Read  | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |    |         |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |    |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |    |         |
| 1     | 2412.00   | 108.41      | -----  | -----  | 100.04 | 32.15  | 7.14   | 36.92  | 6.00   | 374    | 84   | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |    |         |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.52</td> <td>48.65</td> <td>54.00</td> <td>-5.35</td> <td>40.40</td> <td>32.07</td> <td>7.10</td> <td>36.92</td> <td>6.00</td> <td>374</td> <td>84</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2388.52 | 48.65 | 54.00 | -5.35 | 40.40 | 32.07 | 7.10 | 36.92 | 6.00 | 374 | 84 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>99.53</td> <td>-----</td> <td>-----</td> <td>91.15</td> <td>32.17</td> <td>7.14</td> <td>36.93</td> <td>6.00</td> <td>374</td> <td>84</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2412.00 | 99.53  | ----- | ----- | 91.15  | 32.17 | 7.14 | 36.93 | 6.00 | 374 | 84 | AVERAGE |
| Limit | Read  | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |    |         |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |    |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |    |         |
| 1     | 2388.52   | 48.65       | 54.00  | -5.35  | 40.40  | 32.07  | 7.10   | 36.92  | 6.00   | 374    | 84   | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |    |         |
| Limit | Read  | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |    |         |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |    |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |    |         |
| 1     | 2412.00   | 99.53       | -----  | -----  | 91.15  | 32.17  | 7.14   | 36.93  | 6.00   | 374    | 84   | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |        |       |      |       |      |     |    |         |



| Mode      | 10  |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |    |      |  |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |       |        |       |       |        |        |      |      |      |      |   |       |      |     |         |        |       |       |       |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
|-----------|---|-------------|--------------|-------------|--------|--------|-------|--------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|--------|-------|--------|--------|-------|------|-------|------|-----|----|------|--|---------|-------|-------|--------|--------|-------|-------|-------|--------|------|-------|-------------|--------------|-------------|--------|-------|--------|-------|-------|--------|--------|------|------|------|------|---|-------|------|-----|---------|--------|-------|-------|-------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|
|           | Harmonic  |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |    |      |  |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |       |        |       |       |        |        |      |      |      |      |   |       |      |     |         |        |       |       |       |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
|           | 2400-2483.5_802.11g_CH01_2412MHz  |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |    |      |  |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |       |        |       |       |        |        |      |      |      |      |   |       |      |     |         |        |       |       |       |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| ANT       | 1   |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |    |      |  |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |       |        |       |       |        |        |      |      |      |      |   |       |      |     |         |        |       |       |       |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| Pol.      | Horizontal  | Vertical    |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |    |      |  |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |       |        |       |       |        |        |      |      |      |      |   |       |      |     |         |        |       |       |       |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 100K Ref. | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>109.72</td> <td>74.00</td> <td>35.72</td> <td>101.27</td> <td>32.17</td> <td>7.14</td> <td>36.86</td> <td>6.00</td> <td>270</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>  | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2412.00 | 109.72 | 74.00 | 35.72  | 101.27 | 32.17 | 7.14 | 36.86 | 6.00 | 270 | 0  | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>109.34</td> <td>74.00</td> <td>29.34</td> <td>94.90</td> <td>32.15</td> <td>7.14</td> <td>36.85</td> <td>6.00</td> <td>300</td> <td>00</td> <td>PEAK</td> </tr> </tbody> </table> | Limit   | Read  | Ant   | Cable  | Preamp | Aux   | APos  | TPos  | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |       |        |       | MHz   | dBuV/m | dBuV/m | dB   | dBuV | dB/m | dB   | dB  | cm    | deg  | 1   | 2412.00 | 109.34 | 74.00 | 29.34 | 94.90 | 32.15  | 7.14 | 36.85 | 6.00        | 300          | 00          | PEAK   |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| Limit     | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |    |      |  |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |       |        |       |       |        |        |      |      |      |      |   |       |      |     |         |        |       |       |       |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| Freq      | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |    |      |  |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |       |        |       |       |        |        |      |      |      |      |   |       |      |     |         |        |       |       |       |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| MHz       | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |    |      |  |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |       |        |       |       |        |        |      |      |      |      |   |       |      |     |         |        |       |       |       |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 1         | 2412.00   | 109.72      | 74.00        | 35.72       | 101.27 | 32.17  | 7.14  | 36.86  | 6.00 | 270    | 0    | PEAK  |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |    |      |  |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |       |        |       |       |        |        |      |      |      |      |   |       |      |     |         |        |       |       |       |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| Limit     | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |    |      |  |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |       |        |       |       |        |        |      |      |      |      |   |       |      |     |         |        |       |       |       |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| Freq      | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |    |      |  |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |       |        |       |       |        |        |      |      |      |      |   |       |      |     |         |        |       |       |       |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| MHz       | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |    |      |  |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |       |        |       |       |        |        |      |      |      |      |   |       |      |     |         |        |       |       |       |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 1         | 2412.00   | 109.34      | 74.00        | 29.34       | 94.90  | 32.15  | 7.14  | 36.85  | 6.00 | 300    | 00   | PEAK  |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |    |      |  |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |       |        |       |       |        |        |      |      |      |      |   |       |      |     |         |        |       |       |       |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| Peak Avg  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3216.00</td> <td>44.34</td> <td>89.72</td> <td>-45.38</td> <td>68.69</td> <td>32.78</td> <td>8.31</td> <td>65.44</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4824.00</td> <td>42.31</td> <td>74.00</td> <td>-31.69</td> <td>63.43</td> <td>33.90</td> <td>10.23</td> <td>65.25</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7233.00</td> <td>55.05</td> <td>89.72</td> <td>-34.67</td> <td>72.87</td> <td>35.70</td> <td>12.71</td> <td>66.23</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 3216.00 | 44.34  | 89.72 | -45.38 | 68.69  | 32.78 | 8.31 | 65.44 | 0.00 | --  | -- | Peak | 2  | 4824.00 | 42.31 | 74.00 | -31.69 | 63.43  | 33.90 | 10.23 | 65.25 | 0.00   | --   | --    | PEAK        | 3            | 7233.00     | 55.05  | 89.72 | -34.67 | 72.87 | 35.70 | 12.71  | 66.23  | 0.00 | --   | --   | Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>39.45</td> <td>74.00</td> <td>-34.55</td> <td>60.57</td> <td>33.90</td> <td>10.23</td> <td>65.25</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7237.50</td> <td>57.23</td> <td>83.34</td> <td>-26.11</td> <td>75.06</td> <td>35.70</td> <td>12.71</td> <td>66.24</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable   | Preamp | Aux   | APos  | TPos  | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 4824.00 | 39.45 | 74.00 | -34.55 | 60.57 | 33.90 | 10.23 | 65.25 | 0.00 | -- | -- | PEAK | 2 | 7237.50 | 57.23 | 83.34 | -26.11 | 75.06 | 35.70 | 12.71 | 66.24 | 0.00 | -- | -- | Peak |
| Limit     | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |    |      |  |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |       |        |       |       |        |        |      |      |      |      |   |       |      |     |         |        |       |       |       |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| Freq      | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |    |      |  |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |       |        |       |       |        |        |      |      |      |      |   |       |      |     |         |        |       |       |       |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| MHz       | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |    |      |  |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |       |        |       |       |        |        |      |      |      |      |   |       |      |     |         |        |       |       |       |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 1         | 3216.00   | 44.34       | 89.72        | -45.38      | 68.69  | 32.78  | 8.31  | 65.44  | 0.00 | --     | --   | Peak  |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |    |      |  |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |       |        |       |       |        |        |      |      |      |      |   |       |      |     |         |        |       |       |       |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 2         | 4824.00   | 42.31       | 74.00        | -31.69      | 63.43  | 33.90  | 10.23 | 65.25  | 0.00 | --     | --   | PEAK  |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |    |      |  |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |       |        |       |       |        |        |      |      |      |      |   |       |      |     |         |        |       |       |       |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 3         | 7233.00   | 55.05       | 89.72        | -34.67      | 72.87  | 35.70  | 12.71 | 66.23  | 0.00 | --     | --   | Peak  |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |    |      |  |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |       |        |       |       |        |        |      |      |      |      |   |       |      |     |         |        |       |       |       |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| Limit     | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |    |      |  |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |       |        |       |       |        |        |      |      |      |      |   |       |      |     |         |        |       |       |       |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| Freq      | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |    |      |  |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |       |        |       |       |        |        |      |      |      |      |   |       |      |     |         |        |       |       |       |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| MHz       | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |    |      |  |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |       |        |       |       |        |        |      |      |      |      |   |       |      |     |         |        |       |       |       |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 1         | 4824.00   | 39.45       | 74.00        | -34.55      | 60.57  | 33.90  | 10.23 | 65.25  | 0.00 | --     | --   | PEAK  |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |    |      |  |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |       |        |       |       |        |        |      |      |      |      |   |       |      |     |         |        |       |       |       |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 2         | 7237.50   | 57.23       | 83.34        | -26.11      | 75.06  | 35.70  | 12.71 | 66.24  | 0.00 | --     | --   | Peak  |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |        |        |       |      |       |      |     |    |      |  |         |       |       |        |        |       |       |       |        |      |       |             |              |             |        |       |        |       |       |        |        |      |      |      |      |   |       |      |     |         |        |       |       |       |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |



| Mode     | 11  |             |              |             |             |        |       |        |      |        |      |         |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
|----------|---|-------------|--------------|-------------|-------------|--------|-------|--------|------|--------|------|---------|-------------|--------------|-------------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
|          | Harmonic  |             |              |             |             |        |       |        |      |        |      |         |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
|          | 2400-2483.5_802.11g_CH06_2437MHz  |             |              |             |             |        |       |        |      |        |      |         |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| ANT      | 1   |             |              |             |             |        |       |        |      |        |      |         |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Pol.     | Horizontal  | Vertical    |              |             |             |        |       |        |      |        |      |         |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>40.35</td> <td>74.00</td> <td>-33.65</td> <td>61.43</td> <td>33.90</td> <td>10.29</td> <td>65.27</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>63.28</td> <td>74.00</td> <td>-10.72</td> <td>81.31</td> <td>35.70</td> <td>12.72</td> <td>66.45</td> <td>0.00</td> <td>270</td> <td>239</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>50.30</td> <td>54.00</td> <td>-3.70</td> <td>68.33</td> <td>35.70</td> <td>12.72</td> <td>66.45</td> <td>0.00</td> <td>270</td> <td>239</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable       | Preamp | Aux   | APos   | TPos | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 4874.00 | 40.35 | 74.00 | -33.65 | 61.43 | 33.90 | 10.29 | 65.27 | 0.00 | -- | -- | PEAK | 2 | 7311.00 | 63.28 | 74.00 | -10.72 | 81.31 | 35.70 | 12.72 | 66.45 | 0.00 | 270 | 239 | PEAK | 3 | 7311.00 | 50.30 | 54.00 | -3.70 | 68.33 | 35.70 | 12.72 | 66.45 | 0.00 | 270 | 239 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>41.69</td> <td>74.00</td> <td>-32.31</td> <td>62.77</td> <td>33.90</td> <td>10.29</td> <td>65.27</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>63.64</td> <td>74.00</td> <td>-10.36</td> <td>81.67</td> <td>35.70</td> <td>12.72</td> <td>66.45</td> <td>0.00</td> <td>321</td> <td>115</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>50.69</td> <td>54.00</td> <td>-3.31</td> <td>68.72</td> <td>35.70</td> <td>12.72</td> <td>66.45</td> <td>0.00</td> <td>321</td> <td>115</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 4874.00 | 41.69 | 74.00 | -32.31 | 62.77 | 33.90 | 10.29 | 65.27 | 0.00 | -- | -- | PEAK | 2 | 7311.00 | 63.64 | 74.00 | -10.36 | 81.67 | 35.70 | 12.72 | 66.45 | 0.00 | 321 | 115 | PEAK | 3 | 7311.00 | 50.69 | 54.00 | -3.31 | 68.72 | 35.70 | 12.72 | 66.45 | 0.00 | 321 | 115 | AVERAGE |
| Limit    | Read  | Ant         | Cable        | Preamp      | Aux         | APos   | TPos  | Remark |      |        |      |         |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq     | Level   | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |       |        |      |        |      |         |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz      | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m        | dB     | dB    | cm     | deg  |        |      |         |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1        | 4874.00   | 40.35       | 74.00        | -33.65      | 61.43       | 33.90  | 10.29 | 65.27  | 0.00 | --     | --   | PEAK    |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 2        | 7311.00   | 63.28       | 74.00        | -10.72      | 81.31       | 35.70  | 12.72 | 66.45  | 0.00 | 270    | 239  | PEAK    |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 3        | 7311.00   | 50.30       | 54.00        | -3.70       | 68.33       | 35.70  | 12.72 | 66.45  | 0.00 | 270    | 239  | AVERAGE |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit    | Read  | Ant         | Cable        | Preamp      | Aux         | APos   | TPos  | Remark |      |        |      |         |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq     | Level   | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |       |        |      |        |      |         |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz      | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m        | dB     | dB    | cm     | deg  |        |      |         |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1        | 4874.00   | 41.69       | 74.00        | -32.31      | 62.77       | 33.90  | 10.29 | 65.27  | 0.00 | --     | --   | PEAK    |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 2        | 7311.00   | 63.64       | 74.00        | -10.36      | 81.67       | 35.70  | 12.72 | 66.45  | 0.00 | 321    | 115  | PEAK    |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 3        | 7311.00   | 50.69       | 54.00        | -3.31       | 68.72       | 35.70  | 12.72 | 66.45  | 0.00 | 321    | 115  | AVERAGE |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |



| Mode  | 12  |             |       |        |        |        |      |         |        |        |                                     |       |        |      |        |        |    |     |  |   |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |         |  |       |      |     |       |        |     |      |      |        |                                     |       |        |      |        |        |    |     |  |   |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |         |
|---|---|-------------|-------|--------|--------|--------|------|---------|--------|--------|-------------------------------------|-------|--------|------|--------|--------|----|-----|--|---|--|--|--|--|--|--|--|--|---|--|--|--|--|--|--|--|---------|--|-------|------|-----|-------|--------|-----|------|------|--------|-------------------------------------|-------|--------|------|--------|--------|----|-----|--|---|--|--|--|--|--|--|--|--|---|--|--|--|--|--|--|--|---------|
|   | Band Edge   |             |       |        |        |        |      |         |        |        |                                     |       |        |      |        |        |    |     |  |   |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |         |  |       |      |     |       |        |     |      |      |        |                                     |       |        |      |        |        |    |     |  |   |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |         |
|   | 2400-2483.5_802.11g_CH11_2462MHz  |             |       |        |        |        |      |         |        |        |                                     |       |        |      |        |        |    |     |  |   |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |         |  |       |      |     |       |        |     |      |      |        |                                     |       |        |      |        |        |    |     |  |   |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |         |
| ANT   | 1   |             |       |        |        |        |      |         |        |        |                                     |       |        |      |        |        |    |     |  |   |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |         |  |       |      |     |       |        |     |      |      |        |                                     |       |        |      |        |        |    |     |  |   |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |         |
| Pol.  | Horizontal  | Fundamental |       |        |        |        |      |         |        |        |                                     |       |        |      |        |        |    |     |  |   |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |         |  |       |      |     |       |        |     |      |      |        |                                     |       |        |      |        |        |    |     |  |   |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |         |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin Level Factor</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2484.16 67.93 74.00 -6.07 59.11 32.52 7.26 36.96 6.00 259 8</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>    | Limit       | Read  | Ant    | Cable  | Preamp | Aux  | APos    | TPos   | Remark | Freq Level Line Margin Level Factor | Level | Factor | Loss | Factor | Factor | cm | deg |  | MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB |  |  |  |  |  |  |  |  | 1 2484.16 67.93 74.00 -6.07 59.11 32.52 7.26 36.96 6.00 259 8 |  |  |  |  |  |  |  | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin Level Factor</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2462.00 110.10 ----- 101.43 32.40 7.22 36.95 6.00 259 8</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>   | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq Level Line Margin Level Factor | Level | Factor | Loss | Factor | Factor | cm | deg |  | MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB |  |  |  |  |  |  |  |  | 1 2462.00 110.10 ----- 101.43 32.40 7.22 36.95 6.00 259 8 |  |  |  |  |  |  |  | PEAK    |
|   | Limit   | Read        | Ant   | Cable  | Preamp | Aux    | APos | TPos    | Remark |        |                                     |       |        |      |        |        |    |     |  |   |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |         |  |       |      |     |       |        |     |      |      |        |                                     |       |        |      |        |        |    |     |  |   |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |         |
| Freq Level Line Margin Level Factor                           | Level   | Factor      | Loss  | Factor | Factor | cm     | deg  |         |        |        |                                     |       |        |      |        |        |    |     |  |   |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |         |  |       |      |     |       |        |     |      |      |        |                                     |       |        |      |        |        |    |     |  |   |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |         |
| MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB                       |   |             |       |        |        |        |      |         |        |        |                                     |       |        |      |        |        |    |     |  |   |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |         |  |       |      |     |       |        |     |      |      |        |                                     |       |        |      |        |        |    |     |  |   |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |         |
| 1 2484.16 67.93 74.00 -6.07 59.11 32.52 7.26 36.96 6.00 259 8 |   |             |       |        |        |        |      | PEAK    |        |        |                                     |       |        |      |        |        |    |     |  |   |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |         |  |       |      |     |       |        |     |      |      |        |                                     |       |        |      |        |        |    |     |  |   |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |         |
| Limit   | Read  | Ant         | Cable | Preamp | Aux    | APos   | TPos | Remark  |        |        |                                     |       |        |      |        |        |    |     |  |   |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |         |  |       |      |     |       |        |     |      |      |        |                                     |       |        |      |        |        |    |     |  |   |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |         |
| Freq Level Line Margin Level Factor                           | Level   | Factor      | Loss  | Factor | Factor | cm     | deg  |         |        |        |                                     |       |        |      |        |        |    |     |  |   |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |         |  |       |      |     |       |        |     |      |      |        |                                     |       |        |      |        |        |    |     |  |   |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |         |
| MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB                       |   |             |       |        |        |        |      |         |        |        |                                     |       |        |      |        |        |    |     |  |   |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |         |  |       |      |     |       |        |     |      |      |        |                                     |       |        |      |        |        |    |     |  |   |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |         |
| 1 2462.00 110.10 ----- 101.43 32.40 7.22 36.95 6.00 259 8     |   |             |       |        |        |        |      | PEAK    |        |        |                                     |       |        |      |        |        |    |     |  |   |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |         |  |       |      |     |       |        |     |      |      |        |                                     |       |        |      |        |        |    |     |  |   |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |         |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin Level Factor</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2484.28 50.74 54.00 -3.26 41.92 32.52 7.26 36.96 6.00 259 8</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read  | Ant    | Cable  | Preamp | Aux  | APos    | TPos   | Remark | Freq Level Line Margin Level Factor | Level | Factor | Loss | Factor | Factor | cm | deg |  | MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB |  |  |  |  |  |  |  |  | 1 2484.28 50.74 54.00 -3.26 41.92 32.52 7.26 36.96 6.00 259 8 |  |  |  |  |  |  |  | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin Level Factor</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2462.00 100.68 ----- 91.99 32.42 7.22 36.95 6.00 259 8</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq Level Line Margin Level Factor | Level | Factor | Loss | Factor | Factor | cm | deg |  | MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB |  |  |  |  |  |  |  |  | 1 2462.00 100.68 ----- 91.99 32.42 7.22 36.95 6.00 259 8  |  |  |  |  |  |  |  | AVERAGE |
| Limit   | Read  | Ant         | Cable | Preamp | Aux    | APos   | TPos | Remark  |        |        |                                     |       |        |      |        |        |    |     |  |   |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |         |  |       |      |     |       |        |     |      |      |        |                                     |       |        |      |        |        |    |     |  |   |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |         |
| Freq Level Line Margin Level Factor                           | Level   | Factor      | Loss  | Factor | Factor | cm     | deg  |         |        |        |                                     |       |        |      |        |        |    |     |  |   |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |         |  |       |      |     |       |        |     |      |      |        |                                     |       |        |      |        |        |    |     |  |   |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |         |
| MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB                       |   |             |       |        |        |        |      |         |        |        |                                     |       |        |      |        |        |    |     |  |   |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |         |  |       |      |     |       |        |     |      |      |        |                                     |       |        |      |        |        |    |     |  |   |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |         |
| 1 2484.28 50.74 54.00 -3.26 41.92 32.52 7.26 36.96 6.00 259 8 |   |             |       |        |        |        |      | AVERAGE |        |        |                                     |       |        |      |        |        |    |     |  |   |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |         |  |       |      |     |       |        |     |      |      |        |                                     |       |        |      |        |        |    |     |  |   |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |         |
| Limit   | Read  | Ant         | Cable | Preamp | Aux    | APos   | TPos | Remark  |        |        |                                     |       |        |      |        |        |    |     |  |   |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |         |  |       |      |     |       |        |     |      |      |        |                                     |       |        |      |        |        |    |     |  |   |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |         |
| Freq Level Line Margin Level Factor                           | Level   | Factor      | Loss  | Factor | Factor | cm     | deg  |         |        |        |                                     |       |        |      |        |        |    |     |  |   |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |         |  |       |      |     |       |        |     |      |      |        |                                     |       |        |      |        |        |    |     |  |   |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |         |
| MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB                       |   |             |       |        |        |        |      |         |        |        |                                     |       |        |      |        |        |    |     |  |   |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |         |  |       |      |     |       |        |     |      |      |        |                                     |       |        |      |        |        |    |     |  |   |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |         |
| 1 2462.00 100.68 ----- 91.99 32.42 7.22 36.95 6.00 259 8      |   |             |       |        |        |        |      | AVERAGE |        |        |                                     |       |        |      |        |        |    |     |  |   |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |         |  |       |      |     |       |        |     |      |      |        |                                     |       |        |      |        |        |    |     |  |   |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |         |





| Mode                         | 12  |             |             |        |        |         |         |        |        |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                              |             |            |      |     |     |         |  |  |  |       |      |     |       |        |     |      |      |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                  |       |             |            |      |     |     |         |  |
|------------------------------|---|-------------|-------------|--------|--------|---------|---------|--------|--------|--------|------------------------|--------------|-------------|-------------|--------|--|--|--|--|----------------------|--------------|----|----|----|----|----|-----|--|------------------------------|-------------|------------|------|-----|-----|---------|--|--|--|-------|------|-----|-------|--------|-----|------|------|--------|------------------------|--------------|-------------|-------------|--------|--|--|--|--|----------------------|--------------|----|----|----|----|----|-----|--|------------------|-------|-------------|------------|------|-----|-----|---------|--|
|                              | Band Edge   |             |             |        |        |         |         |        |        |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                              |             |            |      |     |     |         |  |  |  |       |      |     |       |        |     |      |      |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                  |       |             |            |      |     |     |         |  |
|                              | 2400-2483.5_802.11g_CH11_2462MHz  |             |             |        |        |         |         |        |        |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                              |             |            |      |     |     |         |  |  |  |       |      |     |       |        |     |      |      |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                  |       |             |            |      |     |     |         |  |
| ANT                          | 1   |             |             |        |        |         |         |        |        |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                              |             |            |      |     |     |         |  |  |  |       |      |     |       |        |     |      |      |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                  |       |             |            |      |     |     |         |  |
| Pol.                         | Vertical  | Fundamental |             |        |        |         |         |        |        |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                              |             |            |      |     |     |         |  |  |  |       |      |     |       |        |     |      |      |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                  |       |             |            |      |     |     |         |  |
| Peak                         | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2485.72 61.26 74.00 -12.74</td> <td>52.43 32.53</td> <td>7.26 36.96</td> <td>6.00</td> <td>353</td> <td>113</td> <td>PEAK</td> <td></td> <td></td> </tr> </tbody> </table>   | Limit       | Read        | Ant    | Cable  | Preamp  | Aux     | APos   | TPos   | Remark | Freq Level Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |  |  |  |  | MHz dBuV/m dBuV/m dB | dBuV dB/m dB | dB | dB | dB | dB | cm | deg |  | 1 2485.72 61.26 74.00 -12.74 | 52.43 32.53 | 7.26 36.96 | 6.00 | 353 | 113 | PEAK    |  |  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2462.00 105.49</td> <td>-----</td> <td>96.82 32.40</td> <td>7.22 36.95</td> <td>6.00</td> <td>353</td> <td>113</td> <td>PEAK</td> <td></td> </tr> </tbody> </table>   | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq Level Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |  |  |  |  | MHz dBuV/m dBuV/m dB | dBuV dB/m dB | dB | dB | dB | dB | cm | deg |  | 1 2462.00 105.49 | ----- | 96.82 32.40 | 7.22 36.95 | 6.00 | 353 | 113 | PEAK    |  |
|                              | Limit   | Read        | Ant         | Cable  | Preamp | Aux     | APos    | TPos   | Remark |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                              |             |            |      |     |     |         |  |  |  |       |      |     |       |        |     |      |      |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                  |       |             |            |      |     |     |         |  |
| Freq Level Line Margin       | Level Factor  | Loss Factor | Loss Factor | Factor |        |         |         |        |        |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                              |             |            |      |     |     |         |  |  |  |       |      |     |       |        |     |      |      |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                  |       |             |            |      |     |     |         |  |
| MHz dBuV/m dBuV/m dB         | dBuV dB/m dB  | dB          | dB          | dB     | dB     | cm      | deg     |        |        |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                              |             |            |      |     |     |         |  |  |  |       |      |     |       |        |     |      |      |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                  |       |             |            |      |     |     |         |  |
| 1 2485.72 61.26 74.00 -12.74 | 52.43 32.53   | 7.26 36.96  | 6.00        | 353    | 113    | PEAK    |         |        |        |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                              |             |            |      |     |     |         |  |  |  |       |      |     |       |        |     |      |      |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                  |       |             |            |      |     |     |         |  |
| Limit                        | Read  | Ant         | Cable       | Preamp | Aux    | APos    | TPos    | Remark |        |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                              |             |            |      |     |     |         |  |  |  |       |      |     |       |        |     |      |      |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                  |       |             |            |      |     |     |         |  |
| Freq Level Line Margin       | Level Factor  | Loss Factor | Loss Factor | Factor |        |         |         |        |        |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                              |             |            |      |     |     |         |  |  |  |       |      |     |       |        |     |      |      |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                  |       |             |            |      |     |     |         |  |
| MHz dBuV/m dBuV/m dB         | dBuV dB/m dB  | dB          | dB          | dB     | dB     | cm      | deg     |        |        |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                              |             |            |      |     |     |         |  |  |  |       |      |     |       |        |     |      |      |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                  |       |             |            |      |     |     |         |  |
| 1 2462.00 105.49             | -----   | 96.82 32.40 | 7.22 36.95  | 6.00   | 353    | 113     | PEAK    |        |        |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                              |             |            |      |     |     |         |  |  |  |       |      |     |       |        |     |      |      |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                  |       |             |            |      |     |     |         |  |
| Avg                          | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2483.68 46.85 54.00 -7.15</td> <td>38.03 32.52</td> <td>7.26 36.96</td> <td>6.00</td> <td>353</td> <td>113</td> <td>AVERAGE</td> <td></td> <td></td> </tr> </tbody> </table> | Limit       | Read        | Ant    | Cable  | Preamp  | Aux     | APos   | TPos   | Remark | Freq Level Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |  |  |  |  | MHz dBuV/m dBuV/m dB | dBuV dB/m dB | dB | dB | dB | dB | cm | deg |  | 1 2483.68 46.85 54.00 -7.15  | 38.03 32.52 | 7.26 36.96 | 6.00 | 353 | 113 | AVERAGE |  |  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2462.00 96.21</td> <td>-----</td> <td>87.54 32.40</td> <td>7.22 36.95</td> <td>6.00</td> <td>353</td> <td>113</td> <td>AVERAGE</td> <td></td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq Level Line Margin | Level Factor | Loss Factor | Loss Factor | Factor |  |  |  |  | MHz dBuV/m dBuV/m dB | dBuV dB/m dB | dB | dB | dB | dB | cm | deg |  | 1 2462.00 96.21  | ----- | 87.54 32.40 | 7.22 36.95 | 6.00 | 353 | 113 | AVERAGE |  |
|                              | Limit   | Read        | Ant         | Cable  | Preamp | Aux     | APos    | TPos   | Remark |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                              |             |            |      |     |     |         |  |  |  |       |      |     |       |        |     |      |      |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                  |       |             |            |      |     |     |         |  |
| Freq Level Line Margin       | Level Factor  | Loss Factor | Loss Factor | Factor |        |         |         |        |        |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                              |             |            |      |     |     |         |  |  |  |       |      |     |       |        |     |      |      |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                  |       |             |            |      |     |     |         |  |
| MHz dBuV/m dBuV/m dB         | dBuV dB/m dB  | dB          | dB          | dB     | dB     | cm      | deg     |        |        |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                              |             |            |      |     |     |         |  |  |  |       |      |     |       |        |     |      |      |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                  |       |             |            |      |     |     |         |  |
| 1 2483.68 46.85 54.00 -7.15  | 38.03 32.52   | 7.26 36.96  | 6.00        | 353    | 113    | AVERAGE |         |        |        |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                              |             |            |      |     |     |         |  |  |  |       |      |     |       |        |     |      |      |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                  |       |             |            |      |     |     |         |  |
| Limit                        | Read  | Ant         | Cable       | Preamp | Aux    | APos    | TPos    | Remark |        |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                              |             |            |      |     |     |         |  |  |  |       |      |     |       |        |     |      |      |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                  |       |             |            |      |     |     |         |  |
| Freq Level Line Margin       | Level Factor  | Loss Factor | Loss Factor | Factor |        |         |         |        |        |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                              |             |            |      |     |     |         |  |  |  |       |      |     |       |        |     |      |      |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                  |       |             |            |      |     |     |         |  |
| MHz dBuV/m dBuV/m dB         | dBuV dB/m dB  | dB          | dB          | dB     | dB     | cm      | deg     |        |        |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                              |             |            |      |     |     |         |  |  |  |       |      |     |       |        |     |      |      |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                  |       |             |            |      |     |     |         |  |
| 1 2462.00 96.21              | -----   | 87.54 32.40 | 7.22 36.95  | 6.00   | 353    | 113     | AVERAGE |        |        |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                              |             |            |      |     |     |         |  |  |  |       |      |     |       |        |     |      |      |        |                        |              |             |             |        |  |  |  |  |                      |              |    |    |    |    |    |     |  |                  |       |             |            |      |     |     |         |  |







| Mode     | 12   |             |       |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |
|----------|--|-------------|-------|--------|-------------|--------|-------|--------|------|--------|------|---------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|
|          | Harmonic   |             |       |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |
|          | 2400-2483.5_802.11g_CH11_2462MHz   |             |       |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |
| ANT      | 1  |             |       |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |
| Pol.     | Horizontal   | Vertical    |       |        |             |        |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>41.82</td> <td>74.00</td> <td>-32.18</td> <td>62.81</td> <td>33.95</td> <td>10.35</td> <td>65.29</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>57.57</td> <td>74.00</td> <td>-16.43</td> <td>75.80</td> <td>35.70</td> <td>12.73</td> <td>66.66</td> <td>0.00</td> <td>269</td> <td>237</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7386.00</td> <td>43.42</td> <td>54.00</td> <td>-10.58</td> <td>61.65</td> <td>35.70</td> <td>12.73</td> <td>66.66</td> <td>0.00</td> <td>269</td> <td>237</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read  | Ant    | Cable       | Preamp | Aux   | APos   | TPos | Remark | Freq | Level   | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 4924.00 | 41.82 | 74.00 | -32.18 | 62.81 | 33.95 | 10.35 | 65.29 | 0.00 | -- | -- | PEAK | 2 | 7386.00 | 57.57 | 74.00 | -16.43 | 75.80 | 35.70 | 12.73 | 66.66 | 0.00 | 269 | 237 | PEAK | 3 | 7386.00 | 43.42 | 54.00 | -10.58 | 61.65 | 35.70 | 12.73 | 66.66 | 0.00 | 269 | 237 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>41.46</td> <td>74.00</td> <td>-32.54</td> <td>62.45</td> <td>33.95</td> <td>10.35</td> <td>65.29</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>56.57</td> <td>74.00</td> <td>-17.43</td> <td>74.00</td> <td>35.70</td> <td>12.73</td> <td>66.66</td> <td>0.00</td> <td>278</td> <td>115</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7386.00</td> <td>42.70</td> <td>54.00</td> <td>-11.30</td> <td>60.92</td> <td>35.70</td> <td>12.73</td> <td>66.65</td> <td>0.00</td> <td>278</td> <td>115</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 4924.00 | 41.46 | 74.00 | -32.54 | 62.45 | 33.95 | 10.35 | 65.29 | 0.00 | -- | -- | PEAK | 2 | 7386.00 | 56.57 | 74.00 | -17.43 | 74.00 | 35.70 | 12.73 | 66.66 | 0.00 | 278 | 115 | PEAK | 3 | 7386.00 | 42.70 | 54.00 | -11.30 | 60.92 | 35.70 | 12.73 | 66.65 | 0.00 | 278 | 115 | AVERAGE |
| Limit    | Read   | Ant         | Cable | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |
| Freq     | Level  | Line Margin | Level | Factor | Loss Factor | Factor |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |
| MHz      | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB    | cm     | deg  |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |
| 1        | 4924.00  | 41.82       | 74.00 | -32.18 | 62.81       | 33.95  | 10.35 | 65.29  | 0.00 | --     | --   | PEAK    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |
| 2        | 7386.00  | 57.57       | 74.00 | -16.43 | 75.80       | 35.70  | 12.73 | 66.66  | 0.00 | 269    | 237  | PEAK    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |
| 3        | 7386.00  | 43.42       | 54.00 | -10.58 | 61.65       | 35.70  | 12.73 | 66.66  | 0.00 | 269    | 237  | AVERAGE |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |
| Limit    | Read   | Ant         | Cable | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |
| Freq     | Level  | Line Margin | Level | Factor | Loss Factor | Factor |       |        |      |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |
| MHz      | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB    | cm     | deg  |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |
| 1        | 4924.00  | 41.46       | 74.00 | -32.54 | 62.45       | 33.95  | 10.35 | 65.29  | 0.00 | --     | --   | PEAK    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |
| 2        | 7386.00  | 56.57       | 74.00 | -17.43 | 74.00       | 35.70  | 12.73 | 66.66  | 0.00 | 278    | 115  | PEAK    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |
| 3        | 7386.00  | 42.70       | 54.00 | -11.30 | 60.92       | 35.70  | 12.73 | 66.65  | 0.00 | 278    | 115  | AVERAGE |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |        |       |       |       |       |      |     |     |         |



| Mode      | 13  |             |        |        |        |        |        |        |                 |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |      |       |      |                 |
|-----------|---|-------------|--------|--------|--------|--------|--------|--------|-----------------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----|-----------|-------|-------|--------|-------|-------|------|-------|------|-----------------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----|-----------|--------|-------|-------|--------|-------|------|-------|------|-----------------|
|           | Band Edge   |             |        |        |        |        |        |        |                 |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |      |       |      |                 |
|           | 2400-2483.5_802.11ax HE20_CH01_Full_2412MHz   |             |        |        |        |        |        |        |                 |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |      |       |      |                 |
| ANT       | CDD 0+1   |             |        |        |        |        |        |        |                 |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |      |       |      |                 |
| Pol.      | Horizontal  | Fundamental |        |        |        |        |        |        |                 |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |      |       |      |                 |
| Peak      | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2389.95</td> <td>60.52</td> <td>74.00</td> <td>-13.48</td> <td>52.26</td> <td>32.07</td> <td>7.11</td> <td>36.92</td> <td>6.00</td> <td>371 185 PEAK</td> </tr> </tbody> </table>   | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos            | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 2389.95 | 60.52 | 74.00 | -13.48 | 52.26 | 32.07 | 7.11 | 36.92 | 6.00 | 371 185 PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2412.00</td> <td>111.80</td> <td>-----</td> <td>-----</td> <td>103.43</td> <td>32.15</td> <td>7.14</td> <td>36.92</td> <td>6.00</td> <td>371 185 PEAK</td> </tr> </tbody> </table>  | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 2412.00 | 111.80 | ----- | ----- | 103.43 | 32.15 | 7.14 | 36.92 | 6.00 | 371 185 PEAK    |
|           | Limit   | Read        | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark          |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |      |       |      |                 |
| Freq      | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |                 |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |      |       |      |                 |
| MHz       | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg             |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |      |       |      |                 |
| 1 2389.95 | 60.52   | 74.00       | -13.48 | 52.26  | 32.07  | 7.11   | 36.92  | 6.00   | 371 185 PEAK    |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |      |       |      |                 |
| Limit     | Read  | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |                 |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |      |       |      |                 |
| Freq      | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |                 |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |      |       |      |                 |
| MHz       | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg             |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |      |       |      |                 |
| 1 2412.00 | 111.80  | -----       | -----  | 103.43 | 32.15  | 7.14   | 36.92  | 6.00   | 371 185 PEAK    |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |      |       |      |                 |
| Avg       | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2389.95</td> <td>50.04</td> <td>54.00</td> <td>-3.96</td> <td>41.78</td> <td>32.07</td> <td>7.11</td> <td>36.92</td> <td>6.00</td> <td>371 185 AVERAGE</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos            | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 2389.95 | 50.04 | 54.00 | -3.96  | 41.78 | 32.07 | 7.11 | 36.92 | 6.00 | 371 185 AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2412.00</td> <td>98.88</td> <td>-----</td> <td>-----</td> <td>90.51</td> <td>32.15</td> <td>7.14</td> <td>36.92</td> <td>6.00</td> <td>371 185 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 2412.00 | 98.88  | ----- | ----- | 90.51  | 32.15 | 7.14 | 36.92 | 6.00 | 371 185 AVERAGE |
| Limit     | Read  | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |                 |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |      |       |      |                 |
| Freq      | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |                 |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |      |       |      |                 |
| MHz       | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg             |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |      |       |      |                 |
| 1 2389.95 | 50.04   | 54.00       | -3.96  | 41.78  | 32.07  | 7.11   | 36.92  | 6.00   | 371 185 AVERAGE |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |      |       |      |                 |
| Limit     | Read  | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |                 |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |      |       |      |                 |
| Freq      | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |                 |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |      |       |      |                 |
| MHz       | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg             |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |      |       |      |                 |
| 1 2412.00 | 98.88   | -----       | -----  | 90.51  | 32.15  | 7.14   | 36.92  | 6.00   | 371 185 AVERAGE |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |                 |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |        |       |       |        |       |      |       |      |                 |



| Mode  | 13   |             |       |        |             |        |      |        |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
|-------|--|-------------|-------|--------|-------------|--------|------|--------|--------|--------|------|---------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|---------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|--------|-------|-------|-------|-------|------|-------|------|-----|-----|---------|
|       | Band Edge  |             |       |        |             |        |      |        |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
|       | 2400-2483.5_802.11ax HE20_CH01_Full_2412MHz  |             |       |        |             |        |      |        |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| ANT   | CDD 0+1  |             |       |        |             |        |      |        |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Pol.  | Vertical   | Fundamental |       |        |             |        |      |        |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Peak  |  <table border="1" data-bbox="263 1131 782 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.30</td> <td>57.45</td> <td>74.00</td> <td>-16.55</td> <td>49.20</td> <td>32.07</td> <td>7.10</td> <td>36.92</td> <td>6.00</td> <td>380</td> <td>232</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit       | Read  | Ant    | Cable       | Preamp | Aux  | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2389.30 | 57.45 | 74.00 | -16.55 | 49.20 | 32.07 | 7.10 | 36.92 | 6.00 | 380 | 232 | PEAK    |  <table border="1" data-bbox="901 1131 1420 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>104.39</td> <td>-----</td> <td>-----</td> <td>96.02</td> <td>32.15</td> <td>7.14</td> <td>36.92</td> <td>6.00</td> <td>380</td> <td>232</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2412.00 | 104.39 | ----- | ----- | 96.02 | 32.15 | 7.14 | 36.92 | 6.00 | 380 | 232 | PEAK    |
|       | Limit  | Read        | Ant   | Cable  | Preamp      | Aux    | APos | TPos   | Remark |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line Margin | Level | Factor | Loss Factor | Factor |      |        |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB   | cm     | deg    |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2389.30  | 57.45       | 74.00 | -16.55 | 49.20       | 32.07  | 7.10 | 36.92  | 6.00   | 380    | 232  | PEAK    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Limit | Read   | Ant         | Cable | Preamp | Aux         | APos   | TPos | Remark |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line Margin | Level | Factor | Loss Factor | Factor |      |        |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB   | cm     | deg    |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2412.00  | 104.39      | ----- | -----  | 96.02       | 32.15  | 7.14 | 36.92  | 6.00   | 380    | 232  | PEAK    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Avg   |  <table border="1" data-bbox="263 1814 782 1937"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>46.57</td> <td>54.00</td> <td>-7.43</td> <td>38.31</td> <td>32.07</td> <td>7.11</td> <td>36.92</td> <td>6.00</td> <td>380</td> <td>232</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read  | Ant    | Cable       | Preamp | Aux  | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2389.95 | 46.57 | 54.00 | -7.43  | 38.31 | 32.07 | 7.11 | 36.92 | 6.00 | 380 | 232 | AVERAGE |  <table border="1" data-bbox="901 1814 1420 1937"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>94.70</td> <td>-----</td> <td>-----</td> <td>86.32</td> <td>32.17</td> <td>7.14</td> <td>36.93</td> <td>6.00</td> <td>380</td> <td>232</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2412.00 | 94.70  | ----- | ----- | 86.32 | 32.17 | 7.14 | 36.93 | 6.00 | 380 | 232 | AVERAGE |
| Limit | Read   | Ant         | Cable | Preamp | Aux         | APos   | TPos | Remark |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line Margin | Level | Factor | Loss Factor | Factor |      |        |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB   | cm     | deg    |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2389.95  | 46.57       | 54.00 | -7.43  | 38.31       | 32.07  | 7.11 | 36.92  | 6.00   | 380    | 232  | AVERAGE |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Limit | Read   | Ant         | Cable | Preamp | Aux         | APos   | TPos | Remark |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line Margin | Level | Factor | Loss Factor | Factor |      |        |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB   | cm     | deg    |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2412.00  | 94.70       | ----- | -----  | 86.32       | 32.17  | 7.14 | 36.93  | 6.00   | 380    | 232  | AVERAGE |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |







| Mode     | 13  |             |              |             |        |        |        |       |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |
|----------|---|-------------|--------------|-------------|--------|--------|--------|-------|------|------|-------|-------------|--------------|-------------|--------|--|--------|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|-------|------|-----|-------|--------|-----|------|------|------|-------|-------------|--------------|-------------|--------|--|--------|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|
|          | Harmonic  |             |              |             |        |        |        |       |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |
|          | 2400-2483.5_802.11ax HE20_CH01_Full_2412MHz   |             |              |             |        |        |        |       |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |
| ANT      | CDD 0+1   |             |              |             |        |        |        |       |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |
| Pol.     | Horizontal  | Vertical    |              |             |        |        |        |       |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>40.44</td> <td>74.00</td> <td>-33.56</td> <td>61.56</td> <td>33.90</td> <td>10.23</td> <td>65.25</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux    | APos  | TPos | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 4824.00 | 40.44 | 74.00 | -33.56 | 61.56 | 33.90 | 10.23 | 65.25 | 0.00 | -- | -- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>39.88</td> <td>74.00</td> <td>-34.12</td> <td>61.00</td> <td>33.90</td> <td>10.23</td> <td>65.25</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 4824.00 | 39.88 | 74.00 | -34.12 | 61.00 | 33.90 | 10.23 | 65.25 | 0.00 | -- | -- | PEAK |
| Limit    | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos   |       |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |
| Freq     | Level   | Line Margin | Level Factor | Loss Factor | Factor |        | Remark |       |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |
| MHz      | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB     |       |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 1        | 4824.00   | 40.44       | 74.00        | -33.56      | 61.56  | 33.90  | 10.23  | 65.25 | 0.00 | --   | --    | PEAK        |              |             |        |  |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |
| Limit    | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos   |       |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |
| Freq     | Level   | Line Margin | Level Factor | Loss Factor | Factor |        | Remark |       |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |
| MHz      | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB     |       |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 1        | 4824.00   | 39.88       | 74.00        | -34.12      | 61.00  | 33.90  | 10.23  | 65.25 | 0.00 | --   | --    | PEAK        |              |             |        |  |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |      |       |             |              |             |        |  |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |



| Mode     | 14   |             |              |             |        |        |       |        |      |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
|----------|--|-------------|--------------|-------------|--------|--------|-------|--------|------|--------|------|---------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
|          | Harmonic   |             |              |             |        |        |       |        |      |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
|          | 2400-2483.5_802.11ax HE20_CH06_Full_2437MHz  |             |              |             |        |        |       |        |      |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| ANT      | CDD 0+1  |             |              |             |        |        |       |        |      |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Pol.     | Horizontal   | Vertical    |              |             |        |        |       |        |      |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>42.78</td> <td>74.00</td> <td>-31.22</td> <td>63.86</td> <td>33.90</td> <td>10.29</td> <td>65.27</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>58.70</td> <td>74.00</td> <td>-15.30</td> <td>76.73</td> <td>35.70</td> <td>12.72</td> <td>66.45</td> <td>0.00</td> <td>261</td> <td>237</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>48.81</td> <td>54.00</td> <td>-5.19</td> <td>66.84</td> <td>35.70</td> <td>12.72</td> <td>66.45</td> <td>0.00</td> <td>261</td> <td>237</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 4874.00 | 42.78 | 74.00 | -31.22 | 63.86 | 33.90 | 10.29 | 65.27 | 0.00 | -- | -- | PEAK | 2 | 7311.00 | 58.70 | 74.00 | -15.30 | 76.73 | 35.70 | 12.72 | 66.45 | 0.00 | 261 | 237 | PEAK | 3 | 7311.00 | 48.81 | 54.00 | -5.19 | 66.84 | 35.70 | 12.72 | 66.45 | 0.00 | 261 | 237 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>40.31</td> <td>74.00</td> <td>-33.69</td> <td>61.39</td> <td>33.90</td> <td>10.29</td> <td>65.27</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>60.23</td> <td>74.00</td> <td>-13.77</td> <td>78.26</td> <td>35.70</td> <td>12.72</td> <td>66.45</td> <td>0.00</td> <td>306</td> <td>115</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>49.11</td> <td>54.00</td> <td>-4.89</td> <td>67.13</td> <td>35.70</td> <td>12.72</td> <td>66.44</td> <td>0.00</td> <td>306</td> <td>115</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 4874.00 | 40.31 | 74.00 | -33.69 | 61.39 | 33.90 | 10.29 | 65.27 | 0.00 | -- | -- | PEAK | 2 | 7311.00 | 60.23 | 74.00 | -13.77 | 78.26 | 35.70 | 12.72 | 66.45 | 0.00 | 306 | 115 | PEAK | 3 | 7311.00 | 49.11 | 54.00 | -4.89 | 67.13 | 35.70 | 12.72 | 66.44 | 0.00 | 306 | 115 | AVERAGE |
| Limit    | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq     | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz      | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1        | 4874.00  | 42.78       | 74.00        | -31.22      | 63.86  | 33.90  | 10.29 | 65.27  | 0.00 | --     | --   | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 2        | 7311.00  | 58.70       | 74.00        | -15.30      | 76.73  | 35.70  | 12.72 | 66.45  | 0.00 | 261    | 237  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 3        | 7311.00  | 48.81       | 54.00        | -5.19       | 66.84  | 35.70  | 12.72 | 66.45  | 0.00 | 261    | 237  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Limit    | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| Freq     | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| MHz      | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 1        | 4874.00  | 40.31       | 74.00        | -33.69      | 61.39  | 33.90  | 10.29 | 65.27  | 0.00 | --     | --   | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 2        | 7311.00  | 60.23       | 74.00        | -13.77      | 78.26  | 35.70  | 12.72 | 66.45  | 0.00 | 306    | 115  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |
| 3        | 7311.00  | 49.11       | 54.00        | -4.89       | 67.13  | 35.70  | 12.72 | 66.44  | 0.00 | 306    | 115  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |     |     |      |   |         |       |       |       |       |       |       |       |      |     |     |         |



| Mode  | 15  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
|-------|---|-------------|--------|--------|--------|--------|--------|--------|--------|--------|------|---------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|--------|-------|-------|-------|-------|------|-------|------|-----|-----|---------|
|       | Band Edge   |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
|       | 2400-2483.5_802.11ax HE20_CH11_Full_2462MHz   |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| ANT   | CDD 0+1   |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Pol.  | Horizontal  | Fundamental |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Peak  |  <table border="1" data-bbox="263 1131 774 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.28</td> <td>63.15</td> <td>74.00</td> <td>-10.85</td> <td>54.33</td> <td>32.52</td> <td>7.26</td> <td>36.96</td> <td>6.00</td> <td>100</td> <td>185</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2484.28 | 63.15 | 74.00 | -10.85 | 54.33 | 32.52 | 7.26 | 36.96 | 6.00 | 100 | 185 | PEAK    |  <table border="1" data-bbox="901 1131 1412 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>106.02</td> <td>-----</td> <td>-----</td> <td>97.35</td> <td>32.40</td> <td>7.22</td> <td>36.95</td> <td>6.00</td> <td>100</td> <td>185</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2462.00 | 106.02 | ----- | ----- | 97.35 | 32.40 | 7.22 | 36.95 | 6.00 | 100 | 185 | PEAK    |
|       | Limit   | Read        | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2484.28   | 63.15       | 74.00  | -10.85 | 54.33  | 32.52  | 7.26   | 36.96  | 6.00   | 100    | 185  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Limit | Read  | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2462.00   | 106.02      | -----  | -----  | 97.35  | 32.40  | 7.22   | 36.95  | 6.00   | 100    | 185  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Avg   |  <table border="1" data-bbox="263 1814 774 1937"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.56</td> <td>50.00</td> <td>54.00</td> <td>-3.92</td> <td>41.26</td> <td>32.52</td> <td>7.26</td> <td>36.96</td> <td>6.00</td> <td>100</td> <td>185</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2483.56 | 50.00 | 54.00 | -3.92  | 41.26 | 32.52 | 7.26 | 36.96 | 6.00 | 100 | 185 | AVERAGE |  <table border="1" data-bbox="901 1814 1412 1937"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>96.06</td> <td>-----</td> <td>-----</td> <td>87.39</td> <td>32.40</td> <td>7.22</td> <td>36.95</td> <td>6.00</td> <td>100</td> <td>185</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2462.00 | 96.06  | ----- | ----- | 87.39 | 32.40 | 7.22 | 36.95 | 6.00 | 100 | 185 | AVERAGE |
| Limit | Read  | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2483.56   | 50.00       | 54.00  | -3.92  | 41.26  | 32.52  | 7.26   | 36.96  | 6.00   | 100    | 185  | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Limit | Read  | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2462.00   | 96.06       | -----  | -----  | 87.39  | 32.40  | 7.22   | 36.95  | 6.00   | 100    | 185  | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |



| Mode  | 15  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
|-------|---|-------------|--------|--------|--------|--------|--------|--------|--------|--------|------|---------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|-------|-------|-------|------|-------|------|-----|-----|---------|
|       | Band Edge   |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
|       | 2400-2483.5_802.11ax HE20_CH11_Full_2462MHz   |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| ANT   | CDD 0+1   |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Pol.  | Vertical  | Fundamental |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.04</td> <td>57.17</td> <td>74.00</td> <td>-16.83</td> <td>48.35</td> <td>32.52</td> <td>7.26</td> <td>36.96</td> <td>6.00</td> <td>104</td> <td>111</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2484.04 | 57.17 | 74.00 | -16.83 | 48.35 | 32.52 | 7.26 | 36.96 | 6.00 | 104 | 111 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>99.64</td> <td>-----</td> <td>-----</td> <td>90.97</td> <td>32.40</td> <td>7.22</td> <td>36.95</td> <td>6.00</td> <td>104</td> <td>111</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2462.00 | 99.64 | ----- | ----- | 90.97 | 32.40 | 7.22 | 36.95 | 6.00 | 104 | 111 | PEAK    |
|       | Limit   | Read        | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2484.04   | 57.17       | 74.00  | -16.83 | 48.35  | 32.52  | 7.26   | 36.96  | 6.00   | 104    | 111  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Limit | Read  | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2462.00   | 99.64       | -----  | -----  | 90.97  | 32.40  | 7.22   | 36.95  | 6.00   | 104    | 111  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.68</td> <td>46.22</td> <td>54.00</td> <td>-7.78</td> <td>37.40</td> <td>32.52</td> <td>7.26</td> <td>36.96</td> <td>6.00</td> <td>104</td> <td>111</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2483.68 | 46.22 | 54.00 | -7.78  | 37.40 | 32.52 | 7.26 | 36.96 | 6.00 | 104 | 111 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>90.80</td> <td>-----</td> <td>-----</td> <td>82.13</td> <td>32.40</td> <td>7.22</td> <td>36.95</td> <td>6.00</td> <td>104</td> <td>111</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2462.00 | 90.80 | ----- | ----- | 82.13 | 32.40 | 7.22 | 36.95 | 6.00 | 104 | 111 | AVERAGE |
| Limit | Read  | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2483.68   | 46.22       | 54.00  | -7.78  | 37.40  | 32.52  | 7.26   | 36.96  | 6.00   | 104    | 111  | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Limit | Read  | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |
| 1     | 2462.00   | 90.80       | -----  | -----  | 82.13  | 32.40  | 7.22   | 36.95  | 6.00   | 104    | 111  | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |       |       |       |      |       |      |     |     |         |





| Mode     | 15  |          |        |        |        |        |        |        |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
|----------|---|----------|--------|--------|--------|--------|--------|--------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|
|          | Harmonic  |          |        |        |        |        |        |        |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
|          | 2400-2483.5_802.11ax HE20_CH11_Full_2462MHz   |          |        |        |        |        |        |        |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| ANT      | CDD 0+1   |          |        |        |        |        |        |        |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| Pol.     | Horizontal  | Vertical |        |        |        |        |        |        |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>40.90</td> <td>74.00</td> <td>-33.10</td> <td>61.89</td> <td>33.95</td> <td>10.35</td> <td>65.29</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>41.72</td> <td>74.00</td> <td>-32.28</td> <td>59.95</td> <td>35.70</td> <td>12.73</td> <td>66.66</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit    | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 4924.00 | 40.90 | 74.00 | -33.10 | 61.89 | 33.95 | 10.35 | 65.29 | 0.00 | -- | -- | PEAK | 2 | 7386.00 | 41.72 | 74.00 | -32.28 | 59.95 | 35.70 | 12.73 | 66.66 | 0.00 | -- | -- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>40.90</td> <td>74.00</td> <td>-33.10</td> <td>61.89</td> <td>33.95</td> <td>10.35</td> <td>65.29</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>42.44</td> <td>74.00</td> <td>-31.56</td> <td>60.67</td> <td>35.70</td> <td>12.73</td> <td>66.66</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 4924.00 | 40.90 | 74.00 | -33.10 | 61.89 | 33.95 | 10.35 | 65.29 | 0.00 | -- | -- | PEAK | 2 | 7386.00 | 42.44 | 74.00 | -31.56 | 60.67 | 35.70 | 12.73 | 66.66 | 0.00 | -- | -- | PEAK |
| Limit    | Read  | Ant      | Cable  | Preamp | Aux    | APos   | TPos   | Remark |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| Freq     | Level   | Line     | Margin | Level  | Factor | Loss   | Factor | Factor |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| MHz      | dBuV/m  | dBuV/m   | dB     | dBuV   | dB/m   | dB     | dB     | dB     |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 1        | 4924.00   | 40.90    | 74.00  | -33.10 | 61.89  | 33.95  | 10.35  | 65.29  | 0.00 | --     | --   | PEAK  |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 2        | 7386.00   | 41.72    | 74.00  | -32.28 | 59.95  | 35.70  | 12.73  | 66.66  | 0.00 | --     | --   | PEAK  |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| Limit    | Read  | Ant      | Cable  | Preamp | Aux    | APos   | TPos   | Remark |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| Freq     | Level   | Line     | Margin | Level  | Factor | Loss   | Factor | Factor |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| MHz      | dBuV/m  | dBuV/m   | dB     | dBuV   | dB/m   | dB     | dB     | dB     |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 1        | 4924.00   | 40.90    | 74.00  | -33.10 | 61.89  | 33.95  | 10.35  | 65.29  | 0.00 | --     | --   | PEAK  |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |
| 2        | 7386.00   | 42.44    | 74.00  | -31.56 | 60.67  | 35.70  | 12.73  | 66.66  | 0.00 | --     | --   | PEAK  |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |       |       |      |    |    |      |   |         |       |       |        |       |       |       |       |      |    |    |      |



| Mode  | 16   |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
|-------|--|-------------|--------|--------|--------|--------|--------|--------|--------|--------|------|---------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|--------|-------|-------|-------|-------|------|-------|------|-----|-----|---------|
|       | Band Edge  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
|       | 2400-2483.5_802.11ax HE20_CH01_RU26/0_2412MHz  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| ANT   | CDD 0+1  |             |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Pol.  | Horizontal   | Fundamental |        |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2358.36</td> <td>50.59</td> <td>74.00</td> <td>-23.41</td> <td>42.84</td> <td>31.61</td> <td>7.11</td> <td>36.97</td> <td>6.00</td> <td>183</td> <td>192</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2358.36 | 50.59 | 74.00 | -23.41 | 42.84 | 31.61 | 7.11 | 36.97 | 6.00 | 183 | 192 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>103.62</td> <td>-----</td> <td>-----</td> <td>95.49</td> <td>31.92</td> <td>7.19</td> <td>36.98</td> <td>6.00</td> <td>183</td> <td>192</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2412.00 | 103.62 | ----- | ----- | 95.49 | 31.92 | 7.19 | 36.98 | 6.00 | 183 | 192 | PEAK    |
|       | Limit  | Read        | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2358.36  | 50.59       | 74.00  | -23.41 | 42.84  | 31.61  | 7.11   | 36.97  | 6.00   | 183    | 192  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Limit | Read   | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2412.00  | 103.62      | -----  | -----  | 95.49  | 31.92  | 7.19   | 36.98  | 6.00   | 183    | 192  | PEAK    |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2323.78</td> <td>39.38</td> <td>54.00</td> <td>-14.62</td> <td>31.91</td> <td>31.37</td> <td>7.06</td> <td>36.96</td> <td>6.00</td> <td>183</td> <td>192</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2323.78 | 39.38 | 54.00 | -14.62 | 31.91 | 31.37 | 7.06 | 36.96 | 6.00 | 183 | 192 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>94.03</td> <td>-----</td> <td>-----</td> <td>85.90</td> <td>31.92</td> <td>7.19</td> <td>36.98</td> <td>6.00</td> <td>183</td> <td>192</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2412.00 | 94.03  | ----- | ----- | 85.90 | 31.92 | 7.19 | 36.98 | 6.00 | 183 | 192 | AVERAGE |
| Limit | Read   | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2323.78  | 39.38       | 54.00  | -14.62 | 31.91  | 31.37  | 7.06   | 36.96  | 6.00   | 183    | 192  | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Limit | Read   | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | dB     |        |        |      |         |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2412.00  | 94.03       | -----  | -----  | 85.90  | 31.92  | 7.19   | 36.98  | 6.00   | 183    | 192  | AVERAGE |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |



| Mode  | 16  |             |              |             |        |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |
|-------|---|-------------|--------------|-------------|--------|--------|------|--------|--------|--------|------|---------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|----|---------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|------|-------|------|-----|----|---------|
|       | Band Edge   |             |              |             |        |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |
|       | 2400-2483.5_802.11ax HE20_CH01_RU26/0_2412MHz   |             |              |             |        |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |
| ANT   | CDD 0+1   |             |              |             |        |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |
| Pol.  | Vertical  | Fundamental |              |             |        |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2379.16</td> <td>49.59</td> <td>74.00</td> <td>-24.41</td> <td>41.66</td> <td>31.75</td> <td>7.15</td> <td>36.97</td> <td>6.00</td> <td>301</td> <td>78</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit       | Read         | Ant         | Cable  | Preamp | Aux  | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2379.16 | 49.59 | 74.00 | -24.41 | 41.66 | 31.75 | 7.15 | 36.97 | 6.00 | 301 | 78 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>98.97</td> <td>-----</td> <td>-----</td> <td>90.84</td> <td>31.92</td> <td>7.19</td> <td>36.98</td> <td>6.00</td> <td>301</td> <td>78</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2412.00 | 98.97 | ----- | ----- | 90.84 | 31.92 | 7.19 | 36.98 | 6.00 | 301 | 78 | PEAK    |
|       | Limit   | Read        | Ant          | Cable       | Preamp | Aux    | APos | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB   | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |
| 1     | 2379.16   | 49.59       | 74.00        | -24.41      | 41.66  | 31.75  | 7.15 | 36.97  | 6.00   | 301    | 78   | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |
| Limit | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB   | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |
| 1     | 2412.00   | 98.97       | -----        | -----       | 90.84  | 31.92  | 7.19 | 36.98  | 6.00   | 301    | 78   | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2377.60</td> <td>38.00</td> <td>54.00</td> <td>-16.00</td> <td>30.09</td> <td>31.74</td> <td>7.14</td> <td>36.97</td> <td>6.00</td> <td>301</td> <td>78</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux  | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2377.60 | 38.00 | 54.00 | -16.00 | 30.09 | 31.74 | 7.14 | 36.97 | 6.00 | 301 | 78 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>88.42</td> <td>-----</td> <td>-----</td> <td>80.29</td> <td>31.92</td> <td>7.19</td> <td>36.98</td> <td>6.00</td> <td>301</td> <td>78</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2412.00 | 88.42 | ----- | ----- | 80.29 | 31.92 | 7.19 | 36.98 | 6.00 | 301 | 78 | AVERAGE |
| Limit | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB   | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |
| 1     | 2377.60   | 38.00       | 54.00        | -16.00      | 30.09  | 31.74  | 7.14 | 36.97  | 6.00   | 301    | 78   | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |
| Limit | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB   | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |
| 1     | 2412.00   | 88.42       | -----        | -----       | 80.29  | 31.92  | 7.19 | 36.98  | 6.00   | 301    | 78   | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |







| Mode  | 17   |             |              |             |        |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
|-------|--|-------------|--------------|-------------|--------|--------|------|--------|--------|--------|------|---------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|--------|-------|-------|-------|-------|------|-------|------|-----|-----|---------|
|       | Band Edge  |             |              |             |        |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
|       | 2400-2483.5_802.11ax HE20_CH01_RU52/37_2412MHz   |             |              |             |        |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| ANT   | CDD 0+1  |             |              |             |        |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Pol.  | Horizontal   | Fundamental |              |             |        |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.56</td> <td>54.30</td> <td>74.00</td> <td>-19.70</td> <td>46.29</td> <td>31.83</td> <td>7.16</td> <td>36.98</td> <td>6.00</td> <td>100</td> <td>193</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit       | Read         | Ant         | Cable  | Preamp | Aux  | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2389.56 | 54.30 | 74.00 | -19.70 | 46.29 | 31.83 | 7.16 | 36.98 | 6.00 | 100 | 193 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>104.16</td> <td>-----</td> <td>-----</td> <td>96.02</td> <td>31.92</td> <td>7.19</td> <td>36.97</td> <td>6.00</td> <td>100</td> <td>193</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2412.00 | 104.16 | ----- | ----- | 96.02 | 31.92 | 7.19 | 36.97 | 6.00 | 100 | 193 | PEAK    |
|       | Limit  | Read        | Ant          | Cable       | Preamp | Aux    | APos | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB   | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2389.56  | 54.30       | 74.00        | -19.70      | 46.29  | 31.83  | 7.16 | 36.98  | 6.00   | 100    | 193  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Limit | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB   | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2412.00  | 104.16      | -----        | -----       | 96.02  | 31.92  | 7.19 | 36.97  | 6.00   | 100    | 193  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2325.34</td> <td>39.83</td> <td>54.00</td> <td>-14.17</td> <td>32.35</td> <td>31.38</td> <td>7.06</td> <td>36.96</td> <td>6.00</td> <td>100</td> <td>193</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux  | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2325.34 | 39.83 | 54.00 | -14.17 | 32.35 | 31.38 | 7.06 | 36.96 | 6.00 | 100 | 193 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>94.16</td> <td>-----</td> <td>-----</td> <td>86.02</td> <td>31.92</td> <td>7.19</td> <td>36.97</td> <td>6.00</td> <td>100</td> <td>193</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2412.00 | 94.16  | ----- | ----- | 86.02 | 31.92 | 7.19 | 36.97 | 6.00 | 100 | 193 | AVERAGE |
| Limit | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB   | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2325.34  | 39.83       | 54.00        | -14.17      | 32.35  | 31.38  | 7.06 | 36.96  | 6.00   | 100    | 193  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Limit | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB   | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2412.00  | 94.16       | -----        | -----       | 86.02  | 31.92  | 7.19 | 36.97  | 6.00   | 100    | 193  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |



| Mode      | 17   |             |        |        |        |        |        |        |      |            |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
|-----------|--|-------------|--------|--------|--------|--------|--------|--------|------|------------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----|-----------|-------|-------|--------|-------|-------|------|-------|------|-----|------------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----|-----------|-------|-------|-------|-------|-------|------|-------|------|-----|------------|
|           | Band Edge  |             |        |        |        |        |        |        |      |            |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
|           | 2400-2483.5_802.11ax HE20_CH01_RU52/37_2412MHz   |             |        |        |        |        |        |        |      |            |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| ANT       | CDD 0+1  |             |        |        |        |        |        |        |      |            |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| Pol.      | Vertical   | Fundamental |        |        |        |        |        |        |      |            |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| Peak      | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2389.95</td> <td>52.29</td> <td>74.00</td> <td>-21.71</td> <td>44.28</td> <td>31.83</td> <td>7.16</td> <td>36.98</td> <td>6.00</td> <td>339</td> <td>79 PEAK</td> </tr> </tbody> </table>    | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos | Remark     | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 2389.95 | 52.29 | 74.00 | -21.71 | 44.28 | 31.83 | 7.16 | 36.98 | 6.00 | 339 | 79 PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2412.00</td> <td>98.85</td> <td>-----</td> <td>-----</td> <td>90.71</td> <td>31.92</td> <td>7.19</td> <td>36.97</td> <td>6.00</td> <td>339</td> <td>79 PEAK</td> </tr> </tbody> </table>    | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 2412.00 | 98.85 | ----- | ----- | 90.71 | 31.92 | 7.19 | 36.97 | 6.00 | 339 | 79 PEAK    |
| Limit     | Read   | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |      |            |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| Freq      | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |      |            |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| MHz       | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg  |            |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| 1 2389.95 | 52.29  | 74.00       | -21.71 | 44.28  | 31.83  | 7.16   | 36.98  | 6.00   | 339  | 79 PEAK    |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| Limit     | Read   | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |      |            |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| Freq      | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |      |            |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| MHz       | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg  |            |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| 1 2412.00 | 98.85  | -----       | -----  | 90.71  | 31.92  | 7.19   | 36.97  | 6.00   | 339  | 79 PEAK    |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| Avg       | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2324.69</td> <td>38.13</td> <td>54.00</td> <td>-15.87</td> <td>30.66</td> <td>31.37</td> <td>7.06</td> <td>36.96</td> <td>6.00</td> <td>339</td> <td>79 AVERAGE</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable  | Preamp | Aux    | APos   | TPos | Remark     | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 2324.69 | 38.13 | 54.00 | -15.87 | 30.66 | 31.37 | 7.06 | 36.96 | 6.00 | 339 | 79 AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2412.00</td> <td>89.49</td> <td>-----</td> <td>-----</td> <td>81.36</td> <td>31.92</td> <td>7.19</td> <td>36.98</td> <td>6.00</td> <td>339</td> <td>79 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 2412.00 | 89.49 | ----- | ----- | 81.36 | 31.92 | 7.19 | 36.98 | 6.00 | 339 | 79 AVERAGE |
| Limit     | Read   | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |      |            |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| Freq      | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |      |            |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| MHz       | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg  |            |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| 1 2324.69 | 38.13  | 54.00       | -15.87 | 30.66  | 31.37  | 7.06   | 36.96  | 6.00   | 339  | 79 AVERAGE |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| Limit     | Read   | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark |      |            |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| Freq      | Level  | Line        | Margin | Level  | Factor | Loss   | Factor | Factor |      |            |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| MHz       | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg  |            |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |
| 1 2412.00 | 89.49  | -----       | -----  | 81.36  | 31.92  | 7.19   | 36.98  | 6.00   | 339  | 79 AVERAGE |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |      |       |      |     |            |   |       |      |     |       |        |     |      |      |        |      |       |      |        |       |        |      |        |        |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |      |       |      |     |            |







| Mode  | 18  |             |       |        |             |        |      |        |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
|-------|---|-------------|-------|--------|-------------|--------|------|--------|--------|--------|------|---------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|---------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|--------|-------|-------|-------|-------|------|-------|------|-----|-----|---------|
|       | Band Edge   |             |       |        |             |        |      |        |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
|       | 2400-2483.5_802.11ax HE20_CH01_RU106/53_2412MHZ   |             |       |        |             |        |      |        |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| ANT   | CDD 0+1   |             |       |        |             |        |      |        |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Pol.  | Horizontal  | Fundamental |       |        |             |        |      |        |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Peak  |  <table border="1" data-bbox="263 1131 782 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2387.74</td> <td>57.97</td> <td>74.00</td> <td>-16.03</td> <td>49.98</td> <td>31.81</td> <td>7.16</td> <td>36.98</td> <td>6.00</td> <td>124</td> <td>189</td> <td>PEAK</td> </tr> </tbody> </table>     | Limit       | Read  | Ant    | Cable       | Preamp | Aux  | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2387.74 | 57.97 | 74.00 | -16.03 | 49.98 | 31.81 | 7.16 | 36.98 | 6.00 | 124 | 189 | PEAK    |  <table border="1" data-bbox="901 1131 1420 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>105.09</td> <td>-----</td> <td>-----</td> <td>96.92</td> <td>31.94</td> <td>7.20</td> <td>36.97</td> <td>6.00</td> <td>124</td> <td>189</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2412.00 | 105.09 | ----- | ----- | 96.92 | 31.94 | 7.20 | 36.97 | 6.00 | 124 | 189 | PEAK    |
|       | Limit   | Read        | Ant   | Cable  | Preamp      | Aux    | APos | TPos   | Remark |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line Margin | Level | Factor | Loss Factor | Factor |      |        |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB   | cm     | deg    |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2387.74   | 57.97       | 74.00 | -16.03 | 49.98       | 31.81  | 7.16 | 36.98  | 6.00   | 124    | 189  | PEAK    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Limit | Read  | Ant         | Cable | Preamp | Aux         | APos   | TPos | Remark |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line Margin | Level | Factor | Loss Factor | Factor |      |        |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB   | cm     | deg    |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2412.00   | 105.09      | ----- | -----  | 96.92       | 31.94  | 7.20 | 36.97  | 6.00   | 124    | 189  | PEAK    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Avg   |  <table border="1" data-bbox="263 1814 782 1937"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2387.61</td> <td>40.76</td> <td>54.00</td> <td>-13.24</td> <td>32.77</td> <td>31.81</td> <td>7.16</td> <td>36.98</td> <td>6.00</td> <td>124</td> <td>189</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read  | Ant    | Cable       | Preamp | Aux  | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2387.61 | 40.76 | 54.00 | -13.24 | 32.77 | 31.81 | 7.16 | 36.98 | 6.00 | 124 | 189 | AVERAGE |  <table border="1" data-bbox="901 1814 1420 1937"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>95.58</td> <td>-----</td> <td>-----</td> <td>87.41</td> <td>31.94</td> <td>7.20</td> <td>36.97</td> <td>6.00</td> <td>124</td> <td>189</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2412.00 | 95.58  | ----- | ----- | 87.41 | 31.94 | 7.20 | 36.97 | 6.00 | 124 | 189 | AVERAGE |
| Limit | Read  | Ant         | Cable | Preamp | Aux         | APos   | TPos | Remark |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line Margin | Level | Factor | Loss Factor | Factor |      |        |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB   | cm     | deg    |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2387.61   | 40.76       | 54.00 | -13.24 | 32.77       | 31.81  | 7.16 | 36.98  | 6.00   | 124    | 189  | AVERAGE |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Limit | Read  | Ant         | Cable | Preamp | Aux         | APos   | TPos | Remark |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level   | Line Margin | Level | Factor | Loss Factor | Factor |      |        |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB   | cm     | deg    |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2412.00   | 95.58       | ----- | -----  | 87.41       | 31.94  | 7.20 | 36.97  | 6.00   | 124    | 189  | AVERAGE |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |      |       |      |     |     |         |



| Mode  | 18  |             |              |             |        |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |
|-------|---|-------------|--------------|-------------|--------|--------|------|--------|--------|--------|------|---------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|----|---------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|------|-------|------|-----|----|---------|
|       | Band Edge   |             |              |             |        |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |
|       | 2400-2483.5_802.11ax HE20_CH01_RU106/53_2412MHZ   |             |              |             |        |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |
| ANT   | CDD 0+1   |             |              |             |        |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |
| Pol.  | Vertical  | Fundamental |              |             |        |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.52</td> <td>53.93</td> <td>74.00</td> <td>-20.07</td> <td>45.93</td> <td>31.82</td> <td>7.16</td> <td>36.98</td> <td>6.00</td> <td>300</td> <td>82</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit       | Read         | Ant         | Cable  | Preamp | Aux  | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2388.52 | 53.93 | 74.00 | -20.07 | 45.93 | 31.82 | 7.16 | 36.98 | 6.00 | 300 | 82 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>99.55</td> <td>-----</td> <td>-----</td> <td>91.40</td> <td>31.93</td> <td>7.19</td> <td>36.97</td> <td>6.00</td> <td>300</td> <td>82</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2412.00 | 99.55 | ----- | ----- | 91.40 | 31.93 | 7.19 | 36.97 | 6.00 | 300 | 82 | PEAK    |
|       | Limit   | Read        | Ant          | Cable       | Preamp | Aux    | APos | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB   | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |
| 1     | 2388.52   | 53.93       | 74.00        | -20.07      | 45.93  | 31.82  | 7.16 | 36.98  | 6.00   | 300    | 82   | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |
| Limit | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB   | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |
| 1     | 2412.00   | 99.55       | -----        | -----       | 91.40  | 31.93  | 7.19 | 36.97  | 6.00   | 300    | 82   | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.04</td> <td>38.92</td> <td>54.00</td> <td>-15.08</td> <td>30.92</td> <td>31.82</td> <td>7.16</td> <td>36.98</td> <td>6.00</td> <td>300</td> <td>82</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux  | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2389.04 | 38.92 | 54.00 | -15.08 | 30.92 | 31.82 | 7.16 | 36.98 | 6.00 | 300 | 82 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>90.69</td> <td>-----</td> <td>-----</td> <td>82.52</td> <td>31.94</td> <td>7.20</td> <td>36.97</td> <td>6.00</td> <td>300</td> <td>82</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 2412.00 | 90.69 | ----- | ----- | 82.52 | 31.94 | 7.20 | 36.97 | 6.00 | 300 | 82 | AVERAGE |
| Limit | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB   | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |
| 1     | 2389.04   | 38.92       | 54.00        | -15.08      | 30.92  | 31.82  | 7.16 | 36.98  | 6.00   | 300    | 82   | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |
| Limit | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |      |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB   | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |
| 1     | 2412.00   | 90.69       | -----        | -----       | 82.52  | 31.94  | 7.20 | 36.97  | 6.00   | 300    | 82   | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |      |       |      |     |    |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |      |       |      |     |    |         |



| Mode  | 19   |             |       |        |             |        |      |        |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
|-------|--|-------------|-------|--------|-------------|--------|------|--------|--------|--------|------|---------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|------|-------|------|-----|-----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|---|---------|--------|-------|-------|-------|-------|------|-------|------|-----|-----|---------|
|       | Band Edge  |             |       |        |             |        |      |        |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
|       | 2400-2483.5_802.11ax HE20_CH11_RU26/8_2462MHz  |             |       |        |             |        |      |        |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| ANT   | CDD 0+1  |             |       |        |             |        |      |        |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Pol.  | Horizontal   | Fundamental |       |        |             |        |      |        |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Peak  |  <table border="1" data-bbox="263 1131 782 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.48</td> <td>54.27</td> <td>74.00</td> <td>-19.73</td> <td>45.58</td> <td>32.24</td> <td>7.33</td> <td>36.88</td> <td>6.00</td> <td>337</td> <td>192</td> <td>PEAK</td> </tr> </tbody> </table>     | Limit       | Read  | Ant    | Cable       | Preamp | Aux  | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2485.48 | 54.27 | 74.00 | -19.73 | 45.58 | 32.24 | 7.33 | 36.88 | 6.00 | 337 | 192 | PEAK    |  <table border="1" data-bbox="901 1131 1420 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>108.51</td> <td>-----</td> <td>-----</td> <td>99.90</td> <td>32.19</td> <td>7.31</td> <td>36.89</td> <td>6.00</td> <td>337</td> <td>192</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2462.00 | 108.51 | ----- | ----- | 99.90 | 32.19 | 7.31 | 36.89 | 6.00 | 337 | 192 | PEAK    |
|       | Limit  | Read        | Ant   | Cable  | Preamp      | Aux    | APos | TPos   | Remark |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line Margin | Level | Factor | Loss Factor | Factor |      |        |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB   | dB     |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2485.48  | 54.27       | 74.00 | -19.73 | 45.58       | 32.24  | 7.33 | 36.88  | 6.00   | 337    | 192  | PEAK    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Limit | Read   | Ant         | Cable | Preamp | Aux         | APos   | TPos | Remark |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line Margin | Level | Factor | Loss Factor | Factor |      |        |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB   | dB     |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2462.00  | 108.51      | ----- | -----  | 99.90       | 32.19  | 7.31 | 36.89  | 6.00   | 337    | 192  | PEAK    |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Avg   |  <table border="1" data-bbox="263 1814 782 1937"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2487.22</td> <td>40.12</td> <td>54.00</td> <td>-13.88</td> <td>31.41</td> <td>32.25</td> <td>7.34</td> <td>36.88</td> <td>6.00</td> <td>337</td> <td>192</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read  | Ant    | Cable       | Preamp | Aux  | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2487.22 | 40.12 | 54.00 | -13.88 | 31.41 | 32.25 | 7.34 | 36.88 | 6.00 | 337 | 192 | AVERAGE |  <table border="1" data-bbox="901 1814 1420 1937"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>98.91</td> <td>-----</td> <td>-----</td> <td>90.32</td> <td>32.18</td> <td>7.31</td> <td>36.90</td> <td>6.00</td> <td>337</td> <td>192</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 2462.00 | 98.91  | ----- | ----- | 90.32 | 32.18 | 7.31 | 36.90 | 6.00 | 337 | 192 | AVERAGE |
| Limit | Read   | Ant         | Cable | Preamp | Aux         | APos   | TPos | Remark |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line Margin | Level | Factor | Loss Factor | Factor |      |        |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB   | dB     |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2487.22  | 40.12       | 54.00 | -13.88 | 31.41       | 32.25  | 7.34 | 36.88  | 6.00   | 337    | 192  | AVERAGE |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Limit | Read   | Ant         | Cable | Preamp | Aux         | APos   | TPos | Remark |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| Freq  | Level  | Line Margin | Level | Factor | Loss Factor | Factor |      |        |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB    | dBuV   | dB/m        | dB     | dB   | dB     |        |        |      |         |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |
| 1     | 2462.00  | 98.91       | ----- | -----  | 90.32       | 32.18  | 7.31 | 36.90  | 6.00   | 337    | 192  | AVERAGE |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |       |       |        |       |       |      |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |   |         |        |       |       |       |       |      |       |      |     |     |         |