

Report No.: XEWA2305000017RG04

Rev.: 01

Page: 1 of 383

TEST REPORT

Application No.: XEWA2305000017RG

Applicant: Quectel Wireless Solutions Co., Ltd.

Address of Applicant: Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road,

Minhang District, Shanghai, China 200233

Manufacturer: Quectel Wireless Solutions Co., Ltd.

Address of Manufacturer: Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road,

Minhang District, Shanghai, China 200233

EUT Description: Wi-Fi & Bluetooth Module

Model No.: FCM360K

Trade Mark: Quectel

FCC ID: XMR2023FCM360K

Standards: FCC 47 CFR Part 2, Subpart J

FCC 47 CFR Part 15, Subpart E

Date of Receipt: 2023/05/19

Date of Test: 2023/06/04 to 2023/06/21

Date of Issue: 2023/06/26

Test Result : PASS *

Authorized Signature:

Peter Tan Regulatory Technical Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Temms-and-Conditions.spx. and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a ransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration (orgeny or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

1/F, Unit D, Bullding 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengolong New Town, Xian, Shazand, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

a 710086 t (86–29) 6282 7885 t 710086 t (86–29) 6282 7885

^{*} In the configuration tested, the EUT detailed in this report complied with the standards specified above.



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 2 of 383

1 Version

	Revision Record					
Version Chapter Date Modifier Remark						
01		2023/06/26		Original		

Prepared By	Leah chen	
Checked By	(Leah Chen) / Test Engineer	
	(Andy Yao) /Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengatong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 3 of 383

2 Test Summary

2 Test Summary					
Test Item	Band ^[1]	FCC rules No.	Test Requirements	Test Result	Result
Antenna Requirement		15.203/15.407(a)		Clause 4.1	PASS
26dB Emission	Band I	15.407(a)(1)		Clause	For
Bandwidth	Band II-A	15.407(a)(2) No limit.		4.5	Report
	Band II-C	15.407(a)(2)			Purpose
6dB Emission Bandwidth	Band III	15.407(e)	≥ 500 kHz.	Clause 4.6	PASS
99% Occupied Bandwidth	Band II-A Band II-C Band III	KDB 789033 D02§ D	No limit.	Clause 4.7	For Report Purpose
Duty Cycle	Band I Band II-A Band II-C Band III	1	No limit.	Clause 4.3	For Report Purpose
Maximum	Band I	15.407(a)(iv)	< 250mW		
Conducted	Band II-A Band II-C	15.407(a)(2)	<min{250mw,11dbm+10*lg(ebw)}< td=""><td>Clause 4.4</td><td>PASS</td></min{250mw,11dbm+10*lg(ebw)}<>	Clause 4.4	PASS
Output Power	Band III	15.407(a)(3)	15.407(a)(3) < 1W		
Maximum	Band I	15.407(a)(iv)			
Power Spectral	Band II-A Band II-C	15.407(a)(2)	<11dBm/MHz	Clause 4.8	PASS
Density	Band III	15.407(a)(3)	<30dBm/500KHz		
	Band I	15.407(b) 15.205/15.209	F<1GHz: §15.209 limit (QP). F≥1GHz & out-restricted: <-27dBm/MHz PK e.i.r.p. (exl. 5.15- 5.35 GHz). F≥1GHz & in-restricted: §15.209 limit (AV&PK).		PASS
Radiated Spurious Emissions	Band II-A	15.407(b) 15.205/15.209	F<1GHz: §15.209 limit (QP). F≥1GHz & out-restricted: <-27dBm/MHz PK e.i.r.p. (exl. 5.25- 5.35 GHz). F≥1GHz & in-restricted: §15.209 limit (AV&PK).	Clause 4.9	PASS
	Band II-C	15.407(b) 15.205/15.209	F<1GHz: §15.209 limit (QP). F≥1GHz & out-restricted: <-27dBm/MHz PK e.i.r.p. (exl. 5.47- 5.725 GHz). F≥1GHz & in-restricted: §15.209 limit (AV&PK).		PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents a http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results are reproduced to the company of testing linear testing to the fullest extent of the law. Unless otherwise stated the results of the company of testing linear testing to the company of testing linear testing the content or appearance of the daw. Unless otherwise stated the results of the company of testing linear testing the content or appearance of the daw. Days only of testing linear testing the content of the daw. Days of the sample (s) tested and such sample (s) tested testing the content of a second content or appearance of the daw. Days of testing linear testing the content of the daw. Days only of testing linear testing the content of the daw there are the content of the daw. Days only of the days of the days

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Keysan 3rd Road, Fengotong New Town, Xian, Stazend, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 4 of 383

	Band III	15.407(b) 15.205/15.209	F<1GHz: §15.209 limit (QP) F≥1GHz &out-restricted:(PK) All emissions shall be limited to a level of −27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge. F≥1GHz & in-restricted: §15.209 limit (AV&PK).		PASS
Restricted bands around fundamental frequency	Band I Band II-A Band II-C Band III	15.407(b) 15.205/15.209		Clause 4.10	PASS
AC Power Line Conducted Emissions	Band I Band II-A Band II-C Band III	15.207		Clause 4.2	PASS
Dynamic Frequency Selection	Band II-A Band II-C	15.407	Channel Move Time:10 Seconds	Clause 4.11	PASS
Frequency Stability	Band I Band II-A Band II-C Band III	15.407(g)	Manufacturers of U-NII devices are responsible for ensuring frequency stability such that an emission is maintained within the band of operation under all conditions of normal operation as specified in the users manual	N/A	N/A

Band I: 5150-5250MHz Band II-A: 5250-5350MHz Band II-C: 5470-5725MHz Band III: 5725-5850MHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) testered and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 5 of 383

Contents

1	Versic	on	2
2	Test S	Summary	3
3	Gener	ral Information	6
	3.1	Details of Client	6
	3.2	Test Location	6
	3.3	Test Facility	6
	3.4	General Description of EUT	7
	3.5	Test Environment and Mode	10
	3.6	Description of Support Units	10
	3.7	Worst-case configuration and mode	10
4	Test r	esults and Measurement Data	11
	4.1	Antenna Requirement	11
	4.2	AC Power Line Conducted Emissions	12
	4.3	Duty Cycle	16
	4.4	Conducted Output Power	17
	4.5	26dB Emission Bandwidth	18
	4.6	6dB Emission Bandwidth	19
	4.7	99% Occupied Bandwidth	20
	4.8	Power Spectral Density	21
	4.9	Radiated Spurious Emissions	22
	4.10	Restricted bands around fundamental frequency	25
	4.11	Dynamic Frequency Selection	27
	4	1.11.1 DFS Overview	27
	4	1.11.2 DFS Detection Thresholds	28
	4	1.11.3 RADAR TEST WAVEFORMS	29
	4	1.11.4 Response Requirements	31
5	Meası	urement Uncertainty (95% confidence levels, k=2)	32
6	Equip	ment List	33
7	Photo	graphs - Setup Photos	35



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sas.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sas.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 83071443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 6 of 383

3 General Information

3.1 Details of Client

Applicant:	Quectel Wireless Solutions Co., Ltd.	
Address of Applicant:	Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District, Shanghai, China 200233	
Manufacturer:	Quectel Wireless Solutions Co., Ltd.	
Address of Manufacturer:	Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District, Shanghai, China 200233	

3.2 Test Location

Company:	SGS-CSTC Standards Technical Services (Xi'an) Co., Ltd.
Address: 1/F, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyu Road, Fengdong New Town, Xi' an, Shaanxi China	
Post code:	710086
Test engineer:	Qiang Zhang, Jacky Xue

3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

•A2LA (Certificate No. 4854.01)

SGS-CSTC Standards Technical Services (Xi'an) Co., Ltd. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 4854.01.

• Innovation, Science and Economic Development Canada

SGS-CSTC Standards Technical Services (Xi'an) Co., Ltd. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0095.

IC#: 25613.

• FCC -Designation Number: CN1337

SGS-CSTC Standards Technical Services (Xi'an) Co., Ltd. has been recognized as an accredited testing

laboratory.

Designation Number: CN1337.

Test Firm Registration Number: 917410



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sag.com/en/Terms_and-Conditions_apy and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sag.com/en/Terms-and-Conditions/Terms-e-Document.aspy Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content; cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 7 of 383

3.4 General Description of EUT

EUT Description:	Wi-Fi & Bluetooth Module				
Model No.:	FCM360K				
Trade Mark:	Quectel				
Hardware Version:	R1.0				
Software Version:	FCM360KA	AR01A03			
ON.	RF Conducted		E1M23D806000131		
SN:	RSE & AC	power line	E1M23D806000169		
	802.11a:	20 MHz chann	el bandwidth		
	802.11n:	20 MHz / 40 M	Hz channel bandwidth		
WLAN Mode Supported:	802.11ac:	20 MHz / 40 M	Hz channel bandwidth		
	802.11ax:	20 MHz / 40 M	Hz channel bandwidth		
Operation Frequency:	5250MHz to 5470MHz to	1Hz to 5250MHz 1Hz to 5350MHz 1Hz to 5725MHz 1Hz to 5850MHz			
	802.11a:	OFDM (BPSK, QPSK, 16QAM, 64QAM)			
	802.11n:	OFDM (BPSK,	OFDM (BPSK, QPSK, 16QAM, 64QAM)		
Modulation Type:	802.11ac:	OFDM (BPSK,	QPSK, 16QAM, 64QAM, 256QAM)		
	802.11ax:	OFDM (BPSK, QPSK, 16QAM, 64QAM, 256QAM, 1024QAM)			
Oh ann al On a sin m	20MHz:	802.11a/n(HT20)/ac(VHT20)/ax(HE20)			
Channel Spacing:	40MHz:	802.11n(HT40)/ac(VHT40)/ax(HE40)			
Antenna Type:	PCB Anten	na			
Antenna Gain:	5150MHz to 5250MHz: 0.9dBi(Ant0); 5250MHz to 5350MHz: 0.9dBi(Ant0); 5470MHz to 5725MHz: 0.9dBi(Ant0); 5725MHz to 5850MHz: 0.9dBi(Ant0); Note: The antenna gain are derived from the gain information report provided by the				
manuf					
		✓ SISO 802.11a/n/ac/axCDD: 802.11a/n/ac/ax: Tx & Rx			
Smart System:	□ мімо		11n/ac/ax: Tx & Rx		
zart oʻjotom			1n/ac/ax: Tx & Rx		
	☐ Diversity				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Keysan 3rd Road, Fengotong New Town, Xian, Stazend, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 8 of 383

TPC Function:	☐Support, ☑Not Support			
DFS Function:	☐Master			
DFS FUNCTION.	☐Slave with radar detection	⊠Slave without radar detection		
RF Cable:	1.5dB			
Remark: As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy,				
suitability, reliability or/an	/and integrity of the information.			

Remark:

In FCC 15.31, for each band in which the device can be operated with the device operating at the number of frequencies in each band specified in the following table, and the selected channel to perform the test as below:

Frequency range over which device operates	Number of Measurement Frequencies Required	Location of Measurement Frequency in Band of Operation
1 MHz or less	1	centre
1 MHz to 10 MHz	2	1 near high end, 1 near low end
Greater than 10 MHz	3	1 near high end, 1 near centre

For UNII Band I:				
Mode Channel Frequency(MHz)				
	The Lowest channel	5180		
IEEE 802.11a/n/ac/ax 20MHz	The Middle channel	5200		
	The Highest channel	5240		
IEEE 202 445/co/ov 40MI	The Lowest channel	5190		
IEEE 802.11n/ac/ax 40MHz	The Highest channel	5230		

For UNII Band II-A:				
Mode	Channel	Frequency(MHz)		
	The Lowest channel	5260		
IEEE 802.11a/n/ac/ax 20MHz	The Middle channel	5280		
	The Highest channel	5320		
IEEE 802.11n/ac/ax 40MHz	The Lowest channel	5270		
	The Highest channel	5310		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law Luless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authersicity of testing inspection report & certificate, please contact us at telephone: (85-75) 8307 1443.

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 9 of 383

For UNII Band II-C:					
Mode Channel Frequency(MHz)					
	The Lowest channel	5500			
IEEE 802.11a/n/ac/ax 20MHz	The Middle channel	5580			
	The Highest channel	5700			
	The Lowest channel	5510			
IEEE 802.11n/ac/ax 40MHz	The Middle channel	5550			
	The Highest channel	5670			

For UNII Band III:					
Mode	Channel	Frequency(MHz)			
IEEE 802.11a/n/ac/ax 20MHz	The Lowest channel	5745			
	The Middle channel	5785			
	The Highest channel	5825			
IEEE 802.11n/ac/ax 40MHz	The Lowest channel	5755			
	The Highest channel	5795			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sas.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sas.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 83071443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengatong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 10 of 383

3.5 Test Environment and Mode

Environment Parameter	96~101 kPa Selected Values During Tests				
Relative Humidity	40-60 % RH Ambient				
Value	Temperature(°C)	Voltage(V)			
NTNV	22~25	3.3			

Remark:

NV: Normal Voltage NT: Normal Temperature

3.6 Description of Support Units

Description	Manufacturer	Model No.		
Router	Netgear	R7800		
Mother board*	N/A			
Remark: the information with"*" are provided by client.				

3.7 Worst-case configuration and mode

Low data rate was used to test on antenna port conducted tests and radiated spurious emissions since it has the highest maximum power. Following are the worst-case data rates set for test:

Modulation Type	SISO - Data Rate	MIMO - Data Rate
802.11a	6 Mbps	/
802.11n (HT 20)	MCS0 (6.5 Mbps)	/
802.11n (HT 40)	MCS0 (13.5 Mbps)	/
802.11ac (VHT 20)	MCS0 (6.5 Mbps)	/
802.11ac (VHT 40)	MCS0 (13.5 Mbps)	/
802.11ax (HE 20)	MCS0 (8 Mbps)	/
802.11ax (HE 40)	MCS0 (16 Mbps)	/



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appy and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-C

1/F, Unit D, Bulding 1, Kanghong Change Science Park, No.137, Keyuan 3rd Road, Fengotong New Town, Xian, Shazarui, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 11 of 383

4 Test results and Measurement Data

4.1 Antenna Requirement

Standard requirement: 47 CFR Part 15 Section 15.203

The antenna is PCB Antenna on the main PCB and no consideration of replacement.

The best case gain of the antenna is 5150MHz to 5250MHz: 0.9dBi(Ant0);* 5250MHz to 5350MHz: 0.9dBi(Ant0);* 5470MHz to 5725MHz: 0.9dBi(Ant0);* 5725MHz to 5850MHz: 0.9dBi(Ant0);*

*Note:

The antenna gain are derived from the gain information report provided by the manufacturer.

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/ferms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sps.com/en/ferms-and-Conditions-and-Conditions-and-Conditions-And-Con



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 12 of 383

4.2 AC Power Line Conducted Emissions

Test Requirement:	47 CFR Part 15 Section 15.207				
Test Method:	ANSI C63.10-2020 Section 6.2				
Test Frequency Range:	150kHz to 30MHz				
Receiver Setup:	RBW = 9kHz, VBW = 30	kHz			
Limit:	Fraguency range (MUz)	Limit (d	BuV)		
	Frequency range (MHz)	Quasi-peak	Average		
	0.15-0.5	66 to 56*	56 to 46*		
	0.5-5	56	46		
	5-30	60	50		
	* Decreases with the log	arithm of the frequency.			
Test Procedure:	room. 2) The EUT was connected to a second plane in the same was multiple socket outlet single LISN provided 3) The tabletop EUT was ground reference plane placed on the horizor of the EUT shall be overtical ground reference plane. The unit under test and be mounted on top of the between the closest the EUT and association.	cted to AC power source throusion Network) which provides are cables of all other units of and LISN 2, which was bonded by as the LISN 1 for the unit by the rating of the LISN was not as placed upon a non-metallic ne. And for floor-standing arrantal ground reference plane, and with a vertical ground reference plane was bonded to the LISN 1 was placed 0.8 m from the vertical ground reference plane. The points of the LISN 1 and the Extended equipment was at least 0 aximum emission, the relative the interface cables must be an conducted measurement.	ugh a LISN 1 (Line a 50Ω/50μH + 5Ω linear the EUT were to the ground reference eing measured. A ultiple power cables to a ot exceeded. table 0.8m above the angement, the EUT was erence plane. The rear reference plane. The horizontal ground m the boundary of the plane for LISNs is distance was EUT. All other units of 8 m from the LISN 2.		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) testered and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.


1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 13 of 383





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is dorawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443,

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04


Rev.: 01

Page: 14 of 383

Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector.

Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.



Data I	List										
NO.	Freq. [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.1507	9.86	19.49	29.35	65.96	36.61	4.64	14.50	55.96	41.46	PASS
2	0.4236	9.86	19.16	29.02	57.38	28.36	13.26	23.12	47.38	24.26	PASS
3	0.6502	9.94	12.55	22.49	56.00	33.51	6.99	16.93	46.00	29.07	PASS
4	1.0813	9.84	6.98	16.82	56.00	39.18	2.47	12.31	46.00	33.69	PASS
5	2.4103	9.86	6.84	16.70	56.00	39.30	3.95	13.81	46.00	32.19	PASS
6	17.1685	10.25	9.56	19.81	60.00	40.19	3.05	13.30	50.00	36.70	PASS

Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[dB μ V] Value[dB μ V]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is dorawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's service responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest schent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and seuth-sample(s) are retained for 30 days only.

AustriansTo sheek the authernicity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

AustriansTo sheek the authernicity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.


1/F. Unit D. Bulding I. Kanghong Orange Science Park, No. 137, Keyuan 3rd Road, Fengdong New Town, Xira, Shaand, Chira 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 15 of 383



Data I	List										
NO.	Freq. [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.1733	9.81	19.22	29.03	64.80	35.77	5.81	15.62	54.80	39.18	PASS
2	0.4283	9.83	23.94	33.77	57.28	23.51	18.55	28.38	47.28	18.90	PASS
3	0.6554	9.85	15.71	25.56	56.00	30.44	10.25	20.10	46.00	25.90	PASS
4	1.0659	9.81	12.92	22.73	56.00	33.27	7.63	17.44	46.00	28.56	PASS
5	2.0122	9.85	11.59	21.44	56.00	34.56	5.63	15.48	46.00	30.52	PASS
6	17.3809	10.30	8.79	19.09	60.00	40.91	2.49	12.79	50.00	37.21	PASS

Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[$dB\mu V$] Value[$dB\mu V$]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is dorawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's service responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest schent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and seuch sample(s) are retained for 30 days only.

**Attention: To check the authericity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

**Attention: To check the authericity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86–29) 6282 7885 ww t (86–29) 6282 7885 sg:



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 16 of 383

4.3 Duty Cycle

The detailed test data see: Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sag.com/en/Terms_and-Conditions_apy and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sag.com/en/Terms-and-Conditions/Terms-e-Document.aspy Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content; cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 17 of 383

4.4 Conducted Output Power

Test Requirement:	47 CFR Part 15 Section 15.407(a)(iv)					
Test Method:	ANSI C63.10-2020 Section 12.4.3.2					
Test Setup:	Power muter O O O O					
	* Test with power meter (Detector function: Average) Method PM-G is measurement using a gated RF average power meter Measurements may be performed using a wideband gated RF power provided that the gate parameters are adjusted such that the power is measured only when the EUT is transmitting at its maximum power collevel. Because the measurement is made only during the ON time of t transmitter, no duty cycle correction factor is required.					
Test Instruments:	Refer to section 6 f	for details.				
Exploratory Test Mode:	Transmitting with a	Il kind of modulations, data rates				
Final Test Mode:	Refer to section 3.7	7 for details.				
Limit:	Frequency Band	Limit				
	5150-5250MHz	Not exceed 250mW(24dBm)				
	5250-5350MHz	The lesser of 250mW(24dBm) or 11+ 10logB				
	5470-5725MHz	The lesser of 250mW(24dBm) or 11+ 10logB				
	5725-5850MHz	Not exceed 1W(30dBm)				
	*Where B is the 26dB emission bandwidth in MHz					
Test Results:	Pass					
The detailed test data see: A	ppendix					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) testered and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 18 of 383

4.5 26dB Emission Bandwidth

Test Requirement:	47 CFR Part 15 Section 15.407(a), KDB 789033 D02& C			
Test Method:	ANSI C63.10-2020 Section 12.5.2			
Test Setup:	PC Spectrum Analyzer O O O O O O O O O			
Instruments Used:	Refer to section 6 for details.			
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates			
Final Test Mode:	Refer to section 3.7 for details.			
Limit:	No restriction limits			
Test Results:	Pass			
The detailed test data see: A	ppendix			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents a http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results are reproduced to the company of testing linear testing to the fullest extent of the law. Unless otherwise stated the results of the company of testing linear testing to the company of testing linear testing the content or appearance of the daw. Unless otherwise stated the results of the company of testing linear testing the content or appearance of the daw. Days only of testing linear testing the content of the daw. Days of the sample (s) tested and such sample (s) tested testing the content of a second content or appearance of the daw. Days of testing linear testing the content of the daw. Days only of testing linear testing the content of the daw there are the content of the daw. Days only of the days of the days

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 19 of 383

4.6 6dB Emission Bandwidth

Test Requirement:	47 CFR Part 15 Section 15.40	07(e)			
Test Method:	ANSI C63.10-2020 Section 12.5.1				
Test Setup:	PC	SGS Test system Vector Signal Generator Spectrum Analyzer Communication Fester RF Control Unit Analog Signal Generator DC Power E.U.T Ground Reference Plane			
Test Instruments:	Refer to section 6 for details.				
Exploratory Test Mode:	Transmitting with all kind of m	nodulations, data rates			
Final Test Mode:	Refer to section 3.7 for details.				
Limit:	Frequency Band Limit				
	5725-5850MHz	At lease 500kHz			
Test Results:	Pass				
The detailed test data see: A	Appendix				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWA2305000017RG04

Rev.: 01

Page: 20 of 383

4.7 99% Occupied Bandwidth





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appy and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-C

1/F, Unit D, Bulding 1, Kanghong Change Science Park, No.137, Keyuan 3rd Road, Fengotong New Town, Xian, Shazarui, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 21 of 383

4.8 Power Spectral Density

Test Requirement:	47 CFR Part 15 Sec	tion 15.407(a)(iv)				
Test Method:	ANSI C63.10-2020 Section 12.6					
	KDB 789033 D02 v02r01, Section F.					
Test Setup:	PC	SGS Test system Vector Signal Generator Spectrum Analyzer Communication FF Control Unit DC Prower E. U.T Analog Signal Generator DC Prower				
Instruments Used:	Refer to section 6 for	or details.				
Exploratory Test Mode:	Transmitting with all	kind of modulations, data rates				
Final Test Mode:	Refer to section 3.7	for details.				
Limit:	Frequency Band	Limit				
	5150-5250MHz	The power spectral density less than 11dBm/1MHz				
	5250-5350MHz	The power spectral density less than 11dBm/1MHz				
	5470-5725MHz	The power spectral density less than 11dBm/1MHz				
	5725-5850MHz	The power spectral density less than <30dBm/500KHz				
Test Results:	Pass					
The detailed test data see: A	opendix					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) testered and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 22 of 383

4.9 Radiated Spurious Emissions

Test Requirement:	47 CFR Part 15 Section 15.205/15.209/15.407(b)
Test Method:	ANSI C63.10-2020 Section 6.4 / 6.5 / 6.6
Test Site:	Measurement Distance: 3m or 10m (Semi-Anechoic Chamber)
Test frequency:	9kHz ~ 40GHz(or 10 Harmonic)

Test Setup:





Figure 1. 9kHz to 30MHz






Figure 1. 30MHz to 1GHz

Figure 2. Above 1 GHz

Test Procedure:

- a. For below 1GHz test, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz test, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
 (Distance from antenna to EUT is 1m for measurements >18GHz).
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Decoment.aspx.and, to relection to Decoments a thitp://www.sgs.com/en/Terms-and-Conditions/Terms-en/Decoment.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

1/F, Unit D, Bulding 1, Kanghong Change Science Park, No.137, Keyuan 3rd Road, Fengatong New Toum, Xian, Shaami, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.:

	Page: 23 of 383
	d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
	e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
	f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
	g. Test the EUT in the outermost channels.
	h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is worse case.
	 i. Repeat above procedures until all frequencies measured was complete. j. The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not reported
	K. The disturbance above 18GHz was very low, and the harmonics were the highest point could be found when testing, so only the harmonics had been displayed.
	I. At a measurement distance of 1 meter the limit line was increased by 20*LOG(3/1) = 9.54 dB.
Test Configuration:	Measurements below 30MHz
	• RBW = 10 kHz
	• VBW = 30 kHz
	Detector = Peak & Average & Quasi-peak
	• Trace mode = max hold
	Measurements Below 1000MHz
	• RBW = 120 kHz
	• VBW = 300 kHz
	Detector = Quasi-peak Trace made = may held
	Trace mode = max hold

Peak Measurements Above 1000 MHz RBW = 1 MHz

• VBW ≥ 3 MHz

· Detector = Peak

• Sweep time = auto

• Trace mode = max hold

Average Measurements Above 1000MHz

RBW = 1 MHz

• VBW = 10Hz, when duty cycle is no less than 98 percent.

• VBW ≥ 1/T, when duty cycle is less than 98 percent where Tis the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.

Exploratory Test Mode:

Transmitting with all kind of modulations, data rates.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents a http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results are reproduced to the company of testing linear testing to the fullest extent of the law. Unless otherwise stated the results of the company of testing linear testing to the company of testing linear testing the content or appearance of the daw. Unless otherwise stated the results of the company of testing linear testing the content or appearance of the daw. Days only of testing linear testing the content of the daw. Days of the sample (s) tested and such sample (s) tested testing the content of a second content or appearance of the daw. Days of testing linear testing the content of the daw. Days only of testing linear testing the content of the daw there are the content of the daw. Days only of the days of the days

1/F, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, Xian, Shaarnd, China 710086 中国·西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 24 of 383

Final Test Mode:	est Mode: Refer to section 3.7 for details.			
Instruments Used:	Refer to section 6 for details.			
Test Results: Pass				
The detailed test data see: Appendix				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sas.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sas.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 83071443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengatong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04


Rev.: 01

Page: 25 of 383

4.10 Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15 Section 15	47 CFR Part 15 Section 15.205/15.209/15.407(b)					
Test Method:	ANSI C63.10-2020 Section	ANSI C63.10-2020 Section 12.7					
Test Site:	Measurement Distance: 3n	Measurement Distance: 3m (Semi-Anechoic Chamber)					
Limit:	Frequency	Limit (dBuV/m)	Remark				
	30MHz-88MHz	40.0	Quasi-peak				
	88MHz-216MHz	43.5	Quasi-peak				
	216MHz-960MHz	46.0	Quasi-peak				
	960MHz-1GHz	54.0	Quasi-peak				
	Above 1GHz	54.0	Average Value				
	Above IGHZ	74.0	Peak Value				

Test Setup:



Test Procedure:

- a. The EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- F. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law Luless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authersicity of testing inspection report & certificate, please contact us at telephone: (85-75) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Change Science Park, No.137, Keyuan 3rd Road, Fengotong New Town, Xian, Shazarui, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 26 of 383

	modulation for lowest and highest channel
	g. Test the EUT in the outermost channels.
	 h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case. i. Repeat above procedures until all frequencies measured was complete.
Test Configuration:	Measurements Below 1000MHz
gg	• RBW = 120 kHz
	• VBW = 300 kHz
	Detector = Quasi-peak
	Trace mode = max hold
	Peak Measurements Above 1000 MHz
	• RBW = 1 MHz
	• VBW ≥ 3 MHz
	Detector = Peak
	Sweep time = auto
	Trace mode = max hold
	Average Measurements Above 1000MHz
	• RBW = 1 MHz
	VBW = 10Hz, when duty cycle is no less than 98 percent.
	 VBW ≥ 1/T, when duty cycle is less than 98 percent where Tis the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates.
Final Test Mode:	Refer to section 3.7 for details.
Instruments Used:	Refer to section 6 for details.
Test Results:	Pass
The detailed test data see	: Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengatong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 27 of 383

4.11 Dynamic Frequency Selection

4.11.1 DFS Overview

Table 1: Applicability of DFS Requirements Prior to Use of a Channel

Requirement	Operational Mode				
	Master	Client Without Radar Detection	Client With Radar Detection		
Non-Occupancy Period	Yes	Not required	Yes		
DFS Detection Threshold	Yes	Not required	Yes		
Channel Availability Check Time	Yes	Not required	Not required		
U-NII Detection Bandwidth	Yes	Not required	Yes		

Table 2: Applicability of DFS requirements during normal operation

Requirement	Operational Mode			
	Master Device or Client with Radar Detection	Client Without Radar Detection		
DFS Detection Threshold	Yes	Not required		
Channel Closing Transmission Time	Yes	Yes		
Channel Move Time	Yes	Yes		
U-NII Detection Bandwidth	Yes	Not required		
Additional requirements for devices with	Master Device or Client with	Client Without Radar		
multiple bandwidth modes	Radar Detection	Detection		
U-NII Detection Bandwidth and Statistical	All BW modes must be tested	Not required		
Performance Check				
Channel Move Time and Channel Closing	Test using widest BW mode	Test using the widest		
Transmission Time	available	BW mode available for		
		the link		
All other tests	Any single BW mode	Not required		
Note: Frequencies selected for statistical performance check (Section 7.8.4) should include several				

Note: Frequencies selected for statistical performance check (Section 7.8.4) should include several frequencies within the radar detection bandwidth and frequencies near the edge of the radar detection bandwidth. For 802.11 devices it is suggested to select frequencies in each of the bonded 20 MHz channels and the channel center frequency.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authernicity of testing /inspection report & certificate, please contact us at telephone: (85-755) 83071443.

**Attention: To check the authernicity of testing /inspection report & certificate, please contact us at telephone: (85-755) 83071443.

1/F, Unit D, Bulding 1, Kanghong Change Science Park, No.137, Keyuan 3rd Road, Fengotong New Town, Xian, Shazarui, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 28 of 383

4.11.2 DFS Detection Thresholds

Table 3: DFS Detection Thresholds for Master Devices and Client Devices with Radar Detection

Maximum Transmit Power	Value
	(See Notes 1, 2, and 3)
EIRP ≥ 200 milliwatt	-64 dBm
EIRP < 200 milliwatt and	-62 dBm
power spectral density < 10 dBm/MHz	
EIRP < 200 milliwatt that do not meet the power spectral density	-64 dBm
requirement	

Note 1: This is the level at the input of the receiver assuming a 0 dBi receive antenna.

Note 2: Throughout these test procedures an additional 1 dB has been added to the amplitude of the test transmission waveforms to account for variations in measurement equipment. This will ensure that the test signal is at or above the detection threshold level to trigger a DFS response.

Note3: EIRP is based on the highest antenna gain. For MIMO devices refer to KDB Publication 662911 D01.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content; cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 29 of 383

4.11.3 RADAR TEST WAVEFORMS

Table 5 - Short Pulse Radar Test Waveforms

Radar Type	Pulse Width (μsec)	PRI (μsec)	Number of Pulses	Minimum Percentage of Successful Detection	Minimum Number of Trials
0	1	1428	18	See Note 1	See Note 1
1	1	Test A: 15 unique PRI values randomly selected from the list of 23 PRI values in Table 5a Test B: 15 unique PRI values randomly selected within the range of 518-3066 µsec, with a minimum increment of 1 µsec, excluding PRI values selected in Test A	Roundup $ \left\{ \frac{\left(\frac{1}{360}\right)}{\left(\frac{19 \cdot 10^6}{\text{PRI}_{\mu \text{sec}}}\right)} \right\} $	60%	30
2	1-5	150-230	23-29	60%	30
3	6-10	200-500	16-18	60%	30
4	11-20	200-500	12-16	60%	30
ggregate	(Radar Types 1-			80%	120

Note 1: Short Pulse Radar Type 0 should be used for the detection bandwidth test, channel move time, and channel closing time tests.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law Luless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authersicity of testing inspection report & certificate, please contact us at telephone: (85-75) 8307 1443.

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 30 of 383

Table 5a - Pulse Repetition Intervals Values for Test A

Pulse Repetition	Pulse Repetition Frequency	Pulse Repetition	
Frequency	(Pulses Per Second)	Interval	
Number		(Microseconds)	
	1020		
1	1930.5	518	
2	1858.7	538	
3	1792.1	558	
4	1730.1	578	
5	1672.2	598	
6	1618.1	618	
7	1567.4	638 658 678	
8	1519.8		
9	1474.9		
10	1432.7	698	
11	1392.8	718	
12	1355	738	
13	1319.3	758	
14	1285.3	778	
15	1253.1	798	
16	1222.5	818	
17	1193.3	838	
18	1165.6	858	
19	1139	878	
20	1113.6	898	
21	1089.3	918	
22	1066.1	938	
23	326.2	3066	

The aggregate is the average of the percentage of successful detections of Short Pulse Radar Types 1-4. For example, the following table indicates how to compute the aggregate of percentage of successful detections.

Radar Type	Number of Trials	Number of Successful Detections	Minimum Percentage of Successful Detection		
1	35	29	82.9%		
2	30	18	60%		
3	30	27	90%		
4	50	44	88%		
Aggregate (82.9% + 60% + 90% + 88%)/4 = 80.2%					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 31 of 383

Table 6 - Long Pulse Radar Test Waveform

Radar Type	Pulse Width	Chirp Width	PRI (µsec)	Number of Pulses	Number of <i>Bursts</i>	Minimum Percentage of	Minimum Number of
	(µsec)	(MHz)		per Burst		Successful Detection	Trials
5	50-100	5-20	1000-	1-3	8-20	80%	30
			2000				

Table 7 - Frequency Hopping Radar Test Waveform

Radar Type	Pulse Width (µsec)	PRI (µsec)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length	Minimum Percentage of Successful	Minimum Number of Trials
					(msec)	Detection	
6	1	333	9	0.333	300	70%	30

4.11.4 Response Requirements

Table 4: DFS Response Requirement Values

Parameter	Value		
Non-occupancy period	Minimum 30 minutes		
Channel Availability Check Time	60 seconds		
Channel Move Time	10 seconds		
	See Note 1.		
Channel Closing Transmission Time	200 milliseconds + an		
	aggregate of 60		
	milliseconds over remaining		
	10 second period.		
	See Notes 1 and 2.		
U-NII Detection Bandwidth	Minimum 100% of the U-		
	NII 99% transmission		
	power bandwidth. See Note		
	3.		

Note 1: *Channel Move Time* and the *Channel Closing Transmission Time* should be performed with Radar Type 0. The measurement timing begins at the end of the Radar Type 0 burst.

Note 2: The *Channel Closing Transmission Time* is comprised of 200 milliseconds starting at the beginning of the *Channel Move Time* plus any additional intermittent control signals required to facilitate a *Channel* move (an aggregate of 60 milliseconds) during the remainder of the 10 second period. The aggregate duration of control signals will not count quiet periods in between transmissions. **Note 3:** During the *U-NII Detection Bandwidth* detection test, radar type 0 should be used. For each

Note 3: During the *U-NII Detection Bandwidth* detection test, radar type 0 should be used. For each frequency step the minimum percentage of detection is 90 percent. Measurements are performed with no data traffic.

The detailed test data see: Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengatong New Toum, Xian, Shasmi, Chins 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编:710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 32 of 383

5 Measurement Uncertainty (95% confidence levels, k=2)

No.	Item	Measurement Uncertainty		
1	Radio Frequency	± 7.25 x 10 ⁻⁸ GHz		
2	Duty cycle	± 0.37%		
3	Occupied Bandwidth	± 0.2%		
4	RF conducted power	± 0.21dB		
5	RF power density	± 2.84dB		
6	Conducted Spurious emissions	± 0.75dB		
7	Conduction Emission	± 3.0dB (150kHz to 30MHz)		
		± 4.6dB (9kHz to 30MHz)		
		± 4.9dB (30MHz to 1GHz)		
8	Radiated Emission	± 4.9dB (1GHz to 6GHz)		
		± 4.7dB (6GHz to 18GHz)		
		± 5.26dB (Above 18GHz)		

Remark:

The Ulab (lab Uncertainty) is less than Ucispr/ETSI (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;

- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/ferms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sps.com/en/ferms-and-Conditions-and-Conditions-and-Conditions-And-Con

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 33 of 383

6 Equipment List

RF Test System							
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)		
MXA signal analyzer	Agilent	N9020A	XAW01-06-07	2023/02/16	2024/02/15		
MXG vector signal Generator	Agilent	N5182B	XAW01-07-16	2023/02/16	2024/02/15		
Measurement Software	Tonscend	JS1120-3 (3.2.18)	XAW02-14-01	NCR	NCR		
RF control unit	Tonscend	JS0806-2	XAW03-37-01	NCR	NCR		
Power Meter	Anritsu	ML2495A	XAW01-25-03	2023/02/16	2024/02/15		
Power Supply	Agilent	66311b	XAW01-17-01	2023/02/16	2024/02/15		
Temperature and humidity meter	MingGao	T809	XAW01-01-16	2022/09/18	2023/09/17		

CE Test System						
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)	
Shielding Room	Brilliant-emc	N/A	XAW04-03-01	N/A	N/A	
Test receiver	ROHDE&SCHWARZ	ESR	XAW01-08-01	2022/09/08	2023/09/07	
Artificial network	ROHDE&SCHWARZ	ENV216	XAW01-04-01	2022/06/30	2023/06/29	
Temperature and humidity meter	MingGao	TH101B	XAW01-01-02	2022/09/18	2023/09/17	
Measurement Software	Tonscend	TS+ V4.0.0.0	XAW02-07-01	NCR	NCR	
Radio communication analyzer	ROHDE&SCHWARZ	CMW 500	XAW01-03-02	2023/02/16	2024/02/15	
Artificial network	ROHDE&SCHWARZ	ENV216	XAW01-04-02	2022/06/30	2023/06/29	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 34 of 383

RSE Test System							
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/d d)	Cal.Due date (yyyy/mm/d d)		
Semi-Anechoic Chamber	Brilliant-emc	N/A	XAW03-35-01	2021/09/09	2024/09/08		
MXA signal analyzer	Keysight	N9020A	XAW01-06-01	2023/02/16	2024/02/15		
Spectrum Analyzer	ROHDE &SCHWARZ	FSV3044	XAW01-13-05	2023/05/15	2024/05/14		
Test receiver	ROHDE &SCHWARZ	ESR	XAW01-08-01	2022/09/08	2023/09/07		
Receiving antenna (30MHz-3GHz)	Schwarzbeck	VULB 9163	XAW01-09-01	2022/07/28	2024/07/27		
Receiving antenna(1GHz~18GH z)	Schwarzbeck	BBHA 9120D	XAW01-09-02	2022/07/28	2024/07/27		
Receiving antenna (15GHz~40GHz)	Schwarzbeck	BBHA 9170	XAW01-09-03	2022/07/23	2024/07/22		
Directional antenna rack controller	Max-Full	MF-7802BS	XAW03-03-01	NCR	NCR		
High-speed antenna rack controller	Max-Full	MF-7802	XAW03-04-01	NCR	NCR		
Filter bank	Tonscend	JS0806-F	XAW03-05-01	NCR	NCR		
Filter bank	Tonscend	JS0806s	XAW03-05-02	NCR	NCR		
Amplifier	Tonscend	TAP9K3G32	XAW01-41-01	2023/05/15	2024/05/14		
Amplifier	Tonscend	TAP01018048	XAW01-41-02	2022/09/14	2023/09/13		
Amplifier	Tonscend	TAP18040048	XAW01-41-03	2022/09/14	2023/09/13		
Amplifier	Shanghai Steed	YX28980930	XAW01-41-06	2022/09/14	2023/09/13		
Temperature and humidity meter	MingGao	TH101B	XAW01-01-02	2022/09/18	2023/09/17		
Radio communication analyzer	ROHDE&SCH WARZ	CMW 500	XAW01-03-02	2023/02/16	2024/02/15		
Measurement Software	Tonscend	TS+ V4.0.0.0	XAW02-05-01	NCR	NCR		
Loop Antenna	Schwarzbeck	FMZB 1519B	XAW01-48-02	2022/05/26	2024/05/25		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengatong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 35 of 383

7 Photographs - Setup Photos

Refer to Appendix A.2 WLAN Setup Photos.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions or Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions, sapx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Ferms-and-Cond

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feropoong New Town, Xian, Shaenui, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.:

36 of 383 Page:

Appendix



1/F, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, Xi'an, Shaanoi, China 710086 中国·西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 37 of 383

Emission Bandwidth Test Result

TestMode	Antenna	Frequency[MHz]	26dB EBW [MHz]	FL[MHz]	FH[MHz]	Verdict
11a		5180	24.000	5168.120	5192.120	
		5200	24.920	5187.000	5211.920	
		5240	24.040	5227.560	5251.600	
	Ant0	5260	24.960	5247.200	5272.160	
		5280	23.680	5268.280	5291.960	
		5320	23.840	5307.520	5331.360	
		5500	26.080	5486.840	5512.920	
		5580	25.840	5567.160	5593.000	
		5700	24.560	5687.400	5711.960	
		5745	23.800	5732.560	5756.360	
		5785	24.120	5772.720	5796.840]
		5825	23.720	5813.200	5836.920]
		5180	24.320	5167.720	5192.040	1
		5200	25.680	5186.720	5212.400]
		5240	24.520	5227.680	5252.200	1
		5260	25.680	5247.280	5272.960	1
11n20SISO	Ant0	5280	24.960	5267.080	5292.040]
		5320	24.360	5307.880	5332.240]
		5500	27.280	5486.640	5513.920]
		5580	28.720	5565.600	5594.320]
		5700	26.680	5686.280	5712.960]
		5745	25.720	5731.720	5757.440]
		5785	26.680	5771.800	5798.480	
		5825	26.000	5812.360	5838.360	For Report
	Ant0	5190	44.320	5168.000	5212.320	Purpose
		5230	45.520	5207.520	5253.040	
		5270	44.720	5247.440	5292.160	
11n40SISO		5310	44.800	5287.600	5332.400	
		5510	47.280	5486.160	5533.440	
		5550	44.640	5527.680	5572.320	1
		5670	49.840	5644.480	5694.320	
		5755	45.440	5732.040	5777.480	
		5795	46.160	5772.040	5818.200	1
11ac20SISO	Ant0	5180	25.160	5167.360	5192.520	-
		5200	25.200	5187.320	5212.520	_
		5240	24.280	5227.720	5252.000	-
		5260	24.440	5247.960	5272.400	-
		5280	24.200	5267.760	5291.960	_
		5320	24.880	5307.680	5332.560	_
		5500	24.840	5487.560	5512.400	-
		5580	30.320	5564.360	5594.680	-
		5700	25.480	5686.760	5712.240	4
		5745	25.000	5732.280	5757.280	<u> </u>
		5785	25.640	5772.440	5798.080	.
		5825	26.200	5812.480	5838.680	_
11ac40SISO	Ant0	5190	47.680	5165.120	5212.800	.
		5230	46.080	5207.120	5253.200	1
		5270	47.040	5246.080	5293.120	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents a http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results are the first of the search of the search of the search of the search of days only.

The Company of testing inapection reports & certification, prosecuted to 3 days only.

The Company of testing inapection reports & certification processes company (secretary of the search of the searc

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Keysan 3rd Road, Fengotong New Town, Xian, Staemal, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 38 of 383

		5310	47.600	5285.840	5333.440	
		5510	47.360	5485.920	5533.280	
		5550	49.840	5524.320	5574.160	
		5670	52.160	5642.720	5694.880	
		5755	50.080	5729.000	5779.080	
		5795	49.520	5769.720	5819.240	
		5180	24.720	5167.320	5192.040	
		5200	24.840	5187.640	5212.480	
		5240	26.280	5226.760	5253.040	
		5260	24.200	5248.120	5272.320	
		5280	24.280	5267.680	5291.960	
44000100	A 4O	5320	23.760	5308.280	5332.040	
11ax20SISO	Ant0	5500	25.800	5487.680	5513.480	
		5580	26.680	5566.840	5593.520	
		5700	24.600	5687.760	5712.360	
		5745	25.080	5732.480	5757.560	
		5785	24.960	5772.600	5797.560	
		5825	25.440	5812.320	5837.760	
11ax40SISO		5190	44.800	5166.480	5211.280	
		5230	44.320	5208.400	5252.720	
		5270	45.120	5237.920	5283.040	
		5310	44.800	5287.520	5332.320	
	Ant0	5510	44.240	5487.440	5531.680	
		5550	44.320	5527.760	5572.080	
		5670	46.080	5646.960	5693.040	
		5755	44.320	5732.200	5776.520	
		5795	45.840	5772.280	5818.120	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents a http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results are the first of the search of the search of the search of the search of days only.

The Company of testing inapection reports & certification, prosecuted to 3 days only.

The Company of testing inapection reports & certification processes company (secretary of the search of the searc

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 39 of 383

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is dorawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excense parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration; rogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this lest report refer only to the sample(s) lested and such sample(s) are retained for 30 days only.

**Attention: To check the authernicity of testing inspection report & cartificate, please cannot us at telephone: (86-755) 8307 1443.

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 40 of 383





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86–29) 6282 7885 www.sgsgroup.com.cn t (86–29) 6282 7885 sgs.china@sgs.com



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 41 of 383





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspy.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:One the Reauthericity of testing (inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443.

Attention:One the Reauthericity of testing (inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443.

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86–29) 6282 7885 www.sgsg t (86–29) 6282 7885 sgs.china(



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 42 of 383





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 43 of 383





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspy.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:One the Reauthericity of testing (inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443.

Attention:One the Reauthericity of testing (inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443.

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 44 of 383





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F. Unit D. Building I. Kanghong Orange Science Park, No. 137, Keyuan 3rd Road, Fengdong New Town, Xian, Shaand, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 45 of 383





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 46 of 383





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Keysan 3rd Road, Fengotong New Town, Xian, Staemal, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86–29) 6282 7885 www.sgsgroup.com.cn t (86–29) 6282 7885 sgs.china@sgs.com



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 47 of 383





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 48 of 383





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Keysan 3rd Road, Fengotong New Town, Xian, Staemal, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 49 of 383





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 50 of 383





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 51 of 383





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 52 of 383





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 53 of 383





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 54 of 383





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F. Unit D. Bulding I. Kanghong Orange Science Park, No. 137, Keyan 3rd Food, Fengdong New Town, Xian, Steanni, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86–29) 6282 7885 www.sgsgroup.com.cn t (86–29) 6282 7885 sgs.china@sgs.com



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 55 of 383





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 56 of 383





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law Lines stolewise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authernicity of testing impsection reports & eartificate, please contact us at telephone: (86-755) 8301 1443.

Attention:To check the authernicity of testing impsection reports & eartificate, please contact us at telephone: (86-755) 8301 1443.

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 57 of 383





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 58 of 383





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F. Unit D. Building I. Kanghong Orange Science Park, No. 137, Keyuan 3rd Road, Fengdong New Town, Xian, Shaand, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 59 of 383





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 60 of 383





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law Lines stolewise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authernicity of testing impsection reports & eartificate, please contact us at telephone: (86-755) 8301 1443.

Attention:To check the authernicity of testing impsection reports & eartificate, please contact us at telephone: (86-755) 8301 1443.

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 61 of 383





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 62 of 383





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 63 of 383





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 64 of 383





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Keysan 3rd Road, Fengotong New Town, Xian, Staemal, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 65 of 383





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Keysan 3rd Road, Fengotong New Town, Xian, Staemal, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 66 of 383





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 67 of 383





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 68 of 383





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86–29) 6282 7885 www.sgsgroup.com.cn t (86–29) 6282 7885 sgs.china@sgs.com



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 69 of 383





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 70 of 383





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWA2305000017RG04

Rev.: 01

Page: 71 of 383





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86–29) 6282 7885 ww t (86–29) 6282 7885 sgs