




## Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS  
 Condition : 15E RSS247-QP LISN-060105-L 2023 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.486	33.39	-22.84	56.23	23.20	-0.03	10.22	QP
2	0.486	23.79	-22.44	46.23	13.60	-0.03	10.22	Average
3	0.527	32.67	-23.33	56.00	22.51	-0.04	10.20	QP
4	0.527	22.47	-23.53	46.00	12.31	-0.04	10.20	Average
5 *	0.579	38.74	-17.26	56.00	28.60	-0.05	10.19	QP
6	0.579	28.64	-17.36	46.00	18.50	-0.05	10.19	Average
7	0.739	28.88	-27.12	56.00	18.80	-0.07	10.15	QP
8	0.739	18.28	-27.72	46.00	8.20	-0.07	10.15	Average
9	1.153	28.19	-27.81	56.00	18.20	-0.11	10.10	QP
10	1.153	15.59	-30.41	46.00	5.60	-0.11	10.10	Average
11	10.125	28.71	-31.29	60.00	18.21	-0.16	10.66	QP
12	10.125	18.81	-31.19	50.00	8.31	-0.16	10.66	Average



Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS  
 Condition : 15E RSS247-QP LISN-060105-N 2023 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.486	34.35	-21.88	56.23	24.20	-0.07	10.22	QP
2	0.486	32.05	-14.18	46.23	21.90	-0.07	10.22	Average
3	0.505	35.64	-20.36	56.00	25.50	-0.07	10.21	QP
4	0.505	33.04	-12.96	46.00	22.90	-0.07	10.21	Average
5	0.573	43.02	-12.98	56.00	32.90	-0.07	10.19	QP
6 *	0.573	40.22	-5.78	46.00	30.10	-0.07	10.19	Average
7	0.739	30.28	-25.72	56.00	20.20	-0.07	10.15	QP
8	0.739	25.68	-20.32	46.00	15.60	-0.07	10.15	Average
9	0.904	28.23	-27.77	56.00	18.20	-0.09	10.12	QP
10	0.904	24.73	-21.27	46.00	14.70	-0.09	10.12	Average
11	10.620	26.07	-33.93	60.00	15.50	-0.19	10.76	QP
12	10.620	20.17	-29.83	50.00	9.60	-0.19	10.76	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



## Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Carry	Relative Humidity :	41~42%
		Temperature :	22~23 °C

### Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	Remark
Mode 1	U-NII-1	5.15-5.25	0	802.11a	36	5180	6Mbps	-
Mode 2	U-NII-1	5.15-5.25	0	802.11a	44	5220	6Mbps	-
Mode 3	U-NII-1	5.15-5.25	0	802.11a	48	5240	6Mbps	-
Mode 4	U-NII-2A	5.25-5.35	0	802.11a	52	5280	6Mbps	-
Mode 5	U-NII-2A	5.25-5.35	0	802.11a	60	5300	6Mbps	-
Mode 6	U-NII-2A	5.25-5.35	0	802.11a	64	5320	6Mbps	-
Mode 7	U-NII-2C	5.47-5.725	0	802.11a	100	5500	6Mbps	-
Mode 8	U-NII-2C	5.47-5.725	0	802.11a	116	5580	6Mbps	-
Mode 9	U-NII-2C	5.47-5.725	0	802.11a	140	5700	6Mbps	-
Mode 10	U-NII-1	5.15-5.25	CDD 0+1	802.11ac VHT20	36	5180	MCS0	-
Mode 11	U-NII-1	5.15-5.25	CDD 0+1	802.11ac VHT20	44	5220	MCS0	-
Mode 12	U-NII-1	5.15-5.25	CDD 0+1	802.11ac VHT20	48	5240	MCS0	-
Mode 13	U-NII-2A	5.25-5.35	CDD 0+1	802.11ac VHT20	52	5280	MCS0	-
Mode 14	U-NII-2A	5.25-5.35	CDD 0+1	802.11ac VHT20	60	5300	MCS0	-
Mode 15	U-NII-2A	5.25-5.35	CDD 0+1	802.11ac VHT20	64	5320	MCS0	-
Mode 16	U-NII-2C	5.47-5.725	CDD 0+1	802.11ac VHT20	100	5500	MCS0	-
Mode 17	U-NII-2C	5.47-5.725	CDD 0+1	802.11ac VHT20	116	5580	MCS0	-
Mode 18	U-NII-2C	5.47-5.725	CDD 0+1	802.11ac VHT20	140	5700	MCS0	-
Mode 19	U-NII-1	5.15-5.25	CDD 0+1	802.11ac VHT40	38	5190	MCS0	-
Mode 20	U-NII-1	5.15-5.25	CDD 0+1	802.11ac VHT40	46	5230	MCS0	-
Mode 21	U-NII-2A	5.25-5.35	CDD 0+1	802.11ac VHT40	54	5270	MCS0	-
Mode 22	U-NII-2A	5.25-5.35	CDD 0+1	802.11ac VHT40	62	5310	MCS0	-
Mode 23	U-NII-2C	5.47-5.725	CDD 0+1	802.11ac VHT40	102	5510	MCS0	-
Mode 24	U-NII-2C	5.47-5.725	CDD 0+1	802.11ac VHT40	110	5550	MCS0	-
Mode 25	U-NII-2C	5.47-5.725	CDD 0+1	802.11ac VHT40	134	5670	MCS0	-
Mode 26	U-NII-1	5.15-5.25	CDD 0+1	802.11ac VHT80	42	5210	MCS0	-
Mode 27	U-NII-2A	5.25-5.35	CDD 0+1	802.11ac VHT80	58	5290	MCS0	-
Mode 28	U-NII-2C	5.47-5.725	CDD 0+1	802.11ac VHT80	106	5530	MCS0	-
Mode 30	U-NII-3	5.725-5.85	0	802.11a	149	5745	6Mbps	-
Mode 31	U-NII-3	5.725-5.85	0	802.11a	157	5785	6Mbps	-
Mode 32	U-NII-3	5.725-5.85	0	802.11a	165	5825	6Mbps	-
Mode 33	U-NII-3	5.725-5.85	CDD 0+1	802.11ac VHT20	149	5745	MCS0	-
Mode 34	U-NII-3	5.725-5.85	CDD 0+1	802.11ac VHT20	157	5785	MCS0	-
Mode 35	U-NII-3	5.725-5.85	CDD 0+1	802.11ac VHT20	165	5825	MCS0	-
Mode 36	U-NII-3	5.725-5.85	CDD 0+1	802.11ac VHT40	151	5755	MCS0	-
Mode 37	U-NII-3	5.725-5.85	CDD 0+1	802.11ac VHT40	159	5795	MCS0	-
Mode 38	U-NII-3	5.725-5.85	CDD 0+1	802.11ac VHT80	155	5775	MCS0	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5149.70	50.11	54.00	-3.89	H	AVERAGE	Pass	Band Edge
1	802.11a	36	10360.00	49.47	68.20	-18.73	V	PEAK	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	15653.70	46.86	54.00	-7.14	V	Average	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	15720.00	48.68	54.00	-5.32	V	AVERAGE	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	15783.50	46.59	54.00	-7.41	V	Average	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	15900.00	48.53	54.00	-5.47	V	AVERAGE	Pass	Harmonic
6	802.11a	64	5350.20	50.70	54.00	-3.30	H	AVERAGE	Pass	Band Edge
6	802.11a	64	10640.00	43.53	74.00	-30.47	H	PEAK	Pass	Harmonic
7	802.11a	100	5468.72	64.49	68.20	-3.71	H	PEAK	Pass	Band Edge
7	802.11a	100	11000.00	45.29	54.00	-8.71	H	AVERAGE	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	11160.00	47.85	54.00	-6.15	V	AVERAGE	Pass	Harmonic
9	802.11a	140	5725.56	64.53	68.20	-3.67	H	PEAK	Pass	Band Edge
9	802.11a	140	11400.00	44.21	74.00	-29.79	H	PEAK	Pass	Harmonic
10	802.11ac VHT20	36	5150.00	50.79	54.00	-3.21	H	AVERAGE	Pass	Band Edge
10	802.11ac VHT20	36	10360.00	55.38	68.20	-12.82	V	PEAK	Pass	Harmonic
11	802.11ac VHT20	44	-	-	-	-	-	-	-	Band Edge
11	802.11ac VHT20	44	15660.00	50.62	54.00	-3.38	V	AVERAGE	Pass	Harmonic
12	802.11ac VHT20	48	-	-	-	-	-	-	-	Band Edge
12	802.11ac VHT20	48	15714.20	50.87	54.00	-3.13	V	Average	Pass	Harmonic
13	802.11ac VHT20	52	-	-	-	-	-	-	-	Band Edge
13	802.11ac VHT20	52	15781.30	50.69	54.00	-3.31	V	Average	Pass	Harmonic
14	802.11ac VHT20	60	-	-	-	-	-	-	-	Band Edge
14	802.11ac VHT20	60	15900.00	50.41	54.00	-3.59	V	AVERAGE	Pass	Harmonic
15	802.11ac VHT20	64	5351.10	50.67	54.00	-3.33	H	AVERAGE	Pass	Band Edge
15	802.11ac VHT20	64	15960.00	47.03	54.00	-6.97	V	AVERAGE	Pass	Harmonic
16	802.11ac VHT20	100	5469.36	64.80	68.20	-3.40	H	Peak	Pass	Band Edge
16	802.11ac VHT20	100	16500.70	63.97	68.20	-4.23	V	Peak	Pass	Harmonic
17	802.11ac VHT20	116	5455.11	39.13	54.00	-14.87	H	AVERAGE	Pass	Band Edge
17	802.11ac VHT20	116	11160.00	49.67	54.00	-4.33	V	AVERAGE	Pass	Harmonic
18	802.11ac VHT20	140	5725.08	65.10	68.20	-3.10	H	PEAK	Pass	Band Edge
18	802.11ac VHT20	140	11400.00	42.16	54.00	-11.84	V	AVERAGE	Pass	Harmonic
19	802.11ac VHT40	38	5148.96	50.82	54.00	-3.18	H	AVERAGE	Pass	Band Edge
19	802.11ac VHT40	38	10380.00	47.51	68.20	-20.69	H	PEAK	Pass	Harmonic
20	802.11ac VHT40	46	5149.76	50.70	54.00	-3.30	H	AVERAGE	Pass	Band Edge
20	802.11ac VHT40	46	15690.00	50.57	54.00	-3.43	V	AVERAGE	Pass	Harmonic
21	802.11ac VHT40	54	5351.32	50.62	54.00	-3.38	H	AVERAGE	Pass	Band Edge
21	802.11ac VHT40	54	15810.00	50.66	54.00	-3.34	V	AVERAGE	Pass	Harmonic
22	802.11ac VHT40	62	5350.10	50.54	54.00	-3.46	H	AVERAGE	Pass	Band Edge
22	802.11ac VHT40	62	10620.00	45.13	74.00	-28.87	H	PEAK	Pass	Harmonic







23	802.11ac VHT40	102	5457.68	50.86	54.00	-3.14	H	AVERAGE	Pass	Band Edge
23	802.11ac VHT40	102	11020.00	43.13	54.00	-10.87	V	AVERAGE	Pass	Harmonic
24	802.11ac VHT40	110	5459.00	50.05	54.00	-3.95	H	AVERAGE	Pass	Band Edge
24	802.11ac VHT40	110	16653.60	63.77	68.20	-4.43	V	Peak	Pass	Harmonic
25	802.11ac VHT40	134	5727.72	63.44	68.20	-4.76	H	PEAK	Pass	Band Edge
25	802.11ac VHT40	134	11340.00	46.13	54.00	-7.87	V	AVERAGE	Pass	Harmonic
26	802.11ac VHT80	42	5146.88	50.50	54.00	-3.50	H	AVERAGE	Pass	Band Edge
26	802.11ac VHT80	42	10420.00	46.39	68.20	-21.81	V	PEAK	Pass	Harmonic
27	802.11ac VHT80	58	5358.10	50.81	54.00	-3.19	H	AVERAGE	Pass	Band Edge
27	802.11ac VHT80	58	10580.50	44.23	68.20	-23.97	V	Peak	Pass	Harmonic
28	802.11ac VHT80	106	5468.56	64.53	68.20	-3.67	H	PEAK	Pass	Band Edge
28	802.11ac VHT80	106	11060.00	45.09	74.00	-28.91	H	PEAK	Pass	Harmonic
30	802.11a	149	4594.00	51.99	54.00	-2.01	H	Average	Pass	Band Edge
30	802.11a	149	11490.00	42.10	54.00	-11.90	V	AVERAGE	Pass	Harmonic
31	802.11a	157	4630.00	52.00	54.00	-2.00	H	Average	Pass	Band Edge
31	802.11a	157	11570.00	41.31	54.00	-12.69	V	AVERAGE	Pass	Harmonic
32	802.11a	165	4660.00	50.88	54.00	-3.12	H	AVERAGE	Pass	Band Edge
32	802.11a	165	11650.00	36.53	54.00	-17.47	V	AVERAGE	Pass	Harmonic
33	802.11ac VHT20	149	4594.00	50.66	54.00	-3.34	H	Average	Pass	Band Edge
33	802.11ac VHT20	149	17235.00	61.50	68.20	-6.90	V	PEAK	Pass	Harmonic
34	802.11ac VHT20	157	4630.00	52.84	54.00	-1.16	H	Average	Pass	Band Edge
34	802.11ac VHT20	157	11570.00	44.63	54.00	-9.37	V	AVERAGE	Pass	Harmonic
35	802.11ac VHT20	165	4660.00	53.43	54.00	-0.57	H	Average	Pass	Band Edge
35	802.11ac VHT20	165	11650.00	42.94	54.00	-11.06	V	AVERAGE	Pass	Harmonic
36	802.11ac VHT40	151	4606.00	52.86	54.00	-1.14	H	AVERAGE	Pass	Band Edge
36	802.11ac VHT40	151	11510.00	42.86	54.00	-11.14	V	AVERAGE	Pass	Harmonic
37	802.11ac VHT40	159	4636.00	50.81	54.00	-3.19	H	AVERAGE	Pass	Band Edge
37	802.11ac VHT40	159	17382.53	54.04	68.20	-14.16	V	PEAK	Pass	Harmonic
38	802.11ac VHT80	155	4618.00	52.72	54.00	-1.28	H	AVERAGE	Pass	Band Edge
38	802.11ac VHT80	155	17307.73	51.72	68.20	-16.48	V	PEAK	Pass	Harmonic



Mode	1																																																																																			
	Band Edge																																																																																			
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																			
ANT	0																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.40</td> <td>63.85</td> <td>74.00</td> <td>-10.15</td> <td>55.83</td> <td>34.15</td> <td>10.61</td> <td>36.74</td> <td>0.00</td> <td>108</td> <td>180</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.40	63.85	74.00	-10.15	55.83	34.15	10.61	36.74	0.00	108	180	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>109.54</td> <td>-----</td> <td>-----</td> <td>101.31</td> <td>34.25</td> <td>10.64</td> <td>36.66</td> <td>0.00</td> <td>108</td> <td>180</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	109.54	-----	-----	101.31	34.25	10.64	36.66	0.00	108	180	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5148.40	63.85	74.00	-10.15	55.83	34.15	10.61	36.74	0.00	108	180	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5180.00	109.54	-----	-----	101.31	34.25	10.64	36.66	0.00	108	180	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.70</td> <td>50.11</td> <td>54.00</td> <td>-3.89</td> <td>42.09</td> <td>34.15</td> <td>10.61</td> <td>36.74</td> <td>0.00</td> <td>108</td> <td>180</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.70	50.11	54.00	-3.89	42.09	34.15	10.61	36.74	0.00	108	180	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>101.29</td> <td>-----</td> <td>-----</td> <td>93.02</td> <td>34.26</td> <td>10.65</td> <td>36.64</td> <td>0.00</td> <td>108</td> <td>180</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	101.29	-----	-----	93.02	34.26	10.65	36.64	0.00	108	180	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5149.70	50.11	54.00	-3.89	42.09	34.15	10.61	36.74	0.00	108	180	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5180.00	101.29	-----	-----	93.02	34.26	10.65	36.64	0.00	108	180	AVERAGE																																																																								



Mode	1																																																																																			
	Band Edge																																																																																			
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																			
ANT	0																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	 <table border="1" data-bbox="263 1131 782 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.70</td> <td>56.06</td> <td>74.00</td> <td>-17.94</td> <td>48.04</td> <td>34.15</td> <td>10.61</td> <td>36.74</td> <td>0.00</td> <td>273</td> <td>225</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.70	56.06	74.00	-17.94	48.04	34.15	10.61	36.74	0.00	273	225	PEAK	 <table border="1" data-bbox="901 1131 1420 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>104.33</td> <td>-----</td> <td>-----</td> <td>96.10</td> <td>34.25</td> <td>10.64</td> <td>36.66</td> <td>0.00</td> <td>273</td> <td>225</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	104.33	-----	-----	96.10	34.25	10.64	36.66	0.00	273	225	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5149.70	56.06	74.00	-17.94	48.04	34.15	10.61	36.74	0.00	273	225	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5180.00	104.33	-----	-----	96.10	34.25	10.64	36.66	0.00	273	225	PEAK																																																																								
Avg	 <table border="1" data-bbox="263 1814 782 1937"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5150.00</td> <td>44.01</td> <td>54.00</td> <td>-9.99</td> <td>35.98</td> <td>34.15</td> <td>10.61</td> <td>36.73</td> <td>0.00</td> <td>273</td> <td>225</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	44.01	54.00	-9.99	35.98	34.15	10.61	36.73	0.00	273	225	AVERAGE	 <table border="1" data-bbox="901 1814 1420 1937"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>95.44</td> <td>-----</td> <td>-----</td> <td>87.21</td> <td>34.25</td> <td>10.64</td> <td>36.66</td> <td>0.00</td> <td>273</td> <td>225</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	95.44	-----	-----	87.21	34.25	10.64	36.66	0.00	273	225	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5150.00	44.01	54.00	-9.99	35.98	34.15	10.61	36.73	0.00	273	225	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5180.00	95.44	-----	-----	87.21	34.25	10.64	36.66	0.00	273	225	AVERAGE																																																																								



Mode	1																																																																											
	Harmonic																																																																											
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																											
ANT	0																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10360.00</td> <td>45.73</td> <td>68.20</td> <td>-22.47</td> <td>59.57</td> <td>37.45</td> <td>15.45</td> <td>66.74</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10360.00	45.73	68.20	-22.47	59.57	37.45	15.45	66.74	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10360.00</td> <td>49.47</td> <td>68.20</td> <td>-18.73</td> <td>63.31</td> <td>37.45</td> <td>15.45</td> <td>66.74</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10360.00	49.47	68.20	-18.73	63.31	37.45	15.45	66.74	0.00	--- --- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 10360.00	45.73	68.20	-22.47	59.57	37.45	15.45	66.74	0.00	--- --- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 10360.00	49.47	68.20	-18.73	63.31	37.45	15.45	66.74	0.00	--- --- PEAK																																																																			





Mode	2																																																																																																																																					
	Harmonic																																																																																																																																					
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																																																					
ANT	0																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10439.70</td> <td>55.19</td> <td>68.20</td> <td>-13.01</td> <td>68.87</td> <td>37.51</td> <td>15.52</td> <td>66.71</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15653.70</td> <td>55.20</td> <td>74.00</td> <td>-18.80</td> <td>60.04</td> <td>40.19</td> <td>19.12</td> <td>64.15</td> <td>0.00</td> <td>100</td> <td>98</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>15653.70</td> <td>46.86</td> <td>54.00</td> <td>-7.14</td> <td>51.70</td> <td>40.19</td> <td>19.12</td> <td>64.15</td> <td>0.00</td> <td>100</td> <td>98</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	10439.70	55.19	68.20	-13.01	68.87	37.51	15.52	66.71	0.00	---	---	Peak	2	15653.70	55.20	74.00	-18.80	60.04	40.19	19.12	64.15	0.00	100	98	Peak	3	15653.70	46.86	54.00	-7.14	51.70	40.19	19.12	64.15	0.00	100	98	Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10439.70</td> <td>55.19</td> <td>68.20</td> <td>-13.01</td> <td>68.87</td> <td>37.51</td> <td>15.52</td> <td>66.71</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15653.70</td> <td>55.20</td> <td>74.00</td> <td>-18.80</td> <td>60.04</td> <td>40.19</td> <td>19.12</td> <td>64.15</td> <td>0.00</td> <td>100</td> <td>98</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>15653.70</td> <td>46.86</td> <td>54.00</td> <td>-7.14</td> <td>51.70</td> <td>40.19</td> <td>19.12</td> <td>64.15</td> <td>0.00</td> <td>100</td> <td>98</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	10439.70	55.19	68.20	-13.01	68.87	37.51	15.52	66.71	0.00	---	---	Peak	2	15653.70	55.20	74.00	-18.80	60.04	40.19	19.12	64.15	0.00	100	98	Peak	3	15653.70	46.86	54.00	-7.14	51.70	40.19	19.12	64.15	0.00	100	98	Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																														
1	10439.70	55.19	68.20	-13.01	68.87	37.51	15.52	66.71	0.00	---	---	Peak																																																																																																																										
2	15653.70	55.20	74.00	-18.80	60.04	40.19	19.12	64.15	0.00	100	98	Peak																																																																																																																										
3	15653.70	46.86	54.00	-7.14	51.70	40.19	19.12	64.15	0.00	100	98	Average																																																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																														
1	10439.70	55.19	68.20	-13.01	68.87	37.51	15.52	66.71	0.00	---	---	Peak																																																																																																																										
2	15653.70	55.20	74.00	-18.80	60.04	40.19	19.12	64.15	0.00	100	98	Peak																																																																																																																										
3	15653.70	46.86	54.00	-7.14	51.70	40.19	19.12	64.15	0.00	100	98	Average																																																																																																																										



Mode	3																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																																																	
ANT	0																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10480.00</td> <td>47.24</td> <td>68.20</td> <td>-20.96</td> <td>60.83</td> <td>37.54</td> <td>15.56</td> <td>66.69</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2 15720.00</td> <td>47.92</td> <td>74.00</td> <td>-26.08</td> <td>52.64</td> <td>40.25</td> <td>19.16</td> <td>64.13</td> <td>0.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3 15720.00</td> <td>38.00</td> <td>54.00</td> <td>-16.00</td> <td>42.72</td> <td>40.25</td> <td>19.16</td> <td>64.13</td> <td>0.00</td> <td>100</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10480.00	47.24	68.20	-20.96	60.83	37.54	15.56	66.69	0.00	---	---	PEAK	2 15720.00	47.92	74.00	-26.08	52.64	40.25	19.16	64.13	0.00	100	360	PEAK	3 15720.00	38.00	54.00	-16.00	42.72	40.25	19.16	64.13	0.00	100	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10480.00</td> <td>49.27</td> <td>68.20</td> <td>-18.93</td> <td>62.86</td> <td>37.54</td> <td>15.56</td> <td>66.69</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2 15720.00</td> <td>59.50</td> <td>74.00</td> <td>-14.50</td> <td>64.22</td> <td>40.25</td> <td>19.16</td> <td>64.13</td> <td>0.00</td> <td>195</td> <td>108</td> <td>PEAK</td> </tr> <tr> <td>3 15720.00</td> <td>48.68</td> <td>54.00</td> <td>-5.32</td> <td>53.40</td> <td>40.25</td> <td>19.16</td> <td>64.13</td> <td>0.00</td> <td>195</td> <td>108</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10480.00	49.27	68.20	-18.93	62.86	37.54	15.56	66.69	0.00	---	---	PEAK	2 15720.00	59.50	74.00	-14.50	64.22	40.25	19.16	64.13	0.00	195	108	PEAK	3 15720.00	48.68	54.00	-5.32	53.40	40.25	19.16	64.13	0.00	195	108	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1 10480.00	47.24	68.20	-20.96	60.83	37.54	15.56	66.69	0.00	---	---	PEAK																																																																																																																							
2 15720.00	47.92	74.00	-26.08	52.64	40.25	19.16	64.13	0.00	100	360	PEAK																																																																																																																							
3 15720.00	38.00	54.00	-16.00	42.72	40.25	19.16	64.13	0.00	100	360	AVERAGE																																																																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1 10480.00	49.27	68.20	-18.93	62.86	37.54	15.56	66.69	0.00	---	---	PEAK																																																																																																																							
2 15720.00	59.50	74.00	-14.50	64.22	40.25	19.16	64.13	0.00	195	108	PEAK																																																																																																																							
3 15720.00	48.68	54.00	-5.32	53.40	40.25	19.16	64.13	0.00	195	108	AVERAGE																																																																																																																							



Mode	4																																																																			
	Harmonic																																																																			
	U-NII-2A_5.25-5.35_802.11a_CH52_5280MHz																																																																			
ANT	0																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak																																																																				
Avg																																																																				
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10516.70</td> <td>51.71</td> <td>68.20</td> <td>-16.49</td> <td>65.23</td> <td>37.56</td> <td>15.60</td> <td>66.68</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15783.50</td> <td>53.94</td> <td>74.00</td> <td>-20.06</td> <td>58.55</td> <td>40.31</td> <td>19.20</td> <td>64.12</td> <td>0.00</td> <td>100</td> <td>65</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>15783.50</td> <td>46.59</td> <td>54.00</td> <td>-7.41</td> <td>51.20</td> <td>40.31</td> <td>19.20</td> <td>64.12</td> <td>0.00</td> <td>100</td> <td>65</td> <td>Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	10516.70	51.71	68.20	-16.49	65.23	37.56	15.60	66.68	0.00	---	---	Peak	2	15783.50	53.94	74.00	-20.06	58.55	40.31	19.20	64.12	0.00	100	65	Peak	3	15783.50	46.59	54.00	-7.41	51.20	40.31	19.20	64.12	0.00	100	65	Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																												
1	10516.70	51.71	68.20	-16.49	65.23	37.56	15.60	66.68	0.00	---	---	Peak																																																								
2	15783.50	53.94	74.00	-20.06	58.55	40.31	19.20	64.12	0.00	100	65	Peak																																																								
3	15783.50	46.59	54.00	-7.41	51.20	40.31	19.20	64.12	0.00	100	65	Average																																																								



Mode	5																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																																																	
ANT	0																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																
Peak Avg																																																																																																																																		
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10600.00</td> <td>45.17</td> <td>68.20</td> <td>-23.03</td> <td>58.52</td> <td>37.62</td> <td>15.67</td> <td>66.64</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2 15900.00</td> <td>52.04</td> <td>74.00</td> <td>-21.96</td> <td>56.44</td> <td>40.41</td> <td>19.28</td> <td>64.09</td> <td>0.00</td> <td>199</td> <td>304</td> <td>PEAK</td> </tr> <tr> <td>3 15900.00</td> <td>42.72</td> <td>54.00</td> <td>-11.28</td> <td>47.12</td> <td>40.41</td> <td>19.28</td> <td>64.09</td> <td>0.00</td> <td>199</td> <td>304</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10600.00	45.17	68.20	-23.03	58.52	37.62	15.67	66.64	0.00	---	---	PEAK	2 15900.00	52.04	74.00	-21.96	56.44	40.41	19.28	64.09	0.00	199	304	PEAK	3 15900.00	42.72	54.00	-11.28	47.12	40.41	19.28	64.09	0.00	199	304	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10600.00</td> <td>43.78</td> <td>74.00</td> <td>-30.22</td> <td>57.13</td> <td>37.62</td> <td>15.67</td> <td>66.64</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2 15900.00</td> <td>58.41</td> <td>74.00</td> <td>-15.59</td> <td>62.81</td> <td>40.41</td> <td>19.28</td> <td>64.09</td> <td>0.00</td> <td>200</td> <td>104</td> <td>PEAK</td> </tr> <tr> <td>3 15900.00</td> <td>48.53</td> <td>54.00</td> <td>-5.47</td> <td>52.93</td> <td>40.41</td> <td>19.28</td> <td>64.09</td> <td>0.00</td> <td>200</td> <td>104</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10600.00	43.78	74.00	-30.22	57.13	37.62	15.67	66.64	0.00	---	---	PEAK	2 15900.00	58.41	74.00	-15.59	62.81	40.41	19.28	64.09	0.00	200	104	PEAK	3 15900.00	48.53	54.00	-5.47	52.93	40.41	19.28	64.09	0.00	200	104
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1 10600.00	45.17	68.20	-23.03	58.52	37.62	15.67	66.64	0.00	---	---	PEAK																																																																																																																							
2 15900.00	52.04	74.00	-21.96	56.44	40.41	19.28	64.09	0.00	199	304	PEAK																																																																																																																							
3 15900.00	42.72	54.00	-11.28	47.12	40.41	19.28	64.09	0.00	199	304	AVERAGE																																																																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 10600.00	43.78	74.00	-30.22	57.13	37.62	15.67	66.64	0.00	---	---	PEAK																																																																																																																							
2 15900.00	58.41	74.00	-15.59	62.81	40.41	19.28	64.09	0.00	200	104	PEAK																																																																																																																							
3 15900.00	48.53	54.00	-5.47	52.93	40.41	19.28	64.09	0.00	200	104	AVERAGE																																																																																																																							



Mode	6																																																																													
	Band Edge																																																																													
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																													
ANT	0																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.80</td> <td>111.79</td> <td>62.47</td> <td>74.00</td> <td>-11.53</td> <td>53.47</td> <td>34.50</td> <td>10.75</td> <td>36.25</td> <td>0.00</td> <td>106</td> <td>179</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5351.80	111.79	62.47	74.00	-11.53	53.47	34.50	10.75	36.25	0.00	106	179	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>111.79</td> <td>62.47</td> <td>74.00</td> <td>-11.53</td> <td>53.47</td> <td>34.50</td> <td>10.75</td> <td>36.25</td> <td>0.00</td> <td>106</td> <td>179</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	111.79	62.47	74.00	-11.53	53.47	34.50	10.75	36.25	0.00	106	179	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																							
1	5351.80	111.79	62.47	74.00	-11.53	53.47	34.50	10.75	36.25	0.00	106	179	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																							
1	5320.00	111.79	62.47	74.00	-11.53	53.47	34.50	10.75	36.25	0.00	106	179	PEAK																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.20</td> <td>50.70</td> <td>54.00</td> <td>-3.30</td> <td>41.70</td> <td>34.50</td> <td>10.75</td> <td>36.25</td> <td>0.00</td> <td>106</td> <td>179</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5350.20	50.70	54.00	-3.30	41.70	34.50	10.75	36.25	0.00	106	179	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>103.09</td> <td>62.47</td> <td>74.00</td> <td>-11.53</td> <td>53.47</td> <td>34.50</td> <td>10.75</td> <td>36.34</td> <td>0.00</td> <td>106</td> <td>179</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	103.09	62.47	74.00	-11.53	53.47	34.50	10.75	36.34	0.00	106	179	AVERAGE	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																							
1	5350.20	50.70	54.00	-3.30	41.70	34.50	10.75	36.25	0.00	106	179	AVERAGE																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																							
1	5320.00	103.09	62.47	74.00	-11.53	53.47	34.50	10.75	36.34	0.00	106	179	AVERAGE																																																																	



Mode	6																																																																																																																																																	
	Band Edge																																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																																																	
ANT	0																																																																																																																																																	
Pol.	Vertical	Fundamental																																																																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.20</td> <td>106.42</td> <td>-----</td> <td>65.00</td> <td>44.02</td> <td>34.50</td> <td>10.75</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>36.25</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>294</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>258</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5350.20	106.42	-----	65.00	44.02	34.50	10.75								36.25								0.00								294								258								PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>106.42</td> <td>-----</td> <td>65.00</td> <td>44.02</td> <td>34.50</td> <td>10.75</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>36.34</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>294</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>258</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	106.42	-----	65.00	44.02	34.50	10.75								36.34								0.00								294								258								PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																											
1	5350.20	106.42	-----	65.00	44.02	34.50	10.75																																																																																																																																											
							36.25																																																																																																																																											
							0.00																																																																																																																																											
							294																																																																																																																																											
							258																																																																																																																																											
							PEAK																																																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																											
1	5320.00	106.42	-----	65.00	44.02	34.50	10.75																																																																																																																																											
							36.34																																																																																																																																											
							0.00																																																																																																																																											
							294																																																																																																																																											
							258																																																																																																																																											
							PEAK																																																																																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.10</td> <td>97.69</td> <td>-----</td> <td>65.00</td> <td>33.86</td> <td>34.50</td> <td>10.75</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>36.25</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>294</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>258</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5350.10	97.69	-----	65.00	33.86	34.50	10.75								36.25								0.00								294								258								AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>97.69</td> <td>-----</td> <td>65.00</td> <td>33.86</td> <td>34.50</td> <td>10.75</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>36.34</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>294</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>258</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	97.69	-----	65.00	33.86	34.50	10.75								36.34								0.00								294								258								AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																											
1	5350.10	97.69	-----	65.00	33.86	34.50	10.75																																																																																																																																											
							36.25																																																																																																																																											
							0.00																																																																																																																																											
							294																																																																																																																																											
							258																																																																																																																																											
							AVERAGE																																																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																											
1	5320.00	97.69	-----	65.00	33.86	34.50	10.75																																																																																																																																											
							36.34																																																																																																																																											
							0.00																																																																																																																																											
							294																																																																																																																																											
							258																																																																																																																																											
							AVERAGE																																																																																																																																											







Mode	6																																																																																											
	Harmonic																																																																																											
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																											
ANT	0																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak																																																																																												
Avg																																																																																												
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10640.00</td> <td>43.53</td> <td>74.00</td> <td>-30.47</td> <td>56.79</td> <td>37.65</td> <td>15.71</td> <td>66.62</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10640.00	43.53	74.00	-30.47	56.79	37.65	15.71	66.62	0.00									--- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10640.00</td> <td>42.93</td> <td>74.00</td> <td>-31.07</td> <td>56.19</td> <td>37.65</td> <td>15.71</td> <td>66.62</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10640.00	42.93	74.00	-31.07	56.19	37.65	15.71	66.62	0.00									--- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 10640.00	43.53	74.00	-30.47	56.79	37.65	15.71	66.62	0.00																																																																																				
								--- PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 10640.00	42.93	74.00	-31.07	56.19	37.65	15.71	66.62	0.00																																																																																				
								--- PEAK																																																																																				



Mode	7																																																																																												
	Band Edge																																																																																												
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																												
ANT	0																																																																																												
Pol.	Horizontal	Fundamental																																																																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.20</td> <td>60.27</td> <td>74.00</td> <td>-13.73</td> <td>50.87</td> <td>34.56</td> <td>10.84</td> <td>36.00</td> <td>0.00</td> <td>100</td> <td>234</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.72</td> <td>64.49</td> <td>68.20</td> <td>-3.71</td> <td>55.04</td> <td>34.57</td> <td>10.85</td> <td>35.97</td> <td>0.00</td> <td>100</td> <td>234</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.20	60.27	74.00	-13.73	50.87	34.56	10.84	36.00	0.00	100	234	PEAK	2	5468.72	64.49	68.20	-3.71	55.04	34.57	10.85	35.97	0.00	100	234	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>110.54</td> <td>-----</td> <td>-----</td> <td>100.95</td> <td>34.60</td> <td>10.89</td> <td>35.90</td> <td>0.00</td> <td>100</td> <td>234</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	110.54	-----	-----	100.95	34.60	10.89	35.90	0.00	100	234	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5457.20	60.27	74.00	-13.73	50.87	34.56	10.84	36.00	0.00	100	234	PEAK																																																																																	
2	5468.72	64.49	68.20	-3.71	55.04	34.57	10.85	35.97	0.00	100	234	PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5500.00	110.54	-----	-----	100.95	34.60	10.89	35.90	0.00	100	234	PEAK																																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>50.27</td> <td>54.00</td> <td>-3.73</td> <td>40.86</td> <td>34.56</td> <td>10.84</td> <td>35.99</td> <td>0.00</td> <td>100</td> <td>234</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	50.27	54.00	-3.73	40.86	34.56	10.84	35.99	0.00	100	234	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>102.36</td> <td>-----</td> <td>-----</td> <td>92.77</td> <td>34.60</td> <td>10.89</td> <td>35.90</td> <td>0.00</td> <td>100</td> <td>234</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.36	-----	-----	92.77	34.60	10.89	35.90	0.00	100	234	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5459.92	50.27	54.00	-3.73	40.86	34.56	10.84	35.99	0.00	100	234	AVERAGE																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5500.00	102.36	-----	-----	92.77	34.60	10.89	35.90	0.00	100	234	AVERAGE																																																																																	





Mode	7																																																																																																
	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																
ANT	0																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	 <table border="1" data-bbox="255 1097 798 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.76</td> <td>57.44</td> <td>74.00</td> <td>-16.56</td> <td>48.44</td> <td>34.50</td> <td>10.75</td> <td>36.25</td> <td>0.00</td> <td>338</td> <td>246</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.52</td> <td>61.52</td> <td>68.20</td> <td>-6.68</td> <td>52.07</td> <td>34.57</td> <td>10.85</td> <td>35.97</td> <td>0.00</td> <td>338</td> <td>246</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.76	57.44	74.00	-16.56	48.44	34.50	10.75	36.25	0.00	338	246	PEAK	2	5469.52	61.52	68.20	-6.68	52.07	34.57	10.85	35.97	0.00	338	246	PEAK	 <table border="1" data-bbox="877 1097 1436 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>107.54</td> <td>-----</td> <td>-----</td> <td>97.93</td> <td>34.60</td> <td>10.89</td> <td>35.88</td> <td>0.00</td> <td>338</td> <td>246</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	107.54	-----	-----	97.93	34.60	10.89	35.88	0.00	338	246	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5351.76	57.44	74.00	-16.56	48.44	34.50	10.75	36.25	0.00	338	246	PEAK																																																																																					
2	5469.52	61.52	68.20	-6.68	52.07	34.57	10.85	35.97	0.00	338	246	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	107.54	-----	-----	97.93	34.60	10.89	35.88	0.00	338	246	PEAK																																																																																					
Avg	 <table border="1" data-bbox="255 1792 798 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.28</td> <td>47.93</td> <td>54.00</td> <td>-6.07</td> <td>38.52</td> <td>34.56</td> <td>10.84</td> <td>35.99</td> <td>0.00</td> <td>338</td> <td>246</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.28	47.93	54.00	-6.07	38.52	34.56	10.84	35.99	0.00	338	246	AVERAGE	 <table border="1" data-bbox="877 1792 1436 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>99.02</td> <td>-----</td> <td>-----</td> <td>89.41</td> <td>34.60</td> <td>10.89</td> <td>35.88</td> <td>0.00</td> <td>338</td> <td>246</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	99.02	-----	-----	89.41	34.60	10.89	35.88	0.00	338	246	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5459.28	47.93	54.00	-6.07	38.52	34.56	10.84	35.99	0.00	338	246	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	99.02	-----	-----	89.41	34.60	10.89	35.88	0.00	338	246	AVERAGE																																																																																					






Mode	7																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																													
ANT	0																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11000.00</td> <td>54.60</td> <td>74.00</td> <td>-19.40</td> <td>67.13</td> <td>37.90</td> <td>16.04</td> <td>66.47</td> <td>0.00</td> <td>100</td> <td>305 PEAK</td> </tr> <tr> <td>2 11000.00</td> <td>45.29</td> <td>54.00</td> <td>-8.71</td> <td>57.82</td> <td>37.90</td> <td>16.04</td> <td>66.47</td> <td>0.00</td> <td>100</td> <td>305 AVERAGE</td> </tr> <tr> <td>3 16500.00</td> <td>49.52</td> <td>68.20</td> <td>-18.68</td> <td>53.17</td> <td>40.90</td> <td>19.67</td> <td>64.22</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11000.00	54.60	74.00	-19.40	67.13	37.90	16.04	66.47	0.00	100	305 PEAK	2 11000.00	45.29	54.00	-8.71	57.82	37.90	16.04	66.47	0.00	100	305 AVERAGE	3 16500.00	49.52	68.20	-18.68	53.17	40.90	19.67	64.22	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11000.00</td> <td>52.49</td> <td>74.00</td> <td>-21.51</td> <td>65.02</td> <td>37.90</td> <td>16.04</td> <td>66.47</td> <td>0.00</td> <td>100</td> <td>85 PEAK</td> </tr> <tr> <td>2 11000.00</td> <td>42.81</td> <td>54.00</td> <td>-11.19</td> <td>55.34</td> <td>37.90</td> <td>16.04</td> <td>66.47</td> <td>0.00</td> <td>100</td> <td>85 AVERAGE</td> </tr> <tr> <td>3 16500.00</td> <td>48.68</td> <td>68.20</td> <td>-19.52</td> <td>52.33</td> <td>40.90</td> <td>19.67</td> <td>64.22</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11000.00	52.49	74.00	-21.51	65.02	37.90	16.04	66.47	0.00	100	85 PEAK	2 11000.00	42.81	54.00	-11.19	55.34	37.90	16.04	66.47	0.00	100	85 AVERAGE	3 16500.00	48.68	68.20	-19.52	52.33	40.90	19.67	64.22	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1 11000.00	54.60	74.00	-19.40	67.13	37.90	16.04	66.47	0.00	100	305 PEAK																																																																																																																				
2 11000.00	45.29	54.00	-8.71	57.82	37.90	16.04	66.47	0.00	100	305 AVERAGE																																																																																																																				
3 16500.00	49.52	68.20	-18.68	53.17	40.90	19.67	64.22	0.00	---	---	PEAK																																																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1 11000.00	52.49	74.00	-21.51	65.02	37.90	16.04	66.47	0.00	100	85 PEAK																																																																																																																				
2 11000.00	42.81	54.00	-11.19	55.34	37.90	16.04	66.47	0.00	100	85 AVERAGE																																																																																																																				
3 16500.00	48.68	68.20	-19.52	52.33	40.90	19.67	64.22	0.00	---	---	PEAK																																																																																																																			



Mode	8																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																																																													
ANT	0																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>54.00</td> <td>74.00</td> <td>-20.00</td> <td>66.22</td> <td>38.03</td> <td>16.15</td> <td>66.40</td> <td>0.00</td> <td>104</td> <td>299</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>43.99</td> <td>54.00</td> <td>-10.01</td> <td>56.21</td> <td>38.03</td> <td>16.15</td> <td>66.40</td> <td>0.00</td> <td>104</td> <td>299</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>16740.00</td> <td>47.59</td> <td>68.20</td> <td>-20.61</td> <td>50.97</td> <td>41.09</td> <td>19.83</td> <td>64.30</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11160.00	54.00	74.00	-20.00	66.22	38.03	16.15	66.40	0.00	104	299	PEAK	2	11160.00	43.99	54.00	-10.01	56.21	38.03	16.15	66.40	0.00	104	299	AVERAGE	3	16740.00	47.59	68.20	-20.61	50.97	41.09	19.83	64.30	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>56.81</td> <td>74.00</td> <td>-17.19</td> <td>69.03</td> <td>38.03</td> <td>16.15</td> <td>66.40</td> <td>0.00</td> <td>199</td> <td>91</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>47.85</td> <td>54.00</td> <td>-6.15</td> <td>60.07</td> <td>38.03</td> <td>16.15</td> <td>66.40</td> <td>0.00</td> <td>199</td> <td>91</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>16740.00</td> <td>52.34</td> <td>68.20</td> <td>-15.86</td> <td>55.72</td> <td>41.09</td> <td>19.83</td> <td>64.30</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11160.00	56.81	74.00	-17.19	69.03	38.03	16.15	66.40	0.00	199	91	PEAK	2	11160.00	47.85	54.00	-6.15	60.07	38.03	16.15	66.40	0.00	199	91	AVERAGE	3	16740.00	52.34	68.20	-15.86	55.72	41.09	19.83	64.30	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	11160.00	54.00	74.00	-20.00	66.22	38.03	16.15	66.40	0.00	104	299	PEAK																																																																																																																																		
2	11160.00	43.99	54.00	-10.01	56.21	38.03	16.15	66.40	0.00	104	299	AVERAGE																																																																																																																																		
3	16740.00	47.59	68.20	-20.61	50.97	41.09	19.83	64.30	0.00	---	---	PEAK																																																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	11160.00	56.81	74.00	-17.19	69.03	38.03	16.15	66.40	0.00	199	91	PEAK																																																																																																																																		
2	11160.00	47.85	54.00	-6.15	60.07	38.03	16.15	66.40	0.00	199	91	AVERAGE																																																																																																																																		
3	16740.00	52.34	68.20	-15.86	55.72	41.09	19.83	64.30	0.00	---	---	PEAK																																																																																																																																		



Mode	9																																																																																														
	Band Edge - L																																																																																														
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																														
ANT	0																																																																																														
Pol.	Horizontal	Fundamental																																																																																													
Peak	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.56</td> <td>64.53</td> <td>68.20</td> <td>-3.67</td> <td>55.88</td> <td>34.68</td> <td>11.18</td> <td>37.21</td> <td>0.00</td> <td>102</td> <td>226</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5725.56	64.53	68.20	-3.67	55.88	34.68	11.18	37.21	0.00	102	226	PEAK	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4558.00</td> <td>55.26</td> <td>74.00</td> <td>-18.74</td> <td>49.43</td> <td>33.96</td> <td>9.96</td> <td>38.09</td> <td>0.00</td> <td>315</td> <td>181</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5700.00</td> <td>108.23</td> <td>-----</td> <td>-----</td> <td>99.27</td> <td>34.61</td> <td>11.15</td> <td>36.80</td> <td>0.00</td> <td>102</td> <td>226</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4558.00	55.26	74.00	-18.74	49.43	33.96	9.96	38.09	0.00	315	181	PEAK	2	5700.00	108.23	-----	-----	99.27	34.61	11.15	36.80	0.00	102	226	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5725.56	64.53	68.20	-3.67	55.88	34.68	11.18	37.21	0.00	102	226	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	4558.00	55.26	74.00	-18.74	49.43	33.96	9.96	38.09	0.00	315	181	PEAK																																																																																			
2	5700.00	108.23	-----	-----	99.27	34.61	11.15	36.80	0.00	102	226	PEAK																																																																																			
Avg	Blank	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4558.00</td> <td>50.14</td> <td>54.00</td> <td>-3.86</td> <td>44.31</td> <td>33.96</td> <td>9.96</td> <td>38.09</td> <td>0.00</td> <td>315</td> <td>181</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>5700.00</td> <td>100.06</td> <td>-----</td> <td>-----</td> <td>91.10</td> <td>34.61</td> <td>11.15</td> <td>36.80</td> <td>0.00</td> <td>102</td> <td>226</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4558.00	50.14	54.00	-3.86	44.31	33.96	9.96	38.09	0.00	315	181	AVERAGE	2	5700.00	100.06	-----	-----	91.10	34.61	11.15	36.80	0.00	102	226	AVERAGE																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	4558.00	50.14	54.00	-3.86	44.31	33.96	9.96	38.09	0.00	315	181	AVERAGE																																																																																			
2	5700.00	100.06	-----	-----	91.10	34.61	11.15	36.80	0.00	102	226	AVERAGE																																																																																			







Mode	9																																																																																														
	Band Edge - L																																																																																														
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																														
ANT	0																																																																																														
Pol.	Vertical	Fundamental																																																																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5727.08</td> <td>62.02</td> <td>68.20</td> <td>-6.18</td> <td>53.40</td> <td>34.68</td> <td>11.18</td> <td>37.24</td> <td>0.00</td> <td>369</td> <td>236</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5727.08	62.02	68.20	-6.18	53.40	34.68	11.18	37.24	0.00	369	236	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4558.00</td> <td>51.17</td> <td>74.00</td> <td>-22.83</td> <td>45.34</td> <td>33.96</td> <td>9.96</td> <td>38.09</td> <td>0.00</td> <td>381</td> <td>301</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5700.00</td> <td>105.67</td> <td>-----</td> <td>-----</td> <td>96.71</td> <td>34.61</td> <td>11.15</td> <td>36.80</td> <td>0.00</td> <td>369</td> <td>236</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4558.00	51.17	74.00	-22.83	45.34	33.96	9.96	38.09	0.00	381	301	PEAK	2	5700.00	105.67	-----	-----	96.71	34.61	11.15	36.80	0.00	369	236	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5727.08	62.02	68.20	-6.18	53.40	34.68	11.18	37.24	0.00	369	236	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	4558.00	51.17	74.00	-22.83	45.34	33.96	9.96	38.09	0.00	381	301	PEAK																																																																																			
2	5700.00	105.67	-----	-----	96.71	34.61	11.15	36.80	0.00	369	236	PEAK																																																																																			
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4558.00</td> <td>44.79</td> <td>54.00</td> <td>-9.21</td> <td>38.96</td> <td>33.96</td> <td>9.96</td> <td>38.09</td> <td>0.00</td> <td>381</td> <td>301</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>5700.00</td> <td>96.95</td> <td>-----</td> <td>-----</td> <td>87.99</td> <td>34.61</td> <td>11.15</td> <td>36.80</td> <td>0.00</td> <td>369</td> <td>236</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4558.00	44.79	54.00	-9.21	38.96	33.96	9.96	38.09	0.00	381	301	AVERAGE	2	5700.00	96.95	-----	-----	87.99	34.61	11.15	36.80	0.00	369	236	AVERAGE																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	4558.00	44.79	54.00	-9.21	38.96	33.96	9.96	38.09	0.00	381	301	AVERAGE																																																																																			
2	5700.00	96.95	-----	-----	87.99	34.61	11.15	36.80	0.00	369	236	AVERAGE																																																																																			



Mode	9																																																																													
	Harmonic																																																																													
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																													
ANT	0																																																																													
Pol.	Horizontal	Vertical																																																																												
Peak																																																																														
Avg																																																																														
	<table border="1"> <thead> <tr> <th rowspan="2">Limit</th> <th colspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">Aux</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>44.21</td> <td>74.00</td> <td>-29.79</td> <td>55.98</td> <td>38.22</td> <td>16.30</td> <td>66.29</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11400.00	44.21	74.00	-29.79	55.98	38.22	16.30	66.29	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th rowspan="2">Limit</th> <th colspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">Aux</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>43.40</td> <td>74.00</td> <td>-30.60</td> <td>55.17</td> <td>38.22</td> <td>16.30</td> <td>66.29</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11400.00	43.40	74.00	-30.60	55.17	38.22	16.30	66.29	0.00	---	---	PEAK
Limit	Read		Ant	Cable								Preamp	Aux	APos	TPos	Remark																																																														
	Freq	Level			Line Margin																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1	11400.00	44.21	74.00	-29.79	55.98	38.22	16.30	66.29	0.00	---	---	PEAK																																																																		
Limit	Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
	Freq	Level								Line Margin																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1	11400.00	43.40	74.00	-30.60	55.17	38.22	16.30	66.29	0.00	---	---	PEAK																																																																		



		10																																																																																
Mode	Band Edge																																																																																	
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_5180MHz																																																																																	
ANT	CDD 0+1																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	 <table border="1" data-bbox="263 1131 790 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.10</td> <td>64.93</td> <td>74.00</td> <td>-9.07</td> <td>56.92</td> <td>34.14</td> <td>10.61</td> <td>36.74</td> <td>0.00</td> <td>100</td> <td>182</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5148.10	64.93	74.00	-9.07	56.92	34.14	10.61	36.74	0.00	100	182	PEAK	 <table border="1" data-bbox="869 1131 1396 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>108.37</td> <td>-----</td> <td>-----</td> <td>100.17</td> <td>34.23</td> <td>10.64</td> <td>36.67</td> <td>0.00</td> <td>100</td> <td>182</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5180.00	108.37	-----	-----	100.17	34.23	10.64	36.67	0.00	100	182	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5148.10	64.93	74.00	-9.07	56.92	34.14	10.61	36.74	0.00	100	182	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5180.00	108.37	-----	-----	100.17	34.23	10.64	36.67	0.00	100	182	PEAK																																																																						
Avg	 <table border="1" data-bbox="263 1814 790 1937"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5150.00</td> <td>50.79</td> <td>54.00</td> <td>-3.21</td> <td>42.76</td> <td>34.15</td> <td>10.61</td> <td>36.73</td> <td>0.00</td> <td>100</td> <td>182</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5150.00	50.79	54.00	-3.21	42.76	34.15	10.61	36.73	0.00	100	182	AVERAGE	 <table border="1" data-bbox="869 1814 1396 1937"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>100.85</td> <td>-----</td> <td>-----</td> <td>92.70</td> <td>34.21</td> <td>10.63</td> <td>36.69</td> <td>0.00</td> <td>100</td> <td>182</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5180.00	100.85	-----	-----	92.70	34.21	10.63	36.69	0.00	100	182	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5150.00	50.79	54.00	-3.21	42.76	34.15	10.61	36.73	0.00	100	182	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5180.00	100.85	-----	-----	92.70	34.21	10.63	36.69	0.00	100	182	AVERAGE																																																																						



Mode	10																																																																										
	Band Edge																																																																										
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_5180MHz																																																																										
ANT	CDD 0+1																																																																										
Pol.	Vertical	Fundamental																																																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.40</td> <td>101.10</td> <td>-----</td> <td>92.83</td> <td>34.26</td> <td>10.65</td> <td>36.64</td> <td>0.00</td> <td>272</td> <td>224</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5180.40	101.10	-----	92.83	34.26	10.65	36.64	0.00	272	224	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>101.10</td> <td>-----</td> <td>92.83</td> <td>34.26</td> <td>10.65</td> <td>36.64</td> <td>0.00</td> <td>272</td> <td>224</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5180.00	101.10	-----	92.83	34.26	10.65	36.64	0.00	272	224	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																				
1	5180.40	101.10	-----	92.83	34.26	10.65	36.64	0.00	272	224	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																				
1	5180.00	101.10	-----	92.83	34.26	10.65	36.64	0.00	272	224	PEAK																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.30</td> <td>41.85</td> <td>54.00</td> <td>-12.15</td> <td>33.83</td> <td>34.15</td> <td>10.61</td> <td>36.74</td> <td>0.00</td> <td>272</td> <td>224</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5149.30	41.85	54.00	-12.15	33.83	34.15	10.61	36.74	0.00	272	224	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>94.07</td> <td>-----</td> <td>85.84</td> <td>34.25</td> <td>10.64</td> <td>36.66</td> <td>0.00</td> <td>272</td> <td>224</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5180.00	94.07	-----	85.84	34.25	10.64	36.66	0.00	272	224	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																				
1	5149.30	41.85	54.00	-12.15	33.83	34.15	10.61	36.74	0.00	272	224	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																				
1	5180.00	94.07	-----	85.84	34.25	10.64	36.66	0.00	272	224	AVERAGE																																																																





Mode	10																																																																											
	Harmonic																																																																											
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_5180MHz																																																																											
ANT	CDD 0+1																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak																																																																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10360.00</td> <td>46.31</td> <td>68.20</td> <td>-21.89</td> <td>60.15</td> <td>37.45</td> <td>15.45</td> <td>66.74</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10360.00	46.31	68.20	-21.89	60.15	37.45	15.45	66.74	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10360.00</td> <td>55.38</td> <td>68.20</td> <td>-12.82</td> <td>69.22</td> <td>37.45</td> <td>15.45</td> <td>66.74</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10360.00	55.38	68.20	-12.82	69.22	37.45	15.45	66.74	0.00	--- --- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 10360.00	46.31	68.20	-21.89	60.15	37.45	15.45	66.74	0.00	--- --- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 10360.00	55.38	68.20	-12.82	69.22	37.45	15.45	66.74	0.00	--- --- PEAK																																																																			



Mode	11																																																																																																																																					
	Harmonic																																																																																																																																					
	U-NII-1_5.15-5.25_802.11ac VHT20_CH44_5220MHz																																																																																																																																					
ANT	CDD 0+1																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10439.70</td> <td>53.83</td> <td>68.20</td> <td>-14.37</td> <td>67.51</td> <td>37.51</td> <td>15.52</td> <td>66.71</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15661.40</td> <td>59.19</td> <td>74.00</td> <td>-14.81</td> <td>64.02</td> <td>40.20</td> <td>19.12</td> <td>64.15</td> <td>0.00</td> <td>300</td> <td>148</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>15661.40</td> <td>47.27</td> <td>54.00</td> <td>-6.73</td> <td>52.10</td> <td>40.20</td> <td>19.12</td> <td>64.15</td> <td>0.00</td> <td>300</td> <td>148</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	10439.70	53.83	68.20	-14.37	67.51	37.51	15.52	66.71	0.00	---	---	Peak	2	15661.40	59.19	74.00	-14.81	64.02	40.20	19.12	64.15	0.00	300	148	Peak	3	15661.40	47.27	54.00	-6.73	52.10	40.20	19.12	64.15	0.00	300	148	Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>53.24</td> <td>68.20</td> <td>-14.96</td> <td>66.92</td> <td>37.51</td> <td>15.52</td> <td>66.71</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>63.18</td> <td>74.00</td> <td>-10.82</td> <td>68.02</td> <td>40.19</td> <td>19.12</td> <td>64.15</td> <td>0.00</td> <td>291</td> <td>218</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15660.00</td> <td>50.62</td> <td>54.00</td> <td>-3.38</td> <td>55.46</td> <td>40.19</td> <td>19.12</td> <td>64.15</td> <td>0.00</td> <td>291</td> <td>218</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	10440.00	53.24	68.20	-14.96	66.92	37.51	15.52	66.71	0.00	---	---	PEAK	2	15660.00	63.18	74.00	-10.82	68.02	40.19	19.12	64.15	0.00	291	218	PEAK	3	15660.00	50.62	54.00	-3.38	55.46	40.19	19.12	64.15	0.00	291	218	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																														
1	10439.70	53.83	68.20	-14.37	67.51	37.51	15.52	66.71	0.00	---	---	Peak																																																																																																																										
2	15661.40	59.19	74.00	-14.81	64.02	40.20	19.12	64.15	0.00	300	148	Peak																																																																																																																										
3	15661.40	47.27	54.00	-6.73	52.10	40.20	19.12	64.15	0.00	300	148	Average																																																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																														
1	10440.00	53.24	68.20	-14.96	66.92	37.51	15.52	66.71	0.00	---	---	PEAK																																																																																																																										
2	15660.00	63.18	74.00	-10.82	68.02	40.19	19.12	64.15	0.00	291	218	PEAK																																																																																																																										
3	15660.00	50.62	54.00	-3.38	55.46	40.19	19.12	64.15	0.00	291	218	AVERAGE																																																																																																																										



Mode	12																																																																																																																																					
	Harmonic																																																																																																																																					
	U-NII-1_5.15-5.25_802.11ac VHT20_CH48_5240MHz																																																																																																																																					
ANT	CDD 0+1																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10488.10</td> <td>52.91</td> <td>68.20</td> <td>-15.29</td> <td>66.49</td> <td>37.54</td> <td>15.57</td> <td>66.69</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>57.07</td> <td>74.00</td> <td>-16.93</td> <td>61.79</td> <td>40.25</td> <td>19.16</td> <td>64.13</td> <td>0.00</td> <td>396</td> <td>218</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15720.00</td> <td>48.08</td> <td>54.00</td> <td>-5.92</td> <td>52.80</td> <td>40.25</td> <td>19.16</td> <td>64.13</td> <td>0.00</td> <td>396</td> <td>218</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	10488.10	52.91	68.20	-15.29	66.49	37.54	15.57	66.69	0.00	---	---	Peak	2	15720.00	57.07	74.00	-16.93	61.79	40.25	19.16	64.13	0.00	396	218	PEAK	3	15720.00	48.08	54.00	-5.92	52.80	40.25	19.16	64.13	0.00	396	218	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10476.00</td> <td>54.36</td> <td>68.20</td> <td>-13.84</td> <td>67.96</td> <td>37.53</td> <td>15.56</td> <td>66.69</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15714.20</td> <td>59.94</td> <td>74.00</td> <td>-14.06</td> <td>64.67</td> <td>40.24</td> <td>19.16</td> <td>64.13</td> <td>0.00</td> <td>252</td> <td>82</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>15714.20</td> <td>50.87</td> <td>54.00</td> <td>-3.13</td> <td>55.60</td> <td>40.24</td> <td>19.16</td> <td>64.13</td> <td>0.00</td> <td>252</td> <td>82</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	10476.00	54.36	68.20	-13.84	67.96	37.53	15.56	66.69	0.00	---	---	Peak	2	15714.20	59.94	74.00	-14.06	64.67	40.24	19.16	64.13	0.00	252	82	Peak	3	15714.20	50.87	54.00	-3.13	55.60	40.24	19.16	64.13	0.00	252	82	Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																														
1	10488.10	52.91	68.20	-15.29	66.49	37.54	15.57	66.69	0.00	---	---	Peak																																																																																																																										
2	15720.00	57.07	74.00	-16.93	61.79	40.25	19.16	64.13	0.00	396	218	PEAK																																																																																																																										
3	15720.00	48.08	54.00	-5.92	52.80	40.25	19.16	64.13	0.00	396	218	AVERAGE																																																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																														
1	10476.00	54.36	68.20	-13.84	67.96	37.53	15.56	66.69	0.00	---	---	Peak																																																																																																																										
2	15714.20	59.94	74.00	-14.06	64.67	40.24	19.16	64.13	0.00	252	82	Peak																																																																																																																										
3	15714.20	50.87	54.00	-3.13	55.60	40.24	19.16	64.13	0.00	252	82	Average																																																																																																																										







Mode	13																																																																																																																																					
	Harmonic																																																																																																																																					
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH52_5280MHz																																																																																																																																					
ANT	CDD 0+1																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10516.70</td> <td>50.28</td> <td>68.20</td> <td>-17.92</td> <td>63.80</td> <td>37.56</td> <td>15.60</td> <td>66.68</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15785.70</td> <td>56.30</td> <td>74.00</td> <td>-17.70</td> <td>60.91</td> <td>40.31</td> <td>19.20</td> <td>64.12</td> <td>0.00</td> <td>300</td> <td>23</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>15785.70</td> <td>46.20</td> <td>54.00</td> <td>-7.80</td> <td>50.81</td> <td>40.31</td> <td>19.20</td> <td>64.12</td> <td>0.00</td> <td>300</td> <td>23</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	10516.70	50.28	68.20	-17.92	63.80	37.56	15.60	66.68	0.00	---	---	Peak	2	15785.70	56.30	74.00	-17.70	60.91	40.31	19.20	64.12	0.00	300	23	Peak	3	15785.70	46.20	54.00	-7.80	50.81	40.31	19.20	64.12	0.00	300	23	Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10514.50</td> <td>52.86</td> <td>68.20</td> <td>-15.34</td> <td>66.39</td> <td>37.56</td> <td>15.59</td> <td>66.68</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15781.30</td> <td>59.25</td> <td>74.00</td> <td>-14.75</td> <td>63.87</td> <td>40.30</td> <td>19.20</td> <td>64.12</td> <td>0.00</td> <td>259</td> <td>81</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>15781.30</td> <td>50.69</td> <td>54.00</td> <td>-3.31</td> <td>55.31</td> <td>40.30</td> <td>19.20</td> <td>64.12</td> <td>0.00</td> <td>259</td> <td>81</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	10514.50	52.86	68.20	-15.34	66.39	37.56	15.59	66.68	0.00	---	---	Peak	2	15781.30	59.25	74.00	-14.75	63.87	40.30	19.20	64.12	0.00	259	81	Peak	3	15781.30	50.69	54.00	-3.31	55.31	40.30	19.20	64.12	0.00	259	81	Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																														
1	10516.70	50.28	68.20	-17.92	63.80	37.56	15.60	66.68	0.00	---	---	Peak																																																																																																																										
2	15785.70	56.30	74.00	-17.70	60.91	40.31	19.20	64.12	0.00	300	23	Peak																																																																																																																										
3	15785.70	46.20	54.00	-7.80	50.81	40.31	19.20	64.12	0.00	300	23	Average																																																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																														
1	10514.50	52.86	68.20	-15.34	66.39	37.56	15.59	66.68	0.00	---	---	Peak																																																																																																																										
2	15781.30	59.25	74.00	-14.75	63.87	40.30	19.20	64.12	0.00	259	81	Peak																																																																																																																										
3	15781.30	50.69	54.00	-3.31	55.31	40.30	19.20	64.12	0.00	259	81	Average																																																																																																																										



Mode	14																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH60_5300MHz																																																																																																																															
ANT	CDD 0+1																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10604.70</td> <td>48.33</td> <td>74.00</td> <td>-25.67</td> <td>61.67</td> <td>37.62</td> <td>15.68</td> <td>66.64</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 15911.10</td> <td>57.92</td> <td>74.00</td> <td>-16.08</td> <td>62.29</td> <td>40.42</td> <td>19.29</td> <td>64.08</td> <td>0.00</td> <td>300</td> <td>22</td> <td>Peak</td> </tr> <tr> <td>3 15911.10</td> <td>46.82</td> <td>54.00</td> <td>-7.18</td> <td>51.19</td> <td>40.42</td> <td>19.29</td> <td>64.08</td> <td>0.00</td> <td>300</td> <td>22</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10604.70	48.33	74.00	-25.67	61.67	37.62	15.68	66.64	0.00	---	---	Peak	2 15911.10	57.92	74.00	-16.08	62.29	40.42	19.29	64.08	0.00	300	22	Peak	3 15911.10	46.82	54.00	-7.18	51.19	40.42	19.29	64.08	0.00	300	22	Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10594.00</td> <td>47.22</td> <td>74.00</td> <td>-26.78</td> <td>60.57</td> <td>37.62</td> <td>15.67</td> <td>66.64</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 15900.00</td> <td>62.50</td> <td>74.00</td> <td>-11.50</td> <td>66.90</td> <td>40.41</td> <td>19.28</td> <td>64.09</td> <td>0.00</td> <td>227</td> <td>75</td> <td>PEAK</td> </tr> <tr> <td>3 15900.00</td> <td>50.41</td> <td>54.00</td> <td>-3.59</td> <td>54.81</td> <td>40.41</td> <td>19.28</td> <td>64.09</td> <td>0.00</td> <td>227</td> <td>75</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10594.00	47.22	74.00	-26.78	60.57	37.62	15.67	66.64	0.00	---	---	Peak	2 15900.00	62.50	74.00	-11.50	66.90	40.41	19.28	64.09	0.00	227	75	PEAK	3 15900.00	50.41	54.00	-3.59	54.81	40.41	19.28	64.09	0.00	227	75	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																								
1 10604.70	48.33	74.00	-25.67	61.67	37.62	15.68	66.64	0.00	---	---	Peak																																																																																																																					
2 15911.10	57.92	74.00	-16.08	62.29	40.42	19.29	64.08	0.00	300	22	Peak																																																																																																																					
3 15911.10	46.82	54.00	-7.18	51.19	40.42	19.29	64.08	0.00	300	22	Average																																																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																								
1 10594.00	47.22	74.00	-26.78	60.57	37.62	15.67	66.64	0.00	---	---	Peak																																																																																																																					
2 15900.00	62.50	74.00	-11.50	66.90	40.41	19.28	64.09	0.00	227	75	PEAK																																																																																																																					
3 15900.00	50.41	54.00	-3.59	54.81	40.41	19.28	64.09	0.00	227	75	AVERAGE																																																																																																																					



Mode	15																																																																											
	Band Edge																																																																											
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH64_5320MHz																																																																											
ANT	CDD 0+1																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.90</td> <td>63.80</td> <td>74.00</td> <td>-10.20</td> <td>54.80</td> <td>34.50</td> <td>10.75</td> <td>36.25</td> <td>0.00</td> <td>100</td> <td>332</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5351.90	63.80	74.00	-10.20	54.80	34.50	10.75	36.25	0.00	100	332	PEAK	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>109.69</td> <td>-----</td> <td>-----</td> <td>100.79</td> <td>34.50</td> <td>10.73</td> <td>36.33</td> <td>0.00</td> <td>100</td> <td>332</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	109.69	-----	-----	100.79	34.50	10.73	36.33	0.00	100	332	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5351.90	63.80	74.00	-10.20	54.80	34.50	10.75	36.25	0.00	100	332	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5320.00	109.69	-----	-----	100.79	34.50	10.73	36.33	0.00	100	332	PEAK																																																																
Avg	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.10</td> <td>50.67</td> <td>54.00</td> <td>-3.33</td> <td>41.67</td> <td>34.50</td> <td>10.75</td> <td>36.25</td> <td>0.00</td> <td>100</td> <td>332</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5351.10	50.67	54.00	-3.33	41.67	34.50	10.75	36.25	0.00	100	332	AVERAGE	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>102.00</td> <td>-----</td> <td>-----</td> <td>93.16</td> <td>34.50</td> <td>10.73</td> <td>36.31</td> <td>0.00</td> <td>100</td> <td>332</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	102.00	-----	-----	93.16	34.50	10.73	36.31	0.00	100	332	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5351.10	50.67	54.00	-3.33	41.67	34.50	10.75	36.25	0.00	100	332	AVERAGE																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5320.00	102.00	-----	-----	93.16	34.50	10.73	36.31	0.00	100	332	AVERAGE																																																																



Mode	15																																																																							
	Band Edge																																																																							
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH64_5320MHz																																																																							
ANT	CDD 0+1																																																																							
Pol.	Vertical	Fundamental																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5354.00</td> <td>63.51</td> <td>74.00</td> <td>-10.49</td> <td>54.51</td> <td>34.50</td> <td>10.75</td> <td>36.25</td> <td>0.00</td> <td>326</td> <td>262 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5354.00	63.51	74.00	-10.49	54.51	34.50	10.75	36.25	0.00	326	262 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>104.27</td> <td>-----</td> <td>-----</td> <td>95.37</td> <td>34.50</td> <td>10.73</td> <td>36.33</td> <td>0.00</td> <td>326</td> <td>262 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5320.00	104.27	-----	-----	95.37	34.50	10.73	36.33	0.00	326	262 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 5354.00	63.51	74.00	-10.49	54.51	34.50	10.75	36.25	0.00	326	262 PEAK																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 5320.00	104.27	-----	-----	95.37	34.50	10.73	36.33	0.00	326	262 PEAK																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5350.00</td> <td>46.94</td> <td>54.00</td> <td>-7.06</td> <td>37.95</td> <td>34.50</td> <td>10.75</td> <td>36.26</td> <td>0.00</td> <td>326</td> <td>262 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5350.00	46.94	54.00	-7.06	37.95	34.50	10.75	36.26	0.00	326	262 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>97.61</td> <td>-----</td> <td>-----</td> <td>88.71</td> <td>34.50</td> <td>10.73</td> <td>36.33</td> <td>0.00</td> <td>326</td> <td>262 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5320.00	97.61	-----	-----	88.71	34.50	10.73	36.33	0.00	326	262 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 5350.00	46.94	54.00	-7.06	37.95	34.50	10.75	36.26	0.00	326	262 AVERAGE																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 5320.00	97.61	-----	-----	88.71	34.50	10.73	36.33	0.00	326	262 AVERAGE																																																														







Mode	15																																																																																																																																				
	Harmonic																																																																																																																																				
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH64_5320MHz																																																																																																																																				
ANT	CDD 0+1																																																																																																																																				
Pol.	Horizontal	Vertical																																																																																																																																			
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>42.84</td> <td>74.00</td> <td>-31.16</td> <td>56.10</td> <td>37.65</td> <td>15.71</td> <td>66.62</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15960.00</td> <td>57.34</td> <td>74.00</td> <td>-16.66</td> <td>61.63</td> <td>40.46</td> <td>19.32</td> <td>64.07</td> <td>0.00</td> <td>341</td> <td>110</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15960.00</td> <td>46.47</td> <td>54.00</td> <td>-7.53</td> <td>50.76</td> <td>40.46</td> <td>19.32</td> <td>64.07</td> <td>0.00</td> <td>341</td> <td>110</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg	1	10640.00	42.84	74.00	-31.16	56.10	37.65	15.71	66.62	0.00	---	---	PEAK	2	15960.00	57.34	74.00	-16.66	61.63	40.46	19.32	64.07	0.00	341	110	PEAK	3	15960.00	46.47	54.00	-7.53	50.76	40.46	19.32	64.07	0.00	341	110	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>51.57</td> <td>74.00</td> <td>-22.43</td> <td>64.83</td> <td>37.65</td> <td>15.71</td> <td>66.62</td> <td>0.00</td> <td>236</td> <td>100</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10640.00</td> <td>41.40</td> <td>54.00</td> <td>-12.60</td> <td>54.66</td> <td>37.65</td> <td>15.71</td> <td>66.62</td> <td>0.00</td> <td>236</td> <td>100</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>15960.00</td> <td>59.16</td> <td>74.00</td> <td>-14.84</td> <td>63.45</td> <td>40.46</td> <td>19.32</td> <td>64.07</td> <td>0.00</td> <td>298</td> <td>204</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15960.00</td> <td>47.03</td> <td>54.00</td> <td>-6.97</td> <td>51.32</td> <td>40.46</td> <td>19.32</td> <td>64.07</td> <td>0.00</td> <td>298</td> <td>204</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg	1	10640.00	51.57	74.00	-22.43	64.83	37.65	15.71	66.62	0.00	236	100	PEAK	2	10640.00	41.40	54.00	-12.60	54.66	37.65	15.71	66.62	0.00	236	100	AVERAGE	3	15960.00	59.16	74.00	-14.84	63.45	40.46	19.32	64.07	0.00	298	204	PEAK	4	15960.00	47.03	54.00	-6.97	51.32	40.46	19.32	64.07	0.00	298	204	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg																																																																																																																												
1	10640.00	42.84	74.00	-31.16	56.10	37.65	15.71	66.62	0.00	---	---	PEAK																																																																																																																									
2	15960.00	57.34	74.00	-16.66	61.63	40.46	19.32	64.07	0.00	341	110	PEAK																																																																																																																									
3	15960.00	46.47	54.00	-7.53	50.76	40.46	19.32	64.07	0.00	341	110	AVERAGE																																																																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg																																																																																																																												
1	10640.00	51.57	74.00	-22.43	64.83	37.65	15.71	66.62	0.00	236	100	PEAK																																																																																																																									
2	10640.00	41.40	54.00	-12.60	54.66	37.65	15.71	66.62	0.00	236	100	AVERAGE																																																																																																																									
3	15960.00	59.16	74.00	-14.84	63.45	40.46	19.32	64.07	0.00	298	204	PEAK																																																																																																																									
4	15960.00	47.03	54.00	-6.97	51.32	40.46	19.32	64.07	0.00	298	204	AVERAGE																																																																																																																									





Mode	16																																																																																														
	Band Edge - L																																																																																														
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_5500MHz																																																																																														
ANT	CDD 0+1																																																																																														
Pol.	Horizontal	Fundamental																																																																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5460.08</td> <td>58.53</td> <td>68.20</td> <td>-9.67</td> <td>49.12</td> <td>34.56</td> <td>10.84</td> <td>35.99</td> <td>0.00</td> <td>103</td> <td>300</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5469.36</td> <td>64.80</td> <td>68.20</td> <td>-3.40</td> <td>55.35</td> <td>34.57</td> <td>10.85</td> <td>35.97</td> <td>0.00</td> <td>103</td> <td>300</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5460.08	58.53	68.20	-9.67	49.12	34.56	10.84	35.99	0.00	103	300	Peak	2	5469.36	64.80	68.20	-3.40	55.35	34.57	10.85	35.97	0.00	103	300	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>109.28</td> <td>.....</td> <td>.....</td> <td>99.69</td> <td>34.60</td> <td>10.89</td> <td>35.90</td> <td>0.00</td> <td>103</td> <td>300</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5500.00	109.28	.....	.....	99.69	34.60	10.89	35.90	0.00	103	300	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5460.08	58.53	68.20	-9.67	49.12	34.56	10.84	35.99	0.00	103	300	Peak																																																																																			
2	5469.36	64.80	68.20	-3.40	55.35	34.57	10.85	35.97	0.00	103	300	Peak																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5500.00	109.28	.....	.....	99.69	34.60	10.89	35.90	0.00	103	300	PEAK																																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.48</td> <td>47.31</td> <td>54.00</td> <td>-6.69</td> <td>37.91</td> <td>34.56</td> <td>10.84</td> <td>36.00</td> <td>0.00</td> <td>103</td> <td>300</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5458.48	47.31	54.00	-6.69	37.91	34.56	10.84	36.00	0.00	103	300	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>103.49</td> <td>.....</td> <td>.....</td> <td>93.90</td> <td>34.60</td> <td>10.89</td> <td>35.90</td> <td>0.00</td> <td>103</td> <td>300</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5500.00	103.49	.....	.....	93.90	34.60	10.89	35.90	0.00	103	300	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5458.48	47.31	54.00	-6.69	37.91	34.56	10.84	36.00	0.00	103	300	AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5500.00	103.49	.....	.....	93.90	34.60	10.89	35.90	0.00	103	300	AVERAGE																																																																																			







Mode	16																																																																																														
	Band Edge - L																																																																																														
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_5500MHz																																																																																														
ANT	CDD 0+1																																																																																														
Pol.	Vertical	Fundamental																																																																																													
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.28</td> <td>55.71</td> <td>74.00</td> <td>-18.29</td> <td>46.30</td> <td>34.56</td> <td>10.84</td> <td>35.99</td> <td>0.00</td> <td>342</td> <td>274</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5466.32</td> <td>62.35</td> <td>68.20</td> <td>-5.85</td> <td>52.91</td> <td>34.57</td> <td>10.85</td> <td>35.98</td> <td>0.00</td> <td>342</td> <td>274</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5459.28	55.71	74.00	-18.29	46.30	34.56	10.84	35.99	0.00	342	274	PEAK	2	5466.32	62.35	68.20	-5.85	52.91	34.57	10.85	35.98	0.00	342	274	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>108.41</td> <td>-----</td> <td>-----</td> <td>98.82</td> <td>34.60</td> <td>10.89</td> <td>35.90</td> <td>0.00</td> <td>342</td> <td>274</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5500.00	108.41	-----	-----	98.82	34.60	10.89	35.90	0.00	342	274	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5459.28	55.71	74.00	-18.29	46.30	34.56	10.84	35.99	0.00	342	274	PEAK																																																																																			
2	5466.32	62.35	68.20	-5.85	52.91	34.57	10.85	35.98	0.00	342	274	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5500.00	108.41	-----	-----	98.82	34.60	10.89	35.90	0.00	342	274	PEAK																																																																																			
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.76</td> <td>45.10</td> <td>54.00</td> <td>-8.90</td> <td>35.69</td> <td>34.56</td> <td>10.84</td> <td>35.99</td> <td>0.00</td> <td>342</td> <td>274</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5459.76	45.10	54.00	-8.90	35.69	34.56	10.84	35.99	0.00	342	274	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>101.00</td> <td>-----</td> <td>-----</td> <td>91.52</td> <td>34.59</td> <td>10.88</td> <td>35.91</td> <td>0.00</td> <td>342</td> <td>274</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5500.00	101.00	-----	-----	91.52	34.59	10.88	35.91	0.00	342	274	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5459.76	45.10	54.00	-8.90	35.69	34.56	10.84	35.99	0.00	342	274	AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5500.00	101.00	-----	-----	91.52	34.59	10.88	35.91	0.00	342	274	AVERAGE																																																																																			



Mode	16																																																																																																																																				
	Harmonic																																																																																																																																				
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_5500MHz																																																																																																																																				
ANT	CDD 0+1																																																																																																																																				
Pol.	Horizontal	Vertical																																																																																																																																			
Peak Avg																																																																																																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>52.60</td> <td>74.00</td> <td>-21.40</td> <td>65.13</td> <td>37.90</td> <td>16.04</td> <td>66.47</td> <td>0.00</td> <td>391</td> <td>29</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11000.00</td> <td>43.98</td> <td>54.00</td> <td>-10.02</td> <td>56.51</td> <td>37.90</td> <td>16.04</td> <td>66.47</td> <td>0.00</td> <td>391</td> <td>29</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>16500.00</td> <td>57.96</td> <td>68.20</td> <td>-10.24</td> <td>61.61</td> <td>40.90</td> <td>19.67</td> <td>64.22</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11000.00	52.60	74.00	-21.40	65.13	37.90	16.04	66.47	0.00	391	29	PEAK	2	11000.00	43.98	54.00	-10.02	56.51	37.90	16.04	66.47	0.00	391	29	AVERAGE	3	16500.00	57.96	68.20	-10.24	61.61	40.90	19.67	64.22	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10995.20</td> <td>54.34</td> <td>74.00</td> <td>-19.66</td> <td>66.87</td> <td>37.90</td> <td>16.04</td> <td>66.47</td> <td>0.00</td> <td>100</td> <td>350</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10995.20</td> <td>44.95</td> <td>54.00</td> <td>-9.05</td> <td>57.48</td> <td>37.90</td> <td>16.04</td> <td>66.47</td> <td>0.00</td> <td>100</td> <td>350</td> <td>Average</td> </tr> <tr> <td>3</td> <td>16500.70</td> <td>63.97</td> <td>68.20</td> <td>-4.23</td> <td>67.63</td> <td>40.90</td> <td>19.67</td> <td>64.23</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	10995.20	54.34	74.00	-19.66	66.87	37.90	16.04	66.47	0.00	100	350	Peak	2	10995.20	44.95	54.00	-9.05	57.48	37.90	16.04	66.47	0.00	100	350	Average	3	16500.70	63.97	68.20	-4.23	67.63	40.90	19.67	64.23	0.00	---	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																													
1	11000.00	52.60	74.00	-21.40	65.13	37.90	16.04	66.47	0.00	391	29	PEAK																																																																																																																									
2	11000.00	43.98	54.00	-10.02	56.51	37.90	16.04	66.47	0.00	391	29	AVERAGE																																																																																																																									
3	16500.00	57.96	68.20	-10.24	61.61	40.90	19.67	64.22	0.00	---	---	PEAK																																																																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																													
1	10995.20	54.34	74.00	-19.66	66.87	37.90	16.04	66.47	0.00	100	350	Peak																																																																																																																									
2	10995.20	44.95	54.00	-9.05	57.48	37.90	16.04	66.47	0.00	100	350	Average																																																																																																																									
3	16500.70	63.97	68.20	-4.23	67.63	40.90	19.67	64.23	0.00	---	---	Peak																																																																																																																									



Mode	17																																																																																														
	Band Edge - L																																																																																														
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH116_5580MHz																																																																																														
ANT	CDD 0+1																																																																																														
Pol.	Horizontal	Fundamental																																																																																													
Peak	 <table border="1" data-bbox="255 1097 798 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5366.96</td> <td>49.48</td> <td>74.00</td> <td>-24.52</td> <td>40.43</td> <td>34.50</td> <td>10.76</td> <td>36.21</td> <td>0.00</td> <td>100</td> <td>235</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.24</td> <td>49.24</td> <td>68.20</td> <td>-18.96</td> <td>39.79</td> <td>34.57</td> <td>10.85</td> <td>35.97</td> <td>0.00</td> <td>100</td> <td>235</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5366.96	49.48	74.00	-24.52	40.43	34.50	10.76	36.21	0.00	100	235	PEAK	2	5468.24	49.24	68.20	-18.96	39.79	34.57	10.85	35.97	0.00	100	235	PEAK	 <table border="1" data-bbox="877 1097 1436 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5580.00</td> <td>113.98</td> <td>-----</td> <td>-----</td> <td>104.11</td> <td>34.60</td> <td>10.98</td> <td>35.71</td> <td>0.00</td> <td>100</td> <td>235</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5580.00	113.98	-----	-----	104.11	34.60	10.98	35.71	0.00	100	235	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5366.96	49.48	74.00	-24.52	40.43	34.50	10.76	36.21	0.00	100	235	PEAK																																																																																			
2	5468.24	49.24	68.20	-18.96	39.79	34.57	10.85	35.97	0.00	100	235	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5580.00	113.98	-----	-----	104.11	34.60	10.98	35.71	0.00	100	235	PEAK																																																																																			
Avg	 <table border="1" data-bbox="255 1792 798 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.11</td> <td>39.13</td> <td>54.00</td> <td>-14.87</td> <td>29.74</td> <td>34.56</td> <td>10.83</td> <td>36.00</td> <td>0.00</td> <td>100</td> <td>235</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5455.11	39.13	54.00	-14.87	29.74	34.56	10.83	36.00	0.00	100	235	AVERAGE	 <table border="1" data-bbox="877 1792 1436 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5580.00</td> <td>105.11</td> <td>-----</td> <td>-----</td> <td>95.22</td> <td>34.60</td> <td>10.98</td> <td>35.69</td> <td>0.00</td> <td>100</td> <td>235</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5580.00	105.11	-----	-----	95.22	34.60	10.98	35.69	0.00	100	235	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5455.11	39.13	54.00	-14.87	29.74	34.56	10.83	36.00	0.00	100	235	AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5580.00	105.11	-----	-----	95.22	34.60	10.98	35.69	0.00	100	235	AVERAGE																																																																																			






Mode	17																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH116_5580MHz																																								
ANT	CDD 0+1																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5726.04</td> <td>49.08</td> <td>68.20</td> <td>-19.12</td> <td>40.44</td> <td>34.68</td> <td>11.18</td> <td>37.22</td> <td>0.00</td> <td>100</td> <td>235</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.04	49.08	68.20	-19.12	40.44	34.68	11.18	37.22	0.00	100	235	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1	5726.04	49.08	68.20	-19.12	40.44	34.68	11.18	37.22	0.00	100	235	PEAK																													



Mode	17																																																																																																																																				
	Harmonic																																																																																																																																				
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH116_5580MHz																																																																																																																																				
ANT	CDD 0+1																																																																																																																																				
Pol.	Horizontal	Vertical																																																																																																																																			
Peak Avg																																																																																																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>56.29</td> <td>74.00</td> <td>-17.71</td> <td>68.51</td> <td>38.03</td> <td>16.15</td> <td>66.40</td> <td>0.00</td> <td>104</td> <td>236</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>46.13</td> <td>54.00</td> <td>-7.87</td> <td>58.35</td> <td>38.03</td> <td>16.15</td> <td>66.40</td> <td>0.00</td> <td>104</td> <td>236</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>16732.80</td> <td>60.75</td> <td>68.20</td> <td>-7.45</td> <td>64.13</td> <td>41.09</td> <td>19.83</td> <td>64.30</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11160.00	56.29	74.00	-17.71	68.51	38.03	16.15	66.40	0.00	104	236	PEAK	2	11160.00	46.13	54.00	-7.87	58.35	38.03	16.15	66.40	0.00	104	236	AVERAGE	3	16732.80	60.75	68.20	-7.45	64.13	41.09	19.83	64.30	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>59.75</td> <td>74.00</td> <td>-14.25</td> <td>71.97</td> <td>38.03</td> <td>16.15</td> <td>66.40</td> <td>0.00</td> <td>286</td> <td>75</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>49.67</td> <td>54.00</td> <td>-4.33</td> <td>61.89</td> <td>38.03</td> <td>16.15</td> <td>66.40</td> <td>0.00</td> <td>286</td> <td>75</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>16737.20</td> <td>63.57</td> <td>68.20</td> <td>-4.63</td> <td>66.95</td> <td>41.09</td> <td>19.83</td> <td>64.30</td> <td>0.00</td> <td>300</td> <td>120</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11160.00	59.75	74.00	-14.25	71.97	38.03	16.15	66.40	0.00	286	75	PEAK	2	11160.00	49.67	54.00	-4.33	61.89	38.03	16.15	66.40	0.00	286	75	AVERAGE	3	16737.20	63.57	68.20	-4.63	66.95	41.09	19.83	64.30	0.00	300	120
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																													
1	11160.00	56.29	74.00	-17.71	68.51	38.03	16.15	66.40	0.00	104	236	PEAK																																																																																																																									
2	11160.00	46.13	54.00	-7.87	58.35	38.03	16.15	66.40	0.00	104	236	AVERAGE																																																																																																																									
3	16732.80	60.75	68.20	-7.45	64.13	41.09	19.83	64.30	0.00	---	---	Peak																																																																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																													
1	11160.00	59.75	74.00	-14.25	71.97	38.03	16.15	66.40	0.00	286	75	PEAK																																																																																																																									
2	11160.00	49.67	54.00	-4.33	61.89	38.03	16.15	66.40	0.00	286	75	AVERAGE																																																																																																																									
3	16737.20	63.57	68.20	-4.63	66.95	41.09	19.83	64.30	0.00	300	120	Peak																																																																																																																									



Mode	18																																																																																														
	Band Edge - L																																																																																														
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																																														
ANT	CDD 0+1																																																																																														
Pol.	Horizontal	Fundamental																																																																																													
Peak	 <table border="1" data-bbox="263 1131 782 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.08</td> <td>65.10</td> <td>68.20</td> <td>-3.10</td> <td>56.44</td> <td>34.68</td> <td>11.18</td> <td>37.20</td> <td>0.00</td> <td>100</td> <td>344</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5725.08	65.10	68.20	-3.10	56.44	34.68	11.18	37.20	0.00	100	344	PEAK	 <table border="1" data-bbox="901 1120 1420 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4558.00</td> <td>53.37</td> <td>74.00</td> <td>-20.63</td> <td>47.54</td> <td>33.96</td> <td>9.96</td> <td>38.09</td> <td>0.00</td> <td>127</td> <td>179</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5700.00</td> <td>104.89</td> <td>-----</td> <td>-----</td> <td>95.93</td> <td>34.61</td> <td>11.15</td> <td>36.80</td> <td>0.00</td> <td>100</td> <td>344</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4558.00	53.37	74.00	-20.63	47.54	33.96	9.96	38.09	0.00	127	179	PEAK	2	5700.00	104.89	-----	-----	95.93	34.61	11.15	36.80	0.00	100	344	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5725.08	65.10	68.20	-3.10	56.44	34.68	11.18	37.20	0.00	100	344	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	4558.00	53.37	74.00	-20.63	47.54	33.96	9.96	38.09	0.00	127	179	PEAK																																																																																			
2	5700.00	104.89	-----	-----	95.93	34.61	11.15	36.80	0.00	100	344	PEAK																																																																																			
Avg	Blank	 <table border="1" data-bbox="901 1803 1420 1937"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4558.00</td> <td>50.15</td> <td>54.00</td> <td>-3.85</td> <td>44.32</td> <td>33.96</td> <td>9.96</td> <td>38.09</td> <td>0.00</td> <td>127</td> <td>179</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>5700.00</td> <td>96.52</td> <td>-----</td> <td>-----</td> <td>87.56</td> <td>34.61</td> <td>11.15</td> <td>36.80</td> <td>0.00</td> <td>100</td> <td>344</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4558.00	50.15	54.00	-3.85	44.32	33.96	9.96	38.09	0.00	127	179	AVERAGE	2	5700.00	96.52	-----	-----	87.56	34.61	11.15	36.80	0.00	100	344	AVERAGE																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	4558.00	50.15	54.00	-3.85	44.32	33.96	9.96	38.09	0.00	127	179	AVERAGE																																																																																			
2	5700.00	96.52	-----	-----	87.56	34.61	11.15	36.80	0.00	100	344	AVERAGE																																																																																			



Mode	18																																																																																														
	Band Edge - L																																																																																														
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																																														
ANT	CDD 0+1																																																																																														
Pol.	Vertical	Fundamental																																																																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5729.48</td> <td>62.07</td> <td>68.20</td> <td>-6.13</td> <td>53.49</td> <td>34.69</td> <td>11.18</td> <td>37.29</td> <td>0.00</td> <td>100</td> <td>85</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5729.48	62.07	68.20	-6.13	53.49	34.69	11.18	37.29	0.00	100	85	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4558.00</td> <td>51.64</td> <td>74.00</td> <td>-22.36</td> <td>45.81</td> <td>33.96</td> <td>9.96</td> <td>38.09</td> <td>0.00</td> <td>100</td> <td>97</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5700.00</td> <td>100.15</td> <td>-----</td> <td>-----</td> <td>91.19</td> <td>34.61</td> <td>11.15</td> <td>36.80</td> <td>0.00</td> <td>100</td> <td>85</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4558.00	51.64	74.00	-22.36	45.81	33.96	9.96	38.09	0.00	100	97	PEAK	2	5700.00	100.15	-----	-----	91.19	34.61	11.15	36.80	0.00	100	85	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5729.48	62.07	68.20	-6.13	53.49	34.69	11.18	37.29	0.00	100	85	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	4558.00	51.64	74.00	-22.36	45.81	33.96	9.96	38.09	0.00	100	97	PEAK																																																																																			
2	5700.00	100.15	-----	-----	91.19	34.61	11.15	36.80	0.00	100	85	PEAK																																																																																			





Mode	18																																																																																																																										
	Harmonic																																																																																																																										
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																																																																										
ANT	CDD 0+1																																																																																																																										
Pol.	Horizontal	Vertical																																																																																																																									
Peak Avg	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>11400.00</td> <td>50.67</td> <td>PEAK</td> </tr> <tr> <td>17100.00</td> <td>52.62</td> <td>PEAK</td> </tr> </tbody> </table>	Freq	Level	Remark	11400.00	50.67	PEAK	17100.00	52.62	PEAK	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>11400.00</td> <td>42.16</td> <td>AVERAGE</td> </tr> <tr> <td>17100.00</td> <td>52.62</td> <td>PEAK</td> </tr> </tbody> </table>	Freq	Level	Remark	11400.00	42.16	AVERAGE	17100.00	52.62	PEAK																																																																																																							
	Freq	Level	Remark																																																																																																																								
11400.00	50.67	PEAK																																																																																																																									
17100.00	52.62	PEAK																																																																																																																									
Freq	Level	Remark																																																																																																																									
11400.00	42.16	AVERAGE																																																																																																																									
17100.00	52.62	PEAK																																																																																																																									
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>45.69</td> <td>74.00</td> <td>-28.31</td> <td>57.46</td> <td>38.22</td> <td>16.30</td> <td>66.29</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>17100.00</td> <td>48.58</td> <td>68.20</td> <td>-19.62</td> <td>51.70</td> <td>41.28</td> <td>20.07</td> <td>64.47</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	45.69	74.00	-28.31	57.46	38.22	16.30	66.29	0.00	---	---	PEAK	2	17100.00	48.58	68.20	-19.62	51.70	41.28	20.07	64.47	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>50.67</td> <td>74.00</td> <td>-23.33</td> <td>62.44</td> <td>38.22</td> <td>16.30</td> <td>66.29</td> <td>0.00</td> <td>256</td> <td>87</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11400.00</td> <td>42.16</td> <td>54.00</td> <td>-11.84</td> <td>53.93</td> <td>38.22</td> <td>16.30</td> <td>66.29</td> <td>0.00</td> <td>256</td> <td>87</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>17100.00</td> <td>52.62</td> <td>68.20</td> <td>-15.58</td> <td>55.74</td> <td>41.28</td> <td>20.07</td> <td>64.47</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	50.67	74.00	-23.33	62.44	38.22	16.30	66.29	0.00	256	87	PEAK	2	11400.00	42.16	54.00	-11.84	53.93	38.22	16.30	66.29	0.00	256	87	AVERAGE	3	17100.00	52.62	68.20	-15.58	55.74	41.28	20.07	64.47	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	11400.00	45.69	74.00	-28.31	57.46	38.22	16.30	66.29	0.00	---	---	PEAK																																																																																																															
2	17100.00	48.58	68.20	-19.62	51.70	41.28	20.07	64.47	0.00	---	---	PEAK																																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	11400.00	50.67	74.00	-23.33	62.44	38.22	16.30	66.29	0.00	256	87	PEAK																																																																																																															
2	11400.00	42.16	54.00	-11.84	53.93	38.22	16.30	66.29	0.00	256	87	AVERAGE																																																																																																															
3	17100.00	52.62	68.20	-15.58	55.74	41.28	20.07	64.47	0.00	---	---	PEAK																																																																																																															







Mode	18	
	18G-40G	
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg		



Mode	18																																																																																																																																																																								
	30-1G																																																																																																																																																																								
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																																																																																																																								
ANT	CDD 0+1																																																																																																																																																																								
Pol.	Horizontal	Vertical																																																																																																																																																																							
QP																																																																																																																																																																									
	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit Line (dBuV/m)</th> <th>Read Level (dBuV/m)</th> <th>Cable Loss (dB)</th> <th>Antenna Factor (dB/m)</th> <th>Preamp Factor (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>30.00</td><td>21.29</td><td>-18.71</td><td>40.00</td><td>29.03</td><td>0.71</td><td>24.57</td><td>33.02</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>92.08</td><td>20.40</td><td>-23.10</td><td>43.50</td><td>36.28</td><td>1.44</td><td>15.54</td><td>32.86</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>241.46</td><td>23.59</td><td>-22.41</td><td>46.00</td><td>36.10</td><td>2.37</td><td>17.90</td><td>32.78</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>328.76</td><td>24.64</td><td>-21.36</td><td>46.00</td><td>34.80</td><td>2.76</td><td>19.96</td><td>32.88</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>590.66</td><td>25.21</td><td>-20.79</td><td>46.00</td><td>29.62</td><td>3.71</td><td>24.97</td><td>33.09</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>838.98</td><td>28.91</td><td>-17.09</td><td>46.00</td><td>30.43</td><td>4.42</td><td>26.52</td><td>32.46</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	Read Level (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	30.00	21.29	-18.71	40.00	29.03	0.71	24.57	33.02	---	---	Peak	2	92.08	20.40	-23.10	43.50	36.28	1.44	15.54	32.86	---	---	Peak	3	241.46	23.59	-22.41	46.00	36.10	2.37	17.90	32.78	---	---	Peak	4	328.76	24.64	-21.36	46.00	34.80	2.76	19.96	32.88	---	---	Peak	5	590.66	25.21	-20.79	46.00	29.62	3.71	24.97	33.09	---	---	Peak	6	838.98	28.91	-17.09	46.00	30.43	4.42	26.52	32.46	---	---	Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit Line (dBuV/m)</th> <th>Read Level (dBuV/m)</th> <th>Cable Loss (dB)</th> <th>Antenna Factor (dB/m)</th> <th>Preamp Factor (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>32.91</td><td>25.50</td><td>-14.50</td><td>40.00</td><td>34.62</td><td>0.76</td><td>23.06</td><td>32.94</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>86.26</td><td>19.80</td><td>-20.20</td><td>40.00</td><td>36.85</td><td>1.39</td><td>14.39</td><td>32.83</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>156.10</td><td>19.97</td><td>-23.53</td><td>43.50</td><td>34.60</td><td>1.89</td><td>16.30</td><td>32.82</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>202.66</td><td>19.44</td><td>-24.06</td><td>43.50</td><td>34.53</td><td>2.17</td><td>15.58</td><td>32.84</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>328.76</td><td>21.29</td><td>-24.71</td><td>46.00</td><td>31.45</td><td>2.76</td><td>19.96</td><td>32.88</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>764.29</td><td>27.59</td><td>-18.41</td><td>46.00</td><td>30.19</td><td>4.23</td><td>25.95</td><td>32.78</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	Read Level (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	32.91	25.50	-14.50	40.00	34.62	0.76	23.06	32.94	---	---	Peak	2	86.26	19.80	-20.20	40.00	36.85	1.39	14.39	32.83	---	---	Peak	3	156.10	19.97	-23.53	43.50	34.60	1.89	16.30	32.82	---	---	Peak	4	202.66	19.44	-24.06	43.50	34.53	2.17	15.58	32.84	---	---	Peak	5	328.76	21.29	-24.71	46.00	31.45	2.76	19.96	32.88	---	---	Peak	6	764.29	27.59	-18.41	46.00	30.19	4.23	25.95	32.78	---	---
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	Read Level (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																														
1	30.00	21.29	-18.71	40.00	29.03	0.71	24.57	33.02	---	---	Peak																																																																																																																																																														
2	92.08	20.40	-23.10	43.50	36.28	1.44	15.54	32.86	---	---	Peak																																																																																																																																																														
3	241.46	23.59	-22.41	46.00	36.10	2.37	17.90	32.78	---	---	Peak																																																																																																																																																														
4	328.76	24.64	-21.36	46.00	34.80	2.76	19.96	32.88	---	---	Peak																																																																																																																																																														
5	590.66	25.21	-20.79	46.00	29.62	3.71	24.97	33.09	---	---	Peak																																																																																																																																																														
6	838.98	28.91	-17.09	46.00	30.43	4.42	26.52	32.46	---	---	Peak																																																																																																																																																														
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	Read Level (dBuV/m)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																														
1	32.91	25.50	-14.50	40.00	34.62	0.76	23.06	32.94	---	---	Peak																																																																																																																																																														
2	86.26	19.80	-20.20	40.00	36.85	1.39	14.39	32.83	---	---	Peak																																																																																																																																																														
3	156.10	19.97	-23.53	43.50	34.60	1.89	16.30	32.82	---	---	Peak																																																																																																																																																														
4	202.66	19.44	-24.06	43.50	34.53	2.17	15.58	32.84	---	---	Peak																																																																																																																																																														
5	328.76	21.29	-24.71	46.00	31.45	2.76	19.96	32.88	---	---	Peak																																																																																																																																																														
6	764.29	27.59	-18.41	46.00	30.19	4.23	25.95	32.78	---	---	Peak																																																																																																																																																														



		19																																																																			
Mode		Band Edge - L																																																																			
		U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																																			
ANT		CDD 0+1																																																																			
Pol.		Horizontal	Fundamental																																																																		
Peak	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.92</td> <td>68.18</td> <td>74.00</td> <td>-5.82</td> <td>60.15</td> <td>34.15</td> <td>10.61</td> <td>36.73</td> <td>0.00</td> <td>143</td> <td>360 PEAK</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5149.92	68.18	74.00	-5.82	60.15	34.15	10.61	36.73	0.00	143	360 PEAK	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>104.11</td> <td>-----</td> <td>95.81</td> <td>34.28</td> <td>10.65</td> <td>36.63</td> <td>0.00</td> <td>143</td> <td>360 PEAK</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5190.00	104.11	-----	95.81	34.28	10.65	36.63	0.00	143	360 PEAK
	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	5149.92	68.18	74.00	-5.82	60.15	34.15	10.61	36.73	0.00	143	360 PEAK																																																										
Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	5190.00	104.11	-----	95.81	34.28	10.65	36.63	0.00	143	360 PEAK																																																											
Avg	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.96</td> <td>50.82</td> <td>54.00</td> <td>-3.18</td> <td>42.80</td> <td>34.15</td> <td>10.61</td> <td>36.74</td> <td>0.00</td> <td>143</td> <td>360 AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5148.96	50.82	54.00	-3.18	42.80	34.15	10.61	36.74	0.00	143	360 AVERAGE	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>95.75</td> <td>-----</td> <td>87.52</td> <td>34.25</td> <td>10.64</td> <td>36.66</td> <td>0.00</td> <td>143</td> <td>360 AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5190.00	95.75	-----	87.52	34.25	10.64	36.66	0.00	143	360 AVERAGE
Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	5148.96	50.82	54.00	-3.18	42.80	34.15	10.61	36.74	0.00	143	360 AVERAGE																																																										
Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	5190.00	95.75	-----	87.52	34.25	10.64	36.66	0.00	143	360 AVERAGE																																																											



Mode	19																																										
	Band Edge - R																																										
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																										
ANT	CDD 0+1																																										
Pol.	Horizontal	Fundamental																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5376.03</td> <td>47.73</td> <td>74.00</td> <td>-26.27</td> <td>38.66</td> <td>34.50</td> <td>10.76</td> <td>36.19</td> <td>0.00</td> <td>143</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5376.03	47.73	74.00	-26.27	38.66	34.50	10.76	36.19	0.00	143	360	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5376.03	47.73	74.00	-26.27	38.66	34.50	10.76	36.19	0.00	143	360	PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5366.85</td> <td>38.45</td> <td>54.00</td> <td>-15.55</td> <td>29.40</td> <td>34.50</td> <td>10.76</td> <td>36.21</td> <td>0.00</td> <td>143</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5366.85	38.45	54.00	-15.55	29.40	34.50	10.76	36.21	0.00	143	360	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5366.85	38.45	54.00	-15.55	29.40	34.50	10.76	36.21	0.00	143	360	AVERAGE																															



Mode	19																																																																																																																																																	
	Band Edge - L																																																																																																																																																	
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																																																																																																																	
ANT	CDD 0+1																																																																																																																																																	
Pol.	Vertical	Fundamental																																																																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.92</td> <td>67.03</td> <td>74.00</td> <td>-6.97</td> <td>59.00</td> <td>34.15</td> <td>10.61</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>36.73</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>306</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>228</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5149.92	67.03	74.00	-6.97	59.00	34.15	10.61								36.73								0.00								306								228								PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>99.62</td> <td>-----</td> <td>-----</td> <td>91.39</td> <td>34.25</td> <td>10.64</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>36.66</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>306</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>228</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5190.00	99.62	-----	-----	91.39	34.25	10.64								36.66								0.00								306								228								PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																											
1	5149.92	67.03	74.00	-6.97	59.00	34.15	10.61																																																																																																																																											
							36.73																																																																																																																																											
							0.00																																																																																																																																											
							306																																																																																																																																											
							228																																																																																																																																											
							PEAK																																																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																											
1	5190.00	99.62	-----	-----	91.39	34.25	10.64																																																																																																																																											
							36.66																																																																																																																																											
							0.00																																																																																																																																											
							306																																																																																																																																											
							228																																																																																																																																											
							PEAK																																																																																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.92</td> <td>47.22</td> <td>54.00</td> <td>-6.78</td> <td>39.19</td> <td>34.15</td> <td>10.61</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>36.73</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>306</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>228</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5149.92	47.22	54.00	-6.78	39.19	34.15	10.61								36.73								0.00								306								228								AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>91.58</td> <td>-----</td> <td>-----</td> <td>83.38</td> <td>34.23</td> <td>10.64</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>36.67</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>306</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>228</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5190.00	91.58	-----	-----	83.38	34.23	10.64								36.67								0.00								306								228								AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																											
1	5149.92	47.22	54.00	-6.78	39.19	34.15	10.61																																																																																																																																											
							36.73																																																																																																																																											
							0.00																																																																																																																																											
							306																																																																																																																																											
							228																																																																																																																																											
							AVERAGE																																																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																											
1	5190.00	91.58	-----	-----	83.38	34.23	10.64																																																																																																																																											
							36.67																																																																																																																																											
							0.00																																																																																																																																											
							306																																																																																																																																											
							228																																																																																																																																											
							AVERAGE																																																																																																																																											







Mode	19																																																									
	Band Edge - R																																																									
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																									
ANT	CDD 0+1																																																									
Pol.	Vertical	Fundamental																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5448.93</td> <td>49.17</td> <td>74.00</td> <td>-24.83</td> <td>39.81</td> <td>34.55</td> <td>10.83</td> <td>36.02</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>306</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>228</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5448.93	49.17	74.00	-24.83	39.81	34.55	10.83	36.02							0.00	306								228								PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																			
1 5448.93	49.17	74.00	-24.83	39.81	34.55	10.83	36.02																																																			
						0.00	306																																																			
							228																																																			
							PEAK																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5458.38</td> <td>38.14</td> <td>54.00</td> <td>-15.86</td> <td>28.74</td> <td>34.56</td> <td>10.84</td> <td>36.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>306</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>228</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5458.38	38.14	54.00	-15.86	28.74	34.56	10.84	36.00							0.00	306								228								AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																			
1 5458.38	38.14	54.00	-15.86	28.74	34.56	10.84	36.00																																																			
						0.00	306																																																			
							228																																																			
							AVERAGE																																																			



Mode	19																																																																											
	Harmonic																																																																											
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																																											
ANT	CDD 0+1																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak																																																																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10380.00</td> <td>47.51</td> <td>68.20</td> <td>-20.69</td> <td>61.31</td> <td>37.47</td> <td>15.47</td> <td>66.74</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10380.00	47.51	68.20	-20.69	61.31	37.47	15.47	66.74	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10380.00</td> <td>45.12</td> <td>68.20</td> <td>-23.08</td> <td>58.92</td> <td>37.47</td> <td>15.47</td> <td>66.74</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10380.00	45.12	68.20	-23.08	58.92	37.47	15.47	66.74	0.00	--- --- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 10380.00	47.51	68.20	-20.69	61.31	37.47	15.47	66.74	0.00	--- --- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 10380.00	45.12	68.20	-23.08	58.92	37.47	15.47	66.74	0.00	--- --- PEAK																																																																			









Mode	20																																																																																									
	Band Edge - L																																																																																									
	U-NII-1_5.15-5.25_802.11ac VHT40_CH46_5230MHz																																																																																									
ANT	CDD 0+1																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5146.88</td> <td>65.34</td> <td>74.00</td> <td>-8.66</td> <td>57.33</td> <td>34.14</td> <td>10.61</td> <td>36.74</td> <td>0.00</td> <td>160</td> <td>182</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5146.88	65.34	74.00	-8.66	57.33	34.14	10.61	36.74	0.00	160	182	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>111.57</td> <td>-----</td> <td>-----</td> <td>103.05</td> <td>34.37</td> <td>10.68</td> <td>36.53</td> <td>0.00</td> <td>160</td> <td>182</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5230.00	111.57	-----	-----	103.05	34.37	10.68	36.53	0.00	160	182	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5146.88	65.34	74.00	-8.66	57.33	34.14	10.61	36.74	0.00	160	182	PEAK																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5230.00	111.57	-----	-----	103.05	34.37	10.68	36.53	0.00	160	182	PEAK																																																																														
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.76</td> <td>50.70</td> <td>54.00</td> <td>-3.30</td> <td>42.68</td> <td>34.15</td> <td>10.61</td> <td>36.74</td> <td>0.00</td> <td>160</td> <td>182</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.76	50.70	54.00	-3.30	42.68	34.15	10.61	36.74	0.00	160	182	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>104.30</td> <td>-----</td> <td>-----</td> <td>95.80</td> <td>34.36</td> <td>10.68</td> <td>36.54</td> <td>0.00</td> <td>160</td> <td>182</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5230.00	104.30	-----	-----	95.80	34.36	10.68	36.54	0.00	160	182	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5149.76	50.70	54.00	-3.30	42.68	34.15	10.61	36.74	0.00	160	182	AVERAGE																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5230.00	104.30	-----	-----	95.80	34.36	10.68	36.54	0.00	160	182	AVERAGE																																																																														



Mode	20																																																									
	Band Edge - R																																																									
	U-NII-1_5.15-5.25_802.11ac VHT40_CH46_5230MHz																																																									
ANT	CDD 0+1																																																									
Pol.	Horizontal	Fundamental																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5356.08</td> <td>58.52</td> <td>74.00</td> <td>-15.48</td> <td>49.51</td> <td>34.50</td> <td>10.75</td> <td>36.24</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>160</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>182</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5356.08	58.52	74.00	-15.48	49.51	34.50	10.75	36.24							0.00	160								182								PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																			
1 5356.08	58.52	74.00	-15.48	49.51	34.50	10.75	36.24																																																			
						0.00	160																																																			
							182																																																			
							PEAK																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5356.08</td> <td>47.86</td> <td>54.00</td> <td>-6.14</td> <td>38.86</td> <td>34.50</td> <td>10.75</td> <td>36.25</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>160</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>182</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5356.08	47.86	54.00	-6.14	38.86	34.50	10.75	36.25							0.00	160								182								AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																			
1 5356.08	47.86	54.00	-6.14	38.86	34.50	10.75	36.25																																																			
						0.00	160																																																			
							182																																																			
							AVERAGE																																																			



Mode	20																																																																																									
	Band Edge - L																																																																																									
	U-NII-1_5.15-5.25_802.11ac VHT40_CH46_5230MHz																																																																																									
ANT	CDD 0+1																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5142.88</td> <td>58.77</td> <td>74.00</td> <td>-15.23</td> <td>50.79</td> <td>34.13</td> <td>10.60</td> <td>36.75</td> <td>0.00</td> <td>380</td> <td>276</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5142.88	58.77	74.00	-15.23	50.79	34.13	10.60	36.75	0.00	380	276	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>106.71</td> <td>-----</td> <td>-----</td> <td>98.16</td> <td>34.38</td> <td>10.68</td> <td>36.51</td> <td>0.00</td> <td>380</td> <td>276</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5230.00	106.71	-----	-----	98.16	34.38	10.68	36.51	0.00	380	276	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5142.88	58.77	74.00	-15.23	50.79	34.13	10.60	36.75	0.00	380	276	PEAK																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5230.00	106.71	-----	-----	98.16	34.38	10.68	36.51	0.00	380	276	PEAK																																																																														
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.28</td> <td>49.44</td> <td>54.00</td> <td>-4.56</td> <td>41.42</td> <td>34.15</td> <td>10.61</td> <td>36.74</td> <td>0.00</td> <td>380</td> <td>276</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.28	49.44	54.00	-4.56	41.42	34.15	10.61	36.74	0.00	380	276	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>99.27</td> <td>-----</td> <td>-----</td> <td>90.77</td> <td>34.36</td> <td>10.68</td> <td>36.54</td> <td>0.00</td> <td>380</td> <td>276</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5230.00	99.27	-----	-----	90.77	34.36	10.68	36.54	0.00	380	276	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5149.28	49.44	54.00	-4.56	41.42	34.15	10.61	36.74	0.00	380	276	AVERAGE																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5230.00	99.27	-----	-----	90.77	34.36	10.68	36.54	0.00	380	276	AVERAGE																																																																														



Mode	20																																						
	Band Edge - R																																						
	U-NII-1_5.15-5.25_802.11ac VHT40_CH46_5230MHz																																						
ANT	CDD 0+1																																						
Pol.	Vertical	Fundamental																																					
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5362.38</td> <td>58.57</td> <td>74.00</td> <td>-15.43</td> <td>49.55</td> <td>34.50</td> <td>10.75</td> <td>36.23</td> <td>0.00</td> <td>380</td> <td>276</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5362.38	58.57	74.00	-15.43	49.55	34.50	10.75	36.23	0.00	380	276	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																
1	5362.38	58.57	74.00	-15.43	49.55	34.50	10.75	36.23	0.00	380	276	PEAK																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5353.74</td> <td>47.43</td> <td>54.00</td> <td>-6.57</td> <td>38.43</td> <td>34.50</td> <td>10.75</td> <td>36.25</td> <td>0.00</td> <td>380</td> <td>276</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5353.74	47.43	54.00	-6.57	38.43	34.50	10.75	36.25	0.00	380	276	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																
1	5353.74	47.43	54.00	-6.57	38.43	34.50	10.75	36.25	0.00	380	276	AVERAGE																											



Mode	20																																																																																																																																					
	Harmonic																																																																																																																																					
	U-NII-1_5.15-5.25_802.11ac VHT40_CH46_5230MHz																																																																																																																																					
ANT	CDD 0+1																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10449.60</td> <td>51.93</td> <td>68.20</td> <td>-16.27</td> <td>65.60</td> <td>37.51</td> <td>15.53</td> <td>66.71</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15692.20</td> <td>55.25</td> <td>74.00</td> <td>-18.75</td> <td>60.03</td> <td>40.22</td> <td>19.14</td> <td>64.14</td> <td>0.00</td> <td>300</td> <td>286</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>15692.20</td> <td>46.23</td> <td>54.00</td> <td>-7.77</td> <td>51.01</td> <td>40.22</td> <td>19.14</td> <td>64.14</td> <td>0.00</td> <td>300</td> <td>286</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	10449.60	51.93	68.20	-16.27	65.60	37.51	15.53	66.71	0.00	---	---	Peak	2	15692.20	55.25	74.00	-18.75	60.03	40.22	19.14	64.14	0.00	300	286	Peak	3	15692.20	46.23	54.00	-7.77	51.01	40.22	19.14	64.14	0.00	300	286	Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10452.90</td> <td>51.74</td> <td>68.20</td> <td>-16.46</td> <td>65.38</td> <td>37.52</td> <td>15.54</td> <td>66.70</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15690.00</td> <td>60.71</td> <td>74.00</td> <td>-13.29</td> <td>65.49</td> <td>40.22</td> <td>19.14</td> <td>64.14</td> <td>0.00</td> <td>214</td> <td>68</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15690.00</td> <td>50.57</td> <td>54.00</td> <td>-3.43</td> <td>55.36</td> <td>40.21</td> <td>19.14</td> <td>64.14</td> <td>0.00</td> <td>214</td> <td>68</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	10452.90	51.74	68.20	-16.46	65.38	37.52	15.54	66.70	0.00	---	---	Peak	2	15690.00	60.71	74.00	-13.29	65.49	40.22	19.14	64.14	0.00	214	68	PEAK	3	15690.00	50.57	54.00	-3.43	55.36	40.21	19.14	64.14	0.00	214	68	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																														
1	10449.60	51.93	68.20	-16.27	65.60	37.51	15.53	66.71	0.00	---	---	Peak																																																																																																																										
2	15692.20	55.25	74.00	-18.75	60.03	40.22	19.14	64.14	0.00	300	286	Peak																																																																																																																										
3	15692.20	46.23	54.00	-7.77	51.01	40.22	19.14	64.14	0.00	300	286	Average																																																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																														
1	10452.90	51.74	68.20	-16.46	65.38	37.52	15.54	66.70	0.00	---	---	Peak																																																																																																																										
2	15690.00	60.71	74.00	-13.29	65.49	40.22	19.14	64.14	0.00	214	68	PEAK																																																																																																																										
3	15690.00	50.57	54.00	-3.43	55.36	40.21	19.14	64.14	0.00	214	68	AVERAGE																																																																																																																										







Mode	21																																																																																	
	Band Edge - L																																																																																	
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH54_5270MHz																																																																																	
ANT	CDD 0+1																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5113.13</td> <td>59.19</td> <td>74.00</td> <td>-14.81</td> <td>51.40</td> <td>34.04</td> <td>10.57</td> <td>36.82</td> <td>0.00</td> <td>128</td> <td>178</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5113.13	59.19	74.00	-14.81	51.40	34.04	10.57	36.82	0.00	128	178	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>112.26</td> <td>-----</td> <td>-----</td> <td>103.59</td> <td>34.43</td> <td>10.70</td> <td>36.46</td> <td>0.00</td> <td>128</td> <td>178</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5270.00	112.26	-----	-----	103.59	34.43	10.70	36.46	0.00	128	178	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5113.13	59.19	74.00	-14.81	51.40	34.04	10.57	36.82	0.00	128	178	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5270.00	112.26	-----	-----	103.59	34.43	10.70	36.46	0.00	128	178	PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5141.21</td> <td>48.88</td> <td>54.00</td> <td>-5.12</td> <td>40.92</td> <td>34.12</td> <td>10.60</td> <td>36.76</td> <td>0.00</td> <td>128</td> <td>178</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5141.21	48.88	54.00	-5.12	40.92	34.12	10.60	36.76	0.00	128	178	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>104.23</td> <td>-----</td> <td>-----</td> <td>95.56</td> <td>34.43</td> <td>10.70</td> <td>36.46</td> <td>0.00</td> <td>128</td> <td>178</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5270.00	104.23	-----	-----	95.56	34.43	10.70	36.46	0.00	128	178	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5141.21	48.88	54.00	-5.12	40.92	34.12	10.60	36.76	0.00	128	178	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5270.00	104.23	-----	-----	95.56	34.43	10.70	36.46	0.00	128	178	AVERAGE																																																																						



Mode	21																																														
	Band Edge - R																																														
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH54_5270MHz																																														
ANT	CDD 0+1																																														
Pol.	Horizontal	Fundamental																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5357.21</td> <td>60.89</td> <td>74.00</td> <td>-13.11</td> <td>51.88</td> <td>34.50</td> <td>10.75</td> <td>36.24</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>128 178 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5357.21	60.89	74.00	-13.11	51.88	34.50	10.75	36.24	0.00									128 178 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 5357.21	60.89	74.00	-13.11	51.88	34.50	10.75	36.24	0.00																																							
								128 178 PEAK																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5351.32</td> <td>50.62</td> <td>54.00</td> <td>-3.38</td> <td>41.62</td> <td>34.50</td> <td>10.75</td> <td>36.25</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>128 178 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5351.32	50.62	54.00	-3.38	41.62	34.50	10.75	36.25	0.00									128 178 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 5351.32	50.62	54.00	-3.38	41.62	34.50	10.75	36.25	0.00																																							
								128 178 AVERAGE																																							



Mode	21																																																																																			
	Band Edge - L																																																																																			
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH54_5270MHz																																																																																			
ANT	CDD 0+1																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5106.38</td> <td>58.79</td> <td>74.00</td> <td>-15.21</td> <td>51.05</td> <td>34.02</td> <td>10.56</td> <td>36.84</td> <td>0.00</td> <td>313</td> <td>262</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5106.38	58.79	74.00	-15.21	51.05	34.02	10.56	36.84	0.00	313	262	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>108.86</td> <td>-----</td> <td>-----</td> <td>100.12</td> <td>34.46</td> <td>10.71</td> <td>36.43</td> <td>0.00</td> <td>313</td> <td>262</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	108.86	-----	-----	100.12	34.46	10.71	36.43	0.00	313	262	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5106.38	58.79	74.00	-15.21	51.05	34.02	10.56	36.84	0.00	313	262	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5270.00	108.86	-----	-----	100.12	34.46	10.71	36.43	0.00	313	262	PEAK																																																																								
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5113.67</td> <td>48.83</td> <td>54.00</td> <td>-5.17</td> <td>41.04</td> <td>34.04</td> <td>10.57</td> <td>36.82</td> <td>0.00</td> <td>313</td> <td>262</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5113.67	48.83	54.00	-5.17	41.04	34.04	10.57	36.82	0.00	313	262	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>99.64</td> <td>-----</td> <td>-----</td> <td>90.90</td> <td>34.46</td> <td>10.71</td> <td>36.43</td> <td>0.00</td> <td>313</td> <td>262</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	99.64	-----	-----	90.90	34.46	10.71	36.43	0.00	313	262	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5113.67	48.83	54.00	-5.17	41.04	34.04	10.57	36.82	0.00	313	262	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5270.00	99.64	-----	-----	90.90	34.46	10.71	36.43	0.00	313	262	AVERAGE																																																																								





Mode	21																																											
	Band Edge - R																																											
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH54_5270MHz																																											
ANT	CDD 0+1																																											
Pol.	Vertical	Fundamental																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5389.32</td> <td>57.81</td> <td>74.00</td> <td>-16.19</td> <td>48.70</td> <td>34.50</td> <td>10.77</td> <td>36.16</td> <td>0.00</td> <td>313</td> <td>262 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5389.32	57.81	74.00	-16.19	48.70	34.50	10.77	36.16	0.00	313	262 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1 5389.32	57.81	74.00	-16.19	48.70	34.50	10.77	36.16	0.00	313	262 PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.75</td> <td>48.03</td> <td>54.00</td> <td>-5.97</td> <td>39.03</td> <td>34.50</td> <td>10.75</td> <td>36.25</td> <td>0.00</td> <td>313</td> <td>262 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5350.75	48.03	54.00	-5.97	39.03	34.50	10.75	36.25	0.00	313	262 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1 5350.75	48.03	54.00	-5.97	39.03	34.50	10.75	36.25	0.00	313	262 AVERAGE																																		



Mode	21																																																																																																																																					
	Harmonic																																																																																																																																					
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH54_5270MHz																																																																																																																																					
ANT	CDD 0+1																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10548.60</td> <td>49.45</td> <td>68.20</td> <td>-18.75</td> <td>62.90</td> <td>37.58</td> <td>15.63</td> <td>66.66</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15790.10</td> <td>55.12</td> <td>74.00</td> <td>-18.88</td> <td>59.71</td> <td>40.31</td> <td>19.21</td> <td>64.11</td> <td>0.00</td> <td>300</td> <td>17</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>15790.10</td> <td>46.20</td> <td>54.00</td> <td>-7.80</td> <td>50.79</td> <td>40.31</td> <td>19.21</td> <td>64.11</td> <td>0.00</td> <td>300</td> <td>17</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	10548.60	49.45	68.20	-18.75	62.90	37.58	15.63	66.66	0.00	---	---	Peak	2	15790.10	55.12	74.00	-18.88	59.71	40.31	19.21	64.11	0.00	300	17	Peak	3	15790.10	46.20	54.00	-7.80	50.79	40.31	19.21	64.11	0.00	300	17	Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10531.00</td> <td>50.05</td> <td>68.20</td> <td>-18.15</td> <td>63.54</td> <td>37.57</td> <td>15.61</td> <td>66.67</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15810.00</td> <td>59.44</td> <td>74.00</td> <td>-14.56</td> <td>64.00</td> <td>40.33</td> <td>19.22</td> <td>64.11</td> <td>0.00</td> <td>222</td> <td>75</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15810.00</td> <td>50.66</td> <td>54.00</td> <td>-3.34</td> <td>55.22</td> <td>40.33</td> <td>19.22</td> <td>64.11</td> <td>0.00</td> <td>222</td> <td>75</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	10531.00	50.05	68.20	-18.15	63.54	37.57	15.61	66.67	0.00	---	---	Peak	2	15810.00	59.44	74.00	-14.56	64.00	40.33	19.22	64.11	0.00	222	75	PEAK	3	15810.00	50.66	54.00	-3.34	55.22	40.33	19.22	64.11	0.00	222	75	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																														
1	10548.60	49.45	68.20	-18.75	62.90	37.58	15.63	66.66	0.00	---	---	Peak																																																																																																																										
2	15790.10	55.12	74.00	-18.88	59.71	40.31	19.21	64.11	0.00	300	17	Peak																																																																																																																										
3	15790.10	46.20	54.00	-7.80	50.79	40.31	19.21	64.11	0.00	300	17	Average																																																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																														
1	10531.00	50.05	68.20	-18.15	63.54	37.57	15.61	66.67	0.00	---	---	Peak																																																																																																																										
2	15810.00	59.44	74.00	-14.56	64.00	40.33	19.22	64.11	0.00	222	75	PEAK																																																																																																																										
3	15810.00	50.66	54.00	-3.34	55.22	40.33	19.22	64.11	0.00	222	75	AVERAGE																																																																																																																										



Mode	22																																																																	
	Band Edge - L																																																																	
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																																	
ANT	CDD 0+1																																																																	
Pol.	Horizontal	Fundamental																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin Level Factor</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5112.16 49.51 74.00 -24.49</td> <td>41.73</td> <td>34.04</td> <td>10.57</td> <td>36.83</td> <td>0.00</td> <td>111</td> <td>176 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin Level Factor	Level	Factor	Loss	Factor	Factor		Remark	MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5112.16 49.51 74.00 -24.49	41.73	34.04	10.57	36.83	0.00	111	176 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin Level Factor</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5310.00 104.39</td> <td>95.50</td> <td>34.50</td> <td>10.73</td> <td>36.34</td> <td>0.00</td> <td>111</td> <td>176 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin Level Factor	Level	Factor	Loss	Factor	Factor		Remark	MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5310.00 104.39	95.50	34.50	10.73	36.34	0.00	111	176 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq Level Line Margin Level Factor	Level	Factor	Loss	Factor	Factor		Remark																																																											
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1 5112.16 49.51 74.00 -24.49	41.73	34.04	10.57	36.83	0.00	111	176 PEAK																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq Level Line Margin Level Factor	Level	Factor	Loss	Factor	Factor		Remark																																																											
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1 5310.00 104.39	95.50	34.50	10.73	36.34	0.00	111	176 PEAK																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin Level Factor</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5114.24 39.62 54.00 -14.38</td> <td>31.83</td> <td>34.04</td> <td>10.57</td> <td>36.82</td> <td>0.00</td> <td>111</td> <td>176 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin Level Factor	Level	Factor	Loss	Factor	Factor		Remark	MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5114.24 39.62 54.00 -14.38	31.83	34.04	10.57	36.82	0.00	111	176 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin Level Factor</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5310.00 96.45</td> <td>87.56</td> <td>34.50</td> <td>10.73</td> <td>36.34</td> <td>0.00</td> <td>111</td> <td>176 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin Level Factor	Level	Factor	Loss	Factor	Factor		Remark	MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5310.00 96.45	87.56	34.50	10.73	36.34	0.00	111	176 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq Level Line Margin Level Factor	Level	Factor	Loss	Factor	Factor		Remark																																																											
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1 5114.24 39.62 54.00 -14.38	31.83	34.04	10.57	36.82	0.00	111	176 AVERAGE																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq Level Line Margin Level Factor	Level	Factor	Loss	Factor	Factor		Remark																																																											
MHz dBuV/m dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1 5310.00 96.45	87.56	34.50	10.73	36.34	0.00	111	176 AVERAGE																																																											



Mode	22																																											
	Band Edge - R																																											
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																											
ANT	CDD 0+1																																											
Pol.	Horizontal	Fundamental																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5353.40</td> <td>69.37</td> <td>74.00</td> <td>-4.63</td> <td>60.37</td> <td>34.50</td> <td>10.75</td> <td>36.25</td> <td>0.00</td> <td>111</td> <td>176 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5353.40	69.37	74.00	-4.63	60.37	34.50	10.75	36.25	0.00	111	176 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1 5353.40	69.37	74.00	-4.63	60.37	34.50	10.75	36.25	0.00	111	176 PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.10</td> <td>50.54</td> <td>54.00</td> <td>-3.46</td> <td>41.54</td> <td>34.50</td> <td>10.75</td> <td>36.25</td> <td>0.00</td> <td>111</td> <td>176 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5350.10	50.54	54.00	-3.46	41.54	34.50	10.75	36.25	0.00	111	176 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1 5350.10	50.54	54.00	-3.46	41.54	34.50	10.75	36.25	0.00	111	176 AVERAGE																																		



		22																																																																										
Mode		Band Edge - L																																																																										
		U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																																										
ANT		CDD 0+1																																																																										
Pol.	Vertical	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor Factor</th> <th colspan="7">Remark</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5139.04</td> <td>49.83</td> <td>74.00</td> <td>-24.17</td> <td>41.87</td> <td>34.12</td> <td>10.60</td> <td>36.76</td> <td>0.00</td> <td>291</td> <td>259</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin Level Factor Loss Factor Factor	Remark							MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg								1	5139.04	49.83	74.00	-24.17	41.87	34.12	10.60	36.76	0.00	291	259	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor Factor</th> <th colspan="7">Remark</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>100.98</td> <td>-----</td> <td>-----</td> <td>92.09</td> <td>34.50</td> <td>10.73</td> <td>36.34</td> <td>0.00</td> <td>291</td> <td>259</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin Level Factor Loss Factor Factor	Remark							MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg								1	5310.00	100.98	-----	-----	92.09	34.50	10.73	36.34	0.00	291	259	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq Level Line Margin Level Factor Loss Factor Factor	Remark																																																																											
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																												
1	5139.04	49.83	74.00	-24.17	41.87	34.12	10.60	36.76	0.00	291	259	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq Level Line Margin Level Factor Loss Factor Factor	Remark																																																																											
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																												
1	5310.00	100.98	-----	-----	92.09	34.50	10.73	36.34	0.00	291	259	PEAK																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor Factor</th> <th colspan="7">Remark</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5100.96</td> <td>39.41</td> <td>54.00</td> <td>-14.59</td> <td>31.70</td> <td>34.00</td> <td>10.56</td> <td>36.85</td> <td>0.00</td> <td>291</td> <td>259</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin Level Factor Loss Factor Factor	Remark							MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg								1	5100.96	39.41	54.00	-14.59	31.70	34.00	10.56	36.85	0.00	291	259	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin Level Factor Loss Factor Factor</th> <th colspan="7">Remark</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>92.02</td> <td>-----</td> <td>-----</td> <td>83.13</td> <td>34.50</td> <td>10.73</td> <td>36.34</td> <td>0.00</td> <td>291</td> <td>259</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin Level Factor Loss Factor Factor	Remark							MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg								1	5310.00	92.02	-----	-----	83.13	34.50	10.73	36.34	0.00	291	259	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq Level Line Margin Level Factor Loss Factor Factor	Remark																																																																											
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																												
1	5100.96	39.41	54.00	-14.59	31.70	34.00	10.56	36.85	0.00	291	259	AVERAGE																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq Level Line Margin Level Factor Loss Factor Factor	Remark																																																																											
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																												
1	5310.00	92.02	-----	-----	83.13	34.50	10.73	36.34	0.00	291	259	AVERAGE																																																																



Mode	22																																							
	Band Edge - R																																							
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																							
ANT	CDD 0+1																																							
Pol.	Vertical	Fundamental																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5356.10</td> <td>64.41</td> <td>74.00</td> <td>-9.59</td> <td>55.40</td> <td>34.50</td> <td>10.75</td> <td>36.24</td> <td>0.00</td> <td>291 259 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5356.10	64.41	74.00	-9.59	55.40	34.50	10.75	36.24	0.00	291 259 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5356.10	64.41	74.00	-9.59	55.40	34.50	10.75	36.24	0.00	291 259 PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5356.30</td> <td>45.90</td> <td>54.00</td> <td>-8.10</td> <td>36.90</td> <td>34.50</td> <td>10.75</td> <td>36.25</td> <td>0.00</td> <td>291 259 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5356.30	45.90	54.00	-8.10	36.90	34.50	10.75	36.25	0.00	291 259 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5356.30	45.90	54.00	-8.10	36.90	34.50	10.75	36.25	0.00	291 259 AVERAGE																															



Mode	22																																																																											
	Harmonic																																																																											
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																																											
ANT	CDD 0+1																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak																																																																												
Avg																																																																												
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10620.00</td> <td>45.13</td> <td>74.00</td> <td>-28.87</td> <td>58.44</td> <td>37.63</td> <td>15.69</td> <td>66.63</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10620.00	45.13	74.00	-28.87	58.44	37.63	15.69	66.63	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10620.00</td> <td>43.25</td> <td>74.00</td> <td>-30.75</td> <td>56.56</td> <td>37.63</td> <td>15.69</td> <td>66.63</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10620.00	43.25	74.00	-30.75	56.56	37.63	15.69	66.63	0.00	--- --- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 10620.00	45.13	74.00	-28.87	58.44	37.63	15.69	66.63	0.00	--- --- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 10620.00	43.25	74.00	-30.75	56.56	37.63	15.69	66.63	0.00	--- --- PEAK																																																																			







Mode	23																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																																																
ANT	CDD 0+1																																																																																																
Pol.	Horizontal	Fundamental																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5454.32</td> <td>58.54</td> <td>74.00</td> <td>-15.46</td> <td>49.17</td> <td>34.55</td> <td>10.83</td> <td>36.01</td> <td>0.00</td> <td>107</td> <td>231</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5461.36</td> <td>61.47</td> <td>68.20</td> <td>-6.73</td> <td>52.06</td> <td>34.56</td> <td>10.84</td> <td>35.99</td> <td>0.00</td> <td>107</td> <td>231</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.32	58.54	74.00	-15.46	49.17	34.55	10.83	36.01	0.00	107	231	PEAK	2	5461.36	61.47	68.20	-6.73	52.06	34.56	10.84	35.99	0.00	107	231	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>106.38</td> <td>-----</td> <td>-----</td> <td>96.77</td> <td>34.60</td> <td>10.89</td> <td>35.88</td> <td>0.00</td> <td>107</td> <td>231</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	106.38	-----	-----	96.77	34.60	10.89	35.88	0.00	107	231	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5454.32	58.54	74.00	-15.46	49.17	34.55	10.83	36.01	0.00	107	231	PEAK																																																																																					
2	5461.36	61.47	68.20	-6.73	52.06	34.56	10.84	35.99	0.00	107	231	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5510.00	106.38	-----	-----	96.77	34.60	10.89	35.88	0.00	107	231	PEAK																																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.68</td> <td>50.86</td> <td>54.00</td> <td>-3.14</td> <td>41.46</td> <td>34.56</td> <td>10.84</td> <td>36.00</td> <td>0.00</td> <td>107</td> <td>231</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.68	50.86	54.00	-3.14	41.46	34.56	10.84	36.00	0.00	107	231	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>98.06</td> <td>-----</td> <td>-----</td> <td>88.39</td> <td>34.60</td> <td>10.91</td> <td>35.84</td> <td>0.00</td> <td>107</td> <td>231</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	98.06	-----	-----	88.39	34.60	10.91	35.84	0.00	107	231	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5457.68	50.86	54.00	-3.14	41.46	34.56	10.84	36.00	0.00	107	231	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5510.00	98.06	-----	-----	88.39	34.60	10.91	35.84	0.00	107	231	AVERAGE																																																																																					





Mode	23																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																							
ANT	CDD 0+1																																							
Pol.	Horizontal	Fundamental																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5741.72</td> <td>48.75</td> <td>68.20</td> <td>-19.45</td> <td>40.35</td> <td>34.73</td> <td>11.20</td> <td>37.53</td> <td>0.00</td> <td>107</td> <td>231</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5741.72	48.75	68.20	-19.45	40.35	34.73	11.20	37.53	0.00	107	231	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5741.72	48.75	68.20	-19.45	40.35	34.73	11.20	37.53	0.00	107	231	PEAK																													



Mode	23																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																																																
ANT	CDD 0+1																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>52.44</td> <td>74.00</td> <td>-21.56</td> <td>43.03</td> <td>34.56</td> <td>10.84</td> <td>35.99</td> <td>0.00</td> <td>377</td> <td>248</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.88</td> <td>59.63</td> <td>68.20</td> <td>-8.57</td> <td>50.18</td> <td>34.57</td> <td>10.85</td> <td>35.97</td> <td>0.00</td> <td>377</td> <td>248</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	52.44	74.00	-21.56	43.03	34.56	10.84	35.99	0.00	377	248	PEAK	2	5468.88	59.63	68.20	-8.57	50.18	34.57	10.85	35.97	0.00	377	248	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>103.48</td> <td>-----</td> <td>-----</td> <td>93.82</td> <td>34.60</td> <td>10.91</td> <td>35.85</td> <td>0.00</td> <td>377</td> <td>248</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	103.48	-----	-----	93.82	34.60	10.91	35.85	0.00	377	248	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5459.92	52.44	74.00	-21.56	43.03	34.56	10.84	35.99	0.00	377	248	PEAK																																																																																					
2	5468.88	59.63	68.20	-8.57	50.18	34.57	10.85	35.97	0.00	377	248	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5510.00	103.48	-----	-----	93.82	34.60	10.91	35.85	0.00	377	248	PEAK																																																																																					
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>43.54</td> <td>54.00</td> <td>-10.46</td> <td>34.13</td> <td>34.56</td> <td>10.84</td> <td>35.99</td> <td>0.00</td> <td>377</td> <td>248</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	43.54	54.00	-10.46	34.13	34.56	10.84	35.99	0.00	377	248	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>95.88</td> <td>-----</td> <td>-----</td> <td>86.25</td> <td>34.60</td> <td>10.90</td> <td>35.87</td> <td>0.00</td> <td>377</td> <td>248</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	95.88	-----	-----	86.25	34.60	10.90	35.87	0.00	377	248	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5459.92	43.54	54.00	-10.46	34.13	34.56	10.84	35.99	0.00	377	248	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5510.00	95.88	-----	-----	86.25	34.60	10.90	35.87	0.00	377	248	AVERAGE																																																																																					



Mode	23																																																											
	Band Edge - R																																																											
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																											
ANT	CDD 0+1																																																											
Pol.	Vertical	Fundamental																																																										
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p>	Blank																																																										
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5726.04</td> <td>48.76</td> <td>68.20</td> <td>-19.44</td> <td>40.12</td> <td>34.68</td> <td>11.18</td> <td>37.22</td> <td>0.00</td> <td>377</td> <td>248</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB									cm									deg	1	5726.04	48.76	68.20	-19.44	40.12	34.68	11.18	37.22	0.00	377	248	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																				
								cm																																																				
								deg																																																				
1	5726.04	48.76	68.20	-19.44	40.12	34.68	11.18	37.22	0.00	377	248	PEAK																																																



Mode	23																																																																																																																										
	Harmonic																																																																																																																										
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																																																																										
ANT	CDD 0+1																																																																																																																										
Pol.	Horizontal	Vertical																																																																																																																									
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11020.00</td> <td>46.70</td> <td>74.00</td> <td>-27.30</td> <td>59.18</td> <td>37.92</td> <td>16.06</td> <td>66.46</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>16530.00</td> <td>48.27</td> <td>68.20</td> <td>-19.93</td> <td>51.89</td> <td>40.92</td> <td>19.69</td> <td>64.23</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	46.70	74.00	-27.30	59.18	37.92	16.06	66.46	0.00	---	---	PEAK	2	16530.00	48.27	68.20	-19.93	51.89	40.92	19.69	64.23	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11020.00</td> <td>51.96</td> <td>74.00</td> <td>-22.04</td> <td>64.44</td> <td>37.92</td> <td>16.06</td> <td>66.46</td> <td>0.00</td> <td>301</td> <td>82</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11020.00</td> <td>43.13</td> <td>54.00</td> <td>-10.87</td> <td>55.61</td> <td>37.92</td> <td>16.06</td> <td>66.46</td> <td>0.00</td> <td>301</td> <td>82</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>16530.00</td> <td>52.86</td> <td>68.20</td> <td>-15.34</td> <td>56.48</td> <td>40.92</td> <td>19.69</td> <td>64.23</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	51.96	74.00	-22.04	64.44	37.92	16.06	66.46	0.00	301	82	PEAK	2	11020.00	43.13	54.00	-10.87	55.61	37.92	16.06	66.46	0.00	301	82	AVERAGE	3	16530.00	52.86	68.20	-15.34	56.48	40.92	19.69	64.23	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	11020.00	46.70	74.00	-27.30	59.18	37.92	16.06	66.46	0.00	---	---	PEAK																																																																																																															
2	16530.00	48.27	68.20	-19.93	51.89	40.92	19.69	64.23	0.00	---	---	PEAK																																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	11020.00	51.96	74.00	-22.04	64.44	37.92	16.06	66.46	0.00	301	82	PEAK																																																																																																															
2	11020.00	43.13	54.00	-10.87	55.61	37.92	16.06	66.46	0.00	301	82	AVERAGE																																																																																																															
3	16530.00	52.86	68.20	-15.34	56.48	40.92	19.69	64.23	0.00	---	---	PEAK																																																																																																															







Mode	24																																																																																												
	Band Edge - L																																																																																												
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																																																												
ANT	CDD 0+1																																																																																												
Pol.	Horizontal	Fundamental																																																																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.00</td> <td>58.60</td> <td>74.00</td> <td>-15.40</td> <td>49.19</td> <td>34.56</td> <td>10.84</td> <td>35.99</td> <td>0.00</td> <td>100</td> <td>234</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.60</td> <td>58.54</td> <td>68.20</td> <td>-9.66</td> <td>49.09</td> <td>34.57</td> <td>10.85</td> <td>35.97</td> <td>0.00</td> <td>100</td> <td>234</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.00	58.60	74.00	-15.40	49.19	34.56	10.84	35.99	0.00	100	234	PEAK	2	5469.60	58.54	68.20	-9.66	49.09	34.57	10.85	35.97	0.00	100	234	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>111.94</td> <td>-----</td> <td>-----</td> <td>102.16</td> <td>34.60</td> <td>10.95</td> <td>35.77</td> <td>0.00</td> <td>100</td> <td>234</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	111.94	-----	-----	102.16	34.60	10.95	35.77	0.00	100	234	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5459.00	58.60	74.00	-15.40	49.19	34.56	10.84	35.99	0.00	100	234	PEAK																																																																																	
2	5469.60	58.54	68.20	-9.66	49.09	34.57	10.85	35.97	0.00	100	234	PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5550.00	111.94	-----	-----	102.16	34.60	10.95	35.77	0.00	100	234	PEAK																																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.00</td> <td>50.05</td> <td>54.00</td> <td>-3.95</td> <td>40.64</td> <td>34.56</td> <td>10.84</td> <td>35.99</td> <td>0.00</td> <td>100</td> <td>234</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.00	50.05	54.00	-3.95	40.64	34.56	10.84	35.99	0.00	100	234	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>102.88</td> <td>-----</td> <td>-----</td> <td>93.10</td> <td>34.60</td> <td>10.95</td> <td>35.77</td> <td>0.00</td> <td>100</td> <td>234</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	102.88	-----	-----	93.10	34.60	10.95	35.77	0.00	100	234	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5459.00	50.05	54.00	-3.95	40.64	34.56	10.84	35.99	0.00	100	234	AVERAGE																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5550.00	102.88	-----	-----	93.10	34.60	10.95	35.77	0.00	100	234	AVERAGE																																																																																	



Mode	24																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																								
ANT	CDD 0+1																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5742.86</td> <td>57.74</td> <td>68.20</td> <td>-10.46</td> <td>49.36</td> <td>34.73</td> <td>11.20</td> <td>37.55</td> <td>0.00</td> <td>100</td> <td>234 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5742.86	57.74	68.20	-10.46	49.36	34.73	11.20	37.55	0.00	100	234 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5742.86	57.74	68.20	-10.46	49.36	34.73	11.20	37.55	0.00	100	234 PEAK																															



Mode	24																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																																																																
ANT	CDD 0+1																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	 <table border="1" data-bbox="255 1097 798 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.20</td> <td>57.50</td> <td>74.00</td> <td>-16.50</td> <td>48.10</td> <td>34.56</td> <td>10.84</td> <td>36.00</td> <td>0.00</td> <td>317</td> <td>289</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5465.00</td> <td>56.92</td> <td>68.20</td> <td>-11.28</td> <td>47.49</td> <td>34.56</td> <td>10.85</td> <td>35.98</td> <td>0.00</td> <td>317</td> <td>289</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.20	57.50	74.00	-16.50	48.10	34.56	10.84	36.00	0.00	317	289	PEAK	2	5465.00	56.92	68.20	-11.28	47.49	34.56	10.85	35.98	0.00	317	289	PEAK	 <table border="1" data-bbox="877 1097 1420 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>109.41</td> <td>-----</td> <td>-----</td> <td>99.63</td> <td>34.60</td> <td>10.95</td> <td>35.77</td> <td>0.00</td> <td>317</td> <td>289</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	109.41	-----	-----	99.63	34.60	10.95	35.77	0.00	317	289	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5458.20	57.50	74.00	-16.50	48.10	34.56	10.84	36.00	0.00	317	289	PEAK																																																																																					
2	5465.00	56.92	68.20	-11.28	47.49	34.56	10.85	35.98	0.00	317	289	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5550.00	109.41	-----	-----	99.63	34.60	10.95	35.77	0.00	317	289	PEAK																																																																																					
Avg	 <table border="1" data-bbox="255 1792 798 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.00</td> <td>47.89</td> <td>54.00</td> <td>-6.11</td> <td>38.48</td> <td>34.56</td> <td>10.84</td> <td>35.99</td> <td>0.00</td> <td>317</td> <td>289</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.00	47.89	54.00	-6.11	38.48	34.56	10.84	35.99	0.00	317	289	AVERAGE	 <table border="1" data-bbox="877 1792 1420 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>100.24</td> <td>-----</td> <td>-----</td> <td>90.46</td> <td>34.60</td> <td>10.95</td> <td>35.77</td> <td>0.00</td> <td>317</td> <td>289</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	100.24	-----	-----	90.46	34.60	10.95	35.77	0.00	317	289	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5459.00	47.89	54.00	-6.11	38.48	34.56	10.84	35.99	0.00	317	289	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5550.00	100.24	-----	-----	90.46	34.60	10.95	35.77	0.00	317	289	AVERAGE																																																																																					







Mode	24																																														
	Band Edge - R																																														
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																														
ANT	CDD 0+1																																														
Pol.	Vertical	Fundamental																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5751.46</td> <td>57.99</td> <td>68.20</td> <td>-10.21</td> <td>49.74</td> <td>34.75</td> <td>11.21</td> <td>37.71</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>317 289 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5751.46	57.99	68.20	-10.21	49.74	34.75	11.21	37.71	0.00									317 289 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 5751.46	57.99	68.20	-10.21	49.74	34.75	11.21	37.71	0.00																																							
								317 289 PEAK																																							





Mode	24																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																																																																																								
ANT	CDD 0+1																																																																																																																								
Pol.	Horizontal	Vertical																																																																																																																							
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11099.70</td> <td>49.37</td> <td>74.00</td> <td>-24.63</td> <td>61.70</td> <td>37.98</td> <td>16.11</td> <td>66.42</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16650.00</td> <td>60.59</td> <td>68.20</td> <td>-7.61</td> <td>64.07</td> <td>41.02</td> <td>19.77</td> <td>64.27</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11099.70	49.37	74.00	-24.63	61.70	37.98	16.11	66.42	0.00	---	---	Peak	2	16650.00	60.59	68.20	-7.61	64.07	41.02	19.77	64.27	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11100.00</td> <td>57.17</td> <td>74.00</td> <td>-16.83</td> <td>69.50</td> <td>37.98</td> <td>16.11</td> <td>66.42</td> <td>0.00</td> <td>318</td> <td>74</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11100.00</td> <td>47.88</td> <td>54.00</td> <td>-6.12</td> <td>60.21</td> <td>37.98</td> <td>16.11</td> <td>66.42</td> <td>0.00</td> <td>318</td> <td>74</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>16653.60</td> <td>63.77</td> <td>68.20</td> <td>-4.43</td> <td>67.26</td> <td>41.02</td> <td>19.77</td> <td>64.28</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11100.00	57.17	74.00	-16.83	69.50	37.98	16.11	66.42	0.00	318	74	PEAK	2	11100.00	47.88	54.00	-6.12	60.21	37.98	16.11	66.42	0.00	318	74	AVERAGE	3	16653.60	63.77	68.20	-4.43	67.26	41.02	19.77	64.28	0.00	---	---	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	11099.70	49.37	74.00	-24.63	61.70	37.98	16.11	66.42	0.00	---	---	Peak																																																																																																													
2	16650.00	60.59	68.20	-7.61	64.07	41.02	19.77	64.27	0.00	---	---	Peak																																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	11100.00	57.17	74.00	-16.83	69.50	37.98	16.11	66.42	0.00	318	74	PEAK																																																																																																													
2	11100.00	47.88	54.00	-6.12	60.21	37.98	16.11	66.42	0.00	318	74	AVERAGE																																																																																																													
3	16653.60	63.77	68.20	-4.43	67.26	41.02	19.77	64.28	0.00	---	---	Peak																																																																																																													







Mode	25																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																																																
ANT	CDD 0+1																																																																																																
Pol.	Horizontal	Fundamental																																																																																															
Peak	 <table border="1" data-bbox="255 1097 798 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5453.20</td> <td>49.03</td> <td>74.00</td> <td>-24.97</td> <td>39.66</td> <td>34.55</td> <td>10.83</td> <td>36.01</td> <td>0.00</td> <td>100</td> <td>231</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5464.72</td> <td>47.51</td> <td>68.20</td> <td>-20.69</td> <td>38.08</td> <td>34.56</td> <td>10.85</td> <td>35.98</td> <td>0.00</td> <td>100</td> <td>231</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.20	49.03	74.00	-24.97	39.66	34.55	10.83	36.01	0.00	100	231	PEAK	2	5464.72	47.51	68.20	-20.69	38.08	34.56	10.85	35.98	0.00	100	231	PEAK	 <table border="1" data-bbox="877 1097 1436 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>111.62</td> <td>-----</td> <td>-----</td> <td>102.13</td> <td>34.60</td> <td>11.11</td> <td>36.22</td> <td>0.00</td> <td>100</td> <td>231</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	111.62	-----	-----	102.13	34.60	11.11	36.22	0.00	100	231	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5453.20	49.03	74.00	-24.97	39.66	34.55	10.83	36.01	0.00	100	231	PEAK																																																																																					
2	5464.72	47.51	68.20	-20.69	38.08	34.56	10.85	35.98	0.00	100	231	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5670.00	111.62	-----	-----	102.13	34.60	11.11	36.22	0.00	100	231	PEAK																																																																																					
Avg	 <table border="1" data-bbox="255 1792 798 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.56</td> <td>39.22</td> <td>54.00</td> <td>-14.78</td> <td>29.82</td> <td>34.56</td> <td>10.84</td> <td>36.00</td> <td>0.00</td> <td>100</td> <td>231</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.56	39.22	54.00	-14.78	29.82	34.56	10.84	36.00	0.00	100	231	AVERAGE	 <table border="1" data-bbox="877 1792 1436 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>102.76</td> <td>-----</td> <td>-----</td> <td>93.16</td> <td>34.60</td> <td>11.10</td> <td>36.10</td> <td>0.00</td> <td>100</td> <td>231</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	102.76	-----	-----	93.16	34.60	11.10	36.10	0.00	100	231	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5456.56	39.22	54.00	-14.78	29.82	34.56	10.84	36.00	0.00	100	231	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5670.00	102.76	-----	-----	93.16	34.60	11.10	36.10	0.00	100	231	AVERAGE																																																																																					



Mode	25																																						
	Band Edge - R																																						
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																						
ANT	CDD 0+1																																						
Pol.	Horizontal	Fundamental																																					
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5727.72</td> <td>63.44</td> <td>68.20</td> <td>-4.76</td> <td>54.83</td> <td>34.68</td> <td>11.18</td> <td>37.25</td> <td>0.00</td> <td>100</td> <td>231 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5727.72	63.44	68.20	-4.76	54.83	34.68	11.18	37.25	0.00	100	231 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																														
1 5727.72	63.44	68.20	-4.76	54.83	34.68	11.18	37.25	0.00	100	231 PEAK																													



Mode	25																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHZ																																																																																																
ANT	CDD 0+1																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	 <table border="1" data-bbox="255 1097 798 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5374.48</td> <td>47.96</td> <td>74.00</td> <td>-26.04</td> <td>38.90</td> <td>34.50</td> <td>10.76</td> <td>36.20</td> <td>0.00</td> <td>374</td> <td>250</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5466.16</td> <td>47.51</td> <td>68.20</td> <td>-20.69</td> <td>38.07</td> <td>34.57</td> <td>10.85</td> <td>35.98</td> <td>0.00</td> <td>374</td> <td>250</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5374.48	47.96	74.00	-26.04	38.90	34.50	10.76	36.20	0.00	374	250	PEAK	2	5466.16	47.51	68.20	-20.69	38.07	34.57	10.85	35.98	0.00	374	250	PEAK	 <table border="1" data-bbox="877 1097 1436 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>108.30</td> <td>-----</td> <td>-----</td> <td>98.81</td> <td>34.60</td> <td>11.11</td> <td>36.22</td> <td>0.00</td> <td>374</td> <td>250</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	108.30	-----	-----	98.81	34.60	11.11	36.22	0.00	374	250	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5374.48	47.96	74.00	-26.04	38.90	34.50	10.76	36.20	0.00	374	250	PEAK																																																																																					
2	5466.16	47.51	68.20	-20.69	38.07	34.57	10.85	35.98	0.00	374	250	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5670.00	108.30	-----	-----	98.81	34.60	11.11	36.22	0.00	374	250	PEAK																																																																																					
Avg	 <table border="1" data-bbox="255 1792 798 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5373.36</td> <td>38.56</td> <td>54.00</td> <td>-15.44</td> <td>29.50</td> <td>34.50</td> <td>10.76</td> <td>36.20</td> <td>0.00</td> <td>374</td> <td>250</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5373.36	38.56	54.00	-15.44	29.50	34.50	10.76	36.20	0.00	374	250	AVERAGE	 <table border="1" data-bbox="877 1792 1436 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>100.04</td> <td>-----</td> <td>-----</td> <td>90.34</td> <td>34.60</td> <td>11.09</td> <td>35.99</td> <td>0.00</td> <td>374</td> <td>250</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	100.04	-----	-----	90.34	34.60	11.09	35.99	0.00	374	250	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5373.36	38.56	54.00	-15.44	29.50	34.50	10.76	36.20	0.00	374	250	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5670.00	100.04	-----	-----	90.34	34.60	11.09	35.99	0.00	374	250	AVERAGE																																																																																					



Mode	25																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																						
ANT	CDD 0+1																																																						
Pol.	Vertical	Fundamental																																																					
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5729.00</td> <td>53.83</td> <td>68.20</td> <td>-14.37</td> <td>45.24</td> <td>34.69</td> <td>11.18</td> <td>37.28</td> <td>0.00</td> <td>374</td> <td>250</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB								cm								deg	1	5729.00	53.83	68.20	-14.37	45.24	34.69	11.18	37.28	0.00	374	250	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																
							cm																																																
							deg																																																
1	5729.00	53.83	68.20	-14.37	45.24	34.69	11.18	37.28	0.00	374	250	PEAK																																											



Mode	25																																																																																																																																												
	Harmonic																																																																																																																																												
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																																																																																												
ANT	CDD 0+1																																																																																																																																												
Pol.	Horizontal	Vertical																																																																																																																																											
Peak Avg																																																																																																																																													
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11340.00</td> <td>50.59</td> <td>74.00</td> <td>-23.41</td> <td>62.48</td> <td>38.17</td> <td>16.26</td> <td>66.32</td> <td>0.00</td> <td>257</td> <td>299</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11340.00</td> <td>42.35</td> <td>54.00</td> <td>-11.65</td> <td>54.24</td> <td>38.17</td> <td>16.26</td> <td>66.32</td> <td>0.00</td> <td>257</td> <td>299</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>17010.00</td> <td>51.54</td> <td>68.20</td> <td>-16.66</td> <td>54.63</td> <td>41.30</td> <td>20.01</td> <td>64.40</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11340.00	50.59	74.00	-23.41	62.48	38.17	16.26	66.32	0.00	257	299	PEAK	2	11340.00	42.35	54.00	-11.65	54.24	38.17	16.26	66.32	0.00	257	299	AVERAGE	3	17010.00	51.54	68.20	-16.66	54.63	41.30	20.01	64.40	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11340.00</td> <td>53.88</td> <td>74.00</td> <td>-20.12</td> <td>65.77</td> <td>38.17</td> <td>16.26</td> <td>66.32</td> <td>0.00</td> <td>307</td> <td>73</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11340.00</td> <td>46.13</td> <td>54.00</td> <td>-7.87</td> <td>58.02</td> <td>38.17</td> <td>16.26</td> <td>66.32</td> <td>0.00</td> <td>307</td> <td>73</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>17010.00</td> <td>55.57</td> <td>68.20</td> <td>-12.63</td> <td>58.66</td> <td>41.30</td> <td>20.01</td> <td>64.40</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11340.00	53.88	74.00	-20.12	65.77	38.17	16.26	66.32	0.00	307	73	PEAK	2	11340.00	46.13	54.00	-7.87	58.02	38.17	16.26	66.32	0.00	307	73	AVERAGE	3	17010.00	55.57	68.20	-12.63	58.66	41.30	20.01	64.40	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																			
1	11340.00	50.59	74.00	-23.41	62.48	38.17	16.26	66.32	0.00	257	299	PEAK																																																																																																																																	
2	11340.00	42.35	54.00	-11.65	54.24	38.17	16.26	66.32	0.00	257	299	AVERAGE																																																																																																																																	
3	17010.00	51.54	68.20	-16.66	54.63	41.30	20.01	64.40	0.00	---	---	PEAK																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																			
1	11340.00	53.88	74.00	-20.12	65.77	38.17	16.26	66.32	0.00	307	73	PEAK																																																																																																																																	
2	11340.00	46.13	54.00	-7.87	58.02	38.17	16.26	66.32	0.00	307	73	AVERAGE																																																																																																																																	
3	17010.00	55.57	68.20	-12.63	58.66	41.30	20.01	64.40	0.00	---	---	PEAK																																																																																																																																	







Mode	26																																																																																	
	Band Edge - L																																																																																	
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																	
ANT	CDD 0+1																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.60</td> <td>65.09</td> <td>74.00</td> <td>-8.91</td> <td>57.07</td> <td>34.15</td> <td>10.61</td> <td>36.74</td> <td>0.00</td> <td>100</td> <td>355</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5149.60	65.09	74.00	-8.91	57.07	34.15	10.61	36.74	0.00	100	355	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>101.50</td> <td>-----</td> <td>-----</td> <td>93.20</td> <td>34.28</td> <td>10.65</td> <td>36.63</td> <td>0.00</td> <td>100</td> <td>355</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5210.00	101.50	-----	-----	93.20	34.28	10.65	36.63	0.00	100	355	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5149.60	65.09	74.00	-8.91	57.07	34.15	10.61	36.74	0.00	100	355	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5210.00	101.50	-----	-----	93.20	34.28	10.65	36.63	0.00	100	355	PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5146.88</td> <td>50.50</td> <td>54.00</td> <td>-3.50</td> <td>42.49</td> <td>34.14</td> <td>10.61</td> <td>36.74</td> <td>0.00</td> <td>100</td> <td>355</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5146.88	50.50	54.00	-3.50	42.49	34.14	10.61	36.74	0.00	100	355	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>93.32</td> <td>-----</td> <td>-----</td> <td>85.02</td> <td>34.28</td> <td>10.65</td> <td>36.63</td> <td>0.00</td> <td>100</td> <td>355</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5210.00	93.32	-----	-----	85.02	34.28	10.65	36.63	0.00	100	355	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5146.88	50.50	54.00	-3.50	42.49	34.14	10.61	36.74	0.00	100	355	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5210.00	93.32	-----	-----	85.02	34.28	10.65	36.63	0.00	100	355	AVERAGE																																																																						



Mode	26																																								
	Band Edge - R																																								
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																								
ANT	CDD 0+1																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5374.62</td> <td>48.61</td> <td>74.00</td> <td>-25.39</td> <td>39.55</td> <td>34.50</td> <td>10.76</td> <td>36.20</td> <td>0.00</td> <td>100</td> <td>355 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5374.62	48.61	74.00	-25.39	39.55	34.50	10.76	36.20	0.00	100	355 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5374.62	48.61	74.00	-25.39	39.55	34.50	10.76	36.20	0.00	100	355 PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5351.94</td> <td>39.23</td> <td>54.00</td> <td>-14.77</td> <td>30.23</td> <td>34.50</td> <td>10.75</td> <td>36.25</td> <td>0.00</td> <td>100</td> <td>355 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5351.94	39.23	54.00	-14.77	30.23	34.50	10.75	36.25	0.00	100	355 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5351.94	39.23	54.00	-14.77	30.23	34.50	10.75	36.25	0.00	100	355 AVERAGE																															





Mode	26																																																																										
	Band Edge - L																																																																										
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																										
ANT	CDD 0+1																																																																										
Pol.	Vertical	Fundamental																																																																									
Peak	 <table border="1" data-bbox="255 1120 798 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.64</td> <td>58.60</td> <td>74.00</td> <td>-15.40</td> <td>50.58</td> <td>34.15</td> <td>10.61</td> <td>36.74</td> <td>0.00</td> <td>255</td> <td>268</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5148.64	58.60	74.00	-15.40	50.58	34.15	10.61	36.74	0.00	255	268	PEAK	 <table border="1" data-bbox="861 1120 1436 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>96.85</td> <td>-----</td> <td>88.48</td> <td>34.31</td> <td>10.66</td> <td>36.60</td> <td>0.00</td> <td>255</td> <td>268</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5210.00	96.85	-----	88.48	34.31	10.66	36.60	0.00	255	268	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																				
1	5148.64	58.60	74.00	-15.40	50.58	34.15	10.61	36.74	0.00	255	268	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																				
1	5210.00	96.85	-----	88.48	34.31	10.66	36.60	0.00	255	268	PEAK																																																																
Avg	 <table border="1" data-bbox="255 1814 798 1937"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.00</td> <td>44.95</td> <td>54.00</td> <td>-9.05</td> <td>36.94</td> <td>34.14</td> <td>10.61</td> <td>36.74</td> <td>0.00</td> <td>255</td> <td>268</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5148.00	44.95	54.00	-9.05	36.94	34.14	10.61	36.74	0.00	255	268	AVERAGE	 <table border="1" data-bbox="861 1814 1436 1937"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>89.20</td> <td>-----</td> <td>80.83</td> <td>34.31</td> <td>10.66</td> <td>36.60</td> <td>0.00</td> <td>255</td> <td>268</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5210.00	89.20	-----	80.83	34.31	10.66	36.60	0.00	255	268	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																				
1	5148.00	44.95	54.00	-9.05	36.94	34.14	10.61	36.74	0.00	255	268	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																				
1	5210.00	89.20	-----	80.83	34.31	10.66	36.60	0.00	255	268	AVERAGE																																																																







Mode	26																																																									
	Band Edge - R																																																									
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																									
ANT	CDD 0+1																																																									
Pol.	Vertical	Fundamental																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5350.14</td> <td>47.62</td> <td>74.00</td> <td>-26.38</td> <td>38.62</td> <td>34.50</td> <td>10.75</td> <td>36.25</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>255</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>268</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5350.14	47.62	74.00	-26.38	38.62	34.50	10.75	36.25							0.00	255								268								PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																			
1 5350.14	47.62	74.00	-26.38	38.62	34.50	10.75	36.25																																																			
						0.00	255																																																			
							268																																																			
							PEAK																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5364.36</td> <td>38.61</td> <td>54.00</td> <td>-15.39</td> <td>29.58</td> <td>34.50</td> <td>10.75</td> <td>36.22</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>255</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>268</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5364.36	38.61	54.00	-15.39	29.58	34.50	10.75	36.22							0.00	255								268								AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																			
1 5364.36	38.61	54.00	-15.39	29.58	34.50	10.75	36.22																																																			
						0.00	255																																																			
							268																																																			
							AVERAGE																																																			



Mode	26																																																																											
	Harmonic																																																																											
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																											
ANT	CDD 0+1																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak																																																																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10420.00</td> <td>45.58</td> <td>68.20</td> <td>-22.62</td> <td>59.30</td> <td>37.49</td> <td>15.51</td> <td>66.72</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10420.00	45.58	68.20	-22.62	59.30	37.49	15.51	66.72	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10420.00</td> <td>46.39</td> <td>68.20</td> <td>-21.81</td> <td>60.11</td> <td>37.49</td> <td>15.51</td> <td>66.72</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10420.00	46.39	68.20	-21.81	60.11	37.49	15.51	66.72	0.00	--- --- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 10420.00	45.58	68.20	-22.62	59.30	37.49	15.51	66.72	0.00	--- --- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 10420.00	46.39	68.20	-21.81	60.11	37.49	15.51	66.72	0.00	--- --- PEAK																																																																			



Mode	27																																																																																	
	Band Edge - L																																																																																	
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																	
ANT	CDD 0+1																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	 <table border="1" data-bbox="263 1131 782 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5111.84</td> <td>50.11</td> <td>74.00</td> <td>-23.89</td> <td>42.33</td> <td>34.04</td> <td>10.57</td> <td>36.83</td> <td>0.00</td> <td>100</td> <td>337</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5111.84	50.11	74.00	-23.89	42.33	34.04	10.57	36.83	0.00	100	337	PEAK	 <table border="1" data-bbox="901 1131 1420 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>99.67</td> <td>-----</td> <td>-----</td> <td>90.82</td> <td>34.50</td> <td>10.72</td> <td>36.37</td> <td>0.00</td> <td>100</td> <td>337</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5290.00	99.67	-----	-----	90.82	34.50	10.72	36.37	0.00	100	337	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5111.84	50.11	74.00	-23.89	42.33	34.04	10.57	36.83	0.00	100	337	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5290.00	99.67	-----	-----	90.82	34.50	10.72	36.37	0.00	100	337	PEAK																																																																						
Avg	 <table border="1" data-bbox="263 1814 782 1937"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5111.04</td> <td>39.95</td> <td>54.00</td> <td>-14.05</td> <td>32.18</td> <td>34.03</td> <td>10.57</td> <td>36.83</td> <td>0.00</td> <td>100</td> <td>337</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5111.04	39.95	54.00	-14.05	32.18	34.03	10.57	36.83	0.00	100	337	AVERAGE	 <table border="1" data-bbox="901 1814 1420 1937"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>92.00</td> <td>-----</td> <td>-----</td> <td>83.17</td> <td>34.49</td> <td>10.72</td> <td>36.30</td> <td>0.00</td> <td>100</td> <td>337</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5290.00	92.00	-----	-----	83.17	34.49	10.72	36.30	0.00	100	337	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5111.04	39.95	54.00	-14.05	32.18	34.03	10.57	36.83	0.00	100	337	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5290.00	92.00	-----	-----	83.17	34.49	10.72	36.30	0.00	100	337	AVERAGE																																																																						



Mode	27																																												
	Band Edge - R																																												
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																												
ANT	CDD 0+1																																												
Pol.	Horizontal	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5370.90</td> <td>59.00</td> <td>74.00</td> <td>-15.00</td> <td>49.95</td> <td>34.50</td> <td>10.76</td> <td>36.21</td> <td>0.00</td> <td>100</td> <td>337</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5370.90	59.00	74.00	-15.00	49.95	34.50	10.76	36.21	0.00	100	337	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5370.90	59.00	74.00	-15.00	49.95	34.50	10.76	36.21	0.00	100	337	PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5358.10</td> <td>50.81</td> <td>54.00</td> <td>-3.19</td> <td>41.80</td> <td>34.50</td> <td>10.75</td> <td>36.24</td> <td>0.00</td> <td>100</td> <td>337</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5358.10	50.81	54.00	-3.19	41.80	34.50	10.75	36.24	0.00	100	337	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5358.10	50.81	54.00	-3.19	41.80	34.50	10.75	36.24	0.00	100	337	AVERAGE																																		



Mode	27																																																																																			
	Band Edge - L																																																																																			
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																			
ANT	CDD 0+1																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5137.44</td> <td>49.59</td> <td>74.00</td> <td>-24.41</td> <td>41.64</td> <td>34.11</td> <td>10.60</td> <td>36.76</td> <td>0.00</td> <td>330</td> <td>267</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5137.44	49.59	74.00	-24.41	41.64	34.11	10.60	36.76	0.00	330	267	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>96.45</td> <td>-----</td> <td>-----</td> <td>87.71</td> <td>34.46</td> <td>10.71</td> <td>36.43</td> <td>0.00</td> <td>330</td> <td>267</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	96.45	-----	-----	87.71	34.46	10.71	36.43	0.00	330	267	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5137.44	49.59	74.00	-24.41	41.64	34.11	10.60	36.76	0.00	330	267	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5290.00	96.45	-----	-----	87.71	34.46	10.71	36.43	0.00	330	267	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5127.52</td> <td>40.17</td> <td>54.00</td> <td>-13.83</td> <td>32.30</td> <td>34.08</td> <td>10.58</td> <td>36.79</td> <td>0.00</td> <td>330</td> <td>267</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5127.52	40.17	54.00	-13.83	32.30	34.08	10.58	36.79	0.00	330	267	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>88.03</td> <td>-----</td> <td>-----</td> <td>79.26</td> <td>34.47</td> <td>10.71</td> <td>36.41</td> <td>0.00</td> <td>330</td> <td>267</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	88.03	-----	-----	79.26	34.47	10.71	36.41	0.00	330	267	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5127.52	40.17	54.00	-13.83	32.30	34.08	10.58	36.79	0.00	330	267	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5290.00	88.03	-----	-----	79.26	34.47	10.71	36.41	0.00	330	267	AVERAGE																																																																								







Mode	27																																																	
	Band Edge - R																																																	
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																	
ANT	CDD 0+1																																																	
Pol.	Vertical	Fundamental																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5373.10</td> <td>54.61</td> <td>74.00</td> <td>-19.39</td> <td>45.55</td> <td>34.50</td> <td>10.76</td> <td>36.20</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>330</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>267 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5373.10	54.61	74.00	-19.39	45.55	34.50	10.76	36.20							0.00	330								267 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																											
1 5373.10	54.61	74.00	-19.39	45.55	34.50	10.76	36.20																																											
						0.00	330																																											
							267 PEAK																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5358.50</td> <td>46.77</td> <td>54.00</td> <td>-7.23</td> <td>37.75</td> <td>34.50</td> <td>10.75</td> <td>36.23</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>330</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>267 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5358.50	46.77	54.00	-7.23	37.75	34.50	10.75	36.23							0.00	330								267 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																											
1 5358.50	46.77	54.00	-7.23	37.75	34.50	10.75	36.23																																											
						0.00	330																																											
							267 AVERAGE																																											



Mode	27																																																																											
	Harmonic																																																																											
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																											
ANT	CDD 0+1																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak																																																																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10580.50</td> <td>43.08</td> <td>68.20</td> <td>-25.12</td> <td>56.47</td> <td>37.61</td> <td>15.65</td> <td>66.65</td> <td>0.00</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10580.50	43.08	68.20	-25.12	56.47	37.61	15.65	66.65	0.00	--- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10580.50</td> <td>44.23</td> <td>68.20</td> <td>-23.97</td> <td>57.62</td> <td>37.61</td> <td>15.65</td> <td>66.65</td> <td>0.00</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10580.50	44.23	68.20	-23.97	57.62	37.61	15.65	66.65	0.00	--- --- Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 10580.50	43.08	68.20	-25.12	56.47	37.61	15.65	66.65	0.00	--- --- Peak																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 10580.50	44.23	68.20	-23.97	57.62	37.61	15.65	66.65	0.00	--- --- Peak																																																																			





Mode	28																																																																																														
	Band Edge - L																																																																																														
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																														
ANT	CDD 0+1																																																																																														
Pol.	Horizontal	Fundamental																																																																																													
Peak	 <table border="1" data-bbox="255 1097 798 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.56</td> <td>62.75</td> <td>74.00</td> <td>-11.25</td> <td>53.35</td> <td>34.56</td> <td>10.84</td> <td>36.00</td> <td>0.00</td> <td>100</td> <td>233</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.56</td> <td>64.53</td> <td>68.20</td> <td>-3.67</td> <td>55.08</td> <td>34.57</td> <td>10.85</td> <td>35.97</td> <td>0.00</td> <td>100</td> <td>233</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5456.56	62.75	74.00	-11.25	53.35	34.56	10.84	36.00	0.00	100	233	PEAK	2	5468.56	64.53	68.20	-3.67	55.08	34.57	10.85	35.97	0.00	100	233	PEAK	 <table border="1" data-bbox="877 1097 1436 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>100.60</td> <td>-----</td> <td>-----</td> <td>90.88</td> <td>34.60</td> <td>10.93</td> <td>35.81</td> <td>0.00</td> <td>100</td> <td>233</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5530.00	100.60	-----	-----	90.88	34.60	10.93	35.81	0.00	100	233	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5456.56	62.75	74.00	-11.25	53.35	34.56	10.84	36.00	0.00	100	233	PEAK																																																																																			
2	5468.56	64.53	68.20	-3.67	55.08	34.57	10.85	35.97	0.00	100	233	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5530.00	100.60	-----	-----	90.88	34.60	10.93	35.81	0.00	100	233	PEAK																																																																																			
Avg	 <table border="1" data-bbox="255 1792 798 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.12</td> <td>47.65</td> <td>54.00</td> <td>-6.35</td> <td>38.24</td> <td>34.56</td> <td>10.84</td> <td>35.99</td> <td>0.00</td> <td>100</td> <td>233</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5459.12	47.65	54.00	-6.35	38.24	34.56	10.84	35.99	0.00	100	233	AVERAGE	 <table border="1" data-bbox="877 1792 1436 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>91.94</td> <td>-----</td> <td>-----</td> <td>82.22</td> <td>34.60</td> <td>10.93</td> <td>35.81</td> <td>0.00</td> <td>100</td> <td>233</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5530.00	91.94	-----	-----	82.22	34.60	10.93	35.81	0.00	100	233	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5459.12	47.65	54.00	-6.35	38.24	34.56	10.84	35.99	0.00	100	233	AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5530.00	91.94	-----	-----	82.22	34.60	10.93	35.81	0.00	100	233	AVERAGE																																																																																			



Mode	28																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																													
ANT	CDD 0+1																																													
Pol.	Horizontal	Fundamental																																												
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5726.44</td> <td>51.83</td> <td>68.20</td> <td>-16.37</td> <td>43.20</td> <td>34.68</td> <td>11.18</td> <td>37.23</td> <td>0.00</td> <td>100</td> <td>233</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5726.44	51.83	68.20	-16.37	43.20	34.68	11.18	37.23	0.00	100	233	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5726.44	51.83	68.20	-16.37	43.20	34.68	11.18	37.23	0.00	100	233	PEAK																																		





Mode	28																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																
ANT	CDD 0+1																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.84</td> <td>54.44</td> <td>74.00</td> <td>-19.56</td> <td>45.04</td> <td>34.56</td> <td>10.84</td> <td>36.00</td> <td>0.00</td> <td>334</td> <td>248</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5465.20</td> <td>58.05</td> <td>68.20</td> <td>-10.15</td> <td>48.61</td> <td>34.57</td> <td>10.85</td> <td>35.98</td> <td>0.00</td> <td>334</td> <td>248</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.84	54.44	74.00	-19.56	45.04	34.56	10.84	36.00	0.00	334	248	PEAK	2	5465.20	58.05	68.20	-10.15	48.61	34.57	10.85	35.98	0.00	334	248	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>97.70</td> <td>-----</td> <td>-----</td> <td>88.00</td> <td>34.60</td> <td>10.92</td> <td>35.82</td> <td>0.00</td> <td>334</td> <td>248</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	97.70	-----	-----	88.00	34.60	10.92	35.82	0.00	334	248	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5457.84	54.44	74.00	-19.56	45.04	34.56	10.84	36.00	0.00	334	248	PEAK																																																																																					
2	5465.20	58.05	68.20	-10.15	48.61	34.57	10.85	35.98	0.00	334	248	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5530.00	97.70	-----	-----	88.00	34.60	10.92	35.82	0.00	334	248	PEAK																																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.00</td> <td>41.71</td> <td>54.00</td> <td>-12.29</td> <td>32.30</td> <td>34.56</td> <td>10.84</td> <td>35.99</td> <td>0.00</td> <td>334</td> <td>248</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.00	41.71	54.00	-12.29	32.30	34.56	10.84	35.99	0.00	334	248	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>89.39</td> <td>-----</td> <td>-----</td> <td>79.72</td> <td>34.60</td> <td>10.91</td> <td>35.84</td> <td>0.00</td> <td>334</td> <td>248</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	89.39	-----	-----	79.72	34.60	10.91	35.84	0.00	334	248	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5458.00	41.71	54.00	-12.29	32.30	34.56	10.84	35.99	0.00	334	248	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5530.00	89.39	-----	-----	79.72	34.60	10.91	35.84	0.00	334	248	AVERAGE																																																																																					






Mode	28																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																							
ANT	CDD 0+1																																							
Pol.	Vertical	Fundamental																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5729.08</td> <td>48.96</td> <td>68.20</td> <td>-19.24</td> <td>40.37</td> <td>34.69</td> <td>11.18</td> <td>37.28</td> <td>0.00</td> <td>334</td> <td>248</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5729.08	48.96	68.20	-19.24	40.37	34.69	11.18	37.28	0.00	334	248	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5729.08	48.96	68.20	-19.24	40.37	34.69	11.18	37.28	0.00	334	248	PEAK																													



Mode	28																																																																															
	Harmonic																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																															
ANT	CDD 0+1																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak																																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11060.00</td> <td>45.09</td> <td>74.00</td> <td>-28.91</td> <td>57.50</td> <td>37.95</td> <td>16.08</td> <td>66.44</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11060.00	45.09	74.00	-28.91	57.50	37.95	16.08	66.44	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11060.00</td> <td>44.70</td> <td>74.00</td> <td>-29.30</td> <td>57.11</td> <td>37.95</td> <td>16.08</td> <td>66.44</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11060.00	44.70	74.00	-29.30	57.11	37.95	16.08	66.44	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1 11060.00	45.09	74.00	-28.91	57.50	37.95	16.08	66.44	0.00	---	---	PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1 11060.00	44.70	74.00	-29.30	57.11	37.95	16.08	66.44	0.00	---	---	PEAK																																																																					



Mode	30																																																																																																																																							
	Band Edge																																																																																																																																							
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																							
ANT	0																																																																																																																																							
Pol.	Horizontal	Fundamental																																																																																																																																						
Peak	 <table border="1" data-bbox="263 1075 774 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5647.60</td> <td>50.55</td> <td>68.30</td> <td>-17.75</td> <td>40.59</td> <td>34.60</td> <td>11.07</td> <td>35.71</td> <td>0.00</td> <td>100</td> <td>234</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.00</td> <td>47.62</td> <td>68.30</td> <td>-20.68</td> <td>37.70</td> <td>34.60</td> <td>11.07</td> <td>35.71</td> <td>0.00</td> <td>100</td> <td>234</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5715.20</td> <td>62.38</td> <td>109.56</td> <td>-47.18</td> <td>53.58</td> <td>34.65</td> <td>11.16</td> <td>37.01</td> <td>0.00</td> <td>100</td> <td>234</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.80</td> <td>57.20</td> <td>112.72</td> <td>-55.52</td> <td>48.49</td> <td>34.66</td> <td>11.17</td> <td>37.12</td> <td>0.00</td> <td>100</td> <td>234</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5647.60	50.55	68.30	-17.75	40.59	34.60	11.07	35.71	0.00	100	234	PEAK	2	5650.00	47.62	68.30	-20.68	37.70	34.60	11.07	35.71	0.00	100	234	PEAK	3	5715.20	62.38	109.56	-47.18	53.58	34.65	11.16	37.01	0.00	100	234	PEAK	4	5720.80	57.20	112.72	-55.52	48.49	34.66	11.17	37.12	0.00	100	234	PEAK	 <table border="1" data-bbox="901 1075 1412 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4594.00</td> <td>54.09</td> <td>74.00</td> <td>-19.91</td> <td>48.11</td> <td>33.99</td> <td>10.00</td> <td>38.01</td> <td>0.00</td> <td>100</td> <td>234</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5745.00</td> <td>106.29</td> <td>-----</td> <td>-----</td> <td>97.86</td> <td>34.72</td> <td>11.20</td> <td>37.49</td> <td>0.00</td> <td>100</td> <td>234</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4594.00	54.09	74.00	-19.91	48.11	33.99	10.00	38.01	0.00	100	234	Peak	2	5745.00	106.29	-----	-----	97.86	34.72	11.20	37.49	0.00	100	234	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5647.60	50.55	68.30	-17.75	40.59	34.60	11.07	35.71	0.00	100	234	PEAK																																																																																																																												
2	5650.00	47.62	68.30	-20.68	37.70	34.60	11.07	35.71	0.00	100	234	PEAK																																																																																																																												
3	5715.20	62.38	109.56	-47.18	53.58	34.65	11.16	37.01	0.00	100	234	PEAK																																																																																																																												
4	5720.80	57.20	112.72	-55.52	48.49	34.66	11.17	37.12	0.00	100	234	PEAK																																																																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	4594.00	54.09	74.00	-19.91	48.11	33.99	10.00	38.01	0.00	100	234	Peak																																																																																																																												
2	5745.00	106.29	-----	-----	97.86	34.72	11.20	37.49	0.00	100	234	PEAK																																																																																																																												
Avg	Blank	 <table border="1" data-bbox="901 1758 1412 1937"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4594.00</td> <td>51.99</td> <td>54.00</td> <td>-2.01</td> <td>46.01</td> <td>33.99</td> <td>10.00</td> <td>38.01</td> <td>0.00</td> <td>100</td> <td>234</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5745.00</td> <td>97.51</td> <td>-----</td> <td>-----</td> <td>89.08</td> <td>34.72</td> <td>11.20</td> <td>37.49</td> <td>0.00</td> <td>100</td> <td>234</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4594.00	51.99	54.00	-2.01	46.01	33.99	10.00	38.01	0.00	100	234	Average	2	5745.00	97.51	-----	-----	89.08	34.72	11.20	37.49	0.00	100	234	AVERAGE																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	4594.00	51.99	54.00	-2.01	46.01	33.99	10.00	38.01	0.00	100	234	Average																																																																																																																												
2	5745.00	97.51	-----	-----	89.08	34.72	11.20	37.49	0.00	100	234	AVERAGE																																																																																																																												






Mode	30																																																																																																																															
	Band Edge																																																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																															
ANT	0																																																																																																																															
Pol.	Vertical	Fundamental																																																																																																																														
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5608.80</td> <td>49.16</td> <td>68.30</td> <td>-19.14</td> <td>39.18</td> <td>34.60</td> <td>11.01</td> <td>35.63</td> <td>0.00</td> <td>0.00</td> <td>327</td> <td>238</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.40</td> <td>48.00</td> <td>68.60</td> <td>-20.51</td> <td>38.18</td> <td>34.60</td> <td>11.07</td> <td>35.76</td> <td>0.00</td> <td>0.00</td> <td>327</td> <td>238</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.00</td> <td>51.60</td> <td>105.30</td> <td>-53.70</td> <td>42.58</td> <td>34.60</td> <td>11.14</td> <td>36.72</td> <td>0.00</td> <td>0.00</td> <td>327</td> <td>238</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>56.05</td> <td>110.90</td> <td>-54.85</td> <td>47.33</td> <td>34.66</td> <td>11.17</td> <td>37.11</td> <td>0.00</td> <td>0.00</td> <td>327</td> <td>238</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5608.80	49.16	68.30	-19.14	39.18	34.60	11.01	35.63	0.00	0.00	327	238	PEAK	2	5650.40	48.00	68.60	-20.51	38.18	34.60	11.07	35.76	0.00	0.00	327	238	PEAK	3	5700.00	51.60	105.30	-53.70	42.58	34.60	11.14	36.72	0.00	0.00	327	238	PEAK	4	5720.00	56.05	110.90	-54.85	47.33	34.66	11.17	37.11	0.00	0.00	327	238	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>102.41</td> <td>-----</td> <td>-----</td> <td>94.07</td> <td>34.74</td> <td>11.21</td> <td>37.61</td> <td>0.00</td> <td>0.00</td> <td>327</td> <td>238</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	102.41	-----	-----	94.07	34.74	11.21	37.61	0.00	0.00	327	238	PEAK
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	5608.80	49.16	68.30	-19.14	39.18	34.60	11.01	35.63	0.00	0.00	327	238	PEAK																																																																																																																			
2	5650.40	48.00	68.60	-20.51	38.18	34.60	11.07	35.76	0.00	0.00	327	238	PEAK																																																																																																																			
3	5700.00	51.60	105.30	-53.70	42.58	34.60	11.14	36.72	0.00	0.00	327	238	PEAK																																																																																																																			
4	5720.00	56.05	110.90	-54.85	47.33	34.66	11.17	37.11	0.00	0.00	327	238	PEAK																																																																																																																			
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	5745.00	102.41	-----	-----	94.07	34.74	11.21	37.61	0.00	0.00	327	238	PEAK																																																																																																																			
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>93.21</td> <td>-----</td> <td>-----</td> <td>84.78</td> <td>34.72</td> <td>11.20</td> <td>37.49</td> <td>0.00</td> <td>0.00</td> <td>327</td> <td>238</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	93.21	-----	-----	84.78	34.72	11.20	37.49	0.00	0.00	327	238	AVERAGE																																																																																				
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	5745.00	93.21	-----	-----	84.78	34.72	11.20	37.49	0.00	0.00	327	238	AVERAGE																																																																																																																			



Mode	30																																																																																																																					
	Harmonic																																																																																																																					
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																					
ANT	0																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>44.73</td> <td>74.00</td> <td>-29.27</td> <td>56.33</td> <td>38.29</td> <td>16.36</td> <td>66.25</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2 17235.00</td> <td>47.82</td> <td>68.30</td> <td>-20.48</td> <td>50.99</td> <td>41.25</td> <td>20.16</td> <td>64.58</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11490.00	44.73	74.00	-29.27	56.33	38.29	16.36	66.25	0.00	---	---	PEAK	2 17235.00	47.82	68.30	-20.48	50.99	41.25	20.16	64.58	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>51.40</td> <td>74.00</td> <td>-22.60</td> <td>63.00</td> <td>38.29</td> <td>16.36</td> <td>66.25</td> <td>0.00</td> <td>249</td> <td>82</td> <td>PEAK</td> </tr> <tr> <td>2 11490.00</td> <td>42.10</td> <td>54.00</td> <td>-11.90</td> <td>53.70</td> <td>38.29</td> <td>16.36</td> <td>66.25</td> <td>0.00</td> <td>249</td> <td>82</td> <td>AVERAGE</td> </tr> <tr> <td>3 17235.00</td> <td>50.27</td> <td>68.30</td> <td>-18.03</td> <td>53.44</td> <td>41.25</td> <td>20.16</td> <td>64.58</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11490.00	51.40	74.00	-22.60	63.00	38.29	16.36	66.25	0.00	249	82	PEAK	2 11490.00	42.10	54.00	-11.90	53.70	38.29	16.36	66.25	0.00	249	82	AVERAGE	3 17235.00	50.27	68.30	-18.03	53.44	41.25	20.16	64.58	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1 11490.00	44.73	74.00	-29.27	56.33	38.29	16.36	66.25	0.00	---	---	PEAK																																																																																																											
2 17235.00	47.82	68.30	-20.48	50.99	41.25	20.16	64.58	0.00	---	---	PEAK																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1 11490.00	51.40	74.00	-22.60	63.00	38.29	16.36	66.25	0.00	249	82	PEAK																																																																																																											
2 11490.00	42.10	54.00	-11.90	53.70	38.29	16.36	66.25	0.00	249	82	AVERAGE																																																																																																											
3 17235.00	50.27	68.30	-18.03	53.44	41.25	20.16	64.58	0.00	---	---	PEAK																																																																																																											





Mode	31																																																																																																																																							
	Band Edge - L																																																																																																																																							
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																							
ANT	0																																																																																																																																							
Pol.	Horizontal	Fundamental																																																																																																																																						
Peak	 <table border="1" data-bbox="263 1075 774 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5648.80</td> <td>48.92</td> <td>68.30</td> <td>-19.38</td> <td>38.98</td> <td>34.60</td> <td>11.07</td> <td>35.73</td> <td>0.00</td> <td>321</td> <td>350</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.00</td> <td>47.31</td> <td>68.30</td> <td>-20.99</td> <td>37.39</td> <td>34.60</td> <td>11.07</td> <td>35.73</td> <td>0.00</td> <td>321</td> <td>350</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5781.20</td> <td>47.62</td> <td>105.64</td> <td>-58.02</td> <td>38.62</td> <td>34.60</td> <td>11.14</td> <td>36.74</td> <td>0.00</td> <td>321</td> <td>350</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>46.63</td> <td>110.90</td> <td>-64.27</td> <td>37.91</td> <td>34.66</td> <td>11.17</td> <td>37.11</td> <td>0.00</td> <td>321</td> <td>350</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5648.80	48.92	68.30	-19.38	38.98	34.60	11.07	35.73	0.00	321	350	PEAK	2	5650.00	47.31	68.30	-20.99	37.39	34.60	11.07	35.73	0.00	321	350	PEAK	3	5781.20	47.62	105.64	-58.02	38.62	34.60	11.14	36.74	0.00	321	350	PEAK	4	5720.00	46.63	110.90	-64.27	37.91	34.66	11.17	37.11	0.00	321	350	PEAK	 <table border="1" data-bbox="901 1075 1412 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4630.00</td> <td>56.61</td> <td>74.00</td> <td>-17.39</td> <td>50.44</td> <td>34.06</td> <td>10.04</td> <td>37.93</td> <td>0.00</td> <td>321</td> <td>350</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5788.00</td> <td>104.58</td> <td>-----</td> <td>-----</td> <td>96.88</td> <td>34.86</td> <td>11.26</td> <td>38.42</td> <td>0.00</td> <td>321</td> <td>350</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4630.00	56.61	74.00	-17.39	50.44	34.06	10.04	37.93	0.00	321	350	Peak	2	5788.00	104.58	-----	-----	96.88	34.86	11.26	38.42	0.00	321	350	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5648.80	48.92	68.30	-19.38	38.98	34.60	11.07	35.73	0.00	321	350	PEAK																																																																																																																												
2	5650.00	47.31	68.30	-20.99	37.39	34.60	11.07	35.73	0.00	321	350	PEAK																																																																																																																												
3	5781.20	47.62	105.64	-58.02	38.62	34.60	11.14	36.74	0.00	321	350	PEAK																																																																																																																												
4	5720.00	46.63	110.90	-64.27	37.91	34.66	11.17	37.11	0.00	321	350	PEAK																																																																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	4630.00	56.61	74.00	-17.39	50.44	34.06	10.04	37.93	0.00	321	350	Peak																																																																																																																												
2	5788.00	104.58	-----	-----	96.88	34.86	11.26	38.42	0.00	321	350	Peak																																																																																																																												
Avg	Blank	 <table border="1" data-bbox="901 1758 1412 1937"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4630.00</td> <td>52.00</td> <td>54.00</td> <td>-2.00</td> <td>45.83</td> <td>34.06</td> <td>10.04</td> <td>37.93</td> <td>0.00</td> <td>321</td> <td>350</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5785.00</td> <td>95.37</td> <td>-----</td> <td>-----</td> <td>87.67</td> <td>34.86</td> <td>11.26</td> <td>38.42</td> <td>0.00</td> <td>321</td> <td>350</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4630.00	52.00	54.00	-2.00	45.83	34.06	10.04	37.93	0.00	321	350	Average	2	5785.00	95.37	-----	-----	87.67	34.86	11.26	38.42	0.00	321	350	AVERAGE																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	4630.00	52.00	54.00	-2.00	45.83	34.06	10.04	37.93	0.00	321	350	Average																																																																																																																												
2	5785.00	95.37	-----	-----	87.67	34.86	11.26	38.42	0.00	321	350	AVERAGE																																																																																																																												



Mode	31																																																																																	
	Band Edge - R																																																																																	
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																	
ANT	0																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>44.81</td> <td>111.36</td> <td>-66.55</td> <td>38.17</td> <td>35.01</td> <td>11.34</td> <td>39.71</td> <td>0.00</td> <td>321</td> <td>350</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.20</td> <td>46.13</td> <td>105.80</td> <td>-59.67</td> <td>39.41</td> <td>35.05</td> <td>11.35</td> <td>39.68</td> <td>0.00</td> <td>321</td> <td>350</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>45.20</td> <td>68.45</td> <td>-23.25</td> <td>38.28</td> <td>35.12</td> <td>11.40</td> <td>39.60</td> <td>0.00</td> <td>321</td> <td>350</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5942.00</td> <td>47.98</td> <td>68.30</td> <td>-20.32</td> <td>40.99</td> <td>35.14</td> <td>11.42</td> <td>39.57</td> <td>0.00</td> <td>321</td> <td>350</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	44.81	111.36	-66.55	38.17	35.01	11.34	39.71	0.00	321	350	PEAK	2	5873.20	46.13	105.80	-59.67	39.41	35.05	11.35	39.68	0.00	321	350	PEAK	3	5924.80	45.20	68.45	-23.25	38.28	35.12	11.40	39.60	0.00	321	350	PEAK	4	5942.00	47.98	68.30	-20.32	40.99	35.14	11.42	39.57	0.00	321	350	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.80	44.81	111.36	-66.55	38.17	35.01	11.34	39.71	0.00	321	350	PEAK																																																																						
2	5873.20	46.13	105.80	-59.67	39.41	35.05	11.35	39.68	0.00	321	350	PEAK																																																																						
3	5924.80	45.20	68.45	-23.25	38.28	35.12	11.40	39.60	0.00	321	350	PEAK																																																																						
4	5942.00	47.98	68.30	-20.32	40.99	35.14	11.42	39.57	0.00	321	350	PEAK																																																																						



Mode	31																																																																																												
	Band Edge - L																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																												
ANT	0																																																																																												
Pol.	Vertical	Fundamental																																																																																											
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Loss (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Gain (dB)</th> <th>Aux Gain (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5630.80</td> <td>50.06</td> <td>68.30</td> <td>-18.24</td> <td>39.99</td> <td>34.60</td> <td>11.05</td> <td>35.58</td> <td>0.00</td> <td>400</td> <td>81</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.80</td> <td>48.35</td> <td>68.80</td> <td>-20.54</td> <td>38.45</td> <td>34.60</td> <td>11.07</td> <td>35.77</td> <td>0.00</td> <td>400</td> <td>81</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5786.80</td> <td>49.53</td> <td>107.21</td> <td>-57.68</td> <td>40.61</td> <td>34.62</td> <td>11.15</td> <td>36.85</td> <td>0.00</td> <td>400</td> <td>81</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.80</td> <td>46.34</td> <td>110.90</td> <td>-64.56</td> <td>37.62</td> <td>34.66</td> <td>11.17</td> <td>37.11</td> <td>0.00</td> <td>400</td> <td>81</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Gain (dB)	APos (dB)	TPos (cm)	Remark	1	5630.80	50.06	68.30	-18.24	39.99	34.60	11.05	35.58	0.00	400	81	PEAK	2	5650.80	48.35	68.80	-20.54	38.45	34.60	11.07	35.77	0.00	400	81	PEAK	3	5786.80	49.53	107.21	-57.68	40.61	34.62	11.15	36.85	0.00	400	81	PEAK	4	5720.80	46.34	110.90	-64.56	37.62	34.66	11.17	37.11	0.00	400	81	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Loss (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Gain (dB)</th> <th>Aux Gain (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5785.00</td> <td>100.23</td> <td>-----</td> <td>-----</td> <td>92.34</td> <td>34.83</td> <td>11.25</td> <td>38.19</td> <td>0.00</td> <td>400</td> <td>81</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Gain (dB)	APos (dB)	TPos (cm)	Remark	1	5785.00	100.23	-----	-----	92.34	34.83	11.25	38.19	0.00	400	81	PEAK
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Gain (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5630.80	50.06	68.30	-18.24	39.99	34.60	11.05	35.58	0.00	400	81	PEAK																																																																																	
2	5650.80	48.35	68.80	-20.54	38.45	34.60	11.07	35.77	0.00	400	81	PEAK																																																																																	
3	5786.80	49.53	107.21	-57.68	40.61	34.62	11.15	36.85	0.00	400	81	PEAK																																																																																	
4	5720.80	46.34	110.90	-64.56	37.62	34.66	11.17	37.11	0.00	400	81	PEAK																																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Gain (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5785.00	100.23	-----	-----	92.34	34.83	11.25	38.19	0.00	400	81	PEAK																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Loss (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Gain (dB)</th> <th>Aux Gain (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5785.00</td> <td>91.17</td> <td>-----</td> <td>-----</td> <td>83.47</td> <td>34.86</td> <td>11.26</td> <td>38.42</td> <td>0.00</td> <td>400</td> <td>81</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Gain (dB)	APos (dB)	TPos (cm)	Remark	1	5785.00	91.17	-----	-----	83.47	34.86	11.26	38.42	0.00	400	81	AVERAGE																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Gain (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5785.00	91.17	-----	-----	83.47	34.86	11.26	38.42	0.00	400	81	AVERAGE																																																																																	






Mode	31																																																																													
	Band Edge - R																																																																													
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																													
ANT	0																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>48.74</td> <td>111.36</td> <td>-62.62</td> <td>42.10</td> <td>35.01</td> <td>11.34</td> <td>39.71</td> <td>0.00</td> <td>243</td> <td>81 Peak</td> </tr> <tr> <td>2</td> <td>5857.60</td> <td>47.97</td> <td>110.17</td> <td>-62.20</td> <td>41.32</td> <td>35.02</td> <td>11.34</td> <td>39.71</td> <td>0.00</td> <td>243</td> <td>81 Peak</td> </tr> <tr> <td>3</td> <td>5898.40</td> <td>49.16</td> <td>87.94</td> <td>-38.78</td> <td>42.32</td> <td>35.10</td> <td>11.38</td> <td>39.64</td> <td>0.00</td> <td>243</td> <td>81 Peak</td> </tr> <tr> <td>4</td> <td>5925.00</td> <td>48.62</td> <td>68.30</td> <td>-19.68</td> <td>41.70</td> <td>35.12</td> <td>11.40</td> <td>39.60</td> <td>0.00</td> <td>243</td> <td>81 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	48.74	111.36	-62.62	42.10	35.01	11.34	39.71	0.00	243	81 Peak	2	5857.60	47.97	110.17	-62.20	41.32	35.02	11.34	39.71	0.00	243	81 Peak	3	5898.40	49.16	87.94	-38.78	42.32	35.10	11.38	39.64	0.00	243	81 Peak	4	5925.00	48.62	68.30	-19.68	41.70	35.12	11.40	39.60	0.00	243	81 Peak	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.80	48.74	111.36	-62.62	42.10	35.01	11.34	39.71	0.00	243	81 Peak																																																																			
2	5857.60	47.97	110.17	-62.20	41.32	35.02	11.34	39.71	0.00	243	81 Peak																																																																			
3	5898.40	49.16	87.94	-38.78	42.32	35.10	11.38	39.64	0.00	243	81 Peak																																																																			
4	5925.00	48.62	68.30	-19.68	41.70	35.12	11.40	39.60	0.00	243	81 Peak																																																																			






Mode	31																																																																																					
	Harmonic																																																																																					
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																					
ANT	0																																																																																					
Pol.	Horizontal	Vertical																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>44.53</td> <td>74.00</td> <td>-29.47</td> <td>55.99</td> <td>38.36</td> <td>16.41</td> <td>66.23</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11570.00	44.53	74.00	-29.47	55.99	38.36	16.41	66.23	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>51.62</td> <td>74.00</td> <td>-22.38</td> <td>63.08</td> <td>38.36</td> <td>16.41</td> <td>66.23</td> <td>0.00</td> <td>279 73 PEAK</td> </tr> <tr> <td>2 11570.00</td> <td>41.31</td> <td>54.00</td> <td>-12.69</td> <td>52.77</td> <td>38.36</td> <td>16.41</td> <td>66.23</td> <td>0.00</td> <td>279 73 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11570.00	51.62	74.00	-22.38	63.08	38.36	16.41	66.23	0.00	279 73 PEAK	2 11570.00	41.31	54.00	-12.69	52.77	38.36	16.41	66.23	0.00	279 73 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																														
1 11570.00	44.53	74.00	-29.47	55.99	38.36	16.41	66.23	0.00	--- --- PEAK																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																														
1 11570.00	51.62	74.00	-22.38	63.08	38.36	16.41	66.23	0.00	279 73 PEAK																																																																													
2 11570.00	41.31	54.00	-12.69	52.77	38.36	16.41	66.23	0.00	279 73 AVERAGE																																																																													



Mode	32																																																																																																																																						
	Band Edge - L																																																																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																						
ANT	0																																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																																					
Peak	 <table border="1" data-bbox="263 1075 790 1254"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.00</td> <td>50.21</td> <td>111.36</td> <td>-61.15</td> <td>43.57</td> <td>35.01</td> <td>11.34</td> <td>39.71</td> <td>0.00</td> <td>100</td> <td>176 PEAK</td> </tr> <tr> <td>2</td> <td>5868.00</td> <td>49.56</td> <td>107.03</td> <td>-57.47</td> <td>42.86</td> <td>35.04</td> <td>11.35</td> <td>39.69</td> <td>0.00</td> <td>100</td> <td>176 PEAK</td> </tr> <tr> <td>3</td> <td>5924.00</td> <td>47.52</td> <td>68.45</td> <td>-20.93</td> <td>40.60</td> <td>35.12</td> <td>11.40</td> <td>39.60</td> <td>0.00</td> <td>100</td> <td>176 PEAK</td> </tr> <tr> <td>4</td> <td>5933.60</td> <td>46.91</td> <td>68.30</td> <td>-21.39</td> <td>39.95</td> <td>35.13</td> <td>11.41</td> <td>39.58</td> <td>0.00</td> <td>100</td> <td>176 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	50.21	111.36	-61.15	43.57	35.01	11.34	39.71	0.00	100	176 PEAK	2	5868.00	49.56	107.03	-57.47	42.86	35.04	11.35	39.69	0.00	100	176 PEAK	3	5924.00	47.52	68.45	-20.93	40.60	35.12	11.40	39.60	0.00	100	176 PEAK	4	5933.60	46.91	68.30	-21.39	39.95	35.13	11.41	39.58	0.00	100	176 PEAK	 <table border="1" data-bbox="909 1075 1436 1254"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4660.00</td> <td>59.81</td> <td>74.00</td> <td>-14.19</td> <td>53.48</td> <td>34.12</td> <td>10.07</td> <td>37.86</td> <td>0.00</td> <td>100</td> <td>357 PEAK</td> </tr> <tr> <td>2</td> <td>5825.00</td> <td>102.20</td> <td>-----</td> <td>95.07</td> <td>34.95</td> <td>11.31</td> <td>39.13</td> <td>0.00</td> <td>100</td> <td>176 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4660.00	59.81	74.00	-14.19	53.48	34.12	10.07	37.86	0.00	100	357 PEAK	2	5825.00	102.20	-----	95.07	34.95	11.31	39.13	0.00	100	176 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																													
1	5854.00	50.21	111.36	-61.15	43.57	35.01	11.34	39.71	0.00	100	176 PEAK																																																																																																																												
2	5868.00	49.56	107.03	-57.47	42.86	35.04	11.35	39.69	0.00	100	176 PEAK																																																																																																																												
3	5924.00	47.52	68.45	-20.93	40.60	35.12	11.40	39.60	0.00	100	176 PEAK																																																																																																																												
4	5933.60	46.91	68.30	-21.39	39.95	35.13	11.41	39.58	0.00	100	176 PEAK																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																													
1	4660.00	59.81	74.00	-14.19	53.48	34.12	10.07	37.86	0.00	100	357 PEAK																																																																																																																												
2	5825.00	102.20	-----	95.07	34.95	11.31	39.13	0.00	100	176 PEAK																																																																																																																													
Avg	Blank																																																																																																																																						
		 <table border="1" data-bbox="909 1747 1436 1926"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4660.00</td> <td>50.88</td> <td>54.00</td> <td>-3.12</td> <td>44.55</td> <td>34.12</td> <td>10.07</td> <td>37.86</td> <td>0.00</td> <td>100</td> <td>357 AVERAGE</td> </tr> <tr> <td>2</td> <td>5825.00</td> <td>91.09</td> <td>-----</td> <td>83.85</td> <td>34.94</td> <td>11.30</td> <td>39.00</td> <td>0.00</td> <td>100</td> <td>176 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4660.00	50.88	54.00	-3.12	44.55	34.12	10.07	37.86	0.00	100	357 AVERAGE	2	5825.00	91.09	-----	83.85	34.94	11.30	39.00	0.00	100	176 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																													
1	4660.00	50.88	54.00	-3.12	44.55	34.12	10.07	37.86	0.00	100	357 AVERAGE																																																																																																																												
2	5825.00	91.09	-----	83.85	34.94	11.30	39.00	0.00	100	176 AVERAGE																																																																																																																													






Mode	32																																																																																																																										
	Band Edge - L																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																										
ANT	0																																																																																																																										
Pol.	Vertical	Fundamental																																																																																																																									
Peak	 <table border="1" data-bbox="263 1075 798 1254"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>46.78</td> <td>111.36</td> <td>-64.58</td> <td>40.14</td> <td>35.01</td> <td>11.34</td> <td>39.71</td> <td>0.00</td> <td>309</td> <td>96</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.20</td> <td>48.13</td> <td>105.80</td> <td>-57.67</td> <td>41.41</td> <td>35.05</td> <td>11.35</td> <td>39.68</td> <td>0.00</td> <td>309</td> <td>96</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>44.98</td> <td>68.45</td> <td>-23.47</td> <td>38.06</td> <td>35.12</td> <td>11.40</td> <td>39.68</td> <td>0.00</td> <td>309</td> <td>96</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5931.20</td> <td>47.43</td> <td>68.30</td> <td>-20.87</td> <td>40.48</td> <td>35.13</td> <td>11.41</td> <td>39.59</td> <td>0.00</td> <td>309</td> <td>96</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5854.80	46.78	111.36	-64.58	40.14	35.01	11.34	39.71	0.00	309	96	PEAK	2	5873.20	48.13	105.80	-57.67	41.41	35.05	11.35	39.68	0.00	309	96	PEAK	3	5924.80	44.98	68.45	-23.47	38.06	35.12	11.40	39.68	0.00	309	96	PEAK	4	5931.20	47.43	68.30	-20.87	40.48	35.13	11.41	39.59	0.00	309	96	PEAK	 <table border="1" data-bbox="901 1075 1436 1254"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>103.16</td> <td>-----</td> <td>-----</td> <td>96.01</td> <td>34.95</td> <td>11.31</td> <td>39.11</td> <td>0.00</td> <td>309</td> <td>96</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5825.00	103.16	-----	-----	96.01	34.95	11.31	39.11	0.00	309	96	PEAK
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																														
1	5854.80	46.78	111.36	-64.58	40.14	35.01	11.34	39.71	0.00	309	96	PEAK																																																																																																															
2	5873.20	48.13	105.80	-57.67	41.41	35.05	11.35	39.68	0.00	309	96	PEAK																																																																																																															
3	5924.80	44.98	68.45	-23.47	38.06	35.12	11.40	39.68	0.00	309	96	PEAK																																																																																																															
4	5931.20	47.43	68.30	-20.87	40.48	35.13	11.41	39.59	0.00	309	96	PEAK																																																																																																															
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																														
1	5825.00	103.16	-----	-----	96.01	34.95	11.31	39.11	0.00	309	96	PEAK																																																																																																															
Avg	Blank	 <table border="1" data-bbox="901 1769 1436 1926"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>93.82</td> <td>-----</td> <td>-----</td> <td>86.67</td> <td>34.95</td> <td>11.31</td> <td>39.11</td> <td>0.00</td> <td>309</td> <td>96</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5825.00	93.82	-----	-----	86.67	34.95	11.31	39.11	0.00	309	96	AVERAGE																																																																																
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																														
1	5825.00	93.82	-----	-----	86.67	34.95	11.31	39.11	0.00	309	96	AVERAGE																																																																																																															






Mode	32																																																																																										
	Harmonic																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																										
ANT	0																																																																																										
Pol.	Horizontal	Vertical																																																																																									
Peak Avg																																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>44.81</td> <td>74.00</td> <td>-29.19</td> <td>56.13</td> <td>38.42</td> <td>16.46</td> <td>66.20</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11650.00	44.81	74.00	-29.19	56.13	38.42	16.46	66.20	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>47.02</td> <td>74.00</td> <td>-26.98</td> <td>58.34</td> <td>38.42</td> <td>16.46</td> <td>66.20</td> <td>0.00</td> <td>300</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2 11650.00</td> <td>36.53</td> <td>54.00</td> <td>-17.47</td> <td>47.85</td> <td>38.42</td> <td>16.46</td> <td>66.20</td> <td>0.00</td> <td>300</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11650.00	47.02	74.00	-26.98	58.34	38.42	16.46	66.20	0.00	300	0	PEAK	2 11650.00	36.53	54.00	-17.47	47.85	38.42	16.46	66.20	0.00	300	0
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																			
1 11650.00	44.81	74.00	-29.19	56.13	38.42	16.46	66.20	0.00	---	---	PEAK																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																			
1 11650.00	47.02	74.00	-26.98	58.34	38.42	16.46	66.20	0.00	300	0	PEAK																																																																																
2 11650.00	36.53	54.00	-17.47	47.85	38.42	16.46	66.20	0.00	300	0	AVERAGE																																																																																





Mode	33																																																																																																																																													
	Band Edge - L																																																																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																																													
ANT	CDD 0+1																																																																																																																																													
Pol.	Horizontal	Fundamental																																																																																																																																												
Peak	 <table border="1" data-bbox="263 1075 774 1254"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5638.80</td> <td>51.13</td> <td>68.30</td> <td>-17.17</td> <td>41.03</td> <td>34.60</td> <td>11.06</td> <td>35.56</td> <td>0.00</td> <td>111</td> <td>174</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.00</td> <td>47.19</td> <td>68.30</td> <td>-21.11</td> <td>37.27</td> <td>34.60</td> <td>11.07</td> <td>35.75</td> <td>0.00</td> <td>111</td> <td>174</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5718.40</td> <td>67.44</td> <td>110.45</td> <td>-43.01</td> <td>58.68</td> <td>34.66</td> <td>11.17</td> <td>37.07</td> <td>0.00</td> <td>111</td> <td>174</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5721.20</td> <td>72.72</td> <td>113.64</td> <td>-40.92</td> <td>64.02</td> <td>34.66</td> <td>11.17</td> <td>37.13</td> <td>0.00</td> <td>111</td> <td>174</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5638.80	51.13	68.30	-17.17	41.03	34.60	11.06	35.56	0.00	111	174	PEAK	2	5650.00	47.19	68.30	-21.11	37.27	34.60	11.07	35.75	0.00	111	174	PEAK	3	5718.40	67.44	110.45	-43.01	58.68	34.66	11.17	37.07	0.00	111	174	PEAK	4	5721.20	72.72	113.64	-40.92	64.02	34.66	11.17	37.13	0.00	111	174	PEAK	 <table border="1" data-bbox="901 1075 1412 1254"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4594.00</td> <td>54.52</td> <td>74.00</td> <td>-19.48</td> <td>48.54</td> <td>33.99</td> <td>10.00</td> <td>38.01</td> <td>0.00</td> <td>111</td> <td>174</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5745.00</td> <td>110.84</td> <td>-----</td> <td>-----</td> <td>102.49</td> <td>34.74</td> <td>11.20</td> <td>37.59</td> <td>0.00</td> <td>111</td> <td>174</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4594.00	54.52	74.00	-19.48	48.54	33.99	10.00	38.01	0.00	111	174	Peak	2	5745.00	110.84	-----	-----	102.49	34.74	11.20	37.59	0.00	111	174	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5638.80	51.13	68.30	-17.17	41.03	34.60	11.06	35.56	0.00	111	174	PEAK																																																																																																																																		
2	5650.00	47.19	68.30	-21.11	37.27	34.60	11.07	35.75	0.00	111	174	PEAK																																																																																																																																		
3	5718.40	67.44	110.45	-43.01	58.68	34.66	11.17	37.07	0.00	111	174	PEAK																																																																																																																																		
4	5721.20	72.72	113.64	-40.92	64.02	34.66	11.17	37.13	0.00	111	174	PEAK																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	4594.00	54.52	74.00	-19.48	48.54	33.99	10.00	38.01	0.00	111	174	Peak																																																																																																																																		
2	5745.00	110.84	-----	-----	102.49	34.74	11.20	37.59	0.00	111	174	PEAK																																																																																																																																		
Avg	Blank	 <table border="1" data-bbox="901 1758 1412 1937"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4594.00</td> <td>50.66</td> <td>54.00</td> <td>-3.34</td> <td>44.68</td> <td>33.99</td> <td>10.00</td> <td>38.01</td> <td>0.00</td> <td>111</td> <td>174</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5745.00</td> <td>102.35</td> <td>-----</td> <td>-----</td> <td>94.00</td> <td>34.74</td> <td>11.20</td> <td>37.59</td> <td>0.00</td> <td>111</td> <td>174</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4594.00	50.66	54.00	-3.34	44.68	33.99	10.00	38.01	0.00	111	174	Average	2	5745.00	102.35	-----	-----	94.00	34.74	11.20	37.59	0.00	111	174	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	4594.00	50.66	54.00	-3.34	44.68	33.99	10.00	38.01	0.00	111	174	Average																																																																																																																																		
2	5745.00	102.35	-----	-----	94.00	34.74	11.20	37.59	0.00	111	174	AVERAGE																																																																																																																																		






Mode	33																																																																																																																											
	Band Edge - L																																																																																																																											
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																											
ANT	CDD 0+1																																																																																																																											
Pol.	Vertical	Fundamental																																																																																																																										
Peak	 <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5648.40</td> <td>50.06</td> <td>68.30</td> <td>-18.24</td> <td>40.11</td> <td>34.60</td> <td>11.07</td> <td>35.72</td> <td>0.00</td> <td>367</td> <td>97 PEAK</td> </tr> <tr> <td>2</td> <td>5652.00</td> <td>48.37</td> <td>69.79</td> <td>-21.42</td> <td>38.49</td> <td>34.60</td> <td>11.07</td> <td>35.79</td> <td>0.00</td> <td>367</td> <td>97 PEAK</td> </tr> <tr> <td>3</td> <td>5718.00</td> <td>63.54</td> <td>110.34</td> <td>-46.80</td> <td>54.79</td> <td>34.65</td> <td>11.17</td> <td>37.07</td> <td>0.00</td> <td>367</td> <td>97 PEAK</td> </tr> <tr> <td>4</td> <td>5724.00</td> <td>78.52</td> <td>120.02</td> <td>-41.50</td> <td>69.86</td> <td>34.67</td> <td>11.17</td> <td>37.18</td> <td>0.00</td> <td>367</td> <td>97 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5648.40	50.06	68.30	-18.24	40.11	34.60	11.07	35.72	0.00	367	97 PEAK	2	5652.00	48.37	69.79	-21.42	38.49	34.60	11.07	35.79	0.00	367	97 PEAK	3	5718.00	63.54	110.34	-46.80	54.79	34.65	11.17	37.07	0.00	367	97 PEAK	4	5724.00	78.52	120.02	-41.50	69.86	34.67	11.17	37.18	0.00	367	97 PEAK	 <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>107.85</td> <td>.....</td> <td>.....</td> <td>99.51</td> <td>34.74</td> <td>11.21</td> <td>37.61</td> <td>0.00</td> <td>367</td> <td>97 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	107.85	.....	.....	99.51	34.74	11.21	37.61	0.00	367	97 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5648.40	50.06	68.30	-18.24	40.11	34.60	11.07	35.72	0.00	367	97 PEAK																																																																																																																	
2	5652.00	48.37	69.79	-21.42	38.49	34.60	11.07	35.79	0.00	367	97 PEAK																																																																																																																	
3	5718.00	63.54	110.34	-46.80	54.79	34.65	11.17	37.07	0.00	367	97 PEAK																																																																																																																	
4	5724.00	78.52	120.02	-41.50	69.86	34.67	11.17	37.18	0.00	367	97 PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5745.00	107.85	.....	.....	99.51	34.74	11.21	37.61	0.00	367	97 PEAK																																																																																																																	
Avg	Blank	 <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>100.06</td> <td>.....</td> <td>.....</td> <td>91.63</td> <td>34.72</td> <td>11.20</td> <td>37.49</td> <td>0.00</td> <td>367</td> <td>97 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	100.06	.....	.....	91.63	34.72	11.20	37.49	0.00	367	97 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5745.00	100.06	.....	.....	91.63	34.72	11.20	37.49	0.00	367	97 AVERAGE																																																																																																																	



Mode	33																																																																																																													
	Harmonic																																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																													
ANT	CDD 0+1																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp Loss Factor</th> <th>Aux Loss Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>45.64</td> <td>74.00</td> <td>-28.36</td> <td>57.24</td> <td>38.29</td> <td>16.36</td> <td>66.25</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2 17235.00</td> <td>50.17</td> <td>68.20</td> <td>-18.13</td> <td>53.34</td> <td>41.25</td> <td>20.16</td> <td>64.58</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Loss Factor	Aux Loss Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 11490.00	45.64	74.00	-28.36	57.24	38.29	16.36	66.25	0.00	---	---	PEAK	2 17235.00	50.17	68.20	-18.13	53.34	41.25	20.16	64.58	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp Loss Factor</th> <th>Aux Loss Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>54.94</td> <td>74.00</td> <td>-19.06</td> <td>66.54</td> <td>38.29</td> <td>16.36</td> <td>66.25</td> <td>0.00</td> <td>273</td> <td>83</td> <td>PEAK</td> </tr> <tr> <td>2 11490.00</td> <td>45.72</td> <td>54.00</td> <td>-8.28</td> <td>57.32</td> <td>38.29</td> <td>16.36</td> <td>66.25</td> <td>0.00</td> <td>273</td> <td>83</td> <td>AVERAGE</td> </tr> <tr> <td>3 17235.00</td> <td>61.50</td> <td>68.20</td> <td>-6.90</td> <td>64.67</td> <td>41.25</td> <td>20.16</td> <td>64.58</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Loss Factor	Aux Loss Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 11490.00	54.94	74.00	-19.06	66.54	38.29	16.36	66.25	0.00	273	83	PEAK	2 11490.00	45.72	54.00	-8.28	57.32	38.29	16.36	66.25	0.00	273	83	AVERAGE	3 17235.00	61.50	68.20	-6.90	64.67	41.25	20.16	64.58	0.00	---	---	PEAK
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Loss Factor	Aux Loss Factor	APos	TPos	Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																			
1 11490.00	45.64	74.00	-28.36	57.24	38.29	16.36	66.25	0.00	---	---	PEAK																																																																																																			
2 17235.00	50.17	68.20	-18.13	53.34	41.25	20.16	64.58	0.00	---	---	PEAK																																																																																																			
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Loss Factor	Aux Loss Factor	APos	TPos	Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																			
1 11490.00	54.94	74.00	-19.06	66.54	38.29	16.36	66.25	0.00	273	83	PEAK																																																																																																			
2 11490.00	45.72	54.00	-8.28	57.32	38.29	16.36	66.25	0.00	273	83	AVERAGE																																																																																																			
3 17235.00	61.50	68.20	-6.90	64.67	41.25	20.16	64.58	0.00	---	---	PEAK																																																																																																			



Mode	34																																																																																																																	
	Band Edge - L																																																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT20_CH157_5785MHz																																																																																																																	
ANT	CDD 0+1																																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																																
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5644.80</td> <td>49.23</td> <td>68.30</td> <td>-19.07</td> <td>39.22</td> <td>34.60</td> <td>11.06</td> <td>35.65</td> <td>0.00</td> <td>100</td> <td>194 PEAK</td> </tr> <tr> <td>2</td> <td>5650.00</td> <td>46.85</td> <td>68.30</td> <td>-21.45</td> <td>36.93</td> <td>34.60</td> <td>11.07</td> <td>35.75</td> <td>0.00</td> <td>100</td> <td>194 PEAK</td> </tr> <tr> <td>3</td> <td>5781.20</td> <td>50.65</td> <td>105.64</td> <td>-54.99</td> <td>41.65</td> <td>34.60</td> <td>11.14</td> <td>36.74</td> <td>0.00</td> <td>100</td> <td>194 PEAK</td> </tr> <tr> <td>4</td> <td>5721.60</td> <td>51.19</td> <td>114.55</td> <td>-63.36</td> <td>42.50</td> <td>34.66</td> <td>11.17</td> <td>37.14</td> <td>0.00</td> <td>100</td> <td>194 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5644.80	49.23	68.30	-19.07	39.22	34.60	11.06	35.65	0.00	100	194 PEAK	2	5650.00	46.85	68.30	-21.45	36.93	34.60	11.07	35.75	0.00	100	194 PEAK	3	5781.20	50.65	105.64	-54.99	41.65	34.60	11.14	36.74	0.00	100	194 PEAK	4	5721.60	51.19	114.55	-63.36	42.50	34.66	11.17	37.14	0.00	100	194 PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4630.00</td> <td>54.87</td> <td>74.00</td> <td>-19.13</td> <td>48.70</td> <td>34.06</td> <td>10.04</td> <td>37.93</td> <td>0.00</td> <td>100</td> <td>194 Peak</td> </tr> <tr> <td>2</td> <td>5785.00</td> <td>107.34</td> <td>-----</td> <td>-----</td> <td>99.64</td> <td>34.86</td> <td>11.26</td> <td>38.42</td> <td>0.00</td> <td>100</td> <td>194 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	4630.00	54.87	74.00	-19.13	48.70	34.06	10.04	37.93	0.00	100	194 Peak	2	5785.00	107.34	-----	-----	99.64	34.86	11.26	38.42	0.00	100	194 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																								
1	5644.80	49.23	68.30	-19.07	39.22	34.60	11.06	35.65	0.00	100	194 PEAK																																																																																																							
2	5650.00	46.85	68.30	-21.45	36.93	34.60	11.07	35.75	0.00	100	194 PEAK																																																																																																							
3	5781.20	50.65	105.64	-54.99	41.65	34.60	11.14	36.74	0.00	100	194 PEAK																																																																																																							
4	5721.60	51.19	114.55	-63.36	42.50	34.66	11.17	37.14	0.00	100	194 PEAK																																																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																								
1	4630.00	54.87	74.00	-19.13	48.70	34.06	10.04	37.93	0.00	100	194 Peak																																																																																																							
2	5785.00	107.34	-----	-----	99.64	34.86	11.26	38.42	0.00	100	194 PEAK																																																																																																							
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4630.00</td> <td>52.84</td> <td>54.00</td> <td>-1.16</td> <td>46.67</td> <td>34.06</td> <td>10.04</td> <td>37.93</td> <td>0.00</td> <td>100</td> <td>194 Average</td> </tr> <tr> <td>2</td> <td>5785.00</td> <td>99.05</td> <td>-----</td> <td>-----</td> <td>91.24</td> <td>34.85</td> <td>11.26</td> <td>38.30</td> <td>0.00</td> <td>100</td> <td>194 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	4630.00	52.84	54.00	-1.16	46.67	34.06	10.04	37.93	0.00	100	194 Average	2	5785.00	99.05	-----	-----	91.24	34.85	11.26	38.30	0.00	100	194 AVERAGE																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																								
1	4630.00	52.84	54.00	-1.16	46.67	34.06	10.04	37.93	0.00	100	194 Average																																																																																																							
2	5785.00	99.05	-----	-----	91.24	34.85	11.26	38.30	0.00	100	194 AVERAGE																																																																																																							



Mode	34																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT20_CH157_5785MHz																																																																																				
ANT	CDD 0+1																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>52.99</td> <td>111.36</td> <td>-58.37</td> <td>46.35</td> <td>35.01</td> <td>11.34</td> <td>39.71</td> <td>0.00</td> <td>100</td> <td>194</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.40</td> <td>48.08</td> <td>105.47</td> <td>-57.39</td> <td>41.36</td> <td>35.05</td> <td>11.35</td> <td>39.68</td> <td>0.00</td> <td>100</td> <td>194</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>44.71</td> <td>68.45</td> <td>-23.74</td> <td>37.79</td> <td>35.12</td> <td>11.40</td> <td>39.60</td> <td>0.00</td> <td>100</td> <td>194</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5957.20</td> <td>48.46</td> <td>68.30</td> <td>-19.84</td> <td>41.42</td> <td>35.16</td> <td>11.43</td> <td>39.55</td> <td>0.00</td> <td>100</td> <td>194</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	52.99	111.36	-58.37	46.35	35.01	11.34	39.71	0.00	100	194	PEAK	2	5874.40	48.08	105.47	-57.39	41.36	35.05	11.35	39.68	0.00	100	194	PEAK	3	5924.80	44.71	68.45	-23.74	37.79	35.12	11.40	39.60	0.00	100	194	PEAK	4	5957.20	48.46	68.30	-19.84	41.42	35.16	11.43	39.55	0.00	100	194	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.80	52.99	111.36	-58.37	46.35	35.01	11.34	39.71	0.00	100	194	PEAK																																																																									
2	5874.40	48.08	105.47	-57.39	41.36	35.05	11.35	39.68	0.00	100	194	PEAK																																																																									
3	5924.80	44.71	68.45	-23.74	37.79	35.12	11.40	39.60	0.00	100	194	PEAK																																																																									
4	5957.20	48.46	68.30	-19.84	41.42	35.16	11.43	39.55	0.00	100	194	PEAK																																																																									



Mode	34																																																																																																																								
	Band Edge - L																																																																																																																								
	U-NII-3_5.725-5.85_802.11ac VHT20_CH157_5785MHz																																																																																																																								
ANT	CDD 0+1																																																																																																																								
Pol.	Vertical	Fundamental																																																																																																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5627.20</td> <td>51.70</td> <td>68.30</td> <td>-16.60</td> <td>41.65</td> <td>34.60</td> <td>11.04</td> <td>35.59</td> <td>0.00</td> <td>400</td> <td>276</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.60</td> <td>48.63</td> <td>69.49</td> <td>-20.86</td> <td>38.74</td> <td>34.60</td> <td>11.07</td> <td>35.78</td> <td>0.00</td> <td>400</td> <td>276</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.40</td> <td>48.48</td> <td>105.41</td> <td>-56.93</td> <td>39.47</td> <td>34.60</td> <td>11.14</td> <td>36.73</td> <td>0.00</td> <td>400</td> <td>276</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>47.08</td> <td>110.90</td> <td>-63.82</td> <td>38.36</td> <td>34.66</td> <td>11.17</td> <td>37.11</td> <td>0.00</td> <td>400</td> <td>276</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5627.20	51.70	68.30	-16.60	41.65	34.60	11.04	35.59	0.00	400	276	PEAK	2	5651.60	48.63	69.49	-20.86	38.74	34.60	11.07	35.78	0.00	400	276	PEAK	3	5700.40	48.48	105.41	-56.93	39.47	34.60	11.14	36.73	0.00	400	276	PEAK	4	5720.00	47.08	110.90	-63.82	38.36	34.66	11.17	37.11	0.00	400	276	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5785.00</td> <td>104.13</td> <td>-----</td> <td>-----</td> <td>96.52</td> <td>34.88</td> <td>11.27</td> <td>38.54</td> <td>0.00</td> <td>400</td> <td>276</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5785.00	104.13	-----	-----	96.52	34.88	11.27	38.54	0.00	400	276	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																	
1	5627.20	51.70	68.30	-16.60	41.65	34.60	11.04	35.59	0.00	400	276	PEAK																																																																																																													
2	5651.60	48.63	69.49	-20.86	38.74	34.60	11.07	35.78	0.00	400	276	PEAK																																																																																																													
3	5700.40	48.48	105.41	-56.93	39.47	34.60	11.14	36.73	0.00	400	276	PEAK																																																																																																													
4	5720.00	47.08	110.90	-63.82	38.36	34.66	11.17	37.11	0.00	400	276	PEAK																																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																	
1	5785.00	104.13	-----	-----	96.52	34.88	11.27	38.54	0.00	400	276	PEAK																																																																																																													
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5785.00</td> <td>96.52</td> <td>-----</td> <td>-----</td> <td>88.82</td> <td>34.86</td> <td>11.26</td> <td>38.42</td> <td>0.00</td> <td>400</td> <td>276</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5785.00	96.52	-----	-----	88.82	34.86	11.26	38.42	0.00	400	276	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																	
1	5785.00	96.52	-----	-----	88.82	34.86	11.26	38.42	0.00	400	276	AVERAGE																																																																																																													






Mode	34																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT20_CH157_5785MHz																																																																									
ANT	CDD 0+1																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>43.96</td> <td>111.36</td> <td>-67.40</td> <td>37.32</td> <td>35.01</td> <td>11.34</td> <td>39.71</td> <td>0.00</td> <td>400</td> <td>276</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.80</td> <td>44.41</td> <td>105.36</td> <td>-60.95</td> <td>37.69</td> <td>35.05</td> <td>11.35</td> <td>39.68</td> <td>0.00</td> <td>400</td> <td>276</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5919.60</td> <td>47.92</td> <td>72.28</td> <td>-24.36</td> <td>41.01</td> <td>35.12</td> <td>11.40</td> <td>39.61</td> <td>0.00</td> <td>400</td> <td>276</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5947.60</td> <td>47.22</td> <td>68.30</td> <td>-21.08</td> <td>40.21</td> <td>35.15</td> <td>11.42</td> <td>39.56</td> <td>0.00</td> <td>400</td> <td>276</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.80	43.96	111.36	-67.40	37.32	35.01	11.34	39.71	0.00	400	276	PEAK	2	5874.80	44.41	105.36	-60.95	37.69	35.05	11.35	39.68	0.00	400	276	PEAK	3	5919.60	47.92	72.28	-24.36	41.01	35.12	11.40	39.61	0.00	400	276	PEAK	4	5947.60	47.22	68.30	-21.08	40.21	35.15	11.42	39.56	0.00	400	276	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5854.80	43.96	111.36	-67.40	37.32	35.01	11.34	39.71	0.00	400	276	PEAK																																																														
2	5874.80	44.41	105.36	-60.95	37.69	35.05	11.35	39.68	0.00	400	276	PEAK																																																														
3	5919.60	47.92	72.28	-24.36	41.01	35.12	11.40	39.61	0.00	400	276	PEAK																																																														
4	5947.60	47.22	68.30	-21.08	40.21	35.15	11.42	39.56	0.00	400	276	PEAK																																																														






Mode	34																																																																																																																										
	Harmonic																																																																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT20_CH157_5785MHz																																																																																																																										
ANT	CDD 0+1																																																																																																																										
Pol.	Horizontal	Vertical																																																																																																																									
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11570.00</td> <td>45.61</td> <td>74.00</td> <td>-28.39</td> <td>57.07</td> <td>38.36</td> <td>16.41</td> <td>66.23</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>17355.00</td> <td>50.45</td> <td>68.20</td> <td>-17.85</td> <td>53.65</td> <td>41.23</td> <td>20.24</td> <td>64.67</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	45.61	74.00	-28.39	57.07	38.36	16.41	66.23	0.00	---	---	PEAK	2	17355.00	50.45	68.20	-17.85	53.65	41.23	20.24	64.67	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11570.00</td> <td>53.03</td> <td>74.00</td> <td>-20.97</td> <td>64.49</td> <td>38.36</td> <td>16.41</td> <td>66.23</td> <td>0.00</td> <td>278</td> <td>79</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11570.00</td> <td>44.63</td> <td>54.00</td> <td>-9.37</td> <td>56.09</td> <td>38.36</td> <td>16.41</td> <td>66.23</td> <td>0.00</td> <td>278</td> <td>79</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>17355.00</td> <td>57.86</td> <td>68.20</td> <td>-10.44</td> <td>61.06</td> <td>41.23</td> <td>20.24</td> <td>64.67</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	53.03	74.00	-20.97	64.49	38.36	16.41	66.23	0.00	278	79	PEAK	2	11570.00	44.63	54.00	-9.37	56.09	38.36	16.41	66.23	0.00	278	79	AVERAGE	3	17355.00	57.86	68.20	-10.44	61.06	41.23	20.24	64.67	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	11570.00	45.61	74.00	-28.39	57.07	38.36	16.41	66.23	0.00	---	---	PEAK																																																																																																															
2	17355.00	50.45	68.20	-17.85	53.65	41.23	20.24	64.67	0.00	---	---	PEAK																																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	11570.00	53.03	74.00	-20.97	64.49	38.36	16.41	66.23	0.00	278	79	PEAK																																																																																																															
2	11570.00	44.63	54.00	-9.37	56.09	38.36	16.41	66.23	0.00	278	79	AVERAGE																																																																																																															
3	17355.00	57.86	68.20	-10.44	61.06	41.23	20.24	64.67	0.00	---	---	PEAK																																																																																																															





Mode	35																																																																																																																																	
	Band Edge - L																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																																	
ANT	CDD 0+1																																																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																																																
Peak	 <table border="1" data-bbox="263 1075 790 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.00</td> <td>61.06</td> <td>113.18</td> <td>-52.12</td> <td>54.41</td> <td>35.01</td> <td>11.33</td> <td>39.69</td> <td>0.00</td> <td>192</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5871.20</td> <td>54.43</td> <td>106.36</td> <td>-51.93</td> <td>47.72</td> <td>35.04</td> <td>11.35</td> <td>39.68</td> <td>0.00</td> <td>192</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>47.17</td> <td>68.45</td> <td>-21.28</td> <td>40.25</td> <td>35.12</td> <td>11.40</td> <td>39.68</td> <td>0.00</td> <td>192</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5945.20</td> <td>47.40</td> <td>68.30</td> <td>-20.90</td> <td>40.40</td> <td>35.15</td> <td>11.42</td> <td>39.57</td> <td>0.00</td> <td>192</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	61.06	113.18	-52.12	54.41	35.01	11.33	39.69	0.00	192	PEAK	2	5871.20	54.43	106.36	-51.93	47.72	35.04	11.35	39.68	0.00	192	PEAK	3	5924.80	47.17	68.45	-21.28	40.25	35.12	11.40	39.68	0.00	192	PEAK	4	5945.20	47.40	68.30	-20.90	40.40	35.15	11.42	39.57	0.00	192	PEAK	 <table border="1" data-bbox="909 1075 1436 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4660.00</td> <td>49.82</td> <td>74.00</td> <td>-24.18</td> <td>43.49</td> <td>34.12</td> <td>10.07</td> <td>37.86</td> <td>0.00</td> <td>192</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5825.00</td> <td>107.54</td> <td>-----</td> <td>-----</td> <td>100.50</td> <td>34.96</td> <td>11.31</td> <td>39.23</td> <td>0.00</td> <td>192</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4660.00	49.82	74.00	-24.18	43.49	34.12	10.07	37.86	0.00	192	Peak	2	5825.00	107.54	-----	-----	100.50	34.96	11.31	39.23	0.00	192	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5854.00	61.06	113.18	-52.12	54.41	35.01	11.33	39.69	0.00	192	PEAK																																																																																																																							
2	5871.20	54.43	106.36	-51.93	47.72	35.04	11.35	39.68	0.00	192	PEAK																																																																																																																							
3	5924.80	47.17	68.45	-21.28	40.25	35.12	11.40	39.68	0.00	192	PEAK																																																																																																																							
4	5945.20	47.40	68.30	-20.90	40.40	35.15	11.42	39.57	0.00	192	PEAK																																																																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	4660.00	49.82	74.00	-24.18	43.49	34.12	10.07	37.86	0.00	192	Peak																																																																																																																							
2	5825.00	107.54	-----	-----	100.50	34.96	11.31	39.23	0.00	192	PEAK																																																																																																																							
Avg	Blank																																																																																																																																	
	 <table border="1" data-bbox="909 1747 1436 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4660.00</td> <td>53.43</td> <td>54.00</td> <td>-0.57</td> <td>47.10</td> <td>34.12</td> <td>10.07</td> <td>37.86</td> <td>0.00</td> <td>192</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5825.00</td> <td>98.91</td> <td>-----</td> <td>-----</td> <td>91.76</td> <td>34.95</td> <td>11.31</td> <td>39.11</td> <td>0.00</td> <td>192</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4660.00	53.43	54.00	-0.57	47.10	34.12	10.07	37.86	0.00	192	Average	2	5825.00	98.91	-----	-----	91.76	34.95	11.31	39.11	0.00	192	AVERAGE																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	4660.00	53.43	54.00	-0.57	47.10	34.12	10.07	37.86	0.00	192	Average																																																																																																																							
2	5825.00	98.91	-----	-----	91.76	34.95	11.31	39.11	0.00	192	AVERAGE																																																																																																																							



Mode	35																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																													
ANT	CDD 0+1																																																																																																													
Pol.	Vertical	Fundamental																																																																																																												
Peak	 <table border="1" data-bbox="263 1120 798 1299"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.40</td> <td>57.30</td> <td>112.27</td> <td>-54.97</td> <td>50.66</td> <td>35.01</td> <td>11.33</td> <td>39.70</td> <td>0.00</td> <td>397</td> <td>266 PEAK</td> </tr> <tr> <td>2</td> <td>5860.40</td> <td>64.61</td> <td>109.39</td> <td>-44.78</td> <td>57.95</td> <td>35.02</td> <td>11.34</td> <td>39.70</td> <td>0.00</td> <td>397</td> <td>266 PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>46.21</td> <td>68.45</td> <td>-22.24</td> <td>39.29</td> <td>35.12</td> <td>11.40</td> <td>39.60</td> <td>0.00</td> <td>397</td> <td>266 PEAK</td> </tr> <tr> <td>4</td> <td>5925.60</td> <td>47.12</td> <td>68.30</td> <td>-21.18</td> <td>40.19</td> <td>35.13</td> <td>11.40</td> <td>39.60</td> <td>0.00</td> <td>397</td> <td>266 PEAK</td> </tr> </tbody> </table>		Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5854.40	57.30	112.27	-54.97	50.66	35.01	11.33	39.70	0.00	397	266 PEAK	2	5860.40	64.61	109.39	-44.78	57.95	35.02	11.34	39.70	0.00	397	266 PEAK	3	5924.80	46.21	68.45	-22.24	39.29	35.12	11.40	39.60	0.00	397	266 PEAK	4	5925.60	47.12	68.30	-21.18	40.19	35.13	11.40	39.60	0.00	397	266 PEAK	 <table border="1" data-bbox="901 1120 1436 1299"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>102.29</td> <td>-----</td> <td>95.05</td> <td>34.94</td> <td>11.30</td> <td>39.00</td> <td>0.00</td> <td>397</td> <td>266</td> <td>PEAK</td> </tr> </tbody> </table>		Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	102.29	-----	95.05	34.94	11.30	39.00	0.00	397	266	PEAK
		Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																																		
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	5854.40	57.30	112.27	-54.97	50.66	35.01	11.33	39.70	0.00	397	266 PEAK																																																																																																			
2	5860.40	64.61	109.39	-44.78	57.95	35.02	11.34	39.70	0.00	397	266 PEAK																																																																																																			
3	5924.80	46.21	68.45	-22.24	39.29	35.12	11.40	39.60	0.00	397	266 PEAK																																																																																																			
4	5925.60	47.12	68.30	-21.18	40.19	35.13	11.40	39.60	0.00	397	266 PEAK																																																																																																			
	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	5825.00	102.29	-----	95.05	34.94	11.30	39.00	0.00	397	266	PEAK																																																																																																			
Avg	Blank	 <table border="1" data-bbox="901 1792 1436 1971"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>95.02</td> <td>-----</td> <td>87.78</td> <td>34.94</td> <td>11.30</td> <td>39.00</td> <td>0.00</td> <td>397</td> <td>266</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	95.02	-----	87.78	34.94	11.30	39.00	0.00	397	266	AVERAGE																																																																								
	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	5825.00	95.02	-----	87.78	34.94	11.30	39.00	0.00	397	266	AVERAGE																																																																																																			





Mode	35																																																																													
	Harmonic																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																													
ANT	CDD 0+1																																																																													
Pol.	Horizontal	Vertical																																																																												
Peak Avg																																																																														
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>44.79</td> <td>74.00</td> <td>-29.21</td> <td>56.11</td> <td>38.42</td> <td>16.46</td> <td>66.20</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2 17475.00</td> <td>48.77</td> <td>68.20</td> <td>-19.53</td> <td>52.01</td> <td>41.21</td> <td>20.32</td> <td>64.77</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11650.00	44.79	74.00	-29.21	56.11	38.42	16.46	66.20	0.00	---	---	PEAK	2 17475.00	48.77	68.20	-19.53	52.01	41.21	20.32	64.77	0.00	---	---	PEAK																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 11650.00	44.79	74.00	-29.21	56.11	38.42	16.46	66.20	0.00	---	---	PEAK																																																																			
2 17475.00	48.77	68.20	-19.53	52.01	41.21	20.32	64.77	0.00	---	---	PEAK																																																																			
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 9319.53</td> <td>47.59</td> <td>74.00</td> <td>-26.41</td> <td>63.29</td> <td>36.60</td> <td>14.60</td> <td>66.90</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2 11650.00</td> <td>52.21</td> <td>74.00</td> <td>-21.79</td> <td>63.53</td> <td>38.42</td> <td>16.46</td> <td>66.20</td> <td>0.00</td> <td>286</td> <td>77</td> <td>PEAK</td> </tr> <tr> <td>3 11650.00</td> <td>42.94</td> <td>54.00</td> <td>-11.06</td> <td>54.26</td> <td>38.42</td> <td>16.46</td> <td>66.20</td> <td>0.00</td> <td>286</td> <td>77</td> <td>AVERAGE</td> </tr> <tr> <td>4 17475.00</td> <td>53.26</td> <td>68.20</td> <td>-15.04</td> <td>56.50</td> <td>41.21</td> <td>20.32</td> <td>64.77</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 9319.53	47.59	74.00	-26.41	63.29	36.60	14.60	66.90	0.00	---	---	PEAK	2 11650.00	52.21	74.00	-21.79	63.53	38.42	16.46	66.20	0.00	286	77	PEAK	3 11650.00	42.94	54.00	-11.06	54.26	38.42	16.46	66.20	0.00	286	77	AVERAGE	4 17475.00	53.26	68.20	-15.04	56.50	41.21	20.32	64.77	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 9319.53	47.59	74.00	-26.41	63.29	36.60	14.60	66.90	0.00	---	---	PEAK																																																																			
2 11650.00	52.21	74.00	-21.79	63.53	38.42	16.46	66.20	0.00	286	77	PEAK																																																																			
3 11650.00	42.94	54.00	-11.06	54.26	38.42	16.46	66.20	0.00	286	77	AVERAGE																																																																			
4 17475.00	53.26	68.20	-15.04	56.50	41.21	20.32	64.77	0.00	---	---	PEAK																																																																			



Mode	35																																																																																																																																				
	Harmonic																																																																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																																				
ANT	CDD 0+1																																																																																																																																				
Pol.	Horizontal	Vertical																																																																																																																																			
Peak Avg																																																																																																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>44.79</td> <td>74.00</td> <td>-29.21</td> <td>56.11</td> <td>38.42</td> <td>16.46</td> <td>66.20</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>17475.00</td> <td>48.77</td> <td>68.20</td> <td>-19.53</td> <td>52.01</td> <td>41.21</td> <td>20.32</td> <td>64.77</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9319.53</td> <td>47.59</td> <td>74.00</td> <td>-26.41</td> <td>63.29</td> <td>36.60</td> <td>14.60</td> <td>66.90</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11650.00</td> <td>52.21</td> <td>74.00</td> <td>-21.79</td> <td>63.53</td> <td>38.42</td> <td>16.46</td> <td>66.20</td> <td>0.00</td> <td>286</td> <td>77</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>11650.00</td> <td>42.94</td> <td>54.00</td> <td>-11.06</td> <td>54.26</td> <td>38.42</td> <td>16.46</td> <td>66.20</td> <td>0.00</td> <td>286</td> <td>77</td> <td>AVERAGE</td> </tr> <tr> <td>4</td> <td>17475.00</td> <td>53.26</td> <td>68.20</td> <td>-15.04</td> <td>56.50</td> <td>41.21</td> <td>20.32</td> <td>64.77</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	11650.00	44.79	74.00	-29.21	56.11	38.42	16.46	66.20	0.00	---	---	PEAK	2	17475.00	48.77	68.20	-19.53	52.01	41.21	20.32	64.77	0.00	---	---	PEAK	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	9319.53	47.59	74.00	-26.41	63.29	36.60	14.60	66.90	0.00	---	---	PEAK	2	11650.00	52.21	74.00	-21.79	63.53	38.42	16.46	66.20	0.00	286	77	PEAK	3	11650.00	42.94	54.00	-11.06	54.26	38.42	16.46	66.20	0.00	286	77	AVERAGE	4	17475.00	53.26	68.20	-15.04	56.50	41.21	20.32	64.77	0.00	---	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																													
1	11650.00	44.79	74.00	-29.21	56.11	38.42	16.46	66.20	0.00	---	---	PEAK																																																																																																																									
2	17475.00	48.77	68.20	-19.53	52.01	41.21	20.32	64.77	0.00	---	---	PEAK																																																																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																													
1	9319.53	47.59	74.00	-26.41	63.29	36.60	14.60	66.90	0.00	---	---	PEAK																																																																																																																									
2	11650.00	52.21	74.00	-21.79	63.53	38.42	16.46	66.20	0.00	286	77	PEAK																																																																																																																									
3	11650.00	42.94	54.00	-11.06	54.26	38.42	16.46	66.20	0.00	286	77	AVERAGE																																																																																																																									
4	17475.00	53.26	68.20	-15.04	56.50	41.21	20.32	64.77	0.00	---	---	PEAK																																																																																																																									



Mode	35	
	18-40G	
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg		



Mode	35																																																																																																																																																																									
	30-1G																																																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																																																																									
ANT	CDD 0+1																																																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																																																								
QP	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit Line (dBuV/m)</th> <th>Read Level (dBuV)</th> <th>Cable Loss (dB)</th> <th>Antenna Loss (dB/m)</th> <th>Preamp Factor (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>30.00</td><td>21.29</td><td>-18.71</td><td>40.00</td><td>29.03</td><td>0.71</td><td>24.57</td><td>33.02</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>92.08</td><td>22.40</td><td>-21.10</td><td>43.50</td><td>38.28</td><td>1.44</td><td>15.54</td><td>32.86</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>241.46</td><td>25.59</td><td>-20.41</td><td>46.00</td><td>38.10</td><td>2.37</td><td>17.90</td><td>32.78</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>373.38</td><td>23.67</td><td>-22.33</td><td>46.00</td><td>32.60</td><td>2.94</td><td>21.01</td><td>32.88</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>551.86</td><td>24.03</td><td>-21.97</td><td>46.00</td><td>28.45</td><td>3.59</td><td>25.10</td><td>33.11</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>727.43</td><td>27.10</td><td>-18.90</td><td>46.00</td><td>30.33</td><td>4.13</td><td>25.56</td><td>32.92</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	Read Level (dBuV)	Cable Loss (dB)	Antenna Loss (dB/m)	Preamp Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	30.00	21.29	-18.71	40.00	29.03	0.71	24.57	33.02	---	---	Peak	2	92.08	22.40	-21.10	43.50	38.28	1.44	15.54	32.86	---	---	Peak	3	241.46	25.59	-20.41	46.00	38.10	2.37	17.90	32.78	---	---	Peak	4	373.38	23.67	-22.33	46.00	32.60	2.94	21.01	32.88	---	---	Peak	5	551.86	24.03	-21.97	46.00	28.45	3.59	25.10	33.11	---	---	Peak	6	727.43	27.10	-18.90	46.00	30.33	4.13	25.56	32.92	---	---	Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit Line (dBuV/m)</th> <th>Read Level (dBuV)</th> <th>Cable Loss (dB)</th> <th>Antenna Loss (dB/m)</th> <th>Preamp Factor (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>32.91</td><td>25.50</td><td>-14.50</td><td>40.00</td><td>34.62</td><td>0.76</td><td>23.06</td><td>32.94</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>59.10</td><td>20.91</td><td>-19.09</td><td>40.00</td><td>39.91</td><td>1.14</td><td>12.76</td><td>32.90</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>86.26</td><td>19.80</td><td>-20.20</td><td>40.00</td><td>36.85</td><td>1.39</td><td>14.39</td><td>32.83</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>352.04</td><td>20.70</td><td>-25.30</td><td>46.00</td><td>30.29</td><td>2.86</td><td>20.48</td><td>32.93</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>554.77</td><td>24.40</td><td>-21.60</td><td>46.00</td><td>28.82</td><td>3.60</td><td>25.09</td><td>33.11</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>830.25</td><td>28.25</td><td>-17.75</td><td>46.00</td><td>29.91</td><td>4.40</td><td>26.46</td><td>32.52</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	Read Level (dBuV)	Cable Loss (dB)	Antenna Loss (dB/m)	Preamp Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	32.91	25.50	-14.50	40.00	34.62	0.76	23.06	32.94	---	---	Peak	2	59.10	20.91	-19.09	40.00	39.91	1.14	12.76	32.90	---	---	Peak	3	86.26	19.80	-20.20	40.00	36.85	1.39	14.39	32.83	---	---	Peak	4	352.04	20.70	-25.30	46.00	30.29	2.86	20.48	32.93	---	---	Peak	5	554.77	24.40	-21.60	46.00	28.82	3.60	25.09	33.11	---	---	Peak	6	830.25	28.25	-17.75	46.00	29.91	4.40	26.46	32.52	---	---	Peak
	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	Read Level (dBuV)	Cable Loss (dB)	Antenna Loss (dB/m)	Preamp Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																														
1	30.00	21.29	-18.71	40.00	29.03	0.71	24.57	33.02	---	---	Peak																																																																																																																																																															
2	92.08	22.40	-21.10	43.50	38.28	1.44	15.54	32.86	---	---	Peak																																																																																																																																																															
3	241.46	25.59	-20.41	46.00	38.10	2.37	17.90	32.78	---	---	Peak																																																																																																																																																															
4	373.38	23.67	-22.33	46.00	32.60	2.94	21.01	32.88	---	---	Peak																																																																																																																																																															
5	551.86	24.03	-21.97	46.00	28.45	3.59	25.10	33.11	---	---	Peak																																																																																																																																																															
6	727.43	27.10	-18.90	46.00	30.33	4.13	25.56	32.92	---	---	Peak																																																																																																																																																															
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	Read Level (dBuV)	Cable Loss (dB)	Antenna Loss (dB/m)	Preamp Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																															
1	32.91	25.50	-14.50	40.00	34.62	0.76	23.06	32.94	---	---	Peak																																																																																																																																																															
2	59.10	20.91	-19.09	40.00	39.91	1.14	12.76	32.90	---	---	Peak																																																																																																																																																															
3	86.26	19.80	-20.20	40.00	36.85	1.39	14.39	32.83	---	---	Peak																																																																																																																																																															
4	352.04	20.70	-25.30	46.00	30.29	2.86	20.48	32.93	---	---	Peak																																																																																																																																																															
5	554.77	24.40	-21.60	46.00	28.82	3.60	25.09	33.11	---	---	Peak																																																																																																																																																															
6	830.25	28.25	-17.75	46.00	29.91	4.40	26.46	32.52	---	---	Peak																																																																																																																																																															






Mode	36																																																																																																																																					
	Band Edge - L																																																																																																																																					
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																																					
ANT	CDD 0+1																																																																																																																																					
Pol.	Horizontal	Fundamental																																																																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5643.56</td> <td>51.21</td> <td>68.30</td> <td>-17.09</td> <td>41.18</td> <td>34.60</td> <td>11.06</td> <td>35.63</td> <td>0.00</td> <td>100</td> <td>13</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.46</td> <td>49.33</td> <td>69.39</td> <td>-20.06</td> <td>39.44</td> <td>34.60</td> <td>11.07</td> <td>35.78</td> <td>0.00</td> <td>100</td> <td>13</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5714.86</td> <td>79.84</td> <td>109.46</td> <td>-29.62</td> <td>71.05</td> <td>34.64</td> <td>11.16</td> <td>37.01</td> <td>0.00</td> <td>100</td> <td>13</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.13</td> <td>73.95</td> <td>111.19</td> <td>-37.24</td> <td>65.23</td> <td>34.66</td> <td>11.17</td> <td>37.11</td> <td>0.00</td> <td>100</td> <td>13</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5643.56	51.21	68.30	-17.09	41.18	34.60	11.06	35.63	0.00	100	13	PEAK	2	5651.46	49.33	69.39	-20.06	39.44	34.60	11.07	35.78	0.00	100	13	PEAK	3	5714.86	79.84	109.46	-29.62	71.05	34.64	11.16	37.01	0.00	100	13	PEAK	4	5720.13	73.95	111.19	-37.24	65.23	34.66	11.17	37.11	0.00	100	13	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4606.00</td> <td>58.62</td> <td>74.00</td> <td>-15.38</td> <td>52.58</td> <td>34.01</td> <td>10.01</td> <td>37.98</td> <td>0.00</td> <td>311</td> <td>174</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5758.00</td> <td>105.57</td> <td>-----</td> <td>-----</td> <td>97.42</td> <td>34.77</td> <td>11.22</td> <td>37.84</td> <td>0.00</td> <td>100</td> <td>13</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4606.00	58.62	74.00	-15.38	52.58	34.01	10.01	37.98	0.00	311	174	PEAK	2	5758.00	105.57	-----	-----	97.42	34.77	11.22	37.84	0.00	100	13	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																														
1	5643.56	51.21	68.30	-17.09	41.18	34.60	11.06	35.63	0.00	100	13	PEAK																																																																																																																										
2	5651.46	49.33	69.39	-20.06	39.44	34.60	11.07	35.78	0.00	100	13	PEAK																																																																																																																										
3	5714.86	79.84	109.46	-29.62	71.05	34.64	11.16	37.01	0.00	100	13	PEAK																																																																																																																										
4	5720.13	73.95	111.19	-37.24	65.23	34.66	11.17	37.11	0.00	100	13	PEAK																																																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																														
1	4606.00	58.62	74.00	-15.38	52.58	34.01	10.01	37.98	0.00	311	174	PEAK																																																																																																																										
2	5758.00	105.57	-----	-----	97.42	34.77	11.22	37.84	0.00	100	13	PEAK																																																																																																																										
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4606.00</td> <td>52.86</td> <td>54.00</td> <td>-1.14</td> <td>46.82</td> <td>34.01</td> <td>10.01</td> <td>37.98</td> <td>0.00</td> <td>311</td> <td>174</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>5758.00</td> <td>96.09</td> <td>-----</td> <td>-----</td> <td>88.74</td> <td>34.77</td> <td>11.22</td> <td>37.84</td> <td>0.00</td> <td>100</td> <td>13</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4606.00	52.86	54.00	-1.14	46.82	34.01	10.01	37.98	0.00	311	174	AVERAGE	2	5758.00	96.09	-----	-----	88.74	34.77	11.22	37.84	0.00	100	13	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																														
1	4606.00	52.86	54.00	-1.14	46.82	34.01	10.01	37.98	0.00	311	174	AVERAGE																																																																																																																										
2	5758.00	96.09	-----	-----	88.74	34.77	11.22	37.84	0.00	100	13	AVERAGE																																																																																																																										



Mode	36																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																									
ANT	CDD 0+1																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.84</td> <td>52.90</td> <td>111.26</td> <td>-58.36</td> <td>46.26</td> <td>35.01</td> <td>11.34</td> <td>39.71</td> <td>0.00</td> <td>100</td> <td>13</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5855.62</td> <td>54.73</td> <td>110.73</td> <td>-56.00</td> <td>48.09</td> <td>35.01</td> <td>11.34</td> <td>39.71</td> <td>0.00</td> <td>100</td> <td>13</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.85</td> <td>46.53</td> <td>68.41</td> <td>-21.88</td> <td>39.61</td> <td>35.12</td> <td>11.40</td> <td>39.60</td> <td>0.00</td> <td>100</td> <td>13</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5943.37</td> <td>48.13</td> <td>68.30</td> <td>-20.17</td> <td>41.14</td> <td>35.14</td> <td>11.42</td> <td>39.57</td> <td>0.00</td> <td>100</td> <td>13</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.84	52.90	111.26	-58.36	46.26	35.01	11.34	39.71	0.00	100	13	PEAK	2	5855.62	54.73	110.73	-56.00	48.09	35.01	11.34	39.71	0.00	100	13	PEAK	3	5924.85	46.53	68.41	-21.88	39.61	35.12	11.40	39.60	0.00	100	13	PEAK	4	5943.37	48.13	68.30	-20.17	41.14	35.14	11.42	39.57	0.00	100	13	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5854.84	52.90	111.26	-58.36	46.26	35.01	11.34	39.71	0.00	100	13	PEAK																																																														
2	5855.62	54.73	110.73	-56.00	48.09	35.01	11.34	39.71	0.00	100	13	PEAK																																																														
3	5924.85	46.53	68.41	-21.88	39.61	35.12	11.40	39.60	0.00	100	13	PEAK																																																														
4	5943.37	48.13	68.30	-20.17	41.14	35.14	11.42	39.57	0.00	100	13	PEAK																																																														





Mode	36																																																																																																																																					
	Band Edge - L																																																																																																																																					
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																																					
ANT	CDD 0+1																																																																																																																																					
Pol.	Vertical	Fundamental																																																																																																																																				
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5630.38</td> <td>50.20</td> <td>68.30</td> <td>-18.10</td> <td>40.14</td> <td>34.60</td> <td>11.04</td> <td>35.58</td> <td>0.00</td> <td>400</td> <td>92</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.53</td> <td>48.44</td> <td>68.60</td> <td>-20.25</td> <td>38.53</td> <td>34.60</td> <td>11.07</td> <td>35.76</td> <td>0.00</td> <td>400</td> <td>92</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5717.96</td> <td>70.50</td> <td>110.33</td> <td>-39.83</td> <td>61.75</td> <td>34.65</td> <td>11.17</td> <td>37.07</td> <td>0.00</td> <td>400</td> <td>92</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.28</td> <td>75.29</td> <td>111.54</td> <td>-36.25</td> <td>66.57</td> <td>34.66</td> <td>11.17</td> <td>37.11</td> <td>0.00</td> <td>400</td> <td>92</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5630.38	50.20	68.30	-18.10	40.14	34.60	11.04	35.58	0.00	400	92	PEAK	2	5650.53	48.44	68.60	-20.25	38.53	34.60	11.07	35.76	0.00	400	92	PEAK	3	5717.96	70.50	110.33	-39.83	61.75	34.65	11.17	37.07	0.00	400	92	PEAK	4	5720.28	75.29	111.54	-36.25	66.57	34.66	11.17	37.11	0.00	400	92	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4606.00</td> <td>54.55</td> <td>74.00</td> <td>-19.45</td> <td>48.51</td> <td>34.01</td> <td>10.01</td> <td>37.98</td> <td>0.00</td> <td>300</td> <td>195</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5755.00</td> <td>104.80</td> <td>-----</td> <td>-----</td> <td>96.65</td> <td>34.77</td> <td>11.22</td> <td>37.84</td> <td>0.00</td> <td>400</td> <td>92</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4606.00	54.55	74.00	-19.45	48.51	34.01	10.01	37.98	0.00	300	195	PEAK	2	5755.00	104.80	-----	-----	96.65	34.77	11.22	37.84	0.00	400	92	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																														
1	5630.38	50.20	68.30	-18.10	40.14	34.60	11.04	35.58	0.00	400	92	PEAK																																																																																																																										
2	5650.53	48.44	68.60	-20.25	38.53	34.60	11.07	35.76	0.00	400	92	PEAK																																																																																																																										
3	5717.96	70.50	110.33	-39.83	61.75	34.65	11.17	37.07	0.00	400	92	PEAK																																																																																																																										
4	5720.28	75.29	111.54	-36.25	66.57	34.66	11.17	37.11	0.00	400	92	PEAK																																																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																														
1	4606.00	54.55	74.00	-19.45	48.51	34.01	10.01	37.98	0.00	300	195	PEAK																																																																																																																										
2	5755.00	104.80	-----	-----	96.65	34.77	11.22	37.84	0.00	400	92	PEAK																																																																																																																										
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4606.00</td> <td>45.20</td> <td>54.00</td> <td>-8.80</td> <td>39.16</td> <td>34.01</td> <td>10.01</td> <td>37.98</td> <td>0.00</td> <td>300</td> <td>195</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>5755.00</td> <td>95.25</td> <td>-----</td> <td>-----</td> <td>87.10</td> <td>34.77</td> <td>11.22</td> <td>37.84</td> <td>0.00</td> <td>400</td> <td>92</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4606.00	45.20	54.00	-8.80	39.16	34.01	10.01	37.98	0.00	300	195	AVERAGE	2	5755.00	95.25	-----	-----	87.10	34.77	11.22	37.84	0.00	400	92	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																														
1	4606.00	45.20	54.00	-8.80	39.16	34.01	10.01	37.98	0.00	300	195	AVERAGE																																																																																																																										
2	5755.00	95.25	-----	-----	87.10	34.77	11.22	37.84	0.00	400	92	AVERAGE																																																																																																																										






Mode	36																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																									
ANT	CDD 0+1																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.84</td> <td>47.00</td> <td>111.26</td> <td>-64.26</td> <td>40.36</td> <td>35.01</td> <td>11.34</td> <td>39.71</td> <td>0.00</td> <td>400</td> <td>92</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5870.83</td> <td>46.40</td> <td>106.47</td> <td>-60.07</td> <td>39.69</td> <td>35.04</td> <td>11.35</td> <td>39.68</td> <td>0.00</td> <td>400</td> <td>92</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.26</td> <td>46.58</td> <td>68.85</td> <td>-22.27</td> <td>39.66</td> <td>35.12</td> <td>11.40</td> <td>39.60</td> <td>0.00</td> <td>400</td> <td>92</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5936.35</td> <td>47.85</td> <td>68.30</td> <td>-20.45</td> <td>40.88</td> <td>35.14</td> <td>11.41</td> <td>39.58</td> <td>0.00</td> <td>400</td> <td>92</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.84	47.00	111.26	-64.26	40.36	35.01	11.34	39.71	0.00	400	92	PEAK	2	5870.83	46.40	106.47	-60.07	39.69	35.04	11.35	39.68	0.00	400	92	PEAK	3	5924.26	46.58	68.85	-22.27	39.66	35.12	11.40	39.60	0.00	400	92	PEAK	4	5936.35	47.85	68.30	-20.45	40.88	35.14	11.41	39.58	0.00	400	92	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5854.84	47.00	111.26	-64.26	40.36	35.01	11.34	39.71	0.00	400	92	PEAK																																																														
2	5870.83	46.40	106.47	-60.07	39.69	35.04	11.35	39.68	0.00	400	92	PEAK																																																														
3	5924.26	46.58	68.85	-22.27	39.66	35.12	11.40	39.60	0.00	400	92	PEAK																																																														
4	5936.35	47.85	68.30	-20.45	40.88	35.14	11.41	39.58	0.00	400	92	PEAK																																																														



Mode	36																																																						
	Harmonic																																																						
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																						
ANT	CDD 0+1																																																						
Pol.	Horizontal	Vertical																																																					
Peak Avg																																																							
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11507.80</td> <td>47.64</td> <td>74.00</td> <td>-26.36</td> <td>59.21</td> <td>38.31</td> <td>16.37</td> <td>66.25</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>17250.53</td> <td>52.54</td> <td>68.20</td> <td>-15.66</td> <td>55.71</td> <td>41.25</td> <td>20.17</td> <td>64.59</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	11507.80	47.64	74.00	-26.36	59.21	38.31	16.37	66.25	0.00	---	---	PEAK	2	17250.53	52.54	68.20	-15.66	55.71	41.25	20.17	64.59	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																															
1	11507.80	47.64	74.00	-26.36	59.21	38.31	16.37	66.25	0.00	---	---	PEAK																																											
2	17250.53	52.54	68.20	-15.66	55.71	41.25	20.17	64.59	0.00	---	---	PEAK																																											






Mode	37																																																																																																																							
	Band Edge - L																																																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																							
ANT	CDD 0+1																																																																																																																							
Pol.	Horizontal	Fundamental																																																																																																																						
Peak	 <table border="1" data-bbox="263 1075 798 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5638.80</td> <td>49.79</td> <td>68.30</td> <td>-18.51</td> <td>39.69</td> <td>34.60</td> <td>11.06</td> <td>35.56</td> <td>0.00</td> <td>116</td> <td>170</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.00</td> <td>47.31</td> <td>68.30</td> <td>-20.99</td> <td>37.39</td> <td>34.60</td> <td>11.07</td> <td>35.75</td> <td>0.00</td> <td>116</td> <td>170</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5786.40</td> <td>53.15</td> <td>107.09</td> <td>-53.94</td> <td>44.22</td> <td>34.62</td> <td>11.15</td> <td>36.84</td> <td>0.00</td> <td>116</td> <td>170</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5722.40</td> <td>55.75</td> <td>116.37</td> <td>-60.62</td> <td>47.06</td> <td>34.67</td> <td>11.17</td> <td>37.15</td> <td>0.00</td> <td>116</td> <td>170</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5638.80	49.79	68.30	-18.51	39.69	34.60	11.06	35.56	0.00	116	170	PEAK	2	5650.00	47.31	68.30	-20.99	37.39	34.60	11.07	35.75	0.00	116	170	PEAK	3	5786.40	53.15	107.09	-53.94	44.22	34.62	11.15	36.84	0.00	116	170	PEAK	4	5722.40	55.75	116.37	-60.62	47.06	34.67	11.17	37.15	0.00	116	170	PEAK	 <table border="1" data-bbox="901 1075 1436 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4636.00</td> <td>55.09</td> <td>74.00</td> <td>-18.91</td> <td>48.89</td> <td>34.07</td> <td>10.84</td> <td>37.91</td> <td>0.00</td> <td>370</td> <td>177</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5795.00</td> <td>107.49</td> <td>-----</td> <td>-----</td> <td>99.79</td> <td>34.86</td> <td>11.26</td> <td>38.42</td> <td>0.00</td> <td>116</td> <td>170</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	4636.00	55.09	74.00	-18.91	48.89	34.07	10.84	37.91	0.00	370	177	PEAK	2	5795.00	107.49	-----	-----	99.79	34.86	11.26	38.42	0.00	116	170	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																														
1	5638.80	49.79	68.30	-18.51	39.69	34.60	11.06	35.56	0.00	116	170	PEAK																																																																																																												
2	5650.00	47.31	68.30	-20.99	37.39	34.60	11.07	35.75	0.00	116	170	PEAK																																																																																																												
3	5786.40	53.15	107.09	-53.94	44.22	34.62	11.15	36.84	0.00	116	170	PEAK																																																																																																												
4	5722.40	55.75	116.37	-60.62	47.06	34.67	11.17	37.15	0.00	116	170	PEAK																																																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																														
1	4636.00	55.09	74.00	-18.91	48.89	34.07	10.84	37.91	0.00	370	177	PEAK																																																																																																												
2	5795.00	107.49	-----	-----	99.79	34.86	11.26	38.42	0.00	116	170	PEAK																																																																																																												
Avg	Blank	 <table border="1" data-bbox="901 1758 1436 1937"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4636.00</td> <td>50.81</td> <td>54.00</td> <td>-3.19</td> <td>44.61</td> <td>34.07</td> <td>10.84</td> <td>37.91</td> <td>0.00</td> <td>370</td> <td>177</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>5795.00</td> <td>90.67</td> <td>-----</td> <td>-----</td> <td>90.86</td> <td>34.85</td> <td>11.26</td> <td>38.30</td> <td>0.00</td> <td>116</td> <td>170</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	4636.00	50.81	54.00	-3.19	44.61	34.07	10.84	37.91	0.00	370	177	AVERAGE	2	5795.00	90.67	-----	-----	90.86	34.85	11.26	38.30	0.00	116	170	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																														
1	4636.00	50.81	54.00	-3.19	44.61	34.07	10.84	37.91	0.00	370	177	AVERAGE																																																																																																												
2	5795.00	90.67	-----	-----	90.86	34.85	11.26	38.30	0.00	116	170	AVERAGE																																																																																																												



Mode	37																																																																																	
	Band Edge - R																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																	
ANT	CDD 0+1																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5852.80</td> <td>60.46</td> <td>115.92</td> <td>-55.46</td> <td>53.79</td> <td>35.01</td> <td>11.33</td> <td>39.67</td> <td>0.00</td> <td>116</td> <td>170</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5858.00</td> <td>59.07</td> <td>110.06</td> <td>-50.99</td> <td>52.41</td> <td>35.02</td> <td>11.34</td> <td>39.70</td> <td>0.00</td> <td>116</td> <td>170</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>45.48</td> <td>68.45</td> <td>-22.97</td> <td>38.56</td> <td>35.12</td> <td>11.40</td> <td>39.60</td> <td>0.00</td> <td>116</td> <td>170</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5959.60</td> <td>47.94</td> <td>68.30</td> <td>-20.36</td> <td>40.89</td> <td>35.16</td> <td>11.43</td> <td>39.54</td> <td>0.00</td> <td>116</td> <td>170</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5852.80	60.46	115.92	-55.46	53.79	35.01	11.33	39.67	0.00	116	170	PEAK	2	5858.00	59.07	110.06	-50.99	52.41	35.02	11.34	39.70	0.00	116	170	PEAK	3	5924.80	45.48	68.45	-22.97	38.56	35.12	11.40	39.60	0.00	116	170	PEAK	4	5959.60	47.94	68.30	-20.36	40.89	35.16	11.43	39.54	0.00	116	170	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5852.80	60.46	115.92	-55.46	53.79	35.01	11.33	39.67	0.00	116	170	PEAK																																																																						
2	5858.00	59.07	110.06	-50.99	52.41	35.02	11.34	39.70	0.00	116	170	PEAK																																																																						
3	5924.80	45.48	68.45	-22.97	38.56	35.12	11.40	39.60	0.00	116	170	PEAK																																																																						
4	5959.60	47.94	68.30	-20.36	40.89	35.16	11.43	39.54	0.00	116	170	PEAK																																																																						



Mode	37																																																																																																																															
	Band Edge - L																																																																																																																															
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																															
ANT	CDD 0+1																																																																																																																															
Pol.	Vertical	Fundamental																																																																																																																														
Peak	 <table border="1" data-bbox="263 1075 798 1254"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5631.60</td> <td>49.71</td> <td>68.30</td> <td>-18.59</td> <td>39.64</td> <td>34.60</td> <td>11.05</td> <td>35.58</td> <td>0.00</td> <td>0.00</td> <td>399</td> <td>78</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.80</td> <td>49.33</td> <td>68.80</td> <td>-19.56</td> <td>39.43</td> <td>34.60</td> <td>11.07</td> <td>35.77</td> <td>0.00</td> <td>0.00</td> <td>399</td> <td>78</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5786.40</td> <td>50.55</td> <td>107.09</td> <td>-56.54</td> <td>41.62</td> <td>34.62</td> <td>11.15</td> <td>36.84</td> <td>0.00</td> <td>0.00</td> <td>399</td> <td>78</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5728.00</td> <td>47.99</td> <td>110.90</td> <td>-62.91</td> <td>39.27</td> <td>34.66</td> <td>11.17</td> <td>37.11</td> <td>0.00</td> <td>0.00</td> <td>399</td> <td>78</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5631.60	49.71	68.30	-18.59	39.64	34.60	11.05	35.58	0.00	0.00	399	78	PEAK	2	5650.80	49.33	68.80	-19.56	39.43	34.60	11.07	35.77	0.00	0.00	399	78	PEAK	3	5786.40	50.55	107.09	-56.54	41.62	34.62	11.15	36.84	0.00	0.00	399	78	PEAK	4	5728.00	47.99	110.90	-62.91	39.27	34.66	11.17	37.11	0.00	0.00	399	78	PEAK	 <table border="1" data-bbox="901 1075 1436 1254"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>104.60</td> <td>-----</td> <td>-----</td> <td>96.99</td> <td>34.88</td> <td>11.27</td> <td>38.54</td> <td>0.00</td> <td>0.00</td> <td>399</td> <td>78</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5795.00	104.60	-----	-----	96.99	34.88	11.27	38.54	0.00	0.00	399	78	PEAK
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	5631.60	49.71	68.30	-18.59	39.64	34.60	11.05	35.58	0.00	0.00	399	78	PEAK																																																																																																																			
2	5650.80	49.33	68.80	-19.56	39.43	34.60	11.07	35.77	0.00	0.00	399	78	PEAK																																																																																																																			
3	5786.40	50.55	107.09	-56.54	41.62	34.62	11.15	36.84	0.00	0.00	399	78	PEAK																																																																																																																			
4	5728.00	47.99	110.90	-62.91	39.27	34.66	11.17	37.11	0.00	0.00	399	78	PEAK																																																																																																																			
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	5795.00	104.60	-----	-----	96.99	34.88	11.27	38.54	0.00	0.00	399	78	PEAK																																																																																																																			
Avg	Blank	 <table border="1" data-bbox="901 1769 1436 1926"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>95.32</td> <td>-----</td> <td>-----</td> <td>87.51</td> <td>34.85</td> <td>11.26</td> <td>38.30</td> <td>0.00</td> <td>0.00</td> <td>399</td> <td>78</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5795.00	95.32	-----	-----	87.51	34.85	11.26	38.30	0.00	0.00	399	78	AVERAGE																																																																																				
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	5795.00	95.32	-----	-----	87.51	34.85	11.26	38.30	0.00	0.00	399	78	AVERAGE																																																																																																																			






Mode	37																																																																																	
	Band Edge - R																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																	
ANT	CDD 0+1																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.00</td> <td>59.34</td> <td>113.18</td> <td>-53.84</td> <td>52.69</td> <td>35.01</td> <td>11.33</td> <td>39.69</td> <td>0.00</td> <td>399</td> <td>78</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.80</td> <td>57.48</td> <td>105.36</td> <td>-47.88</td> <td>50.76</td> <td>35.05</td> <td>11.35</td> <td>39.68</td> <td>0.00</td> <td>399</td> <td>78</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>45.56</td> <td>68.45</td> <td>-22.89</td> <td>38.64</td> <td>35.12</td> <td>11.40</td> <td>39.60</td> <td>0.00</td> <td>399</td> <td>78</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5956.40</td> <td>47.32</td> <td>68.30</td> <td>-20.98</td> <td>40.28</td> <td>35.16</td> <td>11.43</td> <td>39.55</td> <td>0.00</td> <td>399</td> <td>78</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	59.34	113.18	-53.84	52.69	35.01	11.33	39.69	0.00	399	78	PEAK	2	5874.80	57.48	105.36	-47.88	50.76	35.05	11.35	39.68	0.00	399	78	PEAK	3	5924.80	45.56	68.45	-22.89	38.64	35.12	11.40	39.60	0.00	399	78	PEAK	4	5956.40	47.32	68.30	-20.98	40.28	35.16	11.43	39.55	0.00	399	78	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.00	59.34	113.18	-53.84	52.69	35.01	11.33	39.69	0.00	399	78	PEAK																																																																						
2	5874.80	57.48	105.36	-47.88	50.76	35.05	11.35	39.68	0.00	399	78	PEAK																																																																						
3	5924.80	45.56	68.45	-22.89	38.64	35.12	11.40	39.60	0.00	399	78	PEAK																																																																						
4	5956.40	47.32	68.30	-20.98	40.28	35.16	11.43	39.55	0.00	399	78	PEAK																																																																						



Mode	37																																																																																																																																
	Harmonic																																																																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																																
ANT	CDD 0+1																																																																																																																																
Pol.	Horizontal	Vertical																																																																																																																															
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11590.00</td> <td>44.57</td> <td>74.00</td> <td>-29.43</td> <td>56.00</td> <td>38.37</td> <td>16.42</td> <td>66.22</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>17377.40</td> <td>51.84</td> <td>68.20</td> <td>-16.36</td> <td>55.06</td> <td>41.22</td> <td>20.25</td> <td>64.69</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11590.00	44.57	74.00	-29.43	56.00	38.37	16.42	66.22	0.00	---	---	PEAK	2	17377.40	51.84	68.20	-16.36	55.06	41.22	20.25	64.69	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9272.60</td> <td>47.21</td> <td>68.20</td> <td>-20.99</td> <td>63.05</td> <td>36.55</td> <td>14.53</td> <td>66.92</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11595.80</td> <td>48.09</td> <td>74.00</td> <td>-25.91</td> <td>59.51</td> <td>38.38</td> <td>16.42</td> <td>66.22</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>17382.53</td> <td>54.04</td> <td>68.20</td> <td>-14.16</td> <td>57.26</td> <td>41.22</td> <td>20.26</td> <td>64.70</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9272.60	47.21	68.20	-20.99	63.05	36.55	14.53	66.92	0.00	---	---	PEAK	2	11595.80	48.09	74.00	-25.91	59.51	38.38	16.42	66.22	0.00	---	---	PEAK	3	17382.53	54.04	68.20	-14.16	57.26	41.22	20.26	64.70	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	11590.00	44.57	74.00	-29.43	56.00	38.37	16.42	66.22	0.00	---	---	PEAK																																																																																																																					
2	17377.40	51.84	68.20	-16.36	55.06	41.22	20.25	64.69	0.00	---	---	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	9272.60	47.21	68.20	-20.99	63.05	36.55	14.53	66.92	0.00	---	---	PEAK																																																																																																																					
2	11595.80	48.09	74.00	-25.91	59.51	38.38	16.42	66.22	0.00	---	---	PEAK																																																																																																																					
3	17382.53	54.04	68.20	-14.16	57.26	41.22	20.26	64.70	0.00	---	---	PEAK																																																																																																																					





Mode	38																																																																																																																																							
	Band Edge - L																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																							
ANT	CDD 0+1																																																																																																																																							
Pol.	Horizontal	Fundamental																																																																																																																																						
Peak	 <table border="1" data-bbox="263 1075 774 1254"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5643.20</td> <td>62.17</td> <td>68.30</td> <td>-6.13</td> <td>52.13</td> <td>34.60</td> <td>11.06</td> <td>35.62</td> <td>0.00</td> <td>100</td> <td>171 PEAK</td> </tr> <tr> <td>2</td> <td>5664.00</td> <td>65.29</td> <td>78.69</td> <td>-13.40</td> <td>55.62</td> <td>34.60</td> <td>11.09</td> <td>36.02</td> <td>0.00</td> <td>100</td> <td>171 PEAK</td> </tr> <tr> <td>3</td> <td>5703.60</td> <td>68.12</td> <td>106.31</td> <td>-38.19</td> <td>59.15</td> <td>34.61</td> <td>11.15</td> <td>36.79</td> <td>0.00</td> <td>100</td> <td>171 PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>58.42</td> <td>110.90</td> <td>-52.48</td> <td>49.70</td> <td>34.66</td> <td>11.17</td> <td>37.11</td> <td>0.00</td> <td>100</td> <td>171 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5643.20	62.17	68.30	-6.13	52.13	34.60	11.06	35.62	0.00	100	171 PEAK	2	5664.00	65.29	78.69	-13.40	55.62	34.60	11.09	36.02	0.00	100	171 PEAK	3	5703.60	68.12	106.31	-38.19	59.15	34.61	11.15	36.79	0.00	100	171 PEAK	4	5720.00	58.42	110.90	-52.48	49.70	34.66	11.17	37.11	0.00	100	171 PEAK	 <table border="1" data-bbox="901 1075 1412 1254"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4618.00</td> <td>56.20</td> <td>74.00</td> <td>-17.80</td> <td>50.08</td> <td>34.04</td> <td>10.03</td> <td>37.95</td> <td>0.00</td> <td>306</td> <td>177 PEAK</td> </tr> <tr> <td>2</td> <td>5775.00</td> <td>103.85</td> <td>-----</td> <td>-----</td> <td>95.79</td> <td>34.79</td> <td>11.23</td> <td>37.96</td> <td>0.00</td> <td>100</td> <td>171 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4618.00	56.20	74.00	-17.80	50.08	34.04	10.03	37.95	0.00	306	177 PEAK	2	5775.00	103.85	-----	-----	95.79	34.79	11.23	37.96	0.00	100	171 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5643.20	62.17	68.30	-6.13	52.13	34.60	11.06	35.62	0.00	100	171 PEAK																																																																																																																													
2	5664.00	65.29	78.69	-13.40	55.62	34.60	11.09	36.02	0.00	100	171 PEAK																																																																																																																													
3	5703.60	68.12	106.31	-38.19	59.15	34.61	11.15	36.79	0.00	100	171 PEAK																																																																																																																													
4	5720.00	58.42	110.90	-52.48	49.70	34.66	11.17	37.11	0.00	100	171 PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	4618.00	56.20	74.00	-17.80	50.08	34.04	10.03	37.95	0.00	306	177 PEAK																																																																																																																													
2	5775.00	103.85	-----	-----	95.79	34.79	11.23	37.96	0.00	100	171 PEAK																																																																																																																													
Avg	Blank	 <table border="1" data-bbox="901 1758 1412 1937"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4618.00</td> <td>52.72</td> <td>54.00</td> <td>-1.28</td> <td>46.60</td> <td>34.04</td> <td>10.03</td> <td>37.95</td> <td>0.00</td> <td>306</td> <td>177 AVERAGE</td> </tr> <tr> <td>2</td> <td>5775.00</td> <td>94.70</td> <td>-----</td> <td>-----</td> <td>86.64</td> <td>34.79</td> <td>11.23</td> <td>37.96</td> <td>0.00</td> <td>100</td> <td>171 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4618.00	52.72	54.00	-1.28	46.60	34.04	10.03	37.95	0.00	306	177 AVERAGE	2	5775.00	94.70	-----	-----	86.64	34.79	11.23	37.96	0.00	100	171 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	4618.00	52.72	54.00	-1.28	46.60	34.04	10.03	37.95	0.00	306	177 AVERAGE																																																																																																																													
2	5775.00	94.70	-----	-----	86.64	34.79	11.23	37.96	0.00	100	171 AVERAGE																																																																																																																													



Mode	38																																																																																	
	Band Edge - R																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																	
ANT	CDD 0+1																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>68.11</td> <td>111.36</td> <td>-43.25</td> <td>61.47</td> <td>35.01</td> <td>11.34</td> <td>39.71</td> <td>0.00</td> <td>100</td> <td>171</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5862.40</td> <td>64.07</td> <td>108.83</td> <td>-44.76</td> <td>57.41</td> <td>35.02</td> <td>11.34</td> <td>39.70</td> <td>0.00</td> <td>100</td> <td>171</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5914.40</td> <td>54.44</td> <td>76.12</td> <td>-21.68</td> <td>47.56</td> <td>35.11</td> <td>11.39</td> <td>39.62</td> <td>0.00</td> <td>100</td> <td>171</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5935.20</td> <td>48.04</td> <td>68.30</td> <td>-20.26</td> <td>41.07</td> <td>35.14</td> <td>11.41</td> <td>39.58</td> <td>0.00</td> <td>100</td> <td>171</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	68.11	111.36	-43.25	61.47	35.01	11.34	39.71	0.00	100	171	PEAK	2	5862.40	64.07	108.83	-44.76	57.41	35.02	11.34	39.70	0.00	100	171	PEAK	3	5914.40	54.44	76.12	-21.68	47.56	35.11	11.39	39.62	0.00	100	171	PEAK	4	5935.20	48.04	68.30	-20.26	41.07	35.14	11.41	39.58	0.00	100	171	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.80	68.11	111.36	-43.25	61.47	35.01	11.34	39.71	0.00	100	171	PEAK																																																																						
2	5862.40	64.07	108.83	-44.76	57.41	35.02	11.34	39.70	0.00	100	171	PEAK																																																																						
3	5914.40	54.44	76.12	-21.68	47.56	35.11	11.39	39.62	0.00	100	171	PEAK																																																																						
4	5935.20	48.04	68.30	-20.26	41.07	35.14	11.41	39.58	0.00	100	171	PEAK																																																																						



	<b>38</b>																																																																																																																																					
<b>Mode</b>	<b>Band Edge - L</b>																																																																																																																																					
	<b>U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz</b>																																																																																																																																					
<b>ANT</b>	<b>CDD 0+1</b>																																																																																																																																					
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																																																																				
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5643.60</td> <td>63.43</td> <td>68.30</td> <td>-4.87</td> <td>53.40</td> <td>34.60</td> <td>11.06</td> <td>35.63</td> <td>0.00</td> <td>399</td> <td>79</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5660.40</td> <td>64.99</td> <td>76.02</td> <td>-11.03</td> <td>55.25</td> <td>34.60</td> <td>11.09</td> <td>35.95</td> <td>0.00</td> <td>399</td> <td>79</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.80</td> <td>66.49</td> <td>105.52</td> <td>-39.03</td> <td>57.48</td> <td>34.60</td> <td>11.14</td> <td>36.73</td> <td>0.00</td> <td>399</td> <td>79</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5722.00</td> <td>75.83</td> <td>115.46</td> <td>-39.63</td> <td>67.13</td> <td>34.67</td> <td>11.17</td> <td>37.14</td> <td>0.00</td> <td>399</td> <td>79</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5643.60	63.43	68.30	-4.87	53.40	34.60	11.06	35.63	0.00	399	79	PEAK	2	5660.40	64.99	76.02	-11.03	55.25	34.60	11.09	35.95	0.00	399	79	PEAK	3	5700.80	66.49	105.52	-39.03	57.48	34.60	11.14	36.73	0.00	399	79	PEAK	4	5722.00	75.83	115.46	-39.63	67.13	34.67	11.17	37.14	0.00	399	79	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4618.00</td> <td>52.62</td> <td>74.00</td> <td>-21.38</td> <td>46.50</td> <td>34.04</td> <td>10.03</td> <td>37.95</td> <td>0.00</td> <td>159</td> <td>357</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5775.00</td> <td>100.28</td> <td>-----</td> <td>-----</td> <td>92.13</td> <td>34.77</td> <td>11.22</td> <td>37.84</td> <td>0.00</td> <td>399</td> <td>79</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4618.00	52.62	74.00	-21.38	46.50	34.04	10.03	37.95	0.00	159	357	PEAK	2	5775.00	100.28	-----	-----	92.13	34.77	11.22	37.84	0.00	399	79	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																														
1	5643.60	63.43	68.30	-4.87	53.40	34.60	11.06	35.63	0.00	399	79	PEAK																																																																																																																										
2	5660.40	64.99	76.02	-11.03	55.25	34.60	11.09	35.95	0.00	399	79	PEAK																																																																																																																										
3	5700.80	66.49	105.52	-39.03	57.48	34.60	11.14	36.73	0.00	399	79	PEAK																																																																																																																										
4	5722.00	75.83	115.46	-39.63	67.13	34.67	11.17	37.14	0.00	399	79	PEAK																																																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																														
1	4618.00	52.62	74.00	-21.38	46.50	34.04	10.03	37.95	0.00	159	357	PEAK																																																																																																																										
2	5775.00	100.28	-----	-----	92.13	34.77	11.22	37.84	0.00	399	79	PEAK																																																																																																																										
<b>Avg</b>	<b>Blank</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4618.00</td> <td>48.69</td> <td>54.00</td> <td>-5.31</td> <td>42.57</td> <td>34.04</td> <td>10.03</td> <td>37.95</td> <td>0.00</td> <td>159</td> <td>357</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>5775.00</td> <td>91.60</td> <td>-----</td> <td>-----</td> <td>83.71</td> <td>34.83</td> <td>11.25</td> <td>38.19</td> <td>0.00</td> <td>399</td> <td>79</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4618.00	48.69	54.00	-5.31	42.57	34.04	10.03	37.95	0.00	159	357	AVERAGE	2	5775.00	91.60	-----	-----	83.71	34.83	11.25	38.19	0.00	399	79	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																														
1	4618.00	48.69	54.00	-5.31	42.57	34.04	10.03	37.95	0.00	159	357	AVERAGE																																																																																																																										
2	5775.00	91.60	-----	-----	83.71	34.83	11.25	38.19	0.00	399	79	AVERAGE																																																																																																																										



Mode	38																																																																																
	Band Edge - R																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																
ANT	CDD 0+1																																																																																
Pol.	Vertical	Fundamental																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5853.60</td> <td>67.94</td> <td>114.09</td> <td>-46.15</td> <td>61.29</td> <td>35.01</td> <td>11.33</td> <td>39.69</td> <td>0.00</td> <td>399</td> <td>79</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5859.60</td> <td>65.30</td> <td>109.61</td> <td>-44.31</td> <td>58.64</td> <td>35.02</td> <td>11.34</td> <td>39.70</td> <td>0.00</td> <td>399</td> <td>79</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>49.16</td> <td>68.45</td> <td>-19.29</td> <td>42.24</td> <td>35.12</td> <td>11.40</td> <td>39.60</td> <td>0.00</td> <td>399</td> <td>79</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5940.00</td> <td>47.43</td> <td>68.30</td> <td>-20.87</td> <td>40.44</td> <td>35.14</td> <td>11.42</td> <td>39.57</td> <td>0.00</td> <td>399</td> <td>79</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5853.60	67.94	114.09	-46.15	61.29	35.01	11.33	39.69	0.00	399	79	PEAK	2	5859.60	65.30	109.61	-44.31	58.64	35.02	11.34	39.70	0.00	399	79	PEAK	3	5924.80	49.16	68.45	-19.29	42.24	35.12	11.40	39.60	0.00	399	79	PEAK	4	5940.00	47.43	68.30	-20.87	40.44	35.14	11.42	39.57	0.00	399	79	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																									
1	5853.60	67.94	114.09	-46.15	61.29	35.01	11.33	39.69	0.00	399	79	PEAK																																																																					
2	5859.60	65.30	109.61	-44.31	58.64	35.02	11.34	39.70	0.00	399	79	PEAK																																																																					
3	5924.80	49.16	68.45	-19.29	42.24	35.12	11.40	39.60	0.00	399	79	PEAK																																																																					
4	5940.00	47.43	68.30	-20.87	40.44	35.14	11.42	39.57	0.00	399	79	PEAK																																																																					




Mode	38																																																																																																											
	Harmonic																																																																																																											
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																											
ANT	CDD 0+1																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11550.00</td> <td>45.77</td> <td>74.00</td> <td>-28.23</td> <td>57.27</td> <td>38.34</td> <td>16.39</td> <td>66.23</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11550.00	45.77	74.00	-28.23	57.27	38.34	16.39	66.23	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9239.60</td> <td>47.67</td> <td>68.20</td> <td>-20.53</td> <td>63.63</td> <td>36.48</td> <td>14.49</td> <td>66.93</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11561.33</td> <td>47.21</td> <td>74.00</td> <td>-26.79</td> <td>58.69</td> <td>38.35</td> <td>16.40</td> <td>66.23</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>17307.73</td> <td>51.72</td> <td>68.20</td> <td>-16.48</td> <td>54.91</td> <td>41.24</td> <td>20.21</td> <td>64.64</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	9239.60	47.67	68.20	-20.53	63.63	36.48	14.49	66.93	0.00	---	---	PEAK	2	11561.33	47.21	74.00	-26.79	58.69	38.35	16.40	66.23	0.00	---	---	PEAK	3	17307.73	51.72	68.20	-16.48	54.91	41.24	20.21	64.64	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	11550.00	45.77	74.00	-28.23	57.27	38.34	16.39	66.23	0.00	---	---	PEAK																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	9239.60	47.67	68.20	-20.53	63.63	36.48	14.49	66.93	0.00	---	---	PEAK																																																																																																
2	11561.33	47.21	74.00	-26.79	58.69	38.35	16.40	66.23	0.00	---	---	PEAK																																																																																																
3	17307.73	51.72	68.20	-16.48	54.91	41.24	20.21	64.64	0.00	---	---	PEAK																																																																																																



# Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	92.61	1.362	0.734	0.75kHz
802.11ac VHT20	93.09	1.282	0.780	0.82kHz
802.11ac VHT40	87.70	0.641	1.561	1.6kHz
802.11ac VHT80	78.01	0.319	3.136	3.3kHz

## 802.11a






### 802.11ac VHT20



### 802.11ac VHT40





802.11ac VHT80

