









	45																																																																															
Mode	Band Edge																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_5700MHz																																																																															
ANT	CDD 0+1																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	 <p style="text-align: right;">Date: 2024-02-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5726.13</td> <td>54.00</td> <td>68.30</td> <td>-14.30</td> <td>40.45</td> <td>36.22</td> <td>10.02</td> <td>32.69</td> <td>179</td> <td>23</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5726.13	54.00	68.30	-14.30	40.45	36.22	10.02	32.69	179	23	PEAK	 <p style="text-align: right;">Date: 2024-02-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>101.82</td> <td>-----</td> <td>-----</td> <td>88.34</td> <td>36.19</td> <td>9.97</td> <td>32.68</td> <td>179</td> <td>23</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	101.82	-----	-----	88.34	36.19	9.97	32.68	179	23	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5726.13	54.00	68.30	-14.30	40.45	36.22	10.02	32.69	179	23	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5700.00	101.82	-----	-----	88.34	36.19	9.97	32.68	179	23	PEAK																																																																					
Avg	Blank	 <p style="text-align: right;">Date: 2024-02-26</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>94.29</td> <td>-----</td> <td>-----</td> <td>80.81</td> <td>36.19</td> <td>9.97</td> <td>32.68</td> <td>179</td> <td>23</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	94.29	-----	-----	80.81	36.19	9.97	32.68	179	23	AVERAGE																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5700.00	94.29	-----	-----	80.81	36.19	9.97	32.68	179	23	AVERAGE																																																																					



		45																																																																															
Mode	Band Edge																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_5700MHz																																																																																
ANT	CDD 0+1																																																																																
Pol.	Vertical	Fundamental																																																																															
Peak	 <p style="text-align: right;">Date: 2024-02-27</p>		 <p style="text-align: right;">Date: 2024-02-27</p>																																																																														
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.42</td> <td>60.59</td> <td>68.30</td> <td>-7.71</td> <td>47.04</td> <td>36.22</td> <td>10.02</td> <td>32.69</td> <td>211</td> <td>233</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Loss	Loss			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5725.42	60.59	68.30	-7.71	47.04	36.22	10.02	32.69	211	233	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>111.08</td> <td>-----</td> <td>-----</td> <td>97.60</td> <td>36.19</td> <td>9.97</td> <td>32.68</td> <td>211</td> <td>233</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Loss	Loss			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	111.08	-----	-----	97.60	36.19	9.97	32.68	211	233
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Level	Loss	Loss			Remark																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5725.42	60.59	68.30	-7.71	47.04	36.22	10.02	32.69	211	233	PEAK																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Level	Loss	Loss			Remark																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5700.00	111.08	-----	-----	97.60	36.19	9.97	32.68	211	233	PEAK																																																																						
Avg	Blank			 <p style="text-align: right;">Date: 2024-02-27</p>																																																																													
				<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>104.21</td> <td>-----</td> <td>-----</td> <td>90.73</td> <td>36.19</td> <td>9.97</td> <td>32.68</td> <td>211</td> <td>233</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Loss	Loss			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	104.21	-----	-----	90.73	36.19	9.97	32.68	211	233	AVERAGE																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Level	Loss	Loss			Remark																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5700.00	104.21	-----	-----	90.73	36.19	9.97	32.68	211	233	AVERAGE																																																																						



		46																																																																																				
Mode	Band Edge - L																																																																																					
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																																																																					
ANT	CDD 0+1																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	<p style="text-align: right;">Date: 2024-01-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5129.93</td> <td>52.14</td> <td>74.00</td> <td>-21.86</td> <td>40.05</td> <td>36.13</td> <td>8.49</td> <td>32.53</td> <td>200</td> <td>279</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5129.93	52.14	74.00	-21.86	40.05	36.13	8.49	32.53	200	279	PEAK	<p style="text-align: right;">Date: 2024-01-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>55.66</td> <td>74.00</td> <td>-18.34</td> <td>56.60</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>200</td> <td>279</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5190.00</td> <td>91.01</td> <td>-----</td> <td>-----</td> <td>78.72</td> <td>36.08</td> <td>8.63</td> <td>32.42</td> <td>200</td> <td>279</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	1386.00	55.66	74.00	-18.34	56.60	29.42	4.13	34.49	200	279	PEAK	2	5190.00	91.01	-----	-----	78.72	36.08	8.63	32.42	200	279	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	5129.93	52.14	74.00	-21.86	40.05	36.13	8.49	32.53	200	279	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	1386.00	55.66	74.00	-18.34	56.60	29.42	4.13	34.49	200	279	PEAK																																																																											
2	5190.00	91.01	-----	-----	78.72	36.08	8.63	32.42	200	279	PEAK																																																																											
Avg	<p style="text-align: right;">Date: 2024-01-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5129.58</td> <td>44.54</td> <td>54.00</td> <td>-9.46</td> <td>32.44</td> <td>36.12</td> <td>8.50</td> <td>32.52</td> <td>200</td> <td>279</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5129.58	44.54	54.00	-9.46	32.44	36.12	8.50	32.52	200	279	AVERAGE	<p style="text-align: right;">Date: 2024-01-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>51.75</td> <td>54.00</td> <td>-2.25</td> <td>52.69</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>200</td> <td>279</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>5190.00</td> <td>84.50</td> <td>-----</td> <td>-----</td> <td>72.21</td> <td>36.08</td> <td>8.63</td> <td>32.42</td> <td>200</td> <td>279</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	1386.00	51.75	54.00	-2.25	52.69	29.42	4.13	34.49	200	279	AVERAGE	2	5190.00	84.50	-----	-----	72.21	36.08	8.63	32.42	200	279	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	5129.58	44.54	54.00	-9.46	32.44	36.12	8.50	32.52	200	279	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	1386.00	51.75	54.00	-2.25	52.69	29.42	4.13	34.49	200	279	AVERAGE																																																																											
2	5190.00	84.50	-----	-----	72.21	36.08	8.63	32.42	200	279	AVERAGE																																																																											



Mode	46																															
	Band Edge - R																															
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																															
ANT	CDD 0+1																															
Pol.	Horizontal	Fundamental																														
Peak	<p>Date: 2024-01-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5445.96</td> <td>51.86</td> <td>74.00</td> <td>-22.14</td> <td>38.33</td> <td>35.93</td> <td>9.68</td> <td>32.08</td> <td>200</td> <td>279 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	1	5445.96	51.86	74.00	-22.14	38.33	35.93	9.68	32.08	200	279 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																						
1	5445.96	51.86	74.00	-22.14	38.33	35.93	9.68	32.08	200	279 PEAK																						
Avg	<p>Date: 2024-01-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.19</td> <td>44.46</td> <td>54.00</td> <td>-9.54</td> <td>30.91</td> <td>35.92</td> <td>9.69</td> <td>32.06</td> <td>200</td> <td>279 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	1	5459.19	44.46	54.00	-9.54	30.91	35.92	9.69	32.06	200	279 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																						
1	5459.19	44.46	54.00	-9.54	30.91	35.92	9.69	32.06	200	279 AVERAGE																						



46																																																
Mode	Band Edge - L																																															
U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																																
ANT	CDD 0+1																																															
Pol.	Vertical																																															
Peak	<p style="text-align: right;">Date: 2024-01-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5148.20</td> <td>61.45</td> <td>74.00</td> <td>-12.55</td> <td>49.30</td> <td>36.11</td> <td>8.53</td> <td>32.49</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>193</td> <td>57 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5148.20	61.45	74.00	-12.55	49.30	36.11	8.53	32.49							193	57 PEAK							
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																									
1 5148.20	61.45	74.00	-12.55	49.30	36.11	8.53	32.49																																									
						193	57 PEAK																																									
<p style="text-align: right;">Date: 2024-01-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 1386.00</td> <td>56.01</td> <td>74.00</td> <td>-17.99</td> <td>56.95</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> </tr> <tr> <td>2 5190.00</td> <td>107.15</td> <td>-----</td> <td>-----</td> <td>94.89</td> <td>36.09</td> <td>8.61</td> <td>32.44</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>193</td> <td>57 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 1386.00	56.01	74.00	-17.99	56.95	29.42	4.13	34.49	2 5190.00	107.15	-----	-----	94.89	36.09	8.61	32.44							193	57 PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																									
1 1386.00	56.01	74.00	-17.99	56.95	29.42	4.13	34.49																																									
2 5190.00	107.15	-----	-----	94.89	36.09	8.61	32.44																																									
						193	57 PEAK																																									
Avg	<p style="text-align: right;">Date: 2024-01-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5148.20</td> <td>52.09</td> <td>54.00</td> <td>-1.91</td> <td>39.94</td> <td>36.11</td> <td>8.53</td> <td>32.49</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>193</td> <td>57 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5148.20	52.09	54.00	-1.91	39.94	36.11	8.53	32.49							193	57 AVERAGE							
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																									
1 5148.20	52.09	54.00	-1.91	39.94	36.11	8.53	32.49																																									
						193	57 AVERAGE																																									
<p style="text-align: right;">Date: 2024-01-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 1386.00</td> <td>52.75</td> <td>54.00</td> <td>-1.25</td> <td>53.69</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> </tr> <tr> <td>2 5190.00</td> <td>99.63</td> <td>-----</td> <td>-----</td> <td>87.36</td> <td>36.08</td> <td>8.62</td> <td>32.43</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>193</td> <td>57 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 1386.00	52.75	54.00	-1.25	53.69	29.42	4.13	34.49	2 5190.00	99.63	-----	-----	87.36	36.08	8.62	32.43							193	57 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																									
1 1386.00	52.75	54.00	-1.25	53.69	29.42	4.13	34.49																																									
2 5190.00	99.63	-----	-----	87.36	36.08	8.62	32.43																																									
						193	57 AVERAGE																																									



Mode	46																																					
	Band Edge - R																																					
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																					
ANT	CDD 0+1																																					
Pol.	Vertical	Fundamental																																				
Peak	<p style="text-align: right;">Date: 2024-01-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5365.23</td> <td>51.77</td> <td>74.00</td> <td>-22.23</td> <td>38.54</td> <td>35.98</td> <td>9.44</td> <td>32.19</td> <td>193</td> <td>57</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5365.23	51.77	74.00	-22.23	38.54	35.98	9.44	32.19	193	57	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5365.23	51.77	74.00	-22.23	38.54	35.98	9.44	32.19	193	57	PEAK																											
Blank																																						
Avg	<p style="text-align: right;">Date: 2024-01-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5437.05</td> <td>44.65</td> <td>54.00</td> <td>-9.35</td> <td>31.12</td> <td>35.94</td> <td>9.68</td> <td>32.09</td> <td>193</td> <td>57</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5437.05	44.65	54.00	-9.35	31.12	35.94	9.68	32.09	193	57	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5437.05	44.65	54.00	-9.35	31.12	35.94	9.68	32.09	193	57	AVERAGE																											
Blank																																						



Mode	46																																																																																																								
	Harmonic																																																																																																								
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																																																																																								
ANT	CDD 0+1																																																																																																								
Pol.	Horizontal	Vertical																																																																																																							
Peak Avg	<p>Date: 2024-01-20</p>	<p>Date: 2024-01-20</p>																																																																																																							
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10380.00</td> <td>46.48</td> <td>68.30</td> <td>-21.82</td> <td>59.30</td> <td>38.75</td> <td>12.08</td> <td>63.65</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15570.00</td> <td>48.12</td> <td>74.00</td> <td>-25.88</td> <td>56.76</td> <td>40.76</td> <td>14.60</td> <td>64.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10380.00	46.48	68.30	-21.82	59.30	38.75	12.08	63.65	---	---	Peak	2	15570.00	48.12	74.00	-25.88	56.76	40.76	14.60	64.00	---	---	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10380.00</td> <td>48.64</td> <td>68.30</td> <td>-19.66</td> <td>61.46</td> <td>38.75</td> <td>12.08</td> <td>63.65</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15570.00</td> <td>48.32</td> <td>74.00</td> <td>-25.68</td> <td>56.96</td> <td>40.76</td> <td>14.60</td> <td>64.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10380.00	48.64	68.30	-19.66	61.46	38.75	12.08	63.65	---	---	Peak	2	15570.00	48.32	74.00	-25.68	56.96	40.76	14.60	64.00	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	10380.00	46.48	68.30	-21.82	59.30	38.75	12.08	63.65	---	---	Peak																																																																																														
2	15570.00	48.12	74.00	-25.88	56.76	40.76	14.60	64.00	---	---	Peak																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	10380.00	48.64	68.30	-19.66	61.46	38.75	12.08	63.65	---	---	Peak																																																																																														
2	15570.00	48.32	74.00	-25.68	56.96	40.76	14.60	64.00	---	---	Peak																																																																																														



47																																																											
Mode	Harmonic																																																										
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full_5230MHz																																																										
ANT	CDD 0+1																																																										
Pol.	Horizontal																																																										
Peak Avg																																																											
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10460.00</td> <td>47.66</td> <td>68.30</td> <td>-20.64</td> <td>60.37</td> <td>38.78</td> <td>12.13</td> <td>63.62</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15690.00</td> <td>50.47</td> <td>74.00</td> <td>-23.53</td> <td>59.01</td> <td>40.85</td> <td>14.65</td> <td>64.04</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10460.00	47.66	68.30	-20.64	60.37	38.78	12.13	63.62	--- Peak	2	15690.00	50.47	74.00	-23.53	59.01	40.85	14.65	64.04	--- Peak										
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																		
1	10460.00	47.66	68.30	-20.64	60.37	38.78	12.13	63.62	--- Peak																																																		
2	15690.00	50.47	74.00	-23.53	59.01	40.85	14.65	64.04	--- Peak																																																		
	Vertical																																																										
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10460.00</td> <td>53.82</td> <td>68.30</td> <td>-14.48</td> <td>66.53</td> <td>38.78</td> <td>12.13</td> <td>63.62</td> <td>324 285 Peak</td> </tr> <tr> <td>2</td> <td>15690.00</td> <td>59.97</td> <td>74.00</td> <td>-14.03</td> <td>68.51</td> <td>40.85</td> <td>14.65</td> <td>64.04</td> <td>297 360 Peak</td> </tr> <tr> <td>3</td> <td>15690.00</td> <td>51.80</td> <td>54.00</td> <td>-2.20</td> <td>60.34</td> <td>40.85</td> <td>14.65</td> <td>64.04</td> <td>297 360 Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10460.00	53.82	68.30	-14.48	66.53	38.78	12.13	63.62	324 285 Peak	2	15690.00	59.97	74.00	-14.03	68.51	40.85	14.65	64.04	297 360 Peak	3	15690.00	51.80	54.00	-2.20	60.34	40.85	14.65	64.04	297 360 Average
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																		
1	10460.00	53.82	68.30	-14.48	66.53	38.78	12.13	63.62	324 285 Peak																																																		
2	15690.00	59.97	74.00	-14.03	68.51	40.85	14.65	64.04	297 360 Peak																																																		
3	15690.00	51.80	54.00	-2.20	60.34	40.85	14.65	64.04	297 360 Average																																																		



48																																																												
Mode																																																												
Harmonic																																																												
U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full_5270MHz																																																												
ANT																																																												
CDD 0+1																																																												
Pol.	Horizontal																																																											
Peak Avg																																																												
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10540.00</td> <td>47.10</td> <td>68.30</td> <td>-21.20</td> <td>59.68</td> <td>38.82</td> <td>12.19</td> <td>63.59</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15810.00</td> <td>48.44</td> <td>74.00</td> <td>-25.56</td> <td>56.86</td> <td>40.95</td> <td>14.71</td> <td>64.08</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	10540.00	47.10	68.30	-21.20	59.68	38.82	12.19	63.59	---	---	Peak	2	15810.00	48.44	74.00	-25.56	56.86	40.95	14.71	64.08	---	---	Peak											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																					
1	10540.00	47.10	68.30	-21.20	59.68	38.82	12.19	63.59	---	---	Peak																																																	
2	15810.00	48.44	74.00	-25.56	56.86	40.95	14.71	64.08	---	---	Peak																																																	
Vertical																																																												
Peak Avg																																																												
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10540.00</td> <td>54.65</td> <td>68.30</td> <td>-13.65</td> <td>67.23</td> <td>38.82</td> <td>12.19</td> <td>63.59</td> <td>278</td> <td>230</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15810.00</td> <td>60.20</td> <td>74.00</td> <td>-13.80</td> <td>68.62</td> <td>40.95</td> <td>14.71</td> <td>64.08</td> <td>304</td> <td>349</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>15810.00</td> <td>51.30</td> <td>54.00</td> <td>-2.70</td> <td>59.72</td> <td>40.95</td> <td>14.71</td> <td>64.08</td> <td>304</td> <td>349</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	10540.00	54.65	68.30	-13.65	67.23	38.82	12.19	63.59	278	230	Peak	2	15810.00	60.20	74.00	-13.80	68.62	40.95	14.71	64.08	304	349	Peak	3	15810.00	51.30	54.00	-2.70	59.72	40.95	14.71	64.08	304	349
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																					
1	10540.00	54.65	68.30	-13.65	67.23	38.82	12.19	63.59	278	230	Peak																																																	
2	15810.00	60.20	74.00	-13.80	68.62	40.95	14.71	64.08	304	349	Peak																																																	
3	15810.00	51.30	54.00	-2.70	59.72	40.95	14.71	64.08	304	349	Average																																																	



49																																																																																									
Mode	Band Edge - L																																																																																								
U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																																																									
ANT	CDD 0+1																																																																																								
Pol.	Horizontal																																																																																								
Peak	Fundamental																																																																																								
<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5063.24</td> <td>52.09</td> <td>74.00</td> <td>-21.91</td> <td>40.16</td> <td>36.16</td> <td>8.38</td> <td>32.61</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>200</td> <td>360 PEAK</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 1386.00</td> <td>57.79</td> <td>74.00</td> <td>-16.21</td> <td>58.73</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> </tr> <tr> <td>2 5310.00</td> <td>83.88</td> <td>-----</td> <td>-----</td> <td>70.91</td> <td>36.01</td> <td>9.21</td> <td>32.25</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>200</td> <td>360 PEAK</td> </tr> </tbody> </table> </div> </div>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5063.24	52.09	74.00	-21.91	40.16	36.16	8.38	32.61							200	360 PEAK	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 1386.00	57.79	74.00	-16.21	58.73	29.42	4.13	34.49	2 5310.00	83.88	-----	-----	70.91	36.01	9.21	32.25							200	360 PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																		
1 5063.24	52.09	74.00	-21.91	40.16	36.16	8.38	32.61																																																																																		
						200	360 PEAK																																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																		
1 1386.00	57.79	74.00	-16.21	58.73	29.42	4.13	34.49																																																																																		
2 5310.00	83.88	-----	-----	70.91	36.01	9.21	32.25																																																																																		
						200	360 PEAK																																																																																		
Avg																																																																																									
<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5021.08</td> <td>44.43</td> <td>54.00</td> <td>-9.57</td> <td>32.61</td> <td>36.19</td> <td>8.30</td> <td>32.67</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>200</td> <td>360 AVERAGE</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 1386.00</td> <td>51.59</td> <td>54.00</td> <td>-2.41</td> <td>52.53</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> </tr> <tr> <td>2 5310.00</td> <td>75.96</td> <td>-----</td> <td>-----</td> <td>62.96</td> <td>36.00</td> <td>9.24</td> <td>32.24</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>200</td> <td>360 AVERAGE</td> </tr> </tbody> </table> </div> </div>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5021.08	44.43	54.00	-9.57	32.61	36.19	8.30	32.67							200	360 AVERAGE	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 1386.00	51.59	54.00	-2.41	52.53	29.42	4.13	34.49	2 5310.00	75.96	-----	-----	62.96	36.00	9.24	32.24							200	360 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																		
1 5021.08	44.43	54.00	-9.57	32.61	36.19	8.30	32.67																																																																																		
						200	360 AVERAGE																																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																		
1 1386.00	51.59	54.00	-2.41	52.53	29.42	4.13	34.49																																																																																		
2 5310.00	75.96	-----	-----	62.96	36.00	9.24	32.24																																																																																		
						200	360 AVERAGE																																																																																		



	49																																				
Mode	Band Edge - R																																				
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																				
ANT	CDD 0+1																																				
Pol.	Horizontal	Fundamental																																			
Peak																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5450.10</td> <td>51.62</td> <td>74.00</td> <td>-22.38</td> <td>38.08</td> <td>35.93</td> <td>9.68</td> <td>32.07</td> <td>200</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5450.10	51.62	74.00	-22.38	38.08	35.93	9.68	32.07	200	360
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5450.10	51.62	74.00	-22.38	38.08	35.93	9.68	32.07	200	360	PEAK																										
Avg																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5444.25</td> <td>44.10</td> <td>54.00</td> <td>-9.90</td> <td>30.57</td> <td>35.93</td> <td>9.68</td> <td>32.08</td> <td>200</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5444.25	44.10	54.00	-9.90	30.57	35.93	9.68	32.08	200	360
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5444.25	44.10	54.00	-9.90	30.57	35.93	9.68	32.08	200	360	AVERAGE																										



		49																																																																																				
Mode	Band Edge - L																																																																																					
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																																																					
ANT	CDD 0+1																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak																																																																																						
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5066.03</td> <td>52.96</td> <td>74.00</td> <td>-21.04</td> <td>41.03</td> <td>36.16</td> <td>8.38</td> <td>32.61</td> <td>267</td> <td>265 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5066.03	52.96	74.00	-21.04	41.03	36.16	8.38	32.61	267	265 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 1386.00</td> <td>58.77</td> <td>74.00</td> <td>-15.23</td> <td>59.71</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>267</td> <td>265 PEAK</td> </tr> <tr> <td>2 5310.00</td> <td>108.89</td> <td>-----</td> <td>-----</td> <td>95.92</td> <td>36.01</td> <td>9.21</td> <td>32.25</td> <td>267</td> <td>265 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 1386.00	58.77	74.00	-15.23	59.71	29.42	4.13	34.49	267	265 PEAK	2 5310.00	108.89	-----	-----	95.92	36.01	9.21	32.25	267
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1 5066.03	52.96	74.00	-21.04	41.03	36.16	8.38	32.61	267	265 PEAK																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1 1386.00	58.77	74.00	-15.23	59.71	29.42	4.13	34.49	267	265 PEAK																																																																													
2 5310.00	108.89	-----	-----	95.92	36.01	9.21	32.25	267	265 PEAK																																																																													
Avg																																																																																						
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5069.44</td> <td>44.38</td> <td>54.00</td> <td>-9.62</td> <td>32.43</td> <td>36.16</td> <td>8.39</td> <td>32.60</td> <td>267</td> <td>265 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5069.44	44.38	54.00	-9.62	32.43	36.16	8.39	32.60	267	265 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 1386.00</td> <td>52.65</td> <td>54.00</td> <td>-1.35</td> <td>53.59</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>267</td> <td>265 AVERAGE</td> </tr> <tr> <td>2 5310.00</td> <td>100.78</td> <td>-----</td> <td>-----</td> <td>87.78</td> <td>36.00</td> <td>9.24</td> <td>32.24</td> <td>267</td> <td>265 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 1386.00	52.65	54.00	-1.35	53.59	29.42	4.13	34.49	267	265 AVERAGE	2 5310.00	100.78	-----	-----	87.78	36.00	9.24	32.24	267
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1 5069.44	44.38	54.00	-9.62	32.43	36.16	8.39	32.60	267	265 AVERAGE																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1 1386.00	52.65	54.00	-1.35	53.59	29.42	4.13	34.49	267	265 AVERAGE																																																																													
2 5310.00	100.78	-----	-----	87.78	36.00	9.24	32.24	267	265 AVERAGE																																																																													



Mode	49																																				
	Band Edge - R																																				
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																				
ANT	CDD 0+1																																				
Pol.	Vertical	Fundamental																																			
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5357.25</td> <td>61.32</td> <td>74.00</td> <td>-12.68</td> <td>48.13</td> <td>35.99</td> <td>9.40</td> <td>32.20</td> <td>267</td> <td>265 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	Remark	1	5357.25	61.32	74.00	-12.68	48.13	35.99	9.40	32.20	267	265 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																														
Freq Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	Remark																												
1	5357.25	61.32	74.00	-12.68	48.13	35.99	9.40	32.20	267	265 PEAK																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5359.65</td> <td>51.89</td> <td>54.00</td> <td>-2.11</td> <td>38.70</td> <td>35.98</td> <td>9.41</td> <td>32.20</td> <td>267</td> <td>265 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	Remark	1	5359.65	51.89	54.00	-2.11	38.70	35.98	9.41	32.20	267	265 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																														
Freq Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	Remark																												
1	5359.65	51.89	54.00	-2.11	38.70	35.98	9.41	32.20	267	265 AVERAGE																											



Mode	49																																																																																																				
	Harmonic																																																																																																				
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																																																																				
ANT	CDD 0+1																																																																																																				
Pol.	Horizontal	Vertical																																																																																																			
Peak Avg	<p>Date: 2024-01-20</p>	<p>Date: 2024-01-20</p>																																																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10620.00</td> <td>47.52</td> <td>74.00</td> <td>-26.48</td> <td>59.98</td> <td>38.85</td> <td>12.25</td> <td>63.56</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15930.00</td> <td>47.85</td> <td>74.00</td> <td>-26.15</td> <td>56.17</td> <td>41.04</td> <td>14.76</td> <td>64.12</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	47.52	74.00	-26.48	59.98	38.85	12.25	63.56	---	Peak	2	15930.00	47.85	74.00	-26.15	56.17	41.04	14.76	64.12	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10620.00</td> <td>47.87</td> <td>74.00</td> <td>-26.13</td> <td>60.33</td> <td>38.85</td> <td>12.25</td> <td>63.56</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15930.00</td> <td>49.27</td> <td>74.00</td> <td>-24.73</td> <td>57.59</td> <td>41.04</td> <td>14.76</td> <td>64.12</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	47.87	74.00	-26.13	60.33	38.85	12.25	63.56	---	Peak	2	15930.00	49.27	74.00	-24.73	57.59	41.04	14.76	64.12	---
Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	10620.00	47.52	74.00	-26.48	59.98	38.85	12.25	63.56	---	Peak																																																																																											
2	15930.00	47.85	74.00	-26.15	56.17	41.04	14.76	64.12	---	Peak																																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	10620.00	47.87	74.00	-26.13	60.33	38.85	12.25	63.56	---	Peak																																																																																											
2	15930.00	49.27	74.00	-24.73	57.59	41.04	14.76	64.12	---	Peak																																																																																											



50																																																				
Mode																																																				
Band Edge - L																																																				
U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																				
ANT																																																				
CDD 0+1																																																				
Pol.	Horizontal																																																			
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5445.04</td> <td>52.30</td> <td>74.00</td> <td>-21.70</td> <td>38.77</td> <td>35.93</td> <td>9.68</td> <td>32.08</td> <td>200</td> <td>138</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5466.16</td> <td>52.74</td> <td>68.30</td> <td>-15.56</td> <td>39.18</td> <td>35.92</td> <td>9.69</td> <td>32.05</td> <td>200</td> <td>138</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5445.04	52.30	74.00	-21.70	38.77	35.93	9.68	32.08	200	138	PEAK	2	5466.16	52.74	68.30	-15.56	39.18	35.92	9.69	32.05	200	138	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																												
1	5445.04	52.30	74.00	-21.70	38.77	35.93	9.68	32.08	200	138	PEAK																																									
2	5466.16	52.74	68.30	-15.56	39.18	35.92	9.69	32.05	200	138	PEAK																																									
Fundamental																																																				
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>58.94</td> <td>74.00</td> <td>-15.06</td> <td>59.88</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>200</td> <td>138</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5510.00</td> <td>96.02</td> <td>-----</td> <td>-----</td> <td>82.40</td> <td>35.92</td> <td>9.71</td> <td>32.01</td> <td>200</td> <td>138</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	1386.00	58.94	74.00	-15.06	59.88	29.42	4.13	34.49	200	138	PEAK	2	5510.00	96.02	-----	-----	82.40	35.92	9.71	32.01	200	138	PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																												
1	1386.00	58.94	74.00	-15.06	59.88	29.42	4.13	34.49	200	138	PEAK																																									
2	5510.00	96.02	-----	-----	82.40	35.92	9.71	32.01	200	138	PEAK																																									
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.08</td> <td>45.04</td> <td>54.00</td> <td>-8.96</td> <td>31.48</td> <td>35.93</td> <td>9.69</td> <td>32.06</td> <td>200</td> <td>138</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5456.08	45.04	54.00	-8.96	31.48	35.93	9.69	32.06	200	138	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																												
1	5456.08	45.04	54.00	-8.96	31.48	35.93	9.69	32.06	200	138	AVERAGE																																									
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>51.89</td> <td>54.00</td> <td>-2.11</td> <td>52.83</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>200</td> <td>138</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>5510.00</td> <td>87.08</td> <td>-----</td> <td>-----</td> <td>73.47</td> <td>35.91</td> <td>9.71</td> <td>32.01</td> <td>200</td> <td>138</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	1386.00	51.89	54.00	-2.11	52.83	29.42	4.13	34.49	200	138	AVERAGE	2	5510.00	87.08	-----	-----	73.47	35.91	9.71	32.01	200	138	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																												
1	1386.00	51.89	54.00	-2.11	52.83	29.42	4.13	34.49	200	138	AVERAGE																																									
2	5510.00	87.08	-----	-----	73.47	35.91	9.71	32.01	200	138	AVERAGE																																									



Mode	50																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																									
ANT	CDD 0+1																																									
Pol.	Horizontal	Fundamental																																								
Peak	<p>Date: 2024-01-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5732.36</td> <td>52.60</td> <td>68.30</td> <td>-15.70</td> <td>38.57</td> <td>36.23</td> <td>10.03</td> <td>32.23</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>200</td> <td>138 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5732.36	52.60	68.30	-15.70	38.57	36.23	10.03	32.23							200	138 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																			
1 5732.36	52.60	68.30	-15.70	38.57	36.23	10.03	32.23																																			
						200	138 PEAK																																			



50																																																			
Mode																																																			
Band Edge - L																																																			
U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																			
ANT																																																			
CDD 0+1																																																			
Pol.	Vertical																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.32</td> <td>58.67</td> <td>74.00</td> <td>-15.33</td> <td>45.11</td> <td>35.93</td> <td>9.69</td> <td>32.06</td> <td>200</td> <td>274 PEAK</td> </tr> <tr> <td>2</td> <td>5468.40</td> <td>62.59</td> <td>68.30</td> <td>-5.71</td> <td>49.02</td> <td>35.92</td> <td>9.69</td> <td>32.04</td> <td>200</td> <td>274 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.32	58.67	74.00	-15.33	45.11	35.93	9.69	32.06	200	274 PEAK	2	5468.40	62.59	68.30	-5.71	49.02	35.92	9.69	32.04	200	274 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5458.32	58.67	74.00	-15.33	45.11	35.93	9.69	32.06	200	274 PEAK																																									
2	5468.40	62.59	68.30	-5.71	49.02	35.92	9.69	32.04	200	274 PEAK																																									
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>57.41</td> <td>74.00</td> <td>-16.59</td> <td>58.35</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>200</td> <td>274 PEAK</td> </tr> <tr> <td>2</td> <td>5510.00</td> <td>106.33</td> <td>-----</td> <td>-----</td> <td>92.72</td> <td>35.91</td> <td>9.71</td> <td>32.01</td> <td>200</td> <td>274 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1386.00	57.41	74.00	-16.59	58.35	29.42	4.13	34.49	200	274 PEAK	2	5510.00	106.33	-----	-----	92.72	35.91	9.71	32.01	200	274 PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	1386.00	57.41	74.00	-16.59	58.35	29.42	4.13	34.49	200	274 PEAK																																									
2	5510.00	106.33	-----	-----	92.72	35.91	9.71	32.01	200	274 PEAK																																									
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>52.80</td> <td>54.00</td> <td>-1.20</td> <td>39.25</td> <td>35.92</td> <td>9.69</td> <td>32.06</td> <td>200</td> <td>274 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	52.80	54.00	-1.20	39.25	35.92	9.69	32.06	200	274 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5459.92	52.80	54.00	-1.20	39.25	35.92	9.69	32.06	200	274 AVERAGE																																									
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>52.60</td> <td>54.00</td> <td>-1.40</td> <td>53.54</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>200</td> <td>274 AVERAGE</td> </tr> <tr> <td>2</td> <td>5510.00</td> <td>98.36</td> <td>-----</td> <td>-----</td> <td>84.75</td> <td>35.91</td> <td>9.71</td> <td>32.01</td> <td>200</td> <td>274 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1386.00	52.60	54.00	-1.40	53.54	29.42	4.13	34.49	200	274 AVERAGE	2	5510.00	98.36	-----	-----	84.75	35.91	9.71	32.01	200	274 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	1386.00	52.60	54.00	-1.40	53.54	29.42	4.13	34.49	200	274 AVERAGE																																									
2	5510.00	98.36	-----	-----	84.75	35.91	9.71	32.01	200	274 AVERAGE																																									



Mode	50																																																									
	Band Edge - R																																																									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																									
ANT	CDD 0+1																																																									
Pol.	Vertical	Fundamental																																																								
Peak	<p>Date: 2024-01-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5753.02</td> <td>52.79</td> <td>68.30</td> <td>-15.51</td> <td>38.71</td> <td>36.25</td> <td>10.08</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>32.25</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>200</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>274 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5753.02	52.79	68.30	-15.51	38.71	36.25	10.08								32.25								200								274 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																			
1	5753.02	52.79	68.30	-15.51	38.71	36.25	10.08																																																			
							32.25																																																			
							200																																																			
							274 PEAK																																																			







Mode	50																																																																																																
	Harmonic																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																
ANT	CDD 0+1																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg	<p>Date: 2024-01-20</p>	<p>Date: 2024-01-20</p>																																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11020.00</td> <td>47.88</td> <td>74.00</td> <td>-26.12</td> <td>59.75</td> <td>39.01</td> <td>12.54</td> <td>63.42</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16530.00</td> <td>49.40</td> <td>68.30</td> <td>-18.90</td> <td>57.54</td> <td>41.36</td> <td>15.19</td> <td>64.69</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11020.00	47.88	74.00	-26.12	59.75	39.01	12.54	63.42	---	---	Peak	2	16530.00	49.40	68.30	-18.90	57.54	41.36	15.19	64.69	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11020.00</td> <td>49.31</td> <td>74.00</td> <td>-24.69</td> <td>61.18</td> <td>39.01</td> <td>12.54</td> <td>63.42</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16530.00</td> <td>48.98</td> <td>68.30</td> <td>-19.32</td> <td>57.12</td> <td>41.36</td> <td>15.19</td> <td>64.69</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11020.00	49.31	74.00	-24.69	61.18	39.01	12.54	63.42	---	---	Peak	2	16530.00	48.98	68.30	-19.32	57.12	41.36	15.19	64.69	---	---
Limit	Read	Ant	Cable	Preamp	Apos	Tpos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	11020.00	47.88	74.00	-26.12	59.75	39.01	12.54	63.42	---	---	Peak																																																																																						
2	16530.00	49.40	68.30	-18.90	57.54	41.36	15.19	64.69	---	---	Peak																																																																																						
Limit	Read	Ant	Cable	Preamp	Apos	Tpos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	11020.00	49.31	74.00	-24.69	61.18	39.01	12.54	63.42	---	---	Peak																																																																																						
2	16530.00	48.98	68.30	-19.32	57.12	41.36	15.19	64.69	---	---	Peak																																																																																						



51																																																		
Mode	Harmonic																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																	
ANT	CDD 0+1																																																	
Pol.	Horizontal																																																	
Peak Avg																																																		
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1 11100.00</td> <td>49.69</td> <td>74.00</td> <td>-24.31</td> <td>61.48</td> <td>39.04</td> <td>12.59</td> <td>63.42</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 16650.00</td> <td>49.36</td> <td>68.30</td> <td>-18.94</td> <td>57.48</td> <td>41.42</td> <td>15.28</td> <td>64.82</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1 11100.00	49.69	74.00	-24.31	61.48	39.04	12.59	63.42	---	---	Peak	2 16650.00	49.36	68.30	-18.94	57.48	41.42	15.28	64.82	---	---	Peak											
Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
1 11100.00	49.69	74.00	-24.31	61.48	39.04	12.59	63.42	---	---	Peak																																								
2 16650.00	49.36	68.30	-18.94	57.48	41.42	15.28	64.82	---	---	Peak																																								
	Vertical																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1 11100.00</td> <td>58.31</td> <td>74.00</td> <td>-15.69</td> <td>70.10</td> <td>39.04</td> <td>12.59</td> <td>63.42</td> <td>295</td> <td>235</td> <td>Peak</td> </tr> <tr> <td>2 11100.00</td> <td>51.46</td> <td>54.00</td> <td>-2.54</td> <td>63.25</td> <td>39.04</td> <td>12.59</td> <td>63.42</td> <td>295</td> <td>235</td> <td>Average</td> </tr> <tr> <td>3 16650.00</td> <td>54.68</td> <td>68.30</td> <td>-13.62</td> <td>62.80</td> <td>41.42</td> <td>15.28</td> <td>64.82</td> <td>287</td> <td>349</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1 11100.00	58.31	74.00	-15.69	70.10	39.04	12.59	63.42	295	235	Peak	2 11100.00	51.46	54.00	-2.54	63.25	39.04	12.59	63.42	295	235	Average	3 16650.00	54.68	68.30	-13.62	62.80	41.42	15.28	64.82	287	349	Peak
Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
1 11100.00	58.31	74.00	-15.69	70.10	39.04	12.59	63.42	295	235	Peak																																								
2 11100.00	51.46	54.00	-2.54	63.25	39.04	12.59	63.42	295	235	Average																																								
3 16650.00	54.68	68.30	-13.62	62.80	41.42	15.28	64.82	287	349	Peak																																								







52																																																																																																					
Mode	Band Edge - L																																																																																																				
U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																																					
ANT	CDD 0+1																																																																																																				
Pol.	Horizontal																																																																																																				
Peak	Fundamental																																																																																																				
<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;">  <p style="text-align: right;">Date: 2024-01-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5436.08</td> <td>51.62</td> <td>74.00</td> <td>-22.38</td> <td>38.10</td> <td>35.94</td> <td>9.67</td> <td>32.09</td> <td>115</td> <td>112 PEAK</td> </tr> <tr> <td>2</td> <td>5467.44</td> <td>50.66</td> <td>68.30</td> <td>-17.64</td> <td>37.10</td> <td>35.92</td> <td>9.69</td> <td>32.05</td> <td>115</td> <td>112 PEAK</td> </tr> </tbody> </table> </div> <div style="width: 48%;">  <p style="text-align: right;">Date: 2024-01-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>59.37</td> <td>74.00</td> <td>-14.63</td> <td>60.31</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>115</td> <td>112 PEAK</td> </tr> <tr> <td>2</td> <td>5670.00</td> <td>99.17</td> <td>-----</td> <td>-----</td> <td>85.31</td> <td>36.13</td> <td>9.89</td> <td>32.16</td> <td>115</td> <td>112 PEAK</td> </tr> </tbody> </table> </div> </div>		Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5436.08	51.62	74.00	-22.38	38.10	35.94	9.67	32.09	115	112 PEAK	2	5467.44	50.66	68.30	-17.64	37.10	35.92	9.69	32.05	115	112 PEAK	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1386.00	59.37	74.00	-14.63	60.31	29.42	4.13	34.49	115	112 PEAK	2	5670.00	99.17	-----	-----	85.31	36.13	9.89	32.16	115	112 PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5436.08	51.62	74.00	-22.38	38.10	35.94	9.67	32.09	115	112 PEAK																																																																																											
2	5467.44	50.66	68.30	-17.64	37.10	35.92	9.69	32.05	115	112 PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	1386.00	59.37	74.00	-14.63	60.31	29.42	4.13	34.49	115	112 PEAK																																																																																											
2	5670.00	99.17	-----	-----	85.31	36.13	9.89	32.16	115	112 PEAK																																																																																											
Avg	Fundamental																																																																																																				
<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;">  <p style="text-align: right;">Date: 2024-01-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5439.28</td> <td>44.44</td> <td>54.00</td> <td>-9.56</td> <td>30.91</td> <td>35.94</td> <td>9.68</td> <td>32.09</td> <td>115</td> <td>112 AVERAGE</td> </tr> </tbody> </table> </div> <div style="width: 48%;">  <p style="text-align: right;">Date: 2024-01-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>52.01</td> <td>54.00</td> <td>-1.99</td> <td>52.95</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>115</td> <td>112 AVERAGE</td> </tr> <tr> <td>2</td> <td>5670.00</td> <td>93.49</td> <td>-----</td> <td>-----</td> <td>79.61</td> <td>36.14</td> <td>9.91</td> <td>32.17</td> <td>115</td> <td>112 AVERAGE</td> </tr> </tbody> </table> </div> </div>		Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5439.28	44.44	54.00	-9.56	30.91	35.94	9.68	32.09	115	112 AVERAGE	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1386.00	52.01	54.00	-1.99	52.95	29.42	4.13	34.49	115	112 AVERAGE	2	5670.00	93.49	-----	-----	79.61	36.14	9.91	32.17	115	112 AVERAGE											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5439.28	44.44	54.00	-9.56	30.91	35.94	9.68	32.09	115	112 AVERAGE																																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	1386.00	52.01	54.00	-1.99	52.95	29.42	4.13	34.49	115	112 AVERAGE																																																																																											
2	5670.00	93.49	-----	-----	79.61	36.14	9.91	32.17	115	112 AVERAGE																																																																																											



Mode	52																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																									
ANT	CDD 0+1																																									
Pol.	Horizontal	Fundamental																																								
Peak	<p>Date: 2024-01-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5726.05</td> <td>56.39</td> <td>68.30</td> <td>-11.91</td> <td>42.38</td> <td>36.22</td> <td>10.02</td> <td>32.23</td> <td>115</td> <td>112</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 5726.05	56.39	68.30	-11.91	42.38	36.22	10.02	32.23	115	112	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5726.05	56.39	68.30	-11.91	42.38	36.22	10.02	32.23	115	112	PEAK																																



52																																																																																								
Mode	Band Edge - L																																																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																							
ANT	CDD 0+1																																																																																							
Pol.	Vertical																																																																																							
Peak	 <p>Date: 2024-01-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5449.84</td> <td>51.71</td> <td>74.00</td> <td>-22.29</td> <td>38.17</td> <td>35.93</td> <td>9.68</td> <td>32.07</td> <td>291</td> <td>284</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5461.36</td> <td>51.26</td> <td>68.30</td> <td>-17.04</td> <td>37.70</td> <td>35.92</td> <td>9.69</td> <td>32.05</td> <td>291</td> <td>284</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB	cm	deg	Remark	1	5449.84	51.71	74.00	-22.29	38.17	35.93	9.68	32.07	291	284	PEAK	2	5461.36	51.26	68.30	-17.04	37.70	35.92	9.69	32.05	291	284	PEAK	 <p>Date: 2024-01-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>58.35</td> <td>74.00</td> <td>-15.65</td> <td>59.29</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>291</td> <td>284</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5670.00</td> <td>109.33</td> <td>-----</td> <td>-----</td> <td>95.45</td> <td>36.14</td> <td>9.91</td> <td>32.17</td> <td>291</td> <td>284</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB	cm	deg	Remark	1	1386.00	58.35	74.00	-15.65	59.29	29.42	4.13	34.49	291	284	PEAK	2	5670.00	109.33	-----	-----	95.45	36.14	9.91	32.17	291	284	PEAK
	Limit	Read	Ant	Cable Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB	cm	deg	Remark																																																																													
1	5449.84	51.71	74.00	-22.29	38.17	35.93	9.68	32.07	291	284	PEAK																																																																													
2	5461.36	51.26	68.30	-17.04	37.70	35.92	9.69	32.05	291	284	PEAK																																																																													
Limit	Read	Ant	Cable Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB	cm	deg	Remark																																																																													
1	1386.00	58.35	74.00	-15.65	59.29	29.42	4.13	34.49	291	284	PEAK																																																																													
2	5670.00	109.33	-----	-----	95.45	36.14	9.91	32.17	291	284	PEAK																																																																													
Avg	 <p>Date: 2024-01-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5448.56</td> <td>44.58</td> <td>54.00</td> <td>-9.42</td> <td>31.04</td> <td>35.93</td> <td>9.68</td> <td>32.07</td> <td>291</td> <td>284</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB	cm	deg	Remark	1	5448.56	44.58	54.00	-9.42	31.04	35.93	9.68	32.07	291	284	AVERAGE	 <p>Date: 2024-01-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>50.56</td> <td>54.00</td> <td>-3.44</td> <td>51.50</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>291</td> <td>284</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>5670.00</td> <td>102.21</td> <td>-----</td> <td>-----</td> <td>88.33</td> <td>36.14</td> <td>9.91</td> <td>32.17</td> <td>291</td> <td>284</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB	cm	deg	Remark	1	1386.00	50.56	54.00	-3.44	51.50	29.42	4.13	34.49	291	284	AVERAGE	2	5670.00	102.21	-----	-----	88.33	36.14	9.91	32.17	291	284	AVERAGE												
	Limit	Read	Ant	Cable Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB	cm	deg	Remark																																																																													
1	5448.56	44.58	54.00	-9.42	31.04	35.93	9.68	32.07	291	284	AVERAGE																																																																													
Limit	Read	Ant	Cable Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB	cm	deg	Remark																																																																													
1	1386.00	50.56	54.00	-3.44	51.50	29.42	4.13	34.49	291	284	AVERAGE																																																																													
2	5670.00	102.21	-----	-----	88.33	36.14	9.91	32.17	291	284	AVERAGE																																																																													



Mode	52																														
	Band Edge - R																														
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																														
ANT	CDD 0+1																														
Pol.	Vertical	Fundamental																													
Peak	<p>Date: 2024-01-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.77</td> <td>65.56</td> <td>68.30</td> <td>-2.74</td> <td>51.55</td> <td>36.22</td> <td>10.02</td> <td>32.23</td> <td>291</td> <td>284 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	1	5725.77	65.56	68.30	-2.74	51.55	36.22	10.02	32.23	291	284 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																					
1	5725.77	65.56	68.30	-2.74	51.55	36.22	10.02	32.23	291	284 PEAK																					



52																																																				
Mode	Harmonic																																																			
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																			
ANT	CDD 0+1																																																			
Pol.	Horizontal																																																			
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11340.00</td> <td>47.87</td> <td>74.00</td> <td>-26.13</td> <td>59.40</td> <td>39.14</td> <td>12.77</td> <td>63.44</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17010.00</td> <td>49.60</td> <td>68.30</td> <td>-18.70</td> <td>57.63</td> <td>41.61</td> <td>15.55</td> <td>65.19</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	11340.00	47.87	74.00	-26.13	59.40	39.14	12.77	63.44	---	---	Peak	2	17010.00	49.60	68.30	-18.70	57.63	41.61	15.55	65.19	---	---	Peak											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																													
1	11340.00	47.87	74.00	-26.13	59.40	39.14	12.77	63.44	---	---	Peak																																									
2	17010.00	49.60	68.30	-18.70	57.63	41.61	15.55	65.19	---	---	Peak																																									
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11340.00</td> <td>51.04</td> <td>74.00</td> <td>-22.96</td> <td>62.57</td> <td>39.14</td> <td>12.77</td> <td>63.44</td> <td>254</td> <td>45</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11340.00</td> <td>48.42</td> <td>54.00</td> <td>-5.58</td> <td>59.95</td> <td>39.14</td> <td>12.77</td> <td>63.44</td> <td>254</td> <td>45</td> <td>Average</td> </tr> <tr> <td>3</td> <td>17010.00</td> <td>50.17</td> <td>68.30</td> <td>-18.13</td> <td>58.20</td> <td>41.61</td> <td>15.55</td> <td>65.19</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	11340.00	51.04	74.00	-22.96	62.57	39.14	12.77	63.44	254	45	Peak	2	11340.00	48.42	54.00	-5.58	59.95	39.14	12.77	63.44	254	45	Average	3	17010.00	50.17	68.30	-18.13	58.20	41.61	15.55	65.19	---	---	Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																													
1	11340.00	51.04	74.00	-22.96	62.57	39.14	12.77	63.44	254	45	Peak																																									
2	11340.00	48.42	54.00	-5.58	59.95	39.14	12.77	63.44	254	45	Average																																									
3	17010.00	50.17	68.30	-18.13	58.20	41.61	15.55	65.19	---	---	Peak																																									



53																																																	
Mode	Band Edge - L																																																
U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																	
ANT	CDD 0+1																																																
Pol.	Horizontal																																																
Peak	Fundamental																																																
<p style="text-align: right;">Date: 2024-01-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5063.84</td> <td>51.23</td> <td>74.00</td> <td>-22.77</td> <td>39.30</td> <td>36.16</td> <td>8.38</td> <td>32.61</td> <td>397</td> <td>201</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5063.84	51.23	74.00	-22.77	39.30	36.16	8.38	32.61	397	201	PEAK												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																										
1	5063.84	51.23	74.00	-22.77	39.30	36.16	8.38	32.61	397	201	PEAK																																						
<p style="text-align: right;">Date: 2024-01-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>54.89</td> <td>74.00</td> <td>-19.11</td> <td>55.83</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>397</td> <td>201</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5210.00</td> <td>85.36</td> <td>-----</td> <td>-----</td> <td>73.15</td> <td>36.10</td> <td>8.57</td> <td>32.46</td> <td>397</td> <td>201</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	1386.00	54.89	74.00	-19.11	55.83	29.42	4.13	34.49	397	201	PEAK	2	5210.00	85.36	-----	-----	73.15	36.10	8.57	32.46	397	201	PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																										
1	1386.00	54.89	74.00	-19.11	55.83	29.42	4.13	34.49	397	201	PEAK																																						
2	5210.00	85.36	-----	-----	73.15	36.10	8.57	32.46	397	201	PEAK																																						
Avg	Fundamental																																																
<p style="text-align: right;">Date: 2024-01-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5131.46</td> <td>44.11</td> <td>54.00</td> <td>-9.89</td> <td>32.01</td> <td>36.12</td> <td>8.50</td> <td>32.52</td> <td>397</td> <td>201</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5131.46	44.11	54.00	-9.89	32.01	36.12	8.50	32.52	397	201	AVERAGE												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																										
1	5131.46	44.11	54.00	-9.89	32.01	36.12	8.50	32.52	397	201	AVERAGE																																						
<p style="text-align: right;">Date: 2024-01-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>51.21</td> <td>54.00</td> <td>-2.79</td> <td>52.15</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>397</td> <td>201</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>5210.00</td> <td>79.60</td> <td>-----</td> <td>-----</td> <td>67.38</td> <td>36.09</td> <td>8.58</td> <td>32.45</td> <td>397</td> <td>201</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	1386.00	51.21	54.00	-2.79	52.15	29.42	4.13	34.49	397	201	AVERAGE	2	5210.00	79.60	-----	-----	67.38	36.09	8.58	32.45	397	201	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																										
1	1386.00	51.21	54.00	-2.79	52.15	29.42	4.13	34.49	397	201	AVERAGE																																						
2	5210.00	79.60	-----	-----	67.38	36.09	8.58	32.45	397	201	AVERAGE																																						



Mode	53																																					
	Band Edge - R																																					
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																					
ANT	CDD 0+1																																					
Pol.	Horizontal	Fundamental																																				
Peak	<p>Date: 2024-01-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5426.50</td> <td>51.60</td> <td>74.00</td> <td>-22.40</td> <td>38.09</td> <td>35.94</td> <td>9.67</td> <td>32.10</td> <td>397</td> <td>201</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5426.50	51.60	74.00	-22.40	38.09	35.94	9.67	32.10	397	201	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5426.50	51.60	74.00	-22.40	38.09	35.94	9.67	32.10	397	201	PEAK																											
Avg	<p>Date: 2024-01-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.25</td> <td>44.35</td> <td>54.00</td> <td>-9.65</td> <td>30.80</td> <td>35.92</td> <td>9.69</td> <td>32.06</td> <td>397</td> <td>201</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5459.25	44.35	54.00	-9.65	30.80	35.92	9.69	32.06	397	201	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5459.25	44.35	54.00	-9.65	30.80	35.92	9.69	32.06	397	201	AVERAGE																											



		53																																																																																										
Mode	Band Edge - L																																																																																											
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																																											
ANT	CDD 0+1																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	<p style="text-align: right;">Date: 2024-01-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5144.90</td> <td>58.52</td> <td>74.00</td> <td>-15.48</td> <td>46.38</td> <td>36.11</td> <td>8.53</td> <td>32.50</td> <td>201</td> <td>100</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5144.90	58.52	74.00	-15.48	46.38	36.11	8.53	32.50	201	100	PEAK	<p style="text-align: right;">Date: 2024-01-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>56.92</td> <td>74.00</td> <td>-17.08</td> <td>57.86</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>201</td> <td>100</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5210.00</td> <td>101.62</td> <td>-----</td> <td>-----</td> <td>89.08</td> <td>36.05</td> <td>8.84</td> <td>32.35</td> <td>201</td> <td>100</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	1386.00	56.92	74.00	-17.08	57.86	29.42	4.13	34.49	201	100	PEAK	2	5210.00	101.62	-----	-----	89.08	36.05	8.84	32.35	201	100	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	5144.90	58.52	74.00	-15.48	46.38	36.11	8.53	32.50	201	100	PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	1386.00	56.92	74.00	-17.08	57.86	29.42	4.13	34.49	201	100	PEAK																																																																																	
2	5210.00	101.62	-----	-----	89.08	36.05	8.84	32.35	201	100	PEAK																																																																																	
Avg	<p style="text-align: right;">Date: 2024-01-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5146.16</td> <td>51.03</td> <td>54.00</td> <td>-2.97</td> <td>38.89</td> <td>36.11</td> <td>8.53</td> <td>32.50</td> <td>201</td> <td>100</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5146.16	51.03	54.00	-2.97	38.89	36.11	8.53	32.50	201	100	AVERAGE	<p style="text-align: right;">Date: 2024-01-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>52.85</td> <td>54.00</td> <td>-1.15</td> <td>53.79</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>201</td> <td>100</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>5210.00</td> <td>95.69</td> <td>-----</td> <td>-----</td> <td>83.47</td> <td>36.09</td> <td>8.58</td> <td>32.45</td> <td>201</td> <td>100</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	1386.00	52.85	54.00	-1.15	53.79	29.42	4.13	34.49	201	100	AVERAGE	2	5210.00	95.69	-----	-----	83.47	36.09	8.58	32.45	201	100	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	5146.16	51.03	54.00	-2.97	38.89	36.11	8.53	32.50	201	100	AVERAGE																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	1386.00	52.85	54.00	-1.15	53.79	29.42	4.13	34.49	201	100	AVERAGE																																																																																	
2	5210.00	95.69	-----	-----	83.47	36.09	8.58	32.45	201	100	AVERAGE																																																																																	



Mode	53																																		
	Band Edge - R																																		
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																		
ANT	CDD 0+1																																		
Pol.	Vertical	Fundamental																																	
Peak																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5350.50</td> <td>100.00</td> <td>74.00</td> <td>-21.94</td> <td>38.91</td> <td>35.99</td> <td>9.37</td> <td>32.21</td> <td>201</td> <td>100 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5350.50	100.00	74.00	-21.94	38.91	35.99	9.37	32.21	201
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																												
1 5350.50	100.00	74.00	-21.94	38.91	35.99	9.37	32.21	201	100 PEAK																										
Avg																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5350.75</td> <td>44.84</td> <td>54.00</td> <td>-9.16</td> <td>31.69</td> <td>35.99</td> <td>9.37</td> <td>32.21</td> <td>201</td> <td>100 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5350.75	44.84	54.00	-9.16	31.69	35.99	9.37	32.21	201
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																												
1 5350.75	44.84	54.00	-9.16	31.69	35.99	9.37	32.21	201	100 AVERAGE																										



Mode	53																																																																																																
	Harmonic																																																																																																
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																																																
ANT	CDD 0+1																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg	<p style="text-align: right;">Date: 2024-01-20</p>	<p style="text-align: right;">Date: 2024-01-20</p>																																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10420.00</td> <td>46.72</td> <td>68.30</td> <td>-21.58</td> <td>59.47</td> <td>38.77</td> <td>12.11</td> <td>63.63</td> <td>--- --- Peak</td> </tr> <tr> <td>2</td> <td>15630.00</td> <td>49.34</td> <td>74.00</td> <td>-24.66</td> <td>57.94</td> <td>40.80</td> <td>14.62</td> <td>64.02</td> <td>--- --- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	Tpos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	46.72	68.30	-21.58	59.47	38.77	12.11	63.63	--- --- Peak	2	15630.00	49.34	74.00	-24.66	57.94	40.80	14.62	64.02	--- --- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10420.00</td> <td>47.76</td> <td>68.30</td> <td>-20.54</td> <td>60.51</td> <td>38.77</td> <td>12.11</td> <td>63.63</td> <td>--- --- Peak</td> </tr> <tr> <td>2</td> <td>15630.00</td> <td>48.80</td> <td>74.00</td> <td>-25.20</td> <td>57.40</td> <td>40.80</td> <td>14.62</td> <td>64.02</td> <td>--- --- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	Tpos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	47.76	68.30	-20.54	60.51	38.77	12.11	63.63	--- --- Peak	2	15630.00	48.80	74.00	-25.20	57.40	40.80	14.62	64.02
	Limit	Read	Ant	Cable	Preamp	Apos	Tpos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10420.00	46.72	68.30	-21.58	59.47	38.77	12.11	63.63	--- --- Peak																																																																																								
2	15630.00	49.34	74.00	-24.66	57.94	40.80	14.62	64.02	--- --- Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Apos	Tpos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10420.00	47.76	68.30	-20.54	60.51	38.77	12.11	63.63	--- --- Peak																																																																																								
2	15630.00	48.80	74.00	-25.20	57.40	40.80	14.62	64.02	--- --- Peak																																																																																								



54																																																
Mode	Band Edge - L																																															
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																															
ANT	CDD 0+1																																															
Pol.	Horizontal																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5086.42</td> <td>51.92</td> <td>74.00</td> <td>-22.08</td> <td>39.93</td> <td>36.15</td> <td>8.42</td> <td>32.58</td> <td>300</td> <td>297</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5086.42	51.92	74.00	-22.08	39.93	36.15	8.42	32.58	300	297	PEAK											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																									
1	5086.42	51.92	74.00	-22.08	39.93	36.15	8.42	32.58	300	297	PEAK																																					
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>56.36</td> <td>74.00</td> <td>-17.64</td> <td>57.30</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>300</td> <td>297</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5290.00</td> <td>80.64</td> <td>-----</td> <td>-----</td> <td>67.82</td> <td>36.02</td> <td>9.09</td> <td>32.29</td> <td>300</td> <td>297</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	1386.00	56.36	74.00	-17.64	57.30	29.42	4.13	34.49	300	297	PEAK	2	5290.00	80.64	-----	-----	67.82	36.02	9.09	32.29	300	297	PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																									
1	1386.00	56.36	74.00	-17.64	57.30	29.42	4.13	34.49	300	297	PEAK																																					
2	5290.00	80.64	-----	-----	67.82	36.02	9.09	32.29	300	297	PEAK																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5147.03</td> <td>44.79</td> <td>54.00</td> <td>-9.21</td> <td>32.64</td> <td>36.11</td> <td>8.53</td> <td>32.49</td> <td>300</td> <td>297</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5147.03	44.79	54.00	-9.21	32.64	36.11	8.53	32.49	300	297	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																									
1	5147.03	44.79	54.00	-9.21	32.64	36.11	8.53	32.49	300	297	AVERAGE																																					
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>50.95</td> <td>54.00</td> <td>-3.05</td> <td>51.89</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>300</td> <td>297</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>5290.00</td> <td>72.68</td> <td>-----</td> <td>-----</td> <td>59.86</td> <td>36.02</td> <td>9.09</td> <td>32.29</td> <td>300</td> <td>297</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	1386.00	50.95	54.00	-3.05	51.89	29.42	4.13	34.49	300	297	AVERAGE	2	5290.00	72.68	-----	-----	59.86	36.02	9.09	32.29	300	297	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																									
1	1386.00	50.95	54.00	-3.05	51.89	29.42	4.13	34.49	300	297	AVERAGE																																					
2	5290.00	72.68	-----	-----	59.86	36.02	9.09	32.29	300	297	AVERAGE																																					



	54																																									
Mode	Band Edge - R																																									
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																									
ANT	CDD 0+1																																									
Pol.	Horizontal	Fundamental																																								
Peak	<p style="text-align: right;">Date: 2024-01-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5404.75</td> <td>52.38</td> <td>74.00</td> <td>-21.62</td> <td>38.90</td> <td>35.96</td> <td>9.65</td> <td>32.13</td> <td>300</td> <td>297 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5404.75	52.38	74.00	-21.62	38.90	35.96	9.65	32.13	300	297 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5404.75	52.38	74.00	-21.62	38.90	35.96	9.65	32.13	300	297 PEAK																																
Blank																																										
Avg	<p style="text-align: right;">Date: 2024-01-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5411.38</td> <td>44.69</td> <td>54.00</td> <td>-9.31</td> <td>31.20</td> <td>35.95</td> <td>9.66</td> <td>32.12</td> <td>300</td> <td>297 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5411.38	44.69	54.00	-9.31	31.20	35.95	9.66	32.12	300	297 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5411.38	44.69	54.00	-9.31	31.20	35.95	9.66	32.12	300	297 AVERAGE																																
Blank																																										



		54																																																																																						
Mode	Band Edge - L																																																																																							
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																							
ANT	CDD 0+1																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5084.10</td> <td>52.01</td> <td>74.00</td> <td>-21.99</td> <td>40.03</td> <td>36.15</td> <td>8.41</td> <td>32.58</td> <td>250</td> <td>293</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5084.10	52.01	74.00	-21.99	40.03	36.15	8.41	32.58	250	293	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>58.71</td> <td>74.00</td> <td>-15.29</td> <td>59.65</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>250</td> <td>293</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5290.00</td> <td>100.81</td> <td>-----</td> <td>-----</td> <td>87.88</td> <td>36.01</td> <td>9.18</td> <td>32.26</td> <td>250</td> <td>293</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	1386.00	58.71	74.00	-15.29	59.65	29.42	4.13	34.49	250	293	PEAK	2	5290.00	100.81	-----	-----	87.88	36.01	9.18	32.26	250	293	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5084.10	52.01	74.00	-21.99	40.03	36.15	8.41	32.58	250	293	PEAK																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	1386.00	58.71	74.00	-15.29	59.65	29.42	4.13	34.49	250	293	PEAK																																																																													
2	5290.00	100.81	-----	-----	87.88	36.01	9.18	32.26	250	293	PEAK																																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5062.06</td> <td>44.49</td> <td>54.00</td> <td>-9.51</td> <td>32.57</td> <td>36.16</td> <td>8.37</td> <td>32.61</td> <td>250</td> <td>293</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5062.06	44.49	54.00	-9.51	32.57	36.16	8.37	32.61	250	293	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>52.48</td> <td>54.00</td> <td>-1.52</td> <td>53.42</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>250</td> <td>293</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>5290.00</td> <td>94.03</td> <td>-----</td> <td>-----</td> <td>81.03</td> <td>36.00</td> <td>9.24</td> <td>32.24</td> <td>250</td> <td>293</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	1386.00	52.48	54.00	-1.52	53.42	29.42	4.13	34.49	250	293	AVERAGE	2	5290.00	94.03	-----	-----	81.03	36.00	9.24	32.24	250	293	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5062.06	44.49	54.00	-9.51	32.57	36.16	8.37	32.61	250	293	AVERAGE																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	1386.00	52.48	54.00	-1.52	53.42	29.42	4.13	34.49	250	293	AVERAGE																																																																													
2	5290.00	94.03	-----	-----	81.03	36.00	9.24	32.24	250	293	AVERAGE																																																																													



Mode	54																																													
	Band Edge - R																																													
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																													
ANT	CDD 0+1																																													
Pol.	Vertical	Fundamental																																												
Peak	<p>Level (dBuV/m) vs Frequency (MHz) plot. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 5290 to 5460 MHz. A red horizontal line indicates a limit at 70.0 dBuV/m. A blue line shows the measured signal, which peaks at 5372.96 MHz. A vertical blue line marks the peak frequency. A red label 'PART 15.407' is present.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5372.96</td> <td>60.40</td> <td>74.00</td> <td>-13.60</td> <td>47.12</td> <td>35.98</td> <td>9.48</td> <td>32.18</td> <td>250</td> <td>293</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5372.96	60.40	74.00	-13.60	47.12	35.98	9.48	32.18	250	293	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																							
cm	deg																																													
1	5372.96	60.40	74.00	-13.60	47.12	35.98	9.48	32.18	250	293	PEAK																																			
Avg	<p>Level (dBuV/m) vs Frequency (MHz) plot. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 5290 to 5460 MHz. A red horizontal line indicates a limit at 52.5 dBuV/m. A blue line shows the measured signal, which averages at 5367.01 MHz. A vertical blue line marks the average frequency. A red label 'PART 15.407 AVG' is present.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5367.01</td> <td>52.23</td> <td>54.00</td> <td>-1.77</td> <td>38.99</td> <td>35.98</td> <td>9.45</td> <td>32.19</td> <td>250</td> <td>293</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5367.01	52.23	54.00	-1.77	38.99	35.98	9.45	32.19	250	293	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																							
cm	deg																																													
1	5367.01	52.23	54.00	-1.77	38.99	35.98	9.45	32.19	250	293	AVERAGE																																			



54																																																	
Mode	Harmonic																																																
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																
ANT	CDD 0+1																																																
Pol.	Horizontal																																																
Peak Avg	<p style="text-align: right;">Date: 2024-01-25</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10580.00</td> <td>48.34</td> <td>68.30</td> <td>-19.96</td> <td>60.87</td> <td>38.83</td> <td>12.22</td> <td>63.58</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15870.00</td> <td>48.22</td> <td>74.00</td> <td>-25.78</td> <td>56.59</td> <td>41.00</td> <td>14.73</td> <td>64.10</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1	10580.00	48.34	68.30	-19.96	60.87	38.83	12.22	63.58	---	---	Peak	2	15870.00	48.22	74.00	-25.78	56.59	41.00	14.73	64.10	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																										
1	10580.00	48.34	68.30	-19.96	60.87	38.83	12.22	63.58	---	---	Peak																																						
2	15870.00	48.22	74.00	-25.78	56.59	41.00	14.73	64.10	---	---	Peak																																						
	<p style="text-align: right;">Date: 2024-01-25</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10580.00</td> <td>48.00</td> <td>68.30</td> <td>-20.30</td> <td>60.53</td> <td>38.83</td> <td>12.22</td> <td>63.58</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15870.00</td> <td>47.91</td> <td>74.00</td> <td>-26.09</td> <td>56.28</td> <td>41.00</td> <td>14.73</td> <td>64.10</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1	10580.00	48.00	68.30	-20.30	60.53	38.83	12.22	63.58	---	---	Peak	2	15870.00	47.91	74.00	-26.09	56.28	41.00	14.73	64.10	---	---	Peak
Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																										
1	10580.00	48.00	68.30	-20.30	60.53	38.83	12.22	63.58	---	---	Peak																																						
2	15870.00	47.91	74.00	-26.09	56.28	41.00	14.73	64.10	---	---	Peak																																						



55																																																		
Mode	Band Edge - L																																																	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																	
ANT	CDD 0+1																																																	
Pol.	Horizontal																																																	
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5424.34</td> <td>51.81</td> <td>74.00</td> <td>-22.19</td> <td>38.30</td> <td>35.95</td> <td>9.67</td> <td>32.11</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5460.88</td> <td>51.84</td> <td>68.30</td> <td>-16.46</td> <td>38.28</td> <td>35.92</td> <td>9.69</td> <td>32.05</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5424.34	51.81	74.00	-22.19	38.30	35.95	9.67	32.11	100	360	PEAK	2	5460.88	51.84	68.30	-16.46	38.28	35.92	9.69	32.05	100	360	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5424.34	51.81	74.00	-22.19	38.30	35.95	9.67	32.11	100	360	PEAK																																							
2	5460.88	51.84	68.30	-16.46	38.28	35.92	9.69	32.05	100	360	PEAK																																							
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>58.62</td> <td>74.00</td> <td>-15.38</td> <td>59.56</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5530.00</td> <td>89.91</td> <td>-----</td> <td>-----</td> <td>76.30</td> <td>35.90</td> <td>9.71</td> <td>32.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	1386.00	58.62	74.00	-15.38	59.56	29.42	4.13	34.49	100	360	PEAK	2	5530.00	89.91	-----	-----	76.30	35.90	9.71	32.00	100	360	PEAK	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	1386.00	58.62	74.00	-15.38	59.56	29.42	4.13	34.49	100	360	PEAK																																							
2	5530.00	89.91	-----	-----	76.30	35.90	9.71	32.00	100	360	PEAK																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5454.40</td> <td>44.78</td> <td>54.00</td> <td>-9.22</td> <td>31.23</td> <td>35.93</td> <td>9.68</td> <td>32.06</td> <td>100</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5454.40	44.78	54.00	-9.22	31.23	35.93	9.68	32.06	100	360	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5454.40	44.78	54.00	-9.22	31.23	35.93	9.68	32.06	100	360	AVERAGE																																							
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>51.08</td> <td>54.00</td> <td>-2.92</td> <td>52.02</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>100</td> <td>360</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>5530.00</td> <td>82.12</td> <td>-----</td> <td>-----</td> <td>68.51</td> <td>35.91</td> <td>9.71</td> <td>32.01</td> <td>100</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	1386.00	51.08	54.00	-2.92	52.02	29.42	4.13	34.49	100	360	AVERAGE	2	5530.00	82.12	-----	-----	68.51	35.91	9.71	32.01	100	360	AVERAGE	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	1386.00	51.08	54.00	-2.92	52.02	29.42	4.13	34.49	100	360	AVERAGE																																							
2	5530.00	82.12	-----	-----	68.51	35.91	9.71	32.01	100	360	AVERAGE																																							



Mode	55																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																					
ANT	CDD 0+1																																					
Pol.	Horizontal	Fundamental																																				
Peak	<p>Date: 2024-01-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.50</td> <td>52.65</td> <td>68.30</td> <td>-15.65</td> <td>38.60</td> <td>36.24</td> <td>10.06</td> <td>32.25</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5745.50	52.65	68.30	-15.65	38.60	36.24	10.06	32.25	100	360	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5745.50	52.65	68.30	-15.65	38.60	36.24	10.06	32.25	100	360	PEAK																											



		55																																																																																																								
Mode	Band Edge - L																																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																									
ANT	CDD 0+1																																																																																																									
Pol.	Vertical	Fundamental																																																																																																								
Peak	<p style="text-align: right;">Date: 2024-01-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5447.20</td> <td>61.93</td> <td>74.00</td> <td>-12.07</td> <td>48.39</td> <td>35.93</td> <td>9.68</td> <td>32.07</td> <td>319</td> <td>109</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5466.46</td> <td>58.99</td> <td>68.30</td> <td>-9.31</td> <td>45.43</td> <td>35.92</td> <td>9.69</td> <td>32.05</td> <td>319</td> <td>109</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5447.20	61.93	74.00	-12.07	48.39	35.93	9.68	32.07	319	109	PEAK	2	5466.46	58.99	68.30	-9.31	45.43	35.92	9.69	32.05	319	109	PEAK	<p style="text-align: right;">Date: 2024-01-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>57.39</td> <td>74.00</td> <td>-16.61</td> <td>58.33</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>319</td> <td>109</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5530.00</td> <td>103.66</td> <td>-----</td> <td>-----</td> <td>90.05</td> <td>35.90</td> <td>9.71</td> <td>32.00</td> <td>319</td> <td>109</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1386.00	57.39	74.00	-16.61	58.33	29.42	4.13	34.49	319	109	PEAK	2	5530.00	103.66	-----	-----	90.05	35.90	9.71	32.00	319	109	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5447.20	61.93	74.00	-12.07	48.39	35.93	9.68	32.07	319	109	PEAK																																																																																															
2	5466.46	58.99	68.30	-9.31	45.43	35.92	9.69	32.05	319	109	PEAK																																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	1386.00	57.39	74.00	-16.61	58.33	29.42	4.13	34.49	319	109	PEAK																																																																																															
2	5530.00	103.66	-----	-----	90.05	35.90	9.71	32.00	319	109	PEAK																																																																																															
Avg	<p style="text-align: right;">Date: 2024-01-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5452.96</td> <td>52.81</td> <td>54.00</td> <td>-1.19</td> <td>39.27</td> <td>35.93</td> <td>9.68</td> <td>32.07</td> <td>319</td> <td>109</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.96	52.81	54.00	-1.19	39.27	35.93	9.68	32.07	319	109	AVERAGE	<p style="text-align: right;">Date: 2024-01-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>52.44</td> <td>54.00</td> <td>-1.56</td> <td>53.38</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>319</td> <td>109</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>5530.00</td> <td>95.99</td> <td>-----</td> <td>-----</td> <td>82.40</td> <td>35.90</td> <td>9.70</td> <td>32.01</td> <td>319</td> <td>109</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1386.00	52.44	54.00	-1.56	53.38	29.42	4.13	34.49	319	109	AVERAGE	2	5530.00	95.99	-----	-----	82.40	35.90	9.70	32.01	319	109	AVERAGE												
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5452.96	52.81	54.00	-1.19	39.27	35.93	9.68	32.07	319	109	AVERAGE																																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	1386.00	52.44	54.00	-1.56	53.38	29.42	4.13	34.49	319	109	AVERAGE																																																																																															
2	5530.00	95.99	-----	-----	82.40	35.90	9.70	32.01	319	109	AVERAGE																																																																																															







Mode	55																																			
	Band Edge - R																																			
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																			
ANT	CDD 0+1																																			
Pol.	Vertical	Fundamental																																		
Peak	<p>Date: 2024-01-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5728.81</td> <td>52.53</td> <td>68.30</td> <td>-15.77</td> <td>38.51</td> <td>36.22</td> <td>10.03</td> <td>32.23</td> <td>319</td> <td>109 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5728.81	52.53	68.30	-15.77	38.51	36.22	10.03	32.23	319	109 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																													
1 5728.81	52.53	68.30	-15.77	38.51	36.22	10.03	32.23	319	109 PEAK																											



Mode	55																																																																																																
	Harmonic																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																
ANT	CDD 0+1																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg	<p>Date: 2024-01-25</p>	<p>Date: 2024-01-25</p>																																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11060.00</td> <td>47.76</td> <td>74.00</td> <td>-26.24</td> <td>59.59</td> <td>39.02</td> <td>12.57</td> <td>63.42</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16590.00</td> <td>48.27</td> <td>68.30</td> <td>-20.03</td> <td>56.40</td> <td>41.39</td> <td>15.23</td> <td>64.75</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11060.00	47.76	74.00	-26.24	59.59	39.02	12.57	63.42	---	---	Peak	2	16590.00	48.27	68.30	-20.03	56.40	41.39	15.23	64.75	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11060.00</td> <td>48.94</td> <td>74.00</td> <td>-25.06</td> <td>60.77</td> <td>39.02</td> <td>12.57</td> <td>63.42</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16590.00</td> <td>47.92</td> <td>68.30</td> <td>-20.38</td> <td>56.05</td> <td>41.39</td> <td>15.23</td> <td>64.75</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11060.00	48.94	74.00	-25.06	60.77	39.02	12.57	63.42	---	---	Peak	2	16590.00	47.92	68.30	-20.38	56.05	41.39	15.23	64.75	---	---
Limit	Read	Ant	Cable	Preamp	Apos	Tpos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	11060.00	47.76	74.00	-26.24	59.59	39.02	12.57	63.42	---	---	Peak																																																																																						
2	16590.00	48.27	68.30	-20.03	56.40	41.39	15.23	64.75	---	---	Peak																																																																																						
Limit	Read	Ant	Cable	Preamp	Apos	Tpos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	11060.00	48.94	74.00	-25.06	60.77	39.02	12.57	63.42	---	---	Peak																																																																																						
2	16590.00	47.92	68.30	-20.38	56.05	41.39	15.23	64.75	---	---	Peak																																																																																						



56																																																																																																	
Mode	Band Edge - L																																																																																																
U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																																																	
ANT	CDD 0+1																																																																																																
Pol.	Horizontal																																																																																																
Peak	Fundamental																																																																																																
<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;">  <p style="text-align: right;">Date: 2024-01-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.56</td> <td>52.24</td> <td>74.00</td> <td>-21.76</td> <td>38.69</td> <td>35.93</td> <td>9.68</td> <td>32.06</td> <td>100</td> <td>114</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.56</td> <td>52.92</td> <td>68.30</td> <td>-15.38</td> <td>39.35</td> <td>35.92</td> <td>9.69</td> <td>32.04</td> <td>100</td> <td>114</td> <td>PEAK</td> </tr> </tbody> </table> </div> <div style="width: 48%;">  <p style="text-align: right;">Date: 2024-01-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>56.16</td> <td>74.00</td> <td>-17.84</td> <td>57.10</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>100</td> <td>114</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5610.00</td> <td>99.45</td> <td>-----</td> <td>-----</td> <td>85.77</td> <td>36.01</td> <td>9.75</td> <td>32.08</td> <td>100</td> <td>114</td> <td>PEAK</td> </tr> </tbody> </table> </div> </div>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5455.56	52.24	74.00	-21.76	38.69	35.93	9.68	32.06	100	114	PEAK	2	5468.56	52.92	68.30	-15.38	39.35	35.92	9.69	32.04	100	114	PEAK	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	1386.00	56.16	74.00	-17.84	57.10	29.42	4.13	34.49	100	114	PEAK	2	5610.00	99.45	-----	-----	85.77	36.01	9.75	32.08	100	114	PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	5455.56	52.24	74.00	-21.76	38.69	35.93	9.68	32.06	100	114	PEAK																																																																																						
2	5468.56	52.92	68.30	-15.38	39.35	35.92	9.69	32.04	100	114	PEAK																																																																																						
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	1386.00	56.16	74.00	-17.84	57.10	29.42	4.13	34.49	100	114	PEAK																																																																																						
2	5610.00	99.45	-----	-----	85.77	36.01	9.75	32.08	100	114	PEAK																																																																																						
Avg																																																																																																	
<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;">  <p style="text-align: right;">Date: 2024-01-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5453.48</td> <td>44.84</td> <td>54.00</td> <td>-9.16</td> <td>31.30</td> <td>35.93</td> <td>9.68</td> <td>32.07</td> <td>100</td> <td>114</td> <td>AVERAGE</td> </tr> </tbody> </table> </div> <div style="width: 48%;">  <p style="text-align: right;">Date: 2024-01-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>50.99</td> <td>54.00</td> <td>-3.01</td> <td>51.93</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>100</td> <td>114</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>5610.00</td> <td>93.45</td> <td>-----</td> <td>-----</td> <td>79.64</td> <td>36.10</td> <td>9.85</td> <td>32.14</td> <td>100</td> <td>114</td> <td>AVERAGE</td> </tr> </tbody> </table> </div> </div>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5453.48	44.84	54.00	-9.16	31.30	35.93	9.68	32.07	100	114	AVERAGE	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	1386.00	50.99	54.00	-3.01	51.93	29.42	4.13	34.49	100	114	AVERAGE	2	5610.00	93.45	-----	-----	79.64	36.10	9.85	32.14	100	114	AVERAGE												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	5453.48	44.84	54.00	-9.16	31.30	35.93	9.68	32.07	100	114	AVERAGE																																																																																						
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	1386.00	50.99	54.00	-3.01	51.93	29.42	4.13	34.49	100	114	AVERAGE																																																																																						
2	5610.00	93.45	-----	-----	79.64	36.10	9.85	32.14	100	114	AVERAGE																																																																																						



Mode	56																														
	Band Edge - R																														
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																														
ANT	CDD 0+1																														
Pol.	Horizontal	Fundamental																													
Peak	<p>Date: 2024-01-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5735.09</td> <td>58.67</td> <td>68.30</td> <td>-9.63</td> <td>44.64</td> <td>36.23</td> <td>10.04</td> <td>32.24</td> <td>100</td> <td>114 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	1	5735.09	58.67	68.30	-9.63	44.64	36.23	10.04	32.24	100	114 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																					
1	5735.09	58.67	68.30	-9.63	44.64	36.23	10.04	32.24	100	114 PEAK																					



56																																																	
Mode	Band Edge - L																																																
U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																	
ANT	CDD 0+1																																																
Pol.	Vertical																																																
Peak	<p style="text-align: right;">Date: 2024-01-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.04</td> <td>58.30</td> <td>74.00</td> <td>-15.70</td> <td>44.75</td> <td>35.93</td> <td>9.68</td> <td>32.06</td> <td>200 303 PEAK</td> </tr> <tr> <td>2</td> <td>5462.84</td> <td>59.94</td> <td>68.30</td> <td>-8.36</td> <td>46.38</td> <td>35.92</td> <td>9.69</td> <td>32.05</td> <td>200 303 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.04	58.30	74.00	-15.70	44.75	35.93	9.68	32.06	200 303 PEAK	2	5462.84	59.94	68.30	-8.36	46.38	35.92	9.69	32.05	200 303 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																								
1	5455.04	58.30	74.00	-15.70	44.75	35.93	9.68	32.06	200 303 PEAK																																								
2	5462.84	59.94	68.30	-8.36	46.38	35.92	9.69	32.05	200 303 PEAK																																								
<p style="text-align: right;">Date: 2024-01-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>59.33</td> <td>74.00</td> <td>-14.67</td> <td>60.27</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>200 303 PEAK</td> </tr> <tr> <td>2</td> <td>5610.00</td> <td>108.62</td> <td>-----</td> <td>-----</td> <td>94.94</td> <td>36.01</td> <td>9.75</td> <td>32.08</td> <td>200 303 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1386.00	59.33	74.00	-14.67	60.27	29.42	4.13	34.49	200 303 PEAK	2	5610.00	108.62	-----	-----	94.94	36.01	9.75	32.08	200 303 PEAK	
Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																								
1	1386.00	59.33	74.00	-14.67	60.27	29.42	4.13	34.49	200 303 PEAK																																								
2	5610.00	108.62	-----	-----	94.94	36.01	9.75	32.08	200 303 PEAK																																								
Avg	<p style="text-align: right;">Date: 2024-01-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5454.78</td> <td>51.53</td> <td>54.00</td> <td>-2.47</td> <td>37.98</td> <td>35.93</td> <td>9.68</td> <td>32.06</td> <td>200 303 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.78	51.53	54.00	-2.47	37.98	35.93	9.68	32.06	200 303 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																								
1	5454.78	51.53	54.00	-2.47	37.98	35.93	9.68	32.06	200 303 AVERAGE																																								
<p style="text-align: right;">Date: 2024-01-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>52.45</td> <td>54.00</td> <td>-1.55</td> <td>53.39</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>200 303 AVERAGE</td> </tr> <tr> <td>2</td> <td>5610.00</td> <td>101.51</td> <td>-----</td> <td>-----</td> <td>87.70</td> <td>36.10</td> <td>9.85</td> <td>32.14</td> <td>200 303 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1386.00	52.45	54.00	-1.55	53.39	29.42	4.13	34.49	200 303 AVERAGE	2	5610.00	101.51	-----	-----	87.70	36.10	9.85	32.14	200 303 AVERAGE	
Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																								
1	1386.00	52.45	54.00	-1.55	53.39	29.42	4.13	34.49	200 303 AVERAGE																																								
2	5610.00	101.51	-----	-----	87.70	36.10	9.85	32.14	200 303 AVERAGE																																								



Mode	56																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																									
ANT	CDD 0+1																																									
Pol.	Vertical	Fundamental																																								
Peak	<p>Date: 2024-01-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5735.40</td> <td>67.98</td> <td>68.30</td> <td>-0.32</td> <td>53.95</td> <td>36.23</td> <td>10.04</td> <td>32.24</td> <td>200</td> <td>309</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 5735.40	67.98	68.30	-0.32	53.95	36.23	10.04	32.24	200	309	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5735.40	67.98	68.30	-0.32	53.95	36.23	10.04	32.24	200	309	PEAK																																



Mode	56																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																																																																								
ANT	CDD 0+1																																																																																																																								
Pol.	Horizontal	Vertical																																																																																																																							
Peak Avg																																																																																																																									
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11220.00</td> <td>50.64</td> <td>74.00</td> <td>-23.36</td> <td>62.30</td> <td>39.09</td> <td>12.68</td> <td>63.43</td> <td>110</td> <td>71</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11220.00</td> <td>46.91</td> <td>54.00</td> <td>-7.09</td> <td>58.57</td> <td>39.09</td> <td>12.68</td> <td>63.43</td> <td>110</td> <td>71</td> <td>Average</td> </tr> <tr> <td>3</td> <td>16830.00</td> <td>54.48</td> <td>68.30</td> <td>-13.82</td> <td>62.56</td> <td>41.51</td> <td>15.41</td> <td>65.00</td> <td>125</td> <td>211</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11220.00	50.64	74.00	-23.36	62.30	39.09	12.68	63.43	110	71	Peak	2	11220.00	46.91	54.00	-7.09	58.57	39.09	12.68	63.43	110	71	Average	3	16830.00	54.48	68.30	-13.82	62.56	41.51	15.41	65.00	125	211	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11220.00</td> <td>55.56</td> <td>74.00</td> <td>-18.44</td> <td>67.22</td> <td>39.09</td> <td>12.68</td> <td>63.43</td> <td>250</td> <td>207</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11220.00</td> <td>49.62</td> <td>54.00</td> <td>-4.38</td> <td>61.28</td> <td>39.09</td> <td>12.68</td> <td>63.43</td> <td>250</td> <td>207</td> <td>Average</td> </tr> <tr> <td>3</td> <td>16830.00</td> <td>56.48</td> <td>68.30</td> <td>-11.82</td> <td>64.56</td> <td>41.51</td> <td>15.41</td> <td>65.00</td> <td>213</td> <td>51</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11220.00	55.56	74.00	-18.44	67.22	39.09	12.68	63.43	250	207	Peak	2	11220.00	49.62	54.00	-4.38	61.28	39.09	12.68	63.43	250	207	Average	3	16830.00	56.48	68.30	-11.82	64.56	41.51	15.41	65.00	213	51
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																		
1	11220.00	50.64	74.00	-23.36	62.30	39.09	12.68	63.43	110	71	Peak																																																																																																														
2	11220.00	46.91	54.00	-7.09	58.57	39.09	12.68	63.43	110	71	Average																																																																																																														
3	16830.00	54.48	68.30	-13.82	62.56	41.51	15.41	65.00	125	211	Peak																																																																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																		
1	11220.00	55.56	74.00	-18.44	67.22	39.09	12.68	63.43	250	207	Peak																																																																																																														
2	11220.00	49.62	54.00	-4.38	61.28	39.09	12.68	63.43	250	207	Average																																																																																																														
3	16830.00	56.48	68.30	-11.82	64.56	41.51	15.41	65.00	213	51	Peak																																																																																																														



57																																																
Mode	Band Edge																																															
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_5180MHz																																															
ANT	CDD 0+1																																															
Pol.	Horizontal																																															
Peak																																																
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5012.24</td> <td>51.89</td> <td>74.00</td> <td>-22.11</td> <td>40.08</td> <td>36.19</td> <td>8.30</td> <td>32.68</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>400</td> <td>155 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5012.24	51.89	74.00	-22.11	40.08	36.19	8.30	32.68							400	155 PEAK							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																									
1 5012.24	51.89	74.00	-22.11	40.08	36.19	8.30	32.68																																									
						400	155 PEAK																																									
Fundamental																																																
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 1386.00</td> <td>55.73</td> <td>74.00</td> <td>-18.27</td> <td>56.67</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> </tr> <tr> <td>2 5180.00</td> <td>92.95</td> <td>-----</td> <td>-----</td> <td>80.73</td> <td>36.09</td> <td>8.58</td> <td>32.45</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>400</td> <td>155 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 1386.00	55.73	74.00	-18.27	56.67	29.42	4.13	34.49	2 5180.00	92.95	-----	-----	80.73	36.09	8.58	32.45							400
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																									
1 1386.00	55.73	74.00	-18.27	56.67	29.42	4.13	34.49																																									
2 5180.00	92.95	-----	-----	80.73	36.09	8.58	32.45																																									
						400	155 PEAK																																									
Avg																																																
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5066.78</td> <td>44.24</td> <td>54.00</td> <td>-9.76</td> <td>32.31</td> <td>36.16</td> <td>8.38</td> <td>32.61</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>400</td> <td>155 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5066.78	44.24	54.00	-9.76	32.31	36.16	8.38	32.61							400	155 AVERAGE							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																									
1 5066.78	44.24	54.00	-9.76	32.31	36.16	8.38	32.61																																									
						400	155 AVERAGE																																									
Fundamental																																																
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 1386.00</td> <td>51.78</td> <td>54.00</td> <td>-2.22</td> <td>52.72</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> </tr> <tr> <td>2 5180.00</td> <td>87.64</td> <td>-----</td> <td>-----</td> <td>75.42</td> <td>36.09</td> <td>8.58</td> <td>32.45</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>400</td> <td>155 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 1386.00	51.78	54.00	-2.22	52.72	29.42	4.13	34.49	2 5180.00	87.64	-----	-----	75.42	36.09	8.58	32.45							400
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																									
1 1386.00	51.78	54.00	-2.22	52.72	29.42	4.13	34.49																																									
2 5180.00	87.64	-----	-----	75.42	36.09	8.58	32.45																																									
						400	155 AVERAGE																																									



		57																																																																																												
Mode	Band Edge																																																																																													
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_5180MHz																																																																																													
ANT	CDD 0+1																																																																																													
Pol.	Vertical	Fundamental																																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.76</td> <td>59.84</td> <td>74.00</td> <td>-14.16</td> <td>47.68</td> <td>36.11</td> <td>8.54</td> <td>32.49</td> <td>157</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.76	59.84	74.00	-14.16	47.68	36.11	8.54	32.49	157	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>57.49</td> <td>74.00</td> <td>-16.51</td> <td>58.43</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>157</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5180.00</td> <td>108.37</td> <td>-----</td> <td>-----</td> <td>96.14</td> <td>36.09</td> <td>8.59</td> <td>32.45</td> <td>157</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1386.00	57.49	74.00	-16.51	58.43	29.42	4.13	34.49	157	360	PEAK	2	5180.00	108.37	-----	-----	96.14	36.09	8.59	32.45	157	360	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5149.76	59.84	74.00	-14.16	47.68	36.11	8.54	32.49	157	360	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	1386.00	57.49	74.00	-16.51	58.43	29.42	4.13	34.49	157	360	PEAK																																																																																			
2	5180.00	108.37	-----	-----	96.14	36.09	8.59	32.45	157	360	PEAK																																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.94</td> <td>52.50</td> <td>54.00</td> <td>-1.50</td> <td>40.34</td> <td>36.11</td> <td>8.54</td> <td>32.49</td> <td>157</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.94	52.50	54.00	-1.50	40.34	36.11	8.54	32.49	157	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>52.78</td> <td>54.00</td> <td>-1.22</td> <td>53.72</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>157</td> <td>360</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>5180.00</td> <td>103.08</td> <td>-----</td> <td>-----</td> <td>90.86</td> <td>36.09</td> <td>8.58</td> <td>32.45</td> <td>157</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1386.00	52.78	54.00	-1.22	53.72	29.42	4.13	34.49	157	360	AVERAGE	2	5180.00	103.08	-----	-----	90.86	36.09	8.58	32.45	157	360	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5149.94	52.50	54.00	-1.50	40.34	36.11	8.54	32.49	157	360	AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	1386.00	52.78	54.00	-1.22	53.72	29.42	4.13	34.49	157	360	AVERAGE																																																																																			
2	5180.00	103.08	-----	-----	90.86	36.09	8.58	32.45	157	360	AVERAGE																																																																																			



57																																																													
Mode	Harmonic																																																												
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_5180MHz																																																												
ANT	CDD 0+1																																																												
Pol.	Horizontal																																																												
Peak Avg																																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>48.67</td> <td>68.30</td> <td>-19.63</td> <td>61.53</td> <td>38.74</td> <td>12.06</td> <td>63.66</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>47.91</td> <td>74.00</td> <td>-26.09</td> <td>56.59</td> <td>40.73</td> <td>14.58</td> <td>63.99</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10360.00	48.67	68.30	-19.63	61.53	38.74	12.06	63.66	---	---	Peak	2	15540.00	47.91	74.00	-26.09	56.59	40.73	14.58	63.99	---	---	Peak												
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																						
1	10360.00	48.67	68.30	-19.63	61.53	38.74	12.06	63.66	---	---	Peak																																																		
2	15540.00	47.91	74.00	-26.09	56.59	40.73	14.58	63.99	---	---	Peak																																																		
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>60.22</td> <td>68.30</td> <td>-8.08</td> <td>73.08</td> <td>38.74</td> <td>12.06</td> <td>63.66</td> <td>297</td> <td>226</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>49.86</td> <td>74.00</td> <td>-24.14</td> <td>58.54</td> <td>40.73</td> <td>14.58</td> <td>63.99</td> <td>233</td> <td>360</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>15540.00</td> <td>49.87</td> <td>54.00</td> <td>-4.13</td> <td>58.55</td> <td>40.73</td> <td>14.58</td> <td>63.99</td> <td>233</td> <td>360</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10360.00	60.22	68.30	-8.08	73.08	38.74	12.06	63.66	297	226	Peak	2	15540.00	49.86	74.00	-24.14	58.54	40.73	14.58	63.99	233	360	Peak	3	15540.00	49.87	54.00	-4.13	58.55	40.73	14.58	63.99	233	360	Average
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																						
1	10360.00	60.22	68.30	-8.08	73.08	38.74	12.06	63.66	297	226	Peak																																																		
2	15540.00	49.86	74.00	-24.14	58.54	40.73	14.58	63.99	233	360	Peak																																																		
3	15540.00	49.87	54.00	-4.13	58.55	40.73	14.58	63.99	233	360	Average																																																		



58																																																					
Mode																																																					
Harmonic																																																					
U-NII-1_5.15-5.25_802.11ac VHT20_CH44_5220MHz																																																					
ANT																																																					
CDD 0+1																																																					
Pol.	Horizontal																																																				
Peak Avg																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>47.81</td> <td>68.30</td> <td>-20.49</td> <td>60.54</td> <td>38.78</td> <td>12.12</td> <td>63.63</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>49.10</td> <td>74.00</td> <td>-24.90</td> <td>57.66</td> <td>40.83</td> <td>14.64</td> <td>64.03</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	10440.00	47.81	68.30	-20.49	60.54	38.78	12.12	63.63	---	---	Peak	2	15660.00	49.10	74.00	-24.90	57.66	40.83	14.64	64.03	---	---	Peak												
Limit	Read	Ant	Cable	Preamp	Apos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																														
1	10440.00	47.81	68.30	-20.49	60.54	38.78	12.12	63.63	---	---	Peak																																										
2	15660.00	49.10	74.00	-24.90	57.66	40.83	14.64	64.03	---	---	Peak																																										
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>59.24</td> <td>68.30</td> <td>-9.06</td> <td>71.97</td> <td>38.78</td> <td>12.12</td> <td>63.63</td> <td>257</td> <td>226</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>57.26</td> <td>74.00</td> <td>-16.74</td> <td>65.82</td> <td>40.83</td> <td>14.64</td> <td>64.03</td> <td>262</td> <td>346</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>15660.00</td> <td>51.34</td> <td>54.00</td> <td>-2.66</td> <td>59.90</td> <td>40.83</td> <td>14.64</td> <td>64.03</td> <td>262</td> <td>346</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	10440.00	59.24	68.30	-9.06	71.97	38.78	12.12	63.63	257	226	Peak	2	15660.00	57.26	74.00	-16.74	65.82	40.83	14.64	64.03	262	346	Peak	3	15660.00	51.34	54.00	-2.66	59.90	40.83	14.64	64.03	262	346	Average
Limit	Read	Ant	Cable	Preamp	Apos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																														
1	10440.00	59.24	68.30	-9.06	71.97	38.78	12.12	63.63	257	226	Peak																																										
2	15660.00	57.26	74.00	-16.74	65.82	40.83	14.64	64.03	262	346	Peak																																										
3	15660.00	51.34	54.00	-2.66	59.90	40.83	14.64	64.03	262	346	Average																																										



59																																																															
Mode	Harmonic																																																														
	U-NII-1_5.15-5.25_802.11ac VHT20_CH48_5240MHz																																																														
ANT	CDD 0+1																																																														
Pol.	Horizontal																																																														
Peak Avg																																																															
	<table border="1"> <thead> <tr> <th rowspan="2">Limit</th> <th rowspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">Apos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>1</td> <td>10480.00</td> <td>48.11</td> <td>68.30</td> <td>-20.19</td> <td>60.78</td> <td>38.79</td> <td>12.15</td> <td>63.61</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>49.25</td> <td>74.00</td> <td>-24.75</td> <td>57.76</td> <td>40.88</td> <td>14.66</td> <td>64.05</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg									1	10480.00	48.11	68.30	-20.19	60.78	38.79	12.15	63.61	---	---	Peak	2	15720.00	49.25	74.00	-24.75	57.76	40.88	14.66	64.05	---	---	Peak												
Limit	Read									Ant	Cable	Preamp	Apos	TPos	Remark																																																
		Freq	Level	Line	Margin	Level	Factor	Loss	Factor							cm	deg																																														
1	10480.00	48.11	68.30	-20.19	60.78	38.79	12.15	63.61	---	---	Peak																																																				
2	15720.00	49.25	74.00	-24.75	57.76	40.88	14.66	64.05	---	---	Peak																																																				
	<table border="1"> <thead> <tr> <th rowspan="2">Limit</th> <th rowspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">Apos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>1</td> <td>10480.00</td> <td>58.57</td> <td>68.30</td> <td>-9.73</td> <td>71.24</td> <td>38.79</td> <td>12.15</td> <td>63.61</td> <td>284</td> <td>227</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>56.73</td> <td>74.00</td> <td>-17.27</td> <td>65.24</td> <td>40.88</td> <td>14.66</td> <td>64.05</td> <td>272</td> <td>348</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>15720.00</td> <td>51.47</td> <td>54.00</td> <td>-2.53</td> <td>59.98</td> <td>40.88</td> <td>14.66</td> <td>64.05</td> <td>272</td> <td>348</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg									1	10480.00	58.57	68.30	-9.73	71.24	38.79	12.15	63.61	284	227	Peak	2	15720.00	56.73	74.00	-17.27	65.24	40.88	14.66	64.05	272	348	Peak	3	15720.00	51.47	54.00	-2.53	59.98	40.88	14.66	64.05	272	348	Average
Limit	Read									Ant	Cable	Preamp	Apos	TPos	Remark																																																
		Freq	Level	Line	Margin	Level	Factor	Loss	Factor							cm	deg																																														
1	10480.00	58.57	68.30	-9.73	71.24	38.79	12.15	63.61	284	227	Peak																																																				
2	15720.00	56.73	74.00	-17.27	65.24	40.88	14.66	64.05	272	348	Peak																																																				
3	15720.00	51.47	54.00	-2.53	59.98	40.88	14.66	64.05	272	348	Average																																																				



Mode	60																																																																																																												
	Harmonic																																																																																																												
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH52_5260MHz																																																																																																												
ANT	CDD 0+1																																																																																																												
Pol.	Horizontal	Vertical																																																																																																											
Peak Avg	<p>Date: 2024-01-23</p>	<p>Date: 2024-01-23</p>																																																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>47.44</td> <td>68.30</td> <td>-20.86</td> <td>60.05</td> <td>38.81</td> <td>12.18</td> <td>63.60</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>49.07</td> <td>74.00</td> <td>-24.93</td> <td>57.53</td> <td>40.92</td> <td>14.69</td> <td>64.07</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10520.00	47.44	68.30	-20.86	60.05	38.81	12.18	63.60	---	---	Peak	2	15780.00	49.07	74.00	-24.93	57.53	40.92	14.69	64.07	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>58.50</td> <td>68.30</td> <td>-9.80</td> <td>71.11</td> <td>38.81</td> <td>12.18</td> <td>63.60</td> <td>281</td> <td>226</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>58.16</td> <td>74.00</td> <td>-15.84</td> <td>66.62</td> <td>40.92</td> <td>14.69</td> <td>64.07</td> <td>288</td> <td>347</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>15780.00</td> <td>51.31</td> <td>54.00</td> <td>-2.69</td> <td>59.77</td> <td>40.92</td> <td>14.69</td> <td>64.07</td> <td>288</td> <td>347</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10520.00	58.50	68.30	-9.80	71.11	38.81	12.18	63.60	281	226	Peak	2	15780.00	58.16	74.00	-15.84	66.62	40.92	14.69	64.07	288	347	Peak	3	15780.00	51.31	54.00	-2.69	59.77	40.92	14.69	64.07	288	347
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	10520.00	47.44	68.30	-20.86	60.05	38.81	12.18	63.60	---	---	Peak																																																																																																		
2	15780.00	49.07	74.00	-24.93	57.53	40.92	14.69	64.07	---	---	Peak																																																																																																		
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	10520.00	58.50	68.30	-9.80	71.11	38.81	12.18	63.60	281	226	Peak																																																																																																		
2	15780.00	58.16	74.00	-15.84	66.62	40.92	14.69	64.07	288	347	Peak																																																																																																		
3	15780.00	51.31	54.00	-2.69	59.77	40.92	14.69	64.07	288	347	Average																																																																																																		



Mode	61																																																																																																												
	Harmonic																																																																																																												
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH60_5300MHz																																																																																																												
ANT	CDD 0+1																																																																																																												
Pol.	Horizontal	Vertical																																																																																																											
Peak Avg	<p>Date: 2024-01-23</p>	<p>Date: 2024-01-23</p>																																																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>47.49</td> <td>74.00</td> <td>-26.51</td> <td>59.99</td> <td>38.84</td> <td>12.23</td> <td>63.57</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15900.00</td> <td>48.50</td> <td>74.00</td> <td>-25.50</td> <td>56.84</td> <td>41.02</td> <td>14.75</td> <td>64.11</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10600.00	47.49	74.00	-26.51	59.99	38.84	12.23	63.57	---	---	Peak	2	15900.00	48.50	74.00	-25.50	56.84	41.02	14.75	64.11	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>57.91</td> <td>74.00</td> <td>-16.09</td> <td>70.41</td> <td>38.84</td> <td>12.23</td> <td>63.57</td> <td>286</td> <td>226</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15900.00</td> <td>57.06</td> <td>74.00</td> <td>-16.94</td> <td>65.40</td> <td>41.02</td> <td>14.75</td> <td>64.11</td> <td>227</td> <td>351</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>15900.00</td> <td>51.28</td> <td>54.00</td> <td>-2.72</td> <td>59.62</td> <td>41.02</td> <td>14.75</td> <td>64.11</td> <td>227</td> <td>351</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10600.00	57.91	74.00	-16.09	70.41	38.84	12.23	63.57	286	226	Peak	2	15900.00	57.06	74.00	-16.94	65.40	41.02	14.75	64.11	227	351	Peak	3	15900.00	51.28	54.00	-2.72	59.62	41.02	14.75	64.11	227	351
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	10600.00	47.49	74.00	-26.51	59.99	38.84	12.23	63.57	---	---	Peak																																																																																																		
2	15900.00	48.50	74.00	-25.50	56.84	41.02	14.75	64.11	---	---	Peak																																																																																																		
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	10600.00	57.91	74.00	-16.09	70.41	38.84	12.23	63.57	286	226	Peak																																																																																																		
2	15900.00	57.06	74.00	-16.94	65.40	41.02	14.75	64.11	227	351	Peak																																																																																																		
3	15900.00	51.28	54.00	-2.72	59.62	41.02	14.75	64.11	227	351	Average																																																																																																		



62																																														
Mode	Band Edge - L																																													
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH64_5320MHz																																													
ANT	CDD 0+1																																													
Pol.	Horizontal																																													
Peak	<p style="text-align: right;">Date: 2024-01-24</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5404.00</td> <td>50.93</td> <td>74.00</td> <td>-23.07</td> <td>37.95</td> <td>35.96</td> <td>9.64</td> <td>32.62</td> <td>300</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5404.00	50.93	74.00	-23.07	37.95	35.96	9.64	32.62	300	360	PEAK										
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																							
1 5404.00	50.93	74.00	-23.07	37.95	35.96	9.64	32.62	300	360	PEAK																																				
<p style="text-align: right;">Date: 2024-01-24</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 1386.00</td> <td>58.99</td> <td>74.00</td> <td>-15.01</td> <td>60.37</td> <td>29.42</td> <td>4.13</td> <td>34.93</td> <td>300</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2 5320.00</td> <td>94.62</td> <td>-----</td> <td>-----</td> <td>82.07</td> <td>36.01</td> <td>9.18</td> <td>32.64</td> <td>300</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 1386.00	58.99	74.00	-15.01	60.37	29.42	4.13	34.93	300	360	PEAK	2 5320.00	94.62	-----	-----	82.07	36.01	9.18	32.64	300	360	PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																							
1 1386.00	58.99	74.00	-15.01	60.37	29.42	4.13	34.93	300	360	PEAK																																				
2 5320.00	94.62	-----	-----	82.07	36.01	9.18	32.64	300	360	PEAK																																				
Avg	<p style="text-align: right;">Date: 2024-01-24</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5437.60</td> <td>43.70</td> <td>54.00</td> <td>-10.30</td> <td>30.69</td> <td>35.94</td> <td>9.68</td> <td>32.61</td> <td>300</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5437.60	43.70	54.00	-10.30	30.69	35.94	9.68	32.61	300	360	AVERAGE										
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																							
1 5437.60	43.70	54.00	-10.30	30.69	35.94	9.68	32.61	300	360	AVERAGE																																				
<p style="text-align: right;">Date: 2024-01-24</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 1386.00</td> <td>51.19</td> <td>54.00</td> <td>-2.81</td> <td>52.57</td> <td>29.42</td> <td>4.13</td> <td>34.93</td> <td>300</td> <td>360</td> <td>AVERAGE</td> </tr> <tr> <td>2 5320.00</td> <td>89.70</td> <td>-----</td> <td>-----</td> <td>77.12</td> <td>36.01</td> <td>9.21</td> <td>32.64</td> <td>300</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 1386.00	51.19	54.00	-2.81	52.57	29.42	4.13	34.93	300	360	AVERAGE	2 5320.00	89.70	-----	-----	77.12	36.01	9.21	32.64	300	360	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																							
1 1386.00	51.19	54.00	-2.81	52.57	29.42	4.13	34.93	300	360	AVERAGE																																				
2 5320.00	89.70	-----	-----	77.12	36.01	9.21	32.64	300	360	AVERAGE																																				



62																																																								
Mode	Band Edge - L																																																							
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH64_5320MHz																																																							
ANT	CDD 0+1																																																							
Pol.	Vertical																																																							
Peak	<p style="text-align: right;">Date: 2024-01-24</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5350.24</td> <td>63.07</td> <td>74.00</td> <td>-10.93</td> <td>50.34</td> <td>35.99</td> <td>9.37</td> <td>32.63</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>270 360 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5350.24	63.07	74.00	-10.93	50.34	35.99	9.37	32.63								270 360 PEAK															
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																	
1 5350.24	63.07	74.00	-10.93	50.34	35.99	9.37	32.63																																																	
							270 360 PEAK																																																	
<p style="text-align: right;">Date: 2024-01-24</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 1386.00</td> <td>56.70</td> <td>74.00</td> <td>-17.30</td> <td>58.08</td> <td>29.42</td> <td>4.13</td> <td>34.93</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>270 360 PEAK</td> </tr> <tr> <td>2 5320.00</td> <td>109.82</td> <td>-----</td> <td>-----</td> <td>97.27</td> <td>36.01</td> <td>9.18</td> <td>32.64</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>270 360 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 1386.00	56.70	74.00	-17.30	58.08	29.42	4.13	34.93								270 360 PEAK	2 5320.00	109.82	-----	-----	97.27	36.01	9.18	32.64								270 360 PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																	
1 1386.00	56.70	74.00	-17.30	58.08	29.42	4.13	34.93																																																	
							270 360 PEAK																																																	
2 5320.00	109.82	-----	-----	97.27	36.01	9.18	32.64																																																	
							270 360 PEAK																																																	
Avg	<p style="text-align: right;">Date: 2024-01-24</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5350.10</td> <td>51.77</td> <td>54.00</td> <td>-2.23</td> <td>39.04</td> <td>35.99</td> <td>9.37</td> <td>32.63</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>270 360 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5350.10	51.77	54.00	-2.23	39.04	35.99	9.37	32.63								270 360 AVERAGE															
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																	
1 5350.10	51.77	54.00	-2.23	39.04	35.99	9.37	32.63																																																	
							270 360 AVERAGE																																																	
<p style="text-align: right;">Date: 2024-01-24</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 1386.00</td> <td>52.75</td> <td>54.00</td> <td>-1.25</td> <td>54.13</td> <td>29.42</td> <td>4.13</td> <td>34.93</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>270 360 AVERAGE</td> </tr> <tr> <td>2 5320.00</td> <td>103.68</td> <td>-----</td> <td>-----</td> <td>91.10</td> <td>36.01</td> <td>9.21</td> <td>32.64</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>270 360 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 1386.00	52.75	54.00	-1.25	54.13	29.42	4.13	34.93								270 360 AVERAGE	2 5320.00	103.68	-----	-----	91.10	36.01	9.21	32.64								270 360 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																	
1 1386.00	52.75	54.00	-1.25	54.13	29.42	4.13	34.93																																																	
							270 360 AVERAGE																																																	
2 5320.00	103.68	-----	-----	91.10	36.01	9.21	32.64																																																	
							270 360 AVERAGE																																																	



Mode	62																																																																																																												
	Harmonic																																																																																																												
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH64_5320MHz																																																																																																												
ANT	CDD 0+1																																																																																																												
Pol.	Horizontal	Vertical																																																																																																											
Peak Avg	<p>Date: 2024-01-23</p>	<p>Date: 2024-01-24</p>																																																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>46.44</td> <td>74.00</td> <td>-27.56</td> <td>58.87</td> <td>38.86</td> <td>12.26</td> <td>63.55</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15960.00</td> <td>48.57</td> <td>74.00</td> <td>-25.43</td> <td>56.86</td> <td>41.07</td> <td>14.77</td> <td>64.13</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	10640.00	46.44	74.00	-27.56	58.87	38.86	12.26	63.55	---	---	Peak	2	15960.00	48.57	74.00	-25.43	56.86	41.07	14.77	64.13	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>54.45</td> <td>74.00</td> <td>-19.55</td> <td>66.88</td> <td>38.86</td> <td>12.26</td> <td>63.55</td> <td>287</td> <td>229</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10640.00</td> <td>46.88</td> <td>54.00</td> <td>-7.12</td> <td>59.31</td> <td>38.86</td> <td>12.26</td> <td>63.55</td> <td>287</td> <td>229</td> <td>Average</td> </tr> <tr> <td>3</td> <td>15960.00</td> <td>58.00</td> <td>74.00</td> <td>-16.00</td> <td>66.29</td> <td>41.07</td> <td>14.77</td> <td>64.13</td> <td>205</td> <td>228</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>15960.00</td> <td>49.00</td> <td>54.00</td> <td>-5.00</td> <td>57.29</td> <td>41.07</td> <td>14.77</td> <td>64.13</td> <td>205</td> <td>228</td> <td>Average</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	cm	deg	Remark	1	10640.00	54.45	74.00	-19.55	66.88	38.86	12.26	63.55	287	229	Peak	2	10640.00	46.88	54.00	-7.12	59.31	38.86	12.26	63.55	287	229	Average	3	15960.00	58.00	74.00	-16.00	66.29	41.07	14.77	64.13	205	228	Peak	4	15960.00	49.00	54.00	-5.00	57.29	41.07	14.77	64.13	205	228
Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																						
1	10640.00	46.44	74.00	-27.56	58.87	38.86	12.26	63.55	---	---	Peak																																																																																																		
2	15960.00	48.57	74.00	-25.43	56.86	41.07	14.77	64.13	---	---	Peak																																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	cm	deg	Remark																																																																																																			
1	10640.00	54.45	74.00	-19.55	66.88	38.86	12.26	63.55	287	229	Peak																																																																																																		
2	10640.00	46.88	54.00	-7.12	59.31	38.86	12.26	63.55	287	229	Average																																																																																																		
3	15960.00	58.00	74.00	-16.00	66.29	41.07	14.77	64.13	205	228	Peak																																																																																																		
4	15960.00	49.00	54.00	-5.00	57.29	41.07	14.77	64.13	205	228	Average																																																																																																		



63																																																				
Mode	Band Edge																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_5500MHz																																																			
ANT	CDD 0+1																																																			
Pol.	Horizontal																																																			
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.95</td> <td>51.87</td> <td>74.00</td> <td>-22.13</td> <td>38.32</td> <td>35.92</td> <td>9.69</td> <td>32.06</td> <td>200</td> <td>96</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.70</td> <td>52.28</td> <td>68.30</td> <td>-16.02</td> <td>38.71</td> <td>35.92</td> <td>9.69</td> <td>32.04</td> <td>200</td> <td>96</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.95	51.87	74.00	-22.13	38.32	35.92	9.69	32.06	200	96	PEAK	2	5469.70	52.28	68.30	-16.02	38.71	35.92	9.69	32.04	200	96	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																												
1	5459.95	51.87	74.00	-22.13	38.32	35.92	9.69	32.06	200	96	PEAK																																									
2	5469.70	52.28	68.30	-16.02	38.71	35.92	9.69	32.04	200	96	PEAK																																									
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>59.98</td> <td>74.00</td> <td>-14.02</td> <td>60.92</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>200</td> <td>96</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5500.00</td> <td>97.50</td> <td>-----</td> <td>-----</td> <td>83.91</td> <td>35.90</td> <td>9.70</td> <td>32.01</td> <td>200</td> <td>96</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	1386.00	59.98	74.00	-14.02	60.92	29.42	4.13	34.49	200	96	PEAK	2	5500.00	97.50	-----	-----	83.91	35.90	9.70	32.01	200	96	PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																												
1	1386.00	59.98	74.00	-14.02	60.92	29.42	4.13	34.49	200	96	PEAK																																									
2	5500.00	97.50	-----	-----	83.91	35.90	9.70	32.01	200	96	PEAK																																									
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.20</td> <td>44.82</td> <td>54.00</td> <td>-9.18</td> <td>31.26</td> <td>35.93</td> <td>9.69</td> <td>32.06</td> <td>200</td> <td>96</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5456.20	44.82	54.00	-9.18	31.26	35.93	9.69	32.06	200	96	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																												
1	5456.20	44.82	54.00	-9.18	31.26	35.93	9.69	32.06	200	96	AVERAGE																																									
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>52.65</td> <td>54.00</td> <td>-1.35</td> <td>53.59</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>200</td> <td>96</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>5500.00</td> <td>91.42</td> <td>-----</td> <td>-----</td> <td>77.83</td> <td>35.90</td> <td>9.70</td> <td>32.01</td> <td>200</td> <td>96</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	1386.00	52.65	54.00	-1.35	53.59	29.42	4.13	34.49	200	96	AVERAGE	2	5500.00	91.42	-----	-----	77.83	35.90	9.70	32.01	200	96	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																												
1	1386.00	52.65	54.00	-1.35	53.59	29.42	4.13	34.49	200	96	AVERAGE																																									
2	5500.00	91.42	-----	-----	77.83	35.90	9.70	32.01	200	96	AVERAGE																																									



	63																																																																																	
Mode	Band Edge																																																																																	
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_5500MHz																																																																																	
ANT	CDD 0+1																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<p style="text-align: right;">Date: 2024-01-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB/m</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.80</td> <td>60.24</td> <td>74.00</td> <td>-13.76</td> <td>46.69</td> <td>35.92</td> <td>9.69</td> <td>32.06</td> <td>262</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>5468.65</td> <td>65.09</td> <td>68.30</td> <td>-3.21</td> <td>51.52</td> <td>35.92</td> <td>9.69</td> <td>32.04</td> <td>262</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB/m	1	5459.80	60.24	74.00	-13.76	46.69	35.92	9.69	32.06	262	0 PEAK	2	5468.65	65.09	68.30	-3.21	51.52	35.92	9.69	32.04	262	0 PEAK	<p style="text-align: right;">Date: 2024-01-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB/m</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>56.43</td> <td>74.00</td> <td>-17.57</td> <td>57.37</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>262</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>5500.00</td> <td>112.55</td> <td>-----</td> <td>-----</td> <td>98.96</td> <td>35.90</td> <td>9.70</td> <td>32.01</td> <td>262</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB/m	1	1386.00	56.43	74.00	-17.57	57.37	29.42	4.13	34.49	262	0 PEAK	2	5500.00	112.55	-----	-----	98.96	35.90	9.70	32.01	262	0 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB/m																																																																										
1	5459.80	60.24	74.00	-13.76	46.69	35.92	9.69	32.06	262	0 PEAK																																																																								
2	5468.65	65.09	68.30	-3.21	51.52	35.92	9.69	32.04	262	0 PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB/m																																																																										
1	1386.00	56.43	74.00	-17.57	57.37	29.42	4.13	34.49	262	0 PEAK																																																																								
2	5500.00	112.55	-----	-----	98.96	35.90	9.70	32.01	262	0 PEAK																																																																								
Avg	<p style="text-align: right;">Date: 2024-01-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB/m</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.65</td> <td>51.66</td> <td>54.00</td> <td>-2.34</td> <td>38.11</td> <td>35.92</td> <td>9.69</td> <td>32.06</td> <td>262</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB/m	1	5459.65	51.66	54.00	-2.34	38.11	35.92	9.69	32.06	262	0 AVERAGE	<p style="text-align: right;">Date: 2024-01-21</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB/m</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>52.85</td> <td>54.00</td> <td>-1.15</td> <td>53.79</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>262</td> <td>0 AVERAGE</td> </tr> <tr> <td>2</td> <td>5500.00</td> <td>106.28</td> <td>-----</td> <td>-----</td> <td>92.67</td> <td>35.91</td> <td>9.71</td> <td>32.01</td> <td>262</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB/m	1	1386.00	52.85	54.00	-1.15	53.79	29.42	4.13	34.49	262	0 AVERAGE	2	5500.00	106.28	-----	-----	92.67	35.91	9.71	32.01	262	0 AVERAGE											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB/m																																																																										
1	5459.65	51.66	54.00	-2.34	38.11	35.92	9.69	32.06	262	0 AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB/m																																																																										
1	1386.00	52.85	54.00	-1.15	53.79	29.42	4.13	34.49	262	0 AVERAGE																																																																								
2	5500.00	106.28	-----	-----	92.67	35.91	9.71	32.01	262	0 AVERAGE																																																																								



Mode	63																																																																																							
	Harmonic																																																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_5500MHz																																																																																							
ANT	CDD 0+1																																																																																							
Pol.	Horizontal	Vertical																																																																																						
Peak Avg	<p>Date: 2024-01-23</p>	<p>Date: 2024-01-23</p>																																																																																						
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>11000.00</td> <td>48.48</td> <td>74.00</td> <td>-25.52</td> <td>60.38</td> <td>39.00</td> <td>12.52</td> <td>63.42</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>16500.00</td> <td>47.96</td> <td>68.30</td> <td>-20.34</td> <td>56.10</td> <td>41.35</td> <td>15.17</td> <td>64.66</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	11000.00	48.48	74.00	-25.52	60.38	39.00	12.52	63.42	---	---	Peak	16500.00	47.96	68.30	-20.34	56.10	41.35	15.17	64.66	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>11000.00</td> <td>55.65</td> <td>74.00</td> <td>-18.35</td> <td>67.55</td> <td>39.00</td> <td>12.52</td> <td>63.42</td> <td>280</td> <td>226</td> <td>Peak</td> </tr> <tr> <td>11000.00</td> <td>50.88</td> <td>54.00</td> <td>-3.12</td> <td>62.78</td> <td>39.00</td> <td>12.52</td> <td>63.42</td> <td>280</td> <td>226</td> <td>Average</td> </tr> <tr> <td>16500.00</td> <td>58.20</td> <td>68.30</td> <td>-10.10</td> <td>66.34</td> <td>41.35</td> <td>15.17</td> <td>64.66</td> <td>288</td> <td>313</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	11000.00	55.65	74.00	-18.35	67.55	39.00	12.52	63.42	280	226	Peak	11000.00	50.88	54.00	-3.12	62.78	39.00	12.52	63.42	280	226	Average	16500.00	58.20	68.30	-10.10	66.34	41.35	15.17	64.66	288	313
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
11000.00	48.48	74.00	-25.52	60.38	39.00	12.52	63.42	---	---	Peak																																																																														
16500.00	47.96	68.30	-20.34	56.10	41.35	15.17	64.66	---	---	Peak																																																																														
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
11000.00	55.65	74.00	-18.35	67.55	39.00	12.52	63.42	280	226	Peak																																																																														
11000.00	50.88	54.00	-3.12	62.78	39.00	12.52	63.42	280	226	Average																																																																														
16500.00	58.20	68.30	-10.10	66.34	41.35	15.17	64.66	288	313	Peak																																																																														



Mode	64																																																																																																													
	Harmonic																																																																																																													
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH116_5580MHz																																																																																																													
ANT	CDD 0+1																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>48.19</td> <td>74.00</td> <td>-25.81</td> <td>59.92</td> <td>39.06</td> <td>12.64</td> <td>63.43</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16740.00</td> <td>49.62</td> <td>68.30</td> <td>-18.68</td> <td>57.71</td> <td>41.47</td> <td>15.35</td> <td>64.91</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	11160.00	48.19	74.00	-25.81	59.92	39.06	12.64	63.43	---	---	Peak	2	16740.00	49.62	68.30	-18.68	57.71	41.47	15.35	64.91	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>53.72</td> <td>74.00</td> <td>-20.28</td> <td>65.45</td> <td>39.06</td> <td>12.64</td> <td>63.43</td> <td>284</td> <td>226</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>49.58</td> <td>54.00</td> <td>-4.42</td> <td>61.31</td> <td>39.06</td> <td>12.64</td> <td>63.43</td> <td>284</td> <td>226</td> <td>Average</td> </tr> <tr> <td>3</td> <td>16740.00</td> <td>61.21</td> <td>68.30</td> <td>-7.09</td> <td>69.30</td> <td>41.47</td> <td>15.35</td> <td>64.91</td> <td>282</td> <td>346</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	11160.00	53.72	74.00	-20.28	65.45	39.06	12.64	63.43	284	226	Peak	2	11160.00	49.58	54.00	-4.42	61.31	39.06	12.64	63.43	284	226	Average	3	16740.00	61.21	68.30	-7.09	69.30	41.47	15.35	64.91	282	346	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																																							
1	11160.00	48.19	74.00	-25.81	59.92	39.06	12.64	63.43	---	---	Peak																																																																																																			
2	16740.00	49.62	68.30	-18.68	57.71	41.47	15.35	64.91	---	---	Peak																																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																																							
1	11160.00	53.72	74.00	-20.28	65.45	39.06	12.64	63.43	284	226	Peak																																																																																																			
2	11160.00	49.58	54.00	-4.42	61.31	39.06	12.64	63.43	284	226	Average																																																																																																			
3	16740.00	61.21	68.30	-7.09	69.30	41.47	15.35	64.91	282	346	Peak																																																																																																			



	65																																																																															
Mode	Band Edge - L																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																															
ANT	CDD 0+1																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2024-01-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5726.98</td> <td>58.12</td> <td>68.30</td> <td>-10.18</td> <td>44.11</td> <td>36.22</td> <td>10.02</td> <td>32.23</td> <td>100</td> <td>109 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5726.98	58.12	68.30	-10.18	44.11	36.22	10.02	32.23	100	109 PEAK	<p style="text-align: right;">Date: 2024-01-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 1386.00</td> <td>56.52</td> <td>74.00</td> <td>-17.48</td> <td>57.46</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>100</td> <td>109 PEAK</td> </tr> <tr> <td>2 5700.00</td> <td>104.15</td> <td>-----</td> <td>-----</td> <td>90.19</td> <td>36.19</td> <td>9.97</td> <td>32.20</td> <td>100</td> <td>109 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 1386.00	56.52	74.00	-17.48	57.46	29.42	4.13	34.49	100	109 PEAK	2 5700.00	104.15	-----	-----	90.19	36.19	9.97	32.20	100	109 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																									
1 5726.98	58.12	68.30	-10.18	44.11	36.22	10.02	32.23	100	109 PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																									
1 1386.00	56.52	74.00	-17.48	57.46	29.42	4.13	34.49	100	109 PEAK																																																																							
2 5700.00	104.15	-----	-----	90.19	36.19	9.97	32.20	100	109 PEAK																																																																							
Avg	Blank	<p style="text-align: right;">Date: 2024-01-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 1386.00</td> <td>50.90</td> <td>54.00</td> <td>-3.10</td> <td>51.84</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>100</td> <td>109 AVERAGE</td> </tr> <tr> <td>2 5700.00</td> <td>98.03</td> <td>-----</td> <td>-----</td> <td>84.09</td> <td>36.18</td> <td>9.96</td> <td>32.20</td> <td>100</td> <td>109 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 1386.00	50.90	54.00	-3.10	51.84	29.42	4.13	34.49	100	109 AVERAGE	2 5700.00	98.03	-----	-----	84.09	36.18	9.96	32.20	100	109 AVERAGE																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																									
1 1386.00	50.90	54.00	-3.10	51.84	29.42	4.13	34.49	100	109 AVERAGE																																																																							
2 5700.00	98.03	-----	-----	84.09	36.18	9.96	32.20	100	109 AVERAGE																																																																							



Mode	65																																																																																							
	Band Edge - L																																																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																																							
ANT	CDD 0+1																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	<p>Date: 2024-01-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5727.04</td> <td>65.41</td> <td>68.30</td> <td>-2.89</td> <td>51.40</td> <td>36.22</td> <td>10.02</td> <td>32.23</td> <td>300</td> <td>98</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5727.04	65.41	68.30	-2.89	51.40	36.22	10.02	32.23	300	98	PEAK	<p>Date: 2024-01-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>57.16</td> <td>74.00</td> <td>-16.84</td> <td>58.10</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>300</td> <td>98</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5700.00</td> <td>109.82</td> <td>-----</td> <td>-----</td> <td>95.86</td> <td>36.19</td> <td>9.97</td> <td>32.20</td> <td>300</td> <td>98</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	1386.00	57.16	74.00	-16.84	58.10	29.42	4.13	34.49	300	98	PEAK	2	5700.00	109.82	-----	-----	95.86	36.19	9.97	32.20	300	98	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5727.04	65.41	68.30	-2.89	51.40	36.22	10.02	32.23	300	98	PEAK																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	1386.00	57.16	74.00	-16.84	58.10	29.42	4.13	34.49	300	98	PEAK																																																																													
2	5700.00	109.82	-----	-----	95.86	36.19	9.97	32.20	300	98	PEAK																																																																													
Avg	Blank	<p>Date: 2024-01-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>52.59</td> <td>54.00</td> <td>-1.41</td> <td>53.53</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>300</td> <td>98</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>5700.00</td> <td>104.42</td> <td>-----</td> <td>-----</td> <td>90.48</td> <td>36.18</td> <td>9.96</td> <td>32.20</td> <td>300</td> <td>98</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	1386.00	52.59	54.00	-1.41	53.53	29.42	4.13	34.49	300	98	AVERAGE	2	5700.00	104.42	-----	-----	90.48	36.18	9.96	32.20	300	98	AVERAGE																																					
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	1386.00	52.59	54.00	-1.41	53.53	29.42	4.13	34.49	300	98	AVERAGE																																																																													
2	5700.00	104.42	-----	-----	90.48	36.18	9.96	32.20	300	98	AVERAGE																																																																													



Mode	65																																																																																																												
	Harmonic																																																																																																												
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																																																												
ANT	CDD 0+1																																																																																																												
Pol.	Horizontal	Vertical																																																																																																											
Peak Avg	<p>Date: 2024-01-24</p>	<p>Date: 2024-01-24</p>																																																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>49.26</td> <td>74.00</td> <td>-24.74</td> <td>60.73</td> <td>39.16</td> <td>12.81</td> <td>63.44</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17100.00</td> <td>51.17</td> <td>68.30</td> <td>-17.13</td> <td>59.07</td> <td>41.71</td> <td>15.62</td> <td>65.23</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11400.00	49.26	74.00	-24.74	60.73	39.16	12.81	63.44	---	---	Peak	2	17100.00	51.17	68.30	-17.13	59.07	41.71	15.62	65.23	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>50.83</td> <td>74.00</td> <td>-23.17</td> <td>62.30</td> <td>39.16</td> <td>12.81</td> <td>63.44</td> <td>272</td> <td>223</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11400.00</td> <td>45.30</td> <td>54.00</td> <td>-8.70</td> <td>56.77</td> <td>39.16</td> <td>12.81</td> <td>63.44</td> <td>272</td> <td>223</td> <td>Average</td> </tr> <tr> <td>3</td> <td>17100.00</td> <td>59.15</td> <td>68.30</td> <td>-9.15</td> <td>67.05</td> <td>41.71</td> <td>15.62</td> <td>65.23</td> <td>292</td> <td>355</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11400.00	50.83	74.00	-23.17	62.30	39.16	12.81	63.44	272	223	Peak	2	11400.00	45.30	54.00	-8.70	56.77	39.16	12.81	63.44	272	223	Average	3	17100.00	59.15	68.30	-9.15	67.05	41.71	15.62	65.23	292	355
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	11400.00	49.26	74.00	-24.74	60.73	39.16	12.81	63.44	---	---	Peak																																																																																																		
2	17100.00	51.17	68.30	-17.13	59.07	41.71	15.62	65.23	---	---	Peak																																																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	11400.00	50.83	74.00	-23.17	62.30	39.16	12.81	63.44	272	223	Peak																																																																																																		
2	11400.00	45.30	54.00	-8.70	56.77	39.16	12.81	63.44	272	223	Average																																																																																																		
3	17100.00	59.15	68.30	-9.15	67.05	41.71	15.62	65.23	292	355	Peak																																																																																																		



Mode	66																																																																																		
	Band Edge - L																																																																																		
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																																																		
ANT	CDD 0+1																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5115.90</td> <td>52.08</td> <td>74.00</td> <td>-21.92</td> <td>40.16</td> <td>36.13</td> <td>8.47</td> <td>32.68</td> <td>300</td> <td>180</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5115.90	52.08	74.00	-21.92	40.16	36.13	8.47	32.68	300	180	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 1386.00</td> <td>56.41</td> <td>74.00</td> <td>-17.59</td> <td>57.79</td> <td>29.42</td> <td>4.13</td> <td>34.93</td> <td>300</td> <td>180</td> <td>PEAK</td> </tr> <tr> <td>2 5190.00</td> <td>92.87</td> <td>-----</td> <td>-----</td> <td>80.81</td> <td>36.08</td> <td>8.64</td> <td>32.66</td> <td>300</td> <td>180</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 1386.00	56.41	74.00	-17.59	57.79	29.42	4.13	34.93	300	180	PEAK	2 5190.00	92.87	-----	-----	80.81	36.08	8.64	32.66	300	180	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																												
1 5115.90	52.08	74.00	-21.92	40.16	36.13	8.47	32.68	300	180	PEAK																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																												
1 1386.00	56.41	74.00	-17.59	57.79	29.42	4.13	34.93	300	180	PEAK																																																																									
2 5190.00	92.87	-----	-----	80.81	36.08	8.64	32.66	300	180	PEAK																																																																									
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5146.30</td> <td>44.74</td> <td>54.00</td> <td>-9.26</td> <td>32.77</td> <td>36.11</td> <td>8.53</td> <td>32.67</td> <td>300</td> <td>180</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5146.30	44.74	54.00	-9.26	32.77	36.11	8.53	32.67	300	180	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 1386.00</td> <td>50.51</td> <td>54.00</td> <td>-3.49</td> <td>51.89</td> <td>29.42</td> <td>4.13</td> <td>34.93</td> <td>300</td> <td>180</td> <td>AVERAGE</td> </tr> <tr> <td>2 5190.00</td> <td>87.83</td> <td>-----</td> <td>-----</td> <td>75.78</td> <td>36.08</td> <td>8.63</td> <td>32.66</td> <td>300</td> <td>180</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 1386.00	50.51	54.00	-3.49	51.89	29.42	4.13	34.93	300	180	AVERAGE	2 5190.00	87.83	-----	-----	75.78	36.08	8.63	32.66	300	180	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																												
1 5146.30	44.74	54.00	-9.26	32.77	36.11	8.53	32.67	300	180	AVERAGE																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																												
1 1386.00	50.51	54.00	-3.49	51.89	29.42	4.13	34.93	300	180	AVERAGE																																																																									
2 5190.00	87.83	-----	-----	75.78	36.08	8.63	32.66	300	180	AVERAGE																																																																									



Mode	66																																								
	Band Edge - R																																								
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																								
ANT	CDD 0+1																																								
Pol.	Horizontal	Fundamental																																							
Peak	<p>Date: 2024-01-24</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5454.87</td> <td>51.85</td> <td>74.00</td> <td>-22.15</td> <td>38.85</td> <td>35.93</td> <td>9.68</td> <td>32.61</td> <td>300</td> <td>180</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5454.87	51.85	74.00	-22.15	38.85	35.93	9.68	32.61	300	180	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5454.87	51.85	74.00	-22.15	38.85	35.93	9.68	32.61	300	180	PEAK																															
Avg	<p>Date: 2024-01-24</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5444.88</td> <td>43.79</td> <td>54.00</td> <td>-10.21</td> <td>30.79</td> <td>35.93</td> <td>9.68</td> <td>32.61</td> <td>300</td> <td>180</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5444.88	43.79	54.00	-10.21	30.79	35.93	9.68	32.61	300	180	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5444.88	43.79	54.00	-10.21	30.79	35.93	9.68	32.61	300	180	AVERAGE																															



66																																																
Mode																																																
Band Edge - L																																																
U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																
ANT																																																
CDD 0+1																																																
Pol.	Vertical																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5146.11</td> <td>59.29</td> <td>74.00</td> <td>-14.71</td> <td>47.32</td> <td>36.11</td> <td>8.53</td> <td>32.67</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>286</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5146.11	59.29	74.00	-14.71	47.32	36.11	8.53	32.67							286	0 PEAK							
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																									
1 5146.11	59.29	74.00	-14.71	47.32	36.11	8.53	32.67																																									
						286	0 PEAK																																									
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 1386.00</td> <td>56.79</td> <td>74.00</td> <td>-17.21</td> <td>58.17</td> <td>29.42</td> <td>4.13</td> <td>34.93</td> </tr> <tr> <td>2 5190.00</td> <td>104.40</td> <td>-----</td> <td>-----</td> <td>92.39</td> <td>36.09</td> <td>8.58</td> <td>32.66</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>286</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 1386.00	56.79	74.00	-17.21	58.17	29.42	4.13	34.93	2 5190.00	104.40	-----	-----	92.39	36.09	8.58	32.66							286	0 PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																									
1 1386.00	56.79	74.00	-17.21	58.17	29.42	4.13	34.93																																									
2 5190.00	104.40	-----	-----	92.39	36.09	8.58	32.66																																									
						286	0 PEAK																																									
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5144.40</td> <td>51.24</td> <td>54.00</td> <td>-2.76</td> <td>39.27</td> <td>36.11</td> <td>8.53</td> <td>32.67</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>286</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5144.40	51.24	54.00	-2.76	39.27	36.11	8.53	32.67							286	0 AVERAGE							
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																									
1 5144.40	51.24	54.00	-2.76	39.27	36.11	8.53	32.67																																									
						286	0 AVERAGE																																									
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 1386.00</td> <td>52.01</td> <td>54.00</td> <td>-1.99</td> <td>53.39</td> <td>29.42</td> <td>4.13</td> <td>34.93</td> </tr> <tr> <td>2 5190.00</td> <td>98.83</td> <td>-----</td> <td>-----</td> <td>86.82</td> <td>36.09</td> <td>8.58</td> <td>32.66</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>286</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 1386.00	52.01	54.00	-1.99	53.39	29.42	4.13	34.93	2 5190.00	98.83	-----	-----	86.82	36.09	8.58	32.66							286	0 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																									
1 1386.00	52.01	54.00	-1.99	53.39	29.42	4.13	34.93																																									
2 5190.00	98.83	-----	-----	86.82	36.09	8.58	32.66																																									
						286	0 AVERAGE																																									



Mode	66																																				
	Band Edge - R																																				
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																				
ANT	CDD 0+1																																				
Pol.	Vertical	Fundamental																																			
Peak																																					
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 5433.13</td> <td>51.85</td> <td>74.00</td> <td>-22.15</td> <td>38.84</td> <td>35.94</td> <td>9.68</td> <td>32.61</td> <td>286 0 PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1 5433.13	51.85	74.00	-22.15	38.84	35.94	9.68	32.61
	Limit	Read	Ant	Cable	Preamp	APos	TPos																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																													
1 5433.13	51.85	74.00	-22.15	38.84	35.94	9.68	32.61	286 0 PEAK																													
Avg																																					
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 5433.54</td> <td>44.20</td> <td>54.00</td> <td>-9.80</td> <td>31.20</td> <td>35.94</td> <td>9.67</td> <td>32.61</td> <td>286 0 AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1 5433.54	44.20	54.00	-9.80	31.20	35.94	9.67	32.61
	Limit	Read	Ant	Cable	Preamp	APos	TPos																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																													
1 5433.54	44.20	54.00	-9.80	31.20	35.94	9.67	32.61	286 0 AVERAGE																													



Mode	66																																																																																																
	Harmonic																																																																																																
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																																																																
ANT	CDD 0+1																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg	<p>Date: 2024-01-26</p>	<p>Date: 2024-01-26</p>																																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10380.00</td> <td>47.12</td> <td>68.30</td> <td>-21.18</td> <td>59.94</td> <td>38.75</td> <td>12.08</td> <td>63.65</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15570.00</td> <td>50.53</td> <td>74.00</td> <td>-23.47</td> <td>59.17</td> <td>40.76</td> <td>14.60</td> <td>64.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10380.00	47.12	68.30	-21.18	59.94	38.75	12.08	63.65	---	---	Peak	2	15570.00	50.53	74.00	-23.47	59.17	40.76	14.60	64.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10380.00</td> <td>48.52</td> <td>68.30</td> <td>-19.78</td> <td>61.34</td> <td>38.75</td> <td>12.08</td> <td>63.65</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15570.00</td> <td>50.61</td> <td>74.00</td> <td>-23.39</td> <td>59.25</td> <td>40.76</td> <td>14.60</td> <td>64.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10380.00	48.52	68.30	-19.78	61.34	38.75	12.08	63.65	---	---	Peak	2	15570.00	50.61	74.00	-23.39	59.25	40.76	14.60	64.00	---	---
Limit	Read	Ant	Cable	Preamp	Apos	Tpos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	10380.00	47.12	68.30	-21.18	59.94	38.75	12.08	63.65	---	---	Peak																																																																																						
2	15570.00	50.53	74.00	-23.47	59.17	40.76	14.60	64.00	---	---	Peak																																																																																						
Limit	Read	Ant	Cable	Preamp	Apos	Tpos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	10380.00	48.52	68.30	-19.78	61.34	38.75	12.08	63.65	---	---	Peak																																																																																						
2	15570.00	50.61	74.00	-23.39	59.25	40.76	14.60	64.00	---	---	Peak																																																																																						



Mode	67																																																																																																												
	Harmonic																																																																																																												
	U-NII-1_5.15-5.25_802.11ac VHT40_CH46_5230MHz																																																																																																												
ANT	CDD 0+1																																																																																																												
Pol.	Horizontal	Vertical																																																																																																											
Peak Avg	<p>Date: 2024-01-25</p>	<p>Date: 2024-01-25</p>																																																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10460.00</td> <td>47.53</td> <td>68.30</td> <td>-20.77</td> <td>60.24</td> <td>38.78</td> <td>12.13</td> <td>63.62</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15690.00</td> <td>50.62</td> <td>74.00</td> <td>-23.38</td> <td>59.16</td> <td>40.85</td> <td>14.65</td> <td>64.04</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10460.00	47.53	68.30	-20.77	60.24	38.78	12.13	63.62	---	---	Peak	2	15690.00	50.62	74.00	-23.38	59.16	40.85	14.65	64.04	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10460.00</td> <td>50.26</td> <td>68.30</td> <td>-18.04</td> <td>62.97</td> <td>38.78</td> <td>12.13</td> <td>63.62</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15690.00</td> <td>60.02</td> <td>74.00</td> <td>-13.98</td> <td>68.56</td> <td>40.85</td> <td>14.65</td> <td>64.04</td> <td>255</td> <td>---</td> <td>50 Peak</td> </tr> <tr> <td>3</td> <td>15690.00</td> <td>51.96</td> <td>54.00</td> <td>-2.04</td> <td>60.50</td> <td>40.85</td> <td>14.65</td> <td>64.04</td> <td>255</td> <td>---</td> <td>50 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10460.00	50.26	68.30	-18.04	62.97	38.78	12.13	63.62	---	---	Peak	2	15690.00	60.02	74.00	-13.98	68.56	40.85	14.65	64.04	255	---	50 Peak	3	15690.00	51.96	54.00	-2.04	60.50	40.85	14.65	64.04	255	---
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	10460.00	47.53	68.30	-20.77	60.24	38.78	12.13	63.62	---	---	Peak																																																																																																		
2	15690.00	50.62	74.00	-23.38	59.16	40.85	14.65	64.04	---	---	Peak																																																																																																		
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	10460.00	50.26	68.30	-18.04	62.97	38.78	12.13	63.62	---	---	Peak																																																																																																		
2	15690.00	60.02	74.00	-13.98	68.56	40.85	14.65	64.04	255	---	50 Peak																																																																																																		
3	15690.00	51.96	54.00	-2.04	60.50	40.85	14.65	64.04	255	---	50 Average																																																																																																		





Mode	68																																																																																																								
	Harmonic																																																																																																								
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH54_5270MHz																																																																																																								
ANT	CDD 0+1																																																																																																								
Pol.	Horizontal	Vertical																																																																																																							
Peak Avg	<p>Date: 2024-01-25</p>	<p>Date: 2024-01-25</p>																																																																																																							
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10540.00</td> <td>49.30</td> <td>68.30</td> <td>-19.00</td> <td>61.88</td> <td>38.82</td> <td>12.19</td> <td>63.59</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15810.00</td> <td>50.61</td> <td>74.00</td> <td>-23.39</td> <td>59.03</td> <td>40.95</td> <td>14.71</td> <td>64.08</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	10540.00	49.30	68.30	-19.00	61.88	38.82	12.19	63.59	--- Peak	2	15810.00	50.61	74.00	-23.39	59.03	40.95	14.71	64.08	--- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10540.00</td> <td>53.83</td> <td>68.30</td> <td>-14.47</td> <td>66.41</td> <td>38.82</td> <td>12.19</td> <td>63.59</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15810.00</td> <td>58.80</td> <td>74.00</td> <td>-15.20</td> <td>67.22</td> <td>40.95</td> <td>14.71</td> <td>64.08</td> <td>232 31 Peak</td> </tr> <tr> <td>3</td> <td>15810.00</td> <td>51.63</td> <td>54.00</td> <td>-2.37</td> <td>60.05</td> <td>40.95</td> <td>14.71</td> <td>64.08</td> <td>232 31 Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	10540.00	53.83	68.30	-14.47	66.41	38.82	12.19	63.59	--- Peak	2	15810.00	58.80	74.00	-15.20	67.22	40.95	14.71	64.08	232 31 Peak	3	15810.00	51.63	54.00	-2.37	60.05	40.95	14.71	64.08
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																	
1	10540.00	49.30	68.30	-19.00	61.88	38.82	12.19	63.59	--- Peak																																																																																																
2	15810.00	50.61	74.00	-23.39	59.03	40.95	14.71	64.08	--- Peak																																																																																																
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																	
1	10540.00	53.83	68.30	-14.47	66.41	38.82	12.19	63.59	--- Peak																																																																																																
2	15810.00	58.80	74.00	-15.20	67.22	40.95	14.71	64.08	232 31 Peak																																																																																																
3	15810.00	51.63	54.00	-2.37	60.05	40.95	14.71	64.08	232 31 Average																																																																																																



		69																																																																																												
Mode	Band Edge - L																																																																																													
	U-NII-2A_5.25-5.35_802.11ac_VHT40_CH62_5310MHz																																																																																													
ANT	CDD 0+1																																																																																													
Pol.	Horizontal	Fundamental																																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5145.08</td> <td>52.22</td> <td>74.00</td> <td>-21.78</td> <td>40.25</td> <td>36.11</td> <td>8.53</td> <td>32.67</td> <td>100</td> <td>165</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.08	52.22	74.00	-21.78	40.25	36.11	8.53	32.67	100	165	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>57.55</td> <td>68.30</td> <td>-10.75</td> <td>58.93</td> <td>29.42</td> <td>4.13</td> <td>34.93</td> <td>100</td> <td>165</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5310.00</td> <td>91.05</td> <td>-----</td> <td>-----</td> <td>78.44</td> <td>36.00</td> <td>9.24</td> <td>32.63</td> <td>100</td> <td>165</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1386.00	57.55	68.30	-10.75	58.93	29.42	4.13	34.93	100	165	PEAK	2	5310.00	91.05	-----	-----	78.44	36.00	9.24	32.63	100	165	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5145.08	52.22	74.00	-21.78	40.25	36.11	8.53	32.67	100	165	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	1386.00	57.55	68.30	-10.75	58.93	29.42	4.13	34.93	100	165	PEAK																																																																																			
2	5310.00	91.05	-----	-----	78.44	36.00	9.24	32.63	100	165	PEAK																																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5036.58</td> <td>44.22</td> <td>54.00</td> <td>-9.78</td> <td>32.40</td> <td>36.18</td> <td>8.33</td> <td>32.69</td> <td>100</td> <td>165</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5036.58	44.22	54.00	-9.78	32.40	36.18	8.33	32.69	100	165	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>50.77</td> <td>54.00</td> <td>-3.23</td> <td>52.15</td> <td>29.42</td> <td>4.13</td> <td>34.93</td> <td>100</td> <td>165</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>5310.00</td> <td>84.80</td> <td>-----</td> <td>-----</td> <td>72.30</td> <td>36.02</td> <td>9.12</td> <td>32.64</td> <td>100</td> <td>165</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1386.00	50.77	54.00	-3.23	52.15	29.42	4.13	34.93	100	165	AVERAGE	2	5310.00	84.80	-----	-----	72.30	36.02	9.12	32.64	100	165	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5036.58	44.22	54.00	-9.78	32.40	36.18	8.33	32.69	100	165	AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	1386.00	50.77	54.00	-3.23	52.15	29.42	4.13	34.93	100	165	AVERAGE																																																																																			
2	5310.00	84.80	-----	-----	72.30	36.02	9.12	32.64	100	165	AVERAGE																																																																																			



	69																																									
Mode	Band Edge - R																																									
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																									
ANT	CDD 0+1																																									
Pol.	Horizontal	Fundamental																																								
Peak	<p style="text-align: right;">Date: 2024-01-24</p>  <table border="1" data-bbox="263 1120 734 1243"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5365.05</td> <td>50.86</td> <td>74.00</td> <td>-23.14</td> <td>38.07</td> <td>35.98</td> <td>9.44</td> <td>32.63</td> <td>100</td> <td>165</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5365.05	50.86	74.00	-23.14	38.07	35.98	9.44	32.63	100	165	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																	
1	5365.05	50.86	74.00	-23.14	38.07	35.98	9.44	32.63	100	165	PEAK																															
Avg	<p style="text-align: right;">Date: 2024-01-24</p>  <table border="1" data-bbox="263 1796 734 1919"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5405.85</td> <td>44.03</td> <td>54.00</td> <td>-9.97</td> <td>31.04</td> <td>35.96</td> <td>9.65</td> <td>32.62</td> <td>100</td> <td>165</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5405.85	44.03	54.00	-9.97	31.04	35.96	9.65	32.62	100	165	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																	
1	5405.85	44.03	54.00	-9.97	31.04	35.96	9.65	32.62	100	165	AVERAGE																															



69																																												
Mode	Band Edge - L																																											
U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																												
ANT	CDD 0+1																																											
Pol.	Vertical																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5146.32</td> <td>52.27</td> <td>74.00</td> <td>-21.73</td> <td>40.30</td> <td>36.11</td> <td>8.53</td> <td>32.67</td> <td>268</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5146.32	52.27	74.00	-21.73	40.30	36.11	8.53	32.67	268	0 PEAK									
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																					
1 5146.32	52.27	74.00	-21.73	40.30	36.11	8.53	32.67	268	0 PEAK																																			
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 1386.00</td> <td>58.42</td> <td>68.30</td> <td>-9.88</td> <td>59.80</td> <td>29.42</td> <td>4.13</td> <td>34.93</td> <td>268</td> <td>0 PEAK</td> </tr> <tr> <td>2 5310.00</td> <td>104.98</td> <td>-----</td> <td>-----</td> <td>92.48</td> <td>36.02</td> <td>9.12</td> <td>32.64</td> <td>268</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 1386.00	58.42	68.30	-9.88	59.80	29.42	4.13	34.93	268	0 PEAK	2 5310.00	104.98	-----	-----	92.48	36.02	9.12	32.64	268	0 PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																					
1 1386.00	58.42	68.30	-9.88	59.80	29.42	4.13	34.93	268	0 PEAK																																			
2 5310.00	104.98	-----	-----	92.48	36.02	9.12	32.64	268	0 PEAK																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5063.55</td> <td>44.77</td> <td>54.00</td> <td>-9.23</td> <td>32.92</td> <td>36.16</td> <td>8.38</td> <td>32.69</td> <td>268</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5063.55	44.77	54.00	-9.23	32.92	36.16	8.38	32.69	268	0 AVERAGE									
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																					
1 5063.55	44.77	54.00	-9.23	32.92	36.16	8.38	32.69	268	0 AVERAGE																																			
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 1386.00</td> <td>53.76</td> <td>54.00</td> <td>-0.24</td> <td>55.14</td> <td>29.42</td> <td>4.13</td> <td>34.93</td> <td>268</td> <td>0 AVERAGE</td> </tr> <tr> <td>2 5310.00</td> <td>98.15</td> <td>-----</td> <td>-----</td> <td>85.65</td> <td>36.02</td> <td>9.12</td> <td>32.64</td> <td>268</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 1386.00	53.76	54.00	-0.24	55.14	29.42	4.13	34.93	268	0 AVERAGE	2 5310.00	98.15	-----	-----	85.65	36.02	9.12	32.64	268	0 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																					
1 1386.00	53.76	54.00	-0.24	55.14	29.42	4.13	34.93	268	0 AVERAGE																																			
2 5310.00	98.15	-----	-----	85.65	36.02	9.12	32.64	268	0 AVERAGE																																			



Mode	69																																									
	Band Edge - R																																									
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																									
ANT	CDD 0+1																																									
Pol.	Vertical	Fundamental																																								
Peak	<p>Date: 2024-01-24</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.25</td> <td>59.67</td> <td>74.00</td> <td>-14.33</td> <td>46.94</td> <td>35.99</td> <td>9.37</td> <td>32.63</td> <td>268</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5351.25	59.67	74.00	-14.33	46.94	35.99	9.37	32.63	268	0	PEAK				
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																			
1	5351.25	59.67	74.00	-14.33	46.94	35.99	9.37	32.63	268	0	PEAK																															
Avg	<p>Date: 2024-01-24</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.10</td> <td>53.79</td> <td>54.00</td> <td>-0.21</td> <td>41.06</td> <td>35.99</td> <td>9.37</td> <td>32.63</td> <td>268</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.10	53.79	54.00	-0.21	41.06	35.99	9.37	32.63	268	0	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Remark																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5351.10	53.79	54.00	-0.21	41.06	35.99	9.37	32.63	268	0	AVERAGE																															



Mode	69																																																																																																																																					
	Harmonic																																																																																																																																					
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																																																																																																					
ANT	CDD 0+1																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																				
Peak Avg	<p>Data: 1</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10620.00</td> <td>47.10</td> <td>-26.90</td> <td>74.00</td> <td>59.55</td> <td>38.85</td> <td>12.26</td> <td>63.56</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15930.00</td> <td>50.64</td> <td>-23.36</td> <td>74.00</td> <td>58.96</td> <td>41.04</td> <td>14.76</td> <td>64.12</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3 *</td> <td>17890.00</td> <td>53.16</td> <td>-20.84</td> <td>74.00</td> <td>60.01</td> <td>42.58</td> <td>16.21</td> <td>65.64</td> <td>255</td> <td>136 Peak</td> </tr> <tr> <td>4</td> <td>17890.00</td> <td>46.51</td> <td>-7.49</td> <td>54.00</td> <td>53.36</td> <td>42.58</td> <td>16.21</td> <td>65.64</td> <td>255</td> <td>136 Average</td> </tr> </tbody> </table>	Peak	Freq	Level	Over Limit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	10620.00	47.10	-26.90	74.00	59.55	38.85	12.26	63.56	---	Peak	2	15930.00	50.64	-23.36	74.00	58.96	41.04	14.76	64.12	---	Peak	3 *	17890.00	53.16	-20.84	74.00	60.01	42.58	16.21	65.64	255	136 Peak	4	17890.00	46.51	-7.49	54.00	53.36	42.58	16.21	65.64	255	136 Average	<p>Data: 2</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10620.00</td> <td>47.53</td> <td>-26.47</td> <td>74.00</td> <td>59.98</td> <td>38.85</td> <td>12.26</td> <td>63.56</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15930.00</td> <td>49.90</td> <td>-24.10</td> <td>74.00</td> <td>58.22</td> <td>41.04</td> <td>14.76</td> <td>64.12</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3 *</td> <td>17823.00</td> <td>53.96</td> <td>-20.04</td> <td>74.00</td> <td>60.91</td> <td>42.51</td> <td>16.15</td> <td>65.61</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>17823.00</td> <td>47.38</td> <td>-6.62</td> <td>54.00</td> <td>54.33</td> <td>42.51</td> <td>16.15</td> <td>65.61</td> <td>---</td> <td>Average</td> </tr> </tbody> </table>	Peak	Freq	Level	Over Limit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	47.53	-26.47	74.00	59.98	38.85	12.26	63.56	---	Peak	2	15930.00	49.90	-24.10	74.00	58.22	41.04	14.76	64.12	---	Peak	3 *	17823.00	53.96	-20.04	74.00	60.91	42.51	16.15	65.61	---	Peak	4	17823.00	47.38	-6.62	54.00	54.33	42.51	16.15	65.61	---	Average
	Peak	Freq	Level	Over Limit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																											
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																													
1	10620.00	47.10	-26.90	74.00	59.55	38.85	12.26	63.56	---	Peak																																																																																																																												
2	15930.00	50.64	-23.36	74.00	58.96	41.04	14.76	64.12	---	Peak																																																																																																																												
3 *	17890.00	53.16	-20.84	74.00	60.01	42.58	16.21	65.64	255	136 Peak																																																																																																																												
4	17890.00	46.51	-7.49	54.00	53.36	42.58	16.21	65.64	255	136 Average																																																																																																																												
Peak	Freq	Level	Over Limit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																												
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	10620.00	47.53	-26.47	74.00	59.98	38.85	12.26	63.56	---	Peak																																																																																																																												
2	15930.00	49.90	-24.10	74.00	58.22	41.04	14.76	64.12	---	Peak																																																																																																																												
3 *	17823.00	53.96	-20.04	74.00	60.91	42.51	16.15	65.61	---	Peak																																																																																																																												
4	17823.00	47.38	-6.62	54.00	54.33	42.51	16.15	65.61	---	Average																																																																																																																												

Note: Only the worst case has assessed 18G ~40GHz to test.



		70																																																																																																						
Mode		Band Edge - L																																																																																																						
		U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																																																						
ANT		CDD 0+1																																																																																																						
Pol.		Horizontal	Fundamental																																																																																																					
Peak	<table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5450.00</td> <td>52.05</td> <td>74.00</td> <td>-21.95</td> <td>39.05</td> <td>35.93</td> <td>9.68</td> <td>32.61</td> <td>393</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5466.96</td> <td>51.49</td> <td>68.30</td> <td>-16.81</td> <td>38.49</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>393</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5450.00	52.05	74.00	-21.95	39.05	35.93	9.68	32.61	393	0	PEAK	2	5466.96	51.49	68.30	-16.81	38.49	35.92	9.69	32.61	393	0	PEAK	<table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>58.24</td> <td>74.00</td> <td>-15.76</td> <td>59.62</td> <td>29.42</td> <td>4.13</td> <td>34.93</td> <td>393</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5510.00</td> <td>95.14</td> <td>-----</td> <td>-----</td> <td>82.13</td> <td>35.90</td> <td>9.71</td> <td>32.60</td> <td>393</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	1386.00	58.24	74.00	-15.76	59.62	29.42	4.13	34.93	393	0	PEAK	2	5510.00	95.14	-----	-----	82.13	35.90	9.71	32.60	393	0	PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	deg																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																
1	5450.00	52.05	74.00	-21.95	39.05	35.93	9.68	32.61	393	0	PEAK																																																																																													
2	5466.96	51.49	68.30	-16.81	38.49	35.92	9.69	32.61	393	0	PEAK																																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	deg																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																
1	1386.00	58.24	74.00	-15.76	59.62	29.42	4.13	34.93	393	0	PEAK																																																																																													
2	5510.00	95.14	-----	-----	82.13	35.90	9.71	32.60	393	0	PEAK																																																																																													
Avg	<table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.12</td> <td>45.33</td> <td>54.00</td> <td>-8.67</td> <td>32.33</td> <td>35.93</td> <td>9.68</td> <td>32.61</td> <td>393</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5455.12	45.33	54.00	-8.67	32.33	35.93	9.68	32.61	393	0	AVERAGE	<table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>52.82</td> <td>54.00</td> <td>-1.18</td> <td>54.20</td> <td>29.42</td> <td>4.13</td> <td>34.93</td> <td>393</td> <td>0</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>5510.00</td> <td>89.21</td> <td>-----</td> <td>-----</td> <td>76.20</td> <td>35.90</td> <td>9.71</td> <td>32.60</td> <td>393</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	1386.00	52.82	54.00	-1.18	54.20	29.42	4.13	34.93	393	0	AVERAGE	2	5510.00	89.21	-----	-----	76.20	35.90	9.71	32.60	393	0	AVERAGE												
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	deg																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																
1	5455.12	45.33	54.00	-8.67	32.33	35.93	9.68	32.61	393	0	AVERAGE																																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	deg																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																
1	1386.00	52.82	54.00	-1.18	54.20	29.42	4.13	34.93	393	0	AVERAGE																																																																																													
2	5510.00	89.21	-----	-----	76.20	35.90	9.71	32.60	393	0	AVERAGE																																																																																													



Mode	70																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																					
ANT	CDD 0+1																																					
Pol.	Horizontal	Fundamental																																				
Peak	<p>Date: 2024-01-24</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5742.82</td> <td>52.42</td> <td>68.30</td> <td>-15.88</td> <td>38.82</td> <td>36.24</td> <td>10.06</td> <td>32.70</td> <td>393</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5742.82	52.42	68.30	-15.88	38.82	36.24	10.06	32.70	393	0	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5742.82	52.42	68.30	-15.88	38.82	36.24	10.06	32.70	393	0	PEAK																											



		70																																																																																										
Mode	Band Edge - L																																																																																											
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																																											
ANT	CDD 0+1																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.80</td> <td>60.13</td> <td>74.00</td> <td>-13.87</td> <td>47.13</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>300</td> <td>10</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5463.12</td> <td>60.81</td> <td>68.30</td> <td>-7.49</td> <td>47.81</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>300</td> <td>10</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB	cm	deg	Remark	1	5458.80	60.13	74.00	-13.87	47.13	35.92	9.69	32.61	300	10	PEAK	2	5463.12	60.81	68.30	-7.49	47.81	35.92	9.69	32.61	300	10	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>56.73</td> <td>74.00</td> <td>-17.27</td> <td>58.11</td> <td>29.42</td> <td>4.13</td> <td>34.93</td> <td>300</td> <td>10</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5510.00</td> <td>105.99</td> <td>-----</td> <td>-----</td> <td>92.97</td> <td>35.91</td> <td>9.71</td> <td>32.60</td> <td>300</td> <td>10</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB	cm	deg	Remark	1	1386.00	56.73	74.00	-17.27	58.11	29.42	4.13	34.93	300	10	PEAK	2	5510.00	105.99	-----	-----	92.97	35.91	9.71	32.60	300	10	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB	cm	deg	Remark																																																																																	
1	5458.80	60.13	74.00	-13.87	47.13	35.92	9.69	32.61	300	10	PEAK																																																																																	
2	5463.12	60.81	68.30	-7.49	47.81	35.92	9.69	32.61	300	10	PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB	cm	deg	Remark																																																																																	
1	1386.00	56.73	74.00	-17.27	58.11	29.42	4.13	34.93	300	10	PEAK																																																																																	
2	5510.00	105.99	-----	-----	92.97	35.91	9.71	32.60	300	10	PEAK																																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.48</td> <td>51.39</td> <td>54.00</td> <td>-2.61</td> <td>38.39</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>300</td> <td>10</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB	cm	deg	Remark	1	5458.48	51.39	54.00	-2.61	38.39	35.92	9.69	32.61	300	10	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>51.70</td> <td>54.00</td> <td>-2.30</td> <td>53.08</td> <td>29.42</td> <td>4.13</td> <td>34.93</td> <td>300</td> <td>10</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>5510.00</td> <td>99.66</td> <td>-----</td> <td>-----</td> <td>86.64</td> <td>35.91</td> <td>9.71</td> <td>32.60</td> <td>300</td> <td>10</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB	cm	deg	Remark	1	1386.00	51.70	54.00	-2.30	53.08	29.42	4.13	34.93	300	10	AVERAGE	2	5510.00	99.66	-----	-----	86.64	35.91	9.71	32.60	300	10	AVERAGE												
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB	cm	deg	Remark																																																																																	
1	5458.48	51.39	54.00	-2.61	38.39	35.92	9.69	32.61	300	10	AVERAGE																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB	cm	deg	Remark																																																																																	
1	1386.00	51.70	54.00	-2.30	53.08	29.42	4.13	34.93	300	10	AVERAGE																																																																																	
2	5510.00	99.66	-----	-----	86.64	35.91	9.71	32.60	300	10	AVERAGE																																																																																	



Mode	70																														
	Band Edge - R																														
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																														
ANT	CDD 0+1																														
Pol.	Vertical	Fundamental																													
Peak	<p>Date: 2024-01-24</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5751.23</td> <td>52.38</td> <td>68.30</td> <td>-15.92</td> <td>38.76</td> <td>36.25</td> <td>10.07</td> <td>32.70</td> <td>300</td> <td>10 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	1	5751.23	52.38	68.30	-15.92	38.76	36.25	10.07	32.70	300	10 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																					
1	5751.23	52.38	68.30	-15.92	38.76	36.25	10.07	32.70	300	10 PEAK																					



Mode	70																																																																																																													
	Harmonic																																																																																																													
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																																																													
ANT	CDD 0+1																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11020.00</td> <td>50.88</td> <td>74.00</td> <td>-23.12</td> <td>62.75</td> <td>39.01</td> <td>12.54</td> <td>63.42</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16530.00</td> <td>50.52</td> <td>68.30</td> <td>-17.78</td> <td>58.66</td> <td>41.36</td> <td>15.19</td> <td>64.69</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	11020.00	50.88	74.00	-23.12	62.75	39.01	12.54	63.42	---	---	Peak	2	16530.00	50.52	68.30	-17.78	58.66	41.36	15.19	64.69	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11020.00</td> <td>53.61</td> <td>74.00</td> <td>-20.39</td> <td>65.48</td> <td>39.01</td> <td>12.54</td> <td>63.42</td> <td>258</td> <td>26</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11020.00</td> <td>50.87</td> <td>54.00</td> <td>-3.13</td> <td>62.74</td> <td>39.01</td> <td>12.54</td> <td>63.42</td> <td>258</td> <td>26</td> <td>Average</td> </tr> <tr> <td>3</td> <td>16530.00</td> <td>50.65</td> <td>68.30</td> <td>-17.65</td> <td>58.79</td> <td>41.36</td> <td>15.19</td> <td>64.69</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	11020.00	53.61	74.00	-20.39	65.48	39.01	12.54	63.42	258	26	Peak	2	11020.00	50.87	54.00	-3.13	62.74	39.01	12.54	63.42	258	26	Average	3	16530.00	50.65	68.30	-17.65	58.79	41.36	15.19	64.69	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																																							
1	11020.00	50.88	74.00	-23.12	62.75	39.01	12.54	63.42	---	---	Peak																																																																																																			
2	16530.00	50.52	68.30	-17.78	58.66	41.36	15.19	64.69	---	---	Peak																																																																																																			
Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																																							
1	11020.00	53.61	74.00	-20.39	65.48	39.01	12.54	63.42	258	26	Peak																																																																																																			
2	11020.00	50.87	54.00	-3.13	62.74	39.01	12.54	63.42	258	26	Average																																																																																																			
3	16530.00	50.65	68.30	-17.65	58.79	41.36	15.19	64.69	---	---	Peak																																																																																																			



71																																												
Mode	Harmonic																																											
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																											
ANT	CDD 0+1																																											
Pol.	Horizontal																																											
Peak Avg																																												
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1 11100.00</td> <td>49.01</td> <td>74.00</td> <td>-24.99</td> <td>60.80</td> <td>39.04</td> <td>12.59</td> <td>63.42</td> <td>--- Peak</td> </tr> <tr> <td>2 16650.00</td> <td>50.71</td> <td>68.30</td> <td>-17.59</td> <td>58.83</td> <td>41.42</td> <td>15.28</td> <td>64.82</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1 11100.00	49.01	74.00	-24.99	60.80	39.04	12.59	63.42	--- Peak	2 16650.00	50.71	68.30	-17.59	58.83	41.42	15.28	64.82	--- Peak									
Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																					
1 11100.00	49.01	74.00	-24.99	60.80	39.04	12.59	63.42	--- Peak																																				
2 16650.00	50.71	68.30	-17.59	58.83	41.42	15.28	64.82	--- Peak																																				
	Vertical																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1 11100.00</td> <td>56.76</td> <td>74.00</td> <td>-17.24</td> <td>68.55</td> <td>39.04</td> <td>12.59</td> <td>63.42</td> <td>228 208 Peak</td> </tr> <tr> <td>2 11100.00</td> <td>51.35</td> <td>54.00</td> <td>-2.65</td> <td>63.14</td> <td>39.04</td> <td>12.59</td> <td>63.42</td> <td>228 208 Average</td> </tr> <tr> <td>3 16650.00</td> <td>57.18</td> <td>68.30</td> <td>-11.12</td> <td>65.30</td> <td>41.42</td> <td>15.28</td> <td>64.82</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1 11100.00	56.76	74.00	-17.24	68.55	39.04	12.59	63.42	228 208 Peak	2 11100.00	51.35	54.00	-2.65	63.14	39.04	12.59	63.42	228 208 Average	3 16650.00	57.18	68.30	-11.12	65.30	41.42	15.28	64.82	--- Peak
Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																					
1 11100.00	56.76	74.00	-17.24	68.55	39.04	12.59	63.42	228 208 Peak																																				
2 11100.00	51.35	54.00	-2.65	63.14	39.04	12.59	63.42	228 208 Average																																				
3 16650.00	57.18	68.30	-11.12	65.30	41.42	15.28	64.82	--- Peak																																				



72																																																				
Mode	Band Edge - L																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																			
ANT	CDD 0+1																																																			
Pol.	Horizontal																																																			
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5398.96</td> <td>50.69</td> <td>74.00</td> <td>-23.31</td> <td>37.73</td> <td>35.96</td> <td>9.62</td> <td>32.62</td> <td>400</td> <td>358</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5464.88</td> <td>49.76</td> <td>68.30</td> <td>-18.54</td> <td>36.76</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>400</td> <td>358</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5398.96	50.69	74.00	-23.31	37.73	35.96	9.62	32.62	400	358	PEAK	2	5464.88	49.76	68.30	-18.54	36.76	35.92	9.69	32.61	400	358	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																												
1	5398.96	50.69	74.00	-23.31	37.73	35.96	9.62	32.62	400	358	PEAK																																									
2	5464.88	49.76	68.30	-18.54	36.76	35.92	9.69	32.61	400	358	PEAK																																									
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>57.80</td> <td>74.00</td> <td>-16.20</td> <td>59.18</td> <td>29.42</td> <td>4.13</td> <td>34.93</td> <td>400</td> <td>358</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5670.00</td> <td>96.18</td> <td>-----</td> <td>-----</td> <td>82.80</td> <td>36.14</td> <td>9.91</td> <td>32.67</td> <td>400</td> <td>358</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	1386.00	57.80	74.00	-16.20	59.18	29.42	4.13	34.93	400	358	PEAK	2	5670.00	96.18	-----	-----	82.80	36.14	9.91	32.67	400	358	PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																												
1	1386.00	57.80	74.00	-16.20	59.18	29.42	4.13	34.93	400	358	PEAK																																									
2	5670.00	96.18	-----	-----	82.80	36.14	9.91	32.67	400	358	PEAK																																									
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5408.88</td> <td>43.75</td> <td>54.00</td> <td>-10.25</td> <td>30.76</td> <td>35.95</td> <td>9.66</td> <td>32.62</td> <td>400</td> <td>358</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5408.88	43.75	54.00	-10.25	30.76	35.95	9.66	32.62	400	358	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																												
1	5408.88	43.75	54.00	-10.25	30.76	35.95	9.66	32.62	400	358	AVERAGE																																									
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>52.47</td> <td>54.00</td> <td>-1.53</td> <td>53.85</td> <td>29.42</td> <td>4.13</td> <td>34.93</td> <td>400</td> <td>358</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>5670.00</td> <td>90.39</td> <td>-----</td> <td>-----</td> <td>77.01</td> <td>36.14</td> <td>9.91</td> <td>32.67</td> <td>400</td> <td>358</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	1386.00	52.47	54.00	-1.53	53.85	29.42	4.13	34.93	400	358	AVERAGE	2	5670.00	90.39	-----	-----	77.01	36.14	9.91	32.67	400	358	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																												
1	1386.00	52.47	54.00	-1.53	53.85	29.42	4.13	34.93	400	358	AVERAGE																																									
2	5670.00	90.39	-----	-----	77.01	36.14	9.91	32.67	400	358	AVERAGE																																									



Mode	72																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																					
ANT	CDD 0+1																																					
Pol.	Horizontal	Fundamental																																				
Peak	<p>Date: 2024-01-24</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5727.10</td> <td>54.37</td> <td>68.30</td> <td>-13.93</td> <td>40.82</td> <td>36.22</td> <td>10.02</td> <td>32.69</td> <td>400</td> <td>358</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5727.10	54.37	68.30	-13.93	40.82	36.22	10.02	32.69	400	358	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5727.10	54.37	68.30	-13.93	40.82	36.22	10.02	32.69	400	358	PEAK																											



		72																																																																																																		
Mode	Band Edge - L																																																																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																																																			
ANT	CDD 0+1																																																																																																			
Pol.	Vertical	Fundamental																																																																																																		
Peak	<p style="text-align: right;">Date: 2024-01-24</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5432.88</td> <td>52.35</td> <td>74.00</td> <td>-21.65</td> <td>39.35</td> <td>35.94</td> <td>9.67</td> <td>32.61</td> <td>241</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>5465.20</td> <td>51.30</td> <td>68.30</td> <td>-17.00</td> <td>38.30</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>241</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5432.88	52.35	74.00	-21.65	39.35	35.94	9.67	32.61	241	0 PEAK	2	5465.20	51.30	68.30	-17.00	38.30	35.92	9.69	32.61	241	0 PEAK	<p style="text-align: right;">Date: 2024-01-24</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>56.64</td> <td>74.00</td> <td>-17.36</td> <td>58.02</td> <td>29.42</td> <td>4.13</td> <td>34.93</td> <td>241</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>5670.00</td> <td>107.76</td> <td>-----</td> <td>-----</td> <td>94.38</td> <td>36.14</td> <td>9.91</td> <td>32.67</td> <td>241</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	1386.00	56.64	74.00	-17.36	58.02	29.42	4.13	34.93	241	0 PEAK	2	5670.00	107.76	-----	-----	94.38	36.14	9.91	32.67	241	0 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	5432.88	52.35	74.00	-21.65	39.35	35.94	9.67	32.61	241	0 PEAK																																																																																										
2	5465.20	51.30	68.30	-17.00	38.30	35.92	9.69	32.61	241	0 PEAK																																																																																										
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	1386.00	56.64	74.00	-17.36	58.02	29.42	4.13	34.93	241	0 PEAK																																																																																										
2	5670.00	107.76	-----	-----	94.38	36.14	9.91	32.67	241	0 PEAK																																																																																										
Avg	<p style="text-align: right;">Date: 2024-01-24</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5409.52</td> <td>44.27</td> <td>54.00</td> <td>-9.73</td> <td>31.28</td> <td>35.95</td> <td>9.66</td> <td>32.62</td> <td>241</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5409.52	44.27	54.00	-9.73	31.28	35.95	9.66	32.62	241	0 AVERAGE	<p style="text-align: right;">Date: 2024-01-24</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>52.29</td> <td>54.00</td> <td>-1.71</td> <td>53.67</td> <td>29.42</td> <td>4.13</td> <td>34.93</td> <td>241</td> <td>0 AVERAGE</td> </tr> <tr> <td>2</td> <td>5670.00</td> <td>101.91</td> <td>-----</td> <td>-----</td> <td>88.53</td> <td>36.14</td> <td>9.91</td> <td>32.67</td> <td>241</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	1386.00	52.29	54.00	-1.71	53.67	29.42	4.13	34.93	241	0 AVERAGE	2	5670.00	101.91	-----	-----	88.53	36.14	9.91	32.67	241	0 AVERAGE											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	5409.52	44.27	54.00	-9.73	31.28	35.95	9.66	32.62	241	0 AVERAGE																																																																																										
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	1386.00	52.29	54.00	-1.71	53.67	29.42	4.13	34.93	241	0 AVERAGE																																																																																										
2	5670.00	101.91	-----	-----	88.53	36.14	9.91	32.67	241	0 AVERAGE																																																																																										



Mode	72																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																									
ANT	CDD 0+1																																									
Pol.	Vertical	Fundamental																																								
Peak	<p>Date: 2024-01-24</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5726.43</td> <td>66.04</td> <td>68.30</td> <td>-2.26</td> <td>52.49</td> <td>36.22</td> <td>10.02</td> <td>32.69</td> <td>241</td> <td></td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 5726.43	66.04	68.30	-2.26	52.49	36.22	10.02	32.69	241		0 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	APos	TPos	Remark																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5726.43	66.04	68.30	-2.26	52.49	36.22	10.02	32.69	241		0 PEAK																																



72																																																													
Mode	Harmonic																																																												
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																												
ANT	CDD 0+1																																																												
Pol.	Horizontal																																																												
Peak Avg																																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11340.00</td> <td>47.59</td> <td>74.00</td> <td>-26.41</td> <td>59.12</td> <td>39.14</td> <td>12.77</td> <td>63.44</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17010.00</td> <td>50.83</td> <td>68.30</td> <td>-17.47</td> <td>58.86</td> <td>41.61</td> <td>15.55</td> <td>65.19</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	11340.00	47.59	74.00	-26.41	59.12	39.14	12.77	63.44	---	---	Peak	2	17010.00	50.83	68.30	-17.47	58.86	41.61	15.55	65.19	---	---	Peak												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																						
1	11340.00	47.59	74.00	-26.41	59.12	39.14	12.77	63.44	---	---	Peak																																																		
2	17010.00	50.83	68.30	-17.47	58.86	41.61	15.55	65.19	---	---	Peak																																																		
	Vertical																																																												
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11340.00</td> <td>52.12</td> <td>74.00</td> <td>-21.88</td> <td>63.65</td> <td>39.14</td> <td>12.77</td> <td>63.44</td> <td>232</td> <td>227</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11340.00</td> <td>47.19</td> <td>54.00</td> <td>-6.81</td> <td>58.72</td> <td>39.14</td> <td>12.77</td> <td>63.44</td> <td>232</td> <td>227</td> <td>Average</td> </tr> <tr> <td>3</td> <td>17010.00</td> <td>51.31</td> <td>68.30</td> <td>-16.99</td> <td>59.34</td> <td>41.61</td> <td>15.55</td> <td>65.19</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	11340.00	52.12	74.00	-21.88	63.65	39.14	12.77	63.44	232	227	Peak	2	11340.00	47.19	54.00	-6.81	58.72	39.14	12.77	63.44	232	227	Average	3	17010.00	51.31	68.30	-16.99	59.34	41.61	15.55	65.19	---	---	Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																						
1	11340.00	52.12	74.00	-21.88	63.65	39.14	12.77	63.44	232	227	Peak																																																		
2	11340.00	47.19	54.00	-6.81	58.72	39.14	12.77	63.44	232	227	Average																																																		
3	17010.00	51.31	68.30	-16.99	59.34	41.61	15.55	65.19	---	---	Peak																																																		



		73																																																																																												
Mode	Band Edge - L																																																																																													
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																													
ANT	CDD 0+1																																																																																													
Pol.	Horizontal	Fundamental																																																																																												
Peak	<p style="text-align: right;">Date: 2024-01-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5146.79</td> <td>51.38</td> <td>74.00</td> <td>-22.62</td> <td>39.23</td> <td>36.11</td> <td>8.53</td> <td>32.49</td> <td>400</td> <td>228</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.79	51.38	74.00	-22.62	39.23	36.11	8.53	32.49	400	228	PEAK	<p style="text-align: right;">Date: 2024-01-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>57.61</td> <td>74.00</td> <td>-16.39</td> <td>58.55</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>400</td> <td>228</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5210.00</td> <td>85.63</td> <td>-----</td> <td>-----</td> <td>73.09</td> <td>36.05</td> <td>8.84</td> <td>32.35</td> <td>400</td> <td>228</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1386.00	57.61	74.00	-16.39	58.55	29.42	4.13	34.49	400	228	PEAK	2	5210.00	85.63	-----	-----	73.09	36.05	8.84	32.35	400	228	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5146.79	51.38	74.00	-22.62	39.23	36.11	8.53	32.49	400	228	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	1386.00	57.61	74.00	-16.39	58.55	29.42	4.13	34.49	400	228	PEAK																																																																																			
2	5210.00	85.63	-----	-----	73.09	36.05	8.84	32.35	400	228	PEAK																																																																																			
Avg	<p style="text-align: right;">Date: 2024-01-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.52</td> <td>44.65</td> <td>54.00</td> <td>-9.35</td> <td>32.50</td> <td>36.11</td> <td>8.53</td> <td>32.49</td> <td>400</td> <td>228</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.52	44.65	54.00	-9.35	32.50	36.11	8.53	32.49	400	228	AVERAGE	<p style="text-align: right;">Date: 2024-01-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>51.65</td> <td>54.00</td> <td>-2.35</td> <td>52.59</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>400</td> <td>228</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>5210.00</td> <td>80.96</td> <td>-----</td> <td>-----</td> <td>68.42</td> <td>36.05</td> <td>8.84</td> <td>32.35</td> <td>400</td> <td>228</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1386.00	51.65	54.00	-2.35	52.59	29.42	4.13	34.49	400	228	AVERAGE	2	5210.00	80.96	-----	-----	68.42	36.05	8.84	32.35	400	228	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5149.52	44.65	54.00	-9.35	32.50	36.11	8.53	32.49	400	228	AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	1386.00	51.65	54.00	-2.35	52.59	29.42	4.13	34.49	400	228	AVERAGE																																																																																			
2	5210.00	80.96	-----	-----	68.42	36.05	8.84	32.35	400	228	AVERAGE																																																																																			



	73																																					
Mode	Band Edge - R																																					
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																					
ANT	CDD 0+1																																					
Pol.	Horizontal	Fundamental																																				
Peak	<p style="text-align: right;">Date: 2024-01-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5354.25</td> <td>51.15</td> <td>74.00</td> <td>-22.85</td> <td>37.97</td> <td>35.99</td> <td>9.39</td> <td>32.20</td> <td>400</td> <td>228</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5354.25	51.15	74.00	-22.85	37.97	35.99	9.39	32.20	400	228	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5354.25	51.15	74.00	-22.85	37.97	35.99	9.39	32.20	400	228	PEAK																											
Blank																																						
Avg	<p style="text-align: right;">Date: 2024-01-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.25</td> <td>43.95</td> <td>54.00</td> <td>-10.05</td> <td>30.39</td> <td>35.93</td> <td>9.69</td> <td>32.06</td> <td>400</td> <td>228</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5456.25	43.95	54.00	-10.05	30.39	35.93	9.69	32.06	400	228	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5456.25	43.95	54.00	-10.05	30.39	35.93	9.69	32.06	400	228	AVERAGE																											
Blank																																						



		73																																																																																											
Mode		Band Edge - L																																																																																											
		U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																											
ANT		CDD 0+1																																																																																											
Pol.	Vertical	Fundamental																																																																																											
Peak	<p>Date: 2024-01-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.47</td> <td>61.30</td> <td>74.00</td> <td>-12.70</td> <td>49.15</td> <td>36.11</td> <td>8.53</td> <td>32.49</td> <td>301</td> <td>239 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.47	61.30	74.00	-12.70	49.15	36.11	8.53	32.49	301	239 PEAK	<p>Date: 2024-01-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>58.90</td> <td>74.00</td> <td>-15.10</td> <td>59.84</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>301</td> <td>239 PEAK</td> </tr> <tr> <td>2</td> <td>5210.00</td> <td>99.33</td> <td>-----</td> <td>-----</td> <td>87.07</td> <td>36.09</td> <td>8.61</td> <td>32.44</td> <td>301</td> <td>239 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1386.00	58.90	74.00	-15.10	59.84	29.42	4.13	34.49	301	239 PEAK	2	5210.00	99.33	-----	-----	87.07	36.09	8.61	32.44	301	239 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5148.47	61.30	74.00	-12.70	49.15	36.11	8.53	32.49	301	239 PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	1386.00	58.90	74.00	-15.10	59.84	29.42	4.13	34.49	301	239 PEAK																																																																																			
2	5210.00	99.33	-----	-----	87.07	36.09	8.61	32.44	301	239 PEAK																																																																																			
Avg	<p>Date: 2024-01-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.05</td> <td>52.08</td> <td>54.00</td> <td>-1.92</td> <td>39.93</td> <td>36.11</td> <td>8.53</td> <td>32.49</td> <td>301</td> <td>239 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.05	52.08	54.00	-1.92	39.93	36.11	8.53	32.49	301	239 AVERAGE	<p>Date: 2024-01-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>52.60</td> <td>54.00</td> <td>-1.40</td> <td>53.54</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>301</td> <td>239 AVERAGE</td> </tr> <tr> <td>2</td> <td>5210.00</td> <td>94.21</td> <td>-----</td> <td>-----</td> <td>81.99</td> <td>36.09</td> <td>8.58</td> <td>32.45</td> <td>301</td> <td>239 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1386.00	52.60	54.00	-1.40	53.54	29.42	4.13	34.49	301	239 AVERAGE	2	5210.00	94.21	-----	-----	81.99	36.09	8.58	32.45	301	239 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5148.05	52.08	54.00	-1.92	39.93	36.11	8.53	32.49	301	239 AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	1386.00	52.60	54.00	-1.40	53.54	29.42	4.13	34.49	301	239 AVERAGE																																																																																			
2	5210.00	94.21	-----	-----	81.99	36.09	8.58	32.45	301	239 AVERAGE																																																																																			



	73																																				
Mode	Band Edge - R																																				
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																				
ANT	CDD 0+1																																				
Pol.	Vertical	Fundamental																																			
Peak																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5408.00</td> <td>51.82</td> <td>74.00</td> <td>-22.18</td> <td>38.33</td> <td>35.96</td> <td>9.66</td> <td>32.13</td> <td>301</td> <td>239</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5408.00	51.82	74.00	-22.18	38.33	35.96	9.66	32.13	301	239
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																														
1	5408.00	51.82	74.00	-22.18	38.33	35.96	9.66	32.13	301	239	PEAK																										
Avg																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5353.00</td> <td>44.19</td> <td>54.00</td> <td>-9.81</td> <td>31.03</td> <td>35.99</td> <td>9.38</td> <td>32.21</td> <td>301</td> <td>239</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5353.00	44.19	54.00	-9.81	31.03	35.99	9.38	32.21	301	239
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																														
1	5353.00	44.19	54.00	-9.81	31.03	35.99	9.38	32.21	301	239	AVERAGE																										



73																																																	
Mode	Harmonic																																																
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																
ANT	CDD 0+1																																																
Pol.	Horizontal																																																
Peak Avg	<p style="text-align: right;">Date: 2024-01-26</p>																																																
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10420.00</td> <td>47.04</td> <td>68.30</td> <td>-21.26</td> <td>59.79</td> <td>38.77</td> <td>12.11</td> <td>63.63</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15630.00</td> <td>50.68</td> <td>74.00</td> <td>-23.32</td> <td>59.28</td> <td>40.80</td> <td>14.62</td> <td>64.02</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10420.00	47.04	68.30	-21.26	59.79	38.77	12.11	63.63	---	---	Peak	2	15630.00	50.68	74.00	-23.32	59.28	40.80	14.62	64.02	---	---	Peak
Limit	Read	Ant	Cable	Preamp	Apos	Tpos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																										
1	10420.00	47.04	68.30	-21.26	59.79	38.77	12.11	63.63	---	---	Peak																																						
2	15630.00	50.68	74.00	-23.32	59.28	40.80	14.62	64.02	---	---	Peak																																						
	Vertical																																																
	<p style="text-align: right;">Date: 2024-01-26</p>																																																
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10420.00</td> <td>47.60</td> <td>68.30</td> <td>-20.70</td> <td>60.35</td> <td>38.77</td> <td>12.11</td> <td>63.63</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15630.00</td> <td>49.21</td> <td>74.00</td> <td>-24.79</td> <td>57.81</td> <td>40.80</td> <td>14.62</td> <td>64.02</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10420.00	47.60	68.30	-20.70	60.35	38.77	12.11	63.63	---	---	Peak	2	15630.00	49.21	74.00	-24.79	57.81	40.80	14.62	64.02	---	---	Peak
Limit	Read	Ant	Cable	Preamp	Apos	Tpos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																										
1	10420.00	47.60	68.30	-20.70	60.35	38.77	12.11	63.63	---	---	Peak																																						
2	15630.00	49.21	74.00	-24.79	57.81	40.80	14.62	64.02	---	---	Peak																																						



74																																																								
Mode	Band Edge - L																																																							
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																							
ANT	CDD 0+1																																																							
Pol.	Horizontal																																																							
Peak	<p style="text-align: right;">Date: 2024-01-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5126.44</td> <td>51.70</td> <td>74.00</td> <td>-22.30</td> <td>39.61</td> <td>36.12</td> <td>8.49</td> <td>32.52</td> <td>203</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg								1	5126.44	51.70	74.00	-22.30	39.61	36.12	8.49	32.52	203	360	PEAK											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																	
deg																																																								
1	5126.44	51.70	74.00	-22.30	39.61	36.12	8.49	32.52	203	360	PEAK																																													
<p style="text-align: right;">Date: 2024-01-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>55.47</td> <td>74.00</td> <td>-18.53</td> <td>56.41</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>203</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5290.00</td> <td>77.34</td> <td>68.30</td> <td>9.04</td> <td>64.34</td> <td>36.00</td> <td>9.24</td> <td>32.24</td> <td>203</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg								1	1386.00	55.47	74.00	-18.53	56.41	29.42	4.13	34.49	203	360	PEAK	2	5290.00	77.34	68.30	9.04	64.34	36.00	9.24	32.24	203	360	PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																	
deg																																																								
1	1386.00	55.47	74.00	-18.53	56.41	29.42	4.13	34.49	203	360	PEAK																																													
2	5290.00	77.34	68.30	9.04	64.34	36.00	9.24	32.24	203	360	PEAK																																													
Avg	<p style="text-align: right;">Date: 2024-01-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5071.34</td> <td>44.28</td> <td>54.00</td> <td>-9.72</td> <td>32.33</td> <td>36.16</td> <td>8.39</td> <td>32.60</td> <td>203</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg								1	5071.34	44.28	54.00	-9.72	32.33	36.16	8.39	32.60	203	360	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																	
deg																																																								
1	5071.34	44.28	54.00	-9.72	32.33	36.16	8.39	32.60	203	360	AVERAGE																																													
<p style="text-align: right;">Date: 2024-01-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>51.70</td> <td>54.00</td> <td>-2.30</td> <td>52.64</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>203</td> <td>360</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>5290.00</td> <td>71.99</td> <td>-----</td> <td>-----</td> <td>59.06</td> <td>36.01</td> <td>9.18</td> <td>32.26</td> <td>203</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg								1	1386.00	51.70	54.00	-2.30	52.64	29.42	4.13	34.49	203	360	AVERAGE	2	5290.00	71.99	-----	-----	59.06	36.01	9.18	32.26	203	360	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																	
deg																																																								
1	1386.00	51.70	54.00	-2.30	52.64	29.42	4.13	34.49	203	360	AVERAGE																																													
2	5290.00	71.99	-----	-----	59.06	36.01	9.18	32.26	203	360	AVERAGE																																													



	74																																																	
Mode	Band Edge - R																																																	
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																	
ANT	CDD 0+1																																																	
Pol.	Horizontal	Fundamental																																																
Peak	<p style="text-align: right;">Date: 2024-01-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>55.47</td> <td>74.00</td> <td>-18.53</td> <td>56.41</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>203</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5290.00</td> <td>77.34</td> <td>68.30</td> <td>9.04</td> <td>64.34</td> <td>36.00</td> <td>9.24</td> <td>32.24</td> <td>203</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	1386.00	55.47	74.00	-18.53	56.41	29.42	4.13	34.49	203	360	PEAK	2	5290.00	77.34	68.30	9.04	64.34	36.00	9.24	32.24	203	360	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																											
1	1386.00	55.47	74.00	-18.53	56.41	29.42	4.13	34.49	203	360	PEAK																																							
2	5290.00	77.34	68.30	9.04	64.34	36.00	9.24	32.24	203	360	PEAK																																							
	Blank																																																	
Avg	<p style="text-align: right;">Date: 2024-01-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>51.70</td> <td>54.00</td> <td>-2.30</td> <td>52.64</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>203</td> <td>360</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>5290.00</td> <td>71.99</td> <td>-----</td> <td>-----</td> <td>59.06</td> <td>36.01</td> <td>9.18</td> <td>32.26</td> <td>203</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	1386.00	51.70	54.00	-2.30	52.64	29.42	4.13	34.49	203	360	AVERAGE	2	5290.00	71.99	-----	-----	59.06	36.01	9.18	32.26	203	360	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																											
1	1386.00	51.70	54.00	-2.30	52.64	29.42	4.13	34.49	203	360	AVERAGE																																							
2	5290.00	71.99	-----	-----	59.06	36.01	9.18	32.26	203	360	AVERAGE																																							
	Blank																																																	



		74																																																																																										
Mode	Band Edge - L																																																																																											
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																											
ANT	CDD 0+1																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5013.05</td> <td>52.69</td> <td>74.00</td> <td>-21.31</td> <td>40.88</td> <td>36.19</td> <td>8.30</td> <td>32.68</td> <td>300</td> <td>122</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5013.05	52.69	74.00	-21.31	40.88	36.19	8.30	32.68	300	122	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>57.74</td> <td>74.00</td> <td>-16.26</td> <td>58.68</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>300</td> <td>122</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5290.00</td> <td>100.66</td> <td>-----</td> <td>-----</td> <td>87.66</td> <td>36.00</td> <td>9.24</td> <td>32.24</td> <td>300</td> <td>122</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	1386.00	57.74	74.00	-16.26	58.68	29.42	4.13	34.49	300	122	PEAK	2	5290.00	100.66	-----	-----	87.66	36.00	9.24	32.24	300	122	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	5013.05	52.69	74.00	-21.31	40.88	36.19	8.30	32.68	300	122	PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	1386.00	57.74	74.00	-16.26	58.68	29.42	4.13	34.49	300	122	PEAK																																																																																	
2	5290.00	100.66	-----	-----	87.66	36.00	9.24	32.24	300	122	PEAK																																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5031.90</td> <td>44.49</td> <td>54.00</td> <td>-9.51</td> <td>32.65</td> <td>36.18</td> <td>8.32</td> <td>32.66</td> <td>300</td> <td>122</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5031.90	44.49	54.00	-9.51	32.65	36.18	8.32	32.66	300	122	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>52.82</td> <td>54.00</td> <td>-1.18</td> <td>53.76</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>300</td> <td>122</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>5290.00</td> <td>94.80</td> <td>-----</td> <td>-----</td> <td>81.87</td> <td>36.01</td> <td>9.18</td> <td>32.26</td> <td>300</td> <td>122</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	1386.00	52.82	54.00	-1.18	53.76	29.42	4.13	34.49	300	122	AVERAGE	2	5290.00	94.80	-----	-----	81.87	36.01	9.18	32.26	300	122	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	5031.90	44.49	54.00	-9.51	32.65	36.18	8.32	32.66	300	122	AVERAGE																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	1386.00	52.82	54.00	-1.18	53.76	29.42	4.13	34.49	300	122	AVERAGE																																																																																	
2	5290.00	94.80	-----	-----	81.87	36.01	9.18	32.26	300	122	AVERAGE																																																																																	



	74																																								
Mode	Band Edge - R																																								
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																								
ANT	CDD 0+1																																								
Pol.	Vertical	Fundamental																																							
Peak																																									
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5364.80</td> <td>61.51</td> <td>74.00</td> <td>-12.49</td> <td>48.28</td> <td>35.98</td> <td>9.44</td> <td>32.19</td> <td>300</td> <td>122</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5364.80	61.51	74.00	-12.49	48.28	35.98	9.44	32.19	300	122
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																
1	5364.80	61.51	74.00	-12.49	48.28	35.98	9.44	32.19	300	122	PEAK																														
Avg																																									
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5364.12</td> <td>52.80</td> <td>54.00</td> <td>-1.20</td> <td>39.57</td> <td>35.98</td> <td>9.44</td> <td>32.19</td> <td>300</td> <td>122</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5364.12	52.80	54.00	-1.20	39.57	35.98	9.44	32.19	300	122
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																
1	5364.12	52.80	54.00	-1.20	39.57	35.98	9.44	32.19	300	122	AVERAGE																														



		74																																																																																															
Mode	Harmonic																																																																																																
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																
ANT	CDD 0+1																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg	<p style="text-align: right;">Date: 2024-01-26</p>		<p style="text-align: right;">Date: 2024-01-26</p>																																																																																														
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10580.00</td> <td>46.81</td> <td>68.30</td> <td>-21.49</td> <td>59.34</td> <td>38.83</td> <td>12.22</td> <td>63.58</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15870.00</td> <td>50.01</td> <td>74.00</td> <td>-23.99</td> <td>58.38</td> <td>41.00</td> <td>14.73</td> <td>64.10</td> <td>--- Peak</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Apos	Tpos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	10580.00	46.81	68.30	-21.49	59.34	38.83	12.22	63.58	--- Peak	2	15870.00	50.01	74.00	-23.99	58.38	41.00	14.73	64.10	--- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10580.00</td> <td>47.69</td> <td>68.30</td> <td>-20.61</td> <td>60.22</td> <td>38.83</td> <td>12.22</td> <td>63.58</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15870.00</td> <td>50.74</td> <td>74.00</td> <td>-23.26</td> <td>59.11</td> <td>41.00</td> <td>14.73</td> <td>64.10</td> <td>--- Peak</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Apos	Tpos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	10580.00	47.69	68.30	-20.61	60.22	38.83	12.22	63.58	--- Peak	2	15870.00	50.74	74.00	-23.26	59.11	41.00	14.73	64.10
	Limit	Read	Ant	Cable	Preamp	Apos	Tpos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																									
1	10580.00	46.81	68.30	-21.49	59.34	38.83	12.22	63.58	--- Peak																																																																																								
2	15870.00	50.01	74.00	-23.99	58.38	41.00	14.73	64.10	--- Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Apos	Tpos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																									
1	10580.00	47.69	68.30	-20.61	60.22	38.83	12.22	63.58	--- Peak																																																																																								
2	15870.00	50.74	74.00	-23.26	59.11	41.00	14.73	64.10	--- Peak																																																																																								







75																																																		
Mode	Band Edge - L																																																	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																	
ANT	CDD 0+1																																																	
Pol.	Horizontal																																																	
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5402.38</td> <td>52.10</td> <td>74.00</td> <td>-21.90</td> <td>38.64</td> <td>35.96</td> <td>9.64</td> <td>32.14</td> <td>200</td> <td>255</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.34</td> <td>51.70</td> <td>68.30</td> <td>-16.60</td> <td>38.13</td> <td>35.92</td> <td>9.69</td> <td>32.04</td> <td>200</td> <td>255</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5402.38	52.10	74.00	-21.90	38.64	35.96	9.64	32.14	200	255	PEAK	2	5469.34	51.70	68.30	-16.60	38.13	35.92	9.69	32.04	200	255	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5402.38	52.10	74.00	-21.90	38.64	35.96	9.64	32.14	200	255	PEAK																																							
2	5469.34	51.70	68.30	-16.60	38.13	35.92	9.69	32.04	200	255	PEAK																																							
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>58.12</td> <td>74.00</td> <td>-15.88</td> <td>59.06</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>200</td> <td>255</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5530.00</td> <td>85.23</td> <td>-----</td> <td>-----</td> <td>71.62</td> <td>35.91</td> <td>9.71</td> <td>32.01</td> <td>200</td> <td>255</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	1386.00	58.12	74.00	-15.88	59.06	29.42	4.13	34.49	200	255	PEAK	2	5530.00	85.23	-----	-----	71.62	35.91	9.71	32.01	200	255	PEAK	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	1386.00	58.12	74.00	-15.88	59.06	29.42	4.13	34.49	200	255	PEAK																																							
2	5530.00	85.23	-----	-----	71.62	35.91	9.71	32.01	200	255	PEAK																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5445.58</td> <td>44.42</td> <td>54.00</td> <td>-9.58</td> <td>30.89</td> <td>35.93</td> <td>9.68</td> <td>32.08</td> <td>200</td> <td>255</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5445.58	44.42	54.00	-9.58	30.89	35.93	9.68	32.08	200	255	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5445.58	44.42	54.00	-9.58	30.89	35.93	9.68	32.08	200	255	AVERAGE																																							
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1384.00</td> <td>51.92</td> <td>54.00</td> <td>-2.08</td> <td>52.86</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>200</td> <td>255</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>5530.00</td> <td>79.12</td> <td>-----</td> <td>-----</td> <td>65.50</td> <td>35.92</td> <td>9.71</td> <td>32.01</td> <td>200</td> <td>255</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	1384.00	51.92	54.00	-2.08	52.86	29.42	4.13	34.49	200	255	AVERAGE	2	5530.00	79.12	-----	-----	65.50	35.92	9.71	32.01	200	255	AVERAGE	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	1384.00	51.92	54.00	-2.08	52.86	29.42	4.13	34.49	200	255	AVERAGE																																							
2	5530.00	79.12	-----	-----	65.50	35.92	9.71	32.01	200	255	AVERAGE																																							



Mode	75																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																									
ANT	CDD 0+1																																									
Pol.	Horizontal	Fundamental																																								
Peak	<p>Date: 2024-01-23</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5754.90</td> <td>52.81</td> <td>68.30</td> <td>-15.49</td> <td>38.72</td> <td>36.26</td> <td>10.08</td> <td>32.25</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>200</td> <td>255 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5754.90	52.81	68.30	-15.49	38.72	36.26	10.08	32.25							200	255 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																			
1 5754.90	52.81	68.30	-15.49	38.72	36.26	10.08	32.25																																			
						200	255 PEAK																																			



		75																																																																																										
Mode	Band Edge - L																																																																																											
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																											
ANT	CDD 0+1																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	 <p style="text-align: right;">Date: 2024-01-23</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5435.86</td> <td>60.25</td> <td>74.00</td> <td>-13.75</td> <td>46.73</td> <td>35.94</td> <td>9.67</td> <td>32.09</td> <td>276</td> <td>136</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.80</td> <td>61.88</td> <td>68.30</td> <td>-6.42</td> <td>48.31</td> <td>35.92</td> <td>9.69</td> <td>32.04</td> <td>276</td> <td>136</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB	cm	deg	Remark	1	5435.86	60.25	74.00	-13.75	46.73	35.94	9.67	32.09	276	136	PEAK	2	5468.80	61.88	68.30	-6.42	48.31	35.92	9.69	32.04	276	136	PEAK	 <p style="text-align: right;">Date: 2024-01-23</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>56.83</td> <td>74.00</td> <td>-17.17</td> <td>57.77</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>276</td> <td>136</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5530.00</td> <td>102.72</td> <td>-----</td> <td>-----</td> <td>89.11</td> <td>35.91</td> <td>9.71</td> <td>32.01</td> <td>276</td> <td>136</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB	cm	deg	Remark	1	1386.00	56.83	74.00	-17.17	57.77	29.42	4.13	34.49	276	136	PEAK	2	5530.00	102.72	-----	-----	89.11	35.91	9.71	32.01	276	136	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB	cm	deg	Remark																																																																																	
1	5435.86	60.25	74.00	-13.75	46.73	35.94	9.67	32.09	276	136	PEAK																																																																																	
2	5468.80	61.88	68.30	-6.42	48.31	35.92	9.69	32.04	276	136	PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB	cm	deg	Remark																																																																																	
1	1386.00	56.83	74.00	-17.17	57.77	29.42	4.13	34.49	276	136	PEAK																																																																																	
2	5530.00	102.72	-----	-----	89.11	35.91	9.71	32.01	276	136	PEAK																																																																																	
Avg	 <p style="text-align: right;">Date: 2024-01-23</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.80</td> <td>53.24</td> <td>54.00</td> <td>-0.76</td> <td>39.69</td> <td>35.92</td> <td>9.69</td> <td>32.06</td> <td>276</td> <td>136</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB	cm	deg	Remark	1	5459.80	53.24	54.00	-0.76	39.69	35.92	9.69	32.06	276	136	AVERAGE	 <p style="text-align: right;">Date: 2024-01-23</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>52.68</td> <td>54.00</td> <td>-1.32</td> <td>53.62</td> <td>29.42</td> <td>4.13</td> <td>34.49</td> <td>276</td> <td>136</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>5530.00</td> <td>96.31</td> <td>-----</td> <td>-----</td> <td>82.70</td> <td>35.91</td> <td>9.71</td> <td>32.01</td> <td>276</td> <td>136</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB	cm	deg	Remark	1	1386.00	52.68	54.00	-1.32	53.62	29.42	4.13	34.49	276	136	AVERAGE	2	5530.00	96.31	-----	-----	82.70	35.91	9.71	32.01	276	136	AVERAGE												
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB	cm	deg	Remark																																																																																	
1	5459.80	53.24	54.00	-0.76	39.69	35.92	9.69	32.06	276	136	AVERAGE																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor	dB	dB	cm	deg	Remark																																																																																	
1	1386.00	52.68	54.00	-1.32	53.62	29.42	4.13	34.49	276	136	AVERAGE																																																																																	
2	5530.00	96.31	-----	-----	82.70	35.91	9.71	32.01	276	136	AVERAGE																																																																																	



Mode	75																														
	Band Edge - R																														
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																														
ANT	CDD 0+1																														
Pol.	Vertical	Fundamental																													
Peak	<p>Date: 2024-01-23</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5735.16</td> <td>52.24</td> <td>68.30</td> <td>-16.06</td> <td>38.21</td> <td>36.23</td> <td>10.04</td> <td>32.24</td> <td>276</td> <td>136 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	1	5735.16	52.24	68.30	-16.06	38.21	36.23	10.04	32.24	276	136 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																					
1	5735.16	52.24	68.30	-16.06	38.21	36.23	10.04	32.24	276	136 PEAK																					



Mode	75																																																																																																	
	Harmonic																																																																																																	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																	
ANT	CDD 0+1																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11060.00</td> <td>48.45</td> <td>74.00</td> <td>-25.55</td> <td>60.28</td> <td>39.02</td> <td>12.57</td> <td>63.42</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16590.00</td> <td>49.89</td> <td>68.30</td> <td>-18.41</td> <td>58.02</td> <td>41.39</td> <td>15.23</td> <td>64.75</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11060.00	48.45	74.00	-25.55	60.28	39.02	12.57	63.42	---	---	Peak	2	16590.00	49.89	68.30	-18.41	58.02	41.39	15.23	64.75	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11060.00</td> <td>48.26</td> <td>74.00</td> <td>-25.74</td> <td>60.09</td> <td>39.02</td> <td>12.57</td> <td>63.42</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16590.00</td> <td>50.67</td> <td>68.30</td> <td>-17.63</td> <td>58.80</td> <td>41.39</td> <td>15.23</td> <td>64.75</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11060.00	48.26	74.00	-25.74	60.09	39.02	12.57	63.42	---	---	Peak	2	16590.00	50.67	68.30	-17.63	58.80	41.39	15.23	64.75	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	11060.00	48.45	74.00	-25.55	60.28	39.02	12.57	63.42	---	---	Peak																																																																																							
2	16590.00	49.89	68.30	-18.41	58.02	41.39	15.23	64.75	---	---	Peak																																																																																							
Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	11060.00	48.26	74.00	-25.74	60.09	39.02	12.57	63.42	---	---	Peak																																																																																							
2	16590.00	50.67	68.30	-17.63	58.80	41.39	15.23	64.75	---	---	Peak																																																																																							







76																																																		
Mode	Band Edge - L																																																	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																	
ANT	CDD 0+1																																																	
Pol.	Horizontal																																																	
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5454.78</td> <td>51.86</td> <td>74.00</td> <td>-22.14</td> <td>38.86</td> <td>35.93</td> <td>9.68</td> <td>32.61</td> <td>100</td> <td>209</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5463.10</td> <td>50.64</td> <td>68.30</td> <td>-17.66</td> <td>37.64</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>100</td> <td>209</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5454.78	51.86	74.00	-22.14	38.86	35.93	9.68	32.61	100	209	PEAK	2	5463.10	50.64	68.30	-17.66	37.64	35.92	9.69	32.61	100	209	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5454.78	51.86	74.00	-22.14	38.86	35.93	9.68	32.61	100	209	PEAK																																							
2	5463.10	50.64	68.30	-17.66	37.64	35.92	9.69	32.61	100	209	PEAK																																							
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>56.82</td> <td>74.00</td> <td>-17.18</td> <td>58.20</td> <td>29.42</td> <td>4.13</td> <td>34.93</td> <td>100</td> <td>209</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5610.00</td> <td>96.52</td> <td>-----</td> <td>-----</td> <td>83.27</td> <td>36.08</td> <td>9.82</td> <td>32.65</td> <td>100</td> <td>209</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	1386.00	56.82	74.00	-17.18	58.20	29.42	4.13	34.93	100	209	PEAK	2	5610.00	96.52	-----	-----	83.27	36.08	9.82	32.65	100	209	PEAK	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	1386.00	56.82	74.00	-17.18	58.20	29.42	4.13	34.93	100	209	PEAK																																							
2	5610.00	96.52	-----	-----	83.27	36.08	9.82	32.65	100	209	PEAK																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5448.02</td> <td>44.08</td> <td>54.00</td> <td>-9.92</td> <td>31.08</td> <td>35.93</td> <td>9.68</td> <td>32.61</td> <td>100</td> <td>209</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5448.02	44.08	54.00	-9.92	31.08	35.93	9.68	32.61	100	209	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5448.02	44.08	54.00	-9.92	31.08	35.93	9.68	32.61	100	209	AVERAGE																																							
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>51.19</td> <td>54.00</td> <td>-2.81</td> <td>52.57</td> <td>29.42</td> <td>4.13</td> <td>34.93</td> <td>100</td> <td>209</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>5610.00</td> <td>90.85</td> <td>-----</td> <td>-----</td> <td>77.58</td> <td>36.09</td> <td>9.84</td> <td>32.66</td> <td>100</td> <td>209</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	1386.00	51.19	54.00	-2.81	52.57	29.42	4.13	34.93	100	209	AVERAGE	2	5610.00	90.85	-----	-----	77.58	36.09	9.84	32.66	100	209	AVERAGE	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	1386.00	51.19	54.00	-2.81	52.57	29.42	4.13	34.93	100	209	AVERAGE																																							
2	5610.00	90.85	-----	-----	77.58	36.09	9.84	32.66	100	209	AVERAGE																																							



Mode	76																																		
	Band Edge - R																																		
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																		
ANT	CDD 0+1																																		
Pol.	Horizontal	Fundamental																																	
Peak																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5725.79</td> <td>58.53</td> <td>68.30</td> <td>-9.77</td> <td>44.98</td> <td>36.22</td> <td>10.02</td> <td>32.69</td> <td>100</td> <td>209 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5725.79	58.53	68.30	-9.77	44.98	36.22	10.02	32.69	100
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																												
1 5725.79	58.53	68.30	-9.77	44.98	36.22	10.02	32.69	100	209 PEAK																										
Avg																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5448.02</td> <td>44.08</td> <td>54.00</td> <td>-9.92</td> <td>31.08</td> <td>35.93</td> <td>9.68</td> <td>32.61</td> <td>100</td> <td>209 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5448.02	44.08	54.00	-9.92	31.08	35.93	9.68	32.61	100
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																												
1 5448.02	44.08	54.00	-9.92	31.08	35.93	9.68	32.61	100	209 AVERAGE																										



		76																																																																																																				
Mode	Band Edge - L																																																																																																					
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																					
ANT	CDD 0+1																																																																																																					
Pol.	Vertical	Fundamental																																																																																																				
Peak	 <p style="text-align: right;">Date: 2024-01-23</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.38</td> <td>54.32</td> <td>74.00</td> <td>-19.68</td> <td>41.31</td> <td>35.93</td> <td>9.69</td> <td>32.61</td> <td>178</td> <td>273 PEAK</td> </tr> <tr> <td>2</td> <td>5469.08</td> <td>56.31</td> <td>68.30</td> <td>-11.99</td> <td>43.31</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>178</td> <td>273 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.38	54.32	74.00	-19.68	41.31	35.93	9.69	32.61	178	273 PEAK	2	5469.08	56.31	68.30	-11.99	43.31	35.92	9.69	32.61	178	273 PEAK	 <p style="text-align: right;">Date: 2024-01-23</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>58.32</td> <td>74.00</td> <td>-15.68</td> <td>59.70</td> <td>29.42</td> <td>4.13</td> <td>34.93</td> <td>178</td> <td>273 PEAK</td> </tr> <tr> <td>2</td> <td>5610.00</td> <td>105.62</td> <td>-----</td> <td>-----</td> <td>92.51</td> <td>36.00</td> <td>9.74</td> <td>32.63</td> <td>178</td> <td>273 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1386.00	58.32	74.00	-15.68	59.70	29.42	4.13	34.93	178	273 PEAK	2	5610.00	105.62	-----	-----	92.51	36.00	9.74	32.63	178	273 PEAK
	Limit	Read	Ant	Cable	Preamp	Apos	Tpos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5457.38	54.32	74.00	-19.68	41.31	35.93	9.69	32.61	178	273 PEAK																																																																																												
2	5469.08	56.31	68.30	-11.99	43.31	35.92	9.69	32.61	178	273 PEAK																																																																																												
Limit	Read	Ant	Cable	Preamp	Apos	Tpos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	1386.00	58.32	74.00	-15.68	59.70	29.42	4.13	34.93	178	273 PEAK																																																																																												
2	5610.00	105.62	-----	-----	92.51	36.00	9.74	32.63	178	273 PEAK																																																																																												
Avg	 <p style="text-align: right;">Date: 2024-01-23</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.72</td> <td>46.87</td> <td>54.00</td> <td>-7.13</td> <td>33.87</td> <td>35.92</td> <td>9.69</td> <td>32.61</td> <td>178</td> <td>273 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.72	46.87	54.00	-7.13	33.87	35.92	9.69	32.61	178	273 AVERAGE	 <p style="text-align: right;">Date: 2024-01-23</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>52.35</td> <td>54.00</td> <td>-1.65</td> <td>53.73</td> <td>29.42</td> <td>4.13</td> <td>34.93</td> <td>178</td> <td>273 AVERAGE</td> </tr> <tr> <td>2</td> <td>5610.00</td> <td>99.63</td> <td>-----</td> <td>-----</td> <td>86.36</td> <td>36.09</td> <td>9.84</td> <td>32.66</td> <td>178</td> <td>273 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1386.00	52.35	54.00	-1.65	53.73	29.42	4.13	34.93	178	273 AVERAGE	2	5610.00	99.63	-----	-----	86.36	36.09	9.84	32.66	178	273 AVERAGE											
Limit	Read	Ant	Cable	Preamp	Apos	Tpos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5459.72	46.87	54.00	-7.13	33.87	35.92	9.69	32.61	178	273 AVERAGE																																																																																												
Limit	Read	Ant	Cable	Preamp	Apos	Tpos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	1386.00	52.35	54.00	-1.65	53.73	29.42	4.13	34.93	178	273 AVERAGE																																																																																												
2	5610.00	99.63	-----	-----	86.36	36.09	9.84	32.66	178	273 AVERAGE																																																																																												






Mode	76																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																									
ANT	CDD 0+1																																									
Pol.	Vertical	Fundamental																																								
Peak	<p>Date: 2024-01-23</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5726.41</td> <td>64.72</td> <td>68.30</td> <td>-3.58</td> <td>51.17</td> <td>36.22</td> <td>10.02</td> <td>32.69</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>178</td> <td>273 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5726.41	64.72	68.30	-3.58	51.17	36.22	10.02	32.69							178	273 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																			
1 5726.41	64.72	68.30	-3.58	51.17	36.22	10.02	32.69																																			
						178	273 PEAK																																			



76																																																													
Mode	Harmonic																																																												
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																												
ANT	CDD 0+1																																																												
Pol.	Horizontal																																																												
Peak Avg	<p style="text-align: right;">Date: 2024-01-26</p>																																																												
	<p style="text-align: right;">Date: 2024-01-26</p>																																																												
	Vertical																																																												
	<p style="text-align: right;">Date: 2024-01-26</p>																																																												
	<p style="text-align: right;">Date: 2024-01-26</p>																																																												
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11220.00</td> <td>49.16</td> <td>74.00</td> <td>-24.84</td> <td>60.82</td> <td>39.09</td> <td>12.68</td> <td>63.43</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16830.00</td> <td>49.32</td> <td>68.30</td> <td>-18.98</td> <td>57.40</td> <td>41.51</td> <td>15.41</td> <td>65.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11220.00	49.16	74.00	-24.84	60.82	39.09	12.68	63.43	---	---	Peak	2	16830.00	49.32	68.30	-18.98	57.40	41.51	15.41	65.00	---	---	Peak												
Limit	Read	Ant	Cable	Preamp	Apos	Tpos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																						
1	11220.00	49.16	74.00	-24.84	60.82	39.09	12.68	63.43	---	---	Peak																																																		
2	16830.00	49.32	68.30	-18.98	57.40	41.51	15.41	65.00	---	---	Peak																																																		
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11220.00</td> <td>56.38</td> <td>74.00</td> <td>-17.62</td> <td>68.04</td> <td>39.09</td> <td>12.68</td> <td>63.43</td> <td>249</td> <td>208</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11220.00</td> <td>50.59</td> <td>54.00</td> <td>-3.41</td> <td>62.25</td> <td>39.09</td> <td>12.68</td> <td>63.43</td> <td>249</td> <td>208</td> <td>Average</td> </tr> <tr> <td>3</td> <td>16830.00</td> <td>51.90</td> <td>68.30</td> <td>-16.40</td> <td>59.98</td> <td>41.51</td> <td>15.41</td> <td>65.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11220.00	56.38	74.00	-17.62	68.04	39.09	12.68	63.43	249	208	Peak	2	11220.00	50.59	54.00	-3.41	62.25	39.09	12.68	63.43	249	208	Average	3	16830.00	51.90	68.30	-16.40	59.98	41.51	15.41	65.00	---	---	Peak
Limit	Read	Ant	Cable	Preamp	Apos	Tpos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																						
1	11220.00	56.38	74.00	-17.62	68.04	39.09	12.68	63.43	249	208	Peak																																																		
2	11220.00	50.59	54.00	-3.41	62.25	39.09	12.68	63.43	249	208	Average																																																		
3	16830.00	51.90	68.30	-16.40	59.98	41.51	15.41	65.00	---	---	Peak																																																		



77																																																																									
Mode	Band Edge																																																																								
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																								
ANT	CDD 0+1																																																																								
Pol.	Horizontal																																																																								
Peak	 <p style="text-align: right;">Date: 2024-01-24</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5605.37</td> <td>53.22</td> <td>68.30</td> <td>-15.08</td> <td>40.04</td> <td>36.05</td> <td>9.77</td> <td>32.64</td> <td>101</td> <td>42</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.03</td> <td>49.59</td> <td>68.32</td> <td>-18.73</td> <td>36.28</td> <td>36.11</td> <td>9.86</td> <td>32.66</td> <td>101</td> <td>42</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5718.61</td> <td>56.87</td> <td>110.41</td> <td>-53.54</td> <td>43.34</td> <td>36.21</td> <td>10.01</td> <td>32.69</td> <td>101</td> <td>42</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.35</td> <td>58.11</td> <td>111.60</td> <td>-53.49</td> <td>44.58</td> <td>36.21</td> <td>10.01</td> <td>32.69</td> <td>101</td> <td>42</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5605.37	53.22	68.30	-15.08	40.04	36.05	9.77	32.64	101	42	PEAK	2	5650.03	49.59	68.32	-18.73	36.28	36.11	9.86	32.66	101	42	PEAK	3	5718.61	56.87	110.41	-53.54	43.34	36.21	10.01	32.69	101	42	PEAK	4	5720.35	58.11	111.60	-53.49	44.58	36.21	10.01	32.69	101	42	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																		
1	5605.37	53.22	68.30	-15.08	40.04	36.05	9.77	32.64	101	42	PEAK																																																														
2	5650.03	49.59	68.32	-18.73	36.28	36.11	9.86	32.66	101	42	PEAK																																																														
3	5718.61	56.87	110.41	-53.54	43.34	36.21	10.01	32.69	101	42	PEAK																																																														
4	5720.35	58.11	111.60	-53.49	44.58	36.21	10.01	32.69	101	42	PEAK																																																														
Fundamental	 <p style="text-align: right;">Date: 2024-01-24</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>55.02</td> <td>74.00</td> <td>-18.98</td> <td>56.40</td> <td>29.42</td> <td>4.13</td> <td>34.93</td> <td>101</td> <td>42</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5745.00</td> <td>100.16</td> <td>-----</td> <td>-----</td> <td>86.56</td> <td>36.24</td> <td>10.06</td> <td>32.70</td> <td>101</td> <td>42</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	1386.00	55.02	74.00	-18.98	56.40	29.42	4.13	34.93	101	42	PEAK	2	5745.00	100.16	-----	-----	86.56	36.24	10.06	32.70	101	42	PEAK																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																		
1	1386.00	55.02	74.00	-18.98	56.40	29.42	4.13	34.93	101	42	PEAK																																																														
2	5745.00	100.16	-----	-----	86.56	36.24	10.06	32.70	101	42	PEAK																																																														
Avg	Blank																																																																								
	 <p style="text-align: right;">Date: 2024-01-24</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>50.93</td> <td>54.00</td> <td>-3.07</td> <td>52.31</td> <td>29.42</td> <td>4.13</td> <td>34.93</td> <td>101</td> <td>42</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>5745.00</td> <td>93.99</td> <td>-----</td> <td>-----</td> <td>80.40</td> <td>36.24</td> <td>10.05</td> <td>32.70</td> <td>101</td> <td>42</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	1386.00	50.93	54.00	-3.07	52.31	29.42	4.13	34.93	101	42	AVERAGE	2	5745.00	93.99	-----	-----	80.40	36.24	10.05	32.70	101	42	AVERAGE																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																		
1	1386.00	50.93	54.00	-3.07	52.31	29.42	4.13	34.93	101	42	AVERAGE																																																														
2	5745.00	93.99	-----	-----	80.40	36.24	10.05	32.70	101	42	AVERAGE																																																														



		77																																																																																																																										
Mode	Band Edge																																																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																											
ANT	CDD 0+1																																																																																																																											
Pol.	Vertical	Fundamental																																																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5643.50</td> <td>52.92</td> <td>68.30</td> <td>-15.38</td> <td>39.63</td> <td>36.10</td> <td>9.85</td> <td>32.66</td> <td>201</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.03</td> <td>52.15</td> <td>68.32</td> <td>-16.17</td> <td>38.84</td> <td>36.11</td> <td>9.86</td> <td>32.66</td> <td>201</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5711.65</td> <td>64.67</td> <td>108.46</td> <td>-43.79</td> <td>51.16</td> <td>36.20</td> <td>9.99</td> <td>32.68</td> <td>201</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5724.70</td> <td>77.46</td> <td>121.52</td> <td>-44.06</td> <td>63.92</td> <td>36.21</td> <td>10.02</td> <td>32.69</td> <td>201</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5643.50	52.92	68.30	-15.38	39.63	36.10	9.85	32.66	201	360	PEAK	2	5650.03	52.15	68.32	-16.17	38.84	36.11	9.86	32.66	201	360	PEAK	3	5711.65	64.67	108.46	-43.79	51.16	36.20	9.99	32.68	201	360	PEAK	4	5724.70	77.46	121.52	-44.06	63.92	36.21	10.02	32.69	201	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>54.74</td> <td>74.00</td> <td>-19.26</td> <td>56.12</td> <td>29.42</td> <td>4.13</td> <td>34.93</td> <td>201</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5745.00</td> <td>109.15</td> <td>-----</td> <td>-----</td> <td>95.55</td> <td>36.24</td> <td>10.06</td> <td>32.70</td> <td>201</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	1386.00	54.74	74.00	-19.26	56.12	29.42	4.13	34.93	201	360	PEAK	2	5745.00	109.15	-----	-----	95.55	36.24	10.06	32.70	201	360	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																				
1	5643.50	52.92	68.30	-15.38	39.63	36.10	9.85	32.66	201	360	PEAK																																																																																																																	
2	5650.03	52.15	68.32	-16.17	38.84	36.11	9.86	32.66	201	360	PEAK																																																																																																																	
3	5711.65	64.67	108.46	-43.79	51.16	36.20	9.99	32.68	201	360	PEAK																																																																																																																	
4	5724.70	77.46	121.52	-44.06	63.92	36.21	10.02	32.69	201	360	PEAK																																																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																				
1	1386.00	54.74	74.00	-19.26	56.12	29.42	4.13	34.93	201	360	PEAK																																																																																																																	
2	5745.00	109.15	-----	-----	95.55	36.24	10.06	32.70	201	360	PEAK																																																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>51.30</td> <td>54.00</td> <td>-2.70</td> <td>52.68</td> <td>29.42</td> <td>4.13</td> <td>34.93</td> <td>201</td> <td>360</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>5745.00</td> <td>103.33</td> <td>-----</td> <td>-----</td> <td>89.74</td> <td>36.24</td> <td>10.05</td> <td>32.70</td> <td>201</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	1386.00	51.30	54.00	-2.70	52.68	29.42	4.13	34.93	201	360	AVERAGE	2	5745.00	103.33	-----	-----	89.74	36.24	10.05	32.70	201	360	AVERAGE																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																				
1	1386.00	51.30	54.00	-2.70	52.68	29.42	4.13	34.93	201	360	AVERAGE																																																																																																																	
2	5745.00	103.33	-----	-----	89.74	36.24	10.05	32.70	201	360	AVERAGE																																																																																																																	



Mode	77																																																																																																
	Harmonic																																																																																																
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																
ANT	CDD 0+1																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg	<p>Date: 2024-01-24</p>	<p>Date: 2024-01-24</p>																																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11490.00</td> <td>48.29</td> <td>74.00</td> <td>-25.71</td> <td>59.66</td> <td>39.20</td> <td>12.87</td> <td>63.44</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17235.00</td> <td>51.15</td> <td>68.30</td> <td>-17.15</td> <td>58.87</td> <td>41.86</td> <td>15.72</td> <td>65.30</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11490.00	48.29	74.00	-25.71	59.66	39.20	12.87	63.44	---	---	Peak	2	17235.00	51.15	68.30	-17.15	58.87	41.86	15.72	65.30	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11490.00</td> <td>48.92</td> <td>74.00</td> <td>-25.08</td> <td>60.29</td> <td>39.20</td> <td>12.87</td> <td>63.44</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17235.00</td> <td>67.67</td> <td>68.30</td> <td>-0.63</td> <td>75.39</td> <td>41.86</td> <td>15.72</td> <td>65.30</td> <td>230</td> <td>220</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11490.00	48.92	74.00	-25.08	60.29	39.20	12.87	63.44	---	---	Peak	2	17235.00	67.67	68.30	-0.63	75.39	41.86	15.72	65.30	230	220
Limit	Read	Ant	Cable	Preamp	Apos	Tpos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	11490.00	48.29	74.00	-25.71	59.66	39.20	12.87	63.44	---	---	Peak																																																																																						
2	17235.00	51.15	68.30	-17.15	58.87	41.86	15.72	65.30	---	---	Peak																																																																																						
Limit	Read	Ant	Cable	Preamp	Apos	Tpos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	11490.00	48.92	74.00	-25.08	60.29	39.20	12.87	63.44	---	---	Peak																																																																																						
2	17235.00	67.67	68.30	-0.63	75.39	41.86	15.72	65.30	230	220	Peak																																																																																						



78																																																
Mode	Harmonic																																															
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																															
ANT	CDD 0+1																																															
Pol.	Horizontal																																															
Peak Avg	<p style="text-align: right;">Date: 2024-01-24</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11570.00</td> <td>48.35</td> <td>74.00</td> <td>-25.65</td> <td>59.64</td> <td>39.23</td> <td>12.93</td> <td>63.45</td> <td>--- --- Peak</td> </tr> <tr> <td>2</td> <td>17355.00</td> <td>51.88</td> <td>68.30</td> <td>-16.42</td> <td>59.44</td> <td>41.99</td> <td>15.81</td> <td>65.36</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	deg	1	11570.00	48.35	74.00	-25.65	59.64	39.23	12.93	63.45	--- --- Peak	2	17355.00	51.88	68.30	-16.42	59.44	41.99	15.81	65.36	--- --- Peak
	Limit	Read	Ant	Cable	Preamp	Apos	Tpos																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	deg																																								
1	11570.00	48.35	74.00	-25.65	59.64	39.23	12.93	63.45	--- --- Peak																																							
2	17355.00	51.88	68.30	-16.42	59.44	41.99	15.81	65.36	--- --- Peak																																							
	<p style="text-align: right;">Date: 2024-01-24</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11570.00</td> <td>48.20</td> <td>74.00</td> <td>-25.80</td> <td>59.49</td> <td>39.23</td> <td>12.93</td> <td>63.45</td> <td>--- --- Peak</td> </tr> <tr> <td>2</td> <td>17355.00</td> <td>66.32</td> <td>68.30</td> <td>-1.98</td> <td>73.88</td> <td>41.99</td> <td>15.81</td> <td>65.36</td> <td>248 202 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	deg	1	11570.00	48.20	74.00	-25.80	59.49	39.23	12.93	63.45	--- --- Peak	2	17355.00	66.32	68.30	-1.98	73.88	41.99	15.81	65.36	248 202 Peak
Limit	Read	Ant	Cable	Preamp	Apos	Tpos																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	deg																																								
1	11570.00	48.20	74.00	-25.80	59.49	39.23	12.93	63.45	--- --- Peak																																							
2	17355.00	66.32	68.30	-1.98	73.88	41.99	15.81	65.36	248 202 Peak																																							



Mode	79																																																																																																																									
	Band Edge - L																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																									
ANT	CDD 0+1																																																																																																																									
Pol.	Horizontal	Fundamental																																																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>50.04</td> <td>110.80</td> <td>-60.76</td> <td>36.09</td> <td>36.40</td> <td>10.29</td> <td>32.74</td> <td>100</td> <td>89</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.13</td> <td>50.90</td> <td>105.72</td> <td>-54.82</td> <td>36.90</td> <td>36.42</td> <td>10.33</td> <td>32.75</td> <td>100</td> <td>89</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.00</td> <td>51.84</td> <td>69.03</td> <td>-17.19</td> <td>37.68</td> <td>36.49</td> <td>10.44</td> <td>32.77</td> <td>100</td> <td>89</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5932.88</td> <td>53.96</td> <td>68.30</td> <td>-14.34</td> <td>39.76</td> <td>36.51</td> <td>10.46</td> <td>32.77</td> <td>100</td> <td>89</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5855.00	50.04	110.80	-60.76	36.09	36.40	10.29	32.74	100	89	PEAK	2	5873.13	50.90	105.72	-54.82	36.90	36.42	10.33	32.75	100	89	PEAK	3	5924.00	51.84	69.03	-17.19	37.68	36.49	10.44	32.77	100	89	PEAK	4	5932.88	53.96	68.30	-14.34	39.76	36.51	10.46	32.77	100	89	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>54.90</td> <td>74.00</td> <td>-19.10</td> <td>56.28</td> <td>29.42</td> <td>4.13</td> <td>34.93</td> <td>100</td> <td>89</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5825.00</td> <td>93.40</td> <td>-----</td> <td>-----</td> <td>79.57</td> <td>36.35</td> <td>10.21</td> <td>32.73</td> <td>100</td> <td>89</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	1386.00	54.90	74.00	-19.10	56.28	29.42	4.13	34.93	100	89	PEAK	2	5825.00	93.40	-----	-----	79.57	36.35	10.21	32.73	100	89	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																																																			
1	5855.00	50.04	110.80	-60.76	36.09	36.40	10.29	32.74	100	89	PEAK																																																																																																															
2	5873.13	50.90	105.72	-54.82	36.90	36.42	10.33	32.75	100	89	PEAK																																																																																																															
3	5924.00	51.84	69.03	-17.19	37.68	36.49	10.44	32.77	100	89	PEAK																																																																																																															
4	5932.88	53.96	68.30	-14.34	39.76	36.51	10.46	32.77	100	89	PEAK																																																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																																																			
1	1386.00	54.90	74.00	-19.10	56.28	29.42	4.13	34.93	100	89	PEAK																																																																																																															
2	5825.00	93.40	-----	-----	79.57	36.35	10.21	32.73	100	89	PEAK																																																																																																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>48.62</td> <td>54.00</td> <td>-5.38</td> <td>50.00</td> <td>29.42</td> <td>4.13</td> <td>34.93</td> <td>100</td> <td>89</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>5825.00</td> <td>85.74</td> <td>-----</td> <td>-----</td> <td>71.89</td> <td>36.35</td> <td>10.23</td> <td>32.73</td> <td>100</td> <td>89</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	1386.00	48.62	54.00	-5.38	50.00	29.42	4.13	34.93	100	89	AVERAGE	2	5825.00	85.74	-----	-----	71.89	36.35	10.23	32.73	100	89	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																																																			
1	1386.00	48.62	54.00	-5.38	50.00	29.42	4.13	34.93	100	89	AVERAGE																																																																																																															
2	5825.00	85.74	-----	-----	71.89	36.35	10.23	32.73	100	89	AVERAGE																																																																																																															



79																																																																									
Mode	Band Edge - L																																																																								
U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																									
ANT	CDD 0+1																																																																								
Pol.	Vertical																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5851.75</td> <td>62.70</td> <td>118.21</td> <td>-55.51</td> <td>48.76</td> <td>36.39</td> <td>10.29</td> <td>32.74</td> <td>269</td> <td>60</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5855.88</td> <td>58.13</td> <td>110.55</td> <td>-52.42</td> <td>44.18</td> <td>36.40</td> <td>10.29</td> <td>32.74</td> <td>269</td> <td>60</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.75</td> <td>51.52</td> <td>69.22</td> <td>-17.70</td> <td>37.36</td> <td>36.49</td> <td>10.44</td> <td>32.77</td> <td>269</td> <td>60</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5944.50</td> <td>53.33</td> <td>68.30</td> <td>-14.97</td> <td>39.11</td> <td>36.52</td> <td>10.48</td> <td>32.78</td> <td>269</td> <td>60</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5851.75	62.70	118.21	-55.51	48.76	36.39	10.29	32.74	269	60	PEAK	2	5855.88	58.13	110.55	-52.42	44.18	36.40	10.29	32.74	269	60	PEAK	3	5923.75	51.52	69.22	-17.70	37.36	36.49	10.44	32.77	269	60	PEAK	4	5944.50	53.33	68.30	-14.97	39.11	36.52	10.48	32.78	269	60	PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																		
1	5851.75	62.70	118.21	-55.51	48.76	36.39	10.29	32.74	269	60	PEAK																																																														
2	5855.88	58.13	110.55	-52.42	44.18	36.40	10.29	32.74	269	60	PEAK																																																														
3	5923.75	51.52	69.22	-17.70	37.36	36.49	10.44	32.77	269	60	PEAK																																																														
4	5944.50	53.33	68.30	-14.97	39.11	36.52	10.48	32.78	269	60	PEAK																																																														
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>52.48</td> <td>74.00</td> <td>-21.52</td> <td>53.86</td> <td>29.42</td> <td>4.13</td> <td>34.93</td> <td>269</td> <td>60</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5825.00</td> <td>106.65</td> <td>-----</td> <td>-----</td> <td>92.80</td> <td>36.35</td> <td>10.23</td> <td>32.73</td> <td>269</td> <td>60</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	1386.00	52.48	74.00	-21.52	53.86	29.42	4.13	34.93	269	60	PEAK	2	5825.00	106.65	-----	-----	92.80	36.35	10.23	32.73	269	60	PEAK																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																		
1	1386.00	52.48	74.00	-21.52	53.86	29.42	4.13	34.93	269	60	PEAK																																																														
2	5825.00	106.65	-----	-----	92.80	36.35	10.23	32.73	269	60	PEAK																																																														
Avg	Blank																																																																								
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>49.76</td> <td>54.00</td> <td>-4.24</td> <td>51.14</td> <td>29.42</td> <td>4.13</td> <td>34.93</td> <td>269</td> <td>60</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>5825.00</td> <td>99.78</td> <td>-----</td> <td>-----</td> <td>85.93</td> <td>36.35</td> <td>10.23</td> <td>32.73</td> <td>269</td> <td>60</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	1386.00	49.76	54.00	-4.24	51.14	29.42	4.13	34.93	269	60	AVERAGE	2	5825.00	99.78	-----	-----	85.93	36.35	10.23	32.73	269	60	AVERAGE																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																		
1	1386.00	49.76	54.00	-4.24	51.14	29.42	4.13	34.93	269	60	AVERAGE																																																														
2	5825.00	99.78	-----	-----	85.93	36.35	10.23	32.73	269	60	AVERAGE																																																														



Mode	79																																																																																																	
	Harmonic																																																																																																	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																	
ANT	CDD 0+1																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<p>Date: 2024-01-24</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>47.39</td> <td>74.00</td> <td>-26.61</td> <td>58.59</td> <td>39.26</td> <td>12.99</td> <td>63.45</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17475.00</td> <td>52.38</td> <td>68.30</td> <td>-15.92</td> <td>59.79</td> <td>42.12</td> <td>15.90</td> <td>65.43</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11650.00	47.39	74.00	-26.61	58.59	39.26	12.99	63.45	---	---	Peak	2	17475.00	52.38	68.30	-15.92	59.79	42.12	15.90	65.43	---	---	Peak	<p>Date: 2024-01-24</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>48.23</td> <td>74.00</td> <td>-25.77</td> <td>59.43</td> <td>39.26</td> <td>12.99</td> <td>63.45</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17475.00</td> <td>67.30</td> <td>68.30</td> <td>-1.00</td> <td>74.71</td> <td>42.12</td> <td>15.90</td> <td>65.43</td> <td>230</td> <td>199</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11650.00	48.23	74.00	-25.77	59.43	39.26	12.99	63.45	---	---	Peak	2	17475.00	67.30	68.30	-1.00	74.71	42.12	15.90	65.43	230	199	Peak
	Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	11650.00	47.39	74.00	-26.61	58.59	39.26	12.99	63.45	---	---	Peak																																																																																							
2	17475.00	52.38	68.30	-15.92	59.79	42.12	15.90	65.43	---	---	Peak																																																																																							
Limit	Read	Ant	Cable	Preamp	Apos	Tpos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	11650.00	48.23	74.00	-25.77	59.43	39.26	12.99	63.45	---	---	Peak																																																																																							
2	17475.00	67.30	68.30	-1.00	74.71	42.12	15.90	65.43	230	199	Peak																																																																																							



Mode	80																																																																																																																													
	Band Edge																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																																													
ANT	CDD 0+1																																																																																																																													
Pol.	Horizontal	Fundamental																																																																																																																												
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5620.45</td> <td>52.08</td> <td>68.30</td> <td>-16.22</td> <td>38.86</td> <td>36.07</td> <td>9.80</td> <td>32.65</td> <td>200</td> <td>166</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.03</td> <td>50.87</td> <td>68.32</td> <td>-17.45</td> <td>37.56</td> <td>36.11</td> <td>9.86</td> <td>32.66</td> <td>200</td> <td>166</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5704.26</td> <td>52.44</td> <td>106.39</td> <td>-53.95</td> <td>38.96</td> <td>36.19</td> <td>9.97</td> <td>32.68</td> <td>200</td> <td>166</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.06</td> <td>56.11</td> <td>110.94</td> <td>-54.83</td> <td>42.58</td> <td>36.21</td> <td>10.01</td> <td>32.69</td> <td>200</td> <td>166</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg		1	5620.45	52.08	68.30	-16.22	38.86	36.07	9.80	32.65	200	166	PEAK	2	5650.03	50.87	68.32	-17.45	37.56	36.11	9.86	32.66	200	166	PEAK	3	5704.26	52.44	106.39	-53.95	38.96	36.19	9.97	32.68	200	166	PEAK	4	5720.06	56.11	110.94	-54.83	42.58	36.21	10.01	32.69	200	166	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>54.69</td> <td>74.00</td> <td>-19.31</td> <td>56.07</td> <td>29.42</td> <td>4.13</td> <td>34.93</td> <td>200</td> <td>166</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5745.00</td> <td>93.12</td> <td>-----</td> <td>-----</td> <td>79.53</td> <td>36.24</td> <td>10.05</td> <td>32.70</td> <td>200</td> <td>166</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg		1	1386.00	54.69	74.00	-19.31	56.07	29.42	4.13	34.93	200	166	PEAK	2	5745.00	93.12	-----	-----	79.53	36.24	10.05	32.70	200	166	PEAK
	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5620.45	52.08	68.30	-16.22	38.86	36.07	9.80	32.65	200	166	PEAK																																																																																																																			
2	5650.03	50.87	68.32	-17.45	37.56	36.11	9.86	32.66	200	166	PEAK																																																																																																																			
3	5704.26	52.44	106.39	-53.95	38.96	36.19	9.97	32.68	200	166	PEAK																																																																																																																			
4	5720.06	56.11	110.94	-54.83	42.58	36.21	10.01	32.69	200	166	PEAK																																																																																																																			
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	1386.00	54.69	74.00	-19.31	56.07	29.42	4.13	34.93	200	166	PEAK																																																																																																																			
2	5745.00	93.12	-----	-----	79.53	36.24	10.05	32.70	200	166	PEAK																																																																																																																			
Avg	Blank	<table border="1"> <thead> <tr> <th>Avg</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1386.00</td> <td>48.82</td> <td>54.00</td> <td>-5.18</td> <td>50.20</td> <td>29.42</td> <td>4.13</td> <td>34.93</td> <td>200</td> <td>166</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>5745.00</td> <td>87.66</td> <td>-----</td> <td>-----</td> <td>74.06</td> <td>36.24</td> <td>10.06</td> <td>32.70</td> <td>200</td> <td>166</td> <td>AVERAGE</td> </tr> </tbody> </table>	Avg	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg		1	1386.00	48.82	54.00	-5.18	50.20	29.42	4.13	34.93	200	166	AVERAGE	2	5745.00	87.66	-----	-----	74.06	36.24	10.06	32.70	200	166	AVERAGE																																																																										
Avg	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	1386.00	48.82	54.00	-5.18	50.20	29.42	4.13	34.93	200	166	AVERAGE																																																																																																																			
2	5745.00	87.66	-----	-----	74.06	36.24	10.06	32.70	200	166	AVERAGE																																																																																																																			