

Report No.: SEWA2302000023RG04

Rev.: Page: 1 of 7

## **TEST REPORT**

SEWA2302000023RG **Application No.:** 

Applicant: Quectel Wireless Solutions Co., Ltd.

Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Address of Applicant:

Road, Minhang District, Shanghai, China 200233

Manufacturer: Quectel Wireless Solutions Co., Ltd.

Address of Manufacturer: Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin

Road, Minhang District, Shanghai, China 200233

**EUT Description:** Wi-Fi 6 & BLE Module

FCS960C Model No.: **Trade Mark:** Quectel

FCC ID: XMR2023FCS960C Standards: 47 CFR Part 2.1091

FCC KDB 447498 D01 v06

Date of Receipt: 2023/03/22 Date of Issue: 2023/04/11

**Test Result:** PASS\*

Authorized Signature:

Panta Sun Wireless Laboratory Manager



South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980

www.sgsgroup.com.cn

In the configuration tested, the EUT complied with the standards specified above.



Report No.: SEWA2302000023RG04

Rev.: 01 Page: 2 of 7

## Version

Revision Record								
Version	Chapter	Date	Modifier	Remark				
01		2023/04/11		Original				

Prepared By	Nick Hu			
	(Nick Hu) / Test Engineer			
Checked By	well wei'			
	(Well Wei) / Reviewer			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Felectronic Documents at http://www.sps.com/en/Terms-and-Conditions.frems-b-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document sadvised that information contained hereon reflects the Company's findings at the time of its intermiton only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. For one of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the Attention. To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 83071443, or email: CND Doccheck@sps.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980



Report No.: SEWA2302000023RG04

Rev.: 01 Page: 3 of 7

### **Contents**

1	Ve	ersion	2
		eneral Information	
		Client Information Test Facility	
	2.3	General Description of EUT	5
3	RF	Exposure Evaluation	6
	3.1	RF Exposure Compliance Requirement	6
		1.2 Test Procedure	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Fleetornic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. Government of the company, any unauthorized alteration, forgery or fatsification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CMD.Doccheck@sas.com

South of No. Florit, No. 1, Runsherg Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Pikol Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

e 215000 t (86–512) 62992980 i: 215000 t (86–512) 62992980

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWA2302000023RG04

Rev.: 01 Page: 4 of 7

#### 2 General Information

#### 2.1 Client Information

Applicant:	Quectel Wireless Solutions Co., Ltd.			
Address of Applicant:	Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District, Shanghai, China 200233			
Manufacturer:	Quectel Wireless Solutions Co., Ltd.			
Address of Manufacturer:	Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District, Shanghai, China 200233			

### 2.2 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

#### • A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

#### Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

### • FCC –Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an

accredited testing laboratory. Designation Number: CN1312.

Test Firm Registration Number: 717327





Report No.: SEWA2302000023RG04

Rev.: 01 Page: 5 of 7

### 2.3 General Description of EUT

suitability, reliability or/and integrity of the information.

EUT Description:	Wi-Fi 6 & BLI	Wi-Fi 6 & BLE Module						
Model No.:	FCS960C	FCS960C						
Trade Mark:	Quectel	Quectel						
Hardware Version:	R1.0	R1.0						
Software Version:	FCS960CAA	FCS960CAA						
Antenna Type:	External Ante	External Antenna						
	BLE:	0.73dBi (Ant1)	2.4G WIFI:	0.73dBi (Ant1)				
Antenna Gain:	Note:							
	The antenna gain are derived from the gain information report provided by the manufacturer.							
Remark:								
As above information is	s provided and co	onfirmed by the applicant.	SGS is not liable to	the accuracy,				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditio



Report No.: SEWA2302000023RG04

Rev.: 01 Page: 6 of 7

## 3 RF Exposure Evaluation

### 3.1 RF Exposure Compliance Requirement

#### **3.1.1 Limits**

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm2)	Averaging time (minutes)					
(A) Limits for Occupational/Controlled Exposures									
0.3-3.0 614 1.63 *(100) 6									
3.0-30	1842/f	4.89/f	*(900/f2)	6					
30-300	61.4	0.163	0.163 1.0						
300-1500	300-1500 /		f/300	6					
1500-100,000 /		/	5	6					
(B) Limits for General Population/Uncontrolled Exposure									
0.3-1.34	614	1.63	*(100)	30					
1.34-30	824/f	2.19/f *(180/f2)		30					
30-300	27.5	0.073	0.2	30					
300-1500	/	1	f/1500	30					
1500-100,000		1	1.0	30					

F=frequency in MHz

RF exposure compliance will need to be determined with respect to 1.1307(c) and (d) of the FCC rules. The emissions should be within the limits at 300kHz in Table 1 of 1.1310(use the 300kHz limits for 150kHz:614V/m,1.63A/m).

Friis Formula

Friis transmission formula: Pd = (Pout\*G)/(4\* Pi \* R<sup>2</sup>)

Where

Pd = power density in mW/cm2

Pout = output power to antenna in mW

G = gain of antenna in linear scale

Pi = 3.1416

R = distance between observation point and center of the radiator in cm

Pd id the limit of MPE, 1 mW/cm2. If we know the maximum gain of the antenna and the total power input to the antenna, through the calculation, we will know the distance r where the MPE limit is reached.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sg.sc.com/en/Terms-and-Conditions.aspx">http://www.sg.sc.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents as <a href="http://www.sg.sc.or/en/Terms-and-Conditions/Terms-and-Decument.aspx">http://www.sg.sc.or/en/Terms-and-Conditions/Terms-and-Decument.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn

<sup>=</sup>Plane-wave equivalent power density



Report No.: SEWA2302000023RG04

Rev.: 01 Page: 7 of 7

#### 3.1.2 Test Procedure

Software provided by client enabled the EUT to transmit data at lowest, middle and highest channel individually

### 3.1.3 EUT RF Exposure Evaluation

Output Power Into Antenna & RF Exposure Evaluation Distance:

This confirmed that the device comply with MPE limit.

Operating Band	Frequency (MHz)	Antenna Gain (dBi)	Max Conducte d Average Output Power (dBm)	EIRP(ERP ) (dBm)	EIRP(ERP ) Limit (dBm)	Power Density at R = 20 cm (mW/cm2)		Gain according to EIRP(ERP ) (dBi)	Gain according to Pd (dBi)	Allowed	conclusio n
BLE	2402.0	0.73	8.00	8.73	30.00	0.0015	1.0000		NA .		Pass
2.4G WiFi	2412.0	0.73	20.00	20.73	30.00	0.0235	1.0000				Pass

---End of Report---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/T