



Mode	38																																																																																									
	Band Edge - L																																																																																									
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full RU_5230MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.60</td> <td>52.56</td> <td>74.00</td> <td>-21.44</td> <td>44.26</td> <td>34.75</td> <td>10.65</td> <td>37.10</td> <td>0.00</td> <td>300</td> <td>267</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.60	52.56	74.00	-21.44	44.26	34.75	10.65	37.10	0.00	300	267	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>100.22</td> <td>-----</td> <td>-----</td> <td>91.67</td> <td>34.90</td> <td>10.74</td> <td>37.09</td> <td>0.00</td> <td>300</td> <td>267</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5230.00	100.22	-----	-----	91.67	34.90	10.74	37.09	0.00	300	267	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5149.60	52.56	74.00	-21.44	44.26	34.75	10.65	37.10	0.00	300	267	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5230.00	100.22	-----	-----	91.67	34.90	10.74	37.09	0.00	300	267	PEAK																																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.12</td> <td>39.94</td> <td>54.00</td> <td>-14.06</td> <td>31.64</td> <td>34.75</td> <td>10.65</td> <td>37.10</td> <td>0.00</td> <td>300</td> <td>267</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.12	39.94	54.00	-14.06	31.64	34.75	10.65	37.10	0.00	300	267	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>91.66</td> <td>-----</td> <td>-----</td> <td>83.12</td> <td>34.90</td> <td>10.73</td> <td>37.09</td> <td>0.00</td> <td>300</td> <td>267</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5230.00	91.66	-----	-----	83.12	34.90	10.73	37.09	0.00	300	267	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5149.12	39.94	54.00	-14.06	31.64	34.75	10.65	37.10	0.00	300	267	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5230.00	91.66	-----	-----	83.12	34.90	10.73	37.09	0.00	300	267	AVERAGE																																																																														



Mode	38																																												
	Band Edge - R																																												
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full RU_5230MHz																																												
ANT	1																																												
Pol.	Vertical	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5372.64</td> <td>48.40</td> <td>74.00</td> <td>-25.60</td> <td>39.64</td> <td>34.97</td> <td>10.86</td> <td>37.07</td> <td>0.00</td> <td>300</td> <td>267</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5372.64	48.40	74.00	-25.60	39.64	34.97	10.86	37.07	0.00	300	267	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5372.64	48.40	74.00	-25.60	39.64	34.97	10.86	37.07	0.00	300	267	PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5351.94</td> <td>37.78</td> <td>54.00</td> <td>-16.22</td> <td>29.06</td> <td>34.95</td> <td>10.84</td> <td>37.07</td> <td>0.00</td> <td>300</td> <td>267</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5351.94	37.78	54.00	-16.22	29.06	34.95	10.84	37.07	0.00	300	267	AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5351.94	37.78	54.00	-16.22	29.06	34.95	10.84	37.07	0.00	300	267	AVERAGE																																		



Mode	38																																																																																									
	Harmonic																																																																																									
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full RU_5230MHz																																																																																									
ANT	1																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak																																																																																										
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10460.00</td> <td>44.76</td> <td>68.20</td> <td>-23.44</td> <td>55.98</td> <td>37.43</td> <td>15.38</td> <td>64.03</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10460.00	44.76	68.20	-23.44	55.98	37.43	15.38	64.03	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10460.00</td> <td>45.46</td> <td>68.20</td> <td>-22.74</td> <td>56.70</td> <td>37.43</td> <td>15.37</td> <td>64.04</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10460.00	45.46	68.20	-22.74	56.70	37.43	15.37	64.04	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	10460.00	44.76	68.20	-23.44	55.98	37.43	15.38	64.03	0.00	---	---	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	10460.00	45.46	68.20	-22.74	56.70	37.43	15.37	64.04	0.00	---	---	PEAK																																																																														



Mode	39																																																																																							
	Band Edge - L																																																																																							
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz																																																																																							
ANT	1																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5143.64</td> <td>54.39</td> <td>74.00</td> <td>-19.61</td> <td>46.11</td> <td>34.73</td> <td>10.65</td> <td>37.10</td> <td>0.00</td> <td>100</td> <td>172 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5143.64	54.39	74.00	-19.61	46.11	34.73	10.65	37.10	0.00	100	172 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>108.61</td> <td>-----</td> <td>-----</td> <td>100.03</td> <td>34.90</td> <td>10.76</td> <td>37.08</td> <td>0.00</td> <td>100</td> <td>172 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5270.00	108.61	-----	-----	100.03	34.90	10.76	37.08	0.00	100	172 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5143.64	54.39	74.00	-19.61	46.11	34.73	10.65	37.10	0.00	100	172 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5270.00	108.61	-----	-----	100.03	34.90	10.76	37.08	0.00	100	172 PEAK																																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.58</td> <td>41.20</td> <td>54.00</td> <td>-12.80</td> <td>32.90</td> <td>34.75</td> <td>10.65</td> <td>37.10</td> <td>0.00</td> <td>100</td> <td>172 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.58	41.20	54.00	-12.80	32.90	34.75	10.65	37.10	0.00	100	172 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>99.84</td> <td>-----</td> <td>-----</td> <td>91.25</td> <td>34.90</td> <td>10.77</td> <td>37.08</td> <td>0.00</td> <td>100</td> <td>172 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5270.00	99.84	-----	-----	91.25	34.90	10.77	37.08	0.00	100	172 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5149.58	41.20	54.00	-12.80	32.90	34.75	10.65	37.10	0.00	100	172 AVERAGE																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5270.00	99.84	-----	-----	91.25	34.90	10.77	37.08	0.00	100	172 AVERAGE																																																																													



Mode	39																															
	Band Edge - R																															
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz																															
ANT	1																															
Pol.	Horizontal	Fundamental																														
Peak	<table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Over Level</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.18</td> <td>64.72</td> <td>74.00</td> <td>-9.28</td> <td>56.00</td> <td>34.95</td> <td>10.84</td> <td>37.07</td> <td>0.00</td> <td>100 172 PEAK</td> </tr> </tbody> </table>	Limit Freq	Over Level	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5350.18	64.72	74.00	-9.28	56.00	34.95	10.84	37.07	0.00	100 172 PEAK	Blank
Limit Freq	Over Level	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																							
1 5350.18	64.72	74.00	-9.28	56.00	34.95	10.84	37.07	0.00	100 172 PEAK																							
Avg	<table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Over Level</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.18</td> <td>48.35</td> <td>54.00</td> <td>-5.65</td> <td>39.63</td> <td>34.95</td> <td>10.84</td> <td>37.07</td> <td>0.00</td> <td>100 172 AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Over Level	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5350.18	48.35	54.00	-5.65	39.63	34.95	10.84	37.07	0.00	100 172 AVERAGE	Blank
Limit Freq	Over Level	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																							
1 5350.18	48.35	54.00	-5.65	39.63	34.95	10.84	37.07	0.00	100 172 AVERAGE																							



Mode	39																																																																																			
	Band Edge - L																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz																																																																																			
ANT	1																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5036.18</td> <td>50.73</td> <td>74.00</td> <td>-23.27</td> <td>42.91</td> <td>34.41</td> <td>10.53</td> <td>37.12</td> <td>0.00</td> <td>336</td> <td>268 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5036.18	50.73	74.00	-23.27	42.91	34.41	10.53	37.12	0.00	336	268 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5270.00</td> <td>104.14</td> <td>-----</td> <td>-----</td> <td>95.55</td> <td>34.90</td> <td>10.77</td> <td>37.08</td> <td>0.00</td> <td>336</td> <td>268 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5270.00	104.14	-----	-----	95.55	34.90	10.77	37.08	0.00	336	268 PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																											
1 5036.18	50.73	74.00	-23.27	42.91	34.41	10.53	37.12	0.00	336	268 PEAK																																																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																											
1 5270.00	104.14	-----	-----	95.55	34.90	10.77	37.08	0.00	336	268 PEAK																																																																										
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5147.15</td> <td>39.34</td> <td>54.00</td> <td>-14.66</td> <td>31.05</td> <td>34.74</td> <td>10.65</td> <td>37.10</td> <td>0.00</td> <td>336</td> <td>268 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5147.15	39.34	54.00	-14.66	31.05	34.74	10.65	37.10	0.00	336	268 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5270.00</td> <td>95.36</td> <td>-----</td> <td>-----</td> <td>86.78</td> <td>34.90</td> <td>10.76</td> <td>37.08</td> <td>0.00</td> <td>336</td> <td>268 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5270.00	95.36	-----	-----	86.78	34.90	10.76	37.08	0.00	336	268 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																											
1 5147.15	39.34	54.00	-14.66	31.05	34.74	10.65	37.10	0.00	336	268 AVERAGE																																																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																											
1 5270.00	95.36	-----	-----	86.78	34.90	10.76	37.08	0.00	336	268 AVERAGE																																																																										



<p>Mode</p>	<p>39</p>																																													
<p>Mode</p>	<p>Band Edge - R</p>																																													
<p>Mode</p>	<p>U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz</p>																																													
<p>ANT</p>	<p>1</p>																																													
<p>Pol.</p>	<p>Vertical</p>	<p>Fundamental</p>																																												
<p>Peak</p>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5357.40</td> <td>57.81</td> <td>74.00</td> <td>-16.19</td> <td>49.07</td> <td>34.96</td> <td>10.85</td> <td>37.07</td> <td>0.00</td> <td>336</td> <td>268</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5357.40	57.81	74.00	-16.19	49.07	34.96	10.85	37.07	0.00	336	268	PEAK	<p>Blank</p>
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5357.40	57.81	74.00	-16.19	49.07	34.96	10.85	37.07	0.00	336	268	PEAK																																		
<p>Avg</p>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.13</td> <td>44.10</td> <td>54.00</td> <td>-9.90</td> <td>35.38</td> <td>34.95</td> <td>10.84</td> <td>37.07</td> <td>0.00</td> <td>336</td> <td>268</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5351.13	44.10	54.00	-9.90	35.38	34.95	10.84	37.07	0.00	336	268	AVERAGE	<p>Blank</p>
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5351.13	44.10	54.00	-9.90	35.38	34.95	10.84	37.07	0.00	336	268	AVERAGE																																		



Mode	39																																																																																							
	Harmonic																																																																																							
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz																																																																																							
ANT	1																																																																																							
Pol.	Horizontal	Vertical																																																																																						
Peak																																																																																								
Avg																																																																																								
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10540.00</td> <td>44.57</td> <td>68.20</td> <td>-23.63</td> <td>55.66</td> <td>37.46</td> <td>15.42</td> <td>63.97</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10540.00	44.57	68.20	-23.63	55.66	37.46	15.42	63.97	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10540.00</td> <td>44.25</td> <td>68.20</td> <td>-23.95</td> <td>55.34</td> <td>37.46</td> <td>15.42</td> <td>63.97</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10540.00	44.25	68.20	-23.95	55.34	37.46	15.42	63.97	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 10540.00	44.57	68.20	-23.63	55.66	37.46	15.42	63.97	0.00	---	---	PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 10540.00	44.25	68.20	-23.95	55.34	37.46	15.42	63.97	0.00	---	---	PEAK																																																																													



Mode	40																																																																																									
	Band Edge - L																																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz																																																																																									
ANT	1																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5118.56</td> <td>50.49</td> <td>74.00</td> <td>-23.51</td> <td>42.32</td> <td>34.66</td> <td>10.62</td> <td>37.11</td> <td>0.00</td> <td>100</td> <td>172</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5118.56	50.49	74.00	-23.51	42.32	34.66	10.62	37.11	0.00	100	172	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>106.40</td> <td>-----</td> <td>-----</td> <td>97.77</td> <td>34.91</td> <td>10.80</td> <td>37.08</td> <td>0.00</td> <td>100</td> <td>172</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5310.00	106.40	-----	-----	97.77	34.91	10.80	37.08	0.00	100	172	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5118.56	50.49	74.00	-23.51	42.32	34.66	10.62	37.11	0.00	100	172	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5310.00	106.40	-----	-----	97.77	34.91	10.80	37.08	0.00	100	172	PEAK																																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5142.08</td> <td>39.36</td> <td>54.00</td> <td>-14.64</td> <td>31.08</td> <td>34.73</td> <td>10.65</td> <td>37.10</td> <td>0.00</td> <td>100</td> <td>172</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5142.08	39.36	54.00	-14.64	31.08	34.73	10.65	37.10	0.00	100	172	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>96.24</td> <td>-----</td> <td>-----</td> <td>87.61</td> <td>34.91</td> <td>10.80</td> <td>37.08</td> <td>0.00</td> <td>100</td> <td>172</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5310.00	96.24	-----	-----	87.61	34.91	10.80	37.08	0.00	100	172	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5142.08	39.36	54.00	-14.64	31.08	34.73	10.65	37.10	0.00	100	172	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5310.00	96.24	-----	-----	87.61	34.91	10.80	37.08	0.00	100	172	AVERAGE																																																																														



Mode	40																																												
	Band Edge - R																																												
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz																																												
ANT	1																																												
Pol.	Horizontal	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.20</td> <td>69.47</td> <td>74.00</td> <td>-4.53</td> <td>60.75</td> <td>34.95</td> <td>10.84</td> <td>37.07</td> <td>0.00</td> <td>100</td> <td>172</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5350.20	69.47	74.00	-4.53	60.75	34.95	10.84	37.07	0.00	100	172	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5350.20	69.47	74.00	-4.53	60.75	34.95	10.84	37.07	0.00	100	172	PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.10</td> <td>48.87</td> <td>54.00</td> <td>-5.13</td> <td>40.15</td> <td>34.95</td> <td>10.84</td> <td>37.07</td> <td>0.00</td> <td>100</td> <td>172</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5350.10	48.87	54.00	-5.13	40.15	34.95	10.84	37.07	0.00	100	172	AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5350.10	48.87	54.00	-5.13	40.15	34.95	10.84	37.07	0.00	100	172	AVERAGE																																		



Mode	40																																																																																	
	Band Edge - L																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz																																																																																	
ANT	1																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5132.56</td> <td>49.36</td> <td>74.00</td> <td>-24.64</td> <td>41.17</td> <td>34.67</td> <td>10.62</td> <td>37.10</td> <td>0.00</td> <td>264</td> <td>277</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5132.56	49.36	74.00	-24.64	41.17	34.67	10.62	37.10	0.00	264	277	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>99.02</td> <td>-----</td> <td>-----</td> <td>90.35</td> <td>34.93</td> <td>10.82</td> <td>37.08</td> <td>0.00</td> <td>264</td> <td>277</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5310.00	99.02	-----	-----	90.35	34.93	10.82	37.08	0.00	264	277	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5132.56	49.36	74.00	-24.64	41.17	34.67	10.62	37.10	0.00	264	277	PEAK																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5310.00	99.02	-----	-----	90.35	34.93	10.82	37.08	0.00	264	277	PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5134.40</td> <td>38.94</td> <td>54.00</td> <td>-15.06</td> <td>30.70</td> <td>34.70</td> <td>10.64</td> <td>37.10</td> <td>0.00</td> <td>264</td> <td>277</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5134.40	38.94	54.00	-15.06	30.70	34.70	10.64	37.10	0.00	264	277	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>90.12</td> <td>-----</td> <td>-----</td> <td>81.49</td> <td>34.91</td> <td>10.80</td> <td>37.08</td> <td>0.00</td> <td>264</td> <td>277</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5310.00	90.12	-----	-----	81.49	34.91	10.80	37.08	0.00	264	277	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5134.40	38.94	54.00	-15.06	30.70	34.70	10.64	37.10	0.00	264	277	AVERAGE																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5310.00	90.12	-----	-----	81.49	34.91	10.80	37.08	0.00	264	277	AVERAGE																																																																						



Mode	40																																													
	Band Edge - R																																													
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz																																													
ANT	1																																													
Pol.	Vertical	Fundamental																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5354.70</td> <td>62.45</td> <td>74.00</td> <td>-11.55</td> <td>53.73</td> <td>34.95</td> <td>10.84</td> <td>37.07</td> <td>0.00</td> <td>264</td> <td>277</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5354.70	62.45	74.00	-11.55	53.73	34.95	10.84	37.07	0.00	264	277	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5354.70	62.45	74.00	-11.55	53.73	34.95	10.84	37.07	0.00	264	277	PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.90</td> <td>43.13</td> <td>54.00</td> <td>-10.87</td> <td>34.41</td> <td>34.95</td> <td>10.84</td> <td>37.07</td> <td>0.00</td> <td>264</td> <td>277</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.90	43.13	54.00	-10.87	34.41	34.95	10.84	37.07	0.00	264	277	AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5350.90	43.13	54.00	-10.87	34.41	34.95	10.84	37.07	0.00	264	277	AVERAGE																																		



Mode	40																																																																																									
	Harmonic																																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz																																																																																									
ANT	1																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak																																																																																										
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10620.00</td> <td>44.52</td> <td>74.00</td> <td>-29.48</td> <td>55.39</td> <td>37.51</td> <td>15.49</td> <td>63.87</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10620.00	44.52	74.00	-29.48	55.39	37.51	15.49	63.87	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10620.00</td> <td>44.13</td> <td>74.00</td> <td>-29.87</td> <td>55.00</td> <td>37.51</td> <td>15.49</td> <td>63.87</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10620.00	44.13	74.00	-29.87	55.00	37.51	15.49	63.87	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	10620.00	44.52	74.00	-29.48	55.39	37.51	15.49	63.87	0.00	---	---	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	10620.00	44.13	74.00	-29.87	55.00	37.51	15.49	63.87	0.00	---	---	PEAK																																																																														







Mode	41																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal	Fundamental																																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5440.56</td> <td>54.86</td> <td>74.00</td> <td>-19.14</td> <td>46.06</td> <td>34.92</td> <td>10.94</td> <td>37.06</td> <td>0.00</td> <td>170</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>5465.84</td> <td>65.09</td> <td>68.20</td> <td>-3.11</td> <td>56.30</td> <td>34.87</td> <td>10.98</td> <td>37.06</td> <td>0.00</td> <td>170</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5440.56	54.86	74.00	-19.14	46.06	34.92	10.94	37.06	0.00	170	0 PEAK	2	5465.84	65.09	68.20	-3.11	56.30	34.87	10.98	37.06	0.00	170	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>107.10</td> <td>-----</td> <td>-----</td> <td>98.24</td> <td>34.87</td> <td>11.04</td> <td>37.05</td> <td>0.00</td> <td>170</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5510.00	107.10	-----	-----	98.24	34.87	11.04	37.05	0.00	170	0 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5440.56	54.86	74.00	-19.14	46.06	34.92	10.94	37.06	0.00	170	0 PEAK																																																																																									
2	5465.84	65.09	68.20	-3.11	56.30	34.87	10.98	37.06	0.00	170	0 PEAK																																																																																									
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5510.00	107.10	-----	-----	98.24	34.87	11.04	37.05	0.00	170	0 PEAK																																																																																									
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.44</td> <td>44.57</td> <td>54.00</td> <td>-9.43</td> <td>35.78</td> <td>34.88</td> <td>10.97</td> <td>37.06</td> <td>0.00</td> <td>170</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.44	44.57	54.00	-9.43	35.78	34.88	10.97	37.06	0.00	170	0 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>97.59</td> <td>-----</td> <td>-----</td> <td>88.66</td> <td>34.92</td> <td>11.06</td> <td>37.05</td> <td>0.00</td> <td>170</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5510.00	97.59	-----	-----	88.66	34.92	11.06	37.05	0.00	170	0 AVERAGE												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5459.44	44.57	54.00	-9.43	35.78	34.88	10.97	37.06	0.00	170	0 AVERAGE																																																																																									
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5510.00	97.59	-----	-----	88.66	34.92	11.06	37.05	0.00	170	0 AVERAGE																																																																																									



Mode	41																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																													
ANT	1																																													
Pol.	Horizontal	Fundamental																																												
Peak	<p>5G U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5727.16</td> <td>51.34</td> <td>68.20</td> <td>-16.86</td> <td>41.81</td> <td>35.35</td> <td>11.33</td> <td>37.15</td> <td>0.00</td> <td>170</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5727.16	51.34	68.20	-16.86	41.81	35.35	11.33	37.15	0.00	170	0	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5727.16	51.34	68.20	-16.86	41.81	35.35	11.33	37.15	0.00	170	0	PEAK																																		



Mode	41																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Vertical	Fundamental																																																																																																					
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.76</td> <td>53.93</td> <td>74.00</td> <td>-20.07</td> <td>45.14</td> <td>34.88</td> <td>10.97</td> <td>37.06</td> <td>0.00</td> <td>344</td> <td>266</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5462.48</td> <td>57.43</td> <td>68.20</td> <td>-10.77</td> <td>48.64</td> <td>34.88</td> <td>10.97</td> <td>37.06</td> <td>0.00</td> <td>344</td> <td>266</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.76	53.93	74.00	-20.07	45.14	34.88	10.97	37.06	0.00	344	266	PEAK	2	5462.48	57.43	68.20	-10.77	48.64	34.88	10.97	37.06	0.00	344	266	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>103.64</td> <td>-----</td> <td>-----</td> <td>94.78</td> <td>34.87</td> <td>11.04</td> <td>37.05</td> <td>0.00</td> <td>344</td> <td>266</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5510.00	103.64	-----	-----	94.78	34.87	11.04	37.05	0.00	344	266	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5459.76	53.93	74.00	-20.07	45.14	34.88	10.97	37.06	0.00	344	266	PEAK																																																																																											
2	5462.48	57.43	68.20	-10.77	48.64	34.88	10.97	37.06	0.00	344	266	PEAK																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5510.00	103.64	-----	-----	94.78	34.87	11.04	37.05	0.00	344	266	PEAK																																																																																											
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.44</td> <td>41.00</td> <td>54.00</td> <td>-13.00</td> <td>32.21</td> <td>34.88</td> <td>10.97</td> <td>37.06</td> <td>0.00</td> <td>344</td> <td>266</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.44	41.00	54.00	-13.00	32.21	34.88	10.97	37.06	0.00	344	266	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>94.35</td> <td>-----</td> <td>-----</td> <td>85.42</td> <td>34.92</td> <td>11.06</td> <td>37.05</td> <td>0.00</td> <td>344</td> <td>266</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5510.00	94.35	-----	-----	85.42	34.92	11.06	37.05	0.00	344	266	AVERAGE													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5459.44	41.00	54.00	-13.00	32.21	34.88	10.97	37.06	0.00	344	266	AVERAGE																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5510.00	94.35	-----	-----	85.42	34.92	11.06	37.05	0.00	344	266	AVERAGE																																																																																											



Mode	41																																												
	Band Edge - R																																												
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																												
ANT	1																																												
Pol.	Vertical	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5763.72</td> <td>49.62</td> <td>68.20</td> <td>-18.58</td> <td>40.00</td> <td>35.43</td> <td>11.39</td> <td>37.20</td> <td>0.00</td> <td>344</td> <td>266</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5763.72	49.62	68.20	-18.58	40.00	35.43	11.39	37.20	0.00	344	266	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5763.72	49.62	68.20	-18.58	40.00	35.43	11.39	37.20	0.00	344	266	PEAK																																	



Mode	41																																																																																											
	Harmonic																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak																																																																																												
Avg																																																																																												
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11020.00</td> <td>46.65</td> <td>74.00</td> <td>-27.35</td> <td>56.59</td> <td>37.72</td> <td>15.77</td> <td>63.43</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11020.00	46.65	74.00	-27.35	56.59	37.72	15.77	63.43	0.00									--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11020.00</td> <td>47.35</td> <td>74.00</td> <td>-26.65</td> <td>57.29</td> <td>37.72</td> <td>15.77</td> <td>63.43</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11020.00	47.35	74.00	-26.65	57.29	37.72	15.77	63.43	0.00									--- --- PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 11020.00	46.65	74.00	-27.35	56.59	37.72	15.77	63.43	0.00																																																																																				
								--- --- PEAK																																																																																				
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 11020.00	47.35	74.00	-26.65	57.29	37.72	15.77	63.43	0.00																																																																																				
								--- --- PEAK																																																																																				







Mode	42																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.40</td> <td>50.00</td> <td>74.00</td> <td>-24.00</td> <td>41.21</td> <td>34.89</td> <td>10.96</td> <td>37.06</td> <td>0.00</td> <td>110</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5466.00</td> <td>50.97</td> <td>68.20</td> <td>-17.23</td> <td>42.18</td> <td>34.87</td> <td>10.98</td> <td>37.06</td> <td>0.00</td> <td>110</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5457.40	50.00	74.00	-24.00	41.21	34.89	10.96	37.06	0.00	110	360	PEAK	2	5466.00	50.97	68.20	-17.23	42.18	34.87	10.98	37.06	0.00	110	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>107.65</td> <td>-----</td> <td>-----</td> <td>98.55</td> <td>35.04</td> <td>11.10</td> <td>37.04</td> <td>0.00</td> <td>110</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5550.00	107.65	-----	-----	98.55	35.04	11.10	37.04	0.00	110	360	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5457.40	50.00	74.00	-24.00	41.21	34.89	10.96	37.06	0.00	110	360	PEAK																																																																																											
2	5466.00	50.97	68.20	-17.23	42.18	34.87	10.98	37.06	0.00	110	360	PEAK																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5550.00	107.65	-----	-----	98.55	35.04	11.10	37.04	0.00	110	360	PEAK																																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.80</td> <td>39.47</td> <td>54.00</td> <td>-14.53</td> <td>30.68</td> <td>34.88</td> <td>10.97</td> <td>37.06</td> <td>0.00</td> <td>110</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.80	39.47	54.00	-14.53	30.68	34.88	10.97	37.06	0.00	110	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>98.58</td> <td>-----</td> <td>-----</td> <td>89.45</td> <td>35.06</td> <td>11.11</td> <td>37.04</td> <td>0.00</td> <td>110</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5550.00	98.58	-----	-----	89.45	35.06	11.11	37.04	0.00	110	360	AVERAGE													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5459.80	39.47	54.00	-14.53	30.68	34.88	10.97	37.06	0.00	110	360	AVERAGE																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5550.00	98.58	-----	-----	89.45	35.06	11.11	37.04	0.00	110	360	AVERAGE																																																																																											



Mode	42																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																									
ANT	1																																									
Pol.	Horizontal	Fundamental																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5759.20</td> <td>50.82</td> <td>68.20</td> <td>-17.38</td> <td>41.22</td> <td>35.42</td> <td>11.38</td> <td>37.20</td> <td>0.00</td> <td>110</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5759.20	50.82	68.20	-17.38	41.22	35.42	11.38	37.20	0.00	110	360	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																		
1	5759.20	50.82	68.20	-17.38	41.22	35.42	11.38	37.20	0.00	110	360	PEAK																														



Mode	42																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Vertical	Fundamental																																																																																																					
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5452.60</td> <td>49.70</td> <td>74.00</td> <td>-24.30</td> <td>40.91</td> <td>34.89</td> <td>10.96</td> <td>37.06</td> <td>0.00</td> <td>322</td> <td>268</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.80</td> <td>47.89</td> <td>68.20</td> <td>-20.31</td> <td>39.10</td> <td>34.86</td> <td>10.98</td> <td>37.05</td> <td>0.00</td> <td>322</td> <td>268</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5452.60	49.70	74.00	-24.30	40.91	34.89	10.96	37.06	0.00	322	268	PEAK	2	5469.80	47.89	68.20	-20.31	39.10	34.86	10.98	37.05	0.00	322	268	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>105.92</td> <td>-----</td> <td>-----</td> <td>96.82</td> <td>35.04</td> <td>11.10</td> <td>37.04</td> <td>0.00</td> <td>322</td> <td>268</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5550.00	105.92	-----	-----	96.82	35.04	11.10	37.04	0.00	322	268	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5452.60	49.70	74.00	-24.30	40.91	34.89	10.96	37.06	0.00	322	268	PEAK																																																																																											
2	5469.80	47.89	68.20	-20.31	39.10	34.86	10.98	37.05	0.00	322	268	PEAK																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5550.00	105.92	-----	-----	96.82	35.04	11.10	37.04	0.00	322	268	PEAK																																																																																											
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.60</td> <td>37.88</td> <td>54.00</td> <td>-16.12</td> <td>29.09</td> <td>34.88</td> <td>10.97</td> <td>37.06</td> <td>0.00</td> <td>322</td> <td>268</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.60	37.88	54.00	-16.12	29.09	34.88	10.97	37.06	0.00	322	268	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>95.70</td> <td>-----</td> <td>-----</td> <td>86.57</td> <td>35.06</td> <td>11.11</td> <td>37.04</td> <td>0.00</td> <td>322</td> <td>268</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5550.00	95.70	-----	-----	86.57	35.06	11.11	37.04	0.00	322	268	AVERAGE													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5459.60	37.88	54.00	-16.12	29.09	34.88	10.97	37.06	0.00	322	268	AVERAGE																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5550.00	95.70	-----	-----	86.57	35.06	11.11	37.04	0.00	322	268	AVERAGE																																																																																											







Mode	42																																																																
	Band Edge - R																																																																
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																																																
ANT	1																																																																
Pol.	Vertical	Fundamental																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5756.83</td> <td>49.25</td> <td>68.20</td> <td>-18.95</td> <td>39.65</td> <td>35.41</td> <td>11.38</td> <td>37.19</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>322</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>268</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5756.83	49.25	68.20	-18.95	39.65	35.41	11.38	37.19								0.00	322									268									PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																									
1	5756.83	49.25	68.20	-18.95	39.65	35.41	11.38	37.19																																																									
							0.00	322																																																									
								268																																																									
								PEAK																																																									



Mode	42																																																																																	
	Harmonic																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak																																																																																		
Avg																																																																																		
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 11100.00</td> <td>47.17</td> <td>74.00</td> <td>-26.83</td> <td>56.86</td> <td>37.82</td> <td>15.83</td> <td>63.34</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 11100.00	47.17	74.00	-26.83	56.86	37.82	15.83	63.34	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 11100.00</td> <td>47.76</td> <td>74.00</td> <td>-26.24</td> <td>57.45</td> <td>37.82</td> <td>15.83</td> <td>63.34</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 11100.00	47.76	74.00	-26.24	57.45	37.82	15.83	63.34	0.00	--- --- PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																									
1 11100.00	47.17	74.00	-26.83	56.86	37.82	15.83	63.34	0.00	--- --- PEAK																																																																									
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																									
1 11100.00	47.76	74.00	-26.24	57.45	37.82	15.83	63.34	0.00	--- --- PEAK																																																																									







Mode	43																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																					
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.16</td> <td>49.20</td> <td>74.00</td> <td>-24.80</td> <td>40.41</td> <td>34.88</td> <td>10.97</td> <td>37.06</td> <td>0.00</td> <td>102</td> <td>356</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.84</td> <td>47.67</td> <td>68.20</td> <td>-20.53</td> <td>38.88</td> <td>34.86</td> <td>10.98</td> <td>37.05</td> <td>0.00</td> <td>102</td> <td>356</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.16	49.20	74.00	-24.80	40.41	34.88	10.97	37.06	0.00	102	356	PEAK	2	5469.84	47.67	68.20	-20.53	38.88	34.86	10.98	37.05	0.00	102	356	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>107.35</td> <td>-----</td> <td>-----</td> <td>97.91</td> <td>35.27</td> <td>11.25</td> <td>37.08</td> <td>0.00</td> <td>102</td> <td>356</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5670.00	107.35	-----	-----	97.91	35.27	11.25	37.08	0.00	102	356	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5458.16	49.20	74.00	-24.80	40.41	34.88	10.97	37.06	0.00	102	356	PEAK																																																																																											
2	5469.84	47.67	68.20	-20.53	38.88	34.86	10.98	37.05	0.00	102	356	PEAK																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5670.00	107.35	-----	-----	97.91	35.27	11.25	37.08	0.00	102	356	PEAK																																																																																											
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5453.68</td> <td>37.66</td> <td>54.00</td> <td>-16.34</td> <td>28.87</td> <td>34.89</td> <td>10.96</td> <td>37.06</td> <td>0.00</td> <td>102</td> <td>356</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5453.68	37.66	54.00	-16.34	28.87	34.89	10.96	37.06	0.00	102	356	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>97.12</td> <td>-----</td> <td>-----</td> <td>87.67</td> <td>35.28</td> <td>11.26</td> <td>37.09</td> <td>0.00</td> <td>102</td> <td>356</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5670.00	97.12	-----	-----	87.67	35.28	11.26	37.09	0.00	102	356	AVERAGE													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5453.68	37.66	54.00	-16.34	28.87	34.89	10.96	37.06	0.00	102	356	AVERAGE																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5670.00	97.12	-----	-----	87.67	35.28	11.26	37.09	0.00	102	356	AVERAGE																																																																																											



Mode	43																																												
	Band Edge - R																																												
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																												
ANT	1																																												
Pol.	Horizontal	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5733.48</td> <td>63.40</td> <td>68.20</td> <td>-4.80</td> <td>53.85</td> <td>35.37</td> <td>11.34</td> <td>37.16</td> <td>0.00</td> <td>102</td> <td>356</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5733.48	63.40	68.20	-4.80	53.85	35.37	11.34	37.16	0.00	102	356	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5733.48	63.40	68.20	-4.80	53.85	35.37	11.34	37.16	0.00	102	356	PEAK																																	



Mode	43																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Vertical	Fundamental																																																																																																					
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5361.20</td> <td>48.43</td> <td>74.00</td> <td>-25.57</td> <td>39.69</td> <td>34.96</td> <td>10.85</td> <td>37.07</td> <td>0.00</td> <td>378</td> <td>273</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5466.00</td> <td>47.23</td> <td>68.20</td> <td>-20.97</td> <td>38.44</td> <td>34.87</td> <td>10.98</td> <td>37.06</td> <td>0.00</td> <td>378</td> <td>273</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5361.20	48.43	74.00	-25.57	39.69	34.96	10.85	37.07	0.00	378	273	PEAK	2	5466.00	47.23	68.20	-20.97	38.44	34.87	10.98	37.06	0.00	378	273	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>105.33</td> <td>-----</td> <td>-----</td> <td>95.90</td> <td>35.25</td> <td>11.22</td> <td>37.04</td> <td>0.00</td> <td>378</td> <td>273</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5670.00	105.33	-----	-----	95.90	35.25	11.22	37.04	0.00	378	273	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5361.20	48.43	74.00	-25.57	39.69	34.96	10.85	37.07	0.00	378	273	PEAK																																																																																											
2	5466.00	47.23	68.20	-20.97	38.44	34.87	10.98	37.06	0.00	378	273	PEAK																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5670.00	105.33	-----	-----	95.90	35.25	11.22	37.04	0.00	378	273	PEAK																																																																																											
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.80</td> <td>37.45</td> <td>54.00</td> <td>-16.55</td> <td>28.66</td> <td>34.88</td> <td>10.97</td> <td>37.06</td> <td>0.00</td> <td>378</td> <td>273</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.80	37.45	54.00	-16.55	28.66	34.88	10.97	37.06	0.00	378	273	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>94.17</td> <td>-----</td> <td>-----</td> <td>84.74</td> <td>35.25</td> <td>11.22</td> <td>37.04</td> <td>0.00</td> <td>378</td> <td>273</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5670.00	94.17	-----	-----	84.74	35.25	11.22	37.04	0.00	378	273	AVERAGE													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5458.80	37.45	54.00	-16.55	28.66	34.88	10.97	37.06	0.00	378	273	AVERAGE																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5670.00	94.17	-----	-----	84.74	35.25	11.22	37.04	0.00	378	273	AVERAGE																																																																																											



Mode	43																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																													
ANT	1																																													
Pol.	Vertical	Fundamental																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.48</td> <td>58.17</td> <td>68.20</td> <td>-10.03</td> <td>48.64</td> <td>35.35</td> <td>11.33</td> <td>37.15</td> <td>0.00</td> <td>378</td> <td>273</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5725.48	58.17	68.20	-10.03	48.64	35.35	11.33	37.15	0.00	378	273	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5725.48	58.17	68.20	-10.03	48.64	35.35	11.33	37.15	0.00	378	273	PEAK																																		



Mode	43																																																																																							
	Harmonic																																																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																																																							
ANT	1																																																																																							
Pol.	Horizontal	Vertical																																																																																						
Peak																																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11340.00</td> <td>46.93</td> <td>74.00</td> <td>-27.07</td> <td>55.89</td> <td>38.11</td> <td>16.01</td> <td>63.08</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11340.00	46.93	74.00	-27.07	55.89	38.11	16.01	63.08	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11340.00</td> <td>47.44</td> <td>74.00</td> <td>-26.56</td> <td>56.40</td> <td>38.11</td> <td>16.01</td> <td>63.08</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11340.00	47.44	74.00	-26.56	56.40	38.11	16.01	63.08	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 11340.00	46.93	74.00	-27.07	55.89	38.11	16.01	63.08	0.00	---	---	PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 11340.00	47.44	74.00	-26.56	56.40	38.11	16.01	63.08	0.00	---	---	PEAK																																																																													



Mode	44																																																																																	
	Band Edge - L																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5142.08</td> <td>66.57</td> <td>74.00</td> <td>-7.43</td> <td>58.29</td> <td>34.73</td> <td>10.65</td> <td>37.10</td> <td>0.00</td> <td>176</td> <td>0</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5142.08	66.57	74.00	-7.43	58.29	34.73	10.65	37.10	0.00	176	0	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>102.53</td> <td>-----</td> <td>-----</td> <td>94.00</td> <td>34.90</td> <td>10.72</td> <td>37.09</td> <td>0.00</td> <td>176</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	102.53	-----	-----	94.00	34.90	10.72	37.09	0.00	176	0 PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5142.08	66.57	74.00	-7.43	58.29	34.73	10.65	37.10	0.00	176	0																																																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5210.00	102.53	-----	-----	94.00	34.90	10.72	37.09	0.00	176	0 PEAK																																																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5144.48</td> <td>48.76</td> <td>54.00</td> <td>-5.24</td> <td>40.48</td> <td>34.73</td> <td>10.65</td> <td>37.10</td> <td>0.00</td> <td>176</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.48	48.76	54.00	-5.24	40.48	34.73	10.65	37.10	0.00	176	0 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>92.86</td> <td>-----</td> <td>-----</td> <td>84.33</td> <td>34.90</td> <td>10.72</td> <td>37.09</td> <td>0.00</td> <td>176</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	92.86	-----	-----	84.33	34.90	10.72	37.09	0.00	176	0 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5144.48	48.76	54.00	-5.24	40.48	34.73	10.65	37.10	0.00	176	0 AVERAGE																																																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5210.00	92.86	-----	-----	84.33	34.90	10.72	37.09	0.00	176	0 AVERAGE																																																																							



Mode	44																																												
	Band Edge - R																																												
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																												
ANT	1																																												
Pol.	Horizontal	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5351.94</td> <td>52.02</td> <td>74.00</td> <td>-21.98</td> <td>43.30</td> <td>34.95</td> <td>10.84</td> <td>37.07</td> <td>0.00</td> <td>176</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5351.94	52.02	74.00	-21.98	43.30	34.95	10.84	37.07	0.00	176	0	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5351.94	52.02	74.00	-21.98	43.30	34.95	10.84	37.07	0.00	176	0	PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5352.48</td> <td>40.12</td> <td>54.00</td> <td>-13.88</td> <td>31.40</td> <td>34.95</td> <td>10.84</td> <td>37.07</td> <td>0.00</td> <td>176</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5352.48	40.12	54.00	-13.88	31.40	34.95	10.84	37.07	0.00	176	0	AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5352.48	40.12	54.00	-13.88	31.40	34.95	10.84	37.07	0.00	176	0	AVERAGE																																		



Mode	44																																																																																					
	Band Edge - L																																																																																					
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																																																																					
ANT	1																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5149.12</td> <td>61.01</td> <td>74.00</td> <td>-12.99</td> <td>52.71</td> <td>34.75</td> <td>10.65</td> <td>37.10</td> <td>0.00</td> <td>300</td> <td>56 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5149.12	61.01	74.00	-12.99	52.71	34.75	10.65	37.10	0.00	300	56 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5210.00</td> <td>94.71</td> <td>-----</td> <td>-----</td> <td>86.19</td> <td>34.90</td> <td>10.71</td> <td>37.09</td> <td>0.00</td> <td>300</td> <td>56 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5210.00	94.71	-----	-----	86.19	34.90	10.71	37.09	0.00	300	56 PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5149.12	61.01	74.00	-12.99	52.71	34.75	10.65	37.10	0.00	300	56 PEAK																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5210.00	94.71	-----	-----	86.19	34.90	10.71	37.09	0.00	300	56 PEAK																																																																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5140.32</td> <td>42.35</td> <td>54.00</td> <td>-11.65</td> <td>34.09</td> <td>34.72</td> <td>10.64</td> <td>37.10</td> <td>0.00</td> <td>300</td> <td>56 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5140.32	42.35	54.00	-11.65	34.09	34.72	10.64	37.10	0.00	300	56 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5210.00</td> <td>84.14</td> <td>-----</td> <td>-----</td> <td>75.61</td> <td>34.90</td> <td>10.72</td> <td>37.09</td> <td>0.00</td> <td>300</td> <td>56 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5210.00	84.14	-----	-----	75.61	34.90	10.72	37.09	0.00	300	56 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5140.32	42.35	54.00	-11.65	34.09	34.72	10.64	37.10	0.00	300	56 AVERAGE																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5210.00	84.14	-----	-----	75.61	34.90	10.72	37.09	0.00	300	56 AVERAGE																																																																												



Mode	44																																												
	Band Edge - R																																												
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																												
ANT	1																																												
Pol.	Vertical	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5364.36</td> <td>48.12</td> <td>74.00</td> <td>-25.88</td> <td>39.38</td> <td>34.96</td> <td>10.85</td> <td>37.07</td> <td>0.00</td> <td>300</td> <td>5G PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5364.36	48.12	74.00	-25.88	39.38	34.96	10.85	37.07	0.00	300	5G PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5364.36	48.12	74.00	-25.88	39.38	34.96	10.85	37.07	0.00	300	5G PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.50</td> <td>37.38</td> <td>54.00</td> <td>-16.62</td> <td>28.66</td> <td>34.95</td> <td>10.84</td> <td>37.07</td> <td>0.00</td> <td>300</td> <td>5G AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.50	37.38	54.00	-16.62	28.66	34.95	10.84	37.07	0.00	300	5G AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5350.50	37.38	54.00	-16.62	28.66	34.95	10.84	37.07	0.00	300	5G AVERAGE																																		



Mode	44																																																																																									
	Harmonic																																																																																									
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																																																																									
ANT	1																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak																																																																																										
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10420.00</td> <td>45.14</td> <td>68.20</td> <td>-23.06</td> <td>56.48</td> <td>37.41</td> <td>15.34</td> <td>64.09</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10420.00	45.14	68.20	-23.06	56.48	37.41	15.34	64.09	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10420.00</td> <td>44.95</td> <td>68.20</td> <td>-23.25</td> <td>56.27</td> <td>37.41</td> <td>15.35</td> <td>64.08</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10420.00	44.95	68.20	-23.25	56.27	37.41	15.35	64.08	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	10420.00	45.14	68.20	-23.06	56.48	37.41	15.34	64.09	0.00	---	---	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	10420.00	44.95	68.20	-23.25	56.27	37.41	15.35	64.08	0.00	---	---	PEAK																																																																														



Mode	45																																																																																					
	Band Edge - L																																																																																					
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																																																					
ANT	1																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5143.68</td> <td>51.40</td> <td>74.00</td> <td>-22.60</td> <td>43.12</td> <td>34.73</td> <td>10.65</td> <td>37.10</td> <td>0.00</td> <td>355</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.68	51.40	74.00	-22.60	43.12	34.73	10.65	37.10	0.00	355	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>101.70</td> <td>-----</td> <td>-----</td> <td>93.07</td> <td>34.91</td> <td>10.80</td> <td>37.08</td> <td>0.00</td> <td>355</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	101.70	-----	-----	93.07	34.91	10.80	37.08	0.00	355	360	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5143.68	51.40	74.00	-22.60	43.12	34.73	10.65	37.10	0.00	355	360	PEAK																																																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5290.00	101.70	-----	-----	93.07	34.91	10.80	37.08	0.00	355	360	PEAK																																																																										
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.48</td> <td>39.71</td> <td>54.00</td> <td>-14.29</td> <td>31.41</td> <td>34.75</td> <td>10.65</td> <td>37.10</td> <td>0.00</td> <td>355</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.48	39.71	54.00	-14.29	31.41	34.75	10.65	37.10	0.00	355	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>92.52</td> <td>-----</td> <td>-----</td> <td>83.92</td> <td>34.90</td> <td>10.78</td> <td>37.08</td> <td>0.00</td> <td>355</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	92.52	-----	-----	83.92	34.90	10.78	37.08	0.00	355	360	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5148.48	39.71	54.00	-14.29	31.41	34.75	10.65	37.10	0.00	355	360	AVERAGE																																																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5290.00	92.52	-----	-----	83.92	34.90	10.78	37.08	0.00	355	360	AVERAGE																																																																										



Mode	45																																													
	Band Edge - R																																													
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																													
ANT	1																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.60</td> <td>68.78</td> <td>74.00</td> <td>-5.22</td> <td>60.06</td> <td>34.95</td> <td>10.84</td> <td>37.07</td> <td>0.00</td> <td>355</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5350.60	68.78	74.00	-5.22	60.06	34.95	10.84	37.07	0.00	355	360	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1 5350.60	68.78	74.00	-5.22	60.06	34.95	10.84	37.07	0.00	355	360	PEAK																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5353.40</td> <td>49.16</td> <td>54.00</td> <td>-4.84</td> <td>40.44</td> <td>34.95</td> <td>10.84</td> <td>37.07</td> <td>0.00</td> <td>355</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5353.40	49.16	54.00	-4.84	40.44	34.95	10.84	37.07	0.00	355	360	AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1 5353.40	49.16	54.00	-4.84	40.44	34.95	10.84	37.07	0.00	355	360	AVERAGE																																			



Mode	45																																																																																						
	Band Edge - L																																																																																						
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																																																						
ANT	1																																																																																						
Pol.	Vertical	Fundamental																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5133.76</td> <td>50.07</td> <td>74.00</td> <td>-23.93</td> <td>41.83</td> <td>34.70</td> <td>10.64</td> <td>37.10</td> <td>0.00</td> <td>400</td> <td>283</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5133.76	50.07	74.00	-23.93	41.83	34.70	10.64	37.10	0.00	400	283	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>99.16</td> <td>-----</td> <td>90.56</td> <td>34.90</td> <td>10.78</td> <td>37.08</td> <td>0.00</td> <td>400</td> <td>283</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	99.16	-----	90.56	34.90	10.78	37.08	0.00	400	283	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5133.76	50.07	74.00	-23.93	41.83	34.70	10.64	37.10	0.00	400	283	PEAK																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5290.00	99.16	-----	90.56	34.90	10.78	37.08	0.00	400	283	PEAK																																																																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.92</td> <td>38.98</td> <td>54.00</td> <td>-15.02</td> <td>30.68</td> <td>34.75</td> <td>10.65</td> <td>37.10</td> <td>0.00</td> <td>400</td> <td>283</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.92	38.98	54.00	-15.02	30.68	34.75	10.65	37.10	0.00	400	283	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>89.28</td> <td>-----</td> <td>80.68</td> <td>34.90</td> <td>10.78</td> <td>37.08</td> <td>0.00</td> <td>400</td> <td>283</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	89.28	-----	80.68	34.90	10.78	37.08	0.00	400	283	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5149.92	38.98	54.00	-15.02	30.68	34.75	10.65	37.10	0.00	400	283	AVERAGE																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5290.00	89.28	-----	80.68	34.90	10.78	37.08	0.00	400	283	AVERAGE																																																																												



Mode	45																																									
	Band Edge - R																																									
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																									
ANT	1																																									
Pol.	Vertical	Fundamental																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 5357.10</td> <td>62.65</td> <td>74.00</td> <td>-11.35</td> <td>53.91</td> <td>34.96</td> <td>10.85</td> <td>37.07</td> <td>0.00</td> <td>400 283 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5357.10	62.65	74.00	-11.35	53.91	34.96	10.85	37.07	0.00	400 283 PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																	
1 5357.10	62.65	74.00	-11.35	53.91	34.96	10.85	37.07	0.00	400 283 PEAK																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 5371.10</td> <td>45.61</td> <td>54.00</td> <td>-8.39</td> <td>36.85</td> <td>34.97</td> <td>10.86</td> <td>37.07</td> <td>0.00</td> <td>400 283 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5371.10	45.61	54.00	-8.39	36.85	34.97	10.86	37.07	0.00	400 283 AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																	
1 5371.10	45.61	54.00	-8.39	36.85	34.97	10.86	37.07	0.00	400 283 AVERAGE																																	



Mode	45																																																																																								
	Harmonic																																																																																								
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																																																								
ANT	1																																																																																								
Pol.	Horizontal	Vertical																																																																																							
Peak Avg																																																																																									
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10580.00</td> <td>44.23</td> <td>68.20</td> <td>-23.97</td> <td>55.15</td> <td>37.50</td> <td>15.47</td> <td>63.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10580.00	44.23	68.20	-23.97	55.15	37.50	15.47	63.89	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10580.00</td> <td>43.70</td> <td>74.00</td> <td>-30.30</td> <td>54.60</td> <td>37.50</td> <td>15.48</td> <td>63.88</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10580.00	43.70	74.00	-30.30	54.60	37.50	15.48	63.88	0.00	---	---
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	10580.00	44.23	68.20	-23.97	55.15	37.50	15.47	63.89	0.00	---	---	PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	10580.00	43.70	74.00	-30.30	54.60	37.50	15.48	63.88	0.00	---	---	PEAK																																																																													







Mode	46																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_5530MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal	Fundamental																																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5454.00</td> <td>57.98</td> <td>74.00</td> <td>-16.02</td> <td>49.19</td> <td>34.89</td> <td>10.96</td> <td>37.06</td> <td>0.00</td> <td>101</td> <td>244</td> <td>PEAK</td> </tr> <tr> <td>2 5468.40</td> <td>59.46</td> <td>68.20</td> <td>-8.74</td> <td>50.67</td> <td>34.86</td> <td>10.98</td> <td>37.05</td> <td>0.00</td> <td>101</td> <td>244</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5454.00	57.98	74.00	-16.02	49.19	34.89	10.96	37.06	0.00	101	244	PEAK	2 5468.40	59.46	68.20	-8.74	50.67	34.86	10.98	37.05	0.00	101	244	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5530.00</td> <td>103.47</td> <td>-----</td> <td>-----</td> <td>94.37</td> <td>35.04</td> <td>11.10</td> <td>37.04</td> <td>0.00</td> <td>101</td> <td>244</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5530.00	103.47	-----	-----	94.37	35.04	11.10	37.04	0.00	101	244	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1 5454.00	57.98	74.00	-16.02	49.19	34.89	10.96	37.06	0.00	101	244	PEAK																																																																																									
2 5468.40	59.46	68.20	-8.74	50.67	34.86	10.98	37.05	0.00	101	244	PEAK																																																																																									
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1 5530.00	103.47	-----	-----	94.37	35.04	11.10	37.04	0.00	101	244	PEAK																																																																																									
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5456.72</td> <td>46.09</td> <td>54.00</td> <td>-7.91</td> <td>37.30</td> <td>34.89</td> <td>10.96</td> <td>37.06</td> <td>0.00</td> <td>101</td> <td>244</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5456.72	46.09	54.00	-7.91	37.30	34.89	10.96	37.06	0.00	101	244	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5530.00</td> <td>92.94</td> <td>-----</td> <td>-----</td> <td>83.81</td> <td>35.06</td> <td>11.11</td> <td>37.04</td> <td>0.00</td> <td>101</td> <td>244</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5530.00	92.94	-----	-----	83.81	35.06	11.11	37.04	0.00	101	244	AVERAGE												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1 5456.72	46.09	54.00	-7.91	37.30	34.89	10.96	37.06	0.00	101	244	AVERAGE																																																																																									
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1 5530.00	92.94	-----	-----	83.81	35.06	11.11	37.04	0.00	101	244	AVERAGE																																																																																									



Mode	46																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_5530MHz																																													
ANT	1																																													
Pol.	Horizontal	Fundamental																																												
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>5G U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.88</td> <td>50.00</td> <td>68.20</td> <td>-18.20</td> <td>40.43</td> <td>35.39</td> <td>11.36</td> <td>37.18</td> <td>0.00</td> <td>101</td> <td>244</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.88	50.00	68.20	-18.20	40.43	35.39	11.36	37.18	0.00	101	244	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5745.88	50.00	68.20	-18.20	40.43	35.39	11.36	37.18	0.00	101	244	PEAK																																		



Mode	46																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_5530MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Vertical	Fundamental																																																																																																					
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5438.80</td> <td>56.31</td> <td>74.00</td> <td>-17.69</td> <td>47.51</td> <td>34.92</td> <td>10.94</td> <td>37.06</td> <td>0.00</td> <td>321</td> <td>269</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5465.36</td> <td>59.06</td> <td>68.20</td> <td>-9.14</td> <td>50.28</td> <td>34.87</td> <td>10.97</td> <td>37.06</td> <td>0.00</td> <td>321</td> <td>269</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5438.80	56.31	74.00	-17.69	47.51	34.92	10.94	37.06	0.00	321	269	PEAK	2	5465.36	59.06	68.20	-9.14	50.28	34.87	10.97	37.06	0.00	321	269	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>100.78</td> <td>-----</td> <td>-----</td> <td>91.65</td> <td>35.06</td> <td>11.11</td> <td>37.04</td> <td>0.00</td> <td>321</td> <td>269</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	100.78	-----	-----	91.65	35.06	11.11	37.04	0.00	321	269	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5438.80	56.31	74.00	-17.69	47.51	34.92	10.94	37.06	0.00	321	269	PEAK																																																																																											
2	5465.36	59.06	68.20	-9.14	50.28	34.87	10.97	37.06	0.00	321	269	PEAK																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5530.00	100.78	-----	-----	91.65	35.06	11.11	37.04	0.00	321	269	PEAK																																																																																											
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5446.64</td> <td>43.30</td> <td>54.00</td> <td>-10.70</td> <td>34.50</td> <td>34.91</td> <td>10.95</td> <td>37.06</td> <td>0.00</td> <td>321</td> <td>269</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5446.64	43.30	54.00	-10.70	34.50	34.91	10.95	37.06	0.00	321	269	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>91.38</td> <td>-----</td> <td>-----</td> <td>82.25</td> <td>35.06</td> <td>11.11</td> <td>37.04</td> <td>0.00</td> <td>321</td> <td>269</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	91.38	-----	-----	82.25	35.06	11.11	37.04	0.00	321	269	AVERAGE													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5446.64	43.30	54.00	-10.70	34.50	34.91	10.95	37.06	0.00	321	269	AVERAGE																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5530.00	91.38	-----	-----	82.25	35.06	11.11	37.04	0.00	321	269	AVERAGE																																																																																											







Mode	46																																										
	Band Edge - R																																										
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_5530MHz																																										
ANT	1																																										
Pol.	Vertical	Fundamental																																									
Peak	<p>5G U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5738.36</td> <td>49.35</td> <td>68.20</td> <td>-18.85</td> <td>39.79</td> <td>35.38</td> <td>11.35</td> <td>37.17</td> <td>0.00</td> <td>321</td> <td>269</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5738.36	49.35	68.20	-18.85	39.79	35.38	11.35	37.17	0.00	321	269	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5738.36	49.35	68.20	-18.85	39.79	35.38	11.35	37.17	0.00	321	269	PEAK																															



Mode	46																																																																																	
	Harmonic																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_5530MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11060.00</td> <td>46.17</td> <td>74.00</td> <td>-27.83</td> <td>55.98</td> <td>37.77</td> <td>15.80</td> <td>63.38</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11060.00	46.17	74.00	-27.83	55.98	37.77	15.80	63.38	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11060.00</td> <td>46.22</td> <td>74.00</td> <td>-27.78</td> <td>56.03</td> <td>37.77</td> <td>15.80</td> <td>63.38</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11060.00	46.22	74.00	-27.78	56.03	37.77	15.80	63.38	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	11060.00	46.17	74.00	-27.83	55.98	37.77	15.80	63.38	0.00	---	---	PEAK																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	11060.00	46.22	74.00	-27.78	56.03	37.77	15.80	63.38	0.00	---	---	PEAK																																																																						







Mode	47																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_5610MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																					
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5430.00</td> <td>48.96</td> <td>74.00</td> <td>-25.04</td> <td>40.15</td> <td>34.94</td> <td>10.93</td> <td>37.06</td> <td>0.00</td> <td>101</td> <td>355</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.04</td> <td>49.36</td> <td>68.20</td> <td>-18.84</td> <td>40.57</td> <td>34.86</td> <td>10.98</td> <td>37.05</td> <td>0.00</td> <td>101</td> <td>355</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5430.00	48.96	74.00	-25.04	40.15	34.94	10.93	37.06	0.00	101	355	PEAK	2	5469.04	49.36	68.20	-18.84	40.57	34.86	10.98	37.05	0.00	101	355	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>105.98</td> <td>-----</td> <td>-----</td> <td>96.59</td> <td>35.23</td> <td>11.19</td> <td>37.03</td> <td>0.00</td> <td>101</td> <td>355</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	105.98	-----	-----	96.59	35.23	11.19	37.03	0.00	101	355	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5430.00	48.96	74.00	-25.04	40.15	34.94	10.93	37.06	0.00	101	355	PEAK																																																																																											
2	5469.04	49.36	68.20	-18.84	40.57	34.86	10.98	37.05	0.00	101	355	PEAK																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5610.00	105.98	-----	-----	96.59	35.23	11.19	37.03	0.00	101	355	PEAK																																																																																											
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.44</td> <td>39.13</td> <td>54.00</td> <td>-14.87</td> <td>30.34</td> <td>34.88</td> <td>10.97</td> <td>37.06</td> <td>0.00</td> <td>101</td> <td>355</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.44	39.13	54.00	-14.87	30.34	34.88	10.97	37.06	0.00	101	355	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>95.05</td> <td>-----</td> <td>-----</td> <td>85.64</td> <td>35.24</td> <td>11.21</td> <td>37.04</td> <td>0.00</td> <td>101</td> <td>355</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	95.05	-----	-----	85.64	35.24	11.21	37.04	0.00	101	355	AVERAGE													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5459.44	39.13	54.00	-14.87	30.34	34.88	10.97	37.06	0.00	101	355	AVERAGE																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5610.00	95.05	-----	-----	85.64	35.24	11.21	37.04	0.00	101	355	AVERAGE																																																																																											



Mode	47																																																																
	Band Edge - R																																																																
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_5610MHz																																																																
ANT	1																																																																
Pol.	Horizontal	Fundamental																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5739.72</td> <td>56.19</td> <td>68.20</td> <td>-12.01</td> <td>46.63</td> <td>35.38</td> <td>11.35</td> <td>37.17</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>101</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>355</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5739.72	56.19	68.20	-12.01	46.63	35.38	11.35	37.17								0.00	101									355									PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																									
1	5739.72	56.19	68.20	-12.01	46.63	35.38	11.35	37.17																																																									
							0.00	101																																																									
								355																																																									
								PEAK																																																									



Mode	47																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_5610MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Vertical	Fundamental																																																																																																					
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.96</td> <td>48.34</td> <td>74.00</td> <td>-25.66</td> <td>39.62</td> <td>34.95</td> <td>10.84</td> <td>37.07</td> <td>0.00</td> <td>328</td> <td>269</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.52</td> <td>49.20</td> <td>68.20</td> <td>-19.00</td> <td>40.41</td> <td>34.06</td> <td>10.98</td> <td>37.05</td> <td>0.00</td> <td>328</td> <td>269</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.96	48.34	74.00	-25.66	39.62	34.95	10.84	37.07	0.00	328	269	PEAK	2	5469.52	49.20	68.20	-19.00	40.41	34.06	10.98	37.05	0.00	328	269	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>103.77</td> <td>-----</td> <td>-----</td> <td>94.38</td> <td>35.23</td> <td>11.19</td> <td>37.03</td> <td>0.00</td> <td>328</td> <td>269</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	103.77	-----	-----	94.38	35.23	11.19	37.03	0.00	328	269	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5350.96	48.34	74.00	-25.66	39.62	34.95	10.84	37.07	0.00	328	269	PEAK																																																																																											
2	5469.52	49.20	68.20	-19.00	40.41	34.06	10.98	37.05	0.00	328	269	PEAK																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5610.00	103.77	-----	-----	94.38	35.23	11.19	37.03	0.00	328	269	PEAK																																																																																											
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.28</td> <td>38.26</td> <td>54.00</td> <td>-15.74</td> <td>29.47</td> <td>34.08</td> <td>10.97</td> <td>37.06</td> <td>0.00</td> <td>328</td> <td>269</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.28	38.26	54.00	-15.74	29.47	34.08	10.97	37.06	0.00	328	269	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>93.23</td> <td>-----</td> <td>-----</td> <td>83.82</td> <td>35.24</td> <td>11.20</td> <td>37.03</td> <td>0.00</td> <td>328</td> <td>269</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	93.23	-----	-----	83.82	35.24	11.20	37.03	0.00	328	269	AVERAGE													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5459.28	38.26	54.00	-15.74	29.47	34.08	10.97	37.06	0.00	328	269	AVERAGE																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5610.00	93.23	-----	-----	83.82	35.24	11.20	37.03	0.00	328	269	AVERAGE																																																																																											



Mode	47																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_5610MHz																																					
ANT	1																																					
Pol.	Vertical	Fundamental																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5726.12</td> <td>52.13</td> <td>68.20</td> <td>-16.07</td> <td>42.60</td> <td>35.35</td> <td>11.33</td> <td>37.15</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5726.12	52.13	68.20	-16.07	42.60	35.35	11.33	37.15	0.00	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																														
1 5726.12	52.13	68.20	-16.07	42.60	35.35	11.33	37.15	0.00																														



Mode	47																																																																																																					
	Harmonic																																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_5610MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak																																																																																																						
Avg																																																																																																						
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 11220.00</td> <td>46.58</td> <td>74.00</td> <td>-27.42</td> <td>55.91</td> <td>37.96</td> <td>15.92</td> <td>63.21</td> <td>0.00</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 11220.00	46.58	74.00	-27.42	55.91	37.96	15.92	63.21	0.00	---										--- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 11220.00</td> <td>47.80</td> <td>74.00</td> <td>-26.20</td> <td>57.13</td> <td>37.96</td> <td>15.92</td> <td>63.21</td> <td>0.00</td> <td>---</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 11220.00	47.80	74.00	-26.20	57.13	37.96	15.92	63.21	0.00	---										--- PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																													
1 11220.00	46.58	74.00	-27.42	55.91	37.96	15.92	63.21	0.00	---																																																																																													
									--- PEAK																																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																													
1 11220.00	47.80	74.00	-26.20	57.13	37.96	15.92	63.21	0.00	---																																																																																													
									--- PEAK																																																																																													



Mode	67																																																																																							
	Band Edge																																																																																							
	U-NII-2C_5.47-5.85_802.11ax HE20_CH136_5680MHz																																																																																							
ANT	1																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5728.76</td> <td>64.26</td> <td>68.20</td> <td>-3.94</td> <td>54.71</td> <td>35.36</td> <td>11.34</td> <td>37.15</td> <td>0.00</td> <td>114</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5728.76	64.26	68.20	-3.94	54.71	35.36	11.34	37.15	0.00	114	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5680.00</td> <td>109.62</td> <td>-----</td> <td>-----</td> <td>100.18</td> <td>35.27</td> <td>11.25</td> <td>37.08</td> <td>0.00</td> <td>114</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5680.00	109.62	-----	-----	100.18	35.27	11.25	37.08	0.00	114	0 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5728.76	64.26	68.20	-3.94	54.71	35.36	11.34	37.15	0.00	114	0 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5680.00	109.62	-----	-----	100.18	35.27	11.25	37.08	0.00	114	0 PEAK																																																																													
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5680.00</td> <td>100.69</td> <td>-----</td> <td>-----</td> <td>91.25</td> <td>35.27</td> <td>11.25</td> <td>37.08</td> <td>0.00</td> <td>114</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5680.00	100.69	-----	-----	91.25	35.27	11.25	37.08	0.00	114	0 AVERAGE																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5680.00	100.69	-----	-----	91.25	35.27	11.25	37.08	0.00	114	0 AVERAGE																																																																													






Mode	67																																																																																									
	Band Edge																																																																																									
	U-NII-2C_5.47-5.85_802.11ax HE20_CH136_5680MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5726.84</td> <td>60.15</td> <td>68.20</td> <td>-8.05</td> <td>50.62</td> <td>35.35</td> <td>11.33</td> <td>37.15</td> <td>0.00</td> <td>360</td> <td>262</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5726.84	60.15	68.20	-8.05	50.62	35.35	11.33	37.15	0.00	360	262	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5680.00</td> <td>107.37</td> <td>-----</td> <td>-----</td> <td>97.90</td> <td>35.29</td> <td>11.27</td> <td>37.09</td> <td>0.00</td> <td>360</td> <td>262</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5680.00	107.37	-----	-----	97.90	35.29	11.27	37.09	0.00	360	262	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5726.84	60.15	68.20	-8.05	50.62	35.35	11.33	37.15	0.00	360	262	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5680.00	107.37	-----	-----	97.90	35.29	11.27	37.09	0.00	360	262	PEAK																																																																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5680.00</td> <td>97.49</td> <td>-----</td> <td>-----</td> <td>88.05</td> <td>35.27</td> <td>11.25</td> <td>37.00</td> <td>0.00</td> <td>360</td> <td>262</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5680.00	97.49	-----	-----	88.05	35.27	11.25	37.00	0.00	360	262	AVERAGE																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5680.00	97.49	-----	-----	88.05	35.27	11.25	37.00	0.00	360	262	AVERAGE																																																																														



Mode	67																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-2C_5.47-5.85_802.11ax HE20_CH136_5680MHz																																																																																																																																													
ANT	1																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11360.00</td> <td>57.66</td> <td>74.00</td> <td>-16.34</td> <td>66.56</td> <td>38.13</td> <td>16.02</td> <td>63.05</td> <td>0.00</td> <td>101</td> <td>236</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11360.00</td> <td>47.79</td> <td>54.00</td> <td>-6.21</td> <td>56.69</td> <td>38.13</td> <td>16.02</td> <td>63.05</td> <td>0.00</td> <td>101</td> <td>236</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>17040.00</td> <td>52.49</td> <td>68.20</td> <td>-15.71</td> <td>54.36</td> <td>42.26</td> <td>20.01</td> <td>64.14</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11360.00	57.66	74.00	-16.34	66.56	38.13	16.02	63.05	0.00	101	236	PEAK	2	11360.00	47.79	54.00	-6.21	56.69	38.13	16.02	63.05	0.00	101	236	AVERAGE	3	17040.00	52.49	68.20	-15.71	54.36	42.26	20.01	64.14	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11360.00</td> <td>56.17</td> <td>74.00</td> <td>-17.83</td> <td>65.07</td> <td>38.13</td> <td>16.02</td> <td>63.05</td> <td>0.00</td> <td>300</td> <td>49</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11360.00</td> <td>46.72</td> <td>54.00</td> <td>-7.28</td> <td>55.62</td> <td>38.13</td> <td>16.02</td> <td>63.05</td> <td>0.00</td> <td>300</td> <td>49</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>17040.00</td> <td>52.58</td> <td>68.20</td> <td>-15.62</td> <td>54.45</td> <td>42.26</td> <td>20.01</td> <td>64.14</td> <td>0.00</td> <td>290</td> <td>293</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11360.00	56.17	74.00	-17.83	65.07	38.13	16.02	63.05	0.00	300	49	PEAK	2	11360.00	46.72	54.00	-7.28	55.62	38.13	16.02	63.05	0.00	300	49	AVERAGE	3	17040.00	52.58	68.20	-15.62	54.45	42.26	20.01	64.14	0.00	290	293	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	11360.00	57.66	74.00	-16.34	66.56	38.13	16.02	63.05	0.00	101	236	PEAK																																																																																																																																		
2	11360.00	47.79	54.00	-6.21	56.69	38.13	16.02	63.05	0.00	101	236	AVERAGE																																																																																																																																		
3	17040.00	52.49	68.20	-15.71	54.36	42.26	20.01	64.14	0.00	---	---	PEAK																																																																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	11360.00	56.17	74.00	-17.83	65.07	38.13	16.02	63.05	0.00	300	49	PEAK																																																																																																																																		
2	11360.00	46.72	54.00	-7.28	55.62	38.13	16.02	63.05	0.00	300	49	AVERAGE																																																																																																																																		
3	17040.00	52.58	68.20	-15.62	54.45	42.26	20.01	64.14	0.00	290	293	PEAK																																																																																																																																		



Mode	68																																																																														
	Band Edge																																																																														
	U-NII-2C_5.47-5.85_802.11a_CH136_5680MHz																																																																														
ANT	1																																																																														
Pol.	Horizontal	Fundamental																																																																													
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5729.80</td> <td>64.40</td> <td>68.20</td> <td>-3.80</td> <td>54.86</td> <td>35.36</td> <td>11.34</td> <td>37.16</td> <td>0.00</td> <td>265</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5729.80	64.40	68.20	-3.80	54.86	35.36	11.34	37.16	0.00	265	0 PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5680.00</td> <td>112.81</td> <td>-----</td> <td>103.34</td> <td>35.29</td> <td>11.27</td> <td>37.09</td> <td>0.00</td> <td>265</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5680.00	112.81	-----	103.34	35.29	11.27	37.09	0.00	265	0 PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																							
1	5729.80	64.40	68.20	-3.80	54.86	35.36	11.34	37.16	0.00	265	0 PEAK																																																																				
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																							
1	5680.00	112.81	-----	103.34	35.29	11.27	37.09	0.00	265	0 PEAK																																																																					
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5680.00</td> <td>103.31</td> <td>-----</td> <td>93.84</td> <td>35.29</td> <td>11.27</td> <td>37.09</td> <td>0.00</td> <td>265</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5680.00	103.31	-----	93.84	35.29	11.27	37.09	0.00	265	0 AVERAGE																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																							
1	5680.00	103.31	-----	93.84	35.29	11.27	37.09	0.00	265	0 AVERAGE																																																																					




Mode	68																																																																																									
	Band Edge																																																																																									
	U-NII-2C_5.47-5.85_802.11a_CH136_5680MHZ																																																																																									
ANT	1																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5728.28</td> <td>58.73</td> <td>68.20</td> <td>-9.47</td> <td>49.18</td> <td>35.36</td> <td>11.34</td> <td>37.15</td> <td>0.00</td> <td>377</td> <td>274</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5728.28	58.73	68.20	-9.47	49.18	35.36	11.34	37.15	0.00	377	274	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5680.00</td> <td>108.88</td> <td>-----</td> <td>-----</td> <td>99.43</td> <td>35.28</td> <td>11.26</td> <td>37.09</td> <td>0.00</td> <td>377</td> <td>274</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5680.00	108.88	-----	-----	99.43	35.28	11.26	37.09	0.00	377	274	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5728.28	58.73	68.20	-9.47	49.18	35.36	11.34	37.15	0.00	377	274	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5680.00	108.88	-----	-----	99.43	35.28	11.26	37.09	0.00	377	274	PEAK																																																																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5680.00</td> <td>100.16</td> <td>-----</td> <td>-----</td> <td>90.69</td> <td>35.29</td> <td>11.28</td> <td>37.10</td> <td>0.00</td> <td>377</td> <td>274</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5680.00	100.16	-----	-----	90.69	35.29	11.28	37.10	0.00	377	274	AVERAGE																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5680.00	100.16	-----	-----	90.69	35.29	11.28	37.10	0.00	377	274	AVERAGE																																																																														






Mode	68																																																																																																														
	Harmonic																																																																																																														
	U-NII-2C_5.47-5.85_802.11a_CH136_5680MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Horizontal	Vertical																																																																																																													
Peak Avg																																																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11360.00</td> <td>59.64</td> <td>74.00</td> <td>-14.36</td> <td>68.54</td> <td>38.13</td> <td>16.02</td> <td>63.05</td> <td>0.00</td> <td>100</td> <td>294 PEAK</td> </tr> <tr> <td>2</td> <td>11360.00</td> <td>49.48</td> <td>54.00</td> <td>-4.52</td> <td>58.38</td> <td>38.13</td> <td>16.02</td> <td>63.05</td> <td>0.00</td> <td>100</td> <td>294 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11360.00	59.64	74.00	-14.36	68.54	38.13	16.02	63.05	0.00	100	294 PEAK	2	11360.00	49.48	54.00	-4.52	58.38	38.13	16.02	63.05	0.00	100	294 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11360.40</td> <td>57.40</td> <td>74.00</td> <td>-16.60</td> <td>66.30</td> <td>38.13</td> <td>16.02</td> <td>63.05</td> <td>0.00</td> <td>300</td> <td>282 Peak</td> </tr> <tr> <td>2</td> <td>11360.40</td> <td>47.59</td> <td>54.00</td> <td>-6.41</td> <td>56.49</td> <td>38.13</td> <td>16.02</td> <td>63.05</td> <td>0.00</td> <td>300</td> <td>282 Average</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11360.40	57.40	74.00	-16.60	66.30	38.13	16.02	63.05	0.00	300	282 Peak	2	11360.40	47.59	54.00	-6.41	56.49	38.13	16.02	63.05	0.00	300
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	11360.00	59.64	74.00	-14.36	68.54	38.13	16.02	63.05	0.00	100	294 PEAK																																																																																																				
2	11360.00	49.48	54.00	-4.52	58.38	38.13	16.02	63.05	0.00	100	294 AVERAGE																																																																																																				
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	11360.40	57.40	74.00	-16.60	66.30	38.13	16.02	63.05	0.00	300	282 Peak																																																																																																				
2	11360.40	47.59	54.00	-6.41	56.49	38.13	16.02	63.05	0.00	300	282 Average																																																																																																				



Mode	41																																																																																																																																																											
	LF																																																																																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																																																																																																																																											
ANT	1																																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																																										
Peak QP	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit Line (dBuV/m)</th> <th>ReadAntenna Level (dBuV)</th> <th>Cable Loss Factor (dB/m)</th> <th>Preamp Loss Factor (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>30.00</td><td>21.87</td><td>-18.13</td><td>40.00</td><td>28.50</td><td>25.56</td><td>0.76</td><td>32.95</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>125.06</td><td>31.18</td><td>-12.32</td><td>43.50</td><td>44.61</td><td>17.65</td><td>1.66</td><td>32.74</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>197.81</td><td>31.06</td><td>-12.44</td><td>43.50</td><td>46.90</td><td>14.95</td><td>2.08</td><td>32.87</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>375.32</td><td>40.66</td><td>-5.34</td><td>46.00</td><td>49.93</td><td>21.01</td><td>2.88</td><td>33.16</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>593.57</td><td>41.63</td><td>-4.37</td><td>46.00</td><td>45.38</td><td>26.23</td><td>3.58</td><td>33.56</td><td>100</td><td>269 Peak</td></tr> <tr><td>6</td><td>979.63</td><td>32.73</td><td>-21.27</td><td>54.00</td><td>27.71</td><td>31.93</td><td>4.64</td><td>31.55</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Cable Loss Factor (dB/m)	Preamp Loss Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	30.00	21.87	-18.13	40.00	28.50	25.56	0.76	32.95	---	Peak	2	125.06	31.18	-12.32	43.50	44.61	17.65	1.66	32.74	---	Peak	3	197.81	31.06	-12.44	43.50	46.90	14.95	2.08	32.87	---	Peak	4	375.32	40.66	-5.34	46.00	49.93	21.01	2.88	33.16	---	Peak	5	593.57	41.63	-4.37	46.00	45.38	26.23	3.58	33.56	100	269 Peak	6	979.63	32.73	-21.27	54.00	27.71	31.93	4.64	31.55	---	Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit Line (dBuV/m)</th> <th>ReadAntenna Level (dBuV)</th> <th>Cable Loss Factor (dB/m)</th> <th>Preamp Loss Factor (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>30.00</td><td>27.00</td><td>-13.00</td><td>40.00</td><td>33.63</td><td>25.56</td><td>0.76</td><td>32.95</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>125.06</td><td>32.24</td><td>-11.26</td><td>43.50</td><td>45.67</td><td>17.65</td><td>1.66</td><td>32.74</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>197.81</td><td>30.87</td><td>-12.63</td><td>43.50</td><td>46.71</td><td>14.95</td><td>2.08</td><td>32.87</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>375.32</td><td>32.68</td><td>-13.32</td><td>46.00</td><td>41.95</td><td>21.01</td><td>2.88</td><td>33.16</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>593.57</td><td>39.48</td><td>-6.52</td><td>46.00</td><td>43.23</td><td>26.23</td><td>3.58</td><td>33.56</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>990.30</td><td>32.31</td><td>-21.69</td><td>54.00</td><td>28.35</td><td>30.70</td><td>4.67</td><td>31.41</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Cable Loss Factor (dB/m)	Preamp Loss Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	30.00	27.00	-13.00	40.00	33.63	25.56	0.76	32.95	---	Peak	2	125.06	32.24	-11.26	43.50	45.67	17.65	1.66	32.74	---	Peak	3	197.81	30.87	-12.63	43.50	46.71	14.95	2.08	32.87	---	Peak	4	375.32	32.68	-13.32	46.00	41.95	21.01	2.88	33.16	---	Peak	5	593.57	39.48	-6.52	46.00	43.23	26.23	3.58	33.56	---	Peak	6	990.30	32.31	-21.69	54.00	28.35	30.70	4.67	31.41	---	Peak
	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Cable Loss Factor (dB/m)	Preamp Loss Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																	
1	30.00	21.87	-18.13	40.00	28.50	25.56	0.76	32.95	---	Peak																																																																																																																																																		
2	125.06	31.18	-12.32	43.50	44.61	17.65	1.66	32.74	---	Peak																																																																																																																																																		
3	197.81	31.06	-12.44	43.50	46.90	14.95	2.08	32.87	---	Peak																																																																																																																																																		
4	375.32	40.66	-5.34	46.00	49.93	21.01	2.88	33.16	---	Peak																																																																																																																																																		
5	593.57	41.63	-4.37	46.00	45.38	26.23	3.58	33.56	100	269 Peak																																																																																																																																																		
6	979.63	32.73	-21.27	54.00	27.71	31.93	4.64	31.55	---	Peak																																																																																																																																																		
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Cable Loss Factor (dB/m)	Preamp Loss Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																		
1	30.00	27.00	-13.00	40.00	33.63	25.56	0.76	32.95	---	Peak																																																																																																																																																		
2	125.06	32.24	-11.26	43.50	45.67	17.65	1.66	32.74	---	Peak																																																																																																																																																		
3	197.81	30.87	-12.63	43.50	46.71	14.95	2.08	32.87	---	Peak																																																																																																																																																		
4	375.32	32.68	-13.32	46.00	41.95	21.01	2.88	33.16	---	Peak																																																																																																																																																		
5	593.57	39.48	-6.52	46.00	43.23	26.23	3.58	33.56	---	Peak																																																																																																																																																		
6	990.30	32.31	-21.69	54.00	28.35	30.70	4.67	31.41	---	Peak																																																																																																																																																		





Mode	48																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak	 <table border="1" data-bbox="263 1075 798 1254"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5639.20</td> <td>53.57</td> <td>68.20</td> <td>-14.63</td> <td>44.16</td> <td>35.24</td> <td>11.20</td> <td>37.03</td> <td>0.00</td> <td>321</td> <td>260</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5654.40</td> <td>56.19</td> <td>71.48</td> <td>-15.29</td> <td>46.76</td> <td>35.25</td> <td>11.23</td> <td>37.05</td> <td>0.00</td> <td>321</td> <td>260</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5719.20</td> <td>73.39</td> <td>110.68</td> <td>-37.29</td> <td>63.87</td> <td>35.34</td> <td>11.32</td> <td>37.14</td> <td>0.00</td> <td>321</td> <td>260</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.40</td> <td>75.80</td> <td>111.81</td> <td>-36.01</td> <td>66.28</td> <td>35.34</td> <td>11.32</td> <td>37.14</td> <td>0.00</td> <td>321</td> <td>260</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5639.20	53.57	68.20	-14.63	44.16	35.24	11.20	37.03	0.00	321	260	PEAK	2	5654.40	56.19	71.48	-15.29	46.76	35.25	11.23	37.05	0.00	321	260	PEAK	3	5719.20	73.39	110.68	-37.29	63.87	35.34	11.32	37.14	0.00	321	260	PEAK	4	5720.40	75.80	111.81	-36.01	66.28	35.34	11.32	37.14	0.00	321	260	PEAK	 <table border="1" data-bbox="901 1075 1436 1254"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>111.22</td> <td>-----</td> <td>-----</td> <td>101.66</td> <td>35.38</td> <td>11.35</td> <td>37.17</td> <td>0.00</td> <td>321</td> <td>260</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	111.22	-----	-----	101.66	35.38	11.35	37.17	0.00	321	260	PEAK
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5639.20	53.57	68.20	-14.63	44.16	35.24	11.20	37.03	0.00	321	260	PEAK																																																																																																											
2	5654.40	56.19	71.48	-15.29	46.76	35.25	11.23	37.05	0.00	321	260	PEAK																																																																																																											
3	5719.20	73.39	110.68	-37.29	63.87	35.34	11.32	37.14	0.00	321	260	PEAK																																																																																																											
4	5720.40	75.80	111.81	-36.01	66.28	35.34	11.32	37.14	0.00	321	260	PEAK																																																																																																											
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	111.22	-----	-----	101.66	35.38	11.35	37.17	0.00	321	260	PEAK																																																																																																											
Avg	Blank	 <table border="1" data-bbox="901 1769 1436 1926"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>101.71</td> <td>-----</td> <td>-----</td> <td>92.15</td> <td>35.38</td> <td>11.35</td> <td>37.17</td> <td>0.00</td> <td>321</td> <td>260</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	101.71	-----	-----	92.15	35.38	11.35	37.17	0.00	321	260	AVERAGE																																																																														
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	101.71	-----	-----	92.15	35.38	11.35	37.17	0.00	321	260	AVERAGE																																																																																																											



Mode	48																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Vertical	Fundamental																																																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5650.00</td> <td>55.18</td> <td>68.20</td> <td>-13.02</td> <td>45.75</td> <td>35.25</td> <td>11.22</td> <td>37.04</td> <td>0.00</td> <td>300</td> <td>259</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.00</td> <td>55.18</td> <td>68.20</td> <td>-13.02</td> <td>45.75</td> <td>35.25</td> <td>11.22</td> <td>37.04</td> <td>0.00</td> <td>300</td> <td>259</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5706.40</td> <td>71.06</td> <td>107.09</td> <td>-36.03</td> <td>61.57</td> <td>35.31</td> <td>11.30</td> <td>37.12</td> <td>0.00</td> <td>300</td> <td>259</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>72.88</td> <td>110.90</td> <td>-38.02</td> <td>63.36</td> <td>35.34</td> <td>11.32</td> <td>37.14</td> <td>0.00</td> <td>300</td> <td>259</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5650.00	55.18	68.20	-13.02	45.75	35.25	11.22	37.04	0.00	300	259	PEAK	2	5650.00	55.18	68.20	-13.02	45.75	35.25	11.22	37.04	0.00	300	259	PEAK	3	5706.40	71.06	107.09	-36.03	61.57	35.31	11.30	37.12	0.00	300	259	PEAK	4	5720.00	72.88	110.90	-38.02	63.36	35.34	11.32	37.14	0.00	300	259	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>110.52</td> <td>-----</td> <td>-----</td> <td>100.96</td> <td>35.38</td> <td>11.35</td> <td>37.17</td> <td>0.00</td> <td>300</td> <td>259</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	110.52	-----	-----	100.96	35.38	11.35	37.17	0.00	300	259	PEAK
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5650.00	55.18	68.20	-13.02	45.75	35.25	11.22	37.04	0.00	300	259	PEAK																																																																																																											
2	5650.00	55.18	68.20	-13.02	45.75	35.25	11.22	37.04	0.00	300	259	PEAK																																																																																																											
3	5706.40	71.06	107.09	-36.03	61.57	35.31	11.30	37.12	0.00	300	259	PEAK																																																																																																											
4	5720.00	72.88	110.90	-38.02	63.36	35.34	11.32	37.14	0.00	300	259	PEAK																																																																																																											
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	110.52	-----	-----	100.96	35.38	11.35	37.17	0.00	300	259	PEAK																																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>101.40</td> <td>-----</td> <td>-----</td> <td>91.91</td> <td>35.39</td> <td>11.36</td> <td>37.18</td> <td>0.00</td> <td>300</td> <td>259</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	101.40	-----	-----	91.91	35.39	11.36	37.18	0.00	300	259	AVERAGE																																																																														
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	101.40	-----	-----	91.91	35.39	11.36	37.18	0.00	300	259	AVERAGE																																																																																																											






Mode	48																																																																																																										
	Harmonic																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																										
ANT	1																																																																																																										
Pol.	Horizontal	Vertical																																																																																																									
Peak Avg																																																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>56.41</td> <td>74.00</td> <td>-17.59</td> <td>64.91</td> <td>38.29</td> <td>16.12</td> <td>62.91</td> <td>0.00</td> <td>100</td> <td>283 PEAK</td> </tr> <tr> <td>2 11490.00</td> <td>47.01</td> <td>54.00</td> <td>-6.99</td> <td>55.51</td> <td>38.29</td> <td>16.12</td> <td>62.91</td> <td>0.00</td> <td>100</td> <td>283 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11490.00	56.41	74.00	-17.59	64.91	38.29	16.12	62.91	0.00	100	283 PEAK	2 11490.00	47.01	54.00	-6.99	55.51	38.29	16.12	62.91	0.00	100	283 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>56.01</td> <td>74.00</td> <td>-17.99</td> <td>64.51</td> <td>38.29</td> <td>16.12</td> <td>62.91</td> <td>0.00</td> <td>100</td> <td>81 PEAK</td> </tr> <tr> <td>2 11490.00</td> <td>46.23</td> <td>54.00</td> <td>-7.77</td> <td>54.73</td> <td>38.29</td> <td>16.12</td> <td>62.91</td> <td>0.00</td> <td>100</td> <td>81 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11490.00	56.01	74.00	-17.99	64.51	38.29	16.12	62.91	0.00	100	81 PEAK	2 11490.00	46.23	54.00	-7.77	54.73	38.29	16.12	62.91	0.00	100
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1 11490.00	56.41	74.00	-17.59	64.91	38.29	16.12	62.91	0.00	100	283 PEAK																																																																																																	
2 11490.00	47.01	54.00	-6.99	55.51	38.29	16.12	62.91	0.00	100	283 AVERAGE																																																																																																	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1 11490.00	56.01	74.00	-17.99	64.51	38.29	16.12	62.91	0.00	100	81 PEAK																																																																																																	
2 11490.00	46.23	54.00	-7.77	54.73	38.29	16.12	62.91	0.00	100	81 AVERAGE																																																																																																	



Mode	49																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																			
ANT	1																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11570.00</td> <td>53.40</td> <td>74.00</td> <td>-20.60</td> <td>61.74</td> <td>38.38</td> <td>16.18</td> <td>62.90</td> <td>0.00</td> <td>100</td> <td>280</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11570.00</td> <td>43.53</td> <td>54.00</td> <td>-10.47</td> <td>51.86</td> <td>38.39</td> <td>16.18</td> <td>62.90</td> <td>0.00</td> <td>100</td> <td>280</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	53.40	74.00	-20.60	61.74	38.38	16.18	62.90	0.00	100	280	PEAK	2	11570.00	43.53	54.00	-10.47	51.86	38.39	16.18	62.90	0.00	100	280	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11570.00</td> <td>59.84</td> <td>74.00</td> <td>-14.16</td> <td>68.18</td> <td>38.38</td> <td>16.18</td> <td>62.90</td> <td>0.00</td> <td>100</td> <td>80</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11570.00</td> <td>50.41</td> <td>54.00</td> <td>-3.59</td> <td>58.75</td> <td>38.38</td> <td>16.18</td> <td>62.90</td> <td>0.00</td> <td>100</td> <td>80</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	59.84	74.00	-14.16	68.18	38.38	16.18	62.90	0.00	100	80	PEAK	2	11570.00	50.41	54.00	-3.59	58.75	38.38	16.18	62.90	0.00	100	80	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	11570.00	53.40	74.00	-20.60	61.74	38.38	16.18	62.90	0.00	100	280	PEAK																																																																																																								
2	11570.00	43.53	54.00	-10.47	51.86	38.39	16.18	62.90	0.00	100	280	AVERAGE																																																																																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	11570.00	59.84	74.00	-14.16	68.18	38.38	16.18	62.90	0.00	100	80	PEAK																																																																																																								
2	11570.00	50.41	54.00	-3.59	58.75	38.38	16.18	62.90	0.00	100	80	AVERAGE																																																																																																								



Mode	50																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>67.83</td> <td>111.36</td> <td>-43.53</td> <td>58.01</td> <td>35.66</td> <td>11.49</td> <td>37.33</td> <td>0.00</td> <td>101</td> <td>173</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5870.40</td> <td>68.17</td> <td>106.59</td> <td>-38.42</td> <td>58.28</td> <td>35.71</td> <td>11.51</td> <td>37.33</td> <td>0.00</td> <td>101</td> <td>173</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.00</td> <td>48.91</td> <td>68.94</td> <td>-20.03</td> <td>38.87</td> <td>35.80</td> <td>11.55</td> <td>37.31</td> <td>0.00</td> <td>101</td> <td>173</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5934.80</td> <td>50.90</td> <td>68.20</td> <td>-17.30</td> <td>40.85</td> <td>35.80</td> <td>11.56</td> <td>37.31</td> <td>0.00</td> <td>101</td> <td>173</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5854.80	67.83	111.36	-43.53	58.01	35.66	11.49	37.33	0.00	101	173	PEAK	2	5870.40	68.17	106.59	-38.42	58.28	35.71	11.51	37.33	0.00	101	173	PEAK	3	5924.00	48.91	68.94	-20.03	38.87	35.80	11.55	37.31	0.00	101	173	PEAK	4	5934.80	50.90	68.20	-17.30	40.85	35.80	11.56	37.31	0.00	101	173	PEAK	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>110.86</td> <td>-----</td> <td>-----</td> <td>101.10</td> <td>35.59</td> <td>11.47</td> <td>37.30</td> <td>0.00</td> <td>101</td> <td>173</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	110.86	-----	-----	101.10	35.59	11.47	37.30	0.00	101	173	PEAK
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5854.80	67.83	111.36	-43.53	58.01	35.66	11.49	37.33	0.00	101	173	PEAK																																																																																																											
2	5870.40	68.17	106.59	-38.42	58.28	35.71	11.51	37.33	0.00	101	173	PEAK																																																																																																											
3	5924.00	48.91	68.94	-20.03	38.87	35.80	11.55	37.31	0.00	101	173	PEAK																																																																																																											
4	5934.80	50.90	68.20	-17.30	40.85	35.80	11.56	37.31	0.00	101	173	PEAK																																																																																																											
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5825.00	110.86	-----	-----	101.10	35.59	11.47	37.30	0.00	101	173	PEAK																																																																																																											
Avg	Blank	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>101.59</td> <td>-----</td> <td>-----</td> <td>91.83</td> <td>35.59</td> <td>11.47</td> <td>37.30</td> <td>0.00</td> <td>101</td> <td>173</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	101.59	-----	-----	91.83	35.59	11.47	37.30	0.00	101	173	AVERAGE																																																																														
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5825.00	101.59	-----	-----	91.83	35.59	11.47	37.30	0.00	101	173	AVERAGE																																																																																																											



Mode	50																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Vertical	Fundamental																																																																																																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.40</td> <td>62.27</td> <td>112.27</td> <td>-50.00</td> <td>52.45</td> <td>35.66</td> <td>11.49</td> <td>37.33</td> <td>0.00</td> <td>313</td> <td>272</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5855.60</td> <td>60.10</td> <td>110.73</td> <td>-50.63</td> <td>50.27</td> <td>35.67</td> <td>11.49</td> <td>37.33</td> <td>0.00</td> <td>313</td> <td>272</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>48.05</td> <td>68.35</td> <td>-20.30</td> <td>38.01</td> <td>35.80</td> <td>11.55</td> <td>37.31</td> <td>0.00</td> <td>313</td> <td>272</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5930.40</td> <td>49.62</td> <td>68.20</td> <td>-18.58</td> <td>39.58</td> <td>35.80</td> <td>11.55</td> <td>37.31</td> <td>0.00</td> <td>313</td> <td>272</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	62.27	112.27	-50.00	52.45	35.66	11.49	37.33	0.00	313	272	PEAK	2	5855.60	60.10	110.73	-50.63	50.27	35.67	11.49	37.33	0.00	313	272	PEAK	3	5924.80	48.05	68.35	-20.30	38.01	35.80	11.55	37.31	0.00	313	272	PEAK	4	5930.40	49.62	68.20	-18.58	39.58	35.80	11.55	37.31	0.00	313	272	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>105.78</td> <td>-----</td> <td>-----</td> <td>96.03</td> <td>35.57</td> <td>11.47</td> <td>37.29</td> <td>0.00</td> <td>313</td> <td>272</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	105.78	-----	-----	96.03	35.57	11.47	37.29	0.00	313	272	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5854.40	62.27	112.27	-50.00	52.45	35.66	11.49	37.33	0.00	313	272	PEAK																																																																																																																			
2	5855.60	60.10	110.73	-50.63	50.27	35.67	11.49	37.33	0.00	313	272	PEAK																																																																																																																			
3	5924.80	48.05	68.35	-20.30	38.01	35.80	11.55	37.31	0.00	313	272	PEAK																																																																																																																			
4	5930.40	49.62	68.20	-18.58	39.58	35.80	11.55	37.31	0.00	313	272	PEAK																																																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	105.78	-----	-----	96.03	35.57	11.47	37.29	0.00	313	272	PEAK																																																																																																																			
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>96.26</td> <td>-----</td> <td>-----</td> <td>86.53</td> <td>35.55</td> <td>11.46</td> <td>37.28</td> <td>0.00</td> <td>313</td> <td>272</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	96.26	-----	-----	86.53	35.55	11.46	37.28	0.00	313	272	AVERAGE																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	96.26	-----	-----	86.53	35.55	11.46	37.28	0.00	313	272	AVERAGE																																																																																																																			



Mode	50																																																																																																																		
	Harmonic																																																																																																																		
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																		
ANT	1																																																																																																																		
Pol.	Horizontal	Vertical																																																																																																																	
Peak Avg																																																																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>52.61</td> <td>74.00</td> <td>-21.39</td> <td>60.80</td> <td>38.48</td> <td>16.23</td> <td>62.90</td> <td>0.00</td> <td>100</td> <td>325</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11650.00</td> <td>43.02</td> <td>54.00</td> <td>-10.98</td> <td>51.21</td> <td>38.48</td> <td>16.23</td> <td>62.90</td> <td>0.00</td> <td>100</td> <td>325</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	52.61	74.00	-21.39	60.80	38.48	16.23	62.90	0.00	100	325	PEAK	2	11650.00	43.02	54.00	-10.98	51.21	38.48	16.23	62.90	0.00	100	325	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>60.39</td> <td>74.00</td> <td>-13.61</td> <td>68.58</td> <td>38.48</td> <td>16.23</td> <td>62.90</td> <td>0.00</td> <td>100</td> <td>61</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11650.00</td> <td>50.69</td> <td>54.00</td> <td>-3.31</td> <td>58.88</td> <td>38.48</td> <td>16.23</td> <td>62.90</td> <td>0.00</td> <td>100</td> <td>61</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	60.39	74.00	-13.61	68.58	38.48	16.23	62.90	0.00	100	61	PEAK	2	11650.00	50.69	54.00	-3.31	58.88	38.48	16.23	62.90	0.00	100	61
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	11650.00	52.61	74.00	-21.39	60.80	38.48	16.23	62.90	0.00	100	325	PEAK																																																																																																							
2	11650.00	43.02	54.00	-10.98	51.21	38.48	16.23	62.90	0.00	100	325	AVERAGE																																																																																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	11650.00	60.39	74.00	-13.61	68.58	38.48	16.23	62.90	0.00	100	61	PEAK																																																																																																							
2	11650.00	50.69	54.00	-3.31	58.88	38.48	16.23	62.90	0.00	100	61	AVERAGE																																																																																																							



Mode	51																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_5745MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5648.80</td> <td>57.39</td> <td>68.20</td> <td>-10.81</td> <td>47.96</td> <td>35.25</td> <td>11.22</td> <td>37.04</td> <td>0.00</td> <td>111</td> <td>186</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5655.20</td> <td>62.38</td> <td>72.07</td> <td>-9.69</td> <td>52.94</td> <td>35.26</td> <td>11.23</td> <td>37.05</td> <td>0.00</td> <td>111</td> <td>186</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5719.60</td> <td>81.66</td> <td>110.79</td> <td>-29.13</td> <td>72.14</td> <td>35.34</td> <td>11.32</td> <td>37.14</td> <td>0.00</td> <td>111</td> <td>186</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>79.39</td> <td>110.90</td> <td>-31.51</td> <td>69.87</td> <td>35.34</td> <td>11.32</td> <td>37.14</td> <td>0.00</td> <td>111</td> <td>186</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5648.80	57.39	68.20	-10.81	47.96	35.25	11.22	37.04	0.00	111	186	PEAK	2	5655.20	62.38	72.07	-9.69	52.94	35.26	11.23	37.05	0.00	111	186	PEAK	3	5719.60	81.66	110.79	-29.13	72.14	35.34	11.32	37.14	0.00	111	186	PEAK	4	5720.00	79.39	110.90	-31.51	69.87	35.34	11.32	37.14	0.00	111	186	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>113.64</td> <td>104.08</td> <td>9.56</td> <td>104.08</td> <td>35.38</td> <td>11.35</td> <td>37.17</td> <td>0.00</td> <td>111</td> <td>186</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	113.64	104.08	9.56	104.08	35.38	11.35	37.17	0.00	111	186	PEAK
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5648.80	57.39	68.20	-10.81	47.96	35.25	11.22	37.04	0.00	111	186	PEAK																																																																																																											
2	5655.20	62.38	72.07	-9.69	52.94	35.26	11.23	37.05	0.00	111	186	PEAK																																																																																																											
3	5719.60	81.66	110.79	-29.13	72.14	35.34	11.32	37.14	0.00	111	186	PEAK																																																																																																											
4	5720.00	79.39	110.90	-31.51	69.87	35.34	11.32	37.14	0.00	111	186	PEAK																																																																																																											
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	113.64	104.08	9.56	104.08	35.38	11.35	37.17	0.00	111	186	PEAK																																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>104.12</td> <td>94.56</td> <td>9.56</td> <td>94.56</td> <td>35.38</td> <td>11.35</td> <td>37.17</td> <td>0.00</td> <td>111</td> <td>186</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	104.12	94.56	9.56	94.56	35.38	11.35	37.17	0.00	111	186	AVERAGE																																																																														
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	104.12	94.56	9.56	94.56	35.38	11.35	37.17	0.00	111	186	AVERAGE																																																																																																											



Mode	51																																																																																																																											
	Band Edge																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_5745MHz																																																																																																																											
ANT	1																																																																																																																											
Pol.	Vertical	Fundamental																																																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5646.40</td> <td>59.44</td> <td>68.20</td> <td>-8.76</td> <td>50.02</td> <td>35.25</td> <td>11.21</td> <td>37.04</td> <td>0.00</td> <td>320</td> <td>262 PEAK</td> </tr> <tr> <td>2</td> <td>5652.40</td> <td>58.05</td> <td>69.99</td> <td>-11.94</td> <td>48.63</td> <td>35.25</td> <td>11.22</td> <td>37.05</td> <td>0.00</td> <td>320</td> <td>262 PEAK</td> </tr> <tr> <td>3</td> <td>5720.00</td> <td>78.73</td> <td>110.90</td> <td>-32.17</td> <td>69.21</td> <td>35.34</td> <td>11.32</td> <td>37.14</td> <td>0.00</td> <td>320</td> <td>262 PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>78.73</td> <td>110.90</td> <td>-32.17</td> <td>69.21</td> <td>35.34</td> <td>11.32</td> <td>37.14</td> <td>0.00</td> <td>320</td> <td>262 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5646.40	59.44	68.20	-8.76	50.02	35.25	11.21	37.04	0.00	320	262 PEAK	2	5652.40	58.05	69.99	-11.94	48.63	35.25	11.22	37.05	0.00	320	262 PEAK	3	5720.00	78.73	110.90	-32.17	69.21	35.34	11.32	37.14	0.00	320	262 PEAK	4	5720.00	78.73	110.90	-32.17	69.21	35.34	11.32	37.14	0.00	320	262 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>110.71</td> <td>-----</td> <td>-----</td> <td>101.14</td> <td>35.39</td> <td>11.36</td> <td>37.18</td> <td>0.00</td> <td>320</td> <td>262 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	110.71	-----	-----	101.14	35.39	11.36	37.18	0.00	320	262 PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5646.40	59.44	68.20	-8.76	50.02	35.25	11.21	37.04	0.00	320	262 PEAK																																																																																																																	
2	5652.40	58.05	69.99	-11.94	48.63	35.25	11.22	37.05	0.00	320	262 PEAK																																																																																																																	
3	5720.00	78.73	110.90	-32.17	69.21	35.34	11.32	37.14	0.00	320	262 PEAK																																																																																																																	
4	5720.00	78.73	110.90	-32.17	69.21	35.34	11.32	37.14	0.00	320	262 PEAK																																																																																																																	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5745.00	110.71	-----	-----	101.14	35.39	11.36	37.18	0.00	320	262 PEAK																																																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>100.83</td> <td>-----</td> <td>-----</td> <td>91.27</td> <td>35.38</td> <td>11.35</td> <td>37.17</td> <td>0.00</td> <td>320</td> <td>262 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	100.83	-----	-----	91.27	35.38	11.35	37.17	0.00	320	262 AVERAGE																																																																															
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5745.00	100.83	-----	-----	91.27	35.38	11.35	37.17	0.00	320	262 AVERAGE																																																																																																																	






Mode	51																																																																																																											
	Harmonic																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_5745MHz																																																																																																											
ANT	1																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>52.75</td> <td>74.00</td> <td>-21.25</td> <td>61.25</td> <td>38.29</td> <td>16.12</td> <td>62.91</td> <td>0.00</td> <td>100</td> <td>280 PEAK</td> </tr> <tr> <td>2 11490.00</td> <td>43.37</td> <td>54.00</td> <td>-10.63</td> <td>51.87</td> <td>38.29</td> <td>16.12</td> <td>62.91</td> <td>0.00</td> <td>100</td> <td>280 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11490.00	52.75	74.00	-21.25	61.25	38.29	16.12	62.91	0.00	100	280 PEAK	2 11490.00	43.37	54.00	-10.63	51.87	38.29	16.12	62.91	0.00	100	280 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>56.44</td> <td>74.00</td> <td>-17.56</td> <td>64.94</td> <td>38.29</td> <td>16.12</td> <td>62.91</td> <td>0.00</td> <td>100</td> <td>72 PEAK</td> </tr> <tr> <td>2 11490.00</td> <td>46.86</td> <td>54.00</td> <td>-7.14</td> <td>55.36</td> <td>38.29</td> <td>16.12</td> <td>62.91</td> <td>0.00</td> <td>100</td> <td>72 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11490.00	56.44	74.00	-17.56	64.94	38.29	16.12	62.91	0.00	100	72 PEAK	2 11490.00	46.86	54.00	-7.14	55.36	38.29	16.12	62.91	0.00	100	72 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1 11490.00	52.75	74.00	-21.25	61.25	38.29	16.12	62.91	0.00	100	280 PEAK																																																																																																		
2 11490.00	43.37	54.00	-10.63	51.87	38.29	16.12	62.91	0.00	100	280 AVERAGE																																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1 11490.00	56.44	74.00	-17.56	64.94	38.29	16.12	62.91	0.00	100	72 PEAK																																																																																																		
2 11490.00	46.86	54.00	-7.14	55.36	38.29	16.12	62.91	0.00	100	72 AVERAGE																																																																																																		



Mode	52																																																																																																											
	Harmonic																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_5785MHz																																																																																																											
ANT	1																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>53.54</td> <td>74.00</td> <td>-20.46</td> <td>61.88</td> <td>38.38</td> <td>16.18</td> <td>62.90</td> <td>0.00</td> <td>100</td> <td>247 PEAK</td> </tr> <tr> <td>2 11570.00</td> <td>43.18</td> <td>54.00</td> <td>-10.82</td> <td>51.52</td> <td>38.38</td> <td>16.18</td> <td>62.90</td> <td>0.00</td> <td>100</td> <td>247 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11570.00	53.54	74.00	-20.46	61.88	38.38	16.18	62.90	0.00	100	247 PEAK	2 11570.00	43.18	54.00	-10.82	51.52	38.38	16.18	62.90	0.00	100	247 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>58.75</td> <td>74.00</td> <td>-15.25</td> <td>67.09</td> <td>38.38</td> <td>16.18</td> <td>62.90</td> <td>0.00</td> <td>100</td> <td>79 PEAK</td> </tr> <tr> <td>2 11570.00</td> <td>49.46</td> <td>54.00</td> <td>-4.54</td> <td>57.80</td> <td>38.38</td> <td>16.18</td> <td>62.90</td> <td>0.00</td> <td>100</td> <td>79 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11570.00	58.75	74.00	-15.25	67.09	38.38	16.18	62.90	0.00	100	79 PEAK	2 11570.00	49.46	54.00	-4.54	57.80	38.38	16.18	62.90	0.00	100	79 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1 11570.00	53.54	74.00	-20.46	61.88	38.38	16.18	62.90	0.00	100	247 PEAK																																																																																																		
2 11570.00	43.18	54.00	-10.82	51.52	38.38	16.18	62.90	0.00	100	247 AVERAGE																																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1 11570.00	58.75	74.00	-15.25	67.09	38.38	16.18	62.90	0.00	100	79 PEAK																																																																																																		
2 11570.00	49.46	54.00	-4.54	57.80	38.38	16.18	62.90	0.00	100	79 AVERAGE																																																																																																		



Mode	53																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>72.13</td> <td>111.36</td> <td>-39.23</td> <td>62.31</td> <td>35.66</td> <td>11.49</td> <td>37.33</td> <td>0.00</td> <td>104</td> <td>186</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5864.00</td> <td>74.35</td> <td>108.38</td> <td>-34.03</td> <td>64.49</td> <td>35.69</td> <td>11.50</td> <td>37.33</td> <td>0.00</td> <td>104</td> <td>186</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.40</td> <td>49.96</td> <td>68.64</td> <td>-18.68</td> <td>39.92</td> <td>35.80</td> <td>11.55</td> <td>37.31</td> <td>0.00</td> <td>104</td> <td>186</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5929.60</td> <td>51.10</td> <td>68.20</td> <td>-17.10</td> <td>41.06</td> <td>35.80</td> <td>11.55</td> <td>37.31</td> <td>0.00</td> <td>104</td> <td>186</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5854.80	72.13	111.36	-39.23	62.31	35.66	11.49	37.33	0.00	104	186	PEAK	2	5864.00	74.35	108.38	-34.03	64.49	35.69	11.50	37.33	0.00	104	186	PEAK	3	5924.40	49.96	68.64	-18.68	39.92	35.80	11.55	37.31	0.00	104	186	PEAK	4	5929.60	51.10	68.20	-17.10	41.06	35.80	11.55	37.31	0.00	104	186	PEAK	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>111.17</td> <td>111.17</td> <td>0.00</td> <td>101.44</td> <td>35.55</td> <td>11.46</td> <td>37.28</td> <td>0.00</td> <td>104</td> <td>186</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	111.17	111.17	0.00	101.44	35.55	11.46	37.28	0.00	104	186	PEAK
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5854.80	72.13	111.36	-39.23	62.31	35.66	11.49	37.33	0.00	104	186	PEAK																																																																																																											
2	5864.00	74.35	108.38	-34.03	64.49	35.69	11.50	37.33	0.00	104	186	PEAK																																																																																																											
3	5924.40	49.96	68.64	-18.68	39.92	35.80	11.55	37.31	0.00	104	186	PEAK																																																																																																											
4	5929.60	51.10	68.20	-17.10	41.06	35.80	11.55	37.31	0.00	104	186	PEAK																																																																																																											
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5825.00	111.17	111.17	0.00	101.44	35.55	11.46	37.28	0.00	104	186	PEAK																																																																																																											
Avg	Blank	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>102.15</td> <td>102.15</td> <td>0.00</td> <td>92.42</td> <td>35.55</td> <td>11.46</td> <td>37.28</td> <td>0.00</td> <td>104</td> <td>186</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	102.15	102.15	0.00	92.42	35.55	11.46	37.28	0.00	104	186	AVERAGE																																																																														
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5825.00	102.15	102.15	0.00	92.42	35.55	11.46	37.28	0.00	104	186	AVERAGE																																																																																																											



Mode	53																																																																																																																																
	Band Edge																																																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz																																																																																																																																
ANT	1																																																																																																																																
Pol.	Vertical	Fundamental																																																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.40</td> <td>67.02</td> <td>112.27</td> <td>-45.25</td> <td>57.20</td> <td>35.66</td> <td>11.49</td> <td>37.33</td> <td>0.00</td> <td>311</td> <td>289</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5857.20</td> <td>67.49</td> <td>110.28</td> <td>-42.79</td> <td>57.65</td> <td>35.67</td> <td>11.50</td> <td>37.33</td> <td>0.00</td> <td>311</td> <td>289</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5922.80</td> <td>48.80</td> <td>69.83</td> <td>-21.03</td> <td>38.76</td> <td>35.80</td> <td>11.55</td> <td>37.31</td> <td>0.00</td> <td>311</td> <td>289</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5932.80</td> <td>49.67</td> <td>68.20</td> <td>-18.53</td> <td>39.62</td> <td>35.80</td> <td>11.56</td> <td>37.31</td> <td>0.00</td> <td>311</td> <td>289</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	67.02	112.27	-45.25	57.20	35.66	11.49	37.33	0.00	311	289	PEAK	2	5857.20	67.49	110.28	-42.79	57.65	35.67	11.50	37.33	0.00	311	289	PEAK	3	5922.80	48.80	69.83	-21.03	38.76	35.80	11.55	37.31	0.00	311	289	PEAK	4	5932.80	49.67	68.20	-18.53	39.62	35.80	11.56	37.31	0.00	311	289	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>106.44</td> <td>-----</td> <td>-----</td> <td>96.68</td> <td>35.59</td> <td>11.47</td> <td>37.30</td> <td>0.00</td> <td>311</td> <td>289</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	106.44	-----	-----	96.68	35.59	11.47	37.30	0.00	311	289	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5854.40	67.02	112.27	-45.25	57.20	35.66	11.49	37.33	0.00	311	289	PEAK																																																																																																																					
2	5857.20	67.49	110.28	-42.79	57.65	35.67	11.50	37.33	0.00	311	289	PEAK																																																																																																																					
3	5922.80	48.80	69.83	-21.03	38.76	35.80	11.55	37.31	0.00	311	289	PEAK																																																																																																																					
4	5932.80	49.67	68.20	-18.53	39.62	35.80	11.56	37.31	0.00	311	289	PEAK																																																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5825.00	106.44	-----	-----	96.68	35.59	11.47	37.30	0.00	311	289	PEAK																																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>95.97</td> <td>-----</td> <td>-----</td> <td>86.24</td> <td>35.55</td> <td>11.46</td> <td>37.28</td> <td>0.00</td> <td>311</td> <td>289</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	95.97	-----	-----	86.24	35.55	11.46	37.28	0.00	311	289	AVERAGE																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5825.00	95.97	-----	-----	86.24	35.55	11.46	37.28	0.00	311	289	AVERAGE																																																																																																																					



Mode	53																																																																																																					
	Harmonic																																																																																																					
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg																																																																																																						
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>46.99</td> <td>74.00</td> <td>-27.01</td> <td>55.18</td> <td>38.48</td> <td>16.23</td> <td>62.90</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	46.99	74.00	-27.01	55.18	38.48	16.23	62.90	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>59.28</td> <td>74.00</td> <td>-14.72</td> <td>67.47</td> <td>38.48</td> <td>16.23</td> <td>62.90</td> <td>0.00</td> <td>101</td> <td>62</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11650.00</td> <td>50.22</td> <td>54.00</td> <td>-3.78</td> <td>58.41</td> <td>38.48</td> <td>16.23</td> <td>62.90</td> <td>0.00</td> <td>101</td> <td>62</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	59.28	74.00	-14.72	67.47	38.48	16.23	62.90	0.00	101	62	PEAK	2	11650.00	50.22	54.00	-3.78	58.41	38.48	16.23	62.90	0.00	101	62
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	11650.00	46.99	74.00	-27.01	55.18	38.48	16.23	62.90	0.00	---	---	PEAK																																																																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	11650.00	59.28	74.00	-14.72	67.47	38.48	16.23	62.90	0.00	101	62	PEAK																																																																																										
2	11650.00	50.22	54.00	-3.78	58.41	38.48	16.23	62.90	0.00	101	62	AVERAGE																																																																																										



Mode	54																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_5755MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5645.26</td> <td>62.20</td> <td>68.20</td> <td>-6.00</td> <td>52.78</td> <td>35.25</td> <td>11.21</td> <td>37.04</td> <td>0.00</td> <td>100</td> <td></td> <td>187 PEAK</td> </tr> <tr> <td>2</td> <td>5650.53</td> <td>62.67</td> <td>68.59</td> <td>-5.92</td> <td>53.24</td> <td>35.25</td> <td>11.22</td> <td>37.04</td> <td>0.00</td> <td>100</td> <td></td> <td>187 PEAK</td> </tr> <tr> <td>3</td> <td>5712.38</td> <td>83.74</td> <td>108.77</td> <td>-25.03</td> <td>74.24</td> <td>35.32</td> <td>11.31</td> <td>37.13</td> <td>0.00</td> <td>100</td> <td></td> <td>187 PEAK</td> </tr> <tr> <td>4</td> <td>5721.99</td> <td>83.26</td> <td>115.43</td> <td>-32.17</td> <td>73.73</td> <td>35.34</td> <td>11.33</td> <td>37.14</td> <td>0.00</td> <td>100</td> <td></td> <td>187 PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5645.26	62.20	68.20	-6.00	52.78	35.25	11.21	37.04	0.00	100		187 PEAK	2	5650.53	62.67	68.59	-5.92	53.24	35.25	11.22	37.04	0.00	100		187 PEAK	3	5712.38	83.74	108.77	-25.03	74.24	35.32	11.31	37.13	0.00	100		187 PEAK	4	5721.99	83.26	115.43	-32.17	73.73	35.34	11.33	37.14	0.00	100		187 PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>110.77</td> <td>-----</td> <td>-----</td> <td>101.20</td> <td>35.39</td> <td>11.36</td> <td>37.18</td> <td>0.00</td> <td>100</td> <td></td> <td>187 PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5755.00	110.77	-----	-----	101.20	35.39	11.36	37.18	0.00	100		187 PEAK
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5645.26	62.20	68.20	-6.00	52.78	35.25	11.21	37.04	0.00	100		187 PEAK																																																																																																											
2	5650.53	62.67	68.59	-5.92	53.24	35.25	11.22	37.04	0.00	100		187 PEAK																																																																																																											
3	5712.38	83.74	108.77	-25.03	74.24	35.32	11.31	37.13	0.00	100		187 PEAK																																																																																																											
4	5721.99	83.26	115.43	-32.17	73.73	35.34	11.33	37.14	0.00	100		187 PEAK																																																																																																											
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5755.00	110.77	-----	-----	101.20	35.39	11.36	37.18	0.00	100		187 PEAK																																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>99.62</td> <td>-----</td> <td>-----</td> <td>90.06</td> <td>35.38</td> <td>11.35</td> <td>37.17</td> <td>0.00</td> <td>100</td> <td></td> <td>187 AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5755.00	99.62	-----	-----	90.06	35.38	11.35	37.17	0.00	100		187 AVERAGE																																																																														
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5755.00	99.62	-----	-----	90.06	35.38	11.35	37.17	0.00	100		187 AVERAGE																																																																																																											



Mode	54																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_5755MHz																																																																																				
ANT	1																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.65</td> <td>58.80</td> <td>111.71</td> <td>-52.91</td> <td>48.98</td> <td>35.66</td> <td>11.49</td> <td>37.33</td> <td>0.00</td> <td>100</td> <td>187</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5856.99</td> <td>59.45</td> <td>110.34</td> <td>-50.89</td> <td>49.61</td> <td>35.67</td> <td>11.50</td> <td>37.33</td> <td>0.00</td> <td>100</td> <td>187</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.87</td> <td>48.60</td> <td>69.03</td> <td>-20.43</td> <td>38.56</td> <td>35.80</td> <td>11.55</td> <td>37.31</td> <td>0.00</td> <td>100</td> <td>187</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5948.05</td> <td>50.70</td> <td>68.20</td> <td>-17.50</td> <td>40.64</td> <td>35.80</td> <td>11.57</td> <td>37.31</td> <td>0.00</td> <td>100</td> <td>187</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.65	58.80	111.71	-52.91	48.98	35.66	11.49	37.33	0.00	100	187	PEAK	2	5856.99	59.45	110.34	-50.89	49.61	35.67	11.50	37.33	0.00	100	187	PEAK	3	5923.87	48.60	69.03	-20.43	38.56	35.80	11.55	37.31	0.00	100	187	PEAK	4	5948.05	50.70	68.20	-17.50	40.64	35.80	11.57	37.31	0.00	100	187	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.65	58.80	111.71	-52.91	48.98	35.66	11.49	37.33	0.00	100	187	PEAK																																																																									
2	5856.99	59.45	110.34	-50.89	49.61	35.67	11.50	37.33	0.00	100	187	PEAK																																																																									
3	5923.87	48.60	69.03	-20.43	38.56	35.80	11.55	37.31	0.00	100	187	PEAK																																																																									
4	5948.05	50.70	68.20	-17.50	40.64	35.80	11.57	37.31	0.00	100	187	PEAK																																																																									



Mode	54																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_5755MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Vertical	Fundamental																																																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5644.95</td> <td>60.10</td> <td>68.20</td> <td>-8.10</td> <td>50.69</td> <td>35.24</td> <td>11.21</td> <td>37.04</td> <td>0.00</td> <td>320</td> <td>262</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5657.20</td> <td>62.03</td> <td>73.56</td> <td>-11.53</td> <td>52.59</td> <td>35.26</td> <td>11.23</td> <td>37.05</td> <td>0.00</td> <td>320</td> <td>262</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5715.63</td> <td>79.95</td> <td>109.68</td> <td>-29.73</td> <td>70.44</td> <td>35.33</td> <td>11.32</td> <td>37.14</td> <td>0.00</td> <td>320</td> <td>262</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.13</td> <td>76.96</td> <td>111.19</td> <td>-34.23</td> <td>67.44</td> <td>35.34</td> <td>11.32</td> <td>37.14</td> <td>0.00</td> <td>320</td> <td>262</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5644.95	60.10	68.20	-8.10	50.69	35.24	11.21	37.04	0.00	320	262	PEAK	2	5657.20	62.03	73.56	-11.53	52.59	35.26	11.23	37.05	0.00	320	262	PEAK	3	5715.63	79.95	109.68	-29.73	70.44	35.33	11.32	37.14	0.00	320	262	PEAK	4	5720.13	76.96	111.19	-34.23	67.44	35.34	11.32	37.14	0.00	320	262	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>106.79</td> <td>106.79</td> <td>0.00</td> <td>97.22</td> <td>35.39</td> <td>11.36</td> <td>37.18</td> <td>0.00</td> <td>320</td> <td>262</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5755.00	106.79	106.79	0.00	97.22	35.39	11.36	37.18	0.00	320	262	PEAK
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5644.95	60.10	68.20	-8.10	50.69	35.24	11.21	37.04	0.00	320	262	PEAK																																																																																																											
2	5657.20	62.03	73.56	-11.53	52.59	35.26	11.23	37.05	0.00	320	262	PEAK																																																																																																											
3	5715.63	79.95	109.68	-29.73	70.44	35.33	11.32	37.14	0.00	320	262	PEAK																																																																																																											
4	5720.13	76.96	111.19	-34.23	67.44	35.34	11.32	37.14	0.00	320	262	PEAK																																																																																																											
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5755.00	106.79	106.79	0.00	97.22	35.39	11.36	37.18	0.00	320	262	PEAK																																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>97.02</td> <td>97.02</td> <td>0.00</td> <td>87.46</td> <td>35.38</td> <td>11.35</td> <td>37.17</td> <td>0.00</td> <td>320</td> <td>262</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5755.00	97.02	97.02	0.00	87.46	35.38	11.35	37.17	0.00	320	262	AVERAGE																																																																														
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5755.00	97.02	97.02	0.00	87.46	35.38	11.35	37.17	0.00	320	262	AVERAGE																																																																																																											






Mode	54																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_5755MHz																																																																																				
ANT	1																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5853.87</td> <td>52.31</td> <td>113.49</td> <td>-61.18</td> <td>42.49</td> <td>35.66</td> <td>11.49</td> <td>37.33</td> <td>0.00</td> <td>320</td> <td>262</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5869.47</td> <td>49.68</td> <td>106.85</td> <td>-57.17</td> <td>39.79</td> <td>35.71</td> <td>11.51</td> <td>37.33</td> <td>0.00</td> <td>320</td> <td>262</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.07</td> <td>48.74</td> <td>68.89</td> <td>-20.15</td> <td>38.70</td> <td>35.80</td> <td>11.55</td> <td>37.31</td> <td>0.00</td> <td>320</td> <td>262</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5938.30</td> <td>49.63</td> <td>68.20</td> <td>-18.57</td> <td>39.58</td> <td>35.80</td> <td>11.56</td> <td>37.31</td> <td>0.00</td> <td>320</td> <td>262</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5853.87	52.31	113.49	-61.18	42.49	35.66	11.49	37.33	0.00	320	262	PEAK	2	5869.47	49.68	106.85	-57.17	39.79	35.71	11.51	37.33	0.00	320	262	PEAK	3	5924.07	48.74	68.89	-20.15	38.70	35.80	11.55	37.31	0.00	320	262	PEAK	4	5938.30	49.63	68.20	-18.57	39.58	35.80	11.56	37.31	0.00	320	262	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5853.87	52.31	113.49	-61.18	42.49	35.66	11.49	37.33	0.00	320	262	PEAK																																																																									
2	5869.47	49.68	106.85	-57.17	39.79	35.71	11.51	37.33	0.00	320	262	PEAK																																																																									
3	5924.07	48.74	68.89	-20.15	38.70	35.80	11.55	37.31	0.00	320	262	PEAK																																																																									
4	5938.30	49.63	68.20	-18.57	39.58	35.80	11.56	37.31	0.00	320	262	PEAK																																																																									



Mode	54																																																																																																						
	Harmonic																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_5755MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal	Vertical																																																																																																					
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11510.00</td> <td>44.35</td> <td>74.00</td> <td>-29.65</td> <td>52.81</td> <td>38.31</td> <td>16.13</td> <td>62.90</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	44.35	74.00	-29.65	52.81	38.31	16.13	62.90	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11510.00</td> <td>53.81</td> <td>74.00</td> <td>-20.19</td> <td>62.27</td> <td>38.31</td> <td>16.13</td> <td>62.90</td> <td>0.00</td> <td>100</td> <td>79</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11510.00</td> <td>44.64</td> <td>54.00</td> <td>-9.36</td> <td>53.08</td> <td>38.32</td> <td>16.14</td> <td>62.90</td> <td>0.00</td> <td>100</td> <td>79</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	53.81	74.00	-20.19	62.27	38.31	16.13	62.90	0.00	100	79	PEAK	2	11510.00	44.64	54.00	-9.36	53.08	38.32	16.14	62.90	0.00	100	79	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	11510.00	44.35	74.00	-29.65	52.81	38.31	16.13	62.90	0.00	---	---	PEAK																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	11510.00	53.81	74.00	-20.19	62.27	38.31	16.13	62.90	0.00	100	79	PEAK																																																																																											
2	11510.00	44.64	54.00	-9.36	53.08	38.32	16.14	62.90	0.00	100	79	AVERAGE																																																																																											






Mode	55																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_5795MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5648.80</td> <td>52.23</td> <td>68.20</td> <td>-15.97</td> <td>42.80</td> <td>35.25</td> <td>11.22</td> <td>37.04</td> <td>0.00</td> <td>100</td> <td>187</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5652.00</td> <td>52.96</td> <td>69.69</td> <td>-16.73</td> <td>43.54</td> <td>35.25</td> <td>11.22</td> <td>37.05</td> <td>0.00</td> <td>100</td> <td>187</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5710.80</td> <td>67.88</td> <td>108.33</td> <td>-40.45</td> <td>58.38</td> <td>35.32</td> <td>11.31</td> <td>37.13</td> <td>0.00</td> <td>100</td> <td>187</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.40</td> <td>72.31</td> <td>111.81</td> <td>-39.50</td> <td>62.79</td> <td>35.34</td> <td>11.32</td> <td>37.14</td> <td>0.00</td> <td>100</td> <td>187</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5648.80	52.23	68.20	-15.97	42.80	35.25	11.22	37.04	0.00	100	187	PEAK	2	5652.00	52.96	69.69	-16.73	43.54	35.25	11.22	37.05	0.00	100	187	PEAK	3	5710.80	67.88	108.33	-40.45	58.38	35.32	11.31	37.13	0.00	100	187	PEAK	4	5720.40	72.31	111.81	-39.50	62.79	35.34	11.32	37.14	0.00	100	187	PEAK	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>109.80</td> <td>109.80</td> <td>0.00</td> <td>100.09</td> <td>35.52</td> <td>11.45</td> <td>37.26</td> <td>0.00</td> <td>100</td> <td>187</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5795.00	109.80	109.80	0.00	100.09	35.52	11.45	37.26	0.00	100	187	PEAK
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5648.80	52.23	68.20	-15.97	42.80	35.25	11.22	37.04	0.00	100	187	PEAK																																																																																																											
2	5652.00	52.96	69.69	-16.73	43.54	35.25	11.22	37.05	0.00	100	187	PEAK																																																																																																											
3	5710.80	67.88	108.33	-40.45	58.38	35.32	11.31	37.13	0.00	100	187	PEAK																																																																																																											
4	5720.40	72.31	111.81	-39.50	62.79	35.34	11.32	37.14	0.00	100	187	PEAK																																																																																																											
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5795.00	109.80	109.80	0.00	100.09	35.52	11.45	37.26	0.00	100	187	PEAK																																																																																																											
Avg	Blank	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>98.69</td> <td>98.69</td> <td>0.00</td> <td>89.05</td> <td>35.45</td> <td>11.41</td> <td>37.22</td> <td>0.00</td> <td>100</td> <td>187</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5795.00	98.69	98.69	0.00	89.05	35.45	11.41	37.22	0.00	100	187	AVERAGE																																																																														
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5795.00	98.69	98.69	0.00	89.05	35.45	11.41	37.22	0.00	100	187	AVERAGE																																																																																																											



Mode	55																																																																																			
	Band Edge - R																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_5795MHz																																																																																			
ANT	1																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.40</td> <td>69.99</td> <td>112.27</td> <td>-42.28</td> <td>60.17</td> <td>35.66</td> <td>11.49</td> <td>37.33</td> <td>0.00</td> <td>100</td> <td>187</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5860.40</td> <td>71.65</td> <td>109.39</td> <td>-37.74</td> <td>61.80</td> <td>35.60</td> <td>11.50</td> <td>37.33</td> <td>0.00</td> <td>100</td> <td>187</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.60</td> <td>49.31</td> <td>69.23</td> <td>-19.92</td> <td>39.27</td> <td>35.80</td> <td>11.55</td> <td>37.31</td> <td>0.00</td> <td>100</td> <td>187</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5936.40</td> <td>52.55</td> <td>68.20</td> <td>-15.65</td> <td>42.50</td> <td>35.80</td> <td>11.56</td> <td>37.31</td> <td>0.00</td> <td>100</td> <td>187</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5854.40	69.99	112.27	-42.28	60.17	35.66	11.49	37.33	0.00	100	187	PEAK	2	5860.40	71.65	109.39	-37.74	61.80	35.60	11.50	37.33	0.00	100	187	PEAK	3	5923.60	49.31	69.23	-19.92	39.27	35.80	11.55	37.31	0.00	100	187	PEAK	4	5936.40	52.55	68.20	-15.65	42.50	35.80	11.56	37.31	0.00	100	187	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																											
1	5854.40	69.99	112.27	-42.28	60.17	35.66	11.49	37.33	0.00	100	187	PEAK																																																																								
2	5860.40	71.65	109.39	-37.74	61.80	35.60	11.50	37.33	0.00	100	187	PEAK																																																																								
3	5923.60	49.31	69.23	-19.92	39.27	35.80	11.55	37.31	0.00	100	187	PEAK																																																																								
4	5936.40	52.55	68.20	-15.65	42.50	35.80	11.56	37.31	0.00	100	187	PEAK																																																																								



Mode	55																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_5795MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Vertical	Fundamental																																																																																																																					
Peak	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5625.60</td> <td>50.89</td> <td>68.20</td> <td>-17.31</td> <td>41.50</td> <td>35.23</td> <td>11.19</td> <td>37.03</td> <td>0.00</td> <td>388</td> <td>273</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.00</td> <td>48.25</td> <td>68.20</td> <td>-19.95</td> <td>38.82</td> <td>35.25</td> <td>11.22</td> <td>37.04</td> <td>0.00</td> <td>388</td> <td>273</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5715.60</td> <td>67.18</td> <td>109.67</td> <td>-42.49</td> <td>57.68</td> <td>35.33</td> <td>11.31</td> <td>37.14</td> <td>0.00</td> <td>388</td> <td>273</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>64.94</td> <td>110.90</td> <td>-45.96</td> <td>55.42</td> <td>35.34</td> <td>11.32</td> <td>37.14</td> <td>0.00</td> <td>388</td> <td>273</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5625.60	50.89	68.20	-17.31	41.50	35.23	11.19	37.03	0.00	388	273	PEAK	2	5650.00	48.25	68.20	-19.95	38.82	35.25	11.22	37.04	0.00	388	273	PEAK	3	5715.60	67.18	109.67	-42.49	57.68	35.33	11.31	37.14	0.00	388	273	PEAK	4	5720.00	64.94	110.90	-45.96	55.42	35.34	11.32	37.14	0.00	388	273	PEAK	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>104.78</td> <td>-----</td> <td>-----</td> <td>95.13</td> <td>35.46</td> <td>11.42</td> <td>37.23</td> <td>0.00</td> <td>388</td> <td>273</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5795.00	104.78	-----	-----	95.13	35.46	11.42	37.23	0.00	388	273	PEAK
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5625.60	50.89	68.20	-17.31	41.50	35.23	11.19	37.03	0.00	388	273	PEAK																																																																																																											
2	5650.00	48.25	68.20	-19.95	38.82	35.25	11.22	37.04	0.00	388	273	PEAK																																																																																																											
3	5715.60	67.18	109.67	-42.49	57.68	35.33	11.31	37.14	0.00	388	273	PEAK																																																																																																											
4	5720.00	64.94	110.90	-45.96	55.42	35.34	11.32	37.14	0.00	388	273	PEAK																																																																																																											
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5795.00	104.78	-----	-----	95.13	35.46	11.42	37.23	0.00	388	273	PEAK																																																																																																											
Avg	Blank	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>95.75</td> <td>-----</td> <td>-----</td> <td>86.08</td> <td>35.48</td> <td>11.43</td> <td>37.24</td> <td>0.00</td> <td>388</td> <td>273</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5795.00	95.75	-----	-----	86.08	35.48	11.43	37.24	0.00	388	273	AVERAGE																																																																														
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5795.00	95.75	-----	-----	86.08	35.48	11.43	37.24	0.00	388	273	AVERAGE																																																																																																											






Mode	55																																																																																			
	Band Edge - R																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_5795MHz																																																																																			
ANT	1																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5850.80</td> <td>70.33</td> <td>120.48</td> <td>-50.15</td> <td>60.51</td> <td>35.65</td> <td>11.49</td> <td>37.32</td> <td>0.00</td> <td>388</td> <td>273</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5868.40</td> <td>59.71</td> <td>107.15</td> <td>-47.44</td> <td>49.83</td> <td>35.71</td> <td>11.50</td> <td>37.33</td> <td>0.00</td> <td>388</td> <td>273</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.40</td> <td>47.83</td> <td>68.64</td> <td>-20.81</td> <td>37.79</td> <td>35.80</td> <td>11.55</td> <td>37.31</td> <td>0.00</td> <td>388</td> <td>273</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5964.40</td> <td>49.75</td> <td>68.20</td> <td>-18.45</td> <td>39.67</td> <td>35.80</td> <td>11.58</td> <td>37.30</td> <td>0.00</td> <td>388</td> <td>273</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5850.80	70.33	120.48	-50.15	60.51	35.65	11.49	37.32	0.00	388	273	PEAK	2	5868.40	59.71	107.15	-47.44	49.83	35.71	11.50	37.33	0.00	388	273	PEAK	3	5924.40	47.83	68.64	-20.81	37.79	35.80	11.55	37.31	0.00	388	273	PEAK	4	5964.40	49.75	68.20	-18.45	39.67	35.80	11.58	37.30	0.00	388	273	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																											
1	5850.80	70.33	120.48	-50.15	60.51	35.65	11.49	37.32	0.00	388	273	PEAK																																																																								
2	5868.40	59.71	107.15	-47.44	49.83	35.71	11.50	37.33	0.00	388	273	PEAK																																																																								
3	5924.40	47.83	68.64	-20.81	37.79	35.80	11.55	37.31	0.00	388	273	PEAK																																																																								
4	5964.40	49.75	68.20	-18.45	39.67	35.80	11.58	37.30	0.00	388	273	PEAK																																																																								



Mode	55																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_5795MHz																																																																																																																			
ANT	1																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11590.00</td> <td>50.86</td> <td>74.00</td> <td>-23.14</td> <td>59.16</td> <td>38.41</td> <td>16.19</td> <td>62.90</td> <td>0.00</td> <td>114</td> <td>246</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11590.00</td> <td>41.78</td> <td>54.00</td> <td>-12.22</td> <td>50.08</td> <td>38.41</td> <td>16.19</td> <td>62.90</td> <td>0.00</td> <td>114</td> <td>246</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11590.00	50.86	74.00	-23.14	59.16	38.41	16.19	62.90	0.00	114	246	PEAK	2	11590.00	41.78	54.00	-12.22	50.08	38.41	16.19	62.90	0.00	114	246	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11590.00</td> <td>56.34</td> <td>74.00</td> <td>-17.66</td> <td>64.64</td> <td>38.41</td> <td>16.19</td> <td>62.90</td> <td>0.00</td> <td>102</td> <td>63</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11590.00</td> <td>46.90</td> <td>54.00</td> <td>-7.10</td> <td>55.20</td> <td>38.41</td> <td>16.19</td> <td>62.90</td> <td>0.00</td> <td>102</td> <td>63</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11590.00	56.34	74.00	-17.66	64.64	38.41	16.19	62.90	0.00	102	63	PEAK	2	11590.00	46.90	54.00	-7.10	55.20	38.41	16.19	62.90	0.00	102	63	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	11590.00	50.86	74.00	-23.14	59.16	38.41	16.19	62.90	0.00	114	246	PEAK																																																																																																								
2	11590.00	41.78	54.00	-12.22	50.08	38.41	16.19	62.90	0.00	114	246	AVERAGE																																																																																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	11590.00	56.34	74.00	-17.66	64.64	38.41	16.19	62.90	0.00	102	63	PEAK																																																																																																								
2	11590.00	46.90	54.00	-7.10	55.20	38.41	16.19	62.90	0.00	102	63	AVERAGE																																																																																																								






Mode	56																																																																																																																																
	Band Edge - L																																																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz																																																																																																																																
ANT	1																																																																																																																																
Pol.	Horizontal	Fundamental																																																																																																																															
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5649.20</td> <td>59.05</td> <td>68.20</td> <td>-9.15</td> <td>49.62</td> <td>35.25</td> <td>11.22</td> <td>37.04</td> <td>0.00</td> <td>115</td> <td>184</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5654.40</td> <td>62.76</td> <td>71.48</td> <td>-8.72</td> <td>53.33</td> <td>35.25</td> <td>11.23</td> <td>37.05</td> <td>0.00</td> <td>115</td> <td>184</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5701.60</td> <td>74.71</td> <td>105.75</td> <td>-31.04</td> <td>65.24</td> <td>35.30</td> <td>11.29</td> <td>37.12</td> <td>0.00</td> <td>115</td> <td>184</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>72.09</td> <td>110.90</td> <td>-38.81</td> <td>62.57</td> <td>35.34</td> <td>11.32</td> <td>37.14</td> <td>0.00</td> <td>115</td> <td>184</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5649.20	59.05	68.20	-9.15	49.62	35.25	11.22	37.04	0.00	115	184	PEAK	2	5654.40	62.76	71.48	-8.72	53.33	35.25	11.23	37.05	0.00	115	184	PEAK	3	5701.60	74.71	105.75	-31.04	65.24	35.30	11.29	37.12	0.00	115	184	PEAK	4	5720.00	72.09	110.90	-38.81	62.57	35.34	11.32	37.14	0.00	115	184	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>105.83</td> <td>-----</td> <td>-----</td> <td>96.26</td> <td>35.39</td> <td>11.36</td> <td>37.18</td> <td>0.00</td> <td>115</td> <td>184</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	105.83	-----	-----	96.26	35.39	11.36	37.18	0.00	115	184	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5649.20	59.05	68.20	-9.15	49.62	35.25	11.22	37.04	0.00	115	184	PEAK																																																																																																																					
2	5654.40	62.76	71.48	-8.72	53.33	35.25	11.23	37.05	0.00	115	184	PEAK																																																																																																																					
3	5701.60	74.71	105.75	-31.04	65.24	35.30	11.29	37.12	0.00	115	184	PEAK																																																																																																																					
4	5720.00	72.09	110.90	-38.81	62.57	35.34	11.32	37.14	0.00	115	184	PEAK																																																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5775.00	105.83	-----	-----	96.26	35.39	11.36	37.18	0.00	115	184	PEAK																																																																																																																					
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>95.27</td> <td>-----</td> <td>-----</td> <td>85.70</td> <td>35.39</td> <td>11.36</td> <td>37.18</td> <td>0.00</td> <td>115</td> <td>184</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	95.27	-----	-----	85.70	35.39	11.36	37.18	0.00	115	184	AVERAGE																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5775.00	95.27	-----	-----	85.70	35.39	11.36	37.18	0.00	115	184	AVERAGE																																																																																																																					



Mode	56																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz																																																																																				
ANT	1																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.40</td> <td>67.12</td> <td>112.27</td> <td>-45.15</td> <td>57.30</td> <td>35.66</td> <td>11.49</td> <td>37.33</td> <td>0.00</td> <td>115</td> <td>184</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.00</td> <td>66.37</td> <td>105.58</td> <td>-39.21</td> <td>56.47</td> <td>35.72</td> <td>11.51</td> <td>37.33</td> <td>0.00</td> <td>115</td> <td>184</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>49.78</td> <td>68.35</td> <td>-18.57</td> <td>39.74</td> <td>35.80</td> <td>11.55</td> <td>37.31</td> <td>0.00</td> <td>115</td> <td>184</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5925.20</td> <td>49.92</td> <td>68.20</td> <td>-18.28</td> <td>39.88</td> <td>35.80</td> <td>11.55</td> <td>37.31</td> <td>0.00</td> <td>115</td> <td>184</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	67.12	112.27	-45.15	57.30	35.66	11.49	37.33	0.00	115	184	PEAK	2	5874.00	66.37	105.58	-39.21	56.47	35.72	11.51	37.33	0.00	115	184	PEAK	3	5924.80	49.78	68.35	-18.57	39.74	35.80	11.55	37.31	0.00	115	184	PEAK	4	5925.20	49.92	68.20	-18.28	39.88	35.80	11.55	37.31	0.00	115	184	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.40	67.12	112.27	-45.15	57.30	35.66	11.49	37.33	0.00	115	184	PEAK																																																																									
2	5874.00	66.37	105.58	-39.21	56.47	35.72	11.51	37.33	0.00	115	184	PEAK																																																																									
3	5924.80	49.78	68.35	-18.57	39.74	35.80	11.55	37.31	0.00	115	184	PEAK																																																																									
4	5925.20	49.92	68.20	-18.28	39.88	35.80	11.55	37.31	0.00	115	184	PEAK																																																																									



Mode	56																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Vertical	Fundamental																																																																																																																					
Peak	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5623.60</td> <td>57.68</td> <td>68.20</td> <td>-10.52</td> <td>48.31</td> <td>35.22</td> <td>11.18</td> <td>37.03</td> <td>0.00</td> <td>318</td> <td>262</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.60</td> <td>57.55</td> <td>69.39</td> <td>-11.84</td> <td>48.13</td> <td>35.25</td> <td>11.22</td> <td>37.05</td> <td>0.00</td> <td>318</td> <td>262</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.00</td> <td>70.99</td> <td>105.30</td> <td>-34.31</td> <td>61.51</td> <td>35.30</td> <td>11.29</td> <td>37.11</td> <td>0.00</td> <td>318</td> <td>262</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>69.69</td> <td>110.90</td> <td>-41.21</td> <td>60.17</td> <td>35.34</td> <td>11.32</td> <td>37.14</td> <td>0.00</td> <td>318</td> <td>262</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5623.60	57.68	68.20	-10.52	48.31	35.22	11.18	37.03	0.00	318	262	PEAK	2	5651.60	57.55	69.39	-11.84	48.13	35.25	11.22	37.05	0.00	318	262	PEAK	3	5700.00	70.99	105.30	-34.31	61.51	35.30	11.29	37.11	0.00	318	262	PEAK	4	5720.00	69.69	110.90	-41.21	60.17	35.34	11.32	37.14	0.00	318	262	PEAK	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>101.93</td> <td>-----</td> <td>-----</td> <td>92.32</td> <td>35.42</td> <td>11.38</td> <td>37.19</td> <td>0.00</td> <td>318</td> <td>262</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5775.00	101.93	-----	-----	92.32	35.42	11.38	37.19	0.00	318	262	PEAK
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5623.60	57.68	68.20	-10.52	48.31	35.22	11.18	37.03	0.00	318	262	PEAK																																																																																																											
2	5651.60	57.55	69.39	-11.84	48.13	35.25	11.22	37.05	0.00	318	262	PEAK																																																																																																											
3	5700.00	70.99	105.30	-34.31	61.51	35.30	11.29	37.11	0.00	318	262	PEAK																																																																																																											
4	5720.00	69.69	110.90	-41.21	60.17	35.34	11.32	37.14	0.00	318	262	PEAK																																																																																																											
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5775.00	101.93	-----	-----	92.32	35.42	11.38	37.19	0.00	318	262	PEAK																																																																																																											
Avg	Blank																																																																																																																						
		 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>91.60</td> <td>-----</td> <td>-----</td> <td>82.03</td> <td>35.39</td> <td>11.36</td> <td>37.18</td> <td>0.00</td> <td>318</td> <td>262</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5775.00	91.60	-----	-----	82.03	35.39	11.36	37.18	0.00	318	262	AVERAGE																																																																														
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5775.00	91.60	-----	-----	82.03	35.39	11.36	37.18	0.00	318	262	AVERAGE																																																																																																											






Mode	56																																																																																			
	Band Edge - R																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz																																																																																			
ANT	1																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5853.60</td> <td>61.91</td> <td>114.09</td> <td>-52.18</td> <td>52.09</td> <td>35.66</td> <td>11.49</td> <td>37.33</td> <td>0.00</td> <td>318</td> <td>262</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5872.80</td> <td>60.75</td> <td>105.92</td> <td>-45.17</td> <td>50.85</td> <td>35.72</td> <td>11.51</td> <td>37.33</td> <td>0.00</td> <td>318</td> <td>262</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>48.04</td> <td>68.35</td> <td>-20.31</td> <td>38.00</td> <td>35.80</td> <td>11.55</td> <td>37.31</td> <td>0.00</td> <td>318</td> <td>262</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5944.00</td> <td>51.23</td> <td>68.20</td> <td>-16.97</td> <td>41.17</td> <td>35.80</td> <td>11.57</td> <td>37.31</td> <td>0.00</td> <td>318</td> <td>262</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.60	61.91	114.09	-52.18	52.09	35.66	11.49	37.33	0.00	318	262	PEAK	2	5872.80	60.75	105.92	-45.17	50.85	35.72	11.51	37.33	0.00	318	262	PEAK	3	5924.80	48.04	68.35	-20.31	38.00	35.80	11.55	37.31	0.00	318	262	PEAK	4	5944.00	51.23	68.20	-16.97	41.17	35.80	11.57	37.31	0.00	318	262	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5853.60	61.91	114.09	-52.18	52.09	35.66	11.49	37.33	0.00	318	262	PEAK																																																																								
2	5872.80	60.75	105.92	-45.17	50.85	35.72	11.51	37.33	0.00	318	262	PEAK																																																																								
3	5924.80	48.04	68.35	-20.31	38.00	35.80	11.55	37.31	0.00	318	262	PEAK																																																																								
4	5944.00	51.23	68.20	-16.97	41.17	35.80	11.57	37.31	0.00	318	262	PEAK																																																																								



Mode	56																																																																																											
	Harmonic																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak																																																																																												
Avg																																																																																												
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 11550.00</td> <td>43.92</td> <td>74.00</td> <td>-30.08</td> <td>52.30</td> <td>38.36</td> <td>16.16</td> <td>62.90</td> <td>0.00</td> <td>---</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 11550.00	43.92	74.00	-30.08	52.30	38.36	16.16	62.90	0.00	---	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 11550.00</td> <td>50.67</td> <td>74.00</td> <td>-23.33</td> <td>59.05</td> <td>38.36</td> <td>16.16</td> <td>62.90</td> <td>0.00</td> <td>100 78 PEAK</td> </tr> <tr> <td>2 11550.00</td> <td>42.45</td> <td>54.00</td> <td>-11.55</td> <td>50.83</td> <td>38.36</td> <td>16.16</td> <td>62.90</td> <td>0.00</td> <td>100 78 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 11550.00	50.67	74.00	-23.33	59.05	38.36	16.16	62.90	0.00	100 78 PEAK	2 11550.00	42.45	54.00	-11.55	50.83	38.36	16.16	62.90	0.00	100 78 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																			
1 11550.00	43.92	74.00	-30.08	52.30	38.36	16.16	62.90	0.00	---																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																			
1 11550.00	50.67	74.00	-23.33	59.05	38.36	16.16	62.90	0.00	100 78 PEAK																																																																																			
2 11550.00	42.45	54.00	-11.55	50.83	38.36	16.16	62.90	0.00	100 78 AVERAGE																																																																																			






Mode	57																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak	 <table border="1" data-bbox="263 1075 798 1254"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5623.60</td> <td>49.66</td> <td>68.20</td> <td>-18.54</td> <td>40.29</td> <td>35.22</td> <td>11.18</td> <td>37.03</td> <td>0.00</td> <td>100</td> <td></td> <td>178 PEAK</td> </tr> <tr> <td>2</td> <td>5651.60</td> <td>47.14</td> <td>69.39</td> <td>-22.25</td> <td>37.72</td> <td>35.25</td> <td>11.22</td> <td>37.05</td> <td>0.00</td> <td>100</td> <td></td> <td>178 PEAK</td> </tr> <tr> <td>3</td> <td>5715.20</td> <td>67.93</td> <td>109.56</td> <td>-41.63</td> <td>58.43</td> <td>35.33</td> <td>11.31</td> <td>37.14</td> <td>0.00</td> <td>100</td> <td></td> <td>178 PEAK</td> </tr> <tr> <td>4</td> <td>5720.40</td> <td>57.28</td> <td>111.81</td> <td>-54.53</td> <td>47.76</td> <td>35.34</td> <td>11.32</td> <td>37.14</td> <td>0.00</td> <td>100</td> <td></td> <td>178 PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5623.60	49.66	68.20	-18.54	40.29	35.22	11.18	37.03	0.00	100		178 PEAK	2	5651.60	47.14	69.39	-22.25	37.72	35.25	11.22	37.05	0.00	100		178 PEAK	3	5715.20	67.93	109.56	-41.63	58.43	35.33	11.31	37.14	0.00	100		178 PEAK	4	5720.40	57.28	111.81	-54.53	47.76	35.34	11.32	37.14	0.00	100		178 PEAK	 <table border="1" data-bbox="901 1075 1436 1254"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>118.29</td> <td>-----</td> <td>-----</td> <td>108.74</td> <td>35.37</td> <td>11.34</td> <td>37.16</td> <td>0.00</td> <td>100</td> <td></td> <td>178 PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	118.29	-----	-----	108.74	35.37	11.34	37.16	0.00	100		178 PEAK
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5623.60	49.66	68.20	-18.54	40.29	35.22	11.18	37.03	0.00	100		178 PEAK																																																																																																											
2	5651.60	47.14	69.39	-22.25	37.72	35.25	11.22	37.05	0.00	100		178 PEAK																																																																																																											
3	5715.20	67.93	109.56	-41.63	58.43	35.33	11.31	37.14	0.00	100		178 PEAK																																																																																																											
4	5720.40	57.28	111.81	-54.53	47.76	35.34	11.32	37.14	0.00	100		178 PEAK																																																																																																											
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	118.29	-----	-----	108.74	35.37	11.34	37.16	0.00	100		178 PEAK																																																																																																											
Avg	Blank	 <table border="1" data-bbox="901 1769 1436 1926"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>109.85</td> <td>-----</td> <td>-----</td> <td>100.29</td> <td>35.38</td> <td>11.35</td> <td>37.17</td> <td>0.00</td> <td>100</td> <td></td> <td>178 AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	109.85	-----	-----	100.29	35.38	11.35	37.17	0.00	100		178 AVERAGE																																																																														
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	109.85	-----	-----	100.29	35.38	11.35	37.17	0.00	100		178 AVERAGE																																																																																																											



Mode	57																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Vertical	Fundamental																																																																																																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5608.80</td> <td>50.50</td> <td>68.20</td> <td>-17.70</td> <td>41.16</td> <td>35.21</td> <td>11.16</td> <td>37.03</td> <td>0.00</td> <td>334</td> <td>273</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.80</td> <td>48.07</td> <td>68.80</td> <td>-20.73</td> <td>38.65</td> <td>35.25</td> <td>11.22</td> <td>37.05</td> <td>0.00</td> <td>334</td> <td>273</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5719.20</td> <td>59.85</td> <td>110.68</td> <td>-50.83</td> <td>50.33</td> <td>35.34</td> <td>11.32</td> <td>37.14</td> <td>0.00</td> <td>334</td> <td>273</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5724.80</td> <td>72.07</td> <td>121.84</td> <td>-49.77</td> <td>62.54</td> <td>35.35</td> <td>11.33</td> <td>37.15</td> <td>0.00</td> <td>334</td> <td>273</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5608.80	50.50	68.20	-17.70	41.16	35.21	11.16	37.03	0.00	334	273	PEAK	2	5650.80	48.07	68.80	-20.73	38.65	35.25	11.22	37.05	0.00	334	273	PEAK	3	5719.20	59.85	110.68	-50.83	50.33	35.34	11.32	37.14	0.00	334	273	PEAK	4	5724.80	72.07	121.84	-49.77	62.54	35.35	11.33	37.15	0.00	334	273	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>116.12</td> <td>-----</td> <td>-----</td> <td>106.57</td> <td>35.37</td> <td>11.34</td> <td>37.16</td> <td>0.00</td> <td>334</td> <td>273</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	116.12	-----	-----	106.57	35.37	11.34	37.16	0.00	334	273	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5608.80	50.50	68.20	-17.70	41.16	35.21	11.16	37.03	0.00	334	273	PEAK																																																																																																																			
2	5650.80	48.07	68.80	-20.73	38.65	35.25	11.22	37.05	0.00	334	273	PEAK																																																																																																																			
3	5719.20	59.85	110.68	-50.83	50.33	35.34	11.32	37.14	0.00	334	273	PEAK																																																																																																																			
4	5724.80	72.07	121.84	-49.77	62.54	35.35	11.33	37.15	0.00	334	273	PEAK																																																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5745.00	116.12	-----	-----	106.57	35.37	11.34	37.16	0.00	334	273	PEAK																																																																																																																			
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>109.89</td> <td>-----</td> <td>-----</td> <td>100.34</td> <td>35.37</td> <td>11.34</td> <td>37.16</td> <td>0.00</td> <td>334</td> <td>273</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	109.89	-----	-----	100.34	35.37	11.34	37.16	0.00	334	273	AVERAGE																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5745.00	109.89	-----	-----	100.34	35.37	11.34	37.16	0.00	334	273	AVERAGE																																																																																																																			






Mode	58																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5850.40</td> <td>64.94</td> <td>121.39</td> <td>-56.45</td> <td>55.12</td> <td>35.65</td> <td>11.49</td> <td>37.32</td> <td>0.00</td> <td>100</td> <td>23</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5860.80</td> <td>54.33</td> <td>109.27</td> <td>-54.94</td> <td>44.48</td> <td>35.68</td> <td>11.50</td> <td>37.32</td> <td>0.00</td> <td>100</td> <td>23</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>49.97</td> <td>68.35</td> <td>-18.38</td> <td>39.93</td> <td>35.80</td> <td>11.55</td> <td>37.31</td> <td>0.00</td> <td>100</td> <td>23</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5975.60</td> <td>50.44</td> <td>68.20</td> <td>-17.76</td> <td>40.35</td> <td>35.80</td> <td>11.59</td> <td>37.30</td> <td>0.00</td> <td>100</td> <td>23</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5850.40	64.94	121.39	-56.45	55.12	35.65	11.49	37.32	0.00	100	23	PEAK	2	5860.80	54.33	109.27	-54.94	44.48	35.68	11.50	37.32	0.00	100	23	PEAK	3	5924.80	49.97	68.35	-18.38	39.93	35.80	11.55	37.31	0.00	100	23	PEAK	4	5975.60	50.44	68.20	-17.76	40.35	35.80	11.59	37.30	0.00	100	23	PEAK	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>115.20</td> <td>105.47</td> <td>9.73</td> <td>105.47</td> <td>35.55</td> <td>11.46</td> <td>37.28</td> <td>0.00</td> <td>100</td> <td>23</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	115.20	105.47	9.73	105.47	35.55	11.46	37.28	0.00	100	23	PEAK
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5850.40	64.94	121.39	-56.45	55.12	35.65	11.49	37.32	0.00	100	23	PEAK																																																																																																											
2	5860.80	54.33	109.27	-54.94	44.48	35.68	11.50	37.32	0.00	100	23	PEAK																																																																																																											
3	5924.80	49.97	68.35	-18.38	39.93	35.80	11.55	37.31	0.00	100	23	PEAK																																																																																																											
4	5975.60	50.44	68.20	-17.76	40.35	35.80	11.59	37.30	0.00	100	23	PEAK																																																																																																											
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5825.00	115.20	105.47	9.73	105.47	35.55	11.46	37.28	0.00	100	23	PEAK																																																																																																											
Avg	Blank	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>104.78</td> <td>95.05</td> <td>9.73</td> <td>95.05</td> <td>35.55</td> <td>11.46</td> <td>37.28</td> <td>0.00</td> <td>100</td> <td>23</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	104.78	95.05	9.73	95.05	35.55	11.46	37.28	0.00	100	23	AVERAGE																																																																														
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5825.00	104.78	95.05	9.73	95.05	35.55	11.46	37.28	0.00	100	23	AVERAGE																																																																																																											



Mode	58																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Vertical	Fundamental																																																																																																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>48.49</td> <td>111.36</td> <td>-62.87</td> <td>38.67</td> <td>35.66</td> <td>11.49</td> <td>37.33</td> <td>0.00</td> <td>345</td> <td>277</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.20</td> <td>47.28</td> <td>105.80</td> <td>-58.52</td> <td>37.38</td> <td>35.72</td> <td>11.51</td> <td>37.33</td> <td>0.00</td> <td>345</td> <td>277</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5922.40</td> <td>50.44</td> <td>70.12</td> <td>-19.68</td> <td>40.40</td> <td>35.80</td> <td>11.55</td> <td>37.31</td> <td>0.00</td> <td>345</td> <td>277</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5926.40</td> <td>49.64</td> <td>68.20</td> <td>-18.56</td> <td>39.60</td> <td>35.80</td> <td>11.55</td> <td>37.31</td> <td>0.00</td> <td>345</td> <td>277</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	48.49	111.36	-62.87	38.67	35.66	11.49	37.33	0.00	345	277	PEAK	2	5873.20	47.28	105.80	-58.52	37.38	35.72	11.51	37.33	0.00	345	277	PEAK	3	5922.40	50.44	70.12	-19.68	40.40	35.80	11.55	37.31	0.00	345	277	PEAK	4	5926.40	49.64	68.20	-18.56	39.60	35.80	11.55	37.31	0.00	345	277	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>115.05</td> <td>-----</td> <td>-----</td> <td>105.32</td> <td>35.55</td> <td>11.46</td> <td>37.28</td> <td>0.00</td> <td>345</td> <td>277</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	115.05	-----	-----	105.32	35.55	11.46	37.28	0.00	345	277	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5854.80	48.49	111.36	-62.87	38.67	35.66	11.49	37.33	0.00	345	277	PEAK																																																																																																																			
2	5873.20	47.28	105.80	-58.52	37.38	35.72	11.51	37.33	0.00	345	277	PEAK																																																																																																																			
3	5922.40	50.44	70.12	-19.68	40.40	35.80	11.55	37.31	0.00	345	277	PEAK																																																																																																																			
4	5926.40	49.64	68.20	-18.56	39.60	35.80	11.55	37.31	0.00	345	277	PEAK																																																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	115.05	-----	-----	105.32	35.55	11.46	37.28	0.00	345	277	PEAK																																																																																																																			
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>107.48</td> <td>-----</td> <td>-----</td> <td>97.75</td> <td>35.55</td> <td>11.46</td> <td>37.28</td> <td>0.00</td> <td>345</td> <td>277</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	107.48	-----	-----	97.75	35.55	11.46	37.28	0.00	345	277	AVERAGE																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	107.48	-----	-----	97.75	35.55	11.46	37.28	0.00	345	277	AVERAGE																																																																																																																			






Mode	59																																																																																																																									
	Band Edge																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																																																									
ANT	1																																																																																																																									
Pol.	Horizontal	Fundamental																																																																																																																								
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5637.60</td> <td>49.62</td> <td>68.20</td> <td>-18.58</td> <td>40.21</td> <td>35.24</td> <td>11.20</td> <td>37.03</td> <td>0.00</td> <td>100</td> <td>177 PEAK</td> </tr> <tr> <td>2</td> <td>5650.80</td> <td>49.25</td> <td>68.80</td> <td>-19.55</td> <td>39.83</td> <td>35.25</td> <td>11.22</td> <td>37.05</td> <td>0.00</td> <td>100</td> <td>177 PEAK</td> </tr> <tr> <td>3</td> <td>5785.20</td> <td>52.01</td> <td>106.76</td> <td>-54.75</td> <td>42.52</td> <td>35.31</td> <td>11.30</td> <td>37.12</td> <td>0.00</td> <td>100</td> <td>177 PEAK</td> </tr> <tr> <td>4</td> <td>5722.40</td> <td>60.97</td> <td>116.37</td> <td>-55.40</td> <td>51.45</td> <td>35.34</td> <td>11.33</td> <td>37.15</td> <td>0.00</td> <td>100</td> <td>177 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5637.60	49.62	68.20	-18.58	40.21	35.24	11.20	37.03	0.00	100	177 PEAK	2	5650.80	49.25	68.80	-19.55	39.83	35.25	11.22	37.05	0.00	100	177 PEAK	3	5785.20	52.01	106.76	-54.75	42.52	35.31	11.30	37.12	0.00	100	177 PEAK	4	5722.40	60.97	116.37	-55.40	51.45	35.34	11.33	37.15	0.00	100	177 PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>111.32</td> <td>-----</td> <td>-----</td> <td>101.76</td> <td>35.38</td> <td>11.35</td> <td>37.17</td> <td>0.00</td> <td>100</td> <td>177 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5745.00	111.32	-----	-----	101.76	35.38	11.35	37.17	0.00	100	177 PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																	
1	5637.60	49.62	68.20	-18.58	40.21	35.24	11.20	37.03	0.00	100	177 PEAK																																																																																																															
2	5650.80	49.25	68.80	-19.55	39.83	35.25	11.22	37.05	0.00	100	177 PEAK																																																																																																															
3	5785.20	52.01	106.76	-54.75	42.52	35.31	11.30	37.12	0.00	100	177 PEAK																																																																																																															
4	5722.40	60.97	116.37	-55.40	51.45	35.34	11.33	37.15	0.00	100	177 PEAK																																																																																																															
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																	
1	5745.00	111.32	-----	-----	101.76	35.38	11.35	37.17	0.00	100	177 PEAK																																																																																																															
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>100.43</td> <td>-----</td> <td>-----</td> <td>98.87</td> <td>35.38</td> <td>11.35</td> <td>37.17</td> <td>0.00</td> <td>100</td> <td>177 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5745.00	100.43	-----	-----	98.87	35.38	11.35	37.17	0.00	100	177 AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																	
1	5745.00	100.43	-----	-----	98.87	35.38	11.35	37.17	0.00	100	177 AVERAGE																																																																																																															



Mode	59																																																																																																																									
	Band Edge																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																																																									
ANT	1																																																																																																																									
Pol.	Vertical	Fundamental																																																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5614.00</td> <td>49.59</td> <td>68.20</td> <td>-18.61</td> <td>40.24</td> <td>35.21</td> <td>11.17</td> <td>37.03</td> <td>0.00</td> <td>339</td> <td>275 PEAK</td> </tr> <tr> <td>2</td> <td>5650.00</td> <td>46.44</td> <td>68.20</td> <td>-21.76</td> <td>37.01</td> <td>35.25</td> <td>11.22</td> <td>37.04</td> <td>0.00</td> <td>339</td> <td>275 PEAK</td> </tr> <tr> <td>3</td> <td>5720.00</td> <td>67.02</td> <td>110.90</td> <td>-43.88</td> <td>57.50</td> <td>35.34</td> <td>11.32</td> <td>37.14</td> <td>0.00</td> <td>339</td> <td>275 PEAK</td> </tr> <tr> <td>4</td> <td>5722.80</td> <td>80.66</td> <td>117.28</td> <td>-36.62</td> <td>71.13</td> <td>35.35</td> <td>11.33</td> <td>37.15</td> <td>0.00</td> <td>339</td> <td>275 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5614.00	49.59	68.20	-18.61	40.24	35.21	11.17	37.03	0.00	339	275 PEAK	2	5650.00	46.44	68.20	-21.76	37.01	35.25	11.22	37.04	0.00	339	275 PEAK	3	5720.00	67.02	110.90	-43.88	57.50	35.34	11.32	37.14	0.00	339	275 PEAK	4	5722.80	80.66	117.28	-36.62	71.13	35.35	11.33	37.15	0.00	339	275 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>113.86</td> <td>-----</td> <td>-----</td> <td>104.30</td> <td>35.38</td> <td>11.35</td> <td>37.17</td> <td>0.00</td> <td>339</td> <td>275 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	113.86	-----	-----	104.30	35.38	11.35	37.17	0.00	339	275 PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5614.00	49.59	68.20	-18.61	40.24	35.21	11.17	37.03	0.00	339	275 PEAK																																																																																																															
2	5650.00	46.44	68.20	-21.76	37.01	35.25	11.22	37.04	0.00	339	275 PEAK																																																																																																															
3	5720.00	67.02	110.90	-43.88	57.50	35.34	11.32	37.14	0.00	339	275 PEAK																																																																																																															
4	5722.80	80.66	117.28	-36.62	71.13	35.35	11.33	37.15	0.00	339	275 PEAK																																																																																																															
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5745.00	113.86	-----	-----	104.30	35.38	11.35	37.17	0.00	339	275 PEAK																																																																																																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>105.51</td> <td>-----</td> <td>-----</td> <td>95.95</td> <td>35.38</td> <td>11.35</td> <td>37.17</td> <td>0.00</td> <td>339</td> <td>275 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	105.51	-----	-----	95.95	35.38	11.35	37.17	0.00	339	275 AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5745.00	105.51	-----	-----	95.95	35.38	11.35	37.17	0.00	339	275 AVERAGE																																																																																																															






Mode	60																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Horizontal	Fundamental																																																																																																																													
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.40</td> <td>50.11</td> <td>112.27</td> <td>-62.16</td> <td>40.29</td> <td>35.66</td> <td>11.49</td> <td>37.33</td> <td>0.00</td> <td>183</td> <td>175</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.60</td> <td>51.05</td> <td>105.69</td> <td>-54.64</td> <td>41.15</td> <td>35.72</td> <td>11.51</td> <td>37.33</td> <td>0.00</td> <td>183</td> <td>175</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.40</td> <td>47.87</td> <td>68.64</td> <td>-20.77</td> <td>37.83</td> <td>35.80</td> <td>11.55</td> <td>37.31</td> <td>0.00</td> <td>183</td> <td>175</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5930.40</td> <td>50.36</td> <td>68.20</td> <td>-17.84</td> <td>40.32</td> <td>35.80</td> <td>11.55</td> <td>37.31</td> <td>0.00</td> <td>183</td> <td>175</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	50.11	112.27	-62.16	40.29	35.66	11.49	37.33	0.00	183	175	PEAK	2	5873.60	51.05	105.69	-54.64	41.15	35.72	11.51	37.33	0.00	183	175	PEAK	3	5924.40	47.87	68.64	-20.77	37.83	35.80	11.55	37.31	0.00	183	175	PEAK	4	5930.40	50.36	68.20	-17.84	40.32	35.80	11.55	37.31	0.00	183	175	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>114.27</td> <td>-----</td> <td>-----</td> <td>104.51</td> <td>35.59</td> <td>11.47</td> <td>37.30</td> <td>0.00</td> <td>183</td> <td>175</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	114.27	-----	-----	104.51	35.59	11.47	37.30	0.00	183	175	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5854.40	50.11	112.27	-62.16	40.29	35.66	11.49	37.33	0.00	183	175	PEAK																																																																																																																			
2	5873.60	51.05	105.69	-54.64	41.15	35.72	11.51	37.33	0.00	183	175	PEAK																																																																																																																			
3	5924.40	47.87	68.64	-20.77	37.83	35.80	11.55	37.31	0.00	183	175	PEAK																																																																																																																			
4	5930.40	50.36	68.20	-17.84	40.32	35.80	11.55	37.31	0.00	183	175	PEAK																																																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	114.27	-----	-----	104.51	35.59	11.47	37.30	0.00	183	175	PEAK																																																																																																																			
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>106.75</td> <td>-----</td> <td>-----</td> <td>96.99</td> <td>35.59</td> <td>11.47</td> <td>37.30</td> <td>0.00</td> <td>183</td> <td>175</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	106.75	-----	-----	96.99	35.59	11.47	37.30	0.00	183	175	AVERAGE																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	106.75	-----	-----	96.99	35.59	11.47	37.30	0.00	183	175	AVERAGE																																																																																																																			



Mode	60																																																																																												
	Band Edge																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																												
ANT	1																																																																																												
Pol.	Vertical	Fundamental																																																																																											
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Over (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>47.38</td> <td>111.36</td> <td>-63.98</td> <td>37.56</td> <td>35.66</td> <td>11.49</td> <td>37.33</td> <td>0.00</td> <td>342</td> <td>272</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.40</td> <td>50.04</td> <td>105.47</td> <td>-55.43</td> <td>40.14</td> <td>35.72</td> <td>11.51</td> <td>37.33</td> <td>0.00</td> <td>342</td> <td>272</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.00</td> <td>49.04</td> <td>68.94</td> <td>-19.90</td> <td>39.00</td> <td>35.80</td> <td>11.55</td> <td>37.31</td> <td>0.00</td> <td>342</td> <td>272</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5943.60</td> <td>49.58</td> <td>68.20</td> <td>-18.62</td> <td>39.53</td> <td>35.80</td> <td>11.56</td> <td>37.31</td> <td>0.00</td> <td>342</td> <td>272</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark	1	5854.80	47.38	111.36	-63.98	37.56	35.66	11.49	37.33	0.00	342	272	PEAK	2	5874.40	50.04	105.47	-55.43	40.14	35.72	11.51	37.33	0.00	342	272	PEAK	3	5924.00	49.04	68.94	-19.90	39.00	35.80	11.55	37.31	0.00	342	272	PEAK	4	5943.60	49.58	68.20	-18.62	39.53	35.80	11.56	37.31	0.00	342	272	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Over (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>112.02</td> <td>102.26</td> <td>9.76</td> <td>35.59</td> <td>11.47</td> <td>37.30</td> <td>0.00</td> <td>0.00</td> <td>342</td> <td>272</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark	1	5825.00	112.02	102.26	9.76	35.59	11.47	37.30	0.00	0.00	342	272	PEAK
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark																																																																																	
1	5854.80	47.38	111.36	-63.98	37.56	35.66	11.49	37.33	0.00	342	272	PEAK																																																																																	
2	5874.40	50.04	105.47	-55.43	40.14	35.72	11.51	37.33	0.00	342	272	PEAK																																																																																	
3	5924.00	49.04	68.94	-19.90	39.00	35.80	11.55	37.31	0.00	342	272	PEAK																																																																																	
4	5943.60	49.58	68.20	-18.62	39.53	35.80	11.56	37.31	0.00	342	272	PEAK																																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark																																																																																	
1	5825.00	112.02	102.26	9.76	35.59	11.47	37.30	0.00	0.00	342	272	PEAK																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Over (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>104.00</td> <td>94.24</td> <td>9.76</td> <td>35.59</td> <td>11.47</td> <td>37.30</td> <td>0.00</td> <td>0.00</td> <td>342</td> <td>272</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark	1	5825.00	104.00	94.24	9.76	35.59	11.47	37.30	0.00	0.00	342	272	AVERAGE																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark																																																																																	
1	5825.00	104.00	94.24	9.76	35.59	11.47	37.30	0.00	0.00	342	272	AVERAGE																																																																																	



Mode	61																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Horizontal	Fundamental																																																																																																																													
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5628.40</td> <td>49.16</td> <td>68.20</td> <td>-19.04</td> <td>39.77</td> <td>35.23</td> <td>11.19</td> <td>37.03</td> <td>0.00</td> <td>100</td> <td>177</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.00</td> <td>47.93</td> <td>68.20</td> <td>-20.27</td> <td>38.50</td> <td>35.25</td> <td>11.22</td> <td>37.04</td> <td>0.00</td> <td>100</td> <td>177</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5715.20</td> <td>67.98</td> <td>109.56</td> <td>-41.58</td> <td>58.48</td> <td>35.33</td> <td>11.31</td> <td>37.14</td> <td>0.00</td> <td>100</td> <td>177</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5724.80</td> <td>69.08</td> <td>121.84</td> <td>-52.76</td> <td>59.55</td> <td>35.35</td> <td>11.33</td> <td>37.15</td> <td>0.00</td> <td>100</td> <td>177</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5628.40	49.16	68.20	-19.04	39.77	35.23	11.19	37.03	0.00	100	177	PEAK	2	5650.00	47.93	68.20	-20.27	38.50	35.25	11.22	37.04	0.00	100	177	PEAK	3	5715.20	67.98	109.56	-41.58	58.48	35.33	11.31	37.14	0.00	100	177	PEAK	4	5724.80	69.08	121.84	-52.76	59.55	35.35	11.33	37.15	0.00	100	177	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>113.22</td> <td>-----</td> <td>-----</td> <td>103.66</td> <td>35.38</td> <td>11.35</td> <td>37.17</td> <td>0.00</td> <td>100</td> <td>177</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	113.22	-----	-----	103.66	35.38	11.35	37.17	0.00	100	177	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5628.40	49.16	68.20	-19.04	39.77	35.23	11.19	37.03	0.00	100	177	PEAK																																																																																																																			
2	5650.00	47.93	68.20	-20.27	38.50	35.25	11.22	37.04	0.00	100	177	PEAK																																																																																																																			
3	5715.20	67.98	109.56	-41.58	58.48	35.33	11.31	37.14	0.00	100	177	PEAK																																																																																																																			
4	5724.80	69.08	121.84	-52.76	59.55	35.35	11.33	37.15	0.00	100	177	PEAK																																																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5745.00	113.22	-----	-----	103.66	35.38	11.35	37.17	0.00	100	177	PEAK																																																																																																																			
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>105.44</td> <td>-----</td> <td>-----</td> <td>95.88</td> <td>35.38</td> <td>11.35</td> <td>37.17</td> <td>0.00</td> <td>100</td> <td>177</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	105.44	-----	-----	95.88	35.38	11.35	37.17	0.00	100	177	AVERAGE																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5745.00	105.44	-----	-----	95.88	35.38	11.35	37.17	0.00	100	177	AVERAGE																																																																																																																			



Mode	61																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Vertical	Fundamental																																																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5642.40</td> <td>49.30</td> <td>68.20</td> <td>-18.90</td> <td>39.88</td> <td>35.24</td> <td>11.21</td> <td>37.03</td> <td>0.00</td> <td>336</td> <td>274</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.40</td> <td>47.37</td> <td>68.50</td> <td>-21.13</td> <td>37.94</td> <td>35.25</td> <td>11.22</td> <td>37.04</td> <td>0.00</td> <td>336</td> <td>274</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5720.00</td> <td>61.51</td> <td>110.90</td> <td>-49.39</td> <td>51.99</td> <td>35.34</td> <td>11.32</td> <td>37.14</td> <td>0.00</td> <td>336</td> <td>274</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>61.51</td> <td>110.90</td> <td>-49.39</td> <td>51.99</td> <td>35.34</td> <td>11.32</td> <td>37.14</td> <td>0.00</td> <td>336</td> <td>274</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5642.40	49.30	68.20	-18.90	39.88	35.24	11.21	37.03	0.00	336	274	PEAK	2	5650.40	47.37	68.50	-21.13	37.94	35.25	11.22	37.04	0.00	336	274	PEAK	3	5720.00	61.51	110.90	-49.39	51.99	35.34	11.32	37.14	0.00	336	274	PEAK	4	5720.00	61.51	110.90	-49.39	51.99	35.34	11.32	37.14	0.00	336	274	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>112.57</td> <td>103.01</td> <td>9.56</td> <td>103.01</td> <td>35.38</td> <td>11.35</td> <td>37.17</td> <td>0.00</td> <td>336</td> <td>274</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	112.57	103.01	9.56	103.01	35.38	11.35	37.17	0.00	336	274	PEAK
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5642.40	49.30	68.20	-18.90	39.88	35.24	11.21	37.03	0.00	336	274	PEAK																																																																																																											
2	5650.40	47.37	68.50	-21.13	37.94	35.25	11.22	37.04	0.00	336	274	PEAK																																																																																																											
3	5720.00	61.51	110.90	-49.39	51.99	35.34	11.32	37.14	0.00	336	274	PEAK																																																																																																											
4	5720.00	61.51	110.90	-49.39	51.99	35.34	11.32	37.14	0.00	336	274	PEAK																																																																																																											
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	112.57	103.01	9.56	103.01	35.38	11.35	37.17	0.00	336	274	PEAK																																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>103.20</td> <td>103.20</td> <td>0.00</td> <td>93.64</td> <td>35.38</td> <td>11.35</td> <td>37.17</td> <td>0.00</td> <td>336</td> <td>274</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	103.20	103.20	0.00	93.64	35.38	11.35	37.17	0.00	336	274	AVERAGE																																																																														
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	103.20	103.20	0.00	93.64	35.38	11.35	37.17	0.00	336	274	AVERAGE																																																																																																											




Mode	62																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Horizontal	Fundamental																																																																																																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.40</td> <td>50.13</td> <td>112.27</td> <td>-62.14</td> <td>40.31</td> <td>35.66</td> <td>11.49</td> <td>37.33</td> <td>0.00</td> <td>329</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5870.00</td> <td>51.67</td> <td>106.70</td> <td>-55.03</td> <td>41.78</td> <td>35.71</td> <td>11.51</td> <td>37.33</td> <td>0.00</td> <td>329</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.40</td> <td>50.35</td> <td>68.64</td> <td>-18.29</td> <td>40.31</td> <td>35.80</td> <td>11.55</td> <td>37.31</td> <td>0.00</td> <td>329</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5954.40</td> <td>50.70</td> <td>68.20</td> <td>-17.50</td> <td>40.63</td> <td>35.80</td> <td>11.57</td> <td>37.30</td> <td>0.00</td> <td>329</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	50.13	112.27	-62.14	40.31	35.66	11.49	37.33	0.00	329	360	PEAK	2	5870.00	51.67	106.70	-55.03	41.78	35.71	11.51	37.33	0.00	329	360	PEAK	3	5924.40	50.35	68.64	-18.29	40.31	35.80	11.55	37.31	0.00	329	360	PEAK	4	5954.40	50.70	68.20	-17.50	40.63	35.80	11.57	37.30	0.00	329	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>112.75</td> <td>-----</td> <td>-----</td> <td>102.99</td> <td>35.59</td> <td>11.47</td> <td>37.30</td> <td>0.00</td> <td>329</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	112.75	-----	-----	102.99	35.59	11.47	37.30	0.00	329	360	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5854.40	50.13	112.27	-62.14	40.31	35.66	11.49	37.33	0.00	329	360	PEAK																																																																																																																			
2	5870.00	51.67	106.70	-55.03	41.78	35.71	11.51	37.33	0.00	329	360	PEAK																																																																																																																			
3	5924.40	50.35	68.64	-18.29	40.31	35.80	11.55	37.31	0.00	329	360	PEAK																																																																																																																			
4	5954.40	50.70	68.20	-17.50	40.63	35.80	11.57	37.30	0.00	329	360	PEAK																																																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	112.75	-----	-----	102.99	35.59	11.47	37.30	0.00	329	360	PEAK																																																																																																																			
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>104.53</td> <td>-----</td> <td>-----</td> <td>94.77</td> <td>35.59</td> <td>11.47</td> <td>37.30</td> <td>0.00</td> <td>329</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	104.53	-----	-----	94.77	35.59	11.47	37.30	0.00	329	360	AVERAGE																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	104.53	-----	-----	94.77	35.59	11.47	37.30	0.00	329	360	AVERAGE																																																																																																																			



Mode	62																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Vertical	Fundamental																																																																																																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>49.97</td> <td>111.36</td> <td>-61.39</td> <td>40.15</td> <td>35.66</td> <td>11.49</td> <td>37.33</td> <td>0.00</td> <td>342</td> <td>270</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5870.00</td> <td>49.78</td> <td>106.70</td> <td>-56.92</td> <td>39.89</td> <td>35.71</td> <td>11.51</td> <td>37.33</td> <td>0.00</td> <td>342</td> <td>270</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.00</td> <td>49.39</td> <td>68.94</td> <td>-19.55</td> <td>39.35</td> <td>35.80</td> <td>11.55</td> <td>37.31</td> <td>0.00</td> <td>342</td> <td>270</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5938.40</td> <td>50.98</td> <td>68.20</td> <td>-17.22</td> <td>40.93</td> <td>35.80</td> <td>11.56</td> <td>37.31</td> <td>0.00</td> <td>342</td> <td>270</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	49.97	111.36	-61.39	40.15	35.66	11.49	37.33	0.00	342	270	PEAK	2	5870.00	49.78	106.70	-56.92	39.89	35.71	11.51	37.33	0.00	342	270	PEAK	3	5924.00	49.39	68.94	-19.55	39.35	35.80	11.55	37.31	0.00	342	270	PEAK	4	5938.40	50.98	68.20	-17.22	40.93	35.80	11.56	37.31	0.00	342	270	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>107.06</td> <td>-----</td> <td>-----</td> <td>97.30</td> <td>35.59</td> <td>11.47</td> <td>37.30</td> <td>0.00</td> <td>342</td> <td>270</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	107.06	-----	-----	97.30	35.59	11.47	37.30	0.00	342	270	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5854.80	49.97	111.36	-61.39	40.15	35.66	11.49	37.33	0.00	342	270	PEAK																																																																																																																			
2	5870.00	49.78	106.70	-56.92	39.89	35.71	11.51	37.33	0.00	342	270	PEAK																																																																																																																			
3	5924.00	49.39	68.94	-19.55	39.35	35.80	11.55	37.31	0.00	342	270	PEAK																																																																																																																			
4	5938.40	50.98	68.20	-17.22	40.93	35.80	11.56	37.31	0.00	342	270	PEAK																																																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	107.06	-----	-----	97.30	35.59	11.47	37.30	0.00	342	270	PEAK																																																																																																																			
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>100.85</td> <td>-----</td> <td>-----</td> <td>91.09</td> <td>35.59</td> <td>11.47</td> <td>37.30</td> <td>0.00</td> <td>342</td> <td>270</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	100.85	-----	-----	91.09	35.59	11.47	37.30	0.00	342	270	AVERAGE																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	100.85	-----	-----	91.09	35.59	11.47	37.30	0.00	342	270	AVERAGE																																																																																																																			



Mode	50																																																																																																																																																											
	LF																																																																																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																																											
ANT	1																																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																																										
Peak QP	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit Line (dBuV/m)</th> <th>ReadAntenna (dBuV)</th> <th>Cable Loss (dB/m)</th> <th>Preamp Loss (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>30.97</td><td>21.27</td><td>-18.73</td><td>40.00</td><td>28.54</td><td>24.93</td><td>0.76</td><td>32.96</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>125.06</td><td>28.64</td><td>-14.86</td><td>43.50</td><td>42.07</td><td>17.65</td><td>1.66</td><td>32.74</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>197.81</td><td>29.64</td><td>-13.86</td><td>43.50</td><td>45.48</td><td>14.95</td><td>2.08</td><td>32.87</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>375.32</td><td>39.51</td><td>-6.49</td><td>46.00</td><td>48.78</td><td>21.01</td><td>2.88</td><td>33.16</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>593.57</td><td>41.87</td><td>-4.13</td><td>46.00</td><td>45.62</td><td>26.23</td><td>3.58</td><td>33.56</td><td>100</td><td>269 Peak</td></tr> <tr><td>6</td><td>976.72</td><td>33.15</td><td>-20.85</td><td>54.00</td><td>28.38</td><td>31.71</td><td>4.64</td><td>31.58</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna (dBuV)	Cable Loss (dB/m)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	30.97	21.27	-18.73	40.00	28.54	24.93	0.76	32.96	---	Peak	2	125.06	28.64	-14.86	43.50	42.07	17.65	1.66	32.74	---	Peak	3	197.81	29.64	-13.86	43.50	45.48	14.95	2.08	32.87	---	Peak	4	375.32	39.51	-6.49	46.00	48.78	21.01	2.88	33.16	---	Peak	5	593.57	41.87	-4.13	46.00	45.62	26.23	3.58	33.56	100	269 Peak	6	976.72	33.15	-20.85	54.00	28.38	31.71	4.64	31.58	---	Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit Line (dBuV/m)</th> <th>ReadAntenna (dBuV)</th> <th>Cable Loss (dB/m)</th> <th>Preamp Loss (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>30.00</td><td>25.44</td><td>-14.56</td><td>40.00</td><td>32.07</td><td>25.56</td><td>0.76</td><td>32.95</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>125.06</td><td>27.11</td><td>-16.39</td><td>43.50</td><td>40.54</td><td>17.65</td><td>1.66</td><td>32.74</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>197.81</td><td>26.24</td><td>-17.26</td><td>43.50</td><td>42.08</td><td>14.95</td><td>2.08</td><td>32.87</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>375.32</td><td>29.43</td><td>-16.57</td><td>46.00</td><td>38.70</td><td>21.01</td><td>2.88</td><td>33.16</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>593.57</td><td>40.38</td><td>-5.62</td><td>46.00</td><td>44.13</td><td>26.23</td><td>3.58</td><td>33.56</td><td>100</td><td>263 Peak</td></tr> <tr><td>6</td><td>990.30</td><td>32.75</td><td>-21.25</td><td>54.00</td><td>28.79</td><td>30.70</td><td>4.67</td><td>31.41</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna (dBuV)	Cable Loss (dB/m)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	30.00	25.44	-14.56	40.00	32.07	25.56	0.76	32.95	---	Peak	2	125.06	27.11	-16.39	43.50	40.54	17.65	1.66	32.74	---	Peak	3	197.81	26.24	-17.26	43.50	42.08	14.95	2.08	32.87	---	Peak	4	375.32	29.43	-16.57	46.00	38.70	21.01	2.88	33.16	---	Peak	5	593.57	40.38	-5.62	46.00	44.13	26.23	3.58	33.56	100	263 Peak	6	990.30	32.75	-21.25	54.00	28.79	30.70	4.67	31.41	---	Peak
	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna (dBuV)	Cable Loss (dB/m)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																	
1	30.97	21.27	-18.73	40.00	28.54	24.93	0.76	32.96	---	Peak																																																																																																																																																		
2	125.06	28.64	-14.86	43.50	42.07	17.65	1.66	32.74	---	Peak																																																																																																																																																		
3	197.81	29.64	-13.86	43.50	45.48	14.95	2.08	32.87	---	Peak																																																																																																																																																		
4	375.32	39.51	-6.49	46.00	48.78	21.01	2.88	33.16	---	Peak																																																																																																																																																		
5	593.57	41.87	-4.13	46.00	45.62	26.23	3.58	33.56	100	269 Peak																																																																																																																																																		
6	976.72	33.15	-20.85	54.00	28.38	31.71	4.64	31.58	---	Peak																																																																																																																																																		
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna (dBuV)	Cable Loss (dB/m)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																		
1	30.00	25.44	-14.56	40.00	32.07	25.56	0.76	32.95	---	Peak																																																																																																																																																		
2	125.06	27.11	-16.39	43.50	40.54	17.65	1.66	32.74	---	Peak																																																																																																																																																		
3	197.81	26.24	-17.26	43.50	42.08	14.95	2.08	32.87	---	Peak																																																																																																																																																		
4	375.32	29.43	-16.57	46.00	38.70	21.01	2.88	33.16	---	Peak																																																																																																																																																		
5	593.57	40.38	-5.62	46.00	44.13	26.23	3.58	33.56	100	263 Peak																																																																																																																																																		
6	990.30	32.75	-21.25	54.00	28.79	30.70	4.67	31.41	---	Peak																																																																																																																																																		





Mode	63																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																																																			
ANT	1																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11440.00</td> <td>58.93</td> <td>74.00</td> <td>-15.07</td> <td>67.59</td> <td>38.23</td> <td>16.08</td> <td>62.97</td> <td>0.00</td> <td>118</td> <td>289</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11440.00</td> <td>49.19</td> <td>54.00</td> <td>-4.81</td> <td>57.85</td> <td>38.23</td> <td>16.08</td> <td>62.97</td> <td>0.00</td> <td>118</td> <td>289</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	58.93	74.00	-15.07	67.59	38.23	16.08	62.97	0.00	118	289	PEAK	2	11440.00	49.19	54.00	-4.81	57.85	38.23	16.08	62.97	0.00	118	289	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11440.00</td> <td>58.71</td> <td>74.00</td> <td>-15.29</td> <td>67.37</td> <td>38.23</td> <td>16.08</td> <td>62.97</td> <td>0.00</td> <td>311</td> <td>273</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11440.00</td> <td>49.25</td> <td>54.00</td> <td>-4.75</td> <td>57.91</td> <td>38.23</td> <td>16.08</td> <td>62.97</td> <td>0.00</td> <td>311</td> <td>273</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	58.71	74.00	-15.29	67.37	38.23	16.08	62.97	0.00	311	273	PEAK	2	11440.00	49.25	54.00	-4.75	57.91	38.23	16.08	62.97	0.00	311	273	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	11440.00	58.93	74.00	-15.07	67.59	38.23	16.08	62.97	0.00	118	289	PEAK																																																																																																								
2	11440.00	49.19	54.00	-4.81	57.85	38.23	16.08	62.97	0.00	118	289	AVERAGE																																																																																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	11440.00	58.71	74.00	-15.29	67.37	38.23	16.08	62.97	0.00	311	273	PEAK																																																																																																								
2	11440.00	49.25	54.00	-4.75	57.91	38.23	16.08	62.97	0.00	311	273	AVERAGE																																																																																																								



Mode	64																																																																																																																		
	Harmonic																																																																																																																		
	U-NII-2C_5.47-5.85_802.11ax HE20_CH144_5720MHz																																																																																																																		
ANT	1																																																																																																																		
Pol.	Horizontal	Vertical																																																																																																																	
Peak Avg																																																																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11440.00</td> <td>57.24</td> <td>74.00</td> <td>-16.76</td> <td>65.90</td> <td>38.23</td> <td>16.08</td> <td>62.97</td> <td>0.00</td> <td>100</td> <td>288</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11440.00</td> <td>47.34</td> <td>54.00</td> <td>-6.66</td> <td>56.01</td> <td>38.22</td> <td>16.08</td> <td>62.97</td> <td>0.00</td> <td>100</td> <td>288</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	57.24	74.00	-16.76	65.90	38.23	16.08	62.97	0.00	100	288	PEAK	2	11440.00	47.34	54.00	-6.66	56.01	38.22	16.08	62.97	0.00	100	288	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11440.00</td> <td>57.41</td> <td>74.00</td> <td>-16.59</td> <td>66.07</td> <td>38.23</td> <td>16.08</td> <td>62.97</td> <td>0.00</td> <td>103</td> <td>64</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11440.00</td> <td>46.43</td> <td>54.00</td> <td>-7.57</td> <td>55.09</td> <td>38.23</td> <td>16.08</td> <td>62.97</td> <td>0.00</td> <td>103</td> <td>64</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	57.41	74.00	-16.59	66.07	38.23	16.08	62.97	0.00	103	64	PEAK	2	11440.00	46.43	54.00	-7.57	55.09	38.23	16.08	62.97	0.00	103	64
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	11440.00	57.24	74.00	-16.76	65.90	38.23	16.08	62.97	0.00	100	288	PEAK																																																																																																							
2	11440.00	47.34	54.00	-6.66	56.01	38.22	16.08	62.97	0.00	100	288	AVERAGE																																																																																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	11440.00	57.41	74.00	-16.59	66.07	38.23	16.08	62.97	0.00	103	64	PEAK																																																																																																							
2	11440.00	46.43	54.00	-7.57	55.09	38.23	16.08	62.97	0.00	103	64	AVERAGE																																																																																																							



Mode	65																																																																																																					
	Harmonic																																																																																																					
	U-NII-2C_5.47-5.85_802.11ax HE40_CH142_5710MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg																																																																																																						
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11420.00</td> <td>55.04</td> <td>74.00</td> <td>-18.96</td> <td>63.76</td> <td>38.20</td> <td>16.07</td> <td>62.99</td> <td>0.00</td> <td>107</td> <td>289</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11420.00</td> <td>45.25</td> <td>54.00</td> <td>-8.75</td> <td>53.97</td> <td>38.20</td> <td>16.07</td> <td>62.99</td> <td>0.00</td> <td>107</td> <td>289</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11420.00	55.04	74.00	-18.96	63.76	38.20	16.07	62.99	0.00	107	289	PEAK	2	11420.00	45.25	54.00	-8.75	53.97	38.20	16.07	62.99	0.00	107	289	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11420.00</td> <td>45.06</td> <td>74.00</td> <td>-28.94</td> <td>53.78</td> <td>38.20</td> <td>16.07</td> <td>62.99</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11420.00	45.06	74.00	-28.94	53.78	38.20	16.07	62.99	0.00	---	---
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	11420.00	55.04	74.00	-18.96	63.76	38.20	16.07	62.99	0.00	107	289	PEAK																																																																																										
2	11420.00	45.25	54.00	-8.75	53.97	38.20	16.07	62.99	0.00	107	289	AVERAGE																																																																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	11420.00	45.06	74.00	-28.94	53.78	38.20	16.07	62.99	0.00	---	---	PEAK																																																																																										




Mode	66																																																																																	
	Harmonic																																																																																	
	U-NII-2C_5.47-5.85_802.11ax HE80_CH138_5690MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak																																																																																		
Avg																																																																																		
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 11380.00</td> <td>43.25</td> <td>74.00</td> <td>-30.75</td> <td>52.08</td> <td>38.16</td> <td>16.04</td> <td>63.03</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 11380.00	43.25	74.00	-30.75	52.08	38.16	16.04	63.03	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 11380.00</td> <td>43.84</td> <td>74.00</td> <td>-30.16</td> <td>52.67</td> <td>38.16</td> <td>16.04</td> <td>63.03</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 11380.00	43.84	74.00	-30.16	52.67	38.16	16.04	63.03	0.00	--- --- PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																									
1 11380.00	43.25	74.00	-30.75	52.08	38.16	16.04	63.03	0.00	--- --- PEAK																																																																									
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																									
1 11380.00	43.84	74.00	-30.16	52.67	38.16	16.04	63.03	0.00	--- --- PEAK																																																																									



Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	57.48	1.391	0.719	0.75KHz
802.11ax HE20	79.058	3.884	0.257	0.27KHz
802.11ax HE20 RU26	15.217	1.522	0.657	0.68KHz
802.11ax HE20 RU52	15.217	1.522	0.657	0.68KHz
802.11ax HE20 RU106	15.217	1.522	0.657	0.68KHz
802.11ax HE40	78.467	3.855	0.259	0.27KHz
802.11ax HE80	78.287	3.710	0.270	0.3KHz

802.11a






802.11ax HE20



Date: 20 JUL 2023 09:24:24


802.11ax HE20 RU26



Date: 7.AUG.2023 18:41:43




802.11ax HE20 RU52



Date: 7.AUG.2023 18:42:24


802.11ax HE20 RU106



Date: 7.AUG.2023 18:42:48




802.11ax HE40



Date: 20 JUL 2023 09:40:32

802.11ax HE80



Date: 20 JUL 2023 09:52:38